

**Type of Care by Patient County of Residence
for 2010
San Benito County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	5,242	93.62	3.6
Chemical Dependency Recovery Care	2	0.04	12
Physical Rehabilitation Care	21	0.38	18
Psychiatric Care	114	2.04	5.8
Skilled Nursing/Intermediate Care	220	3.93	20
All	5,599	100.0	4.3

**Disposition by Patient County of Residence
for 2010
San Benito County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	4,300	82.03	3.1
03 - Other Care with the admitting hospital	7	0.13	8.7
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	197	3.76	5.7
05 - Acute Care at another hospital	170	3.24	3.7
06 - Other Care (not SN/IC) at another hospital	23	0.44	13
07 - SN/IC at another facility	126	2.40	8.3
08 - Residential Care facility	8	0.15	3.6
10 - Left Against Medical Advice	36	0.69	1.3
11 - Died	87	1.66	6.6
12 - Home Health Service	280	5.34	5.7
13 - Other	8	0.15	6.4
All	5,242	100.0	3.6

***Disposition by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2	100.0	12
All	2	100.0	12

***Disposition by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	9	42.86	20
02 - Acute Care within the admitting hospital	1	4.76	10
07 - SN/IC at another facility	2	9.52	24
12 - Home Health Service	9	42.86	14
All	21	100.0	18

***Disposition by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	92	80.70	6.1
02 - Acute Care within the admitting hospital	1	0.88	2.0
05 - Acute Care at another hospital	2	1.75	1.5
06 - Other Care (not SN/IC) at another hospital	3	2.63	3.7
08 - Residential Care facility	2	1.75	6.5
09 - Prison/Jail	3	2.63	3.0
10 - Left Against Medical Advice	6	5.26	3.3
12 - Home Health Service	1	0.88	14
13 - Other	4	3.51	6.3
All	114	100.0	5.8

***Disposition by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	29	13.18	27
02 - Acute Care within the admitting hospital	79	35.91	18
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	5	2.27	16
05 - Acute Care at another hospital	1	0.45	22
07 - SN/IC at another facility	1	0.45	14
08 - Residential Care facility	3	1.36	20
11 - Died	40	18.18	18
12 - Home Health Service	61	27.73	21
13 - Other	1	0.45	6.0
All	220	100.0	20

***Gender by Patient County of Residence
for 2010
San Benito County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,342	41.83	4.7
2 - Female	3,255	58.14	4.0
4 - Unknown	2	0.04	52
All	5,599	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,192	41.82	3.9
2 - Female	3,048	58.15	3.3
4 - Unknown	2	0.04	52
All	5,242	100.0	3.6

***Gender by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2	100.0	12
All	2	100.0	12

***Gender by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	12	57.14	18
2 - Female	9	42.86	17
All	21	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	53	46.49	5.4
2 - Female	61	53.51	6.1
All	114	100.0	5.8

***Gender by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	83	37.73	21
2 - Female	137	62.27	19
All	220	100.0	20

***Expected Payer by Patient County of Residence
for 2010
San Benito County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,766	31.54	5.8
02 - Medi-Cal	1,502	26.83	3.9
03 - Private Coverage	1,953	34.88	3.3
04 - Workers' Compensatio	48	0.86	3.4
05 - County Indigent Prog	125	2.23	3.1
06 - Other Government	36	0.64	5.4
07 - Other Indigent	2	0.04	4.0
08 - Self-Pay	160	2.86	5.0
09 - Other Payer	7	0.13	4.0
All	5,599	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,595	30.43	4.4
02 - Medi-Cal	1,406	26.82	3.3
03 - Private Coverage	1,889	36.04	3.1
04 - Workers' Compensatio	43	0.82	2.8
05 - County Indigent Prog	122	2.33	3.0
06 - Other Government	33	0.63	5.5
07 - Other Indigent	2	0.04	4.0
08 - Self-Pay	145	2.77	3.2
09 - Other Payer	7	0.13	4.0
All	5,242	100.0	3.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	2	100.0	12
All	2	100.0	12

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	13	61.90	15
02 - Medi-Cal	1	4.76	9.0
03 - Private Coverage	7	33.33	24
All	21	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	16	14.04	5.8
02 - Medi-Cal	35	30.70	5.5
03 - Private Coverage	49	42.98	6.2
04 - Workers' Compensatio	4	3.51	6.0
05 - County Indigent Prog	3	2.63	8.7
06 - Other Government	3	2.63	4.7
08 - Self-Pay	4	3.51	2.5
All	114	100.0	5.8

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	142	64.55	21
02 - Medi-Cal	60	27.27	17
03 - Private Coverage	6	2.73	12
04 - Workers' Compensatio	1	0.45	18
08 - Self-Pay	11	5.00	30
All	220	100.0	20

***Race Group by Patient County of Residence
for 2010
San Benito County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	85	1.52	4.6
1 - White	2,700	48.22	4.7
2 - Black	49	0.88	3.6
3 - Hispanic	2,558	45.69	3.9
4 - Asian/Pacific Islander	92	1.64	4.7
5 - Native American/Eskimo/Ale	1	0.02	2.0
6 - Other	114	2.04	5.4
All	5,599	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	70	1.34	3.5
1 - White	2,482	47.35	3.7
2 - Black	46	0.88	3.4
3 - Hispanic	2,456	46.85	3.4
4 - Asian/Pacific Islander	85	1.62	3.7
5 - Native American/Eskimo/Ale	1	0.02	2.0
6 - Other	102	1.95	5.3
All	5,242	100.0	3.6

***Race Group by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	2	100.0	12
All	2	100.0	12

***Race Group by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	4.76	40
1 - White	12	57.14	19
3 - Hispanic	6	28.57	13
6 - Other	2	9.52	12
All	21	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	13	11.40	5.6
1 - White	40	35.09	6.0
2 - Black	3	2.63	5.7
3 - Hispanic	46	40.35	6.3
4 - Asian/Pacific Islander	4	3.51	5.0
6 - Other	8	7.02	2.6
All	114	100.0	5.8

***Race Group by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	0.45	34
1 - White	164	74.55	18
3 - Hispanic	50	22.73	24
4 - Asian/Pacific Islander	3	1.36	31
6 - Other	2	0.91	11
All	220	100.0	20

**Source of Admission by Patient County of Residence
for 2010
San Benito County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,140	73.94	3.3
2 - Residential Care Facility	9	0.16	7.0
3 - Ambulatory Surgery	26	0.46	3.0
4 - Skilled Nursing/Intermedia	118	2.11	6.8
5 - Acute Inpatient Hospital C	440	7.86	14
6 - Other Inpatient Hospital C	29	0.52	9.8
7 - Newborn (born in admitting	727	12.98	3.2
8 - Prison/Jail	1	0.02	5.0
9 - Other	109	1.95	5.1
All	5,599	100.0	4.3

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,046	77.18	3.3
2 - Residential Care Facility	9	0.17	7.0
3 - Ambulatory Surgery	26	0.50	3.0
4 - Skilled Nursing/Intermedia	99	1.89	5.1
5 - Acute Inpatient Hospital C	222	4.24	8.9
6 - Other Inpatient Hospital C	13	0.25	11
7 - Newborn (born in admitting	727	13.87	3.2
9 - Other	100	1.91	4.7
All	5,242	100.0	3.6

***Source of Admission by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2	100.0	12
All	2	100.0	12

***Source of Admission by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	4.76	25
5 - Acute Inpatient Hospital C	16	76.19	18
6 - Other Inpatient Hospital C	4	19.05	13
All	21	100.0	18

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	86	75.44	5.6
5 - Acute Inpatient Hospital C	7	6.14	5.3
6 - Other Inpatient Hospital C	12	10.53	6.9
8 - Prison/Jail	1	0.88	5.0
9 - Other	8	7.02	6.6
All	114	100.0	5.8

***Source of Admission by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5	2.27	7.2
4 - Skilled Nursing/Intermedia	19	8.64	15
5 - Acute Inpatient Hospital C	195	88.64	21
9 - Other	1	0.45	29
All	220	100.0	20

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	8	0.14	40
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	2	0.04	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	61
009	BONE MARROW TRANSPLANT	1	0.02	33
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.04	22
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	2	0.04	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	4	0.07	4.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	5	0.09	5.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	9	0.16	6.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	7	0.13	3.4
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	3	0.05	6.0
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.09	3.6
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.04	4.5
038	EXTRACRANIAL PROCEDURES WITH CC	4	0.07	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.02	13
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	3	0.05	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.02	14
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	10
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.02	.00

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.02	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	0.11	4.8
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	1.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	17	0.30	8.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	19	0.34	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	21	0.38	8.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.02	6.0
069	TRANSIENT ISCHEMIA	21	0.38	1.8
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.04	2.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.02	1.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.04	2.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.07	4.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.04	2.5
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.04	4.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.05	4.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.02	3.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.07	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.02	2.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	2	0.04	2.5
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	4	0.07	.50
089	CONCUSSION WITH CC	2	0.04	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
090	CONCUSSION WITHOUT CC/MCC	5	0.09	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.02	4.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.07	4.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.05	1.7
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.02	5.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	5.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.02	2.0
100	SEIZURES WITH MCC	9	0.16	3.3
101	SEIZURES WITHOUT MCC	24	0.43	5.1
102	HEADACHES WITH MCC	1	0.02	2.0
103	HEADACHES WITHOUT MCC	11	0.20	1.7
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.02	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
123	NEUROLOGICAL EYE DISORDERS	1	0.02	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	2	0.04	8.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.02	1.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	6	0.11	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	2	0.04	1.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	5	0.09	1.2
137	MOUTH PROCEDURES WITH CC/MCC	2	0.04	2.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	3	0.05	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	3.0
149	DYSEQUILIBRIUM	9	0.16	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.02	1.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	17	0.30	1.9
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.04	2.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.05	2.3
157	DENTAL & ORAL DISEASES WITH MCC	1	0.02	1.0
158	DENTAL & ORAL DISEASES WITH CC	3	0.05	2.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	1	0.02	1.0
163	MAJOR CHEST PROCEDURES WITH MCC	4	0.07	12
164	MAJOR CHEST PROCEDURES WITH CC	10	0.18	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	8	0.14	4.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	6	0.11	21
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.04	7.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	3.3
175	PULMONARY EMBOLISM WITH MCC	1	0.02	2.0
176	PULMONARY EMBOLISM WITHOUT MCC	8	0.14	3.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	21	0.38	7.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	16	0.29	5.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	7	0.13	9.1
180	RESPIRATORY NEOPLASMS WITH MCC	4	0.07	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
181	RESPIRATORY NEOPLASMS WITH CC	6	0.11	5.8
183	MAJOR CHEST TRAUMA WITH MCC	3	0.05	1.7
184	MAJOR CHEST TRAUMA WITH CC	4	0.07	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	2	0.04	2.5
186	PLEURAL EFFUSION WITH MCC	1	0.02	8.0
187	PLEURAL EFFUSION WITH CC	1	0.02	1.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	30	0.54	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	16	0.29	5.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	15	0.27	3.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	21	0.38	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	26	0.46	6.1
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	74	1.32	3.8
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	64	1.14	4.0
197	INTERSTITIAL LUNG DISEASE WITH CC	4	0.07	2.5
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	2	0.04	2.0
199	PNEUMOTHORAX WITH MCC	1	0.02	2.0
200	PNEUMOTHORAX WITH CC	7	0.13	2.1
201	PNEUMOTHORAX WITHOUT CC/MCC	7	0.13	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	26	0.46	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	43	0.77	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	5	0.09	5.8
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	2	0.04	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	6	0.11	2.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	7	0.13	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	17	0.30	4.4
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.04	18
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.02	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	6	0.11	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	5	0.09	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.04	11
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.02	3.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	3	0.05	3.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.04	7.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.02	9.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.02	14
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	3	0.05	18
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	2	0.04	9.5
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	3	0.05	10
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	5	0.09	7.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	7	0.13	6.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.02	10
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.04	15
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.09	3.2
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	4	0.07	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	7	0.13	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	10	0.18	4.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	33	0.59	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.02	4.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	2	0.04	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.04	3.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	14	0.25	2.0
252	OTHER VASCULAR PROCEDURES WITH MCC	7	0.13	8.9
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.02	4.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	4	0.07	1.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.02	1.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.02	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	6	0.11	8.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	13	0.23	4.3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	9	0.16	2.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	16	0.29	1.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.02	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	3	0.05	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	13	0.23	3.5
291	HEART FAILURE & SHOCK WITH MCC	36	0.64	5.2
292	HEART FAILURE & SHOCK WITH CC	36	0.64	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	33	0.59	3.2
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.02	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	3	0.05	5.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	14	0.25	3.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	17	0.30	3.6
303	ATHEROSCLEROSIS WITHOUT MCC	14	0.25	3.9
304	HYPERTENSION WITH MCC	1	0.02	4.0
305	HYPERTENSION WITHOUT MCC	18	0.32	3.9
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	3	0.05	1.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	13	0.23	5.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	0.36	3.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	42	0.75	2.5
311	ANGINA PECTORIS	6	0.11	1.5
312	SYNCOPE & COLLAPSE	48	0.86	2.3
313	CHEST PAIN	69	1.23	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	11	0.20	11
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	12	0.21	3.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.13	1.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	4	0.07	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.02	4.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	8	0.14	3.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	17	0.30	16

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	20	0.36	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.14	4.8
332	RECTAL RESECTION WITH MCC	1	0.02	15
333	RECTAL RESECTION WITH CC	1	0.02	2.0
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.02	1.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.02	6.0
336	PERITONEAL ADHESIOLYSIS WITH CC	5	0.09	3.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	9	0.16	3.1
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.04	6.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.13	3.0
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	7	0.13	3.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	67	1.20	1.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	4.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.04	3.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	4	0.07	3.3
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.04	3.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	5	0.09	1.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.02	3.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	14
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.04	2.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	4	0.07	6.3
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	10	0.18	4.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	13	0.23	3.3
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.05	6.7
375	DIGESTIVE MALIGNANCY WITH CC	7	0.13	2.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.04	7.5
377	G.I. HEMORRHAGE WITH MCC	11	0.20	3.2
378	G.I. HEMORRHAGE WITH CC	34	0.61	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	25	0.45	2.9
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.02	1.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.02	2.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.04	1.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.04	5.5
386	INFLAMMATORY BOWEL DISEASE WITH CC	3	0.05	6.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	8	0.14	4.8
388	G.I. OBSTRUCTION WITH MCC	9	0.16	5.6
389	G.I. OBSTRUCTION WITH CC	14	0.25	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	21	0.38	2.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	12	0.21	2.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	135	2.41	2.4
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	3	0.05	4.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	9	0.16	3.4
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	12	0.21	2.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.02	20
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.02	8.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.02	7.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.04	4.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.04	5.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	23	0.41	4.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	15	0.27	3.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	65	1.16	1.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.02	5.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.02	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	17	0.30	4.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	7	0.13	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	4	0.07	9.8
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	2	0.04	6.0
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.02	3.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	3	0.05	9.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	5	0.09	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	31	0.55	2.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	11	0.20	5.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	11	0.20	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	3	0.05	5.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	4	0.07	5.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	4	0.07	2.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	8	0.14	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.04	13
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.11	5.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	5	0.09	3.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.02	18
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.04	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.05	5.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	31	0.55	3.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.02	2.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.07	3.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	6	0.11	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	3	0.05	7.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	1	0.02	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	4	0.07	6.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	3	0.05	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	4	0.07	7.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	102	1.82	3.2
471	CERVICAL SPINAL FUSION WITH MCC	1	0.02	6.0
472	CERVICAL SPINAL FUSION WITH CC	5	0.09	3.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	15	0.27	2.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	7.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.02	13
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.02	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	2	0.04	5.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	12	0.21	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	12	0.21	4.9
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	5	0.09	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	5	0.09	2.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.04	4.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	2	0.04	2.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.05	3.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	15	0.27	2.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	26	0.46	2.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	1	0.02	6.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	8	0.14	4.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	22	0.39	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.04	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	6	0.11	5.5
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	5	0.09	2.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.02	3.0
501	SOFT TISSUE PROCEDURES WITH CC	6	0.11	4.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
504	FOOT PROCEDURES WITH CC	2	0.04	6.0
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.04	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.02	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.05	1.7
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.16	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	1	0.02	.00
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.07	4.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	2	0.04	2.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.02	1.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	8	0.14	5.3
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.02	.00
540	OSTEOMYELITIS WITH CC	2	0.04	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.02	7.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.02	2.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.07	5.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.04	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.14	3.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	6	0.11	2.5
549	SEPTIC ARTHRITIS WITH CC	1	0.02	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	2	0.04	2.5
552	MEDICAL BACK PROBLEMS WITHOUT MCC	17	0.30	6.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.02	5.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	4	0.07	3.8
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	0.04	2.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	4	0.07	3.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.02	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.04	8.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	10	0.18	14
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.09	6.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	15	0.27	1.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.02	3.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.02	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	44
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.04	6.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.09	2.8
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.04	23

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.02	1.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.09	4.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	17	0.30	1.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	1	0.02	1.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	5	0.09	3.0
593	SKIN ULCERS WITH CC	3	0.05	17
594	SKIN ULCERS WITHOUT CC/MCC	1	0.02	3.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.02	3.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.02	25
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.02	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.07	1.8
602	CELLULITIS WITH MCC	4	0.07	5.0
603	CELLULITIS WITHOUT MCC	69	1.23	3.2
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	1.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	11	0.20	1.5
606	MINOR SKIN DISORDERS WITH MCC	1	0.02	4.0
607	MINOR SKIN DISORDERS WITHOUT MCC	6	0.11	3.5
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	4	0.07	3.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	3	0.05	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.02	12
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	3	0.05	5.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	5	0.09	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	29	0.52	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.04	5.5
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.02	3.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.02	11
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	2	0.04	3.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	13	0.23	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.02	10
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	5	0.09	6.4
637	DIABETES WITH MCC	4	0.07	3.5
638	DIABETES WITH CC	18	0.32	2.4
639	DIABETES WITHOUT CC/MCC	31	0.55	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	13	0.23	3.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	59	1.05	2.6
643	ENDOCRINE DISORDERS WITH MCC	2	0.04	3.5
644	ENDOCRINE DISORDERS WITH CC	8	0.14	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	3	0.05	2.3
652	KIDNEY TRANSPLANT	4	0.07	5.0
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.02	8.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.04	4.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	1	0.02	2.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.04	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	1	0.02	13
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.07	2.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	8	0.14	2.6
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	2.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	5.0
669	TRANSURETHRAL PROCEDURES WITH CC	4	0.07	.75
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	7	0.13	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.04	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.04	13
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	4	0.07	6.5
682	RENAL FAILURE WITH MCC	8	0.14	6.1
683	RENAL FAILURE WITH CC	20	0.36	5.2
684	RENAL FAILURE WITHOUT CC/MCC	9	0.16	3.2
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.02	16
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	9	0.16	4.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	65	1.16	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	13	0.23	1.3
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	3	0.05	1.3
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	5	0.09	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	7	0.13	3.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.02	26

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.02	4.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.18	2.0
709	PENIS PROCEDURES WITH CC/MCC	1	0.02	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	1	0.02	1.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	6	0.11	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.02	1.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.04	2.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.07	5.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.07	6.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.04	10
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	3.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	1.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.02	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.02	3.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	3.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	17	0.30	2.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	79	1.41	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	1	0.02	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	6	0.11	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	13	0.23	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	1.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.07	2.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	3	0.05	1.7
765	CESAREAN SECTION WITH CC/MCC	77	1.38	5.0
766	CESAREAN SECTION WITHOUT CC/MCC	149	2.66	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	25	0.45	2.1
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	5	0.09	1.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	4	0.07	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	53	0.95	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	418	7.47	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	9	0.16	5.8
777	ECTOPIC PREGNANCY	5	0.09	1.6
778	THREATENED ABORTION	20	0.36	1.9
779	ABORTION WITHOUT D&C	6	0.11	1.0
780	FALSE LABOR	2	0.04	.50
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	31	0.55	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	12	0.21	.83
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	31	0.55	1.5
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	16	0.29	40
791	PREMATURITY WITH MAJOR PROBLEMS	7	0.13	32
792	PREMATURITY WITHOUT MAJOR PROBLEMS	25	0.45	7.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	29	0.52	7.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	141	2.52	2.4
795	NORMAL NEWBORN	531	9.48	2.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.02	1.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	2	0.04	13
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.05	6.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.16	8.9
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.02	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	3	0.05	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	20	0.36	2.8
813	COAGULATION DISORDERS	6	0.11	5.2
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.04	1.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	3	0.05	2.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.02	11
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.02	12
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	3.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.02	4.0
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	5	0.09	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.04	21
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	6	0.11	4.2
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.04	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	2	0.04	3.5
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.02	15
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	10	0.18	4.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	3	0.05	1.7
849	RADIOTHERAPY	1	0.02	3.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	14	0.25	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	2	0.04	5.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	2	0.04	7.5
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	4	0.07	5.8
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.04	5.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	3	0.05	4.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	0.09	3.6
864	FEVER	5	0.09	2.2
865	VIRAL ILLNESS WITH MCC	1	0.02	6.0
866	VIRAL ILLNESS WITHOUT MCC	4	0.07	2.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.05	7.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3	0.05	14
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	45	0.80	8.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	40	0.71	4.4
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.02	29
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.04	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	14	0.25	2.4
882	NEUROSES EXCEPT DEPRESSIVE	2	0.04	1.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	3	0.05	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.02	1.0
885	PSYCHOSES	95	1.70	6.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.02	4.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.02	4.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.02	3.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.04	12
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	6	0.11	6.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	24	0.43	3.2
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.02	10
906	HAND PROCEDURES FOR INJURIES	2	0.04	.50
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.07	6.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	2	0.04	3.0
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	4	0.07	2.0
914	TRAUMATIC INJURY WITHOUT MCC	7	0.13	3.9
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.04	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	3	0.05	4.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	45	0.80	1.7
919	COMPLICATIONS OF TREATMENT WITH MCC	3	0.05	4.7
920	COMPLICATIONS OF TREATMENT WITH CC	3	0.05	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	6	0.11	1.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.02	2.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.02	.00
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.02	17
935	NON-EXTENSIVE BURNS	2	0.04	.50
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.02	4.0
945	REHABILITATION WITH CC/MCC	120	2.14	21
946	REHABILITATION WITHOUT CC/MCC	50	0.89	21
947	SIGNS & SYMPTOMS WITH MCC	3	0.05	1.7
948	SIGNS & SYMPTOMS WITHOUT MCC	18	0.32	2.4
949	AFTERCARE WITH CC/MCC	2	0.04	2.0
950	AFTERCARE WITHOUT CC/MCC	2	0.04	35
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.05	1.7
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.04	6.0
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.02	9.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.04	5.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	9.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	5	0.09	7.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	1.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	2	0.04	30
975	HIV WITH MAJOR RELATED CONDITION WITH CC	1	0.02	4.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.04	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Benito County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.09	4.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.05	2.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	4	0.07	6.3
All		5,599	100.0	4.3

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	8	0.15	40
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	2	0.04	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	61
009	BONE MARROW TRANSPLANT	1	0.02	33
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.04	22
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	2	0.04	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	4	0.08	4.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	5	0.10	5.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	9	0.17	6.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	7	0.13	3.4
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	3	0.06	6.0
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.10	3.6
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.04	4.5
038	EXTRACRANIAL PROCEDURES WITH CC	4	0.08	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	3	0.06	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.02	13
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	3	0.06	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.02	14
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.06	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.02	.00
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.02	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	4	0.08	4.3
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	1.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	16	0.31	8.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	16	0.31	4.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	18	0.34	3.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.02	6.0
069	TRANSIENT ISCHEMIA	21	0.40	1.8
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.04	2.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.02	1.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.04	2.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.08	4.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.04	2.5
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.04	4.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.06	4.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.02	3.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.08	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.02	2.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	2	0.04	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	4	0.08	.50
089	CONCUSSION WITH CC	2	0.04	5.0
090	CONCUSSION WITHOUT CC/MCC	5	0.10	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.02	4.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.08	4.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.06	1.7
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.02	5.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	5.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.02	2.0
100	SEIZURES WITH MCC	9	0.17	3.3
101	SEIZURES WITHOUT MCC	23	0.44	2.1
102	HEADACHES WITH MCC	1	0.02	2.0
103	HEADACHES WITHOUT MCC	11	0.21	1.7
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.02	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
123	NEUROLOGICAL EYE DISORDERS	1	0.02	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.02	1.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	6	0.11	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	2	0.04	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	5	0.10	1.2
137	MOUTH PROCEDURES WITH CC/MCC	2	0.04	2.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
139	SALIVARY GLAND PROCEDURES	3	0.06	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	3.0
149	DYSEQUILIBRIUM	9	0.17	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.02	1.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	17	0.32	1.9
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.04	2.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.06	2.3
157	DENTAL & ORAL DISEASES WITH MCC	1	0.02	1.0
158	DENTAL & ORAL DISEASES WITH CC	3	0.06	2.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	1	0.02	1.0
163	MAJOR CHEST PROCEDURES WITH MCC	4	0.08	12
164	MAJOR CHEST PROCEDURES WITH CC	10	0.19	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	8	0.15	4.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	6	0.11	21
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.04	7.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.06	3.3
175	PULMONARY EMBOLISM WITH MCC	1	0.02	2.0
176	PULMONARY EMBOLISM WITHOUT MCC	8	0.15	3.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	21	0.40	7.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	16	0.31	5.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	5	0.10	3.6
180	RESPIRATORY NEOPLASMS WITH MCC	3	0.06	4.0
181	RESPIRATORY NEOPLASMS WITH CC	6	0.11	5.8
183	MAJOR CHEST TRAUMA WITH MCC	3	0.06	1.7
184	MAJOR CHEST TRAUMA WITH CC	4	0.08	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	2	0.04	2.5
186	PLEURAL EFFUSION WITH MCC	1	0.02	8.0
187	PLEURAL EFFUSION WITH CC	1	0.02	1.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	30	0.57	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	16	0.31	5.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	15	0.29	3.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	21	0.40	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	26	0.50	6.1
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	73	1.39	3.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	59	1.13	3.1
197	INTERSTITIAL LUNG DISEASE WITH CC	4	0.08	2.5
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	2	0.04	2.0
199	PNEUMOTHORAX WITH MCC	1	0.02	2.0
200	PNEUMOTHORAX WITH CC	7	0.13	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	7	0.13	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	25	0.48	2.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	42	0.80	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	4	0.08	3.8
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	2	0.04	13
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	6	0.11	2.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	7	0.13	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	17	0.32	4.4
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.04	18
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.02	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	6	0.11	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	5	0.10	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.04	11
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.02	3.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	3	0.06	3.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.04	7.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.02	9.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.02	14
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	3	0.06	18
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	2	0.04	9.5
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	3	0.06	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	5	0.10	7.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	7	0.13	6.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.02	10
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.04	15
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.10	3.2
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	4	0.08	3.3
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	7	0.13	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	10	0.19	4.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	33	0.63	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.02	4.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	2	0.04	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.04	3.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	14	0.27	2.0
252	OTHER VASCULAR PROCEDURES WITH MCC	7	0.13	8.9
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.02	4.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	4	0.08	1.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.02	1.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.02	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	6	0.11	8.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	13	0.25	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	9	0.17	2.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	16	0.31	1.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.02	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	3	0.06	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	13	0.25	3.5
291	HEART FAILURE & SHOCK WITH MCC	36	0.69	5.2
292	HEART FAILURE & SHOCK WITH CC	36	0.69	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	30	0.57	2.6
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.02	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	3	0.06	5.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	14	0.27	3.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	16	0.31	3.1
303	ATHEROSCLEROSIS WITHOUT MCC	13	0.25	2.3
304	HYPERTENSION WITH MCC	1	0.02	4.0
305	HYPERTENSION WITHOUT MCC	15	0.29	1.9
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	3	0.06	1.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	12	0.23	3.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	0.38	3.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	41	0.78	2.0
311	ANGINA PECTORIS	6	0.11	1.5
312	SYNCOPE & COLLAPSE	46	0.88	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
313	CHEST PAIN	69	1.32	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	11	0.21	11
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	12	0.23	3.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.13	1.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	4	0.08	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.02	4.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	8	0.15	3.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	17	0.32	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	20	0.38	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.15	4.8
332	RECTAL RESECTION WITH MCC	1	0.02	15
333	RECTAL RESECTION WITH CC	1	0.02	2.0
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.02	1.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.02	6.0
336	PERITONEAL ADHESIOLYSIS WITH CC	5	0.10	3.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	9	0.17	3.1
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.04	6.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.13	3.0
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	7	0.13	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	67	1.28	1.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	4.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.04	3.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	4	0.08	3.3
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.04	3.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.02	3.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	5	0.10	1.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.02	3.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	14
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.04	2.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	4	0.08	6.3
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	10	0.19	4.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	13	0.25	3.3
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.06	6.7
375	DIGESTIVE MALIGNANCY WITH CC	5	0.10	2.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.02	3.0
377	G.I. HEMORRHAGE WITH MCC	11	0.21	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
378	G.I. HEMORRHAGE WITH CC	34	0.65	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	25	0.48	2.9
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.02	1.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.02	2.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.04	1.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.04	5.5
386	INFLAMMATORY BOWEL DISEASE WITH CC	3	0.06	6.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	8	0.15	4.8
388	G.I. OBSTRUCTION WITH MCC	9	0.17	5.6
389	G.I. OBSTRUCTION WITH CC	14	0.27	2.9
390	G.I. OBSTRUCTION WITHOUT CC/MCC	21	0.40	2.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	12	0.23	2.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	134	2.56	2.3
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	3	0.06	4.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	9	0.17	3.4
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	12	0.23	2.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.02	20
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.02	8.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.02	7.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.04	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.04	5.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	23	0.44	4.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	15	0.29	3.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	65	1.24	1.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.02	5.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.02	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	17	0.32	4.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	7	0.13	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	4	0.08	9.8
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	2	0.04	6.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	3	0.06	9.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	5	0.10	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	31	0.59	2.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	11	0.21	5.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	11	0.21	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	2	0.04	1.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	4	0.08	5.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	4	0.08	2.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	8	0.15	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.04	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.11	5.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	5	0.10	3.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.02	18
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.04	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.06	5.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	31	0.59	3.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.02	2.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.08	3.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	6	0.11	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	3	0.06	7.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	1	0.02	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	4	0.08	6.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	3	0.06	4.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	4	0.08	7.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	102	1.95	3.2
471	CERVICAL SPINAL FUSION WITH MCC	1	0.02	6.0
472	CERVICAL SPINAL FUSION WITH CC	5	0.10	3.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	15	0.29	2.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	7.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.02	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	2	0.04	5.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	12	0.23	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	12	0.23	4.9
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	5	0.10	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	5	0.10	2.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.04	4.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	2	0.04	2.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.06	3.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	15	0.29	2.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	26	0.50	2.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	1	0.02	6.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	8	0.15	4.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	22	0.42	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.04	7.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	6	0.11	5.5
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	5	0.10	2.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.02	3.0
501	SOFT TISSUE PROCEDURES WITH CC	6	0.11	4.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	3	0.06	1.7
504	FOOT PROCEDURES WITH CC	2	0.04	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.04	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.02	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.06	1.7
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.17	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	1	0.02	.00
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.08	4.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	2	0.04	2.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.02	1.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	6	0.11	3.2
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.02	.00
540	OSTEOMYELITIS WITH CC	2	0.04	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.02	7.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.02	2.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.08	5.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.04	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.15	3.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	6	0.11	2.5
549	SEPTIC ARTHRITIS WITH CC	1	0.02	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
551	MEDICAL BACK PROBLEMS WITH MCC	2	0.04	2.5
552	MEDICAL BACK PROBLEMS WITHOUT MCC	14	0.27	2.4
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.02	5.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	3	0.06	1.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	0.04	2.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	4	0.08	3.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.02	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.02	5.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.04	1.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.10	6.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	15	0.29	1.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.02	3.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.02	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	44
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.04	6.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.10	2.8
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.04	23
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.02	1.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.10	4.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	17	0.32	1.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	5	0.10	3.0
593	SKIN ULCERS WITH CC	2	0.04	4.0
594	SKIN ULCERS WITHOUT CC/MCC	1	0.02	3.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.02	3.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.02	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.08	1.8
602	CELLULITIS WITH MCC	4	0.08	5.0
603	CELLULITIS WITHOUT MCC	66	1.26	2.8
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	1.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	11	0.21	1.5
606	MINOR SKIN DISORDERS WITH MCC	1	0.02	4.0
607	MINOR SKIN DISORDERS WITHOUT MCC	6	0.11	3.5
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	4	0.08	3.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	3	0.06	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.02	12
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	3	0.06	5.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	5	0.10	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	29	0.55	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.04	5.5
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.02	3.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	2	0.04	3.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	13	0.25	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.02	10
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	5	0.10	6.4
637	DIABETES WITH MCC	4	0.08	3.5
638	DIABETES WITH CC	18	0.34	2.4
639	DIABETES WITHOUT CC/MCC	31	0.59	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	13	0.25	3.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	57	1.09	2.3
643	ENDOCRINE DISORDERS WITH MCC	2	0.04	3.5
644	ENDOCRINE DISORDERS WITH CC	8	0.15	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	3	0.06	2.3
652	KIDNEY TRANSPLANT	4	0.08	5.0
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.02	8.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.04	4.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	1	0.02	2.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.04	2.0
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	1	0.02	13
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.08	2.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	8	0.15	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	2.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	5.0
669	TRANSURETHRAL PROCEDURES WITH CC	4	0.08	.75
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	7	0.13	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.04	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.04	13
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	4	0.08	6.5
682	RENAL FAILURE WITH MCC	8	0.15	6.1
683	RENAL FAILURE WITH CC	20	0.38	5.2
684	RENAL FAILURE WITHOUT CC/MCC	8	0.15	3.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	9	0.17	4.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	62	1.18	2.9
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	13	0.25	1.3
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	3	0.06	1.3
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	5	0.10	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	7	0.13	3.1
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.02	4.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.19	2.0
709	PENIS PROCEDURES WITH CC/MCC	1	0.02	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	1	0.02	1.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	6	0.11	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.02	1.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.04	2.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.08	5.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.08	6.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.04	10
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	3.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	1.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.02	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.02	3.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	3.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	17	0.32	2.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	79	1.51	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	1	0.02	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	6	0.11	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	13	0.25	1.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	1.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.08	2.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	3	0.06	1.7
765	CESAREAN SECTION WITH CC/MCC	77	1.47	5.0
766	CESAREAN SECTION WITHOUT CC/MCC	149	2.84	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	25	0.48	2.1
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	5	0.10	1.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	4	0.08	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	53	1.01	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	418	7.97	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	8	0.15	2.4
777	ECTOPIC PREGNANCY	5	0.10	1.6
778	THREATENED ABORTION	20	0.38	1.9
779	ABORTION WITHOUT D&C	6	0.11	1.0
780	FALSE LABOR	2	0.04	.50
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	30	0.57	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	12	0.23	.83
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	31	0.59	1.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	16	0.31	40
791	PREMATURITY WITH MAJOR PROBLEMS	7	0.13	32
792	PREMATURITY WITHOUT MAJOR PROBLEMS	25	0.48	7.2
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	29	0.55	7.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	141	2.69	2.4

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
795	NORMAL NEWBORN	531	10.13	2.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.02	1.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	2	0.04	13
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.06	6.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.17	8.9
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.02	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	3	0.06	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	20	0.38	2.8
813	COAGULATION DISORDERS	6	0.11	5.2
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.04	1.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	3	0.06	2.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.02	11
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.02	12
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	3.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.02	4.0
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	5	0.10	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.04	21
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	6	0.11	4.2
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.04	2.5
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	2	0.04	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.02	15
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	10	0.19	4.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	3	0.06	1.7
849	RADIOTHERAPY	1	0.02	3.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	14	0.27	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	2	0.04	5.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	2	0.04	7.5
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	4	0.08	5.8
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.04	5.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	3	0.06	4.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	0.10	3.6
864	FEVER	5	0.10	2.2
865	VIRAL ILLNESS WITH MCC	1	0.02	6.0
866	VIRAL ILLNESS WITHOUT MCC	4	0.08	2.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.06	7.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3	0.06	14
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	45	0.86	8.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	40	0.76	4.4
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.02	29
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.04	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	2	0.04	1.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.04	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.02	1.0
885	PSYCHOSES	1	0.02	5.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.02	4.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.02	3.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	6	0.11	6.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	22	0.42	3.2
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.02	10
906	HAND PROCEDURES FOR INJURIES	2	0.04	.50
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.08	6.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	2	0.04	3.0
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	4	0.08	2.0
914	TRAUMATIC INJURY WITHOUT MCC	6	0.11	.83
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.04	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	3	0.06	4.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	45	0.86	1.7
919	COMPLICATIONS OF TREATMENT WITH MCC	3	0.06	4.7
920	COMPLICATIONS OF TREATMENT WITH CC	3	0.06	2.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	6	0.11	1.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.02	.00
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.02	17
935	NON-EXTENSIVE BURNS	2	0.04	.50
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.02	4.0
945	REHABILITATION WITH CC/MCC	2	0.04	10
947	SIGNS & SYMPTOMS WITH MCC	3	0.06	1.7
948	SIGNS & SYMPTOMS WITHOUT MCC	18	0.34	2.4
949	AFTERCARE WITH CC/MCC	2	0.04	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.06	1.7
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.04	6.0
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.02	9.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.04	5.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	9.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	4	0.08	4.8
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	1.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	2	0.04	30
975	HIV WITH MAJOR RELATED CONDITION WITH CC	1	0.02	4.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.04	4.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.10	4.6

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.06	2.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	4	0.08	6.3
All		5,242	100.0	3.6

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	100.0	12
All		2	100.0	12

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	16	76.19	20
946	REHABILITATION WITHOUT CC/MCC	5	23.81	10
All		21	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.88	33
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.88	2.0
881	DEPRESSIVE NEUROSES	12	10.53	2.7
882	NEUROSES EXCEPT DEPRESSIVE	2	1.75	1.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.88	20
885	PSYCHOSES	94	82.46	6.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.88	4.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	1.75	3.0
All		114	100.0	5.8

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.91	6.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.45	.00
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	3	1.36	7.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	3	1.36	41
101	SEIZURES WITHOUT MCC	1	0.45	73
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.45	13
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.91	23
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.45	14
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.45	18
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	5	2.27	15
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.45	16
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1	0.45	4.0
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.45	14
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	3	1.36	9.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.45	13
303	ATHEROSCLEROSIS WITHOUT MCC	1	0.45	24
305	HYPERTENSION WITHOUT MCC	3	1.36	14
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.45	25
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.45	20
312	SYNCOPE & COLLAPSE	2	0.91	14
375	DIGESTIVE MALIGNANCY WITH CC	2	0.91	3.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.45	12
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	0.45	18
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.45	3.0
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	0.45	13
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	2	0.91	12
552	MEDICAL BACK PROBLEMS WITHOUT MCC	3	1.36	26
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.45	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.45	12
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	8	3.64	17
593	SKIN ULCERS WITH CC	1	0.45	44
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.45	25
603	CELLULITIS WITHOUT MCC	3	1.36	12
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2	0.91	11
684	RENAL FAILURE WITHOUT CC/MCC	1	0.45	5.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.45	16
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	3	1.36	9.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.45	26
914	TRAUMATIC INJURY WITHOUT MCC	1	0.45	22
945	REHABILITATION WITH CC/MCC	102	46.36	21
946	REHABILITATION WITHOUT CC/MCC	45	20.45	22
950	AFTERCARE WITHOUT CC/MCC	2	0.91	35

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.45	18
All		220	100.0	20

**MDC by Patient County of Residence
for 2010
San Benito County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	239	4.27	5.1
02	EYE, DISEASES & DISORDERS	6	0.11	8.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	58	1.04	1.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	483	8.63	5.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	613	10.95	3.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	525	9.38	3.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	224	4.00	3.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	468	8.36	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	143	2.55	3.9
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	211	3.77	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	189	3.38	3.9
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	28	0.50	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	137	2.45	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	816	14.57	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	780	13.93	3.5
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	50	0.89	4.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	38	0.68	6.9
18	INFECTIOUS & PARASITIC DISEASES	133	2.38	7.6
19	MENTAL DISEASES & DISORDERS	120	2.14	5.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	33	0.59	4.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	85	1.52	2.4
22	BURNS	3	0.05	6.0

(Continued)

***MDC by Patient County of Residence
for 2010
San Benito County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	199	3.55	18
24	MULTIPLE SIGNFICANT TRAUMA	12	0.21	6.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	6	0.11	13
All		5,599	100.0	4.3

**MDC by Patient County of Residence
and Type of Care for 2010
San Benito County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	229	4.37	4.4
02	EYE, DISEASES & DISORDERS	5	0.10	8.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	58	1.11	1.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	471	8.99	4.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	601	11.47	3.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	521	9.94	3.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	222	4.24	3.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	453	8.64	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	138	2.63	3.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	209	3.99	2.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	183	3.49	3.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	28	0.53	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	137	2.61	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	814	15.53	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	780	14.88	3.5
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	50	0.95	4.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	38	0.72	6.9
18	INFECTIOUS & PARASITIC DISEASES	133	2.54	7.6
19	MENTAL DISEASES & DISORDERS	10	0.19	6.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	29	0.55	3.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	84	1.60	2.2

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	3	0.06	6.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	29	0.55	2.8
24	MULTIPLE SIGNFICANT TRAUMA	11	0.21	5.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	6	0.11	13
All		5,242	100.0	3.6

***MDC by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	2	100.0	12
All		2	100.0	12

***MDC by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	21	100.0	18
All		21	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2	1.75	18
19	MENTAL DISEASES & DISORDERS	110	96.49	5.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	2	1.75	3.0
All		114	100.0	5.8

***MDC by Patient County of Residence
and Type of Care for 2010
San Benito County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	10	4.55	23
02	EYE, DISEASES & DISORDERS	1	0.45	13
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	12	5.45	16
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	12	5.45	15
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	4	1.82	9.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	0.91	8.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	15	6.82	17
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	5	2.27	21
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.91	11
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	6	2.73	13
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.45	22
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	149	67.73	22
24	MULTIPLE SIGNFICANT TRAUMA	1	0.45	18
All		220	100.0	20