

**Type of Care by Patient County of Residence
for 2009
San Diego County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	284,573	91.41	4.1
Chemical Dependency Recovery Care	1,585	0.51	7.3
Physical Rehabilitation Care	2,392	0.77	14
Psychiatric Care	20,123	6.46	7.9
Skilled Nursing/Intermediate Care	2,643	0.85	80
All	311,316	100.0	5.1

***Disposition by Patient County of Residence
for 2009
San Diego County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	9.0
01 - Routine (Home)	209,214	73.52	3.1
02 - Acute Care within the admitting hospital	29	0.01	11
03 - Other Care with the admitting hospital	1,833	0.64	7.4
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1,803	0.63	7.4
05 - Acute Care at another hospital	5,785	2.03	5.6
06 - Other Care (not SN/IC) at another hospital	2,036	0.72	9.9
07 - SN/IC at another facility	24,829	8.73	7.4
08 - Residential Care facility	1,599	0.56	4.9
09 - Prison/Jail	1,311	0.46	5.2
10 - Left Against Medical Advice	2,248	0.79	2.5
11 - Died	6,085	2.14	8.8
12 - Home Health Service	27,346	9.61	6.5
13 - Other	454	0.16	7.7
All	284,573	100.0	4.1

***Disposition by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,256	79.24	7.8
02 - Acute Care within the admitting hospital	1	0.06	4.0
03 - Other Care with the admitting hospital	2	0.13	15
05 - Acute Care at another hospital	10	0.63	6.4
06 - Other Care (not SN/IC) at another hospital	10	0.63	4.9
07 - SN/IC at another facility	5	0.32	11
08 - Residential Care facility	37	2.33	7.7
09 - Prison/Jail	104	6.56	6.2
10 - Left Against Medical Advice	152	9.59	3.4
12 - Home Health Service	2	0.13	4.5
13 - Other	6	0.38	10
All	1,585	100.0	7.3

***Disposition by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	900	37.63	14
02 - Acute Care within the admitting hospital	196	8.19	9.1
03 - Other Care with the admitting hospital	1	0.04	7.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	8	0.33	14
05 - Acute Care at another hospital	51	2.13	15
06 - Other Care (not SN/IC) at another hospital	11	0.46	18
07 - SN/IC at another facility	202	8.44	17
08 - Residential Care facility	23	0.96	19
10 - Left Against Medical Advice	7	0.29	2.4
11 - Died	5	0.21	2.8
12 - Home Health Service	982	41.05	14
13 - Other	6	0.25	9.7
All	2,392	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.01	4.5
01 - Routine (Home)	15,459	76.82	6.7
02 - Acute Care within the admitting hospital	213	1.06	7.8
03 - Other Care with the admitting hospital	22	0.11	16
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	3	0.01	18
05 - Acute Care at another hospital	231	1.15	9.0
06 - Other Care (not SN/IC) at another hospital	628	3.12	8.0
07 - SN/IC at another facility	1,202	5.97	19
08 - Residential Care facility	1,321	6.56	13
09 - Prison/Jail	141	0.70	8.8
10 - Left Against Medical Advice	703	3.49	4.2
11 - Died	8	0.04	7.4
12 - Home Health Service	118	0.59	12
13 - Other	72	0.36	11
All	20,123	100.0	7.9

***Disposition by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	6	0.23	21
01 - Routine (Home)	1,127	42.64	28
02 - Acute Care within the admitting hospital	435	16.46	124
03 - Other Care with the admitting hospital	9	0.34	193
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	6	0.23	63
05 - Acute Care at another hospital	79	2.99	199
06 - Other Care (not SN/IC) at another hospital	19	0.72	80
07 - SN/IC at another facility	89	3.37	178
08 - Residential Care facility	106	4.01	67
09 - Prison/Jail	1	0.04	60
10 - Left Against Medical Advice	14	0.53	15
11 - Died	216	8.17	298
12 - Home Health Service	519	19.64	20
13 - Other	17	0.64	518
All	2,643	100.0	80

***Gender by Patient County of Residence
for 2009
San Diego County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	131,021	42.09	5.6
2 - Female	180,282	57.91	4.7
3 - Other	6	0.00	2.5
4 - Unknown	7	0.00	3.7
All	311,316	100.0	5.1

***Gender by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	117,957	41.45	4.5
2 - Female	166,603	58.54	3.8
3 - Other	6	0.00	2.5
4 - Unknown	7	0.00	3.7
All	284,573	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	940	59.31	6.8
2 - Female	645	40.69	8.0
All	1,585	100.0	7.3

***Gender by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,256	52.51	15
2 - Female	1,136	47.49	13
All	2,392	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	9,796	48.68	7.9
2 - Female	10,327	51.32	8.0
All	20,123	100.0	7.9

***Gender by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,072	40.56	95
2 - Female	1,571	59.44	70
All	2,643	100.0	80

***Expected Payer by Patient County of Residence
for 2009
San Diego County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	29	0.01	7.4
01 - Medicare	104,190	33.47	5.9
02 - Medi-Cal	65,574	21.06	5.9
03 - Private Coverage	108,689	34.91	3.7
04 - Workers' Compensatio	1,770	0.57	4.3
05 - County Indigent Prog	7,054	2.27	6.1
06 - Other Government	10,072	3.24	5.7
07 - Other Indigent	817	0.26	3.4
08 - Self-Pay	12,697	4.08	4.1
09 - Other Payer	424	0.14	27
All	311,316	100.0	5.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	7	0.00	5.0
01 - Medicare	94,696	33.28	4.9
02 - Medi-Cal	60,310	21.19	3.9
03 - Private Coverage	101,044	35.51	3.4
04 - Workers' Compensatio	1,666	0.59	3.8
05 - County Indigent Prog	5,791	2.03	5.2
06 - Other Government	8,827	3.10	4.4
07 - Other Indigent	675	0.24	3.3
08 - Self-Pay	11,255	3.96	3.4
09 - Other Payer	302	0.11	5.5
All	284,573	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.19	15
01 - Medicare	153	9.65	6.3
03 - Private Coverage	1,091	68.83	6.3
04 - Workers' Compensatio	3	0.19	10
06 - Other Government	190	11.99	7.3
07 - Other Indigent	1	0.06	1.0
08 - Self-Pay	125	7.89	15
09 - Other Payer	19	1.20	23
All	1,585	100.0	7.3

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,447	60.49	13
02 - Medi-Cal	159	6.65	18
03 - Private Coverage	583	24.37	15
04 - Workers' Compensatio	57	2.38	17
05 - County Indigent Prog	19	0.79	15
06 - Other Government	107	4.47	16
08 - Self-Pay	20	0.84	13
All	2,392	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	18	0.09	7.0
01 - Medicare	6,382	31.71	10
02 - Medi-Cal	4,485	22.29	7.6
03 - Private Coverage	5,682	28.24	6.0
04 - Workers' Compensatio	31	0.15	6.6
05 - County Indigent Prog	1,239	6.16	8.4
06 - Other Government	902	4.48	9.3
07 - Other Indigent	140	0.70	3.7
08 - Self-Pay	1,210	6.01	4.0
09 - Other Payer	34	0.17	14
All	20,123	100.0	7.9

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.04	8.0
01 - Medicare	1,512	57.21	41
02 - Medi-Cal	620	23.46	184
03 - Private Coverage	289	10.93	40
04 - Workers' Compensatio	13	0.49	14
05 - County Indigent Prog	5	0.19	331
06 - Other Government	46	1.74	162
07 - Other Indigent	1	0.04	11
08 - Self-Pay	87	3.29	69
09 - Other Payer	69	2.61	129
All	2,643	100.0	80

***Race Group by Patient County of Residence
for 2009
San Diego County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4,344	1.40	5.2
1 - White	171,166	54.98	5.3
2 - Black	18,939	6.08	5.9
3 - Hispanic	86,026	27.63	4.5
4 - Asian/Pacific Islander	21,901	7.03	5.0
5 - Native American/Eskimo/Ale	1,041	0.33	5.8
6 - Other	7,899	2.54	4.6
All	311,316	100.0	5.1

***Race Group by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3,664	1.29	3.8
1 - White	153,348	53.89	4.2
2 - Black	16,801	5.90	4.6
3 - Hispanic	81,622	28.68	3.8
4 - Asian/Pacific Islander	20,821	7.32	4.1
5 - Native American/Eskimo/Ale	882	0.31	3.9
6 - Other	7,435	2.61	3.9
All	284,573	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	47	2.97	7.3
1 - White	1,275	80.44	7.5
2 - Black	28	1.77	5.4
3 - Hispanic	186	11.74	6.8
4 - Asian/Pacific Islander	13	0.82	5.8
5 - Native American/Eskimo/Ale	11	0.69	7.1
6 - Other	25	1.58	4.4
All	1,585	100.0	7.3

***Race Group by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	125	5.23	18
1 - White	1,613	67.43	14
2 - Black	106	4.43	14
3 - Hispanic	338	14.13	15
4 - Asian/Pacific Islander	142	5.94	14
5 - Native American/Eskimo/Ale	10	0.42	10
6 - Other	58	2.42	11
All	2,392	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	474	2.36	6.6
1 - White	13,141	65.30	8.1
2 - Black	1,931	9.60	8.2
3 - Hispanic	3,310	16.45	7.2
4 - Asian/Pacific Islander	802	3.99	8.9
5 - Native American/Eskimo/Ale	126	0.63	7.3
6 - Other	339	1.68	8.6
All	20,123	100.0	7.9

***Race Group by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	34	1.29	83
1 - White	1,789	67.69	70
2 - Black	73	2.76	221
3 - Hispanic	570	21.57	83
4 - Asian/Pacific Islander	123	4.65	120
5 - Native American/Eskimo/Ale	12	0.45	124
6 - Other	42	1.59	91
All	2,643	100.0	80

**Source of Admission by Patient County of Residence
for 2009
San Diego County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	36	0.01	10
1 - Home	236,533	75.98	4.2
2 - Residential Care Facility	2,909	0.93	5.6
3 - Ambulatory Surgery	3,867	1.24	2.9
4 - Skilled Nursing/Intermedia	8,453	2.72	8.0
5 - Acute Inpatient Hospital C	12,307	3.95	26
6 - Other Inpatient Hospital C	2,464	0.79	12
7 - Newborn (born in admitting	39,865	12.81	2.9
8 - Prison/Jail	1,437	0.46	5.9
9 - Other	3,445	1.11	5.2
All	311,316	100.0	5.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	35	0.01	10
1 - Home	218,767	76.88	3.9
2 - Residential Care Facility	2,583	0.91	4.7
3 - Ambulatory Surgery	3,856	1.36	2.8
4 - Skilled Nursing/Intermedia	8,103	2.85	6.3
5 - Acute Inpatient Hospital C	6,439	2.26	13
6 - Other Inpatient Hospital C	760	0.27	9.6
7 - Newborn (born in admitting	39,865	14.01	2.9
8 - Prison/Jail	1,195	0.42	5.4
9 - Other	2,970	1.04	4.4
All	284,573	100.0	4.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,405	88.64	7.3
2 - Residential Care Facility	1	0.06	4.0
5 - Acute Inpatient Hospital C	5	0.32	5.0
6 - Other Inpatient Hospital C	65	4.10	9.4
8 - Prison/Jail	109	6.88	6.1
All	1,585	100.0	7.3

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.04	10
1 - Home	56	2.34	30
3 - Ambulatory Surgery	1	0.04	14
4 - Skilled Nursing/Intermedia	61	2.55	22
5 - Acute Inpatient Hospital C	2,223	92.93	13
6 - Other Inpatient Hospital C	50	2.09	16
All	2,392	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	16,158	80.30	7.4
2 - Residential Care Facility	323	1.61	12
3 - Ambulatory Surgery	3	0.01	2.7
4 - Skilled Nursing/Intermedia	234	1.16	20
5 - Acute Inpatient Hospital C	1,293	6.43	9.1
6 - Other Inpatient Hospital C	1,507	7.49	9.3
8 - Prison/Jail	133	0.66	11
9 - Other	472	2.35	8.4
All	20,123	100.0	7.9

***Source of Admission by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	147	5.56	41
2 - Residential Care Facility	2	0.08	16
3 - Ambulatory Surgery	7	0.26	39
4 - Skilled Nursing/Intermedia	55	2.08	186
5 - Acute Inpatient Hospital C	2,347	88.80	80
6 - Other Inpatient Hospital C	82	3.10	96
9 - Other	3	0.11	245
All	2,643	100.0	80

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	33	0.01	35
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	4	0.00	30
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	510	0.16	44
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	396	0.13	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	35	0.01	25
006	LIVER TRANSPLANT WITHOUT MCC	15	0.00	8.0
007	LUNG TRANSPLANT	13	0.00	15
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	4	0.00	9.8
009	BONE MARROW TRANSPLANT	160	0.05	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	27	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	35	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	16	0.01	6.8
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	36	0.01	20
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	25	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	10	0.00	4.9
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	113	0.04	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	94	0.03	6.7
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	292	0.09	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	278	0.09	7.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	420	0.13	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	49	0.02	15
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	123	0.04	7.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	127	0.04	3.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	36	0.01	16
032	VENTRICULAR SHUNT PROCEDURES WITH CC	88	0.03	5.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	59	0.02	2.7
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	9	0.00	9.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	20	0.01	3.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	55	0.02	1.6
037	EXTRACRANIAL PROCEDURES WITH MCC	48	0.02	9.2
038	EXTRACRANIAL PROCEDURES WITH CC	123	0.04	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	352	0.11	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	110	0.04	16
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	193	0.06	6.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	135	0.04	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	44	0.01	69
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	31	0.01	35
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	123	0.04	6.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	297	0.10	4.9
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	205	0.07	48
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	799	0.26	31
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	17	0.01	21

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	60	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	94	0.03	10
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	62	0.02	7.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	85	0.03	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	41	0.01	3.1
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	976	0.31	8.4
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1,579	0.51	4.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1,139	0.37	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	27	0.01	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	110	0.04	3.1
069	TRANSIENT ISCHEMIA	1,156	0.37	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	171	0.05	8.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	201	0.06	5.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	113	0.04	2.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	235	0.08	8.2
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	726	0.23	4.4
075	VIRAL MENINGITIS WITH CC/MCC	74	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	241	0.08	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	20	0.01	8.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	21	0.01	4.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	13	0.00	2.2
080	NONTRAUMATIC STUPOR & COMA WITH MCC	46	0.01	5.4

(Continued)

**MS-DRG by Patient County of Residence
for 2009
San Diego County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	166	0.05	3.6
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	75	0.02	5.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	89	0.03	8.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	193	0.06	2.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	122	0.04	7.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	279	0.09	3.9
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	560	0.18	2.1
088	CONCUSSION WITH MCC	56	0.02	3.8
089	CONCUSSION WITH CC	240	0.08	2.0
090	CONCUSSION WITHOUT CC/MCC	830	0.27	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	246	0.08	22
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	413	0.13	24
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	364	0.12	26
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	51	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	17	0.01	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	45	0.01	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	38	0.01	13
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	39	0.01	9.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	34	0.01	51
100	SEIZURES WITH MCC	360	0.12	7.0
101	SEIZURES WITHOUT MCC	1,400	0.45	3.4
102	HEADACHES WITH MCC	43	0.01	35

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
103	HEADACHES WITHOUT MCC	511	0.16	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	83	0.03	3.9
114	ORBITAL PROCEDURES WITHOUT CC/MCC	43	0.01	3.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	43	0.01	2.9
116	INTRAOCULAR PROCEDURES WITH CC/MCC	8	0.00	8.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	26	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	13	0.00	5.7
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	22	0.01	4.0
123	NEUROLOGICAL EYE DISORDERS	69	0.02	2.9
124	OTHER DISORDERS OF THE EYE WITH MCC	19	0.01	4.4
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	174	0.06	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	27	0.01	4.4
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	31	0.01	1.9
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	168	0.05	4.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	246	0.08	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	157	0.05	4.6
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	371	0.12	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	21	0.01	6.2
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	19	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	42	0.01	4.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	57	0.02	2.2
139	SALIVARY GLAND PROCEDURES	52	0.02	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	10	0.00	7.8
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	32	0.01	12
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	13	0.00	11
149	DYSEQUILIBRIUM	485	0.16	2.1
150	EPISTAXIS WITH MCC	15	0.00	3.7
151	EPISTAXIS WITHOUT MCC	64	0.02	2.4
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	144	0.05	4.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	987	0.32	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	46	0.01	6.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	132	0.04	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	185	0.06	4.5
157	DENTAL & ORAL DISEASES WITH MCC	34	0.01	3.4
158	DENTAL & ORAL DISEASES WITH CC	147	0.05	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	128	0.04	1.9
163	MAJOR CHEST PROCEDURES WITH MCC	250	0.08	14
164	MAJOR CHEST PROCEDURES WITH CC	284	0.09	7.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	207	0.07	5.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	310	0.10	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	297	0.10	7.6
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	86	0.03	4.1
175	PULMONARY EMBOLISM WITH MCC	169	0.05	5.9
176	PULMONARY EMBOLISM WITHOUT MCC	723	0.23	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	899	0.29	9.6
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	799	0.26	7.1
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	344	0.11	6.6
180	RESPIRATORY NEOPLASMS WITH MCC	293	0.09	6.4
181	RESPIRATORY NEOPLASMS WITH CC	450	0.14	6.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	50	0.02	5.8
183	MAJOR CHEST TRAUMA WITH MCC	50	0.02	4.7
184	MAJOR CHEST TRAUMA WITH CC	101	0.03	3.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	68	0.02	2.2
186	PLEURAL EFFUSION WITH MCC	130	0.04	6.9
187	PLEURAL EFFUSION WITH CC	127	0.04	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	49	0.02	2.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1,123	0.36	19
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1,381	0.44	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1,334	0.43	5.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1,285	0.41	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1,523	0.49	7.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2,978	0.96	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1,770	0.57	3.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	110	0.04	8.0
197	INTERSTITIAL LUNG DISEASE WITH CC	92	0.03	4.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	54	0.02	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
199	PNEUMOTHORAX WITH MCC	65	0.02	7.0
200	PNEUMOTHORAX WITH CC	282	0.09	4.4
201	PNEUMOTHORAX WITHOUT CC/MCC	147	0.05	2.9
202	BRONCHITIS & ASTHMA WITH CC/MCC	1,106	0.36	3.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,531	0.49	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	421	0.14	2.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	127	0.04	4.8
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	444	0.14	2.8
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	832	0.27	29
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	907	0.29	6.1
215	OTHER HEART ASSIST SYSTEM IMPLANT	3	0.00	17
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	222	0.07	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	128	0.04	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	33	0.01	8.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	221	0.07	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	290	0.09	7.8
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	96	0.03	5.9
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	61	0.02	11
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	60	0.02	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	66	0.02	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	66	0.02	4.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	121	0.04	7.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	331	0.11	2.5
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	99	0.03	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	75	0.02	8.5
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	26	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	35	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	16	0.01	8.1
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	259	0.08	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	353	0.11	9.2
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	112	0.04	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	238	0.08	7.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	400	0.13	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	433	0.14	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	121	0.04	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	81	0.03	9.3
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	7	0.00	7.6
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	246	0.08	6.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	344	0.11	4.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	470	0.15	2.6
245	AICD GENERATOR PROCEDURES	68	0.02	3.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	933	0.30	3.4
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	3,126	1.00	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	173	0.06	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	426	0.14	2.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	112	0.04	5.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	792	0.25	1.9
252	OTHER VASCULAR PROCEDURES WITH MCC	504	0.16	8.7
253	OTHER VASCULAR PROCEDURES WITH CC	512	0.16	5.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	446	0.14	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	37	0.01	9.6
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	40	0.01	8.5
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.00	2.7
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	10	0.00	4.6
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	43	0.01	2.3
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	18	0.01	7.2
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	27	0.01	4.6
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	32	0.01	2.5
263	VEIN LIGATION & STRIPPING	14	0.00	1.9
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	357	0.11	8.8
265	AICD LEAD PROCEDURES	16	0.01	5.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	824	0.26	5.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	500	0.16	3.4
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	505	0.16	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	195	0.06	5.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	16	0.01	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	10	0.00	1.3
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	351	0.11	6.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	1,675	0.54	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	59	0.02	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	25	0.01	12
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	6	0.00	4.5
291	HEART FAILURE & SHOCK WITH MCC	2,242	0.72	7.8
292	HEART FAILURE & SHOCK WITH CC	2,172	0.70	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1,252	0.40	4.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	16	0.01	4.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.00	5.8
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	51	0.02	3.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	5	0.00	.00
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	5	0.00	.40
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	303	0.10	5.5
300	PERIPHERAL VASCULAR DISORDERS WITH CC	434	0.14	9.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	312	0.10	3.1
302	ATHEROSCLEROSIS WITH MCC	148	0.05	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	809	0.26	2.5
304	HYPERTENSION WITH MCC	55	0.02	6.1
305	HYPERTENSION WITHOUT MCC	495	0.16	6.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	66	0.02	9.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	106	0.03	3.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	779	0.25	5.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1,112	0.36	12
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1,504	0.48	2.9
311	ANGINA PECTORIS	313	0.10	1.8
312	SYNCOPE & COLLAPSE	1,678	0.54	2.3
313	CHEST PAIN	2,893	0.93	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	699	0.22	9.5
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	372	0.12	4.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	204	0.07	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	212	0.07	19
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	195	0.06	8.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	279	0.09	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	728	0.23	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1,128	0.36	8.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	662	0.21	4.6
332	RECTAL RESECTION WITH MCC	32	0.01	12
333	RECTAL RESECTION WITH CC	99	0.03	9.1
334	RECTAL RESECTION WITHOUT CC/MCC	92	0.03	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	92	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	226	0.07	8.0
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	249	0.08	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	36	0.01	10
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	186	0.06	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	561	0.18	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	34	0.01	4.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	181	0.06	2.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,212	0.71	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	19	0.01	9.1
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	78	0.03	7.8
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	109	0.04	4.3
347	ANAL & STOMAL PROCEDURES WITH MCC	41	0.01	6.4
348	ANAL & STOMAL PROCEDURES WITH CC	111	0.04	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	206	0.07	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	36	0.01	5.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	78	0.03	4.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	218	0.07	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	54	0.02	11
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	191	0.06	4.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	406	0.13	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	138	0.04	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	133	0.04	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	94	0.03	3.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	91	0.03	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	122	0.04	8.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	51	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	482	0.15	8.2
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	482	0.15	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	313	0.10	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	150	0.05	8.8
375	DIGESTIVE MALIGNANCY WITH CC	363	0.12	6.5
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	57	0.02	6.6
377	G.I. HEMORRHAGE WITH MCC	729	0.23	4.9
378	G.I. HEMORRHAGE WITH CC	1,600	0.51	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	779	0.25	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	46	0.01	8.3
381	COMPLICATED PEPTIC ULCER WITH CC	83	0.03	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	56	0.02	3.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	20	0.01	4.9
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	129	0.04	2.9
385	INFLAMMATORY BOWEL DISEASE WITH MCC	68	0.02	6.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	209	0.07	5.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	201	0.06	3.9
388	G.I. OBSTRUCTION WITH MCC	301	0.10	6.2
389	G.I. OBSTRUCTION WITH CC	783	0.25	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	917	0.29	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	954	0.31	4.9
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	4,852	1.56	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	402	0.13	7.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	820	0.26	4.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	534	0.17	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	111	0.04	15
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	110	0.04	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	57	0.02	4.9
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	23	0.01	8.8
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	15	0.00	4.4
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	7	0.00	11
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	19	0.01	7.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	18	0.01	3.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	67	0.02	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	100	0.03	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	122	0.04	3.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	339	0.11	6.1
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	742	0.24	4.0
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1,994	0.64	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	14	0.00	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	17	0.01	4.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	7	0.00	6.1
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	33	0.01	14
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	13	0.00	7.6
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	3.5
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	448	0.14	6.3
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	239	0.08	5.4
434	CIRRHOIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	11	0.00	3.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	250	0.08	5.9
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	232	0.07	5.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	78	0.03	4.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	359	0.12	7.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	831	0.27	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	871	0.28	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	575	0.18	6.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	529	0.17	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	207	0.07	3.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	264	0.08	5.6
445	DISORDERS OF THE BILIARY TRACT WITH CC	354	0.11	3.3
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	528	0.17	2.4
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	50	0.02	14

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	140	0.04	7.4
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	162	0.05	4.1
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	39	0.01	11
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	78	0.03	8.5
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	72	0.02	5.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	77	0.02	9.8
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	1,493	0.48	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	9	0.00	4.6
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	272	0.09	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	70	0.02	27
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	152	0.05	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	63	0.02	4.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	42	0.01	8.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	212	0.07	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	327	0.11	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	304	0.10	7.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	6,282	2.02	3.3
471	CERVICAL SPINAL FUSION WITH MCC	70	0.02	11
472	CERVICAL SPINAL FUSION WITH CC	225	0.07	4.2
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	877	0.28	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	35	0.01	11
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	49	0.02	8.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	18	0.01	5.1
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	34	0.01	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	109	0.04	7.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	83	0.03	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	344	0.11	7.9
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	923	0.30	4.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	859	0.28	3.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	107	0.03	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	308	0.10	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	15	0.00	9.3
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	42	0.01	8.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	45	0.01	4.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	57	0.02	4.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	272	0.09	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	495	0.16	4.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	1,356	0.44	2.1
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	103	0.03	7.3
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	450	0.14	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	1,489	0.48	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	18	0.01	9.3
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	140	0.04	6.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	260	0.08	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	32	0.01	5.2
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	44	0.01	1.8
500	SOFT TISSUE PROCEDURES WITH MCC	58	0.02	9.3
501	SOFT TISSUE PROCEDURES WITH CC	180	0.06	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	307	0.10	1.9
503	FOOT PROCEDURES WITH MCC	19	0.01	8.9
504	FOOT PROCEDURES WITH CC	63	0.02	5.0
505	FOOT PROCEDURES WITHOUT CC/MCC	167	0.05	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	50	0.02	3.6
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	17	0.01	2.7
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	48	0.02	2.2
509	ARTHROSCOPY	8	0.00	3.1
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	18	0.01	4.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	105	0.03	3.4
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	361	0.12	1.8
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	100	0.03	3.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	146	0.05	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	89	0.03	10
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	264	0.08	5.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	354	0.11	2.6
533	FRACTURES OF FEMUR WITH MCC	9	0.00	4.3
534	FRACTURES OF FEMUR WITHOUT MCC	63	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	98	0.03	4.6
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	367	0.12	2.9
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	8	0.00	4.9
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	21	0.01	2.7
539	OSTEOMYELITIS WITH MCC	38	0.01	15
540	OSTEOMYELITIS WITH CC	64	0.02	18
541	OSTEOMYELITIS WITHOUT CC/MCC	48	0.02	29
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	84	0.03	7.9
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	200	0.06	6.1
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	76	0.02	3.6
545	CONNECTIVE TISSUE DISORDERS WITH MCC	100	0.03	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	137	0.04	4.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	161	0.05	2.9
548	SEPTIC ARTHRITIS WITH MCC	5	0.00	14
549	SEPTIC ARTHRITIS WITH CC	26	0.01	6.4
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	20	0.01	4.1
551	MEDICAL BACK PROBLEMS WITH MCC	157	0.05	9.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1,476	0.47	4.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	36	0.01	6.2
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	255	0.08	4.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	40	0.01	4.9
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	347	0.11	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	91	0.03	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	318	0.10	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	61	0.02	37
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	225	0.07	22
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	313	0.10	28
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	87	0.03	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	772	0.25	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	36	0.01	19
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	91	0.03	12
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	79	0.03	4.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	84	0.03	22
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	160	0.05	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	83	0.03	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.00	20
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	63	0.02	4.5
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	147	0.05	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	72	0.02	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	321	0.10	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	559	0.18	2.1
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	139	0.04	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	218	0.07	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	34	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	138	0.04	1.9
592	SKIN ULCERS WITH MCC	67	0.02	33
593	SKIN ULCERS WITH CC	153	0.05	23
594	SKIN ULCERS WITHOUT CC/MCC	18	0.01	19
595	MAJOR SKIN DISORDERS WITH MCC	26	0.01	10
596	MAJOR SKIN DISORDERS WITHOUT MCC	110	0.04	4.5
597	MALIGNANT BREAST DISORDERS WITH MCC	16	0.01	7.1
598	MALIGNANT BREAST DISORDERS WITH CC	87	0.03	8.3
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	12	0.00	7.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	23	0.01	6.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	40	0.01	3.0
602	CELLULITIS WITH MCC	449	0.14	6.4
603	CELLULITIS WITHOUT MCC	3,026	0.97	4.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	65	0.02	4.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	894	0.29	1.6
606	MINOR SKIN DISORDERS WITH MCC	27	0.01	4.5
607	MINOR SKIN DISORDERS WITHOUT MCC	190	0.06	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	60	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	73	0.02	2.7
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	33	0.01	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	129	0.04	8.7
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	1	0.00	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
619	O.R. PROCEDURES FOR OBESITY WITH MCC	15	0.00	10
620	O.R. PROCEDURES FOR OBESITY WITH CC	103	0.03	3.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	720	0.23	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	9	0.00	16
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	53	0.02	8.1
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.00	2.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	14	0.00	3.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	97	0.03	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	444	0.14	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	63	0.02	11
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	74	0.02	6.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	3.5
637	DIABETES WITH MCC	463	0.15	4.9
638	DIABETES WITH CC	931	0.30	7.9
639	DIABETES WITHOUT CC/MCC	806	0.26	2.7
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1,068	0.34	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2,536	0.81	3.3
642	INBORN ERRORS OF METABOLISM	44	0.01	8.9
643	ENDOCRINE DISORDERS WITH MCC	112	0.04	5.9
644	ENDOCRINE DISORDERS WITH CC	245	0.08	4.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	208	0.07	3.4
652	KIDNEY TRANSPLANT	189	0.06	7.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
653	MAJOR BLADDER PROCEDURES WITH MCC	22	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	67	0.02	8.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	29	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	66	0.02	9.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	152	0.05	5.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	193	0.06	3.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	90	0.03	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	260	0.08	4.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	295	0.09	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.00	16
663	MINOR BLADDER PROCEDURES WITH CC	26	0.01	3.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	85	0.03	1.4
665	PROSTATECTOMY WITH MCC	9	0.00	13
666	PROSTATECTOMY WITH CC	15	0.00	5.3
667	PROSTATECTOMY WITHOUT CC/MCC	36	0.01	1.6
668	TRANSURETHRAL PROCEDURES WITH MCC	49	0.02	7.1
669	TRANSURETHRAL PROCEDURES WITH CC	234	0.08	2.5
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	232	0.07	1.6
671	URETHRAL PROCEDURES WITH CC/MCC	7	0.00	2.1
672	URETHRAL PROCEDURES WITHOUT CC/MCC	23	0.01	2.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	181	0.06	9.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	169	0.05	6.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	46	0.01	2.3
682	RENAL FAILURE WITH MCC	1,022	0.33	6.1
683	RENAL FAILURE WITH CC	1,310	0.42	4.6
684	RENAL FAILURE WITHOUT CC/MCC	344	0.11	6.2
685	ADMIT FOR RENAL DIALYSIS	98	0.03	1.6
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	34	0.01	5.4
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	55	0.02	6.3
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	26	0.01	7.8
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	812	0.26	6.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	3,003	0.96	5.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	23	0.01	2.8
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	29	0.01	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	53	0.02	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	357	0.11	3.3
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	15	0.00	3.7
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	129	0.04	2.1
697	URETHRAL STRICTURE	11	0.00	2.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	487	0.16	5.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	515	0.17	3.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	187	0.06	2.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	137	0.04	3.2
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	580	0.19	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
709	PENIS PROCEDURES WITH CC/MCC	19	0.01	5.3
710	PENIS PROCEDURES WITHOUT CC/MCC	56	0.02	1.5
711	TESTES PROCEDURES WITH CC/MCC	23	0.01	3.7
712	TESTES PROCEDURES WITHOUT CC/MCC	43	0.01	1.3
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	135	0.04	3.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	503	0.16	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	10	0.00	8.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	8	0.00	3.4
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	6	0.00	12
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	13	0.00	1.9
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	16	0.01	6.8
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	39	0.01	7.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	15	0.00	16
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	22	0.01	2.9
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	36	0.01	2.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	29	0.01	4.4
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	149	0.05	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	16	0.01	5.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	16	0.01	1.6
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	64	0.02	8.3
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	80	0.03	1.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	25	0.01	18

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	103	0.03	6.1
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.01	3.1
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	9	0.00	8.8
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	121	0.04	3.6
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	211	0.07	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	564	0.18	3.4
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	3,001	0.96	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	68	0.02	4.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	69	0.02	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	43	0.01	4.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	169	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	467	0.15	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	24	0.01	8.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	38	0.01	1.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	29	0.01	9.2
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	89	0.03	6.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	20	0.01	6.9
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	16	0.01	5.1
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	61	0.02	4.9
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	111	0.04	3.2
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	89	0.03	2.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	157	0.05	1.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	4,006	1.29	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	9,509	3.05	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	849	0.27	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	12	0.00	3.8
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	144	0.05	2.9
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	146	0.05	1.6
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,693	0.87	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	22,089	7.10	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	474	0.15	2.6
777	ECTOPIC PREGNANCY	217	0.07	1.9
778	THREATENED ABORTION	613	0.20	3.7
779	ABORTION WITHOUT D&C	118	0.04	1.6
780	FALSE LABOR	44	0.01	.52
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1,590	0.51	3.2
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	442	0.14	3.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1,210	0.39	3.7
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	708	0.23	36
791	PREMATURITY WITH MAJOR PROBLEMS	642	0.21	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,679	0.54	5.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1,628	0.52	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	6,478	2.08	2.5
795	NORMAL NEWBORN	29,530	9.49	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
799	SPLENECTOMY WITH MCC	15	0.00	7.9
800	SPLENECTOMY WITH CC	16	0.01	6.2
801	SPLENECTOMY WITHOUT CC/MCC	25	0.01	5.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	12	0.00	25
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	21	0.01	6.4
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	25	0.01	3.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	166	0.05	9.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	394	0.13	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	88	0.03	3.1
811	RED BLOOD CELL DISORDERS WITH MCC	383	0.12	4.5
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1,355	0.44	4.2
813	COAGULATION DISORDERS	239	0.08	4.4
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	36	0.01	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	94	0.03	3.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	100	0.03	3.5
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	29	0.01	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	46	0.01	7.4
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	62	0.02	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	41	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	53	0.02	8.7
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	43	0.01	3.5
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	17	0.01	26

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	51	0.02	7.7
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	26	0.01	3.2
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	31	0.01	12
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	11	0.00	1.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	100	0.03	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	73	0.02	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	52	0.02	8.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	68	0.02	17
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	85	0.03	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	171	0.05	5.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	180	0.06	9.7
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	181	0.06	8.2
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	109	0.04	4.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	39	0.01	10
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	69	0.02	5.6
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	23	0.01	6.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	83	0.03	7.4
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	953	0.31	3.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	87	0.03	2.9
849	RADIOTHERAPY	3	0.00	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	703	0.23	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	153	0.05	8.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	18	0.01	6.2
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	126	0.04	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	231	0.07	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	72	0.02	4.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	259	0.08	7.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	556	0.18	4.9
864	FEVER	354	0.11	5.9
865	VIRAL ILLNESS WITH MCC	56	0.02	6.8
866	VIRAL ILLNESS WITHOUT MCC	311	0.10	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	105	0.03	12
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	52	0.02	4.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	31	0.01	7.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	483	0.16	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	4,213	1.35	6.5
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1,656	0.53	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	20	0.01	8.1
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	288	0.09	10
881	DEPRESSIVE NEUROSES	958	0.31	3.9
882	NEUROSES EXCEPT DEPRESSIVE	281	0.09	4.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	171	0.05	6.9
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	440	0.14	21
885	PSYCHOSES	16,416	5.27	8.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	270	0.09	7.9
887	OTHER MENTAL DISORDER DIAGNOSIS	29	0.01	9.4
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	322	0.10	3.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	258	0.08	18
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	248	0.08	7.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3,215	1.03	5.0
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	13	0.00	22
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	56	0.02	12
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	26	0.01	2.4
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	59	0.02	19
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	29	0.01	3.2
906	HAND PROCEDURES FOR INJURIES	71	0.02	2.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	169	0.05	12
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	222	0.07	4.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	234	0.08	2.5
913	TRAUMATIC INJURY WITH MCC	24	0.01	4.7
914	TRAUMATIC INJURY WITHOUT MCC	297	0.10	1.8
915	ALLERGIC REACTIONS WITH MCC	15	0.00	3.1
916	ALLERGIC REACTIONS WITHOUT MCC	102	0.03	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	697	0.22	4.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1,164	0.37	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	241	0.08	6.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
920	COMPLICATIONS OF TREATMENT WITH CC	316	0.10	4.4
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	204	0.07	3.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	79	0.03	4.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	487	0.16	1.1
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	12	0.00	37
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	58	0.02	16
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	31	0.01	12
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	4	0.00	28
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	33	0.01	7.2
935	NON-EXTENSIVE BURNS	133	0.04	5.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	43	0.01	20
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	90	0.03	13
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	61	0.02	2.3
945	REHABILITATION WITH CC/MCC	2,288	0.73	19
946	REHABILITATION WITHOUT CC/MCC	655	0.21	12
947	SIGNS & SYMPTOMS WITH MCC	179	0.06	4.6
948	SIGNS & SYMPTOMS WITHOUT MCC	828	0.27	4.0
949	AFTERCARE WITH CC/MCC	176	0.06	31
950	AFTERCARE WITHOUT CC/MCC	154	0.05	9.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	180	0.06	17
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	23	0.01	15
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	98	0.03	9.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	98	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	147	0.05	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	44	0.01	5.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	54	0.02	7.3
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	136	0.04	5.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	90	0.03	3.2
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	17	0.01	19
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	5	0.00	5.8
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	176	0.06	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	139	0.04	8.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	58	0.02	7.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	95	0.03	9.4
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	479	0.15	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	350	0.11	8.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	206	0.07	3.3
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.00	15
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	4.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.00	3.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	119	0.04	12
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	144	0.05	5.6
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	147	0.05	2.8
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
999	UNGROUPABLE	1	0.00	1.0
All		311,316	100.0	5.1

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	33	0.01	35
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	4	0.00	30
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	510	0.18	44
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	395	0.14	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	35	0.01	25
006	LIVER TRANSPLANT WITHOUT MCC	15	0.01	8.0
007	LUNG TRANSPLANT	13	0.00	15
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	4	0.00	9.8
009	BONE MARROW TRANSPLANT	160	0.06	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	27	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	35	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	16	0.01	6.8
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	36	0.01	20
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	25	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	10	0.00	4.9
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	113	0.04	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	94	0.03	6.7
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	292	0.10	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	278	0.10	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	420	0.15	3.7
028	SPINAL PROCEDURES WITH MCC	49	0.02	15
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	123	0.04	7.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	127	0.04	3.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	36	0.01	16
032	VENTRICULAR SHUNT PROCEDURES WITH CC	88	0.03	5.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	59	0.02	2.7
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	9	0.00	9.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	20	0.01	3.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	55	0.02	1.6
037	EXTRACRANIAL PROCEDURES WITH MCC	48	0.02	9.2
038	EXTRACRANIAL PROCEDURES WITH CC	123	0.04	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	352	0.12	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	109	0.04	16
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	193	0.07	6.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	135	0.05	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	26	0.01	3.9
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	27	0.01	3.6
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	122	0.04	6.1
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	290	0.10	4.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	145	0.05	8.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	481	0.17	4.9
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	15	0.01	4.7
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	60	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	92	0.03	3.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	62	0.02	7.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	85	0.03	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	41	0.01	3.1
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	972	0.34	6.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1,574	0.55	4.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1,135	0.40	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	27	0.01	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	108	0.04	3.0
069	TRANSIENT ISCHEMIA	1,155	0.41	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	161	0.06	5.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	183	0.06	4.4
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	110	0.04	2.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	232	0.08	4.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	721	0.25	3.4
075	VIRAL MENINGITIS WITH CC/MCC	74	0.03	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	241	0.08	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	20	0.01	8.3

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	21	0.01	4.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	13	0.00	2.2
080	NONTRAUMATIC STUPOR & COMA WITH MCC	44	0.02	3.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	160	0.06	2.9
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	73	0.03	4.6
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	88	0.03	5.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	193	0.07	2.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	120	0.04	6.3
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	278	0.10	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	559	0.20	2.1
088	CONCUSSION WITH MCC	56	0.02	3.8
089	CONCUSSION WITH CC	240	0.08	2.0
090	CONCUSSION WITHOUT CC/MCC	830	0.29	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	219	0.08	6.2
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	384	0.13	3.8
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	341	0.12	2.4
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	50	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	15	0.01	7.1
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	43	0.02	5.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	37	0.01	13
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	38	0.01	7.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	33	0.01	4.3
100	SEIZURES WITH MCC	356	0.13	4.5
101	SEIZURES WITHOUT MCC	1,392	0.49	2.5
102	HEADACHES WITH MCC	42	0.01	4.3
103	HEADACHES WITHOUT MCC	510	0.18	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	83	0.03	3.9
114	ORBITAL PROCEDURES WITHOUT CC/MCC	43	0.02	3.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	43	0.02	2.9
116	INTRAOCULAR PROCEDURES WITH CC/MCC	8	0.00	8.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	26	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	12	0.00	4.4
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	22	0.01	4.0
123	NEUROLOGICAL EYE DISORDERS	69	0.02	2.9
124	OTHER DISORDERS OF THE EYE WITH MCC	19	0.01	4.4
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	173	0.06	2.6
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	27	0.01	4.4
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	31	0.01	1.9
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	168	0.06	4.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	246	0.09	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	157	0.06	4.6
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	371	0.13	1.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	21	0.01	6.2
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	19	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	42	0.01	4.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	57	0.02	2.2
139	SALIVARY GLAND PROCEDURES	52	0.02	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	9	0.00	7.4
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	30	0.01	6.3
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	12	0.00	11
149	DYSEQUILIBRIUM	482	0.17	2.0
150	EPISTAXIS WITH MCC	15	0.01	3.7
151	EPISTAXIS WITHOUT MCC	63	0.02	2.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	144	0.05	4.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	985	0.35	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	46	0.02	6.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	132	0.05	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	184	0.06	1.8
157	DENTAL & ORAL DISEASES WITH MCC	34	0.01	3.4
158	DENTAL & ORAL DISEASES WITH CC	147	0.05	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	127	0.04	1.7
163	MAJOR CHEST PROCEDURES WITH MCC	249	0.09	14
164	MAJOR CHEST PROCEDURES WITH CC	284	0.10	7.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	207	0.07	5.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	310	0.11	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	297	0.10	7.6
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	86	0.03	4.1
175	PULMONARY EMBOLISM WITH MCC	168	0.06	5.9
176	PULMONARY EMBOLISM WITHOUT MCC	721	0.25	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	892	0.31	8.7
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	788	0.28	6.9
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	333	0.12	6.1
180	RESPIRATORY NEOPLASMS WITH MCC	288	0.10	6.3
181	RESPIRATORY NEOPLASMS WITH CC	439	0.15	5.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	46	0.02	4.3
183	MAJOR CHEST TRAUMA WITH MCC	50	0.02	4.7
184	MAJOR CHEST TRAUMA WITH CC	101	0.04	3.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	68	0.02	2.2
186	PLEURAL EFFUSION WITH MCC	130	0.05	6.9
187	PLEURAL EFFUSION WITH CC	125	0.04	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	48	0.02	2.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1,033	0.36	6.9
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1,375	0.48	5.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1,313	0.46	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1,263	0.44	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1,497	0.53	5.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2,945	1.03	3.8
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1,720	0.60	2.9
196	INTERSTITIAL LUNG DISEASE WITH MCC	110	0.04	8.0
197	INTERSTITIAL LUNG DISEASE WITH CC	92	0.03	4.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	52	0.02	3.8
199	PNEUMOTHORAX WITH MCC	65	0.02	7.0
200	PNEUMOTHORAX WITH CC	281	0.10	4.3
201	PNEUMOTHORAX WITHOUT CC/MCC	146	0.05	2.9
202	BRONCHITIS & ASTHMA WITH CC/MCC	1,104	0.39	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,529	0.54	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	415	0.15	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	127	0.04	4.8
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	438	0.15	2.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	821	0.29	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	905	0.32	6.1
215	OTHER HEART ASSIST SYSTEM IMPLANT	3	0.00	17
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	222	0.08	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	128	0.04	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	33	0.01	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	221	0.08	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	290	0.10	7.8
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	96	0.03	5.9
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	61	0.02	11
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	60	0.02	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	66	0.02	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	66	0.02	4.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	121	0.04	7.2
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	331	0.12	2.5
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	99	0.03	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	75	0.03	8.5
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	26	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	35	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	16	0.01	8.1
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	259	0.09	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	353	0.12	9.2
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	112	0.04	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	238	0.08	7.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	400	0.14	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	433	0.15	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	121	0.04	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	81	0.03	9.3
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	7	0.00	7.6
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	246	0.09	6.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	344	0.12	4.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	470	0.17	2.6
245	AICD GENERATOR PROCEDURES	68	0.02	3.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	933	0.33	3.4
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	3,126	1.10	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	173	0.06	4.6
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	426	0.15	2.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	112	0.04	5.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	792	0.28	1.9
252	OTHER VASCULAR PROCEDURES WITH MCC	504	0.18	8.7
253	OTHER VASCULAR PROCEDURES WITH CC	512	0.18	5.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	446	0.16	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	37	0.01	9.6
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	40	0.01	8.5
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.00	2.7
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	10	0.00	4.6
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	43	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	18	0.01	7.2
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	27	0.01	4.6
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	32	0.01	2.5
263	VEIN LIGATION & STRIPPING	14	0.00	1.9
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	357	0.13	8.8
265	AICD LEAD PROCEDURES	16	0.01	5.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	824	0.29	5.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	500	0.18	3.4
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	505	0.18	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	195	0.07	5.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	16	0.01	2.9
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	10	0.00	1.3
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	351	0.12	6.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	1,675	0.59	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	57	0.02	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	25	0.01	12
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	6	0.00	4.5
291	HEART FAILURE & SHOCK WITH MCC	2,227	0.78	5.5
292	HEART FAILURE & SHOCK WITH CC	2,152	0.76	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1,225	0.43	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	16	0.01	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.00	5.8
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	50	0.02	2.9
297	CARDIAC ARREST, UNEXPLAINED WITH CC	5	0.00	.00
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	5	0.00	.40
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	298	0.10	5.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	423	0.15	4.7
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	306	0.11	3.0
302	ATHEROSCLEROSIS WITH MCC	144	0.05	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	802	0.28	2.2
304	HYPERTENSION WITH MCC	54	0.02	3.5
305	HYPERTENSION WITHOUT MCC	483	0.17	2.3
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	64	0.02	7.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	102	0.04	3.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	774	0.27	4.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1,102	0.39	3.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1,496	0.53	2.0
311	ANGINA PECTORIS	313	0.11	1.8
312	SYNCOPE & COLLAPSE	1,670	0.59	2.3
313	CHEST PAIN	2,891	1.02	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	693	0.24	7.5
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	367	0.13	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	203	0.07	2.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	212	0.07	19
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	195	0.07	8.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	279	0.10	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	728	0.26	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1,128	0.40	8.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	662	0.23	4.6
332	RECTAL RESECTION WITH MCC	32	0.01	12
333	RECTAL RESECTION WITH CC	99	0.03	9.1
334	RECTAL RESECTION WITHOUT CC/MCC	92	0.03	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	92	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	226	0.08	8.0
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	249	0.09	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	36	0.01	10
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	186	0.07	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	561	0.20	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	34	0.01	4.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	181	0.06	2.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,212	0.78	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	19	0.01	9.1
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	78	0.03	7.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	109	0.04	4.3
347	ANAL & STOMAL PROCEDURES WITH MCC	41	0.01	6.4
348	ANAL & STOMAL PROCEDURES WITH CC	111	0.04	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	205	0.07	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	36	0.01	5.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	78	0.03	4.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	218	0.08	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	54	0.02	11
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	191	0.07	4.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	406	0.14	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	138	0.05	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	133	0.05	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	94	0.03	3.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	91	0.03	6.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	121	0.04	3.2
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	51	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	475	0.17	7.9
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	477	0.17	5.8
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	310	0.11	3.8
374	DIGESTIVE MALIGNANCY WITH MCC	149	0.05	7.6
375	DIGESTIVE MALIGNANCY WITH CC	354	0.12	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	55	0.02	4.9
377	G.I. HEMORRHAGE WITH MCC	727	0.26	4.9
378	G.I. HEMORRHAGE WITH CC	1,590	0.56	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	775	0.27	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	46	0.02	8.3
381	COMPLICATED PEPTIC ULCER WITH CC	83	0.03	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	56	0.02	3.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	20	0.01	4.9
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	127	0.04	2.7
385	INFLAMMATORY BOWEL DISEASE WITH MCC	68	0.02	6.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	209	0.07	5.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	201	0.07	3.9
388	G.I. OBSTRUCTION WITH MCC	301	0.11	6.2
389	G.I. OBSTRUCTION WITH CC	779	0.27	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	916	0.32	2.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	949	0.33	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	4,834	1.70	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	401	0.14	7.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	818	0.29	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	534	0.19	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	111	0.04	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	110	0.04	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	57	0.02	4.9
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	23	0.01	8.8
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	15	0.01	4.4
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	7	0.00	11
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	19	0.01	7.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	18	0.01	3.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	67	0.02	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	100	0.04	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	122	0.04	3.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	339	0.12	6.1
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	742	0.26	4.0
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1,994	0.70	2.2
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	14	0.00	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	17	0.01	4.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	7	0.00	6.1
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	33	0.01	14
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	13	0.00	7.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	3.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	441	0.15	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	234	0.08	3.6
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	9	0.00	3.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	249	0.09	5.9
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	228	0.08	5.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	76	0.03	3.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	357	0.13	7.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	825	0.29	4.3
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	870	0.31	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	570	0.20	6.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	523	0.18	4.1
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	207	0.07	3.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	262	0.09	5.3
445	DISORDERS OF THE BILIARY TRACT WITH CC	353	0.12	3.3
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	528	0.19	2.4
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	50	0.02	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	140	0.05	7.4
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	162	0.06	4.1
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH MCC	39	0.01	11
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH CC	78	0.03	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	72	0.03	5.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	77	0.03	9.8
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	1,493	0.52	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	9	0.00	4.6
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	272	0.10	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	70	0.02	27
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	152	0.05	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	63	0.02	4.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	42	0.01	8.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	212	0.07	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	327	0.11	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	304	0.11	7.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	6,282	2.21	3.3
471	CERVICAL SPINAL FUSION WITH MCC	70	0.02	11
472	CERVICAL SPINAL FUSION WITH CC	225	0.08	4.2
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	877	0.31	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	35	0.01	11
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	49	0.02	8.6
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	18	0.01	5.1
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	34	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	109	0.04	7.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	83	0.03	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	344	0.12	7.9
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	923	0.32	4.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	859	0.30	3.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	107	0.04	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	308	0.11	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	15	0.01	9.3
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	42	0.01	8.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	45	0.02	4.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	57	0.02	4.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	272	0.10	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	495	0.17	4.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	1,356	0.48	2.1
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	103	0.04	7.3
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	450	0.16	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	1,489	0.52	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	18	0.01	9.3
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	140	0.05	6.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	260	0.09	2.4
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	32	0.01	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	44	0.02	1.8
500	SOFT TISSUE PROCEDURES WITH MCC	58	0.02	9.3
501	SOFT TISSUE PROCEDURES WITH CC	180	0.06	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	307	0.11	1.9
503	FOOT PROCEDURES WITH MCC	19	0.01	8.9
504	FOOT PROCEDURES WITH CC	63	0.02	5.0
505	FOOT PROCEDURES WITHOUT CC/MCC	167	0.06	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	50	0.02	3.6
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	17	0.01	2.7
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	48	0.02	2.2
509	ARTHROSCOPY	8	0.00	3.1
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	18	0.01	4.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	105	0.04	3.4
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	361	0.13	1.8
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	100	0.04	3.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	146	0.05	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	89	0.03	10
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	264	0.09	5.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	354	0.12	2.6
533	FRACTURES OF FEMUR WITH MCC	9	0.00	4.3
534	FRACTURES OF FEMUR WITHOUT MCC	63	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	98	0.03	4.6
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	362	0.13	2.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	7	0.00	5.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	19	0.01	1.4
539	OSTEOMYELITIS WITH MCC	34	0.01	14
540	OSTEOMYELITIS WITH CC	55	0.02	11
541	OSTEOMYELITIS WITHOUT CC/MCC	40	0.01	6.1
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	81	0.03	6.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	194	0.07	5.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	74	0.03	3.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	99	0.03	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	135	0.05	4.1
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	160	0.06	2.9
548	SEPTIC ARTHRITIS WITH MCC	5	0.00	14
549	SEPTIC ARTHRITIS WITH CC	25	0.01	5.9
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	18	0.01	3.5
551	MEDICAL BACK PROBLEMS WITH MCC	154	0.05	5.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1,445	0.51	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	34	0.01	4.5
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	244	0.09	2.7
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	40	0.01	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	327	0.11	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	91	0.03	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	312	0.11	3.1
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	39	0.01	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	89	0.03	9.7
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	93	0.03	2.8
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	87	0.03	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	767	0.27	2.2
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	33	0.01	7.9
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	79	0.03	4.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	67	0.02	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	84	0.03	22
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	160	0.06	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	83	0.03	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.00	20
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	63	0.02	4.5
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	147	0.05	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	72	0.03	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	321	0.11	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	559	0.20	2.1
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	139	0.05	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	218	0.08	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	34	0.01	2.6
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	138	0.05	1.9
592	SKIN ULCERS WITH MCC	64	0.02	20
593	SKIN ULCERS WITH CC	141	0.05	8.2
594	SKIN ULCERS WITHOUT CC/MCC	14	0.00	5.6
595	MAJOR SKIN DISORDERS WITH MCC	26	0.01	10
596	MAJOR SKIN DISORDERS WITHOUT MCC	106	0.04	4.2
597	MALIGNANT BREAST DISORDERS WITH MCC	15	0.01	7.3
598	MALIGNANT BREAST DISORDERS WITH CC	86	0.03	8.2
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	12	0.00	7.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	22	0.01	4.4
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	39	0.01	3.0
602	CELLULITIS WITH MCC	441	0.15	6.3
603	CELLULITIS WITHOUT MCC	2,985	1.05	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	65	0.02	4.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	889	0.31	1.5
606	MINOR SKIN DISORDERS WITH MCC	27	0.01	4.5
607	MINOR SKIN DISORDERS WITHOUT MCC	188	0.07	2.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	60	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	73	0.03	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	33	0.01	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	129	0.05	8.7
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	1	0.00	6.0
619	O.R. PROCEDURES FOR OBESITY WITH MCC	15	0.01	10
620	O.R. PROCEDURES FOR OBESITY WITH CC	103	0.04	3.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	720	0.25	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	9	0.00	16
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	53	0.02	8.1
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.00	2.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	14	0.00	3.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	97	0.03	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	444	0.16	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	63	0.02	11
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	74	0.03	6.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	3.5
637	DIABETES WITH MCC	460	0.16	4.4
638	DIABETES WITH CC	914	0.32	3.4
639	DIABETES WITHOUT CC/MCC	802	0.28	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1,065	0.37	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2,513	0.88	3.1
642	INBORN ERRORS OF METABOLISM	41	0.01	3.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
643	ENDOCRINE DISORDERS WITH MCC	112	0.04	5.9
644	ENDOCRINE DISORDERS WITH CC	242	0.09	4.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	205	0.07	3.1
652	KIDNEY TRANSPLANT	189	0.07	7.2
653	MAJOR BLADDER PROCEDURES WITH MCC	22	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	67	0.02	8.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	29	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	66	0.02	9.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	152	0.05	5.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	193	0.07	3.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	90	0.03	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	260	0.09	4.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	295	0.10	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.00	16
663	MINOR BLADDER PROCEDURES WITH CC	26	0.01	3.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	85	0.03	1.4
665	PROSTATECTOMY WITH MCC	9	0.00	13
666	PROSTATECTOMY WITH CC	15	0.01	5.3
667	PROSTATECTOMY WITHOUT CC/MCC	36	0.01	1.6
668	TRANSURETHRAL PROCEDURES WITH MCC	49	0.02	7.1
669	TRANSURETHRAL PROCEDURES WITH CC	234	0.08	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	232	0.08	1.6
671	URETHRAL PROCEDURES WITH CC/MCC	7	0.00	2.1
672	URETHRAL PROCEDURES WITHOUT CC/MCC	23	0.01	2.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	181	0.06	9.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	169	0.06	6.7
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	46	0.02	2.3
682	RENAL FAILURE WITH MCC	1,011	0.36	6.0
683	RENAL FAILURE WITH CC	1,294	0.45	4.3
684	RENAL FAILURE WITHOUT CC/MCC	336	0.12	3.0
685	ADMIT FOR RENAL DIALYSIS	98	0.03	1.6
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	34	0.01	5.4
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	54	0.02	6.4
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	23	0.01	4.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	792	0.28	4.8
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2,922	1.03	3.1
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	23	0.01	2.8
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	29	0.01	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	53	0.02	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	354	0.12	1.9
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	15	0.01	3.7
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	129	0.05	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
697	URETHRAL STRICTURE	11	0.00	2.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	487	0.17	5.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	514	0.18	3.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	185	0.07	2.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	137	0.05	3.2
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	580	0.20	1.7
709	PENIS PROCEDURES WITH CC/MCC	19	0.01	5.3
710	PENIS PROCEDURES WITHOUT CC/MCC	56	0.02	1.5
711	TESTES PROCEDURES WITH CC/MCC	23	0.01	3.7
712	TESTES PROCEDURES WITHOUT CC/MCC	43	0.02	1.3
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	135	0.05	3.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	503	0.18	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	10	0.00	8.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	8	0.00	3.4
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	6	0.00	12
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	13	0.00	1.9
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	16	0.01	6.8
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	39	0.01	7.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	14	0.00	3.4
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	22	0.01	2.9
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	36	0.01	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	29	0.01	4.4
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	147	0.05	3.2
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	16	0.01	5.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	16	0.01	1.6
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	64	0.02	8.3
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	80	0.03	1.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	25	0.01	18
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	103	0.04	6.1
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.01	3.1
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	9	0.00	8.8
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	121	0.04	3.6
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	211	0.07	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	564	0.20	3.4
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	3,001	1.05	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	68	0.02	4.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	69	0.02	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	43	0.02	4.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	169	0.06	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	467	0.16	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	24	0.01	8.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	38	0.01	1.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	28	0.01	8.6
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	87	0.03	6.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	20	0.01	6.9
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	16	0.01	5.1
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	61	0.02	4.9
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	111	0.04	3.2
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	89	0.03	2.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	157	0.06	1.6
765	CESAREAN SECTION WITH CC/MCC	4,006	1.41	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	9,509	3.34	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	849	0.30	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	12	0.00	3.8
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	144	0.05	2.9
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	146	0.05	1.6
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,693	0.95	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	22,088	7.76	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	454	0.16	2.5
777	ECTOPIC PREGNANCY	217	0.08	1.9
778	THREATENED ABORTION	613	0.22	3.7
779	ABORTION WITHOUT D&C	118	0.04	1.6
780	FALSE LABOR	44	0.02	.52

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1,533	0.54	3.1
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	442	0.16	3.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1,208	0.42	3.5
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	708	0.25	36
791	PREMATURITY WITH MAJOR PROBLEMS	642	0.23	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,679	0.59	5.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1,628	0.57	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	6,478	2.28	2.5
795	NORMAL NEWBORN	29,530	10.38	1.9
799	SPLENECTOMY WITH MCC	15	0.01	7.9
800	SPLENECTOMY WITH CC	16	0.01	6.2
801	SPLENECTOMY WITHOUT CC/MCC	25	0.01	5.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	12	0.00	25
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	21	0.01	6.4
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	25	0.01	3.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	166	0.06	9.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	394	0.14	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	88	0.03	3.1
811	RED BLOOD CELL DISORDERS WITH MCC	381	0.13	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1,339	0.47	3.0
813	COAGULATION DISORDERS	236	0.08	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	36	0.01	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	94	0.03	3.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	97	0.03	2.5
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	29	0.01	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	46	0.02	7.4
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	62	0.02	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	41	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	53	0.02	8.7
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	43	0.02	3.5
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	17	0.01	26
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	51	0.02	7.7
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	26	0.01	3.2
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	31	0.01	12
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	11	0.00	1.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	100	0.04	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	73	0.03	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	52	0.02	8.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	68	0.02	17
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	85	0.03	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	171	0.06	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	178	0.06	9.5
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	179	0.06	6.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	108	0.04	4.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	39	0.01	10
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	69	0.02	5.6
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	22	0.01	6.3
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	83	0.03	7.4
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	953	0.33	3.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	87	0.03	2.9
849	RADIOTHERAPY	3	0.00	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	703	0.25	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	153	0.05	8.1
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	18	0.01	6.2
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	126	0.04	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	231	0.08	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	72	0.03	4.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	257	0.09	7.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	546	0.19	4.6
864	FEVER	352	0.12	2.7
865	VIRAL ILLNESS WITH MCC	55	0.02	5.4
866	VIRAL ILLNESS WITHOUT MCC	311	0.11	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	101	0.04	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	51	0.02	4.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	29	0.01	3.8
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	482	0.17	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	4,189	1.47	6.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1,629	0.57	4.3
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	7	0.00	6.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	160	0.06	3.7
881	DEPRESSIVE NEUROSES	15	0.01	2.8
882	NEUROSES EXCEPT DEPRESSIVE	15	0.01	4.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	16	0.01	4.4
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	213	0.07	5.0
885	PSYCHOSES	200	0.07	4.5
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	12	0.00	1.6
887	OTHER MENTAL DISORDER DIAGNOSIS	12	0.00	3.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	59	0.02	1.8
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.00	18
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	209	0.07	5.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	717	0.25	3.0
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	13	0.00	22
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	56	0.02	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	26	0.01	2.4
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	59	0.02	19
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	29	0.01	3.2
906	HAND PROCEDURES FOR INJURIES	71	0.02	2.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	169	0.06	12
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	222	0.08	4.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	234	0.08	2.5
913	TRAUMATIC INJURY WITH MCC	23	0.01	3.3
914	TRAUMATIC INJURY WITHOUT MCC	295	0.10	1.7
915	ALLERGIC REACTIONS WITH MCC	15	0.01	3.1
916	ALLERGIC REACTIONS WITHOUT MCC	102	0.04	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	685	0.24	4.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1,140	0.40	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	241	0.08	6.6
920	COMPLICATIONS OF TREATMENT WITH CC	314	0.11	4.3
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	202	0.07	2.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	79	0.03	4.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	487	0.17	1.1
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	12	0.00	37
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	58	0.02	16
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	31	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	4	0.00	28
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	33	0.01	7.2
935	NON-EXTENSIVE BURNS	133	0.05	5.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	13	0.00	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	57	0.02	8.4
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	59	0.02	1.9
945	REHABILITATION WITH CC/MCC	47	0.02	16
946	REHABILITATION WITHOUT CC/MCC	5	0.00	15
947	SIGNS & SYMPTOMS WITH MCC	175	0.06	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	788	0.28	3.2
949	AFTERCARE WITH CC/MCC	102	0.04	16
950	AFTERCARE WITHOUT CC/MCC	98	0.03	2.2
951	OTHER FACTORS INFLUENCING HEALTH STATUS	133	0.05	2.2
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	23	0.01	15
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	98	0.03	9.2
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	98	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	147	0.05	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	44	0.02	5.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	54	0.02	7.3
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	136	0.05	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	89	0.03	3.1
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	17	0.01	19
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	5	0.00	5.8
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	175	0.06	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	135	0.05	7.4
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	55	0.02	7.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	89	0.03	5.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	479	0.17	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	350	0.12	8.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	206	0.07	3.3
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.00	15
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	4.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.00	3.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	119	0.04	12
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	143	0.05	5.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	147	0.05	2.8
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	5.0
999	UNGROUPABLE	1	0.00	1.0
All		284,573	100.0	4.1

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.06	7.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.06	9.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.06	6.0
881	DEPRESSIVE NEUROSES	1	0.06	12
882	NEUROSES EXCEPT DEPRESSIVE	1	0.06	20
885	PSYCHOSES	14	0.88	11
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.06	.00
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	151	9.53	3.4
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	224	14.13	19
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	11	0.69	7.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1,179	74.38	5.6
All		1,585	100.0	7.3

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.04	28
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.04	25
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.04	18
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.04	50
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.04	17
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.04	3.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.04	8.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.04	1.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	3	0.13	12
552	MEDICAL BACK PROBLEMS WITHOUT MCC	3	0.13	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.04	16
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.04	6.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.04	9.0
683	RENAL FAILURE WITH CC	1	0.04	9.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	30	1.25	19
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	32	1.34	19
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	2	0.08	16
945	REHABILITATION WITH CC/MCC	1,875	78.39	15
946	REHABILITATION WITHOUT CC/MCC	432	18.06	9.6

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	3	0.13	5.7
All		2,392	100.0	14

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.00	42
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.00	1.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	24	0.12	17
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	200	0.99	16
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	5	0.02	9.2
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	11	0.05	14
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.00	3.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.01	17
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.01	9.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	7	0.03	9.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.02	5.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.00	6.0
100	SEIZURES WITH MCC	1	0.00	5.0
101	SEIZURES WITHOUT MCC	2	0.01	5.0
103	HEADACHES WITHOUT MCC	1	0.00	6.0
149	DYSEQUILIBRIUM	1	0.00	7.0
163	MAJOR CHEST PROCEDURES WITH MCC	1	0.00	30
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	0.00	7.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	2	0.01	8.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	3	0.01	7.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.00	7.0
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.00	10
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.00	31
291	HEART FAILURE & SHOCK WITH MCC	1	0.00	18
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.00	7.0
302	ATHEROSCLEROSIS WITH MCC	1	0.00	41
305	HYPERTENSION WITHOUT MCC	3	0.01	35
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.00	14
313	CHEST PAIN	1	0.00	5.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	3	0.01	5.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.00	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	2	0.01	26
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.00	5.0
603	CELLULITIS WITHOUT MCC	1	0.00	17
637	DIABETES WITH MCC	1	0.00	28
638	DIABETES WITH CC	2	0.01	7.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.00	14
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	4	0.02	6.3
642	INBORN ERRORS OF METABOLISM	1	0.00	4.0
644	ENDOCRINE DISORDERS WITH CC	1	0.00	8.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	2	0.01	6.5
683	RENAL FAILURE WITH CC	1	0.00	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.01	11
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2	0.01	9.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.00	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	20	0.10	4.1
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	57	0.28	7.1
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.00	4.0
813	COAGULATION DISORDERS	1	0.00	12
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.00	10
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	13	0.06	8.8
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	126	0.63	6.2
881	DEPRESSIVE NEUROSES	942	4.68	3.9
882	NEUROSES EXCEPT DEPRESSIVE	265	1.32	4.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	155	0.77	7.1
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	209	1.04	12
885	PSYCHOSES	16,199	80.50	8.3
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	257	1.28	8.2
887	OTHER MENTAL DISORDER DIAGNOSIS	16	0.08	14
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	112	0.56	3.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	32	0.16	13

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	26	0.13	5.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1,317	6.54	5.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	12	0.06	7.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	24	0.12	3.5
947	SIGNS & SYMPTOMS WITH MCC	1	0.00	5.0
948	SIGNS & SYMPTOMS WITHOUT MCC	3	0.01	4.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	13	0.06	3.4
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.01	33
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.01	7.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.02	32
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	18
All		20,123	100.0	7.9

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	17	0.64	172
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	4	0.15	251
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.04	15
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	6	0.23	20
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	36	1.36	227
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	117	4.43	167
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.08	144
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.08	335
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	4	0.15	479
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	5	0.19	24
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	4	0.15	9.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	2	0.08	6.0
069	TRANSIENT ISCHEMIA	1	0.04	10
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	5	0.19	104
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	6	0.23	16
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.08	10
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	3	0.11	270
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	5	0.19	158
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.08	43
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.11	25
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.08	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.04	260
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.04	76
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	1	0.04	5.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.04	13
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	25	0.95	166
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	22	0.83	376
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	19	0.72	461
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.04	6.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.08	39
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.08	11
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.04	104
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.04	2E3
100	SEIZURES WITH MCC	3	0.11	306
101	SEIZURES WITHOUT MCC	6	0.23	222
102	HEADACHES WITH MCC	1	0.04	1E3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.04	21
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.04	19
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.04	11
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.08	90
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.04	2.0
149	DYSEQUILIBRIUM	2	0.08	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
151	EPISTAXIS WITHOUT MCC	1	0.04	4.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	2	0.08	13
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.04	511
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	1	0.04	30
175	PULMONARY EMBOLISM WITH MCC	1	0.04	8.0
176	PULMONARY EMBOLISM WITHOUT MCC	2	0.08	32
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	7	0.26	129
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	10	0.38	22
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	11	0.42	21
180	RESPIRATORY NEOPLASMS WITH MCC	5	0.19	12
181	RESPIRATORY NEOPLASMS WITH CC	11	0.42	19
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.15	22
187	PLEURAL EFFUSION WITH CC	2	0.08	9.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.04	6.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	89	3.37	164
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	4	0.15	190
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	18	0.68	82
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	22	0.83	16
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	26	0.98	86
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	32	1.21	17
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	50	1.89	32

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	2	0.08	30
200	PNEUMOTHORAX WITH CC	1	0.04	21
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.04	9.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.08	145
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	2	0.08	20
204	RESPIRATORY SIGNS & SYMPTOMS	5	0.19	33
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	6	0.23	38
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	11	0.42	545
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.08	27
291	HEART FAILURE & SHOCK WITH MCC	14	0.53	384
292	HEART FAILURE & SHOCK WITH CC	20	0.76	23
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	27	1.02	52
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.19	8.6
300	PERIPHERAL VASCULAR DISORDERS WITH CC	11	0.42	179
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	5	0.19	12
302	ATHEROSCLEROSIS WITH MCC	3	0.11	22
303	ATHEROSCLEROSIS WITHOUT MCC	7	0.26	40
304	HYPERTENSION WITH MCC	1	0.04	144
305	HYPERTENSION WITHOUT MCC	9	0.34	208
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	2	0.08	57
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.15	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	5	0.19	178
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	9	0.34	1E3
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	8	0.30	160
312	SYNCOPE & COLLAPSE	8	0.30	10
313	CHEST PAIN	1	0.04	4.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	6	0.23	234
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	5	0.19	21
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.04	15
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	1	0.04	634
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	7	0.26	28
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	5	0.19	30
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	3	0.11	20
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.04	186
375	DIGESTIVE MALIGNANCY WITH CC	9	0.34	36
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.08	52
377	G.I. HEMORRHAGE WITH MCC	2	0.08	6.5
378	G.I. HEMORRHAGE WITH CC	10	0.38	53
379	G.I. HEMORRHAGE WITHOUT CC/MCC	4	0.15	32
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.08	17
389	G.I. OBSTRUCTION WITH CC	4	0.15	10
390	G.I. OBSTRUCTION WITHOUT CC/MCC	1	0.04	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	5	0.19	173
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	15	0.57	14
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.04	67
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.08	21
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	7	0.26	18
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.19	92
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.08	7.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1	0.04	8.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	4	0.15	7.8
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.08	34
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	2	0.08	8.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	5	0.19	10
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.04	5.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	5	0.19	27
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	4	0.15	39
444	DISORDERS OF THE BILIARY TRACT WITH MCC	2	0.08	45
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.04	3.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	2	0.08	18
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.04	1.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.08	15
539	OSTEOMYELITIS WITH MCC	4	0.15	25

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	9	0.34	60
541	OSTEOMYELITIS WITHOUT CC/MCC	8	0.30	143
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.11	44
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	6	0.23	32
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	2	0.08	14
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.04	34
546	CONNECTIVE TISSUE DISORDERS WITH CC	2	0.08	16
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.04	16
549	SEPTIC ARTHRITIS WITH CC	1	0.04	19
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.08	9.5
551	MEDICAL BACK PROBLEMS WITH MCC	3	0.11	214
552	MEDICAL BACK PROBLEMS WITHOUT MCC	28	1.06	49
553	BONE DISEASES & ARTHROPATHIES WITH MCC	2	0.08	36
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	11	0.42	45
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	20	0.76	13
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	6	0.23	20
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	22	0.83	79
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	135	5.11	30
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	219	8.29	38
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.11	57
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	3	0.11	137

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	12	0.45	62
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	12	0.45	13
592	SKIN ULCERS WITH MCC	3	0.11	297
593	SKIN ULCERS WITH CC	12	0.45	190
594	SKIN ULCERS WITHOUT CC/MCC	4	0.15	68
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.15	13
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.04	4.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.04	12
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.04	41
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.04	3.0
602	CELLULITIS WITH MCC	8	0.30	13
603	CELLULITIS WITHOUT MCC	40	1.51	60
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	5	0.19	17
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.08	6.0
637	DIABETES WITH MCC	2	0.08	92
638	DIABETES WITH CC	15	0.57	279
639	DIABETES WITHOUT CC/MCC	4	0.15	70
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	2	0.08	30
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	18	0.68	32
642	INBORN ERRORS OF METABOLISM	2	0.08	116
644	ENDOCRINE DISORDERS WITH CC	2	0.08	23

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	2	0.08	34
682	RENAL FAILURE WITH MCC	9	0.34	22
683	RENAL FAILURE WITH CC	14	0.53	29
684	RENAL FAILURE WITHOUT CC/MCC	8	0.30	144
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.04	2.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	3	0.11	33
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	17	0.64	62
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	79	2.99	102
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	3	0.11	174
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.04	6.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	2	0.08	6.5
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.04	193
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.08	16
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.04	25
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.08	4.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	2	0.08	124
811	RED BLOOD CELL DISORDERS WITH MCC	2	0.08	46
812	RED BLOOD CELL DISORDERS WITHOUT MCC	14	0.53	118
813	COAGULATION DISORDERS	2	0.08	110
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.08	52
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	2	0.08	23

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.08	158
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.04	5.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.04	21
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	2	0.08	18
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	10	0.38	23
864	FEVER	2	0.08	572
865	VIRAL ILLNESS WITH MCC	1	0.04	80
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	4	0.15	22
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.04	33
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.08	53
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.04	21
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	24	0.91	32
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	27	1.02	39
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.08	784
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	18	0.68	324
885	PSYCHOSES	3	0.11	133
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.04	22
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.08	192
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	0.08	4.5
913	TRAUMATIC INJURY WITH MCC	1	0.04	37
914	TRAUMATIC INJURY WITHOUT MCC	2	0.08	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Diego County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.08	7.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	2	0.08	74
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.04	51
945	REHABILITATION WITH CC/MCC	366	13.85	41
946	REHABILITATION WITHOUT CC/MCC	218	8.25	15
947	SIGNS & SYMPTOMS WITH MCC	3	0.11	42
948	SIGNS & SYMPTOMS WITHOUT MCC	34	1.29	21
949	AFTERCARE WITH CC/MCC	74	2.80	51
950	AFTERCARE WITHOUT CC/MCC	56	2.12	22
951	OTHER FACTORS INFLUENCING HEALTH STATUS	34	1.29	82
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.04	13
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.04	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.08	60
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.08	136
All		2,643	100.0	80

**MDC by Patient County of Residence
for 2009
San Diego County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	1.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	18,044	5.80	8.1
02	EYE, DISEASES & DISORDERS	510	0.16	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3,732	1.20	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	23,743	7.63	7.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	35,187	11.30	5.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	24,917	8.00	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	9,703	3.12	4.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	27,079	8.70	4.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	7,355	2.36	5.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	8,471	2.72	4.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	11,100	3.57	5.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,881	0.60	2.6
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5,688	1.83	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	42,965	13.80	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	41,878	13.45	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	3,043	0.98	5.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	2,835	0.91	8.4
18	INFECTIOUS & PARASITIC DISEASES	9,532	3.06	8.1
19	MENTAL DISEASES & DISORDERS	18,873	6.06	8.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	4,057	1.30	5.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	4,592	1.48	3.8

(Continued)

*MDC by Patient County of Residence
for 2009
San Diego County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	287	0.09	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	4,656	1.50	14
24	MULTIPLE SIGNFICANT TRAUMA	693	0.22	8.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	494	0.16	10
All		311,316	100.0	5.1

**MDC by Patient County of Residence
and Type of Care for 2009
San Diego County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	1.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	17,460	6.14	4.5
02	EYE, DISEASES & DISORDERS	508	0.18	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3,720	1.31	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	23,405	8.22	5.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	35,025	12.31	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	24,839	8.73	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	9,659	3.39	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	26,549	9.33	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	7,272	2.56	4.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	8,412	2.96	3.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	10,954	3.85	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,878	0.66	2.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5,685	2.00	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	42,887	15.07	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	41,876	14.72	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	3,019	1.06	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	2,829	0.99	8.3
18	INFECTIOUS & PARASITIC DISEASES	9,458	3.32	7.8
19	MENTAL DISEASES & DISORDERS	650	0.23	4.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1,000	0.35	3.5

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	4,549	1.60	3.8
22	BURNS	287	0.10	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,479	0.52	4.8
24	MULTIPLE SIGNFICANT TRAUMA	692	0.24	8.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	480	0.17	9.2
All		284,573	100.0	4.1

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.06	7.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.06	9.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.06	6.0
19	MENTAL DISEASES & DISORDERS	17	1.07	11
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1,565	98.74	7.3
All		1,585	100.0	7.3

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	5	0.21	28
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.04	3.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.04	8.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.04	1.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	9	0.38	11
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.04	9.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	2,374	99.25	14
All		2,392	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	263	1.31	15
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.00	7.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	11	0.05	15
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8	0.04	24
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3	0.01	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	3	0.01	20
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.00	5.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.00	17
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	11	0.05	8.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	8	0.04	8.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	78	0.39	6.2
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	3	0.01	8.7
19	MENTAL DISEASES & DISORDERS	18,182	90.35	8.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1,488	7.39	5.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	36	0.18	4.7
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	17	0.08	3.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	9	0.04	24
All		20,123	100.0	7.9

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	316	11.96	203
02	EYE, DISEASES & DISORDERS	2	0.08	20
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	11	0.42	70
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	325	12.30	93
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	153	5.79	168
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	74	2.80	49
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	41	1.55	28
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	520	19.67	40
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	82	3.10	75
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	47	1.78	120
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	137	5.18	84
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3	0.11	75
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3	0.11	11
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2	0.08	124
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	20	0.76	103
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	6	0.23	65
18	INFECTIOUS & PARASITIC DISEASES	74	2.80	48
19	MENTAL DISEASES & DISORDERS	24	0.91	326
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	4	0.15	98
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	7	0.26	32
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	786	29.74	34

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
San Diego County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
24	MULTIPLE SIGNFICANT TRAUMA	1	0.04	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	5	0.19	81
All		2,643	100.0	80