

**Type of Care by Patient County of Residence
for 2010
San Luis Obispo County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	23,136	92.48	3.9
Chemical Dependency Recovery Care	15	0.06	13
Physical Rehabilitation Care	117	0.47	20
Psychiatric Care	1,538	6.15	3.7
Skilled Nursing/Intermediate Care	210	0.84	19
All	25,016	100.0	4.1

***Disposition by Patient County of Residence
for 2010
San Luis Obispo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	15,074	65.15	3.0
03 - Other Care with the admitting hospital	38	0.16	13
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	183	0.79	5.6
05 - Acute Care at another hospital	396	1.71	4.4
06 - Other Care (not SN/IC) at another hospital	195	0.84	8.7
07 - SN/IC at another facility	2,154	9.31	6.8
08 - Residential Care facility	134	0.58	3.8
09 - Prison/Jail	363	1.57	4.1
10 - Left Against Medical Advice	133	0.57	2.4
11 - Died	545	2.36	7.1
12 - Home Health Service	3,861	16.69	5.2
13 - Other	60	0.26	6.3
All	23,136	100.0	3.9

***Disposition by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	9	60.00	17
02 - Acute Care within the admitting hospital	1	6.67	6.0
03 - Other Care with the admitting hospital	2	13.33	2.0
08 - Residential Care facility	2	13.33	8.5
10 - Left Against Medical Advice	1	6.67	20
All	15	100.0	13

***Disposition by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	27	23.08	21
02 - Acute Care within the admitting hospital	7	5.98	12
05 - Acute Care at another hospital	4	3.42	10
07 - SN/IC at another facility	8	6.84	29
10 - Left Against Medical Advice	1	0.85	5.0
12 - Home Health Service	70	59.83	20
All	117	100.0	20

***Disposition by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,298	84.40	3.9
03 - Other Care with the admitting hospital	9	0.59	3.2
05 - Acute Care at another hospital	4	0.26	5.3
06 - Other Care (not SN/IC) at another hospital	130	8.45	1.3
07 - SN/IC at another facility	8	0.52	9.6
08 - Residential Care facility	8	0.52	7.3
09 - Prison/Jail	11	0.72	9.1
10 - Left Against Medical Advice	9	0.59	3.2
13 - Other	61	3.97	3.3
All	1,538	100.0	3.7

***Disposition by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	32	15.24	23
02 - Acute Care within the admitting hospital	24	11.43	38
05 - Acute Care at another hospital	1	0.48	4.0
06 - Other Care (not SN/IC) at another hospital	1	0.48	166
07 - SN/IC at another facility	19	9.05	11
08 - Residential Care facility	1	0.48	19
10 - Left Against Medical Advice	1	0.48	416
11 - Died	6	2.86	6.5
12 - Home Health Service	124	59.05	9.8
13 - Other	1	0.48	334
All	210	100.0	19

***Gender by Patient County of Residence
for 2010
San Luis Obispo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	10,856	43.40	4.4
2 - Female	14,160	56.60	3.9
All	25,016	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	9,995	43.20	4.3
2 - Female	13,141	56.80	3.7
All	23,136	100.0	3.9

***Gender by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	8	53.33	14
2 - Female	7	46.67	13
All	15	100.0	13

***Gender by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	75	64.10	20
2 - Female	42	35.90	21
All	117	100.0	20

***Gender by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	711	46.23	3.5
2 - Female	827	53.77	4.0
All	1,538	100.0	3.7

***Gender by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	67	31.90	14
2 - Female	143	68.10	22
All	210	100.0	19

***Expected Payer by Patient County of Residence
for 2010
San Luis Obispo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	9,725	38.88	4.8
02 - Medi-Cal	4,308	17.22	3.9
03 - Private Coverage	8,399	33.57	3.5
04 - Workers' Compensatio	196	0.78	4.0
05 - County Indigent Prog	798	3.19	3.6
06 - Other Government	613	2.45	4.3
07 - Other Indigent	89	0.36	5.0
08 - Self-Pay	366	1.46	5.8
09 - Other Payer	522	2.09	3.5
All	25,016	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	9,373	40.51	4.5
02 - Medi-Cal	3,747	16.20	3.8
03 - Private Coverage	7,744	33.47	3.4
04 - Workers' Compensatio	184	0.80	3.3
05 - County Indigent Prog	544	2.35	4.2
06 - Other Government	593	2.56	4.3
07 - Other Indigent	89	0.38	5.0
08 - Self-Pay	344	1.49	3.5
09 - Other Payer	518	2.24	3.5
All	23,136	100.0	3.9

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	4	26.67	7.0
03 - Private Coverage	3	20.00	15
04 - Workers' Compensatio	1	6.67	20
06 - Other Government	1	6.67	5.0
08 - Self-Pay	6	40.00	17
All	15	100.0	13

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	69	58.97	17
02 - Medi-Cal	9	7.69	17
03 - Private Coverage	37	31.62	26
04 - Workers' Compensatio	2	1.71	19
All	117	100.0	20

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	99	6.44	7.9
02 - Medi-Cal	542	35.24	3.1
03 - Private Coverage	602	39.14	4.0
04 - Workers' Compensatio	5	0.33	10
05 - County Indigent Prog	253	16.45	2.3
06 - Other Government	19	1.24	6.1
08 - Self-Pay	14	0.91	5.2
09 - Other Payer	4	0.26	7.5
All	1,538	100.0	3.7

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	180	85.71	11
02 - Medi-Cal	10	4.76	103
03 - Private Coverage	13	6.19	10
04 - Workers' Compensatio	4	1.90	19
05 - County Indigent Prog	1	0.48	20
08 - Self-Pay	2	0.95	363
All	210	100.0	19

***Race Group by Patient County of Residence
for 2010
San Luis Obispo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	564	2.25	4.5
1 - White	20,325	81.25	4.2
2 - Black	357	1.43	5.6
3 - Hispanic	3,008	12.02	3.7
4 - Asian/Pacific Islander	260	1.04	4.3
5 - Native American/Eskimo/Ale	33	0.13	3.3
6 - Other	469	1.87	3.6
All	25,016	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	538	2.33	4.1
1 - White	18,763	81.10	4.0
2 - Black	327	1.41	5.6
3 - Hispanic	2,811	12.15	3.5
4 - Asian/Pacific Islander	238	1.03	4.0
5 - Native American/Eskimo/Ale	20	0.09	3.9
6 - Other	439	1.90	3.5
All	23,136	100.0	3.9

***Race Group by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	6.67	1.0
1 - White	14	93.33	14
All	15	100.0	13

***Race Group by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	14	11.97	19
1 - White	88	75.21	20
3 - Hispanic	10	8.55	16
4 - Asian/Pacific Islander	2	1.71	27
6 - Other	3	2.56	19
All	117	100.0	20

***Race Group by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	11	0.72	3.9
1 - White	1,270	82.57	3.8
2 - Black	30	1.95	5.9
3 - Hispanic	175	11.38	3.0
4 - Asian/Pacific Islander	16	1.04	2.3
5 - Native American/Eskimo/Ale	13	0.85	2.5
6 - Other	23	1.50	2.1
All	1,538	100.0	3.7

***Race Group by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	190	90.48	18
3 - Hispanic	12	5.71	41
4 - Asian/Pacific Islander	4	1.90	24
6 - Other	4	1.90	12
All	210	100.0	19

***Source of Admission by Patient County of Residence
for 2010
San Luis Obispo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	19,521	78.03	3.8
2 - Residential Care Facility	179	0.72	5.1
3 - Ambulatory Surgery	33	0.13	4.3
4 - Skilled Nursing/Intermedia	464	1.85	7.7
5 - Acute Inpatient Hospital C	954	3.81	10
6 - Other Inpatient Hospital C	426	1.70	4.5
7 - Newborn (born in admitting	2,637	10.54	3.1
8 - Prison/Jail	329	1.32	4.3
9 - Other	473	1.89	6.1
All	25,016	100.0	4.1

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	18,015	77.87	3.8
2 - Residential Care Facility	178	0.77	5.1
3 - Ambulatory Surgery	33	0.14	4.3
4 - Skilled Nursing/Intermedia	461	1.99	6.6
5 - Acute Inpatient Hospital C	635	2.74	7.1
6 - Other Inpatient Hospital C	394	1.70	4.1
7 - Newborn (born in admitting	2,637	11.40	3.1
8 - Prison/Jail	315	1.36	4.1
9 - Other	468	2.02	6.1
All	23,136	100.0	3.9

***Source of Admission by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	14	93.33	14
2 - Residential Care Facility	1	6.67	9.0
All	15	100.0	13

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10	8.55	21
5 - Acute Inpatient Hospital C	99	84.62	19
6 - Other Inpatient Hospital C	8	6.84	24
All	117	100.0	20

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,480	96.23	3.7
4 - Skilled Nursing/Intermedia	1	0.07	17
5 - Acute Inpatient Hospital C	14	0.91	5.6
6 - Other Inpatient Hospital C	24	1.56	4.1
8 - Prison/Jail	14	0.91	7.5
9 - Other	5	0.33	6.8
All	1,538	100.0	3.7

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2	0.95	169
4 - Skilled Nursing/Intermedia	2	0.95	238
5 - Acute Inpatient Hospital C	206	98.10	16
All	210	100.0	19

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	16
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	28	0.11	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	9	0.04	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	4	0.02	22
007	LUNG TRANSPLANT	2	0.01	14
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.01	24
009	BONE MARROW TRANSPLANT	11	0.04	28
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	31
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	30
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.00	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.02	24
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.03	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	3	0.01	5.3
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.04	27
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	7.4
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	26	0.10	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	31	0.12	7.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	90	0.36	4.2
028	SPINAL PROCEDURES WITH MCC	4	0.02	13
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	10	0.04	6.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	11	0.04	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.02	9.5
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.04	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	10	0.04	4.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.01	5.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	4.3
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	11	0.04	2.1
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.02	5.3
038	EXTRACRANIAL PROCEDURES WITH CC	11	0.04	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	71	0.28	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.03	26
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	6	0.02	6.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	10	0.04	1.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.02	14
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	4	0.02	2.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	5	0.02	8.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	28	0.11	4.5
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	29
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	45	0.18	6.3
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	4.5
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	4	0.02	9.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	12
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	12	0.05	4.8
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	6.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	71	0.28	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	163	0.65	5.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	137	0.55	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	9	0.04	2.0
069	TRANSIENT ISCHEMIA	109	0.44	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	5	0.02	7.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	11	0.04	6.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	12	0.05	1.6
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	8	0.03	6.9
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	33	0.13	3.0
075	VIRAL MENINGITIS WITH CC/MCC	8	0.03	8.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	25	0.10	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	7.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	6	0.02	1.8
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	8.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.03	4.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	15	0.06	9.3
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	31	0.12	4.9
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	41	0.16	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
088	CONCUSSION WITH MCC	1	0.00	6.0
090	CONCUSSION WITHOUT CC/MCC	8	0.03	2.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	14	0.06	6.4
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	17	0.07	2.8
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	25	0.10	2.6
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.02	4.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	7.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	4	0.02	11
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.02	8.6
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	6.0
100	SEIZURES WITH MCC	15	0.06	3.8
101	SEIZURES WITHOUT MCC	133	0.53	6.1
102	HEADACHES WITH MCC	7	0.03	5.3
103	HEADACHES WITHOUT MCC	49	0.20	3.1
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.02	4.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.02	3.0
123	NEUROLOGICAL EYE DISORDERS	4	0.02	4.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	2	0.01	3.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.00	3.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.01	4.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.08	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	7	0.03	4.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	17	0.07	1.9
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	9.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	2	0.01	3.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.00	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.01	3.0
149	DYSEQUILIBRIUM	41	0.16	1.9
151	EPISTAXIS WITHOUT MCC	3	0.01	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	3.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	31	0.12	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	3.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	5	0.02	1.8
157	DENTAL & ORAL DISEASES WITH MCC	1	0.00	1.0
158	DENTAL & ORAL DISEASES WITH CC	8	0.03	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	5	0.02	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	17	0.07	12
164	MAJOR CHEST PROCEDURES WITH CC	22	0.09	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	31	0.12	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	8	0.03	8.1
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	23	0.09	7.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	7	0.03	5.6
175	PULMONARY EMBOLISM WITH MCC	14	0.06	6.9
176	PULMONARY EMBOLISM WITHOUT MCC	89	0.36	4.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	66	0.26	9.2
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	77	0.31	7.1
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	44	0.18	4.2
180	RESPIRATORY NEOPLASMS WITH MCC	19	0.08	7.5
181	RESPIRATORY NEOPLASMS WITH CC	32	0.13	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.02	3.5
183	MAJOR CHEST TRAUMA WITH MCC	4	0.02	9.5
184	MAJOR CHEST TRAUMA WITH CC	19	0.08	4.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.02	2.5
186	PLEURAL EFFUSION WITH MCC	9	0.04	5.9
187	PLEURAL EFFUSION WITH CC	8	0.03	3.8
188	PLEURAL EFFUSION WITHOUT CC/MCC	7	0.03	3.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	122	0.49	5.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	79	0.32	5.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	87	0.35	4.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	128	0.51	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.40	6.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	270	1.08	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	199	0.80	3.2
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	8.4
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.02	4.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	4	0.02	4.5
199	PNEUMOTHORAX WITH MCC	5	0.02	8.8
200	PNEUMOTHORAX WITH CC	24	0.10	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	13	0.05	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	85	0.34	2.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	101	0.40	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	31	0.12	3.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	11	0.04	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	40	0.16	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	25	0.10	17
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	59	0.24	5.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	8	0.03	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	11	0.04	9.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	25	0.10	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	42	0.17	7.3
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	23	0.09	6.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.00	10
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	12	0.05	4.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.01	1.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	42	0.17	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	3	0.01	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	4	0.02	8.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.5
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	13	0.05	12
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	44	0.18	7.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	4	0.02	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	30	0.12	5.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	18	0.07	9.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	60	0.24	3.6
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.04	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	10
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	17	0.07	4.2
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	36	0.14	3.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	67	0.27	1.7
245	AICD GENERATOR PROCEDURES	1	0.00	2.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	27	0.11	4.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	264	1.06	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	10	0.04	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	43	0.17	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	5.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	86	0.34	1.3
252	OTHER VASCULAR PROCEDURES WITH MCC	19	0.08	8.3
253	OTHER VASCULAR PROCEDURES WITH CC	49	0.20	7.3
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	60	0.24	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.02	13
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.00	4.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	7	0.03	2.1
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	5	0.02	1.8
263	VEIN LIGATION & STRIPPING	2	0.01	2.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	10	0.04	7.4
265	AICD LEAD PROCEDURES	1	0.00	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	44	0.18	5.3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	44	0.18	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	61	0.24	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	19	0.08	2.7
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.02	1.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	22	0.09	6.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	133	0.53	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.02	10
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	3	0.01	3.3
291	HEART FAILURE & SHOCK WITH MCC	156	0.62	6.0
292	HEART FAILURE & SHOCK WITH CC	155	0.62	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	120	0.48	2.7
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.01	5.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	4.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.01	.50
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	28	0.11	6.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	50	0.20	4.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	41	0.16	3.0
302	ATHEROSCLEROSIS WITH MCC	8	0.03	2.3
303	ATHEROSCLEROSIS WITHOUT MCC	34	0.14	1.7
304	HYPERTENSION WITH MCC	1	0.00	2.0
305	HYPERTENSION WITHOUT MCC	20	0.08	3.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	2	0.01	.50
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	7	0.03	1.7
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	64	0.26	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	98	0.39	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	175	0.70	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
311	ANGINA PECTORIS	28	0.11	1.7
312	SYNCOPE & COLLAPSE	148	0.59	2.2
313	CHEST PAIN	265	1.06	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	51	0.20	10
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	39	0.16	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.08	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	16	0.06	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	40	0.16	8.1
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	57	0.23	2.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	58	0.23	14
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	115	0.46	8.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	97	0.39	5.4
332	RECTAL RESECTION WITH MCC	2	0.01	6.5
333	RECTAL RESECTION WITH CC	13	0.05	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	13	0.05	4.4
335	PERITONEAL ADHESIOLYSIS WITH MCC	10	0.04	17
336	PERITONEAL ADHESIOLYSIS WITH CC	22	0.09	15
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	20	0.08	4.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.5
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	20	0.08	9.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	44	0.18	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.05	1.5
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	220	0.88	1.2
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.01	16
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.04	6.3
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	12	0.05	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.00	7.0
348	ANAL & STOMAL PROCEDURES WITH CC	9	0.04	6.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	7	0.03	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.00	9.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.03	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	15
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	15	0.06	3.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	38	0.15	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	4	0.02	7.8
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	13	0.05	6.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.04	2.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.02	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	21	0.08	3.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.01	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	18	0.07	5.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	39	0.16	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	29	0.12	3.9
374	DIGESTIVE MALIGNANCY WITH MCC	16	0.06	7.6
375	DIGESTIVE MALIGNANCY WITH CC	24	0.10	5.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	9	0.04	6.0
377	G.I. HEMORRHAGE WITH MCC	70	0.28	5.1
378	G.I. HEMORRHAGE WITH CC	188	0.75	3.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	133	0.53	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.02	3.4
381	COMPLICATED PEPTIC ULCER WITH CC	14	0.06	4.1
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.04	2.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	5.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	5	0.02	2.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	6	0.02	5.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	17	0.07	7.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.07	4.4
388	G.I. OBSTRUCTION WITH MCC	29	0.12	7.5
389	G.I. OBSTRUCTION WITH CC	109	0.44	5.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	137	0.55	3.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	67	0.27	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	489	1.95	3.5
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	19	0.08	5.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	56	0.22	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	43	0.17	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	6.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	10	0.04	6.3
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	9.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	7.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	9.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	9.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.04	3.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	9.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.03	9.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.04	5.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	23	0.09	5.9
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	67	0.27	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	185	0.74	2.3
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	11
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	3.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	27	0.11	4.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	9	0.04	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	3.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	22	0.09	5.2
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	17	0.07	3.4
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	9	0.04	3.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	25	0.10	11
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	72	0.29	4.9
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	91	0.36	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	32	0.13	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	36	0.14	4.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	11	0.04	7.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	9	0.04	4.3
445	DISORDERS OF THE BILIARY TRACT WITH CC	23	0.09	3.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	29	0.12	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.00	17
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.02	8.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	15	0.06	4.2
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.01	8.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	7	0.03	6.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	4	0.02	4.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.02	14
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	126	0.50	4.5
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	8	0.03	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.02	12
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	13	0.05	7.8
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	9	0.04	3.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	9	0.04	10
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	30	0.12	4.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	49	0.20	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	37	0.15	7.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,058	4.23	3.1
471	CERVICAL SPINAL FUSION WITH MCC	8	0.03	7.6
472	CERVICAL SPINAL FUSION WITH CC	20	0.08	4.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	132	0.53	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.02	6.8
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.01	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.02	10
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	9	0.04	4.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.02	4.2
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	36	0.14	9.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	93	0.37	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	91	0.36	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	9	0.04	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	73	0.29	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	6.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.02	9.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.00	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	8	0.03	4.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	31	0.12	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	36	0.14	4.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	233	0.93	1.6
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.04	8.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	44	0.18	4.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	141	0.56	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.00	2.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.05	3.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	17	0.07	1.4
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	4.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	1.3
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.00	5.0
501	SOFT TISSUE PROCEDURES WITH CC	14	0.06	6.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	28	0.11	1.9
504	FOOT PROCEDURES WITH CC	10	0.04	10
505	FOOT PROCEDURES WITHOUT CC/MCC	11	0.04	2.2
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	9	0.04	1.1
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	6.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	7	0.03	3.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	50	0.20	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	5	0.02	4.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	13	0.05	2.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	5	0.02	5.6
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	7	0.03	6.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	20	0.08	3.3
533	FRACTURES OF FEMUR WITH MCC	1	0.00	7.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.03	2.1
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.02	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	55	0.22	3.1
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	5.0
539	OSTEOMYELITIS WITH MCC	4	0.02	4.8
540	OSTEOMYELITIS WITH CC	3	0.01	5.7
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	6	0.02	8.5
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	17	0.07	5.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	6	0.02	4.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	4	0.02	7.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.03	4.8
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	9	0.04	2.9
549	SEPTIC ARTHRITIS WITH CC	3	0.01	20
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.07	6.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	122	0.49	4.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	11	0.04	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.00	2.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	38	0.15	3.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	8.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	25	0.10	3.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	2.5
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.02	4.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	20	0.08	3.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.04	4.7
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	47	0.19	3.9
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.02	9.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	6	0.02	3.2
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.02	1.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	5	0.02	21
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.03	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.02	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.02	7.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.04	1.5
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	4.2
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	19	0.08	3.1
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	38	0.15	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	9	0.04	2.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	23	0.09	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	16	0.06	1.6
592	SKIN ULCERS WITH MCC	4	0.02	14
593	SKIN ULCERS WITH CC	8	0.03	7.1
594	SKIN ULCERS WITHOUT CC/MCC	3	0.01	6.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	1.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.03	5.6
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	10
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	6.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
602	CELLULITIS WITH MCC	27	0.11	5.6
603	CELLULITIS WITHOUT MCC	236	0.94	3.8
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.01	7.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	26	0.10	3.4
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	17

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
607	MINOR SKIN DISORDERS WITHOUT MCC	12	0.05	1.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	8	0.03	4.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	13	0.05	2.9
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.01	23
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.04	10
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.01	2.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	9	0.04	1.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	82	0.33	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.01	10
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	2.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.02	1.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	49	0.20	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	4	0.02	7.8
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.01	8.3
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	5.7
637	DIABETES WITH MCC	24	0.10	5.0
638	DIABETES WITH CC	74	0.30	3.6
639	DIABETES WITHOUT CC/MCC	83	0.33	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	81	0.32	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	214	0.86	2.7
642	INBORN ERRORS OF METABOLISM	4	0.02	12
643	ENDOCRINE DISORDERS WITH MCC	4	0.02	5.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	21	0.08	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.05	3.1
652	KIDNEY TRANSPLANT	15	0.06	5.2
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	13
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.03	7.7
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.02	6.2
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.02	6.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	12	0.05	4.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	14	0.06	4.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.02	5.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	15	0.06	4.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	24	0.10	2.4
663	MINOR BLADDER PROCEDURES WITH CC	4	0.02	2.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.00	7.0
668	TRANSURETHRAL PROCEDURES WITH MCC	2	0.01	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	11	0.04	2.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	1.5
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	7.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.02	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.02	6.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	9	0.04	9.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	3	0.01	3.0
682	RENAL FAILURE WITH MCC	41	0.16	5.7
683	RENAL FAILURE WITH CC	106	0.42	5.4
684	RENAL FAILURE WITHOUT CC/MCC	19	0.08	2.6
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	6	0.02	5.3
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	5.8
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	3	0.01	2.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	38	0.15	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	257	1.03	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.01	4.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	9	0.04	3.1
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	41	0.16	1.7
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.04	3.6
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	18	0.07	5.6
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	20	0.08	3.8
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	14	0.06	1.6
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	8	0.03	3.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	82	0.33	1.8
710	PENIS PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
711	TESTES PROCEDURES WITH CC/MCC	3	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.02	3.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	19	0.08	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.02	4.8
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	4.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	2.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.01	6.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	3	0.01	2.7
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	3.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	6.2
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.03	3.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	15
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.02	5.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.02	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	3	0.01	6.3
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	22	0.09	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	34	0.14	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	283	1.13	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	2.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	1.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	25	0.10	1.2
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	67	0.27	1.6
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.02	8.8
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	3.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.02	5.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	5.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	9	0.04	3.2
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	2.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	9	0.04	1.3
765	CESAREAN SECTION WITH CC/MCC	180	0.72	4.6
766	CESAREAN SECTION WITHOUT CC/MCC	573	2.29	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	91	0.36	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	3	0.01	4.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	9	0.04	1.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	151	0.60	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,618	6.47	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	25	0.10	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
777	ECTOPIC PREGNANCY	5	0.02	1.2
778	THREATENED ABORTION	18	0.07	3.4
779	ABORTION WITHOUT D&C	3	0.01	1.3
780	FALSE LABOR	2	0.01	.00
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	66	0.26	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	22	0.09	3.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	57	0.23	4.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	28	0.11	39
791	PREMATURITY WITH MAJOR PROBLEMS	43	0.17	29
792	PREMATURITY WITHOUT MAJOR PROBLEMS	104	0.42	6.9
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	84	0.34	7.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	261	1.04	2.7
795	NORMAL NEWBORN	2,133	8.53	1.9
799	SPLENECTOMY WITH MCC	1	0.00	5.0
800	SPLENECTOMY WITH CC	3	0.01	3.0
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	7.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	14
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	1.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	10	0.04	5.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	34	0.14	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	5	0.02	4.6
811	RED BLOOD CELL DISORDERS WITH MCC	22	0.09	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
812	RED BLOOD CELL DISORDERS WITHOUT MCC	119	0.48	2.3
813	COAGULATION DISORDERS	15	0.06	6.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.01	4.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.01	4.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	6	0.02	4.3
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.01	18
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	6	0.02	6.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	3.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	15
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.00	9.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	1.8
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	4	0.02	6.8
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	5.3
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	3.6
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	9	0.04	27
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	8	0.03	10
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	6.6
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	19	0.08	4.8
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	15	0.06	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	16	0.06	6.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.03	2.6
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	2	0.01	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.02	7.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	52	0.21	3.2
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	4	0.02	2.0
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	56	0.22	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	20	0.08	8.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	10
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.00	10
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	16	0.06	6.4
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	18
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.07	7.6
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	36	0.14	5.8
864	FEVER	25	0.10	3.0
865	VIRAL ILLNESS WITH MCC	5	0.02	3.6
866	VIRAL ILLNESS WITHOUT MCC	18	0.07	2.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	8	0.03	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	5.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	24	0.10	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	472	1.89	6.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	259	1.04	4.8
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	6.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	14	0.06	2.0
881	DEPRESSIVE NEUROSES	294	1.18	1.5
882	NEUROSES EXCEPT DEPRESSIVE	50	0.20	1.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	0.02	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	19	0.08	3.4
885	PSYCHOSES	1,011	4.04	4.4
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	11	0.04	3.3
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.02	12
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	15	0.06	3.5
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	7	0.03	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	24	0.10	7.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	250	1.00	4.1
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	12
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	2.7
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	2.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.02	6.0
906	HAND PROCEDURES FOR INJURIES	4	0.02	5.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	21	0.08	6.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	14	0.06	2.2
913	TRAUMATIC INJURY WITH MCC	1	0.00	11
914	TRAUMATIC INJURY WITHOUT MCC	11	0.04	2.4
916	ALLERGIC REACTIONS WITHOUT MCC	19	0.08	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	68	0.27	4.6
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	180	0.72	1.6
919	COMPLICATIONS OF TREATMENT WITH MCC	6	0.02	6.0
920	COMPLICATIONS OF TREATMENT WITH CC	18	0.07	3.1
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	11	0.04	2.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	5	0.02	4.2
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	7	0.03	2.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	23
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	20
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	2.0
935	NON-EXTENSIVE BURNS	6	0.02	6.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.01	11
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	5	0.02	7.8
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	6	0.02	3.0
945	REHABILITATION WITH CC/MCC	194	0.78	21
946	REHABILITATION WITHOUT CC/MCC	107	0.43	9.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	17	0.07	3.8
948	SIGNS & SYMPTOMS WITHOUT MCC	107	0.43	3.0
949	AFTERCARE WITH CC/MCC	5	0.02	17
950	AFTERCARE WITHOUT CC/MCC	2	0.01	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.04	1.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	7.5
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	16	0.06	8.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.02	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	9	0.04	13
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.00	6.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	8	0.03	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.04	6.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	4.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.02	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	3.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	4.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	26	0.10	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	15	0.06	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.06	2.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.02	62

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	9	0.04	7.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.7
All		25,014	100.0	4.1

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	16
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	28	0.12	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	9	0.04	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	4	0.02	22
007	LUNG TRANSPLANT	2	0.01	14
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.01	24
009	BONE MARROW TRANSPLANT	11	0.05	28
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	31
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	30
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.00	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.02	24
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.03	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	3	0.01	5.3
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.04	27
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	7.4
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	26	0.11	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	31	0.13	7.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	90	0.39	4.2
028	SPINAL PROCEDURES WITH MCC	4	0.02	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	10	0.04	6.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	11	0.05	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.02	9.5
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.05	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	10	0.04	4.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.01	5.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	4.3
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	11	0.05	2.1
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.02	5.3
038	EXTRACRANIAL PROCEDURES WITH CC	11	0.05	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	71	0.31	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.03	26
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	6	0.03	6.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	10	0.04	1.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.03	14
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	4	0.02	2.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	5	0.02	8.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	28	0.12	4.5
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	6	0.03	6.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	39	0.17	4.6
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	4	0.02	9.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.00	5.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	12
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	12	0.05	4.8
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	6.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	71	0.31	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	163	0.70	5.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	137	0.59	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	9	0.04	2.0
069	TRANSIENT ISCHEMIA	109	0.47	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	5	0.02	7.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	11	0.05	6.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	12	0.05	1.6
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	8	0.03	6.9
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	33	0.14	3.0
075	VIRAL MENINGITIS WITH CC/MCC	8	0.03	8.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	25	0.11	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	7.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	6	0.03	1.8
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	8.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	15	0.06	9.3
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	30	0.13	3.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	41	0.18	3.3
088	CONCUSSION WITH MCC	1	0.00	6.0
090	CONCUSSION WITHOUT CC/MCC	8	0.03	2.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	14	0.06	6.4
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	17	0.07	2.8
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	25	0.11	2.6
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.02	4.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	7.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	4	0.02	11
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.02	8.6
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	6.0
100	SEIZURES WITH MCC	15	0.06	3.8
101	SEIZURES WITHOUT MCC	132	0.57	3.0
102	HEADACHES WITH MCC	7	0.03	5.3
103	HEADACHES WITHOUT MCC	49	0.21	3.1
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.02	4.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	4	0.02	4.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	2	0.01	3.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.00	3.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.01	4.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.09	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	7	0.03	4.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	17	0.07	1.9
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	9.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	2	0.01	3.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.00	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.01	3.0
149	DYSEQUILIBRIUM	41	0.18	1.9
151	EPISTAXIS WITHOUT MCC	3	0.01	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	3.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	31	0.13	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	3.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	5	0.02	1.8
157	DENTAL & ORAL DISEASES WITH MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
158	DENTAL & ORAL DISEASES WITH CC	8	0.03	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	5	0.02	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	17	0.07	12
164	MAJOR CHEST PROCEDURES WITH CC	22	0.10	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	31	0.13	4.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	8	0.03	8.1
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	23	0.10	7.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	7	0.03	5.6
175	PULMONARY EMBOLISM WITH MCC	14	0.06	6.9
176	PULMONARY EMBOLISM WITHOUT MCC	89	0.38	4.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	65	0.28	9.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	77	0.33	7.1
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	44	0.19	4.2
180	RESPIRATORY NEOPLASMS WITH MCC	19	0.08	7.5
181	RESPIRATORY NEOPLASMS WITH CC	32	0.14	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.02	3.5
183	MAJOR CHEST TRAUMA WITH MCC	4	0.02	9.5
184	MAJOR CHEST TRAUMA WITH CC	19	0.08	4.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.03	2.5
186	PLEURAL EFFUSION WITH MCC	9	0.04	5.9
187	PLEURAL EFFUSION WITH CC	8	0.03	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
188	PLEURAL EFFUSION WITHOUT CC/MCC	7	0.03	3.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	122	0.53	5.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	79	0.34	5.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	87	0.38	4.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	127	0.55	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.44	6.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	270	1.17	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	199	0.86	3.2
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	8.4
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.02	4.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	4	0.02	4.5
199	PNEUMOTHORAX WITH MCC	5	0.02	8.8
200	PNEUMOTHORAX WITH CC	24	0.10	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	13	0.06	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	85	0.37	2.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	101	0.44	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	31	0.13	3.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	11	0.05	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	40	0.17	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	24	0.10	17
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	59	0.26	5.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	8	0.03	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	11	0.05	9.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	25	0.11	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	42	0.18	7.3
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	23	0.10	6.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.00	10
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	3.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	12	0.05	4.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.01	1.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	42	0.18	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	3	0.01	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	4	0.02	8.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.5
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	13	0.06	12
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	44	0.19	7.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	4	0.02	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	30	0.13	5.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	18	0.08	9.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	60	0.26	3.6
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.04	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	10
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	17	0.07	4.2
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	36	0.16	3.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	67	0.29	1.7
245	AICD GENERATOR PROCEDURES	1	0.00	2.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	27	0.12	4.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	264	1.14	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	10	0.04	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	43	0.19	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	5.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	86	0.37	1.3
252	OTHER VASCULAR PROCEDURES WITH MCC	19	0.08	8.3
253	OTHER VASCULAR PROCEDURES WITH CC	49	0.21	7.3
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	60	0.26	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.02	13
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.00	4.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	7	0.03	2.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	5	0.02	1.8
263	VEIN LIGATION & STRIPPING	2	0.01	2.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	10	0.04	7.4
265	AICD LEAD PROCEDURES	1	0.00	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	44	0.19	5.3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	44	0.19	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	61	0.26	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	19	0.08	2.7
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.03	1.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	22	0.10	6.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	133	0.57	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.02	10
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	3	0.01	3.3
291	HEART FAILURE & SHOCK WITH MCC	156	0.67	6.0
292	HEART FAILURE & SHOCK WITH CC	155	0.67	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	120	0.52	2.7
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.01	5.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	4.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.01	.50
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	28	0.12	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
300	PERIPHERAL VASCULAR DISORDERS WITH CC	50	0.22	4.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	41	0.18	3.0
302	ATHEROSCLEROSIS WITH MCC	8	0.03	2.3
303	ATHEROSCLEROSIS WITHOUT MCC	34	0.15	1.7
304	HYPERTENSION WITH MCC	1	0.00	2.0
305	HYPERTENSION WITHOUT MCC	20	0.09	3.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	2	0.01	.50
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	7	0.03	1.7
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	64	0.28	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	97	0.42	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	175	0.76	2.0
311	ANGINA PECTORIS	28	0.12	1.7
312	SYNCOPE & COLLAPSE	148	0.64	2.2
313	CHEST PAIN	265	1.15	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	51	0.22	10
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	39	0.17	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.09	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	16	0.07	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	40	0.17	8.1
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	57	0.25	2.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	58	0.25	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	115	0.50	8.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	97	0.42	5.4
332	RECTAL RESECTION WITH MCC	2	0.01	6.5
333	RECTAL RESECTION WITH CC	13	0.06	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	13	0.06	4.4
335	PERITONEAL ADHESIOLYSIS WITH MCC	10	0.04	17
336	PERITONEAL ADHESIOLYSIS WITH CC	22	0.10	15
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	20	0.09	4.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.5
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	20	0.09	9.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	44	0.19	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	4.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.06	1.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	220	0.95	1.2
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.01	16
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.04	6.3
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	12	0.05	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.00	7.0
348	ANAL & STOMAL PROCEDURES WITH CC	9	0.04	6.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	7	0.03	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.03	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	15
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	15	0.06	3.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	38	0.16	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	4	0.02	7.8
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	13	0.06	6.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.04	2.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.02	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	21	0.09	3.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.01	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	18	0.08	5.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	39	0.17	5.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	29	0.13	3.9
374	DIGESTIVE MALIGNANCY WITH MCC	16	0.07	7.6
375	DIGESTIVE MALIGNANCY WITH CC	24	0.10	5.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	9	0.04	6.0
377	G.I. HEMORRHAGE WITH MCC	70	0.30	5.1
378	G.I. HEMORRHAGE WITH CC	188	0.81	3.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	133	0.57	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.02	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
381	COMPLICATED PEPTIC ULCER WITH CC	14	0.06	4.1
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.04	2.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	5.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	5	0.02	2.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	6	0.03	5.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	17	0.07	7.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.08	4.4
388	G.I. OBSTRUCTION WITH MCC	29	0.13	7.5
389	G.I. OBSTRUCTION WITH CC	109	0.47	5.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	137	0.59	3.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	67	0.29	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	489	2.11	3.5
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	19	0.08	5.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	56	0.24	5.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	43	0.19	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	6.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	10	0.04	6.3
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	9.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	9.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	9.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.04	3.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.03	9.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.03	9.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.04	5.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	23	0.10	5.9
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	67	0.29	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	185	0.80	2.3
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	11
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	3.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	27	0.12	4.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	9	0.04	3.3
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	3.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	22	0.10	5.2
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	17	0.07	3.4
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	9	0.04	3.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	25	0.11	11
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	72	0.31	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	91	0.39	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	32	0.14	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	36	0.16	4.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	11	0.05	7.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	8	0.03	4.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	23	0.10	3.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	29	0.13	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.00	17
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.03	8.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	15	0.06	4.2
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.01	8.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	7	0.03	6.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	4	0.02	4.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.02	14
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	126	0.54	4.5
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	4.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	8	0.03	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.02	12
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	13	0.06	7.8
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	9	0.04	3.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	9	0.04	10
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	30	0.13	4.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	49	0.21	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	37	0.16	7.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,058	4.57	3.1
471	CERVICAL SPINAL FUSION WITH MCC	8	0.03	7.6
472	CERVICAL SPINAL FUSION WITH CC	20	0.09	4.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	132	0.57	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.02	6.8
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.01	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.02	10
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	9	0.04	4.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.03	4.2
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	36	0.16	9.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	93	0.40	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	91	0.39	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	9	0.04	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	73	0.32	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	6.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.02	9.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.00	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	8	0.03	4.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	31	0.13	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	36	0.16	4.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	233	1.01	1.6
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.05	8.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	44	0.19	4.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	141	0.61	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.00	2.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.05	3.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	17	0.07	1.4
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	4.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	1.3
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.00	5.0
501	SOFT TISSUE PROCEDURES WITH CC	14	0.06	6.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	28	0.12	1.9
504	FOOT PROCEDURES WITH CC	10	0.04	10
505	FOOT PROCEDURES WITHOUT CC/MCC	11	0.05	2.2
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.01	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	9	0.04	1.1
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	7	0.03	3.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	50	0.22	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	5	0.02	4.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	13	0.06	2.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	5	0.02	5.6
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	7	0.03	6.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	20	0.09	3.3
533	FRACTURES OF FEMUR WITH MCC	1	0.00	7.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.03	2.1
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.03	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	55	0.24	3.1
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	5.0
539	OSTEOMYELITIS WITH MCC	4	0.02	4.8
540	OSTEOMYELITIS WITH CC	3	0.01	5.7
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	6	0.03	8.5
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	17	0.07	5.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	6	0.03	4.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	4	0.02	7.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.03	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	9	0.04	2.9
549	SEPTIC ARTHRITIS WITH CC	3	0.01	20
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.07	6.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	122	0.53	4.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	11	0.05	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.00	2.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	38	0.16	3.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	8.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	25	0.11	3.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	2.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.03	4.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	16	0.07	1.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.04	4.7
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	47	0.20	3.9
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.02	9.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	6	0.03	3.2
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.03	1.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	5	0.02	21
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.03	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.02	6.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.02	7.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.05	1.5
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	4.2
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	19	0.08	3.1
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	38	0.16	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	9	0.04	2.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	23	0.10	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	16	0.07	1.6
592	SKIN ULCERS WITH MCC	4	0.02	14
593	SKIN ULCERS WITH CC	8	0.03	7.1
594	SKIN ULCERS WITHOUT CC/MCC	3	0.01	6.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	1.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.03	5.6
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	10
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	6.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
602	CELLULITIS WITH MCC	27	0.12	5.6
603	CELLULITIS WITHOUT MCC	236	1.02	3.8
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.01	7.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	26	0.11	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	17
607	MINOR SKIN DISORDERS WITHOUT MCC	12	0.05	1.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	8	0.03	4.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	13	0.06	2.9
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.01	23
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.04	10
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.01	2.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	9	0.04	1.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	82	0.35	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.01	10
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	2.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.03	1.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	49	0.21	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	4	0.02	7.8
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.01	8.3
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	5.7
637	DIABETES WITH MCC	24	0.10	5.0
638	DIABETES WITH CC	73	0.32	3.3
639	DIABETES WITHOUT CC/MCC	83	0.36	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	81	0.35	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	214	0.93	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	4	0.02	12
643	ENDOCRINE DISORDERS WITH MCC	4	0.02	5.5
644	ENDOCRINE DISORDERS WITH CC	21	0.09	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.06	3.1
652	KIDNEY TRANSPLANT	15	0.06	5.2
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	13
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.03	7.7
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.03	6.2
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.02	6.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	12	0.05	4.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	14	0.06	4.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.03	5.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	15	0.06	4.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	24	0.10	2.4
663	MINOR BLADDER PROCEDURES WITH CC	4	0.02	2.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.00	7.0
668	TRANSURETHRAL PROCEDURES WITH MCC	2	0.01	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	11	0.05	2.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.05	1.5
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.02	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.02	6.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	9	0.04	9.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	3	0.01	3.0
682	RENAL FAILURE WITH MCC	41	0.18	5.7
683	RENAL FAILURE WITH CC	105	0.45	5.3
684	RENAL FAILURE WITHOUT CC/MCC	19	0.08	2.6
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	6	0.03	5.3
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	5.8
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	3	0.01	2.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	38	0.16	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	257	1.11	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.01	4.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	9	0.04	3.1
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	41	0.18	1.7
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.04	3.6
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	18	0.08	5.6
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	20	0.09	3.8
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	14	0.06	1.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	8	0.03	3.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	82	0.35	1.8
710	PENIS PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
711	TESTES PROCEDURES WITH CC/MCC	3	0.01	16
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.02	3.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	19	0.08	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.02	4.8
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	4.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	2.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.01	6.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	3	0.01	2.7
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	3.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	6.2
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.03	3.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	15
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.02	5.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.02	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	3	0.01	6.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	22	0.10	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	34	0.15	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	283	1.22	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	2.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.01	1.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	1.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	25	0.11	1.2
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	67	0.29	1.6
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.02	8.8
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	3.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.03	5.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	5.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	9	0.04	3.2
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.03	2.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	9	0.04	1.3
765	CESAREAN SECTION WITH CC/MCC	180	0.78	4.6
766	CESAREAN SECTION WITHOUT CC/MCC	573	2.48	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	91	0.39	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	3	0.01	4.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	9	0.04	1.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	151	0.65	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,618	6.99	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	24	0.10	2.4
777	ECTOPIC PREGNANCY	5	0.02	1.2
778	THREATENED ABORTION	18	0.08	3.4
779	ABORTION WITHOUT D&C	3	0.01	1.3
780	FALSE LABOR	2	0.01	.00
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	66	0.29	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	22	0.10	3.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	57	0.25	4.7
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	28	0.12	39
791	PREMATURITY WITH MAJOR PROBLEMS	43	0.19	29
792	PREMATURITY WITHOUT MAJOR PROBLEMS	104	0.45	6.9
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	84	0.36	7.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	261	1.13	2.7
795	NORMAL NEWBORN	2,133	9.22	1.9
799	SPLENECTOMY WITH MCC	1	0.00	5.0
800	SPLENECTOMY WITH CC	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	7.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	14
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	1.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	10	0.04	5.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	34	0.15	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	5	0.02	4.6
811	RED BLOOD CELL DISORDERS WITH MCC	22	0.10	2.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	119	0.51	2.3
813	COAGULATION DISORDERS	15	0.06	6.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.01	4.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.01	4.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	6	0.03	4.3
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.01	18
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	6	0.03	6.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	3.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	15
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.00	9.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	1.8
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	4	0.02	6.8
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	6	0.03	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	3.6
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	9	0.04	27
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	8	0.03	10
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	6.6
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	19	0.08	4.8
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	15	0.06	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	16	0.07	6.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.03	2.6
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	2	0.01	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.02	7.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	52	0.22	3.2
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	4	0.02	2.0
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	56	0.24	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	20	0.09	8.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	10
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.00	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	16	0.07	6.4
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	18
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.07	7.6
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	36	0.16	5.8
864	FEVER	25	0.11	3.0
865	VIRAL ILLNESS WITH MCC	5	0.02	3.6
866	VIRAL ILLNESS WITHOUT MCC	18	0.08	2.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	8	0.03	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	5.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	3.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	24	0.10	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	469	2.03	6.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	259	1.12	4.8
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	6	0.03	3.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	.00
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.00	20
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	13	0.06	3.8
885	PSYCHOSES	15	0.06	3.7
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	3.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	11	0.05	2.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	22	0.10	8.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	88	0.38	3.6
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	12
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	2.7
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	2.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.02	6.0
906	HAND PROCEDURES FOR INJURIES	4	0.02	5.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.02	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	21	0.09	6.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	14	0.06	2.2
913	TRAUMATIC INJURY WITH MCC	1	0.00	11
914	TRAUMATIC INJURY WITHOUT MCC	11	0.05	2.4
916	ALLERGIC REACTIONS WITHOUT MCC	19	0.08	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	68	0.29	4.6
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	180	0.78	1.6
919	COMPLICATIONS OF TREATMENT WITH MCC	6	0.03	6.0
920	COMPLICATIONS OF TREATMENT WITH CC	18	0.08	3.1
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	11	0.05	2.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	5	0.02	4.2
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	7	0.03	2.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	23
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	20

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	2.0
935	NON-EXTENSIVE BURNS	6	0.03	6.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	17
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.02	1.8
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	6	0.03	3.0
945	REHABILITATION WITH CC/MCC	2	0.01	23
946	REHABILITATION WITHOUT CC/MCC	1	0.00	9.0
947	SIGNS & SYMPTOMS WITH MCC	17	0.07	3.8
948	SIGNS & SYMPTOMS WITHOUT MCC	107	0.46	3.0
949	AFTERCARE WITH CC/MCC	1	0.00	10
950	AFTERCARE WITHOUT CC/MCC	1	0.00	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.05	1.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	7.5
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	16	0.07	8.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.02	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	9	0.04	13
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.00	6.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	8	0.03	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.05	6.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.03	5.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	4.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.03	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	3.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	4.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	26	0.11	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	15	0.06	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.07	2.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.02	7.2
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	9	0.04	7.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.03	2.7
All		23,134	100.0	3.9

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	6.67	20
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	5	33.33	20
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	9	60.00	8.7
All		15	100.0	13

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.85	18
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	1	0.85	42
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	1.71	8.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.85	32
945	REHABILITATION WITH CC/MCC	103	88.03	20
946	REHABILITATION WITHOUT CC/MCC	9	7.69	12
All		117	100.0	20

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.13	14
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.07	4.0
683	RENAL FAILURE WITH CC	1	0.07	9.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.07	4.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.07	6.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	8	0.52	1.3
881	DEPRESSIVE NEUROSES	294	19.12	1.5
882	NEUROSES EXCEPT DEPRESSIVE	49	3.19	1.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.26	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	6	0.39	2.5
885	PSYCHOSES	996	64.76	4.4
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	11	0.72	3.3
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.26	15
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	0.20	2.7
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.13	4.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.13	4.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	153	9.95	4.1
All		1,538	100.0	3.7

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.48	166
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	3	1.43	20
101	SEIZURES WITHOUT MCC	1	0.48	416
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.48	10
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.48	6.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	1	0.48	23
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.48	4.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.48	3.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	1.90	11
638	DIABETES WITH CC	1	0.48	23
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	3	1.43	5.7
945	REHABILITATION WITH CC/MCC	89	42.38	21
946	REHABILITATION WITHOUT CC/MCC	97	46.19	9.6
949	AFTERCARE WITH CC/MCC	4	1.90	19
950	AFTERCARE WITHOUT CC/MCC	1	0.48	10
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.48	334
All		210	100.0	19

**MDC by Patient County of Residence
for 2010
San Luis Obispo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,477	5.90	5.3
02	EYE, DISEASES & DISORDERS	18	0.07	3.4
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	171	0.68	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,921	7.68	5.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,960	11.83	3.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,505	10.01	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	776	3.10	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,064	12.25	3.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	482	1.93	4.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	730	2.92	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	752	3.01	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	139	0.56	2.6
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	512	2.05	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,768	11.06	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,710	10.83	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	232	0.93	3.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	202	0.81	8.2
18	INFECTIOUS & PARASITIC DISEASES	966	3.86	6.8
19	MENTAL DISEASES & DISORDERS	1,410	5.64	3.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	296	1.18	4.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	384	1.54	3.3
22	BURNS	13	0.05	11

(Continued)

*MDC by Patient County of Residence
for 2010
San Luis Obispo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	457	1.83	12
24	MULTIPLE SIGNFICANT TRAUMA	57	0.23	9.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.06	7.1
All		25,016	100.0	4.1

**MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,468	6.35	4.9
02	EYE, DISEASES & DISORDERS	18	0.08	3.4
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	171	0.74	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,917	8.29	4.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,959	12.79	3.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,505	10.83	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	775	3.35	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,059	13.22	3.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	482	2.08	4.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	729	3.15	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	751	3.25	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	139	0.60	2.6
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	512	2.21	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,767	11.96	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,710	11.71	3.2
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	232	1.00	3.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	202	0.87	8.2
18	INFECTIOUS & PARASITIC DISEASES	963	4.16	6.8
19	MENTAL DISEASES & DISORDERS	37	0.16	4.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	121	0.52	4.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	384	1.66	3.3

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	13	0.06	11
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	151	0.65	3.4
24	MULTIPLE SIGNFICANT TRAUMA	57	0.25	9.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.06	7.1
All		23,136	100.0	3.9

***MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	15	100.0	13
All		15	100.0	13

***MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	1.71	30
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	115	98.29	20
All		117	100.0	20

***MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	0.13	14
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.07	4.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.07	9.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.07	4.0
19	MENTAL DISEASES & DISORDERS	1,373	89.27	3.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	160	10.40	4.1
All		1,538	100.0	3.7

***MDC by Patient County of Residence
and Type of Care for 2010
San Luis Obispo County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	5	2.38	128
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	4	1.90	93
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.48	4.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5	2.38	9.2
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.48	23
18	INFECTIOUS & PARASITIC DISEASES	3	1.43	5.7
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	191	90.95	15
All		210	100.0	19