

***Type of Care by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	49,583	96.26	4.2
Chemical Dependency Recovery Care	22	0.04	6.5
Physical Rehabilitation Care	506	0.98	14
Psychiatric Care	1,039	2.02	8.1
Skilled Nursing/Intermediate Care	361	0.70	39
All	51,511	100.0	4.6

***Disposition by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	76
01 - Routine (Home)	40,857	82.40	3.3
02 - Acute Care within the admitting hospital	1	0.00	7.0
03 - Other Care with the admitting hospital	399	0.80	14
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	425	0.86	12
05 - Acute Care at another hospital	890	1.79	5.7
06 - Other Care (not SN/IC) at another hospital	266	0.54	9.2
07 - SN/IC at another facility	2,576	5.20	8.3
08 - Residential Care facility	132	0.27	7.9
09 - Prison/Jail	60	0.12	4.5
10 - Left Against Medical Advice	295	0.59	3.2
11 - Died	1,028	2.07	10
12 - Home Health Service	2,523	5.09	8.3
13 - Other	130	0.26	6.5
All	49,583	100.0	4.2

***Disposition by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	19	86.36	6.9
10 - Left Against Medical Advice	3	13.64	3.7
All	22	100.0	6.5

***Disposition by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	159	31.42	14
02 - Acute Care within the admitting hospital	59	11.66	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	6	1.19	21
05 - Acute Care at another hospital	5	0.99	11
06 - Other Care (not SN/IC) at another hospital	1	0.20	3.0
07 - SN/IC at another facility	30	5.93	18
08 - Residential Care facility	3	0.59	14
10 - Left Against Medical Advice	1	0.20	8.0
11 - Died	1	0.20	18
12 - Home Health Service	241	47.63	15
All	506	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	878	84.50	7.2
02 - Acute Care within the admitting hospital	3	0.29	4.3
03 - Other Care with the admitting hospital	4	0.38	11
05 - Acute Care at another hospital	5	0.48	11
06 - Other Care (not SN/IC) at another hospital	43	4.14	19
07 - SN/IC at another facility	6	0.58	15
08 - Residential Care facility	82	7.89	12
09 - Prison/Jail	7	0.67	7.4
10 - Left Against Medical Advice	7	0.67	6.7
12 - Home Health Service	1	0.10	9.0
13 - Other	3	0.29	5.7
All	1,039	100.0	8.1

***Disposition by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	105	29.09	14
02 - Acute Care within the admitting hospital	36	9.97	27
03 - Other Care with the admitting hospital	6	1.66	40
05 - Acute Care at another hospital	4	1.11	45
07 - SN/IC at another facility	15	4.16	299
08 - Residential Care facility	2	0.55	35
10 - Left Against Medical Advice	2	0.55	33
11 - Died	28	7.76	134
12 - Home Health Service	163	45.15	17
All	361	100.0	39

***Gender by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	20,538	39.87	5.4
2 - Female	30,973	60.13	4.1
All	51,511	100.0	4.6

***Gender by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	19,609	39.55	4.8
2 - Female	29,974	60.45	3.8
All	49,583	100.0	4.2

***Gender by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	14	63.64	7.5
2 - Female	8	36.36	4.8
All	22	100.0	6.5

***Gender by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	280	55.34	14
2 - Female	226	44.66	15
All	506	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	496	47.74	7.9
2 - Female	543	52.26	8.4
All	1,039	100.0	8.1

***Gender by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	139	38.50	68
2 - Female	222	61.50	20
All	361	100.0	39

***Expected Payer by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	2.0
01 - Medicare	15,714	30.51	6.1
02 - Medi-Cal	20,450	39.70	4.1
03 - Private Coverage	12,314	23.91	3.5
04 - Workers' Compensatio	342	0.66	4.0
05 - County Indigent Prog	781	1.52	6.6
06 - Other Government	323	0.63	8.8
07 - Other Indigent	94	0.18	3.9
08 - Self-Pay	1,463	2.84	3.9
09 - Other Payer	29	0.06	4.6
All	51,511	100.0	4.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	2.0
01 - Medicare	14,887	30.02	5.7
02 - Medi-Cal	19,939	40.21	3.5
03 - Private Coverage	11,986	24.17	3.4
04 - Workers' Compensatio	322	0.65	3.4
05 - County Indigent Prog	566	1.14	6.1
06 - Other Government	314	0.63	8.7
07 - Other Indigent	92	0.19	3.7
08 - Self-Pay	1,448	2.92	3.8
09 - Other Payer	28	0.06	3.7
All	49,583	100.0	4.2

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	5	22.73	4.8
03 - Private Coverage	9	40.91	4.8
06 - Other Government	2	9.09	5.0
08 - Self-Pay	5	22.73	7.4
09 - Other Payer	1	4.55	29
All	22	100.0	6.5

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	317	62.65	14
02 - Medi-Cal	70	13.83	14
03 - Private Coverage	99	19.57	17
04 - Workers' Compensatio	14	2.77	15
05 - County Indigent Prog	2	0.40	23
06 - Other Government	2	0.40	17
08 - Self-Pay	2	0.40	18
All	506	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	247	23.77	10
02 - Medi-Cal	394	37.92	8.2
03 - Private Coverage	176	16.94	5.6
05 - County Indigent Prog	208	20.02	7.8
06 - Other Government	5	0.48	9.8
07 - Other Indigent	2	0.19	15
08 - Self-Pay	7	0.67	4.0
All	1,039	100.0	8.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	258	71.47	18
02 - Medi-Cal	47	13.02	181
03 - Private Coverage	44	12.19	13
04 - Workers' Compensatio	6	1.66	11
05 - County Indigent Prog	5	1.39	21
08 - Self-Pay	1	0.28	28
All	361	100.0	39

***Race Group by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	84	0.16	7.0
1 - White	22,271	43.24	5.1
2 - Black	796	1.55	5.3
3 - Hispanic	25,420	49.35	4.2
4 - Asian/Pacific Islander	1,100	2.14	4.7
5 - Native American/Eskimo/Ale	223	0.43	3.7
6 - Other	1,617	3.14	5.1
All	51,511	100.0	4.6

***Race Group by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	64	0.13	5.8
1 - White	21,186	42.73	4.6
2 - Black	736	1.48	4.5
3 - Hispanic	24,784	49.98	3.8
4 - Asian/Pacific Islander	1,064	2.15	4.6
5 - Native American/Eskimo/Ale	218	0.44	3.6
6 - Other	1,531	3.09	4.7
All	49,583	100.0	4.2

***Race Group by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	19	86.36	6.8
3 - Hispanic	3	13.64	4.3
All	22	100.0	6.5

***Race Group by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6	1.19	22
1 - White	299	59.09	14
2 - Black	8	1.58	11
3 - Hispanic	163	32.21	15
4 - Asian/Pacific Islander	9	1.78	14
6 - Other	21	4.15	14
All	506	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	14	1.35	6.4
1 - White	540	51.97	8.2
2 - Black	47	4.52	8.7
3 - Hispanic	363	34.94	8.4
4 - Asian/Pacific Islander	24	2.31	6.8
5 - Native American/Eskimo/Ale	3	0.29	4.3
6 - Other	48	4.62	6.1
All	1,039	100.0	8.1

***Race Group by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	227	62.88	36
2 - Black	5	1.39	76
3 - Hispanic	107	29.64	47
4 - Asian/Pacific Islander	3	0.83	12
5 - Native American/Eskimo/Ale	2	0.55	7.5
6 - Other	17	4.71	21
All	361	100.0	39

***Source of Admission by Patient County of Residence
for 2010
Tulare County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	39,236	76.17	4.3
2 - Residential Care Facility	492	0.96	6.5
3 - Ambulatory Surgery	257	0.50	2.7
4 - Skilled Nursing/Intermedia	771	1.50	9.0
5 - Acute Inpatient Hospital C	1,917	3.72	17
6 - Other Inpatient Hospital C	425	0.83	7.9
7 - Newborn (born in admitting	8,098	15.72	2.4
8 - Prison/Jail	56	0.11	4.9
9 - Other	259	0.50	7.0
All	51,511	100.0	4.6

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	38,253	77.15	4.3
2 - Residential Care Facility	489	0.99	6.5
3 - Ambulatory Surgery	257	0.52	2.7
4 - Skilled Nursing/Intermedia	759	1.53	7.2
5 - Acute Inpatient Hospital C	1,053	2.12	12
6 - Other Inpatient Hospital C	395	0.80	7.4
7 - Newborn (born in admitting	8,098	16.33	2.4
8 - Prison/Jail	53	0.11	4.9
9 - Other	226	0.46	7.0
All	49,583	100.0	4.2

*Source of Admission by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	22	100.0	6.5
All	22	100.0	6.5

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	7	1.38	25
4 - Skilled Nursing/Intermedia	5	0.99	25
5 - Acute Inpatient Hospital C	492	97.23	14
6 - Other Inpatient Hospital C	2	0.40	24
All	506	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	938	90.28	8.0
2 - Residential Care Facility	3	0.29	3.3
4 - Skilled Nursing/Intermedia	2	0.19	16
5 - Acute Inpatient Hospital C	38	3.66	9.0
6 - Other Inpatient Hospital C	23	2.21	11
8 - Prison/Jail	3	0.29	4.7
9 - Other	32	3.08	7.1
All	1,039	100.0	8.1

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	16	4.43	4.6
4 - Skilled Nursing/Intermedia	5	1.39	277
5 - Acute Inpatient Hospital C	334	92.52	37
6 - Other Inpatient Hospital C	5	1.39	21
9 - Other	1	0.28	.00
All	361	100.0	39

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.00	167
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	86	0.17	51
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	48	0.09	37
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	4	0.01	17
007	LUNG TRANSPLANT	1	0.00	12
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	6.0
009	BONE MARROW TRANSPLANT	8	0.02	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.01	22
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	5	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	13
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.00	8.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	12	0.02	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	3	0.01	6.3
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	48	0.09	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	35	0.07	7.8
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	48	0.09	4.9
028	SPINAL PROCEDURES WITH MCC	12	0.02	13
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.02	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	18	0.03	5.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	9	0.02	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	26	0.05	3.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	14	0.03	3.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.00	13
035	CAROTID ARTERY STENT PROCEDURE WITH CC	15	0.03	4.1
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	48	0.09	1.4
037	EXTRACRANIAL PROCEDURES WITH MCC	10	0.02	5.6
038	EXTRACRANIAL PROCEDURES WITH CC	12	0.02	4.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	76	0.15	1.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	12	0.02	115
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.04	7.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	12	0.02	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.01	7.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	6	0.01	23
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	22	0.04	4.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	44	0.09	5.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	11	0.02	8.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	51	0.10	7.0
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.00	177
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	10	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	9	0.02	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	4	0.01	12
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	4	0.01	6.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	148	0.29	7.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	262	0.51	5.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	187	0.36	3.9
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	5	0.01	5.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.02	2.0
069	TRANSIENT ISCHEMIA	213	0.41	2.7
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	24	0.05	9.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	20	0.04	5.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	15	0.03	2.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	24	0.05	7.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	36	0.07	4.1
075	VIRAL MENINGITIS WITH CC/MCC	21	0.04	4.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	73	0.14	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	6	0.01	8.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	3.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	1.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	8	0.02	5.6
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	25	0.05	3.2
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	6	0.01	5.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	6	0.01	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	22	0.04	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	12	0.02	7.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	19	0.04	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	64	0.12	2.8
088	CONCUSSION WITH MCC	4	0.01	3.5
089	CONCUSSION WITH CC	11	0.02	3.1
090	CONCUSSION WITHOUT CC/MCC	15	0.03	1.9
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	17	0.03	8.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	22	0.04	6.1
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	37	0.07	2.9
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.01	10
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	10	0.02	14
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.01	4.4
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.01	9.7
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.01	4.4
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	7	0.01	5.0
100	SEIZURES WITH MCC	54	0.10	5.1
101	SEIZURES WITHOUT MCC	197	0.38	2.9
102	HEADACHES WITH MCC	7	0.01	4.3
103	HEADACHES WITHOUT MCC	81	0.16	3.0
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.00	1.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	4	0.01	1.5

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Tulare County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	3	0.01	3.3
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.00	3.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	13
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.01	5.0
123	NEUROLOGICAL EYE DISORDERS	6	0.01	1.5
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.00	10
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	19	0.04	2.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.00	5.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.01	3.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	24	0.05	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	8	0.02	3.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	74	0.14	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.01	5.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	4.5
137	MOUTH PROCEDURES WITH CC/MCC	3	0.01	3.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.00	2.5
139	SALIVARY GLAND PROCEDURES	5	0.01	2.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	3	0.01	12
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.00	1.5
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.00	5.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	33	0.06	2.2
150	EPISTAXIS WITH MCC	2	0.00	5.5
151	EPISTAXIS WITHOUT MCC	10	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	8	0.02	3.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	103	0.20	2.6
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	2.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	18	0.03	4.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	15	0.03	2.4
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	5.2
158	DENTAL & ORAL DISEASES WITH CC	18	0.03	4.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	14	0.03	2.6
163	MAJOR CHEST PROCEDURES WITH MCC	31	0.06	24
164	MAJOR CHEST PROCEDURES WITH CC	36	0.07	6.6
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	15	0.03	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	31	0.06	16
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	27	0.05	9.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	10	0.02	8.1
175	PULMONARY EMBOLISM WITH MCC	18	0.03	8.8
176	PULMONARY EMBOLISM WITHOUT MCC	30	0.06	5.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	91	0.18	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	79	0.15	8.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	70	0.14	7.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
180	RESPIRATORY NEOPLASMS WITH MCC	51	0.10	9.5
181	RESPIRATORY NEOPLASMS WITH CC	42	0.08	7.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.01	4.2
183	MAJOR CHEST TRAUMA WITH MCC	8	0.02	4.4
184	MAJOR CHEST TRAUMA WITH CC	20	0.04	4.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	5	0.01	2.2
186	PLEURAL EFFUSION WITH MCC	25	0.05	8.2
187	PLEURAL EFFUSION WITH CC	24	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	4	0.01	4.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	124	0.24	17
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	289	0.56	5.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	176	0.34	4.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	346	0.67	3.8
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	296	0.57	7.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	670	1.30	5.1
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	548	1.06	4.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	16	0.03	8.4
197	INTERSTITIAL LUNG DISEASE WITH CC	13	0.03	7.7
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.02	4.3
199	PNEUMOTHORAX WITH MCC	13	0.03	6.4
200	PNEUMOTHORAX WITH CC	26	0.05	3.9
201	PNEUMOTHORAX WITHOUT CC/MCC	15	0.03	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
202	BRONCHITIS & ASTHMA WITH CC/MCC	246	0.48	3.9
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	386	0.75	2.6
204	RESPIRATORY SIGNS & SYMPTOMS	52	0.10	2.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	20	0.04	6.8
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	62	0.12	3.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	154	0.30	30
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	215	0.42	7.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	24	0.05	29
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	9	0.02	13
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	7.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	36	0.07	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	40	0.08	8.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	8	0.02	6.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	11	0.02	18
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	10	0.02	4.9
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	11	0.02	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	15	0.03	5.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.02	12
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	93	0.18	3.5
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	20	0.04	24
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	11	0.02	7.4
231	CORONARY BYPASS WITH PTCA WITH MCC	6	0.01	21

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	5	0.01	7.8
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	62	0.12	16
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	86	0.17	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	24	0.05	15
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	56	0.11	7.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	54	0.10	16
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	75	0.15	4.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	29	0.06	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	27	0.05	13
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.00	5.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	23	0.04	9.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	46	0.09	5.6
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	109	0.21	2.8
245	AICD GENERATOR PROCEDURES	2	0.00	1.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	127	0.25	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	784	1.52	2.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	10	0.02	9.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	47	0.09	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	20	0.04	8.7
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	171	0.33	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	69	0.13	9.8
253	OTHER VASCULAR PROCEDURES WITH CC	58	0.11	6.9

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Tulare County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	149	0.29	2.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	10	0.02	13
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	30	0.06	8.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	6.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	5	0.01	4.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	25
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	5.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	6	0.01	2.7
263	VEIN LIGATION & STRIPPING	3	0.01	13
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	34	0.07	7.4
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	80	0.16	7.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	58	0.11	4.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	105	0.20	2.9
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.04	7.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	5	0.01	2.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	57	0.11	6.8
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	454	0.88	3.3
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	7	0.01	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	17
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	9.0
291	HEART FAILURE & SHOCK WITH MCC	325	0.63	7.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
292	HEART FAILURE & SHOCK WITH CC	246	0.48	5.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	242	0.47	3.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.01	8.8
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	4.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	8	0.02	1.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	1.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	2	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	35	0.07	8.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	91	0.18	6.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	68	0.13	4.3
302	ATHEROSCLEROSIS WITH MCC	28	0.05	4.8
303	ATHEROSCLEROSIS WITHOUT MCC	176	0.34	2.4
304	HYPERTENSION WITH MCC	8	0.02	4.5
305	HYPERTENSION WITHOUT MCC	83	0.16	3.8
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	7	0.01	10
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	16	0.03	4.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	96	0.19	5.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	118	0.23	5.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	311	0.60	2.9
311	ANGINA PECTORIS	94	0.18	2.0
312	SYNCOPE & COLLAPSE	286	0.56	2.9
313	CHEST PAIN	933	1.81	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	154	0.30	8.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	50	0.10	5.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	35	0.07	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	25	0.05	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	38	0.07	9.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	95	0.18	3.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	112	0.22	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	137	0.27	9.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	98	0.19	6.2
332	RECTAL RESECTION WITH MCC	1	0.00	12
333	RECTAL RESECTION WITH CC	4	0.01	8.0
334	RECTAL RESECTION WITHOUT CC/MCC	10	0.02	5.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	11	0.02	16
336	PERITONEAL ADHESIOLYSIS WITH CC	30	0.06	6.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	44	0.09	4.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	7.3
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	31	0.06	8.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	122	0.24	4.3
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	4.2
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	29	0.06	3.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	463	0.90	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.00	15

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.02	8.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	10	0.02	4.3
347	ANAL & STOMAL PROCEDURES WITH MCC	5	0.01	8.4
348	ANAL & STOMAL PROCEDURES WITH CC	14	0.03	3.6
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	46	0.09	2.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	7.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.01	4.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	35	0.07	2.2
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	7	0.01	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.05	5.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	99	0.19	3.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	15	0.03	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	16	0.03	7.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.03	4.4
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	9	0.02	4.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	15	0.03	4.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	10	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	34	0.07	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	43	0.08	7.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	51	0.10	5.0
374	DIGESTIVE MALIGNANCY WITH MCC	20	0.04	14
375	DIGESTIVE MALIGNANCY WITH CC	47	0.09	8.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	9	0.02	5.3
377	G.I. HEMORRHAGE WITH MCC	120	0.23	6.9
378	G.I. HEMORRHAGE WITH CC	194	0.38	4.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	222	0.43	3.3
380	COMPLICATED PEPTIC ULCER WITH MCC	11	0.02	7.4
381	COMPLICATED PEPTIC ULCER WITH CC	25	0.05	5.7
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	20	0.04	4.4
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.00	6.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	17	0.03	4.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	5	0.01	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	25	0.05	6.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	38	0.07	3.9
388	G.I. OBSTRUCTION WITH MCC	40	0.08	7.2
389	G.I. OBSTRUCTION WITH CC	110	0.21	5.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	149	0.29	3.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	107	0.21	5.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	854	1.66	3.5
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	35	0.07	7.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	103	0.20	4.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	89	0.17	4.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	23	0.04	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	10	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.01	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	7.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.00	9.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.00	4.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	8.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	7	0.01	5.6
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.02	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	33	0.06	6.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	34	0.07	5.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	71	0.14	5.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	148	0.29	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	376	0.73	2.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	4	0.01	19
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.00	7.5
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.01	12
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	8.0
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	11
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	86	0.17	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	66	0.13	4.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	4.5
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	34	0.07	5.6
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	36	0.07	5.8
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	11	0.02	4.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	53	0.10	7.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	99	0.19	5.3
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	188	0.36	4.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	92	0.18	7.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	108	0.21	4.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	50	0.10	4.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	41	0.08	7.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	54	0.10	4.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	71	0.14	2.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	12	0.02	9.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	21	0.04	3.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.01	18
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	18	0.03	5.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	31	0.06	4.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	7	0.01	24
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	210	0.41	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	17
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.01	3.5
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	14	0.03	34
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	23	0.04	18
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	7	0.01	5.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.01	8.3
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	21	0.04	4.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	54	0.10	2.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	24	0.05	8.6
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	915	1.78	3.1
471	CERVICAL SPINAL FUSION WITH MCC	8	0.02	9.6
472	CERVICAL SPINAL FUSION WITH CC	44	0.09	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	178	0.35	1.6
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	6	0.01	20
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	14	0.03	9.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	8	0.02	5.1
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	7	0.01	16
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	12	0.02	6.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.01	3.8
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	44	0.09	11
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	110	0.21	6.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	141	0.27	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	17	0.03	4.9
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	32	0.06	1.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.00	22
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.00	3.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	10	0.02	2.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	26	0.05	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	82	0.16	5.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	229	0.44	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.02	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	43	0.08	4.6
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	165	0.32	1.9
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.01	22
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.02	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	18	0.03	3.2
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.00	3.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	4	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	11	0.02	20
501	SOFT TISSUE PROCEDURES WITH CC	25	0.05	6.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	20	0.04	2.9
503	FOOT PROCEDURES WITH MCC	5	0.01	13
504	FOOT PROCEDURES WITH CC	8	0.02	7.0
505	FOOT PROCEDURES WITHOUT CC/MCC	11	0.02	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	5.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.01	11
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
509	ARTHROSCOPY	2	0.00	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.01	2.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	32	0.06	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	12	0.02	7.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	10	0.02	3.0
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.01	8.3
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	17	0.03	4.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	23	0.04	3.5
534	FRACTURES OF FEMUR WITHOUT MCC	12	0.02	3.3
535	FRACTURES OF HIP & PELVIS WITH MCC	18	0.03	12
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	60	0.12	4.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.00	1.0
539	OSTEOMYELITIS WITH MCC	14	0.03	12
540	OSTEOMYELITIS WITH CC	16	0.03	11
541	OSTEOMYELITIS WITHOUT CC/MCC	9	0.02	8.2
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	16	0.03	10
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	24	0.05	5.8
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.02	3.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	7	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
546	CONNECTIVE TISSUE DISORDERS WITH CC	13	0.03	5.1
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	14	0.03	2.1
549	SEPTIC ARTHRITIS WITH CC	2	0.00	6.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	3	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	18	0.03	7.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	180	0.35	4.3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	18	0.03	3.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.01	5.4
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	54	0.10	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	10	0.02	6.8
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	33	0.06	5.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.01	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	8	0.02	21
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	13	0.03	3.8
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.01	6.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	96	0.19	3.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.01	6.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.01	3.9
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	12	0.02	2.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.03	19
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	29	0.06	16
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	19	0.04	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	6.7
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.01	1.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	16	0.03	2.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	13	0.03	14
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	50	0.10	7.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	63	0.12	3.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	18	0.03	2.2
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	30	0.06	2.3
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	9	0.02	1.6
592	SKIN ULCERS WITH MCC	8	0.02	19
593	SKIN ULCERS WITH CC	30	0.06	14
594	SKIN ULCERS WITHOUT CC/MCC	7	0.01	5.9
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	7.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.02	4.6
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.00	19
598	MALIGNANT BREAST DISORDERS WITH CC	5	0.01	7.4
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	6.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	3	0.01	3.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	11	0.02	3.9
602	CELLULITIS WITH MCC	62	0.12	8.3
603	CELLULITIS WITHOUT MCC	585	1.14	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	5.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	78	0.15	3.4
606	MINOR SKIN DISORDERS WITH MCC	3	0.01	6.3
607	MINOR SKIN DISORDERS WITHOUT MCC	28	0.05	3.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.01	3.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	9	0.02	1.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.00	26
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	19	0.04	12
619	O.R. PROCEDURES FOR OBESITY WITH MCC	4	0.01	8.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	26	0.05	3.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	235	0.46	1.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.01	8.2
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.01	1.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	9	0.02	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	92	0.18	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.02	13
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	12	0.02	13
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
637	DIABETES WITH MCC	57	0.11	5.4
638	DIABETES WITH CC	180	0.35	4.5
639	DIABETES WITHOUT CC/MCC	198	0.38	2.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	196	0.38	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	503	0.98	3.5
642	INBORN ERRORS OF METABOLISM	6	0.01	3.7
643	ENDOCRINE DISORDERS WITH MCC	18	0.03	7.6
644	ENDOCRINE DISORDERS WITH CC	13	0.03	2.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	25	0.05	3.1
652	KIDNEY TRANSPLANT	10	0.02	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	5	0.01	28
654	MAJOR BLADDER PROCEDURES WITH CC	9	0.02	9.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	6.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.02	16
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	14	0.03	6.5
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	20	0.04	4.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	14	0.03	18
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	19	0.04	3.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	25	0.05	2.8
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.00	7.0
663	MINOR BLADDER PROCEDURES WITH CC	3	0.01	12
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
665	PROSTATECTOMY WITH MCC	1	0.00	16
666	PROSTATECTOMY WITH CC	1	0.00	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.01	1.7
668	TRANSURETHRAL PROCEDURES WITH MCC	8	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	46	0.09	3.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	30	0.06	2.5
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.00	14
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.01	2.6
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	15	0.03	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	11	0.02	6.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	12	0.02	2.9
682	RENAL FAILURE WITH MCC	159	0.31	7.8
683	RENAL FAILURE WITH CC	237	0.46	6.4
684	RENAL FAILURE WITHOUT CC/MCC	65	0.13	5.1
685	ADMIT FOR RENAL DIALYSIS	17	0.03	2.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	5	0.01	8.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	14	0.03	8.1
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.01	3.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	174	0.34	6.9
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	762	1.48	4.2
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	9	0.02	4.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	3	0.01	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	10	0.02	5.3
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	126	0.24	2.7
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	6.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	20	0.04	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
697	URETHRAL STRICTURE	1	0.00	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	54	0.10	8.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	67	0.13	25
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	33	0.06	2.3
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	10	0.02	7.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	62	0.12	2.5
709	PENIS PROCEDURES WITH CC/MCC	3	0.01	8.7
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
711	TESTES PROCEDURES WITH CC/MCC	3	0.01	2.7
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.01	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.03	8.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	72	0.14	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	5.5
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	5.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	17
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.00	5.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	15
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	11
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	3	0.01	3.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	3.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	31	0.06	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.00	5.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.00	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	9	0.02	4.3
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.01	2.7
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.00	7.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	5	0.01	7.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.01	4.4
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.00	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.01	3.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	21	0.04	2.4
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	105	0.20	3.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	526	1.02	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	22	0.04	1.6
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	11	0.02	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	22	0.04	2.1
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	68	0.13	1.8
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	8.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	21
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	17	0.03	15
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	7.3
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	10	0.02	3.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	24	0.05	3.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	14	0.03	3.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	27	0.05	1.3
765	CESAREAN SECTION WITH CC/MCC	921	1.79	3.2
766	CESAREAN SECTION WITHOUT CC/MCC	1,921	3.73	2.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	257	0.50	2.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	3.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	30	0.06	2.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	47	0.09	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	575	1.12	2.2
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,344	8.43	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	79	0.15	3.4
777	ECTOPIC PREGNANCY	60	0.12	1.5
778	THREATENED ABORTION	175	0.34	1.5
779	ABORTION WITHOUT D&C	36	0.07	1.5
780	FALSE LABOR	7	0.01	.57
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	489	0.95	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	112	0.22	1.6
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	196	0.38	2.6
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	158	0.31	33

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
791	PREMATURITY WITH MAJOR PROBLEMS	125	0.24	12
792	PREMATURITY WITHOUT MAJOR PROBLEMS	361	0.70	4.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	401	0.78	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,776	3.45	2.0
795	NORMAL NEWBORN	5,449	10.58	1.6
799	SPLENECTOMY WITH MCC	4	0.01	15
800	SPLENECTOMY WITH CC	3	0.01	13
801	SPLENECTOMY WITHOUT CC/MCC	5	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	2	0.00	20
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.01	4.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	11	0.02	9.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	42	0.08	6.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	11	0.02	3.1
811	RED BLOOD CELL DISORDERS WITH MCC	61	0.12	6.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	197	0.38	3.5
813	COAGULATION DISORDERS	47	0.09	4.2
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	5	0.01	6.2
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.03	3.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	14	0.03	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.00	18
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.02	7.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.02	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.00	31
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.02	12
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	4.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.00	23
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	6	0.01	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	5.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.01	11
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	18	0.03	20
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	9	0.02	10
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.01	2.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	10	0.02	25
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	19	0.04	14
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	10	0.02	7.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	14	0.03	10
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	22	0.04	9.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	9	0.02	6.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	6.2
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.01	13
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.00	2.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.01	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	125	0.24	5.2
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
849	RADIOTHERAPY	7	0.01	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	55	0.11	22
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	21	0.04	10
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	25	0.05	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	33	0.06	8.0
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	3.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	50	0.10	9.2
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	83	0.16	5.9
864	FEVER	108	0.21	3.7
865	VIRAL ILLNESS WITH MCC	14	0.03	12
866	VIRAL ILLNESS WITHOUT MCC	26	0.05	3.9
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	15	0.03	14
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	13	0.03	6.3
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	6.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	61	0.12	19
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	398	0.77	8.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	210	0.41	6.1
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	22
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	17	0.03	2.6
881	DEPRESSIVE NEUROSES	51	0.10	3.5
882	NEUROSES EXCEPT DEPRESSIVE	18	0.03	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.01	24

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	19	0.04	8.2
885	PSYCHOSES	945	1.83	9.1
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.01	6.3
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.01	8.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	8	0.02	2.4
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	16	0.03	7.2
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	20	0.04	4.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	95	0.18	5.2
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.00	16
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	2.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	7	0.01	6.3
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	4	0.01	20
906	HAND PROCEDURES FOR INJURIES	19	0.04	3.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	27	0.05	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	28	0.05	7.2
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	42	0.08	3.7
913	TRAUMATIC INJURY WITH MCC	3	0.01	3.0
914	TRAUMATIC INJURY WITHOUT MCC	33	0.06	2.7
915	ALLERGIC REACTIONS WITH MCC	2	0.00	7.0
916	ALLERGIC REACTIONS WITHOUT MCC	17	0.03	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	72	0.14	6.9
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	169	0.33	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	22	0.04	9.0
920	COMPLICATIONS OF TREATMENT WITH CC	44	0.09	4.3
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	41	0.08	3.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	4	0.01	8.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	12	0.02	1.7
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.01	21
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.01	15
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.00	3.5
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
935	NON-EXTENSIVE BURNS	17	0.03	6.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	8	0.02	27
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	8	0.02	17
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	12	0.02	6.3
945	REHABILITATION WITH CC/MCC	507	0.98	16
946	REHABILITATION WITHOUT CC/MCC	242	0.47	9.7
947	SIGNS & SYMPTOMS WITH MCC	30	0.06	6.7
948	SIGNS & SYMPTOMS WITHOUT MCC	123	0.24	3.7
949	AFTERCARE WITH CC/MCC	26	0.05	21
950	AFTERCARE WITHOUT CC/MCC	2	0.00	37
951	OTHER FACTORS INFLUENCING HEALTH STATUS	20	0.04	21
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	8	0.02	9.1
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	21	0.04	10

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	25	0.05	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	25	0.05	9.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.02	4.9
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	14	0.03	9.6
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	18	0.03	4.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	12	0.02	2.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	15
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.01	11
975	HIV WITH MAJOR RELATED CONDITION WITH CC	5	0.01	17
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	5	0.01	7.8
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.00	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	61	0.12	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	63	0.12	8.1
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	41	0.08	3.8
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.00	7.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	21	0.04	19
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.04	7.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	15	0.03	3.9
All		51,509	100.0	4.6

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.00	167
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	86	0.17	51
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	48	0.10	37
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	4	0.01	17
007	LUNG TRANSPLANT	1	0.00	12
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	6.0
009	BONE MARROW TRANSPLANT	8	0.02	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.01	22
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	5	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	13
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.00	8.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	12	0.02	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	3	0.01	6.3
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	48	0.10	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	35	0.07	7.8
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	48	0.10	4.9
028	SPINAL PROCEDURES WITH MCC	12	0.02	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.02	6.2
030	SPINAL PROCEDURES WITHOUT CC/MCC	18	0.04	5.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	9	0.02	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	26	0.05	3.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	14	0.03	3.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.00	13
035	CAROTID ARTERY STENT PROCEDURE WITH CC	15	0.03	4.1
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	48	0.10	1.4
037	EXTRACRANIAL PROCEDURES WITH MCC	10	0.02	5.6
038	EXTRACRANIAL PROCEDURES WITH CC	12	0.02	4.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	76	0.15	1.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	11	0.02	7.5
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.04	7.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	12	0.02	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.01	2.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	5	0.01	3.8
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	22	0.04	4.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	40	0.08	3.9
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	11	0.02	8.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	44	0.09	6.6
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	10	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	9	0.02	2.9
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	4	0.01	12
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	4	0.01	6.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	148	0.30	7.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	262	0.53	5.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	186	0.38	3.9
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	5	0.01	5.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.02	2.0
069	TRANSIENT ISCHEMIA	213	0.43	2.7
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	24	0.05	9.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	20	0.04	5.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	15	0.03	2.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	24	0.05	7.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	36	0.07	4.1
075	VIRAL MENINGITIS WITH CC/MCC	21	0.04	4.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	73	0.15	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	6	0.01	8.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	3.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	1.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	8	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	24	0.05	3.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	6	0.01	5.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	6	0.01	4.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	22	0.04	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	12	0.02	7.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	19	0.04	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	64	0.13	2.8
088	CONCUSSION WITH MCC	4	0.01	3.5
089	CONCUSSION WITH CC	11	0.02	3.1
090	CONCUSSION WITHOUT CC/MCC	15	0.03	1.9
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	17	0.03	8.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	22	0.04	6.1
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	37	0.07	2.9
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.01	10
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	8	0.02	8.9
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	6	0.01	4.7
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.01	9.7
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.01	4.4
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	7	0.01	5.0
100	SEIZURES WITH MCC	54	0.11	5.1
101	SEIZURES WITHOUT MCC	196	0.40	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	7	0.01	4.3
103	HEADACHES WITHOUT MCC	81	0.16	3.0
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.00	1.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	4	0.01	1.5
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	3	0.01	3.3
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.00	3.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	13
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	4	0.01	2.3
123	NEUROLOGICAL EYE DISORDERS	6	0.01	1.5
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.00	10
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	19	0.04	2.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.00	5.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.01	3.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	24	0.05	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	8	0.02	3.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	74	0.15	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.01	5.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	4.5
137	MOUTH PROCEDURES WITH CC/MCC	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.00	2.5
139	SALIVARY GLAND PROCEDURES	5	0.01	2.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	3	0.01	12
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.00	1.5
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.00	5.5
149	DYSEQUILIBRIUM	33	0.07	2.2
150	EPISTAXIS WITH MCC	2	0.00	5.5
151	EPISTAXIS WITHOUT MCC	10	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	8	0.02	3.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	103	0.21	2.6
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	2.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	18	0.04	4.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	15	0.03	2.4
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	5.2
158	DENTAL & ORAL DISEASES WITH CC	18	0.04	4.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	14	0.03	2.6
163	MAJOR CHEST PROCEDURES WITH MCC	31	0.06	24
164	MAJOR CHEST PROCEDURES WITH CC	36	0.07	6.6
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	15	0.03	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	31	0.06	16
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	27	0.05	9.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	10	0.02	8.1
175	PULMONARY EMBOLISM WITH MCC	18	0.04	8.8
176	PULMONARY EMBOLISM WITHOUT MCC	30	0.06	5.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	90	0.18	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	79	0.16	8.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	68	0.14	7.9
180	RESPIRATORY NEOPLASMS WITH MCC	51	0.10	9.5
181	RESPIRATORY NEOPLASMS WITH CC	40	0.08	7.2
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.01	4.2
183	MAJOR CHEST TRAUMA WITH MCC	8	0.02	4.4
184	MAJOR CHEST TRAUMA WITH CC	20	0.04	4.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	5	0.01	2.2
186	PLEURAL EFFUSION WITH MCC	25	0.05	8.2
187	PLEURAL EFFUSION WITH CC	24	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	4	0.01	4.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	111	0.22	8.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	289	0.58	5.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	176	0.35	4.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	346	0.70	3.8
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	295	0.59	7.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	669	1.35	5.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	547	1.10	4.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	16	0.03	8.4
197	INTERSTITIAL LUNG DISEASE WITH CC	13	0.03	7.7
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.02	4.3
199	PNEUMOTHORAX WITH MCC	13	0.03	6.4
200	PNEUMOTHORAX WITH CC	26	0.05	3.9
201	PNEUMOTHORAX WITHOUT CC/MCC	15	0.03	4.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	245	0.49	3.9
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	386	0.78	2.6
204	RESPIRATORY SIGNS & SYMPTOMS	52	0.10	2.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	20	0.04	6.8
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	61	0.12	2.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	149	0.30	18
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	215	0.43	7.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	24	0.05	29
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	9	0.02	13
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	7.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	36	0.07	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	40	0.08	8.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	8	0.02	6.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	11	0.02	18
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	10	0.02	4.9
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	11	0.02	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	15	0.03	5.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.02	12
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	93	0.19	3.5
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	20	0.04	24
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	11	0.02	7.4
231	CORONARY BYPASS WITH PTCA WITH MCC	6	0.01	21
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	5	0.01	7.8
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	62	0.13	16
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	86	0.17	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	24	0.05	15
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	56	0.11	7.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	54	0.11	16
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	75	0.15	4.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	29	0.06	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	27	0.05	13
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.00	5.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	23	0.05	9.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	46	0.09	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	109	0.22	2.8
245	AICD GENERATOR PROCEDURES	2	0.00	1.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	127	0.26	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	784	1.58	2.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	10	0.02	9.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	47	0.09	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	20	0.04	8.7
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	171	0.34	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	69	0.14	9.8
253	OTHER VASCULAR PROCEDURES WITH CC	58	0.12	6.9
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	149	0.30	2.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	10	0.02	13
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	30	0.06	8.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	6.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	5	0.01	4.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	25
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	5.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	6	0.01	2.7
263	VEIN LIGATION & STRIPPING	3	0.01	13
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	34	0.07	7.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	80	0.16	7.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	58	0.12	4.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	105	0.21	2.9
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.04	7.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	5	0.01	2.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	57	0.11	6.8
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	454	0.92	3.3
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	7	0.01	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	17
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	9.0
291	HEART FAILURE & SHOCK WITH MCC	324	0.65	7.4
292	HEART FAILURE & SHOCK WITH CC	245	0.49	5.4
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	239	0.48	3.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.01	8.8
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	4.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	8	0.02	1.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	1.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	2	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	35	0.07	8.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	90	0.18	6.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	68	0.14	4.3

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
302	ATHEROSCLEROSIS WITH MCC	28	0.06	4.8
303	ATHEROSCLEROSIS WITHOUT MCC	175	0.35	2.4
304	HYPERTENSION WITH MCC	8	0.02	4.5
305	HYPERTENSION WITHOUT MCC	82	0.17	2.8
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	7	0.01	10
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	16	0.03	4.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	95	0.19	5.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	117	0.24	5.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	310	0.63	2.9
311	ANGINA PECTORIS	94	0.19	2.0
312	SYNCOPE & COLLAPSE	286	0.58	2.9
313	CHEST PAIN	933	1.88	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	154	0.31	8.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	50	0.10	5.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	35	0.07	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	25	0.05	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	38	0.08	9.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	95	0.19	3.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	112	0.23	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	137	0.28	9.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	98	0.20	6.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
332	RECTAL RESECTION WITH MCC	1	0.00	12
333	RECTAL RESECTION WITH CC	4	0.01	8.0
334	RECTAL RESECTION WITHOUT CC/MCC	10	0.02	5.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	11	0.02	16
336	PERITONEAL ADHESIOLYSIS WITH CC	30	0.06	6.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	44	0.09	4.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	7.3
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	31	0.06	8.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	121	0.24	4.3
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	4.2
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	29	0.06	3.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	461	0.93	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.00	15
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.02	8.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	10	0.02	4.3
347	ANAL & STOMAL PROCEDURES WITH MCC	5	0.01	8.4
348	ANAL & STOMAL PROCEDURES WITH CC	14	0.03	3.6
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	46	0.09	2.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	7.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.01	4.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	35	0.07	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	7	0.01	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.05	5.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	99	0.20	3.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	15	0.03	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	16	0.03	7.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.03	4.4
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	9	0.02	4.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	15	0.03	4.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	10	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	34	0.07	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	43	0.09	7.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	51	0.10	5.0
374	DIGESTIVE MALIGNANCY WITH MCC	19	0.04	14
375	DIGESTIVE MALIGNANCY WITH CC	44	0.09	6.5
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	9	0.02	5.3
377	G.I. HEMORRHAGE WITH MCC	120	0.24	6.9
378	G.I. HEMORRHAGE WITH CC	194	0.39	4.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	221	0.45	3.3
380	COMPLICATED PEPTIC ULCER WITH MCC	11	0.02	7.4
381	COMPLICATED PEPTIC ULCER WITH CC	25	0.05	5.7
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	20	0.04	4.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.00	6.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	17	0.03	4.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	5	0.01	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	25	0.05	6.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	38	0.08	3.9
388	G.I. OBSTRUCTION WITH MCC	40	0.08	7.2
389	G.I. OBSTRUCTION WITH CC	110	0.22	5.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	149	0.30	3.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	107	0.22	5.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	853	1.72	3.5
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	34	0.07	7.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	102	0.21	4.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	89	0.18	4.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	23	0.05	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	10	0.02	5.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.01	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	7.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.00	9.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.00	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	8.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	7	0.01	5.6
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.02	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	33	0.07	6.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	34	0.07	5.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	71	0.14	5.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	148	0.30	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	376	0.76	2.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	4	0.01	19
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.00	7.5
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.01	12
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	8.0
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	11
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	86	0.17	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	66	0.13	4.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	4.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	34	0.07	5.6
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	36	0.07	5.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	11	0.02	4.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	53	0.11	7.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	99	0.20	5.3
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	188	0.38	4.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	91	0.18	7.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	108	0.22	4.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	50	0.10	4.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	41	0.08	7.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	54	0.11	4.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	71	0.14	2.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	12	0.02	9.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	21	0.04	3.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.01	18
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	18	0.04	5.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	31	0.06	4.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	7	0.01	24
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	210	0.42	3.2
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	17
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	14	0.03	34
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	22	0.04	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	7	0.01	5.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.01	8.3
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	21	0.04	4.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	54	0.11	2.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	24	0.05	8.6
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	915	1.85	3.1
471	CERVICAL SPINAL FUSION WITH MCC	8	0.02	9.6
472	CERVICAL SPINAL FUSION WITH CC	44	0.09	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	178	0.36	1.6
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	6	0.01	20
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	14	0.03	9.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	8	0.02	5.1
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	7	0.01	16
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	12	0.02	6.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.01	3.8
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	44	0.09	11
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	110	0.22	6.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	141	0.28	4.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	17	0.03	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	32	0.06	1.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.00	22
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.00	3.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	10	0.02	2.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	26	0.05	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	82	0.17	5.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	229	0.46	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.02	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	43	0.09	4.6
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	165	0.33	1.9
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.01	22
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.02	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	18	0.04	3.2
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.00	3.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	4	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	11	0.02	20
501	SOFT TISSUE PROCEDURES WITH CC	25	0.05	6.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	20	0.04	2.9
503	FOOT PROCEDURES WITH MCC	5	0.01	13
504	FOOT PROCEDURES WITH CC	8	0.02	7.0
505	FOOT PROCEDURES WITHOUT CC/MCC	11	0.02	1.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	5.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.01	11
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
509	ARTHROSCOPY	2	0.00	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.01	2.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	32	0.06	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	12	0.02	7.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	10	0.02	3.0
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.01	8.3
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	17	0.03	4.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	23	0.05	3.5
534	FRACTURES OF FEMUR WITHOUT MCC	12	0.02	3.3
535	FRACTURES OF HIP & PELVIS WITH MCC	18	0.04	12
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	58	0.12	3.9
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.00	1.0
539	OSTEOMYELITIS WITH MCC	13	0.03	12
540	OSTEOMYELITIS WITH CC	14	0.03	8.9
541	OSTEOMYELITIS WITHOUT CC/MCC	9	0.02	8.2
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	16	0.03	10
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	24	0.05	5.8
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.02	3.8

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	7	0.01	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	13	0.03	5.1
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	14	0.03	2.1
549	SEPTIC ARTHRITIS WITH CC	2	0.00	6.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	3	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	18	0.04	7.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	177	0.36	3.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	18	0.04	3.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.01	5.4
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	54	0.11	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	9	0.02	5.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	32	0.06	4.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.01	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.01	7.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	10	0.02	2.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.01	6.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	96	0.19	3.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.01	6.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.01	3.9
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	12	0.02	2.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.03	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	27	0.05	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	18	0.04	5.8
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	6.7
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.01	1.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	16	0.03	2.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	13	0.03	14
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	50	0.10	7.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	63	0.13	3.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	18	0.04	2.2
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	30	0.06	2.3
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	9	0.02	1.6
592	SKIN ULCERS WITH MCC	7	0.01	11
593	SKIN ULCERS WITH CC	28	0.06	9.4
594	SKIN ULCERS WITHOUT CC/MCC	7	0.01	5.9
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	7.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.02	4.6
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	8.0
598	MALIGNANT BREAST DISORDERS WITH CC	4	0.01	8.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	6.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	3	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	11	0.02	3.9
602	CELLULITIS WITH MCC	61	0.12	8.4
603	CELLULITIS WITHOUT MCC	572	1.15	4.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	5.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	78	0.16	3.4
606	MINOR SKIN DISORDERS WITH MCC	3	0.01	6.3
607	MINOR SKIN DISORDERS WITHOUT MCC	28	0.06	3.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.01	3.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	9	0.02	1.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.00	26
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	19	0.04	12
619	O.R. PROCEDURES FOR OBESITY WITH MCC	4	0.01	8.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	26	0.05	3.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	235	0.47	1.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.01	8.2
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.01	1.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	9	0.02	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	92	0.19	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.02	13
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	12	0.02	13
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
637	DIABETES WITH MCC	57	0.11	5.4
638	DIABETES WITH CC	178	0.36	4.3
639	DIABETES WITHOUT CC/MCC	198	0.40	2.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	196	0.40	5.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	502	1.01	3.4
642	INBORN ERRORS OF METABOLISM	6	0.01	3.7
643	ENDOCRINE DISORDERS WITH MCC	18	0.04	7.6
644	ENDOCRINE DISORDERS WITH CC	13	0.03	2.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	25	0.05	3.1
652	KIDNEY TRANSPLANT	10	0.02	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	5	0.01	28
654	MAJOR BLADDER PROCEDURES WITH CC	9	0.02	9.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	6.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.02	16
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	14	0.03	6.5
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	20	0.04	4.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	14	0.03	18
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	19	0.04	3.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	25	0.05	2.8
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.00	7.0
663	MINOR BLADDER PROCEDURES WITH CC	3	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
665	PROSTATECTOMY WITH MCC	1	0.00	16
666	PROSTATECTOMY WITH CC	1	0.00	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.01	1.7
668	TRANSURETHRAL PROCEDURES WITH MCC	8	0.02	13
669	TRANSURETHRAL PROCEDURES WITH CC	46	0.09	3.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	30	0.06	2.5
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.00	14
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.01	2.6
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	15	0.03	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	11	0.02	6.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	12	0.02	2.9
682	RENAL FAILURE WITH MCC	159	0.32	7.8
683	RENAL FAILURE WITH CC	237	0.48	6.4
684	RENAL FAILURE WITHOUT CC/MCC	64	0.13	5.1
685	ADMIT FOR RENAL DIALYSIS	17	0.03	2.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	5	0.01	8.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	14	0.03	8.1
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.01	3.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	172	0.35	6.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	762	1.54	4.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
691	URINARY STONES WITH ESW LITHOTRIpsy WITH CC/MCC	9	0.02	4.0
692	URINARY STONES WITH ESW LITHOTRIpsy WITHOUT CC/MCC	3	0.01	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIpsy WITH MCC	10	0.02	5.3
694	URINARY STONES WITHOUT ESW LITHOTRIpsy WITHOUT MCC	126	0.25	2.7
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	6.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	20	0.04	3.3
697	URETHRAL STRICTURE	1	0.00	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	54	0.11	8.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	66	0.13	4.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	33	0.07	2.3
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	10	0.02	7.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	62	0.13	2.5
709	PENIS PROCEDURES WITH CC/MCC	3	0.01	8.7
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
711	TESTES PROCEDURES WITH CC/MCC	3	0.01	2.7
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.01	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.03	8.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	72	0.15	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	5.5
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	5.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.00	5.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	15
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.00	9.5
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	3	0.01	3.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	3.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	31	0.06	4.1
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.00	5.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.00	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	9	0.02	4.3
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.01	2.7
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.00	7.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	5	0.01	7.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.01	4.4
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.00	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.01	3.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	21	0.04	2.4
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	105	0.21	3.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	526	1.06	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	22	0.04	1.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	11	0.02	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	22	0.04	2.1
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	68	0.14	1.8
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	8.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	21
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	17	0.03	15
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.01	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	7.3
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	10	0.02	3.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	24	0.05	3.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	14	0.03	3.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	27	0.05	1.3
765	CESAREAN SECTION WITH CC/MCC	921	1.86	3.2
766	CESAREAN SECTION WITHOUT CC/MCC	1,921	3.87	2.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	257	0.52	2.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	3.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	30	0.06	2.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	47	0.09	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	575	1.16	2.2
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,343	8.76	1.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	76	0.15	3.2
777	ECTOPIC PREGNANCY	60	0.12	1.5
778	THREATENED ABORTION	175	0.35	1.5
779	ABORTION WITHOUT D&C	36	0.07	1.5
780	FALSE LABOR	7	0.01	.57
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	483	0.97	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	112	0.23	1.6
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	196	0.40	2.6
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	157	0.32	32
791	PREMATURITY WITH MAJOR PROBLEMS	125	0.25	12
792	PREMATURITY WITHOUT MAJOR PROBLEMS	361	0.73	4.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	401	0.81	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,776	3.58	2.0
795	NORMAL NEWBORN	5,449	10.99	1.6
799	SPLENECTOMY WITH MCC	4	0.01	15
800	SPLENECTOMY WITH CC	3	0.01	13
801	SPLENECTOMY WITHOUT CC/MCC	5	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	2	0.00	20
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.01	4.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	11	0.02	9.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	42	0.08	6.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	11	0.02	3.1
811	RED BLOOD CELL DISORDERS WITH MCC	61	0.12	6.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	197	0.40	3.5
813	COAGULATION DISORDERS	47	0.09	4.2
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	5	0.01	6.2
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.03	3.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	14	0.03	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.00	18
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.02	7.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.02	3.4
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.00	31
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.02	12
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	4.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.00	23
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	6	0.01	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	5.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.01	11
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	18	0.04	20
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	9	0.02	10
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.01	2.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	10	0.02	25
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	19	0.04	14
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	10	0.02	7.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	14	0.03	10
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	22	0.04	9.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	9	0.02	6.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	6.2
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.01	13
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.00	2.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.01	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	125	0.25	5.2
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.00	1.0
849	RADIOTHERAPY	7	0.01	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	54	0.11	22
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	21	0.04	10
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	25	0.05	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	32	0.06	7.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	3.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	50	0.10	9.2
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	78	0.16	4.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
864	FEVER	108	0.22	3.7
865	VIRAL ILLNESS WITH MCC	14	0.03	12
866	VIRAL ILLNESS WITHOUT MCC	26	0.05	3.9
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	14	0.03	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	13	0.03	6.3
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	6.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	61	0.12	19
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	398	0.80	8.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	209	0.42	6.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	22
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	14	0.03	2.7
881	DEPRESSIVE NEUROSES	2	0.00	3.0
882	NEUROSES EXCEPT DEPRESSIVE	2	0.00	3.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	16	0.03	7.5
885	PSYCHOSES	11	0.02	2.8
887	OTHER MENTAL DISORDER DIAGNOSIS	3	0.01	3.7
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	4	0.01	1.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	20	0.04	4.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	81	0.16	5.2
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.00	16
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	7	0.01	6.3
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	4	0.01	20
906	HAND PROCEDURES FOR INJURIES	19	0.04	3.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	27	0.05	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	28	0.06	7.2
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	42	0.08	3.7
913	TRAUMATIC INJURY WITH MCC	3	0.01	3.0
914	TRAUMATIC INJURY WITHOUT MCC	33	0.07	2.7
915	ALLERGIC REACTIONS WITH MCC	2	0.00	7.0
916	ALLERGIC REACTIONS WITHOUT MCC	17	0.03	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	72	0.15	6.9
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	169	0.34	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	21	0.04	6.4
920	COMPLICATIONS OF TREATMENT WITH CC	44	0.09	4.3
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	41	0.08	3.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	4	0.01	8.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	12	0.02	1.7
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.01	21
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.01	15
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.00	3.5
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
935	NON-EXTENSIVE BURNS	17	0.03	6.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.01	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	5	0.01	4.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	10	0.02	3.8
945	REHABILITATION WITH CC/MCC	27	0.05	9.4
946	REHABILITATION WITHOUT CC/MCC	17	0.03	9.3
947	SIGNS & SYMPTOMS WITH MCC	29	0.06	6.7
948	SIGNS & SYMPTOMS WITHOUT MCC	121	0.24	3.6
949	AFTERCARE WITH CC/MCC	12	0.02	12
951	OTHER FACTORS INFLUENCING HEALTH STATUS	19	0.04	2.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	8	0.02	9.1
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	21	0.04	10
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	25	0.05	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	25	0.05	9.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.02	4.9
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	14	0.03	9.6
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	18	0.04	4.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	12	0.02	2.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	15
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.01	11

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
975	HIV WITH MAJOR RELATED CONDITION WITH CC	5	0.01	17
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	4	0.01	8.8
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.00	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	61	0.12	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	63	0.13	8.1
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	41	0.08	3.8
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.00	7.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	21	0.04	19
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.04	7.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	15	0.03	3.9
All		49,581	100.0	4.2

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	1	4.55	5.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	13.64	3.7
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	15	68.18	7.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	13.64	5.7
All		22	100.0	6.5

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.20	28
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.20	9.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.20	18
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.20	56
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.79	32
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.20	15
945	REHABILITATION WITH CC/MCC	399	78.85	15
946	REHABILITATION WITHOUT CC/MCC	96	18.97	11
947	SIGNS & SYMPTOMS WITH MCC	1	0.20	8.0
950	AFTERCARE WITHOUT CC/MCC	1	0.20	8.0
All		506	100.0	14

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.10	1.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	3	0.29	8.7
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	6	0.58	5.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	3	0.29	2.3
881	DEPRESSIVE NEUROSES	49	4.72	3.6
882	NEUROSES EXCEPT DEPRESSIVE	16	1.54	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.67	24
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.29	12
885	PSYCHOSES	932	89.70	8.4
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.38	6.3
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.10	22
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.10	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.10	5.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	11	1.06	4.8
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.10	4.0
All		1,039	100.0	8.1

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.28	1E3
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.28	121
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	4	1.11	19
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	7	1.94	9.3
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.28	349
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	0.28	2.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.55	32
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.28	3.0
101	SEIZURES WITHOUT MCC	1	0.28	7.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.28	16
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.28	20
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.55	4.5
181	RESPIRATORY NEOPLASMS WITH CC	2	0.55	22
189	PULMONARY EDEMA & RESPIRATORY FAILURE	13	3.60	89
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.28	7.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.28	2.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	0.28	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.28	3.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.28	29
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	5	1.39	403
291	HEART FAILURE & SHOCK WITH MCC	1	0.28	9.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
292	HEART FAILURE & SHOCK WITH CC	1	0.28	17
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	3	0.83	17
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.28	9.0
303	ATHEROSCLEROSIS WITHOUT MCC	1	0.28	3.0
305	HYPERTENSION WITHOUT MCC	1	0.28	85
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.28	2.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.28	21
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.28	14
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.28	2.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.55	1.5
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.28	8.0
375	DIGESTIVE MALIGNANCY WITH CC	3	0.83	31
379	G.I. HEMORRHAGE WITHOUT CC/MCC	1	0.28	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	0.28	57
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.28	2.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.28	6.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.28	5.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.28	118
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.28	30
539	OSTEOMYELITIS WITH MCC	1	0.28	18
540	OSTEOMYELITIS WITH CC	2	0.55	29

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	0.55	34
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.28	20
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.28	32
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.28	21
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.83	45
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.83	9.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.55	30
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.28	20
592	SKIN ULCERS WITH MCC	1	0.28	77
593	SKIN ULCERS WITH CC	2	0.55	85
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.28	30
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.28	5.0
602	CELLULITIS WITH MCC	1	0.28	2.0
603	CELLULITIS WITHOUT MCC	13	3.60	23
638	DIABETES WITH CC	2	0.55	19
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.28	20
684	RENAL FAILURE WITHOUT CC/MCC	1	0.28	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	2	0.55	32
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.28	1E3
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.28	13
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.28	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tulare County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	1	0.28	275
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.28	18
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	1.39	21
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.28	29
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	0.28	38
885	PSYCHOSES	1	0.28	770
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.28	63
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.83	38
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.28	22
945	REHABILITATION WITH CC/MCC	81	22.44	26
946	REHABILITATION WITHOUT CC/MCC	129	35.73	9.0
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.28	16
949	AFTERCARE WITH CC/MCC	14	3.88	28
950	AFTERCARE WITHOUT CC/MCC	1	0.28	66
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.28	378
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.28	4.0
All		361	100.0	39

**MDC by Patient County of Residence
for 2010
Tulare County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2,375	4.61	6.1
02	EYE, DISEASES & DISORDERS	46	0.09	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	392	0.76	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	4,375	8.49	7.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	6,702	13.01	4.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	4,011	7.79	5.2
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,756	3.41	5.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,514	6.82	4.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,120	2.17	5.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,644	3.19	3.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,058	4.00	6.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	231	0.45	3.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	934	1.81	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	9,063	17.59	2.1
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,469	16.44	2.8
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	431	0.84	5.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	327	0.63	9.0
18	INFECTIOUS & PARASITIC DISEASES	1,136	2.21	9.2
19	MENTAL DISEASES & DISORDERS	1,066	2.07	8.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	141	0.27	5.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	563	1.09	4.7
22	BURNS	26	0.05	8.8

(Continued)

*MDC by Patient County of Residence
for 2010
Tulare County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	978	1.90	13
24	MULTIPLE SIGNFICANT TRAUMA	134	0.26	9.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	19	0.04	11
All		51,511	100.0	4.6

**MDC by Patient County of Residence
and Type of Care for 2010
Tulare County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2,354	4.75	5.3
02	EYE, DISEASES & DISORDERS	45	0.09	2.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	392	0.79	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	4,347	8.77	6.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	6,691	13.49	4.8
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	4,000	8.07	5.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,755	3.54	5.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,496	7.05	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,098	2.21	5.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,641	3.31	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,054	4.14	5.4
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	230	0.46	3.4
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	934	1.88	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	9,053	18.26	2.1
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,468	17.08	2.8
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	431	0.87	5.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	327	0.66	9.0
18	INFECTIOUS & PARASITIC DISEASES	1,127	2.27	9.1
19	MENTAL DISEASES & DISORDERS	49	0.10	4.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	107	0.22	5.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	562	1.13	4.6

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	26	0.05	8.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	244	0.49	5.7
24	MULTIPLE SIGNFICANT TRAUMA	134	0.27	9.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	18	0.04	12
All		49,583	100.0	4.2

***MDC by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	1	4.55	5.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	21	95.45	6.6
All		22	100.0	6.5

***MDC by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.20	28
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	0.40	14
18	INFECTIOUS & PARASITIC DISEASES	1	0.20	56
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	502	99.21	14
All		506	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.10	1.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	9	0.87	6.2
19	MENTAL DISEASES & DISORDERS	1,015	97.69	8.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	13	1.25	4.6
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.10	4.0
All		1,039	100.0	8.1

***MDC by Patient County of Residence
and Type of Care for 2010
Tulare County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	19	5.26	104
02	EYE, DISEASES & DISORDERS	1	0.28	16
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	28	7.76	118
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	11	3.05	19
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	11	3.05	16
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.28	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	16	4.43	33
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	22	6.09	30
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	3	0.83	19
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	4	1.11	354
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.28	13
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.28	2.0
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1	0.28	275
18	INFECTIOUS & PARASITIC DISEASES	8	2.22	24
19	MENTAL DISEASES & DISORDERS	1	0.28	770
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.28	63
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	231	63.99	18
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.28	4.0
All		361	100.0	39