

***Type of Care by Patient County of Residence  
for 2009  
Tuolumne County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	5,693	89.04	4.2
<b>Chemical Dependency Recovery Care</b>	4	0.06	6.8
<b>Physical Rehabilitation Care</b>	24	0.38	15
<b>Psychiatric Care</b>	324	5.07	5.2
<b>Skilled Nursing/Intermediate Care</b>	349	5.46	84
<b>All</b>	6,394	100.0	8.6

**Disposition by Patient County of Residence  
for 2009  
Tuolumne County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	4	0.07	2.5
01 - Routine (Home)	3,746	65.80	3.3
03 - Other Care with the admitting hospital	13	0.23	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	290	5.09	6.4
05 - Acute Care at another hospital	218	3.83	4.5
06 - Other Care (not SN/IC) at another hospital	47	0.83	9.8
07 - SN/IC at another facility	246	4.32	7.2
08 - Residential Care facility	27	0.47	4.8
09 - Prison/Jail	65	1.14	7.3
10 - Left Against Medical Advice	30	0.53	2.4
11 - Died	120	2.11	6.7
12 - Home Health Service	877	15.40	5.3
13 - Other	10	0.18	19
All	5,693	100.0	4.2

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	3	75.00	7.7
<b>05 - Acute Care at another hospital</b>	1	25.00	4.0
<b>All</b>	4	100.0	6.8

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	11	45.83	16
<b>02 - Acute Care within the admitting hospital</b>	5	20.83	4.8
<b>07 - SN/IC at another facility</b>	2	8.33	18
<b>08 - Residential Care facility</b>	2	8.33	22
<b>12 - Home Health Service</b>	4	16.67	21
<b>All</b>	24	100.0	15

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	311	95.99	5.0
<b>02 - Acute Care within the admitting hospital</b>	1	0.31	3.0
<b>06 - Other Care (not SN/IC) at another hospital</b>	3	0.93	21
<b>07 - SN/IC at another facility</b>	2	0.62	15
<b>08 - Residential Care facility</b>	3	0.93	4.7
<b>09 - Prison/Jail</b>	1	0.31	5.0
<b>10 - Left Against Medical Advice</b>	3	0.93	8.0
<b>All</b>	324	100.0	5.2

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	56	16.05	63
<b>02 - Acute Care within the admitting hospital</b>	45	12.89	166
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	3	0.86	27
<b>05 - Acute Care at another hospital</b>	6	1.72	132
<b>06 - Other Care (not SN/IC) at another hospital</b>	3	0.86	16
<b>07 - SN/IC at another facility</b>	35	10.03	61
<b>08 - Residential Care facility</b>	1	0.29	90
<b>09 - Prison/Jail</b>	1	0.29	5.0
<b>11 - Died</b>	37	10.60	331
<b>12 - Home Health Service</b>	162	46.42	18
<b>All</b>	349	100.0	84

***Gender by Patient County of Residence  
for 2009  
Tuolumne County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	2,799	43.78	7.5
<b>2 - Female</b>	3,595	56.22	9.5
<b>All</b>	6,394	100.0	8.6

***Gender by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	2,489	43.72	4.5
<b>2 - Female</b>	3,204	56.28	3.9
<b>All</b>	5,693	100.0	4.2

***Gender by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	3	75.00	7.3
<b>2 - Female</b>	1	25.00	5.0
<b>All</b>	4	100.0	6.8

***Gender by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	16	66.67	17
<b>2 - Female</b>	8	33.33	11
<b>All</b>	24	100.0	15

***Gender by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	158	48.77	5.1
<b>2 - Female</b>	166	51.23	5.3
<b>All</b>	324	100.0	5.2

***Gender by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	133	38.11	65
<b>2 - Female</b>	216	61.89	95
<b>All</b>	349	100.0	84

***Expected Payer by Patient County of Residence  
for 2009  
Tuolumne County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	2	0.03	2.0
<b>01 - Medicare</b>	2,925	45.75	12
<b>02 - Medi-Cal</b>	1,299	20.32	9.8
<b>03 - Private Coverage</b>	1,828	28.59	3.7
<b>04 - Workers' Compensatio</b>	60	0.94	3.7
<b>05 - County Indigent Prog</b>	56	0.88	6.0
<b>06 - Other Government</b>	98	1.53	8.0
<b>07 - Other Indigent</b>	16	0.25	3.0
<b>08 - Self-Pay</b>	98	1.53	3.2
<b>09 - Other Payer</b>	12	0.19	2.6
<b>All</b>	6,394	100.0	8.6

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.04	2.0
01 - Medicare	2,600	45.67	4.6
02 - Medi-Cal	1,080	18.97	4.0
03 - Private Coverage	1,721	30.23	3.4
04 - Workers' Compensatio	58	1.02	3.6
05 - County Indigent Prog	22	0.39	7.4
06 - Other Government	95	1.67	8.2
07 - Other Indigent	16	0.28	3.0
08 - Self-Pay	88	1.55	3.3
09 - Other Payer	11	0.19	2.4
All	5,693	100.0	4.2

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	3	75.00	7.7
<b>03 - Private Coverage</b>	1	25.00	4.0
<b>All</b>	4	100.0	6.8

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	10	41.67	13
03 - Private Coverage	11	45.83	17
04 - Workers' Compensatio	1	4.17	11
05 - County Indigent Prog	2	8.33	18
All	24	100.0	15

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	12	3.70	16
<b>02 - Medi-Cal</b>	197	60.80	3.9
<b>03 - Private Coverage</b>	70	21.60	7.7
<b>04 - Workers' Compensatio</b>	1	0.31	4.0
<b>05 - County Indigent Prog</b>	32	9.88	4.3
<b>06 - Other Government</b>	3	0.93	2.3
<b>08 - Self-Pay</b>	9	2.78	2.2
<b>All</b>	324	100.0	5.2

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	300	85.96	72
<b>02 - Medi-Cal</b>	22	6.30	344
<b>03 - Private Coverage</b>	25	7.16	7.2
<b>08 - Self-Pay</b>	1	0.29	5.0
<b>09 - Other Payer</b>	1	0.29	5.0
<b>All</b>	349	100.0	84

***Race Group by Patient County of Residence  
for 2009  
Tuolumne County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	82	1.28	6.4
<b>1 - White</b>	5,844	91.40	8.9
<b>2 - Black</b>	41	0.64	6.8
<b>3 - Hispanic</b>	315	4.93	5.1
<b>4 - Asian/Pacific Islander</b>	26	0.41	3.2
<b>5 - Native American/Eskimo/Ale</b>	33	0.52	3.1
<b>6 - Other</b>	53	0.83	5.3
<b>All</b>	6,394	100.0	8.6

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	56	0.98	7.4
<b>1 - White</b>	5,212	91.55	4.1
<b>2 - Black</b>	39	0.69	7.0
<b>3 - Hispanic</b>	280	4.92	4.6
<b>4 - Asian/Pacific Islander</b>	26	0.46	3.2
<b>5 - Native American/Eskimo/Ale</b>	32	0.56	3.1
<b>6 - Other</b>	48	0.84	4.6
<b>All</b>	5,693	100.0	4.2

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	4	100.0	6.8
All	4	100.0	6.8

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	4.17	24
<b>1 - White</b>	19	79.17	16
<b>3 - Hispanic</b>	3	12.50	11
<b>5 - Native American/Eskimo/Ale</b>	1	4.17	1.0
<b>All</b>	24	100.0	15

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	23	7.10	3.1
<b>1 - White</b>	274	84.57	5.5
<b>2 - Black</b>	2	0.62	3.5
<b>3 - Hispanic</b>	21	6.48	4.0
<b>6 - Other</b>	4	1.23	5.5
<b>All</b>	324	100.0	5.2

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	2	0.57	8.5
<b>1 - White</b>	335	95.99	87
<b>3 - Hispanic</b>	11	3.15	18
<b>6 - Other</b>	1	0.29	37
<b>All</b>	349	100.0	84

**Source of Admission by Patient County of Residence  
for 2009  
Tuolumne County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	1	0.02	10
<b>1 - Home</b>	5,041	78.84	5.3
<b>2 - Residential Care Facility</b>	54	0.84	37
<b>3 - Ambulatory Surgery</b>	32	0.50	2.6
<b>4 - Skilled Nursing/Intermedia</b>	132	2.06	21
<b>5 - Acute Inpatient Hospital C</b>	544	8.51	38
<b>6 - Other Inpatient Hospital C</b>	17	0.27	10
<b>7 - Newborn (born in admitting</b>	409	6.40	2.7
<b>8 - Prison/Jail</b>	69	1.08	5.2
<b>9 - Other</b>	95	1.49	14
<b>All</b>	6,394	100.0	8.6

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,760	83.61	3.9
2 - Residential Care Facility	49	0.86	4.3
3 - Ambulatory Surgery	32	0.56	2.6
4 - Skilled Nursing/Intermedia	125	2.20	6.1
5 - Acute Inpatient Hospital C	202	3.55	12
6 - Other Inpatient Hospital C	12	0.21	8.9
7 - Newborn (born in admitting	409	7.18	2.7
8 - Prison/Jail	53	0.93	5.8
9 - Other	51	0.90	7.9
All	5,693	100.0	4.2

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4	100.0	6.8
All	4	100.0	6.8

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	24	100.0	15
<b>All</b>	24	100.0	15

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	251	77.47	4.7
2 - Residential Care Facility	3	0.93	24
4 - Skilled Nursing/Intermedia	1	0.31	9.0
5 - Acute Inpatient Hospital C	9	2.78	6.6
6 - Other Inpatient Hospital C	3	0.93	10
8 - Prison/Jail	16	4.94	3.1
9 - Other	41	12.65	6.7
All	324	100.0	5.2

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.29	10
1 - Home	26	7.45	278
2 - Residential Care Facility	2	0.57	855
4 - Skilled Nursing/Intermedia	6	1.72	323
5 - Acute Inpatient Hospital C	309	88.54	57
6 - Other Inpatient Hospital C	2	0.57	17
9 - Other	3	0.86	223
All	349	100.0	84

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	5	0.08	52
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	5	0.08	21
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	6.0
009	BONE MARROW TRANSPLANT	2	0.03	34
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.05	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.05	8.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.02	8.0
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.02	16
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.06	5.5
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.02	8.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	9	0.14	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	4	0.06	11
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	9	0.14	5.2
028	SPINAL PROCEDURES WITH MCC	3	0.05	26
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	4	0.06	5.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	3	0.05	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.03	1.0
038	EXTRACRANIAL PROCEDURES WITH CC	4	0.06	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	16	0.25	1.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.03	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	6	0.09	7.2
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.03	2.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.08	35
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	4.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	6	0.09	3.2
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.11	414
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	35	0.55	86
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.02	6.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	3	0.05	15
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	5.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.02	17
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.02	5.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	26	0.41	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	41	0.64	3.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	13	0.20	2.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.02	1.0
069	TRANSIENT ISCHEMIA	16	0.25	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.03	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	3	0.05	4.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.03	2.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.03	9.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	15	0.23	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
075	VIRAL MENINGITIS WITH CC/MCC	2	0.03	6.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	4	0.06	3.3
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.03	1.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.02	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	1	0.02	13
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	2	0.03	3.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	8	0.13	8.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.06	3.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	12	0.19	3.3
088	CONCUSSION WITH MCC	1	0.02	5.0
089	CONCUSSION WITH CC	4	0.06	2.8
090	CONCUSSION WITHOUT CC/MCC	6	0.09	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	11	0.17	80
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	10	0.16	11
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.06	2.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	0.03	9.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	4.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.03	8.5
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	7.0
100	SEIZURES WITH MCC	8	0.13	11
101	SEIZURES WITHOUT MCC	27	0.42	3.5
103	HEADACHES WITHOUT MCC	8	0.13	2.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.05	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.02	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.02	29
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	2	0.03	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	8	0.13	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	1	0.02	2.0
139	SALIVARY GLAND PROCEDURES	1	0.02	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	6.0
149	DYSEQUILIBRIUM	4	0.06	1.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.02	1.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	4	0.06	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.05	5.7
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.03	2.0
158	DENTAL & ORAL DISEASES WITH CC	3	0.05	1.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.03	1.5
163	MAJOR CHEST PROCEDURES WITH MCC	6	0.09	12
164	MAJOR CHEST PROCEDURES WITH CC	7	0.11	10
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	9	0.14	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	8	0.13	9.9
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	5	0.08	4.8
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	2.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
175	PULMONARY EMBOLISM WITH MCC	11	0.17	4.6
176	PULMONARY EMBOLISM WITHOUT MCC	27	0.42	3.7
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	34	0.53	6.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	44	0.69	8.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	8	0.13	5.5
180	RESPIRATORY NEOPLASMS WITH MCC	8	0.13	9.1
181	RESPIRATORY NEOPLASMS WITH CC	3	0.05	4.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.02	2.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.03	10
184	MAJOR CHEST TRAUMA WITH CC	3	0.05	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.02	4.0
186	PLEURAL EFFUSION WITH MCC	3	0.05	3.0
187	PLEURAL EFFUSION WITH CC	6	0.09	3.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	52	0.81	7.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	51	0.80	4.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	14	0.22	2.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	17	0.27	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	43	0.67	5.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	86	1.35	4.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	46	0.72	3.8
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.06	7.0
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.03	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.05	5.0
199	PNEUMOTHORAX WITH MCC	5	0.08	4.4
200	PNEUMOTHORAX WITH CC	8	0.13	5.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	16	0.25	4.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	12	0.19	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	3	0.05	117
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	7	0.11	3.1
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	12	0.19	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	17	0.27	31
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	25	0.39	5.8
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	3	0.05	14
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	4	0.06	7.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	3	0.05	7.7
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	12	0.19	7.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.05	7.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.02	3.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.02	6.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.03	4.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	8	0.13	3.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.02	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.02	7.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	5	0.08	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	22	0.34	8.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	2	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	9	0.14	7.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	13	0.20	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	12	0.19	2.5
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	4	0.06	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.08	6.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	17	0.27	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	17	0.27	2.4
245	AICD GENERATOR PROCEDURES	1	0.02	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	8	0.13	4.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	54	0.84	2.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	12	0.19	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.02	4.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	12	0.19	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	12	0.19	4.1
253	OTHER VASCULAR PROCEDURES WITH CC	16	0.25	4.9
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	11	0.17	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.03	8.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.03	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.02	2.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	2	0.03	9.5
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.06	4.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.03	1.5
263	VEIN LIGATION & STRIPPING	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	6	0.09	7.3
265	AICD LEAD PROCEDURES	1	0.02	6.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	31	0.48	5.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	20	0.31	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.56	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.11	2.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	12	0.19	6.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	52	0.81	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.03	6.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.02	8.0
291	HEART FAILURE & SHOCK WITH MCC	33	0.52	32
292	HEART FAILURE & SHOCK WITH CC	31	0.48	4.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	16	0.25	2.6
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.02	6.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	13	0.20	4.8
300	PERIPHERAL VASCULAR DISORDERS WITH CC	23	0.36	4.7
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	4	0.06	2.0
302	ATHEROSCLEROSIS WITH MCC	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
303	ATHEROSCLEROSIS WITHOUT MCC	27	0.42	159
304	HYPERTENSION WITH MCC	1	0.02	2.0
305	HYPERTENSION WITHOUT MCC	3	0.05	1.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.02	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.02	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	29	0.45	2.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	0.31	1.8
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	40	0.63	1.8
311	ANGINA PECTORIS	10	0.16	1.6
312	SYNCOPE & COLLAPSE	22	0.34	1.6
313	CHEST PAIN	143	2.24	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	14	0.22	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	11	0.17	6.5
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.08	14
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	9	0.14	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	6	0.09	6.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	7	0.11	2.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	28	0.44	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	29	0.45	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.22	4.6
333	RECTAL RESECTION WITH CC	4	0.06	9.3
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.05	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.03	7.5
336	PERITONEAL ADHESIOLYSIS WITH CC	9	0.14	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	4	0.06	6.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.03	11
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	5	0.08	5.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.13	2.5
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	10	0.16	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	42	0.66	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.02	14
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.06	5.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.03	4.0
348	ANAL & STOMAL PROCEDURES WITH CC	4	0.06	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	7	0.11	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	2.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	4	0.06	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	10	0.16	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.03	7.5
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	6	0.09	5.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	3.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	.00

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.03	3.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	1	0.02	1.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	15	0.23	8.1
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	8	0.13	3.6
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	3	0.05	5.3
374	DIGESTIVE MALIGNANCY WITH MCC	4	0.06	4.0
375	DIGESTIVE MALIGNANCY WITH CC	9	0.14	58
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.03	2.0
377	G.I. HEMORRHAGE WITH MCC	24	0.38	3.7
378	G.I. HEMORRHAGE WITH CC	37	0.58	3.9
379	G.I. HEMORRHAGE WITHOUT CC/MCC	17	0.27	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.09	7.7
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.09	5.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.05	1.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.03	3.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.05	28
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.11	13
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.05	4.0
388	G.I. OBSTRUCTION WITH MCC	13	0.20	6.5
389	G.I. OBSTRUCTION WITH CC	33	0.52	4.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	20	0.31	2.3
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	20	0.31	5.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	124	1.94	3.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	16	0.25	4.8
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	23	0.36	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.16	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.03	13
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	3	0.05	6.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.03	7.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.02	9.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.02	5.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.03	8.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.05	5.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.08	3.6
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.05	7.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.09	5.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	24	0.38	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	49	0.77	2.1
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.02	12
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.02	5.0
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.02	5.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	11	0.17	4.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.08	144
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	11	0.17	6.1
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	1	0.02	5.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.03	7.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	13	0.20	4.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	12	0.19	2.3
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	20	0.31	2.6
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	18	0.28	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	10	0.16	2.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.06	2.5
444	DISORDERS OF THE BILIARY TRACT WITH MCC	9	0.14	5.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	14	0.22	5.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	9	0.14	2.9
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	3	0.05	6.7
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	9	0.14	4.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.03	4.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.08	8.4
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	3	0.05	9.3
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.06	7.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	61	0.95	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.03	6.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	3	0.05	5.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.05	5.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	1	0.02	34
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	10	0.16	4.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	11	0.17	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	16	0.25	5.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	283	4.43	3.0
472	CERVICAL SPINAL FUSION WITH CC	12	0.19	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	40	0.63	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.02	9.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.06	6.8
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.03	8.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.02	7.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.02	10
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	11	0.17	4.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	27	0.42	4.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	22	0.34	4.3
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	6	0.09	2.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	18	0.28	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.02	6.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.05	4.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.08	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	14	0.22	4.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	40	0.63	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	4	0.06	5.3
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	12	0.19	4.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	39	0.61	2.4
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.02	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	4	0.06	3.5
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	9	0.14	2.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.02	6.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.02	3.0
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.02	6.0
501	SOFT TISSUE PROCEDURES WITH CC	5	0.08	3.0
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	10	0.16	3.6
505	FOOT PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	1	0.02	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.14	2.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	7	0.11	2.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	2	0.03	.50
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.06	6.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	7	0.11	2.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
533	FRACTURES OF FEMUR WITH MCC	1	0.02	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.02	2.0
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.02	9.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	9	0.14	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.02	4.0
539	OSTEOMYELITIS WITH MCC	3	0.05	15
540	OSTEOMYELITIS WITH CC	1	0.02	386
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.03	12
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.02	4.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	5	0.08	3.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	2	0.03	1.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.03	5.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.06	2.8
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	3	0.05	.00
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	1.0
551	MEDICAL BACK PROBLEMS WITH MCC	6	0.09	5.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	27	0.42	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	4	0.06	3.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	6	0.09	8.3
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.09	4.8
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	7	0.11	17
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	18	0.28	76

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	43	0.67	47
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	45	0.70	12
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	4	0.06	7.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	7	0.11	2.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.02	8.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	7.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	9	0.14	8.7
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.02	4.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.05	4.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.09	4.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	2	0.03	7.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	10	0.16	4.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	13	0.20	3.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	5	0.08	3.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	5	0.08	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.03	4.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.03	2.0
592	SKIN ULCERS WITH MCC	1	0.02	7.0
593	SKIN ULCERS WITH CC	13	0.20	82
594	SKIN ULCERS WITHOUT CC/MCC	1	0.02	24
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.03	6.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.02	3.0
602	CELLULITIS WITH MCC	14	0.22	23
603	CELLULITIS WITHOUT MCC	53	0.83	8.0
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	6.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.02	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.03	1.5
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.02	7.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	3	0.05	9.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.05	3.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	45	0.70	2.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.02	4.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	4	0.06	1.0
637	DIABETES WITH MCC	27	0.42	2.6
638	DIABETES WITH CC	8	0.13	1.6
639	DIABETES WITHOUT CC/MCC	14	0.22	2.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	19	0.30	39
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	42	0.66	19
643	ENDOCRINE DISORDERS WITH MCC	3	0.05	5.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	3	0.05	2.0
652	KIDNEY TRANSPLANT	3	0.05	5.7
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.09	9.2
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	5.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	5	0.08	3.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.02	3.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.05	2.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	3	0.05	3.3
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.02	16
663	MINOR BLADDER PROCEDURES WITH CC	2	0.03	2.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	.50
666	PROSTATECTOMY WITH CC	1	0.02	2.0
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.05	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	2.0
669	TRANSURETHRAL PROCEDURES WITH CC	6	0.09	2.2
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	3.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	3	0.05	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.02	4.0
682	RENAL FAILURE WITH MCC	29	0.45	7.0
683	RENAL FAILURE WITH CC	28	0.44	4.9
684	RENAL FAILURE WITHOUT CC/MCC	11	0.17	2.5
685	ADMIT FOR RENAL DIALYSIS	4	0.06	9.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.03	5.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.03	3.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	23	0.36	4.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	46	0.72	4.8
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.02	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	9	0.14	.89
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.02	13
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.02	2.0
697	URETHRAL STRICTURE	1	0.02	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	6	0.09	4.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	3	0.05	8.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	7	0.11	2.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	9	0.14	2.0
709	PENIS PROCEDURES WITH CC/MCC	1	0.02	3.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.02	5.0
712	TESTES PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	5	0.08	3.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	2	0.03	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.02	3.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.02	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.02	1.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.02	1.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.03	4.5
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	7.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	2	0.03	1.5
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	17	0.27	3.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	88	1.38	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.05	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	6	0.09	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	20	0.31	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.03	5.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	2.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	6.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.02	5.0
765	CESAREAN SECTION WITH CC/MCC	33	0.52	4.9
766	CESAREAN SECTION WITHOUT CC/MCC	104	1.63	3.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	4	0.06	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	1	0.02	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	38	0.59	3.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	220	3.44	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	4	0.06	2.8
777	ECTOPIC PREGNANCY	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
778	THREATENED ABORTION	16	0.25	2.2
780	FALSE LABOR	5	0.08	.80
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	17	0.27	2.0
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	2	0.03	.00
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	17	0.27	.76
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	11	0.17	36
791	PREMATURITY WITH MAJOR PROBLEMS	2	0.03	7.0
792	PREMATURITY WITHOUT MAJOR PROBLEMS	10	0.16	6.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	14	0.22	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	138	2.16	2.2
795	NORMAL NEWBORN	253	3.96	2.0
799	SPLENECTOMY WITH MCC	1	0.02	4.0
800	SPLENECTOMY WITH CC	1	0.02	8.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.03	2.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	7	0.11	7.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	7	0.11	3.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.02	2.0
811	RED BLOOD CELL DISORDERS WITH MCC	6	0.09	2.7
812	RED BLOOD CELL DISORDERS WITHOUT MCC	23	0.36	3.2
813	COAGULATION DISORDERS	1	0.02	4.0
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.02	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.05	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.02	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.02	13
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.03	4.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.05	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	6.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.02	6.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	2.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.06	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	2	0.03	1.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	1	0.02	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.03	4.5
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	6	0.09	3.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.02	9.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.05	7.7
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	2	0.03	6.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.02	5.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.02	4.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	20	0.31	5.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.02	1.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	14	0.22	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	2	0.03	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	5	0.08	13

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	15	0.23	8.6
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.27	5.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	10	0.16	5.0
864	FEVER	6	0.09	2.5
865	VIRAL ILLNESS WITH MCC	1	0.02	7.0
866	VIRAL ILLNESS WITHOUT MCC	6	0.09	1.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.05	9.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	5	0.08	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	93	1.45	6.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	38	0.59	4.4
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	6	0.09	4.8
881	DEPRESSIVE NEUROSES	22	0.34	2.4
882	NEUROSES EXCEPT DEPRESSIVE	12	0.19	1.9
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.11	26
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	6	0.09	195
885	PSYCHOSES	256	4.00	5.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.05	1.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	0.03	1.5
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.02	13
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	7	0.11	3.4
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	30	0.47	2.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.03	40
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.02	5.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.02	8.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.06	34
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	11	0.17	5.9
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	7	0.11	3.6
913	TRAUMATIC INJURY WITH MCC	2	0.03	3.5
914	TRAUMATIC INJURY WITHOUT MCC	2	0.03	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	34	0.53	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	41	0.64	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	4	0.06	12
920	COMPLICATIONS OF TREATMENT WITH CC	9	0.14	6.1
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	2	0.03	3.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	2	0.03	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.03	7.5
935	NON-EXTENSIVE BURNS	3	0.05	10
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.02	6.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.03	1.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.06	2.5
945	REHABILITATION WITH CC/MCC	48	0.75	82
946	REHABILITATION WITHOUT CC/MCC	13	0.20	8.8
947	SIGNS & SYMPTOMS WITH MCC	7	0.11	4.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	34	0.53	11
949	AFTERCARE WITH CC/MCC	21	0.33	86
950	AFTERCARE WITHOUT CC/MCC	7	0.11	8.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.02	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.02	5.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.06	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.06	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	7.3
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.03	5.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.06	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.11	8.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.02	7.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	468
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.09	19
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	7	0.11	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.06	13
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	8.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.03	48
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.08	2.0
999	UNGROUPABLE	1	0.02	4.0
All		6,394	100.0	8.6

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	5	0.09	52
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	5	0.09	21
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	6.0
009	BONE MARROW TRANSPLANT	2	0.04	34
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.05	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.05	8.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.02	8.0
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.02	16
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.07	5.5
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.02	8.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	9	0.16	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	4	0.07	11
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	9	0.16	5.2
028	SPINAL PROCEDURES WITH MCC	3	0.05	26
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	4	0.07	5.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	3	0.05	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.04	1.0
038	EXTRACRANIAL PROCEDURES WITH CC	3	0.05	2.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	16	0.28	1.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.04	11
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	6	0.11	7.2
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.04	2.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.05	7.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	4.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	6	0.11	3.2
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	2	0.04	3.5
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	5	0.09	19
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.02	6.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.04	10
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	5.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.02	17
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.02	5.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	25	0.44	7.3
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	41	0.72	3.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	13	0.23	2.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.02	1.0
069	TRANSIENT ISCHEMIA	16	0.28	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.04	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	3	0.05	4.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.04	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.04	9.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	15	0.26	2.5
075	VIRAL MENINGITIS WITH CC/MCC	2	0.04	6.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	4	0.07	3.3
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.02	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.02	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	1	0.02	13
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	2	0.04	3.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	8	0.14	8.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.07	3.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	12	0.21	3.3
088	CONCUSSION WITH MCC	1	0.02	5.0
089	CONCUSSION WITH CC	4	0.07	2.8
090	CONCUSSION WITHOUT CC/MCC	6	0.11	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	9	0.16	3.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	7	0.12	3.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.07	2.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	0.04	9.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	4.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.04	8.5
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	7.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	8	0.14	11
101	SEIZURES WITHOUT MCC	27	0.47	3.5
103	HEADACHES WITHOUT MCC	8	0.14	2.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.05	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.02	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.02	29
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	2	0.04	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	8	0.14	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	1	0.02	2.0
139	SALIVARY GLAND PROCEDURES	1	0.02	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	6.0
149	DYSEQUILIBRIUM	4	0.07	1.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.02	1.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	4	0.07	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.04	7.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.04	2.0
158	DENTAL & ORAL DISEASES WITH CC	3	0.05	1.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.04	1.5
163	MAJOR CHEST PROCEDURES WITH MCC	6	0.11	12
164	MAJOR CHEST PROCEDURES WITH CC	7	0.12	10

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	9	0.16	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	8	0.14	9.9
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	5	0.09	4.8
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	2.7
175	PULMONARY EMBOLISM WITH MCC	11	0.19	4.6
176	PULMONARY EMBOLISM WITHOUT MCC	27	0.47	3.7
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	30	0.53	6.5
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	37	0.65	6.9
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	6	0.11	3.8
180	RESPIRATORY NEOPLASMS WITH MCC	8	0.14	9.1
181	RESPIRATORY NEOPLASMS WITH CC	2	0.04	6.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.02	2.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.04	10
184	MAJOR CHEST TRAUMA WITH CC	3	0.05	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.02	4.0
186	PLEURAL EFFUSION WITH MCC	2	0.04	4.0
187	PLEURAL EFFUSION WITH CC	6	0.11	3.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	50	0.88	6.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	51	0.90	4.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	14	0.25	2.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	17	0.30	3.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	41	0.72	5.1
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	84	1.48	4.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	41	0.72	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.07	7.0
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.04	2.5
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.05	5.0
199	PNEUMOTHORAX WITH MCC	5	0.09	4.4
200	PNEUMOTHORAX WITH CC	8	0.14	5.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	15	0.26	4.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	12	0.21	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	2	0.04	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	7	0.12	3.1
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	12	0.21	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	17	0.30	31
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	25	0.44	5.8
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	3	0.05	14
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	4	0.07	7.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	3	0.05	7.7
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	12	0.21	7.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.05	7.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.02	3.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.02	6.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.04	4.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	8	0.14	3.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.02	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.02	7.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	5	0.09	11
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	22	0.39	8.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	2	0.04	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	9	0.16	7.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	13	0.23	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	12	0.21	2.5
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	4	0.07	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.09	6.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	17	0.30	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	17	0.30	2.4
245	AICD GENERATOR PROCEDURES	1	0.02	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	8	0.14	4.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	54	0.95	2.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	12	0.21	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.02	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	12	0.21	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	12	0.21	4.1
253	OTHER VASCULAR PROCEDURES WITH CC	16	0.28	4.9
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	11	0.19	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.04	8.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.04	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.02	2.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	2	0.04	9.5
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.07	4.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.04	1.5
263	VEIN LIGATION & STRIPPING	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	6	0.11	7.3
265	AICD LEAD PROCEDURES	1	0.02	6.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	30	0.53	5.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	20	0.35	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.63	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.12	2.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	12	0.21	6.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	52	0.91	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.04	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.02	8.0
291	HEART FAILURE & SHOCK WITH MCC	31	0.54	5.0
292	HEART FAILURE & SHOCK WITH CC	26	0.46	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	15	0.26	2.6
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.02	6.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	11	0.19	4.5
300	PERIPHERAL VASCULAR DISORDERS WITH CC	21	0.37	3.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	4	0.07	2.0
302	ATHEROSCLEROSIS WITH MCC	2	0.04	2.0
303	ATHEROSCLEROSIS WITHOUT MCC	26	0.46	2.2
304	HYPERTENSION WITH MCC	1	0.02	2.0
305	HYPERTENSION WITHOUT MCC	3	0.05	1.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.02	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.02	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	29	0.51	2.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	0.35	1.8
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	40	0.70	1.8
311	ANGINA PECTORIS	10	0.18	1.6
312	SYNCOPE & COLLAPSE	22	0.39	1.6
313	CHEST PAIN	143	2.51	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	13	0.23	5.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	8	0.14	4.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.07	1.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	9	0.16	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	6	0.11	6.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	7	0.12	2.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	28	0.49	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	29	0.51	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.25	4.6
333	RECTAL RESECTION WITH CC	4	0.07	9.3
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.05	3.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.04	7.5
336	PERITONEAL ADHESIOLYSIS WITH CC	9	0.16	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	4	0.07	6.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.04	11
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	5	0.09	5.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.14	2.5
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	10	0.18	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	42	0.74	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.02	14
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.07	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.04	4.0
348	ANAL & STOMAL PROCEDURES WITH CC	4	0.07	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	7	0.12	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	2.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	4	0.07	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	10	0.18	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.04	7.5
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	6	0.11	5.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	3.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	.00
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.04	3.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	1	0.02	1.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	14	0.25	7.3
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	8	0.14	3.6
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	1	0.02	2.0
374	DIGESTIVE MALIGNANCY WITH MCC	4	0.07	4.0
375	DIGESTIVE MALIGNANCY WITH CC	6	0.11	8.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.02	2.0
377	G.I. HEMORRHAGE WITH MCC	23	0.40	3.7
378	G.I. HEMORRHAGE WITH CC	36	0.63	3.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
379	G.I. HEMORRHAGE WITHOUT CC/MCC	17	0.30	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.11	7.7
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.11	5.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.05	1.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.04	3.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.05	28
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.12	13
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.05	4.0
388	G.I. OBSTRUCTION WITH MCC	13	0.23	6.5
389	G.I. OBSTRUCTION WITH CC	31	0.54	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	20	0.35	2.3
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	20	0.35	5.6
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	122	2.14	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	14	0.25	3.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	22	0.39	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.18	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.04	13
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	3	0.05	6.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.04	7.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.02	9.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.02	5.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.04	8.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.05	5.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.09	3.6
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.05	7.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.11	5.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	24	0.42	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	49	0.86	2.1
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.02	12
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.02	5.0
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.02	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	10	0.18	4.4
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	4	0.07	9.3
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	11	0.19	6.1
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	1	0.02	5.0
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.02	7.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	12	0.21	4.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	12	0.21	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	20	0.35	2.6
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	15	0.26	6.6
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	10	0.18	2.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.07	2.5
444	DISORDERS OF THE BILIARY TRACT WITH MCC	9	0.16	5.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	13	0.23	5.1
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	9	0.16	2.9
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	3	0.05	6.7
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	9	0.16	4.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.04	4.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.09	8.4
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	3	0.05	9.3
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.07	7.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	61	1.07	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.07	3.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.04	6.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	3	0.05	5.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.05	5.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	1	0.02	34
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	10	0.18	4.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	11	0.19	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	16	0.28	5.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	283	4.97	3.0
472	CERVICAL SPINAL FUSION WITH CC	12	0.21	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	40	0.70	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.02	9.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.07	6.8
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.04	8.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.02	7.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.02	10
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	11	0.19	4.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	27	0.47	4.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	22	0.39	4.3
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	6	0.11	2.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	18	0.32	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.02	6.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.05	4.7
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.09	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	14	0.25	4.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	40	0.70	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	4	0.07	5.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	12	0.21	4.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	39	0.69	2.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	4	0.07	3.5
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	9	0.16	2.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.02	6.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.02	3.0
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.02	6.0
501	SOFT TISSUE PROCEDURES WITH CC	5	0.09	3.0
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	9	0.16	3.4
505	FOOT PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	1	0.02	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.16	2.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	7	0.12	2.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	2	0.04	.50
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.07	6.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	7	0.12	2.7
533	FRACTURES OF FEMUR WITH MCC	1	0.02	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.02	2.0
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.02	9.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	9	0.16	3.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.02	4.0
539	OSTEOMYELITIS WITH MCC	2	0.04	10
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.02	8.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.02	4.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	4	0.07	2.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	2	0.04	1.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.04	5.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.07	2.8
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	3	0.05	.00
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	1.0
551	MEDICAL BACK PROBLEMS WITH MCC	6	0.11	5.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	26	0.46	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	3	0.05	2.3
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	4	0.07	2.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.11	4.8
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	6	0.11	7.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.04	4.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.09	2.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.04	3.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	4	0.07	7.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	7	0.12	2.3

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.02	8.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	7.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	9	0.16	8.7
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.02	4.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.05	4.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.11	4.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	2	0.04	7.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	10	0.18	4.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	13	0.23	3.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	5	0.09	3.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	5	0.09	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.04	4.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.04	2.0
592	SKIN ULCERS WITH MCC	1	0.02	7.0
593	SKIN ULCERS WITH CC	6	0.11	4.7
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.04	6.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.02	3.0
602	CELLULITIS WITH MCC	10	0.18	5.6
603	CELLULITIS WITHOUT MCC	45	0.79	4.6
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.02	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.04	1.5
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.02	7.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	3	0.05	9.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.05	3.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	45	0.79	2.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.02	4.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	4	0.07	1.0
637	DIABETES WITH MCC	27	0.47	2.6
638	DIABETES WITH CC	8	0.14	1.6
639	DIABETES WITHOUT CC/MCC	14	0.25	2.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	17	0.30	5.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	35	0.61	2.7
643	ENDOCRINE DISORDERS WITH MCC	3	0.05	5.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	3	0.05	2.0
652	KIDNEY TRANSPLANT	3	0.05	5.7
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.11	9.2
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.04	5.5
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	5	0.09	3.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.02	3.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.05	2.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	3	0.05	3.3
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.02	16
663	MINOR BLADDER PROCEDURES WITH CC	2	0.04	2.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.04	.50
666	PROSTATECTOMY WITH CC	1	0.02	2.0
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.05	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	2.0
669	TRANSURETHRAL PROCEDURES WITH CC	6	0.11	2.2
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	3.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	3	0.05	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.02	4.0
682	RENAL FAILURE WITH MCC	29	0.51	7.0
683	RENAL FAILURE WITH CC	28	0.49	4.9
684	RENAL FAILURE WITHOUT CC/MCC	11	0.19	2.5
685	ADMIT FOR RENAL DIALYSIS	4	0.07	9.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.04	5.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.04	3.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	22	0.39	3.9
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	42	0.74	3.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.02	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	9	0.16	.89
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.02	13
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.02	2.0
697	URETHRAL STRICTURE	1	0.02	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	6	0.11	4.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	3	0.05	8.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	7	0.12	2.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	9	0.16	2.0
709	PENIS PROCEDURES WITH CC/MCC	1	0.02	3.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	5.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.02	5.0
712	TESTES PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	5	0.09	3.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	2	0.04	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.02	3.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.02	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.02	1.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.02	1.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.02	3.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.04	4.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	7.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	2	0.04	1.5
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	17	0.30	3.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	88	1.55	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.05	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	6	0.11	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	20	0.35	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.04	5.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	2.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	6.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.04	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.02	5.0
765	CESAREAN SECTION WITH CC/MCC	33	0.58	4.9
766	CESAREAN SECTION WITHOUT CC/MCC	104	1.83	3.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	4	0.07	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	1	0.02	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	38	0.67	3.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	220	3.86	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	4	0.07	2.8
777	ECTOPIC PREGNANCY	2	0.04	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
778	THREATENED ABORTION	16	0.28	2.2
780	FALSE LABOR	5	0.09	.80
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	17	0.30	2.0
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	2	0.04	.00
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	17	0.30	.76
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	11	0.19	36
791	PREMATURITY WITH MAJOR PROBLEMS	2	0.04	7.0
792	PREMATURITY WITHOUT MAJOR PROBLEMS	10	0.18	6.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	14	0.25	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	138	2.42	2.2
795	NORMAL NEWBORN	253	4.44	2.0
799	SPLENECTOMY WITH MCC	1	0.02	4.0
800	SPLENECTOMY WITH CC	1	0.02	8.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.04	2.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	7	0.12	7.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	7	0.12	3.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.02	2.0
811	RED BLOOD CELL DISORDERS WITH MCC	6	0.11	2.7
812	RED BLOOD CELL DISORDERS WITHOUT MCC	23	0.40	3.2
813	COAGULATION DISORDERS	1	0.02	4.0
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.02	7.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.05	3.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.02	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.02	13
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.04	4.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.05	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	6.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.02	6.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	2.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.07	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	2	0.04	1.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	1	0.02	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.04	4.5
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	5	0.09	3.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.02	9.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.05	7.7
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	10
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.02	4.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	20	0.35	5.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.02	1.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	14	0.25	16

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	2	0.04	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	5	0.09	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	15	0.26	8.6
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	16	0.28	5.8
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	10	0.18	5.0
864	FEVER	6	0.11	2.5
865	VIRAL ILLNESS WITH MCC	1	0.02	7.0
866	VIRAL ILLNESS WITHOUT MCC	6	0.11	1.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.05	9.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	5	0.09	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	93	1.63	6.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	33	0.58	4.2
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.04	2.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.04	9.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.04	2.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.02	1.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	7	0.12	3.4
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	10	0.18	2.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.04	40
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.02	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.02	8.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	4	0.07	34
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	11	0.19	5.9
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	7	0.12	3.6
913	TRAUMATIC INJURY WITH MCC	2	0.04	3.5
914	TRAUMATIC INJURY WITHOUT MCC	2	0.04	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	34	0.60	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	40	0.70	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	4	0.07	12
920	COMPLICATIONS OF TREATMENT WITH CC	9	0.16	6.1
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	2	0.04	3.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	2	0.04	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.04	7.5
935	NON-EXTENSIVE BURNS	3	0.05	10
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.04	1.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.07	2.5
945	REHABILITATION WITH CC/MCC	1	0.02	13
947	SIGNS & SYMPTOMS WITH MCC	6	0.11	2.7
948	SIGNS & SYMPTOMS WITHOUT MCC	21	0.37	3.0
949	AFTERCARE WITH CC/MCC	2	0.04	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.02	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.02	5.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.07	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.07	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	7.3
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.04	5.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.07	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.12	8.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.02	7.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.11	19
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	7	0.12	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.07	13
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	8.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.02	15
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.09	2.0
999	UNGROUPABLE	1	0.02	4.0
All		5,693	100.0	4.2

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	25.00	13
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	75.00	4.7
<b>All</b>		4	100.0	6.8

***MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	21	87.50	15
946	REHABILITATION WITHOUT CC/MCC	3	12.50	15
<b>All</b>		24	100.0	15

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.62	12
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.31	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	4	1.23	6.3
881	DEPRESSIVE NEUROSES	22	6.79	2.4
882	NEUROSES EXCEPT DEPRESSIVE	12	3.70	1.9
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	1.54	33
885	PSYCHOSES	256	79.01	5.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.93	1.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.31	2.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	17	5.25	2.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.31	1.0
All		324	100.0	5.2

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
038	EXTRACRANIAL PROCEDURES WITH CC	1	0.29	5.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.57	78
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	5	1.43	578
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	28	8.02	103
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.29	25
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.29	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.29	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.57	422
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	3	0.86	30
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.29	2.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4	1.15	6.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	7	2.01	17
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.57	11
181	RESPIRATORY NEOPLASMS WITH CC	1	0.29	.00
186	PLEURAL EFFUSION WITH MCC	1	0.29	1.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	2	0.57	14
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	2	0.57	13
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.57	18
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	5	1.43	8.2
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.29	346
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.29	4.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
291	HEART FAILURE & SHOCK WITH MCC	2	0.57	452
292	HEART FAILURE & SHOCK WITH CC	5	1.43	7.8
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.29	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	2	0.57	6.5
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.57	17
303	ATHEROSCLEROSIS WITHOUT MCC	1	0.29	4E3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.29	10
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	3	0.86	11
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.29	67
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.29	19
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.57	7.0
375	DIGESTIVE MALIGNANCY WITH CC	3	0.86	158
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.29	2.0
377	G.I. HEMORRHAGE WITH MCC	1	0.29	3.0
378	G.I. HEMORRHAGE WITH CC	1	0.29	4.0
389	G.I. OBSTRUCTION WITH CC	2	0.57	5.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2	0.57	24
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.57	11
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.29	5.0
432	CIRRHOISIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.29	5.0
433	CIRRHOISIS & ALCOHOLIC HEPATITIS WITH CC	1	0.29	681

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.29	8.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.29	1.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	3	0.86	3.7
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.29	4.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.29	11
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	1	0.29	5.0
539	OSTEOMYELITIS WITH MCC	1	0.29	24
540	OSTEOMYELITIS WITH CC	1	0.29	386
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.29	16
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.29	8.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.29	5.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.29	7.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	0.57	21
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.29	80
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	16	4.58	85
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	38	10.89	52
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	43	12.32	12
593	SKIN ULCERS WITH CC	7	2.01	149
594	SKIN ULCERS WITHOUT CC/MCC	1	0.29	24
602	CELLULITIS WITH MCC	4	1.15	68
603	CELLULITIS WITHOUT MCC	8	2.29	28

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	2	0.57	324
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	7	2.01	100
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	0.29	7.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	4	1.15	23
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	1	0.29	2.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.29	2.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.29	5.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.29	1.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	5	1.43	5.2
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	1.15	291
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.29	6.0
945	REHABILITATION WITH CC/MCC	26	7.45	139
946	REHABILITATION WITHOUT CC/MCC	10	2.87	7.1
947	SIGNS & SYMPTOMS WITH MCC	1	0.29	16
948	SIGNS & SYMPTOMS WITHOUT MCC	13	3.72	24
949	AFTERCARE WITH CC/MCC	19	5.44	94
950	AFTERCARE WITHOUT CC/MCC	7	2.01	8.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.29	468
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.29	81
All		349	100.0	84

**MDC by Patient County of Residence  
for 2009  
Tuolumne County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00</b>	<b>UNGROUPABLE</b>	1	0.02	4.0
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	382	5.97	23
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	4	0.06	1.8
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	38	0.59	3.7
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	619	9.68	6.7
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	909	14.22	9.3
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	643	10.06	5.6
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	245	3.83	6.9
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	962	15.05	7.7
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	152	2.38	14
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	177	2.77	10
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	225	3.52	4.9
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	25	0.39	2.5
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	148	2.31	2.2
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	446	6.98	2.5
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	445	6.96	3.1
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	57	0.89	4.8
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	54	0.84	7.0
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	216	3.38	6.8
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	312	4.88	9.0
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	40	0.63	3.0
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	124	1.94	5.3

(Continued)

*MDC by Patient County of Residence  
for 2009  
Tuolumne County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	5	0.08	9.2
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	138	2.16	46
24	MULTIPLE SIGNFICANT TRAUMA	25	0.39	9.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.03	238
All		6,394	100.0	8.6

**MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.02	4.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	335	5.88	5.4
02	EYE, DISEASES & DISORDERS	4	0.07	1.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	37	0.65	3.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	591	10.38	5.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	890	15.63	3.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	627	11.01	4.8
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	237	4.16	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	854	15.00	3.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	132	2.32	4.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	168	2.95	3.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	220	3.86	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	25	0.44	2.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	148	2.60	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	446	7.83	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	445	7.82	3.1
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	57	1.00	4.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	51	0.90	7.2
18	INFECTIOUS & PARASITIC DISEASES	210	3.69	6.9
19	MENTAL DISEASES & DISORDERS	6	0.11	4.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	18	0.32	2.9

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	123	2.16	5.3
22	BURNS	5	0.09	9.2
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	37	0.65	3.2
24	MULTIPLE SIGNFICANT TRAUMA	25	0.44	9.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.02	7.0
<b>All</b>		5,693	100.0	4.2

***MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	4	100.0	6.8
All		4	100.0	6.8

***MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	24	100.0	15
All		24	100.0	15

***MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	0.62	12
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.31	10
19	MENTAL DISEASES & DISORDERS	302	93.21	5.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	18	5.56	2.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.31	1.0
All		324	100.0	5.2

***MDC by Patient County of Residence  
and Type of Care for 2009  
Tuolumne County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	45	12.89	155
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.29	2.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	27	7.74	24
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	19	5.44	282
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	16	4.58	38
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	8	2.29	89
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	108	30.95	41
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	20	5.73	78
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	9	2.58	149
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5	1.43	20
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	3	0.86	3.0
18	INFECTIOUS & PARASITIC DISEASES	6	1.72	4.5
19	MENTAL DISEASES & DISORDERS	4	1.15	291
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	77	22.06	76
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.29	468
All		349	100.0	84