

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Alameda	Alameda County Medical Center*	9.4% (3;62)	9.2% (9;161)	18.2% (3;27)	4.7% (3;122)	28.7% (3;12)	2.7% (3;163)	2.9% (4;371)	0.0% (0;17)	3.0% (2;203)
	Alameda Hospital	5.5% (4;41)	8.8% (7;72)	25.1% (5;11)	2.3% (1;60)		1.3% (1;65)	2.6% (5;139)	0.0% (0;35)	2.7% (5;148)
	Alta Bates Summit Medical Center – Alta Bates Campus	6.0% (3;26)	7.5% (21;246)	23.4% (18;80)	2.4% (3;160)	0.0% (0;6)	2.9% (5;173)	1.6% (4;230)	1.3% (1;79)	3.3% (6;199)
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	6.4% (28;489)	8.5% (19;290)	17.9% (5;33)	5.0% (14;257)		0.4% (1;297) Better	2.9% (18;535)	0.0% (0;107) Better	2.7% (8;283)
	Eden Medical Center	7.9% (8;47)	9.9% (75;476)	22.0% (36;152)	4.3% (13;254)	28.7% (26;70)	3.2% (5;142)	3.6% (11;240)	5.2% (6;86)	6.0% (10;163)
	Kaiser Foundation Hospital – Hayward	3.0% (6;133) Better	5.3% (21;326) Better	10.9% (9;64) Better	3.5% (11;257)	9.6% (1;5)	2.8% (7;295)	1.7% (8;408)	2.0% (3;148)	3.9% (12;240)
	Kaiser Foundation Hospital – Oakland Campus	5.5% (9;108)	5.6% (20;366) Better	14.0% (9;52)	3.3% (11;306)	0.0% (0;8)	0.9% (2;244)	2.5% (14;568)	0.0% (0;114)	4.2% (8;160)
	Saint Rose Hospital	9.1% (17;207)	15.8% (9;80)	38.3% (2;3)	8.7% (6;76)		1.4% (2;118)	0.5% (1;254) Better	3.1% (1;37)	4.9% (4;133)
	San Leandro Hospital	7.4% (4;34)	5.2% (2;37)	0.0% (0;3)	3.2% (2;34)		0.9% (1;111)	3.7% (8;218)	0.0% (0;23)	2.6% (2;79)
	Valleycare Medical Center	6.6% (13;182)	5.3% (2;60)	35.0% (2;3)	0.0% (0;57)		4.0% (4;101)	2.6% (9;234)	1.1% (1;60)	3.6% (14;275)
	Washington Hospital – Fremont	8.2% (17;260)	10.2% (30;280)	21.3% (13;62)	6.2% (10;202)	24.1% (7;16)	3.0% (8;265)	3.7% (14;396)	1.1% (1;84)	6.6% (20;326) Worse
Amador	Sutter Amador Hospital	9.0% (1;8)	6.7% (5;77)	18.0% (2;12)	3.6% (3;63)		4.2% (3;69)	4.4% (3;58)	4.6% (4;46)	1.0% (1;111)
Butte	Biggs Gridley Memorial Hospital		66.7% (1;5)		40.0% (1;5)		0.0% (0;18)	7.2% (1;32)	0.0% (0;11)	11.5% (3;60)
	Enloe Medical Center – Esplanade Campus	5.2% (16;363)	10.8% (32;328)	26.2% (16;79)	5.9% (15;242)	23.7% (1;7)	3.3% (7;261)	3.0% (8;234)	3.2% (5;186)	5.3% (21;414)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Butte (continued)	Feather River Hospital	2.3% (2;42)	2.5% (1;76)		0.0% (0;73)		3.6% (5;121)	1.2% (2;135)	1.1% (1;74)	2.3% (6;186)
	Oroville Hospital	6.8% (5;38)	8.9% (5;93)	26.9% (3;6)	2.6% (1;86)		1.1% (2;174)	1.2% (3;275)	1.6% (1;64)	0.8% (2;306) Better
Calaveras	Mark Twain Saint Joseph's Hospital	23.4% (4;6) Worse	20.8% (3;24)		11.5% (3;24)		0.0% (0;20)	8.4% (5;60)	0.0% (0;34)	0.0% (0;40)
Colusa	Colusa Regional Medical Center	22.8% (3;10)	0.0% (0;9)		0.0% (0;9)		0.0% (0;12)	9.9% (2;33)		5.9% (2;45)
Contra Costa	Contra Costa Regional Medical Center	0.0% (0;21)	18.5% (3;71)		11.6% (3;70)		3.2% (2;82)	2.8% (4;246)	4.4% (1;13)	4.3% (5;176)
	Doctors Medical Center – San Pablo	5.9% (12;176)	6.3% (6;150)	13.3% (2;13)	3.8% (4;137)		2.5% (3;139)	2.3% (7;450)	11.5% (4;54) Worse	3.5% (8;217)
	John Muir Medical Center – Concord Campus	6.4% (20;373)	8.7% (15;199)	33.1% (8;15)	3.5% (7;184)		1.3% (3;199)	5.0% (20;352) Worse	3.3% (3;86)	5.7% (10;176)
	John Muir Medical Center – Walnut Creek Campus	7.7% (19;158)	12.3% (95;448) Worse	28.6% (59;165) Worse	7.0% (25;247)	28.4% (11;36)	1.7% (6;315)	2.7% (15;368)	2.1% (4;189)	2.3% (6;262)
	Kaiser Foundation Hospital – Antioch	0.7% (1;102) Better	7.1% (16;184)	15.1% (7;31)	4.9% (9;150)	0.0% (0;3)	0.8% (1;150)	2.4% (7;254)	0.0% (0;64)	3.0% (3;99)
	Kaiser Foundation Hospital – Walnut Creek	5.2% (12;273)	10.6% (27;225)	24.3% (12;36)	6.5% (15;188)		1.6% (4;285)	4.7% (18;351)	4.2% (7;182)	4.2% (10;210)
	San Ramon Regional Medical Center	7.2% (3;62)	16.5% (7;68)	34.0% (1;5)	9.8% (5;62)		4.6% (3;79)	2.5% (2;83)	3.5% (1;40)	2.8% (3;125)
	Sutter Delta Medical Center	6.5% (12;158)	3.8% (3;82)	0.0% (0;5)	2.2% (2;76)		0.0% (0;169) Better	1.4% (5;337)	2.3% (2;58)	1.9% (3;150)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Del Norte	Sutter Coast Hospital	3.5% (2;26)	8.6% (5;59)	33.7% (4;6)	1.9% (1;53)		2.7% (3;67)	5.5% (5;83)		3.3% (4;116)
El Dorado	Barton Memorial Hospital	8.6% (1;5)	8.1% (1;18)		4.4% (1;18)		3.3% (1;41)	3.2% (1;37)	0.0% (0;19)	6.1% (4;91)
	Marshall Medical Center	2.7% (1;25)	16.1% (15;90) Worse	35.8% (5;7)	9.8% (10;82)		2.3% (4;131)	2.6% (5;166)	5.5% (1;24)	1.3% (2;172)
Fresno	Adventist Medical Center – Reedley*		31.0% (1;13)		0.0% (0;12)		0.0% (0;4)	0.0% (0;14)		8.2% (2;62)
	Clovis Community Medical Center	9.9% (8;94)	4.9% (2;94)	25.4% (1;8)	1.8% (1;86)		1.7% (3;159)	5.0% (8;178)	1.2% (1;86)	11.1% (15;197) Worse
	Coalinga Regional Medical Center		0.0% (0;5)		0.0% (0;4)			5.6% (1;30)		6.4% (1;49)
	Community Regional Medical Center – Fresno	5.8% (34;655)	10.6% (108;798)	26.3% (68;269)	5.7% (29;478)	21.2% (11;51)	1.6% (8;538)	4.0% (26;837)	4.7% (6;134)	4.1% (17;596)
	Fresno Heart and Surgical Hospital	0.0% (0;46)					0.0% (0;29)	2.3% (2;110)		0.0% (0;10)
	Kaiser Foundation Hospital – Fresno	7.0% (9;100)	6.7% (16;249)	14.4% (6;36)	4.5% (10;208)	0.0% (0;5)	0.8% (1;135)	3.2% (9;263)	1.7% (3;112)	4.4% (9;196)
	Saint Agnes Medical Center	6.0% (26;502)	10.6% (39;474)	23.3% (16;53)	6.6% (22;415)	21.8% (1;6)	2.3% (13;522)	4.3% (33;869)	3.0% (6;255)	6.0% (38;784) Worse
Glenn	Glenn Medical Center							0.0% (0;10)		18.7% (3;32)
Humboldt	Jerold Phelps Community Hospital									65.4% (1;6)
	Mad River Community Hospital		6.8% (1;27)		0.0% (0;26)		3.2% (1;39)	12.2% (5;54) Worse	0.0% (0;4)	7.4% (4;77)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Humboldt (continued)	Redwood Memorial Hospital	9.7% (2;9)	19.0% (5;28)	29.0% (2;5)	14.8% (2;22)		0.0% (0;30)	15.5% (4;38) Worse	12.9% (1;14)	2.3% (1;66)
	Saint Joseph Hospital – Eureka	6.8% (16;211)	11.8% (16;137)	33.7% (7;17)	6.2% (9;119)		2.5% (4;103)	2.1% (5;186)	1.7% (2;96)	2.5% (4;122)
Imperial	El Centro Regional Medical Center	4.4% (3;56)	9.8% (10;115)	32.7% (4;11)	4.2% (5;103)		1.7% (3;169)	4.0% (9;249)	1.4% (1;70)	6.5% (18;246)
	Pioneers Memorial Healthcare District*	15.6% (5;20)	6.3% (4;78)	16.7% (2;12)	3.3% (2;66)		0.0% (0;94)	3.7% (4;166)	0.0% (0;35)	4.4% (7;200)
Inyo	Northern Inyo Hospital	5.1% (1;12)	14.7% (1;14)		16.6% (1;11)		0.0% (0;17)	0.0% (0;13)	8.0% (1;15)	3.3% (1;39)
	Southern Inyo Hospital							0.0% (0;3)		0.0% (0;11)
Kern	Bakersfield Heart Hospital	6.9% (17;291)	0.0% (0;32)		0.0% (0;32)		0.9% (1;68)	3.8% (13;307)		2.9% (6;179)
	Bakersfield Memorial Hospital	5.6% (22;404)	10.0% (21;236)	23.6% (11;49)	5.5% (8;177)	25.1% (2;10)	1.1% (2;202)	2.3% (8;462)	1.5% (1;94)	4.1% (12;326)
	Delano Regional Medical Center (View comment letter)	11.7% (3;12)	29.5% (3;15)		19.7% (3;13) Worse		8.5% (2;35)	7.1% (4;82)	0.0% (0;18)	8.2% (13;128) Worse
	Good Samaritan Hospital – Bakersfield							0.0% (0;32)		0.0% (0;46)
	Kern Medical Center	19.3% (2;8)	8.3% (2;38)	23.8% (2;10)	0.0% (0;26)		3.8% (2;76)	3.4% (2;113)	0.0% (0;15)	9.8% (4;92)
	Kern Valley Healthcare District	0.0% (0;3)	0.0% (0;5)		0.0% (0;4)		0.0% (0;5)	0.0% (0;29)		0.0% (0;86)
	Mercy Hospital – Bakersfield	7.1% (5;32)	12.5% (29;152)	25.7% (12;34)	7.2% (10;106)	36.3% (7;12)	2.3% (4;185)	1.9% (3;150)	2.0% (3;132)	4.2% (10;335)
	Ridgecrest Regional Hospital	5.7% (1;7)	14.7% (2;18)		13.2% (1;16)		0.0% (0;49)	5.5% (2;52)	26.3% (1;8)	13.0% (8;119) Worse

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Kern (continued)	San Joaquin Community Hospital	6.0% (14;299)	8.6% (49;591)	21.5% (24;94)	3.9% (17;476)	36.8% (8;21)	2.4% (4;244)	1.4% (8;611) Better	0.7% (1;165)	4.7% (15;433)
	Tehachapi Hospital							0.0% (0;4)		0.0% (0;13)
Kings	Adventist Medical Center	11.5% (7;36)	16.8% (14;129) Worse	39.8% (5;16)	9.6% (9;112)		3.0% (4;176)	5.0% (14;365)	4.7% (4;97)	5.2% (16;470)
	Corcoran District Hospital						0.0% (0;3)	0.0% (0;12)		0.0% (0;17)
Lake	Saint Helena Hospital – Clearlake		22.8% (3;6)	53.5% (2;3)	12.5% (1;3)		0.0% (0;42)	5.0% (2;31)		0.0% (0;72)
	Sutter Lakeside Hospital	5.8% (2;10)	9.7% (1;20)		5.4% (1;20)		4.2% (1;39)	2.3% (1;39)	5.1% (1;31)	4.3% (3;97)
Lassen	Banner Lassen Medical Center						0.0% (0;13)	0.0% (0;20)		3.9% (1;52)
Los Angeles	Alhambra Hospital	6.5% (4;27)	9.3% (6;77)	32.5% (3;13)	4.1% (3;63)		3.0% (3;77)	1.6% (2;108)	0.0% (0;30)	4.0% (8;154)
	Antelope Valley Hospital	7.2% (22;384)	9.3% (28;354)	23.9% (14;70)	4.7% (12;278)	29.5% (2;6)	4.2% (11;299) Worse	4.4% (15;410)	1.9% (2;156)	7.5% (29;417) Worse
	Bellflower Medical Center	27.7% (1;5)	0.0% (0;9)		0.0% (0;7)		0.0% (0;44)	3.6% (1;45)	13.0% (1;10)	3.6% (3;82)
	Beverly Hospital	8.2% (18;174)	8.7% (10;99)	17.9% (4;21)	4.7% (4;73)	28.0% (2;5)	1.7% (2;160)	2.8% (9;343)	0.0% (0;65)	3.0% (8;285)
	Brotman Medical Center	5.5% (5;80)	5.1% (2;90)		3.1% (2;88)		1.6% (3;149)	3.5% (8;270)	0.0% (0;39)	4.1% (9;163)
	California Hospital Medical Center – Los Angeles	9.3% (6;57)	8.0% (12;187)	17.7% (5;36)	3.0% (3;138)	41.8% (4;13)	2.7% (3;145)	3.9% (10;450)	4.3% (1;32)	3.3% (5;210)
	Catalina Island Medical Center									0.0% (0;5)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Cedars Sinai Medical Center	7.3% (33;468)	9.1% (77;726)	23.0% (38;154)	5.1% (23;483)	17.7% (16;89)	2.2% (13;599)	3.9% (51;1,240)	3.0% (8;268)	3.7% (27;743)
	Centinela Hospital Medical Center	4.4% (15;266)	6.3% (28;307) Better	19.9% (16;75)	2.1% (8;220) Better	25.3% (4;12)	0.6% (3;415) Better	0.4% (5;1,097) Better	0.0% (0;51)	0.4% (1;272) Better
	Citrus Valley Medical Center – Inter Community Campus	6.4% (21;421)	7.7% (10;139)	20.4% (5;31)	2.8% (3;106)		1.2% (2;157)	3.5% (10;332)	5.6% (4;78)	3.5% (8;189)
	Citrus Valley Medical Center – Queen of the Valley Campus	6.4% (6;65)	7.5% (12;207)	17.6% (5;38)	4.3% (6;164)	19.2% (1;5)	1.5% (3;209)	1.2% (4;370)	4.0% (2;65)	6.6% (15;235)
	City of Hope Helford Clinical Research Hospital	0.0% (0;5)	23.2% (2;6)		11.0% (1;4)		5.4% (1;16)	0.0% (0;12)		11.1% (8;104) Worse
	Coast Plaza Doctors Hospital	17.2% (7;29) Worse	6.8% (2;26)		0.0% (0;23)		5.0% (2;46)	3.1% (3;107)	5.0% (2;9)	1.9% (3;138)
	Community Hospital of Long Beach	6.3% (5;34)	11.2% (5;33)	45.6% (4;5)	2.4% (1;28)		7.9% (5;71) Worse	1.1% (1;87)	5.1% (1;33)	7.0% (11;131)
	Community and Mission Hospital of Huntington Park – Slauson	4.2% (1;16)	0.0% (0;35)		0.0% (0;35)		3.9% (1;47)	0.0% (0;151)		0.0% (0;98)
	Downey Regional Medical Center	5.6% (18;272)	8.1% (12;196)	27.1% (6;32)	2.8% (4;155)	28.5% (2;9)	1.6% (5;257)	1.5% (7;455)	0.9% (1;110)	3.3% (12;317)
	East Los Angeles Doctors Hospital	6.6% (3;32)	0.0% (0;23)		0.0% (0;23)		3.1% (2;56)	0.0% (0;95)	0.0% (0;7)	0.7% (1;97) Better
	East Valley Hospital Medical Center	3.5% (1;20)	0.0% (0;8)		0.0% (0;8)		7.8% (3;20)	3.8% (1;28)		1.3% (2;153)
	Encino Hospital Medical Center	0.0% (0;24) Better	1.9% (1;34) Better		1.1% (1;34) Better		0.0% (0;37)	1.8% (2;52)	1.4% (1;22)	0.0% (0;36)
	Foothill Presbyterian Hospital – Johnston Memorial	7.7% (3;25)	7.4% (3;83)	30.2% (2;15)	2.5% (1;67)		2.3% (2;96)	6.3% (7;157)	0.0% (0;48)	6.0% (8;129)
	Garfield Medical Center	6.3% (14;230)	9.4% (34;332)	23.0% (21;91)	5.6% (12;231)	10.3% (1;10)	4.2% (8;207)	2.7% (12;397)	2.5% (2;77)	5.1% (22;322)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Glendale Adventist Medical Center – Wilson Terrace	4.7% (20;373)	7.9% (26;302)	18.6% (12;67)	5.0% (11;212)	13.9% (3;23)	0.7% (2;251)	2.5% (16;452)	0.0% (0;141) Better	2.3% (15;503) Better
	Glendale Memorial Hospital and Medical Center	7.9% (16;187)	6.8% (9;130)	16.4% (3;20)	3.3% (4;104)	20.4% (2;6)	2.8% (8;209)	1.8% (9;440)	3.6% (4;94)	3.6% (13;289)
	Good Samaritan Hospital – Los Angeles	11.7% (32;250) Worse	9.3% (18;141)	30.5% (12;38)	2.1% (3;96)	26.1% (3;7)	2.4% (5;180)	3.0% (13;433)	0.0% (0;62)	3.2% (11;214)
	Greater El Monte Community Hospital	0.0% (0;11)	3.8% (2;42)	11.9% (1;5)	0.0% (0;36)		0.0% (0;40)	2.0% (2;110)		0.7% (1;96) Better
	Henry Mayo Newhall Memorial Hospital	3.5% (5;115)	13.0% (28;185)	32.1% (18;43)	7.4% (9;139)	26.4% (1;3)	1.7% (3;210)	1.7% (7;336)	0.0% (0;111)	3.0% (9;306)
	Hollywood Community Hospital	4.1% (2;34)	0.0% (0;15)		0.0% (0;15)		0.0% (0;43)	0.0% (0;52)		0.0% (0;91) Better
	Hollywood Presbyterian Medical Center	6.7% (16;209)	8.1% (31;293)	16.0% (13;77)	4.9% (13;197)	26.7% (5;19)	0.9% (2;212)	2.1% (7;317)	0.0% (0;65)	3.2% (8;198)
	Huntington Memorial Hospital	5.3% (13;231)	7.2% (27;371)	23.1% (17;66)	2.0% (5;276) Better	18.7% (5;29)	2.0% (7;329)	4.1% (16;374)	1.4% (2;169)	2.5% (10;380)
	Kaiser Foundation Hospital – Baldwin Park	6.6% (8;93)	5.4% (6;204)	24.9% (3;14)	2.0% (3;190)		1.9% (4;254)	1.2% (4;422) Better	1.1% (1;98)	4.7% (19;342)
	Kaiser Foundation Hospital – Downey	6.3% (10;142)	8.2% (14;248)	14.2% (4;38)	6.2% (10;205)	0.0% (0;5)	1.5% (4;341)	2.4% (7;401)	4.1% (3;95)	3.9% (15;363)
	Kaiser Foundation Hospital – Panorama City	2.4% (3;107)	15.7% (16;165)	20.7% (3;20)	10.7% (13;145) Worse		1.8% (4;246)	1.5% (5;314)	6.2% (7;126) Worse	5.2% (18;377)
	Kaiser Foundation Hospital – South Bay	5.0% (7;92)	13.4% (13;179)	21.0% (1;11)	7.8% (12;168)		3.2% (7;252)	3.0% (10;379)	2.2% (1;60)	5.0% (9;213)
	Kaiser Foundation Hospital – Sunset	3.4% (24;1,097) Better	8.8% (69;714)	16.5% (30;273) Better	6.4% (23;338)	23.8% (16;103)	3.4% (11;253)	1.7% (9;578)	0.0% (0;47)	4.5% (6;167)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Kaiser Foundation Hospital – West Los Angeles	3.8% (4;101)	11.1% (14;194)	46.5% (4;10)	4.6% (8;182)		2.3% (6;254)	2.4% (6;252)	5.7% (3;38)	3.8% (7;174)
	Kaiser Foundation Hospital – Woodland Hills	3.9% (7;111)	8.4% (21;244)	20.6% (11;65)	5.1% (10;173)	0.0% (0;6)	1.2% (3;215)	5.1% (21;279) Worse	2.7% (4;159)	3.5% (11;248)
	Keck Hospital of University of Southern California	7.7% (6;51)	12.0% (24;180)	20.0% (5;27)	8.9% (10;104)	22.2% (9;49)	6.5% (5;55) Worse	13.0% (21;156) Worse	0.0% (0;7)	4.4% (4;67)
	Lakewood Regional Medical Center	6.5% (20;323)	11.6% (45;349)	26.3% (19;72)	6.0% (16;259)	31.4% (10;18)	2.9% (5;163)	2.3% (8;397)	1.7% (1;87)	3.6% (8;257)
	Long Beach Memorial Medical Center	9.2% (26;315)	12.1% (60;529) Worse	23.4% (26;126)	9.9% (28;363) Worse	17.7% (6;40)	1.8% (5;321)	3.2% (13;623)	1.9% (2;142)	6.0% (25;430) Worse
	Los Angeles Community Hospital	2.5% (2;54)	8.0% (2;37)		4.7% (2;36)		0.0% (0;72)	1.5% (2;137)	0.0% (0;5)	1.5% (3;137)
	Los Angeles County/Harbor – UCLA Medical Center	8.0% (17;288)	12.1% (22;267)	28.8% (10;50)	5.2% (5;191)	33.9% (7;26)	3.1% (5;189)	0.8% (2;529) Better	5.7% (1;24)	4.1% (5;178)
	Los Angeles County/Olive View – UCLA Medical Center	2.7% (2;104)	7.2% (2;124)	0.0% (0;5)	5.0% (2;119)		1.1% (1;141)	1.1% (2;329)		3.0% (3;203)
	Los Angeles County/University of Southern California Medical Center	9.3% (12;238)	17.0% (52;325) Worse	38.3% (23;86) Worse	13.7% (20;180) Worse	25.3% (9;59)	2.5% (5;344)	2.3% (6;726)	3.5% (3;49)	7.4% (14;430) Worse
	Los Angeles Metropolitan Medical Center	0.0% (0;6)	0.0% (0;9)		0.0% (0;9)		0.0% (0;12)	1.6% (1;88)	0.0% (0;3)	3.4% (4;57)
	Marina Del Rey Hospital	3.4% (1;27)	0.0% (0;58) Better		0.0% (0;56) Better		0.0% (0;108)	1.5% (3;144)	0.0% (0;56)	2.4% (3;100)
	Memorial Hospital of Gardena	2.5% (2;50)	6.8% (4;75)	0.0% (0;3)	4.4% (4;72)		2.6% (5;175)	3.9% (10;334)	0.0% (0;12)	2.6% (4;181)
	Methodist Hospital of Southern California	5.0% (17;301)	7.7% (29;425)	22.4% (15;72)	3.1% (11;345)	36.6% (3;8)	4.4% (9;269)	2.9% (15;497)	1.3% (2;177)	3.0% (11;326)
	Mission Community Hospital – Panorama Campus	6.5% (3;28)	4.1% (1;29)	0.0% (0;5)	3.0% (1;24)		0.0% (0;69)	2.2% (5;172)	6.6% (1;25)	0.9% (2;119) Better

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Monterey Park Hospital	4.3% (2;27)	9.8% (4;58)	13.4% (1;9)	7.6% (3;49)		1.2% (1;72)	2.8% (2;92)	0.0% (0;35)	2.7% (2;112)
	Motion Picture and Television Hospital	0.0% (0;3)	0.0% (0;3)		0.0% (0;3)		0.0% (0;4)	27.8% (1;8)		12.7% (1;20)
	Northridge Hospital Medical Center	3.6% (16;332) Better	6.6% (14;212)	21.6% (9;38)	2.6% (5;171)	0.0% (0;3)	0.9% (2;184)	1.3% (6;410) Better	1.2% (2;128)	2.6% (10;345)
	Norwalk Community Hospital	1.9% (2;62)	4.3% (1;22)	15.9% (1;3)	0.0% (0;19)		1.3% (2;75)	1.9% (2;68)	0.0% (0;12)	2.0% (3;82)
	Olympia Medical Center	8.3% (5;35)	5.8% (2;54)	0.0% (0;4)	3.8% (2;50)		3.8% (7;126)	1.7% (4;207)	1.6% (1;47)	2.7% (7;161)
	Pacific Alliance Medical Center, Inc.	24.0% (2;10)	0.0% (0;65) Better	0.0% (0;9)	0.0% (0;56)		1.5% (2;123)	2.4% (4;186)	9.1% (1;8)	6.1% (8;147)
	Pacific Hospital of Long Beach	19.1% (3;8)	28.7% (2;24)		9.6% (1;23)		5.2% (3;45)	3.9% (2;92)	0.0% (0;11)	3.1% (1;44)
	Pacifica Hospital of the Valley	19.8% (3;14)	10.0% (1;17)		5.7% (1;17)		2.6% (1;55)	2.1% (1;84)	0.0% (0;12)	6.8% (6;89)
	Palmdale Regional Medical Center	7.8% (14;262)	6.1% (7;133)	14.3% (4;32)	4.1% (3;98)	0.0% (0;3)	3.1% (5;181)	2.2% (6;350)	0.0% (0;70)	6.3% (12;243)
	Pomona Valley Hospital Medical Center	5.3% (13;263)	10.2% (35;445)	26.6% (20;97)	5.0% (13;339)	21.5% (2;9)	1.8% (7;303)	2.4% (16;556)	1.2% (2;140)	4.0% (15;311)
	Presbyterian Intercommunity Hospital	4.7% (30;537)	8.6% (41;411)	20.8% (23;84)	5.1% (17;318)	9.7% (1;9)	0.6% (2;287) Better	2.3% (13;540)	1.8% (3;174)	2.2% (6;285)
	Providence Holy Cross Medical Center	5.9% (14;274)	8.0% (23;292)	24.2% (14;64)	1.8% (4;220) Better	40.2% (5;8)	2.6% (10;291)	2.0% (14;564)	2.9% (4;147)	2.1% (12;417) Better
	Providence Little Company of Mary Medical Center – San Pedro	4.5% (2;31)	10.8% (15;118)	26.1% (8;24)	6.2% (6;91)	18.3% (1;3)	3.8% (7;145)	0.7% (1;135)	4.5% (2;44)	3.2% (5;128)
	Providence Little Company of Mary Medical Center – Torrance	5.9% (26;380)	11.4% (49;415)	24.3% (22;88)	7.2% (23;314)	27.9% (4;13)	3.2% (14;334)	2.1% (11;515)	1.7% (3;151)	4.3% (21;392)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Providence Saint Joseph Medical Center	6.4% (14;301)	11.8% (55;436)	30.7% (26;92)	5.7% (20;315)	30.2% (9;29)	2.4% (8;295)	4.6% (32;504) Worse	2.4% (5;203)	5.7% (24;331)
	Providence Tarzana Medical Center	3.5% (7;164)	9.7% (17;190)	28.1% (9;27)	4.6% (8;163)		3.3% (7;182)	2.1% (12;372)	0.6% (1;119)	3.9% (19;328)
	Ronald Reagan UCLA Medical Center	7.2% (17;236)	10.7% (88;509)	26.1% (45;142)	6.3% (33;300)	15.7% (10;67)	1.1% (2;160)	2.2% (8;364)	3.4% (2;46)	2.9% (7;222)
	Saint Francis Medical Center	3.9% (6;137)	10.3% (20;208)	23.9% (10;38)	6.0% (9;165)	29.8% (1;5)	3.3% (8;216)	1.5% (6;483)	2.1% (1;47)	5.5% (9;202)
	Saint John's Health Center	4.4% (6;123)	5.2% (5;118)	0.0% (0;17)	4.2% (4;93)	12.1% (1;8)	0.5% (1;193)	2.4% (8;249)	2.2% (3;138)	4.2% (16;323)
	Saint Mary Medical Center	7.8% (13;164)	11.7% (22;158)	38.3% (15;42) Worse	3.0% (3;105)	22.7% (4;11)	1.9% (3;161)	4.0% (9;271)	0.0% (0;36)	1.1% (2;188) Better
	Saint Vincent Medical Center	7.0% (13;153)	7.7% (6;110)	8.1% (1;20)	5.0% (4;88)		1.2% (2;155)	2.5% (9;374)	1.7% (1;55)	1.2% (3;240) Better
	San Dimas Community Hospital	7.2% (2;17)	7.9% (2;41)		5.0% (2;39)		7.0% (4;61)	1.7% (2;111)	7.6% (3;41)	2.7% (2;64)
	San Gabriel Valley Medical Center	6.2% (5;45)	5.3% (4;116)	9.8% (1;16)	2.6% (2;98)		0.5% (1;174)	1.9% (7;293)	0.0% (0;70)	3.2% (14;251)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	4.9% (9;159)	4.8% (4;116)	21.2% (1;4)	2.3% (3;112)		2.6% (5;191)	1.9% (7;343)	1.7% (3;152)	4.5% (14;315)
	Sherman Oaks Hospital	1.9% (6;125) Better	11.1% (5;43)	24.6% (2;4)	6.9% (3;39)		1.3% (2;117)	0.0% (0;126) Better	0.0% (0;33)	0.8% (1;69)
	Silver Lake Medical Center – Downtown Campus	0.0% (0;6)	21.1% (2;10)		16.2% (1;9)		2.9% (1;44)	6.8% (3;76)	8.0% (1;5)	1.4% (1;68)
	Temple Community Hospital	0.0% (0;31)	3.4% (1;35)		2.6% (1;33)		2.0% (1;45)	4.4% (3;80)	0.0% (0;3)	0.8% (1;67)
	Torrance Memorial Medical Center	6.8% (30;383)	10.2% (46;447)	30.2% (28;82)	4.3% (15;350)	23.7% (3;15)	1.8% (8;440)	2.7% (20;654)	2.5% (5;214)	3.8% (22;494)
	Tri-City Regional Medical Center – Hawaiian Gardens	0.0% (0;17)	0.0% (0;15)		0.0% (0;14)		5.5% (2;56)	1.3% (1;86)	0.0% (0;9)	3.4% (3;79)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Los Angeles (continued)	Valley Presbyterian Hospital	6.1% (16;256)	6.5% (11;163)	30.5% (9;32)	1.2% (2;130) Better		2.8% (5;166)	3.1% (15;395)	6.6% (5;77)	5.1% (12;168)
	Verdugo Hills Hospital	7.4% (7;45)	5.9% (3;72)	23.6% (2;9)	1.9% (1;63)		2.3% (2;99)	0.8% (1;141)	1.7% (1;78)	0.9% (1;150)
	West Hills Hospital and Medical Center	8.4% (19;175)	12.8% (14;148)	27.1% (4;25)	7.2% (9;121)		4.5% (6;156)	5.2% (13;185)	7.2% (7;115) Worse	9.3% (31;253) Worse
	White Memorial Medical Center	6.4% (19;286)	5.4% (21;331) Better	16.2% (15;75)	1.6% (4;252) Better	16.2% (2;4)	1.7% (5;283)	1.1% (4;385) Better	1.5% (1;68)	2.5% (7;307)
	Whittier Hospital Medical Center	7.3% (8;56)	0.0% (0;66)		0.0% (0;63)		2.0% (3;134)	2.8% (5;203)	1.9% (1;32)	3.5% (4;150)
Madera	Madera Community Hospital	10.6% (5;43)	8.4% (1;39)		6.2% (1;38)		8.7% (4;66) Worse	11.6% (8;101) Worse	0.0% (0;14)	4.5% (3;138)
Marin	Kaiser Foundation Hospital – San Rafael	8.3% (7;83)	7.0% (8;138)	5.0% (1;26) Better	6.2% (7;109)	0.0% (0;3)	1.6% (1;96)	5.1% (10;148)	5.9% (8;115) Worse	2.6% (2;81)
	Marin General Hospital	5.0% (8;199)	9.6% (20;170)	27.5% (12;34)	4.2% (7;133)	23.7% (1;3)	0.5% (1;177)	3.7% (8;197)	2.7% (2;104)	5.4% (12;209)
	Novato Community Hospital	0.0% (0;9)	8.0% (2;28)	0.0% (0;3)	5.2% (2;25)		0.0% (0;33)	0.9% (1;75)	5.3% (2;32)	1.7% (1;55)
Mariposa	John C. Fremont Healthcare District	0.0% (0;6)						33.2% (1;6)		7.9% (1;23)
Mendocino	Frank R. Howard Memorial Hospital		7.5% (1;19)		0.0% (0;17)		0.0% (0;15)	5.1% (1;23)	5.8% (2;43)	6.5% (2;36)
	Mendocino Coast District Hospital	19.4% (3;9)	16.4% (2;21)		5.2% (1;20)		6.4% (1;26)	14.6% (4;30) Worse	0.0% (0;14)	6.9% (2;60)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Mendocino (continued)	Ukiah Valley Medical Center	10.3% (3;9)	12.0% (4;61)		6.8% (4;60)		1.5% (1;58)	4.4% (9;139)	3.0% (2;39)	0.7% (1;142) Better
Merced	Memorial Hospital Los Banos		86.1% (1;4)		50.0% (1;4)		35.0% (1;4)	0.0% (0;13)		3.7% (2;43)
	Mercy Medical Center – Merced	8.4% (11;61)	11.1% (18;168)	37.2% (7;16)	5.0% (10;151)		1.5% (3;170)	3.4% (17;334)	0.0% (0;82)	3.5% (18;428)
Modoc	Modoc Medical Center		0.0% (0;5)		0.0% (0;5)		0.0% (0;3)	34.4% (2;10) Worse		0.0% (0;14)
Mono	Mammoth Hospital						0.0% (0;3)	0.0% (0;6)	0.0% (0;10)	0.0% (0;7)
Monterey	Community Hospital Monterey Peninsula	3.8% (4;152)	11.9% (24;226)	24.4% (11;48)	7.8% (11;174)	31.1% (2;4)	1.5% (3;190)	4.4% (9;244)	1.2% (1;125)	7.9% (20;277) Worse
	George L. Mee Memorial Hospital		57.4% (1;5)		32.9% (1;5)		0.0% (0;5)	0.0% (0;22)	25.5% (1;6)	7.3% (2;30)
	Natividad Medical Center	0.0% (0;24)	0.0% (0;36)		0.0% (0;35)		2.7% (1;73)	0.0% (0;100)	0.0% (0;11)	6.7% (5;108)
	Salinas Valley Memorial Hospital	5.6% (14;228)	9.5% (21;231)	29.9% (16;49)	2.8% (4;179)	15.4% (1;3)	0.8% (2;220)	2.9% (8;290)	1.9% (2;74)	5.4% (14;206)
Napa	Queen of the Valley Hospital – Napa	7.6% (11;127)	12.1% (12;115)	21.2% (3;24)	7.6% (8;89)		0.0% (0;159)	3.7% (10;275)	6.1% (7;74) Worse	4.9% (9;185)
	Saint Helena Hospital	5.4% (7;134)	13.4% (4;36)		7.5% (4;36)		0.0% (0;97)	4.1% (5;111)	0.0% (0;12)	4.6% (5;79)
Nevada	Sierra Nevada Memorial Hospital	7.2% (7;50)	11.3% (8;95)	56.6% (1;4)	6.4% (7;90)		5.5% (6;126)	4.4% (6;131)	0.9% (1;106)	2.1% (5;247)
	Tahoe Forest Hospital (View Comment Letter)		0.0% (0;12)		0.0% (0;12)		0.0% (0;13)	11.9% (2;18)	0.0% (0;20)	12.5% (3;44)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Orange	AHMC Anaheim Regional Medical Center	6.6% (20;252)	6.2% (7;177)	15.5% (3;26)	3.5% (4;149)		2.9% (6;213)	2.4% (11;513)	0.0% (0;109)	1.3% (4;295) Better
	Anaheim General Hospital		0.0% (0;9)		0.0% (0;8)		2.9% (1;40)	0.0% (0;31)		4.0% (4;69)
	Chapman Medical Center	10.0% (1;4)	0.0% (0;14)	0.0% (0;5)	0.0% (0;9)		0.0% (0;28)	4.7% (2;31)	10.4% (1;14)	3.4% (2;55)
	Coastal Communities Hospital	8.6% (3;23)	6.8% (1;21)		4.1% (1;20)		2.4% (1;58)	2.5% (2;88)	0.0% (0;10)	6.7% (7;114)
	Fountain Valley Regional Hospital and Medical Center – Euclid	5.9% (17;298)	8.4% (35;378)	16.9% (15;86)	3.9% (11;279)	38.5% (9;13) Worse	2.3% (5;244)	3.6% (14;390)	1.0% (1;96)	3.4% (14;368)
	Garden Grove Hospital and Medical Center	4.0% (6;64)	8.8% (5;77)	19.7% (3;20)	5.4% (2;57)		1.3% (1;104)	0.6% (1;111)	2.9% (1;30)	0.0% (0;107) Better
	Hoag Memorial Hospital Presbyterian	5.0% (22;394)	6.3% (39;610) Better	17.3% (19;109)	3.0% (15;469) Better	14.9% (5;32)	1.7% (10;486)	2.5% (10;286)	1.1% (2;141)	1.8% (9;439) Better
	Hoag Orthopedic Institute								0.0% (0;181)	
	Huntington Beach Hospital	4.3% (3;30)	8.9% (2;30)		2.8% (1;29)		0.0% (0;54)	2.0% (3;100)	0.0% (0;19)	2.4% (4;89)
	Kaiser Foundation Hospital – Anaheim	6.1% (14;159)	5.8% (23;432) Better	12.4% (11;131) Better	3.7% (8;263)	13.7% (4;38)	1.3% (4;334)	3.1% (16;496)	2.6% (5;213)	3.3% (16;538)
	La Palma Intercommunity Hospital	1.0% (1;53) Better	0.0% (0;39)		0.0% (0;37)		2.8% (2;52)	0.7% (1;122)	0.0% (0;33)	4.3% (8;115)
	Los Alamitos Medical Center	6.7% (9;149)	7.4% (16;288)	19.6% (10;58)	3.8% (6;228)		3.0% (4;191)	3.4% (13;353)	0.9% (1;158)	5.5% (15;300)
	Mission Hospital Laguna Beach	11.2% (2;8)	13.3% (1;9)		7.3% (1;9)		1.9% (1;54)	5.0% (3;43)	2.0% (1;46)	2.0% (1;49)
	Mission Hospital Regional Medical Center	6.9% (19;264)	10.7% (48;402)	23.5% (22;93)	7.1% (24;287)	13.0% (2;22)	2.8% (6;226)	3.6% (17;330)	2.0% (4;163)	4.8% (14;286)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Orange (continued)	Orange Coast Memorial Medical Center	5.7% (10;170)	3.3% (4;173) Better	10.3% (2;26)	1.6% (2;144) Better	0.0% (0;3)	2.3% (4;217)	3.1% (12;339)	2.1% (2;133)	1.8% (4;231)
	Placentia Linda Hospital	10.3% (5;34)	10.0% (3;48)	2.7% (1;46)			1.3% (1;88)	6.5% (5;109)	4.5% (3;73)	3.8% (4;138)
	Saddleback Memorial Medical Center	4.6% (15;276)	5.8% (14;244) Better	20.0% (8;34)	2.4% (6;209) Better		0.0% (0;277) Better	1.1% (8;516) Better	1.3% (4;300)	3.8% (17;371)
	Saint Joseph Hospital – Orange	4.3% (15;290)	7.5% (26;367)	20.1% (15;90)	4.1% (11;263)	0.0% (0;14)	1.0% (4;330)	3.2% (17;435)	1.7% (3;189)	5.1% (19;322)
	Saint Jude Medical Center	6.3% (24;342)	8.6% (39;403)	24.4% (24;108)	2.9% (9;280)	27.1% (6;15)	1.8% (5;246)	2.9% (15;419)	1.1% (2;225)	3.9% (14;346)
	UC Irvine Medical Center	6.4% (10;148)	13.6% (84;415) Worse	28.9% (29;102)	8.1% (29;233) Worse	30.4% (26;80)	1.0% (2;169)	1.0% (2;202)	3.2% (1;31)	5.4% (6;122)
	West Anaheim Medical Center	7.8% (11;119)	5.1% (3;86)	10.9% (1;6)	3.1% (2;80)		0.0% (0;130)	2.2% (8;273)	4.8% (2;31)	2.0% (8;212) Better
	Western Medical Center – Anaheim	5.3% (5;88)	0.0% (0;12)		0.0% (0;11)		3.3% (1;42)	0.0% (0;35)	0.0% (0;5)	2.8% (1;50)
	Western Medical Center – Santa Ana (View Comment Letter)	6.1% (10;218)	12.6% (27;166)	23.0% (10;35)	7.4% (9;111)	42.1% (8;20)	2.0% (1;65)	4.8% (6;133)	0.0% (0;28)	3.7% (4;113)
Placer	Kaiser Foundation Hospital – Roseville	7.5% (22;305)	8.7% (20;300)	14.1% (4;20)	5.6% (16;278)		1.8% (4;250)	4.8% (17;340)	3.5% (7;228)	4.6% (7;149)
	Sutter Auburn Faith Hospital	9.0% (4;23)	3.9% (3;104)	0.0% (0;5)	3.2% (3;99)		3.0% (2;83)	1.6% (2;115)	3.6% (4;77)	3.3% (4;131)
	Sutter Roseville Medical Center	4.5% (13;271)	8.6% (32;371)	19.8% (14;71)	4.8% (13;279)	22.1% (5;21)	1.8% (6;298)	3.0% (12;339)	2.5% (5;220)	3.9% (11;320)
Plumas	Eastern Plumas Hospital – Portola Campus	0.0% (0;5)	0.0% (0;4)		0.0% (0;4)			0.0% (0;8)		23.5% (2;22)
	Plumas District Hospital						0.0% (0;7)	15.9% (1;13)		8.4% (1;30)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Plumas (continued)	Seneca Healthcare District		23.4% (1;3)		12.9% (1;3)		0.0% (0;3)	0.0% (0;6)		0.0% (0;26)
Riverside	Corona Regional Medical Center – Main	8.1% (6;37)	9.1% (10;99)	11.1% (1;6)	5.5% (8;92)		1.6% (4;182)	1.4% (5;291)	4.7% (3;64)	3.1% (12;321)
	Desert Regional Medical Center	7.9% (24;377)	10.2% (46;484)	25.8% (27;111)	6.3% (16;331)	12.0% (3;42)	4.2% (13;299) Worse	4.4% (11;345)	0.7% (1;177)	3.5% (7;308)
	Eisenhower Medical Center	6.7% (30;502)	10.1% (48;564)	27.8% (26;98)	4.4% (18;451)	40.7% (4;15)	0.2% (1;434) Better	2.0% (11;582)	1.2% (4;305)	3.3% (20;668)
	Hemet Valley Medical Center	7.5% (22;144)	10.3% (20;234)	28.4% (5;10)	5.4% (14;223)		1.2% (4;290)	2.8% (12;402)	2.0% (4;185)	4.8% (23;379)
	John F. Kennedy Memorial Hospital	9.5% (12;113)	5.4% (2;68)	0.0% (0;4)	3.5% (2;64)		4.5% (4;106)	2.6% (3;145)	1.7% (1;63)	3.6% (8;195)
	Kaiser Foundation Hospital – Moreno Valley	6.2% (3;35)	8.6% (2;43)	0.0% (0;3)	7.4% (2;40)		1.9% (1;82)	2.7% (3;135)	5.2% (1;22)	2.5% (3;135)
	Kaiser Foundation Hospital – Riverside	8.0% (11;111)	7.0% (7;146)	13.3% (2;11)	4.6% (5;134)		2.2% (3;198)	3.7% (11;300)	1.3% (1;93)	1.5% (3;219)
	Menifee Valley Medical Center	6.1% (6;45)	9.6% (4;58)		5.0% (3;56)		2.6% (2;104)	1.9% (3;175)	1.8% (1;74)	6.5% (7;121)
	Palo Verde Hospital	15.7% (2;16)	0.0% (0;7)		0.0% (0;7)		0.0% (0;33)	0.0% (0;24)		13.1% (3;49)
	Parkview Community Hospital Medical Center	14.1% (9;32) Worse	8.0% (5;104)	0.0% (0;4)	5.3% (5;100)		4.3% (5;160)	3.1% (8;268)	0.0% (0;60)	2.3% (6;308)
	Riverside Community Hospital	9.2% (60;902) Worse	9.3% (39;365)	23.6% (22;78)	4.3% (11;267)	25.0% (6;20)	3.3% (11;336)	2.9% (15;541)	2.1% (4;164)	5.8% (34;536) Worse
	Riverside County Regional Medical Center	5.3% (3;51)	9.9% (25;237)	23.4% (13;52)	4.9% (8;171)	34.9% (4;14)	2.3% (3;163)	3.2% (7;416)	1.8% (1;40)	1.9% (3;232)
	San Geronio Memorial Hospital	4.7% (8;113)	11.9% (4;56)		6.7% (4;56)		1.2% (1;75)	3.2% (6;201)	0.0% (0;22)	6.6% (13;194)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Riverside (continued)	Southwest Healthcare System – Murrieta	9.6% (12;66)	8.5% (19;323)	21.4% (9;67)	3.5% (7;252)	53.1% (3;4)	3.2% (5;219)	2.7% (7;343)	2.6% (4;178)	6.5% (22;330) Worse
Sacramento	Kaiser Foundation Hospital – Sacramento	6.5% (12;124)	6.8% (76;571) Better	12.9% (38;214) Better	7.2% (33;292)	6.9% (5;65) Better	4.1% (6;157)	6.9% (16;201) Worse	3.1% (5;152)	5.0% (5;76)
	Kaiser Foundation Hospital – South Sacramento	3.6% (6;119)	7.6% (19;279)	18.1% (7;37)	4.3% (12;241)		2.9% (5;192)	3.4% (15;373)	4.6% (6;140)	5.6% (8;128)
	Mercy General Hospital	5.5% (46;1,218)	10.2% (44;349)	17.5% (14;75)	7.4% (19;219)	24.7% (11;55)	1.1% (2;164)	2.4% (11;457)	2.7% (2;99)	4.1% (8;175)
	Mercy Hospital – Folsom	8.5% (2;16)	14.3% (6;66)	33.1% (3;5)	8.7% (3;61)		1.7% (2;114)	1.8% (2;102)	4.0% (4;78)	1.2% (1;78)
	Mercy San Juan Hospital	5.5% (18;297)	10.4% (77;543)	25.9% (42;135)	5.7% (32;399)	23.8% (3;9)	3.1% (10;284)	2.8% (23;557)	2.7% (6;195)	1.5% (5;306) Better
	Methodist Hospital of Sacramento	7.0% (7;36)	7.8% (11;189)	23.1% (4;19)	3.9% (7;170)		2.6% (6;192)	3.0% (8;285)	5.6% (5;77)	4.9% (6;142)
	Sutter General Hospital	4.9% (5;43)	8.2% (35;355)	16.7% (16;83)	4.2% (10;239)	32.2% (9;33)	0.0% (0;215) Better	1.0% (3;246) Better	0.6% (1;170)	2.5% (6;210)
	Sutter Memorial Hospital	3.6% (16;495) Better	8.9% (10;129)	15.7% (3;21)	6.1% (7;107)		1.2% (1;78)	2.7% (13;438)		2.8% (3;105)
	UC Davis Medical Center	4.7% (15;370)	9.3% (40;362)	19.8% (20;100)	5.8% (13;229)	24.8% (7;33)	3.5% (12;321)	1.9% (10;595)	0.0% (0;87)	2.3% (7;385)
San Benito	Hazel Hawkins Memorial Hospital*	0.0% (0;11)	20.6% (2;20)		11.4% (2;20)		0.0% (0;26)	7.2% (4;71)	4.5% (1;19)	20.3% (12;77) Worse
San Bernardino	Arrowhead Regional Medical Center	6.5% (4;101)	10.8% (42;469)	24.5% (25;132)	5.4% (9;297)	31.2% (8;40)	2.6% (4;247)	2.5% (5;523)	0.0% (0;45)	3.1% (4;279)
	Barstow Community Hospital	0.0% (0;19)	6.7% (1;28)		0.0% (0;27)		0.0% (0;47)	0.0% (0;101)	6.4% (1;11)	0.0% (0;76)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
San Bernardino (continued)	Barstow Community Hospital		0.0% (0;5)		0.0% (0;5)		0.0% (0;6)	6.5% (1;27)		0.0% (0;18)
	Bear Valley Community Hospital						0.0% (0;4)	10.0% (1;11)		0.0% (0;31)
	Chino Valley Medical Center	5.7% (3;25)	3.1% (1;54)	0.0% (0;3)	2.3% (1;50)		1.8% (1;59)	0.0% (0;131) Better	0.0% (0;34)	4.0% (2;76)
	Colorado River Medical Center						0.0% (0;6)	36.3% (1;9)		19.0% (1;20)
	Community Hospital of San Bernardino	4.3% (3;40)	11.9% (2;25)		5.8% (1;24)		2.9% (3;89)	3.2% (2;114)	0.0% (0;19)	3.7% (3;116)
	Desert Valley Hospital	2.6% (4;129) Better	5.5% (6;149)	26.3% (1;4)	2.4% (4;144)		1.6% (3;158)	0.8% (3;408) Better	1.4% (1;40)	1.5% (4;199) Better
	Hi-Desert Medical Center	16.4% (2;13)	19.3% (3;51)		11.3% (3;51)		4.9% (1;38)	0.0% (0;94)	0.0% (0;36)	4.3% (5;164)
	Kaiser Foundation Hospital – Fontana	7.3% (25;250)	10.9% (61;547)	27.3% (37;173)	4.6% (16;351)	39.9% (8;23)	1.7% (7;408)	3.0% (26;693)	1.9% (3;182)	2.2% (15;514) Better
	Loma Linda University Medical Center	6.8% (27;446)	11.2% (97;614)	24.5% (51;197)	6.0% (25;343)	29.2% (21;74)	1.5% (3;209)	3.4% (14;498)	3.0% (3;85)	8.2% (21;229) Worse
	Montclair Hospital Medical Center	4.0% (3;37)	0.0% (0;21)		0.0% (0;21)		2.5% (1;39)	3.1% (2;70)	0.0% (0;3)	0.0% (0;109) Better
	Mountains Community Hospital						0.0% (0;3)	9.8% (1;9)		0.0% (0;19)
	Redlands Community Hospital	4.5% (4;84)	8.2% (10;186)	29.7% (4;16)	3.9% (6;168)		3.1% (6;192)	4.6% (9;209)	2.5% (4;158)	5.1% (25;394)
	Saint Bernadine Medical Center	6.2% (39;1,033)	7.4% (17;212)	17.9% (9;49)	4.8% (7;155)	8.4% (1;8)	2.4% (4;198)	1.5% (6;493)	1.2% (1;96)	6.3% (23;326) Worse
	Saint Mary Regional Medical Center	6.3% (24;486)	7.3% (8;229)	30.8% (3;6)	3.0% (4;221)		1.6% (3;231)	2.1% (9;542)	1.2% (1;113)	3.0% (11;391)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
San Bernardino (continued)	San Antonio Community Hospital (View Comment Letter)	5.9% (23;439)	12.5% (42;341) Worse	26.7% (18;67)	7.9% (17;263)	27.1% (7;11)	3.0% (6;245)	3.9% (17;411)	2.2% (3;134)	3.7% (20;457)
	Victor Valley Community Hospital	5.1% (2;28)	11.8% (3;55)	55.3% (2;4)	3.5% (1;51)		2.4% (1;51)	6.6% (7;151)	0.0% (0;30)	6.8% (5;103)
San Diego	Alvarado Hospital	8.8% (13;102)	11.0% (11;105)	30.4% (5;19)	5.4% (5;84)		0.8% (1;106)	2.8% (5;218)	0.0% (0;43)	4.4% (10;189)
	Fallbrook Hospital District	6.9% (1;14)	0.0% (0;7)		0.0% (0;7)		6.2% (5;60) Worse	12.1% (3;41)	0.0% (0;30)	7.6% (5;78)
	Grossmont Hospital (View Comment Letter)	10.0% (33;366) Worse	15.1% (82;620) Worse	34.0% (26;82) Worse	9.0% (44;502) Worse	29.6% (12;36)	1.7% (7;415)	4.6% (33;830) Worse	3.1% (5;219)	5.4% (25;529)
	Kaiser Foundation Hospital – San Diego	4.0% (8;149)	10.5% (35;441)	23.0% (15;93)	6.0% (13;307)	31.1% (7;41)	2.3% (7;398)	4.0% (28;811)	2.6% (8;342)	4.1% (23;683)
	Palomar Health Downtown Campus*	10.5% (35;433) Worse	15.3% (67;463) Worse	36.0% (33;108) Worse	8.4% (26;336) Worse	37.2% (8;19)	3.1% (8;314)	5.6% (30;493) Worse	3.3% (4;170)	4.8% (23;473)
	Paradise Valley Hospital	1.7% (2;49) Better	3.0% (2;89)	0.0% (0;12)	1.5% (1;76)		0.9% (1;92)	0.8% (2;250) Better	0.0% (0;28)	1.8% (2;121)
	Pomerado Hospital	3.8% (3;54)	11.9% (13;127)	36.3% (3;4)	6.1% (9;122)		5.3% (6;132)	4.2% (10;179)	5.2% (6;105)	5.6% (12;159)
	Scripps Green Hospital	1.7% (3;197) Better	9.5% (21;190)	26.0% (10;42)	5.4% (6;112)	15.0% (5;36)	0.0% (0;144)	0.8% (2;292) Better	1.5% (1;70)	0.9% (1;89)
	Scripps Memorial Hospital – Encinitas	4.9% (7;169)	7.4% (12;194)	15.3% (5;35)	4.7% (7;157)		1.2% (2;166)	1.8% (6;292)	0.0% (0;137)	3.7% (7;184)
	Scripps Memorial Hospital – La Jolla	6.7% (21;451)	10.4% (41;333)	21.2% (12;62)	6.3% (21;229)	21.2% (8;42)	2.6% (6;172)	4.2% (13;226)	3.6% (6;139)	1.8% (5;182)
	Scripps Mercy Hospital	8.2% (34;372)	11.2% (66;557)	28.8% (37;108)	5.7% (26;440)	24.9% (3;9)	2.3% (8;411)	1.9% (18;872) Better	2.3% (4;197)	2.9% (14;541)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
San Diego (continued)	Sharp Chula Vista Medical Center	7.0% (14;168)	9.0% (24;273)	16.8% (8;55)	5.7% (13;208)	22.7% (3;10)	2.8% (8;259)	4.4% (30;774)	1.2% (1;92)	3.2% (12;350)
	Sharp Coronado Hospital and Healthcare Center	9.7% (1;3)	8.6% (2;22)		3.6% (1;20)		0.0% (0;40)	4.3% (3;61)	0.0% (0;32)	4.9% (2;35)
	Sharp Memorial Hospital (View Comment Letter)	8.8% (20;276)	12.5% (45;424) Worse	24.8% (18;82)	7.5% (20;321)	41.9% (7;21)	3.8% (8;288)	4.7% (26;672) Worse	3.0% (6;268)	7.7% (31;480) Worse
	Tri-City Medical Center – Oceanside (View Comment Letter)	10.8% (32;328) Worse	14.3% (45;395) Worse	26.6% (14;70)	9.3% (24;309) Worse	33.3% (7;16)	2.9% (7;302)	3.5% (12;358)	3.6% (7;218)	4.0% (10;339)
	UC San Diego Medical Center	5.1% (14;315)	7.3% (39;367) Better	17.4% (20;92)	4.9% (13;236)	13.0% (6;39)	2.3% (7;287)	3.9% (18;545)	0.8% (1;97)	2.9% (8;357)
San Francisco	California Pacific Medical Center – Davies Campus	8.2% (1;5)	9.5% (36;295)	14.6% (8;55)	7.2% (22;197)	16.6% (6;43)	0.0% (0;22)	5.1% (2;41)	0.0% (0;10)	2.5% (1;51)
	California Pacific Medical Center – Pacific Campus	4.2% (11;220)	10.8% (33;232)	28.8% (21;68)	4.9% (9;158)	23.2% (3;6)	1.2% (5;257)	2.5% (12;371)	2.0% (4;127)	2.3% (8;279)
	California Pacific Medical Center – St. Luke’s Campus	8.5% (4;25)	14.0% (2;19)		9.9% (1;17)		8.9% (2;56)	3.0% (4;165)	5.0% (1;19)	3.6% (3;92)
	Chinese Hospital	12.1% (2;15)	8.8% (3;64)	81.4% (1;3)	3.5% (2;61)		0.0% (0;88)	3.0% (4;113)	0.0% (0;28)	3.0% (4;130)
	Kaiser Foundation Hospital – San Francisco	3.8% (21;752) Better	3.0% (6;209) Better	3.0% (1;33) Better	2.1% (4;169) Better	16.1% (1;7)	2.6% (5;181)	1.8% (7;325)	1.2% (1;79)	2.2% (2;89)
	Laguna Honda Hospital and Rehabilitation Center						0.0% (0;3)			0.0% (0;34)
	Saint Francis Memorial Hospital	10.5% (4;30)	7.1% (10;127)	15.8% (6;41)	3.7% (3;85)		3.3% (4;131)	2.2% (3;110)	4.6% (1;39)	3.2% (6;231)
	Saint Mary’s Medical Center, San Francisco	4.1% (3;107)	8.6% (10;120)	19.1% (4;22)	4.0% (4;94)	40.8% (2;4)	0.7% (1;132)	4.4% (11;195)	1.3% (1;59)	6.6% (14;176)
	San Francisco General Hospital	11.4% (13;139) Worse	11.2% (34;287)	16.4% (11;74)	9.0% (16;197) Worse	33.8% (7;16)	1.1% (2;212)	2.2% (5;430)	1.3% (1;59)	4.2% (5;255)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
San Francisco (continued)	UC San Francisco Medical Center	7.7% (12;154)	10.8% (72;494)	26.1% (33;122)	5.3% (12;214)	22.8% (27;158)	1.5% (3;220)	4.1% (14;345)	6.7% (4;55)	5.9% (19;317)
San Joaquin	Dameron Hospital (View Comment Letter)	12.2% (18;273) Worse	10.9% (6;83)	21.2% (2;6)	7.4% (4;77)		4.5% (4;124)	4.9% (10;217)	4.1% (1;43)	6.7% (17;244) Worse
	Doctors Hospital of Manteca	31.0% (5;16) Worse	20.5% (6;45)	34.2% (1;4)	11.2% (4;40)		0.0% (0;77)	6.4% (7;134)	3.7% (1;40)	9.0% (7;120)
	Kaiser Foundation Hospital – Manteca	10.9% (9;76)	8.3% (7;96)	13.8% (2;14)	5.6% (5;82)		1.0% (1;89)	3.0% (5;153)	5.2% (4;111)	4.4% (3;69)
	Lodi Memorial Hospital	6.3% (5;44)	11.9% (6;79)	96.3% (2;4)	4.8% (4;75)		2.7% (3;115)	3.0% (9;259)	6.4% (5;85)	4.3% (10;243)
	Saint Joseph’s Medical Center of Stockton	6.2% (19;362)	7.6% (22;282)	17.3% (11;57)	4.2% (9;221)	27.6% (2;4)	3.0% (10;291)	2.8% (16;539)	1.3% (2;145)	5.6% (28;463)
	San Joaquin General Hospital	16.8% (7;50) Worse	11.4% (17;118)	29.0% (13;40)	5.5% (4;78)		1.5% (2;142)	6.1% (6;181)	0.0% (0;27)	1.7% (2;121)
	Sutter Tracy Community Hospital	0.0% (0;14)	17.1% (7;61)		9.9% (6;59)		0.0% (0;65)	2.2% (2;73)	0.0% (0;29)	3.5% (4;138)
San Luis Obispo	Arroyo Grande Community Hospital	7.0% (2;15)	10.6% (5;59)	24.9% (1;4)	5.4% (3;54)		4.2% (2;66)	6.9% (6;82)	2.6% (2;67)	10.6% (8;80) Worse
	French Hospital Medical Center	7.6% (12;269)	0.0% (0;48)		0.0% (0;47)		2.2% (2;92)	3.2% (6;153)	0.0% (0;79)	0.0% (0;82)
	Sierra Vista Regional Medical Center	4.7% (2;19)	11.0% (15;138)	31.4% (13;55)	3.3% (2;80)	0.0% (0;3)	1.7% (1;89)	2.7% (2;64)	3.2% (1;42)	5.4% (3;95)
	Twin Cities Community Hospital	5.2% (2;20)	11.5% (5;94)	25.0% (1;4)	5.6% (3;88)		3.8% (2;103)	4.3% (3;102)	3.5% (2;77)	2.8% (3;170)
San Mateo	Kaiser Foundation Hospital – Redwood City	9.8% (5;56)	6.9% (58;405) Better	14.6% (34;170) Better	7.4% (16;164)	11.7% (8;71) Better	4.1% (4;97)	4.3% (8;151)	2.3% (2;86)	3.3% (3;85)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
San Mateo (continued)	Kaiser Foundation Hospital – South San Francisco	7.8% (6;35)	9.9% (17;165)	23.6% (5;17)	5.1% (10;146)		0.8% (1;129)	1.5% (5;234)	1.2% (1;89)	3.0% (5;111)
	Peninsula Medical Center	5.2% (11;236)	10.9% (32;295)	22.9% (12;51)	6.9% (17;237)	22.4% (3;7)	0.9% (3;239)	3.5% (15;313)	3.8% (6;151)	3.1% (7;252)
	San Mateo Medical Center	6.3% (2;24)	8.0% (3;38)	24.6% (2;9)	0.0% (0;27)		3.9% (1;73)	0.0% (0;96)	0.0% (0;13)	2.3% (1;93)
	Sequoia Hospital	3.5% (2;84)	11.5% (9;82)	26.4% (4;14)	6.6% (5;68)		1.9% (2;80)	4.8% (12;238)	2.5% (2;85)	3.3% (5;141)
	Seton Medical Center	3.6% (7;149)	10.1% (32;235)	23.3% (17;53)	5.2% (11;178)	41.5% (4;4)	3.1% (7;202)	3.4% (18;419)	3.5% (3;71)	3.6% (9;210)
Santa Barbara	Goleta Valley Cottage Hospital	0.0% (0;3)						6.6% (1;14)	0.0% (0;51)	4.2% (1;45)
	Lompoc Valley Medical Center	10.7% (1;14)	20.6% (4;43)		23.2% (4;40) Worse		1.6% (1;54)	6.6% (4;62)	0.0% (0;35)	3.7% (4;130)
	Marian Regional Medical Center*	7.4% (10;137)	8.8% (14;188)	23.6% (7;37)	5.3% (7;147)	0.0% (0;4)	2.7% (7;199)	2.6% (7;195)	2.4% (2;85)	6.2% (11;140)
	Santa Barbara Cottage Hospital	15.2% (20;232) Worse	14.4% (74;520) Worse	34.1% (27;102) Worse	8.2% (29;341) Worse	31.4% (18;77)	2.0% (5;268)	5.3% (17;284) Worse	3.2% (5;152)	4.5% (11;321)
	Santa Ynez Valley Cottage Hospital							0.0% (0;22)		4.5% (1;37)
Santa Clara	El Camino Hospital	6.5% (14;217)	9.2% (31;284)	20.8% (17;70)	5.5% (12;211)	29.4% (2;3)	4.2% (10;274)	4.9% (21;355) Worse	2.1% (4;201)	4.7% (15;283)
	Good Samaritan Hospital – San Jose	9.0% (13;193)	13.3% (42;359) Worse	32.5% (17;63)	8.6% (21;262) Worse	16.0% (4;34)	2.1% (6;293)	3.0% (10;333)	4.0% (5;143)	9.4% (26;254) Worse
	Kaiser Foundation Hospital – San Jose	8.3% (19;165)	6.2% (17;273) Better	12.6% (6;45)	3.5% (8;220)	21.2% (3;8)	1.0% (2;217)	2.3% (7;285)	3.0% (3;88)	3.4% (4;144)
	Kaiser Foundation Hospital – Santa Clara	5.7% (32;913)	8.7% (21;281)	21.2% (10;40)	4.8% (9;235)	19.7% (2;6)	2.3% (8;313)	4.2% (31;689)	3.7% (7;161)	3.3% (7;203)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
STATEWIDE		6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Santa Clara (continued)	O'Connor Hospital – San Jose	6.9% (13;204)	8.9% (13;163)	18.4% (5;25)	5.4% (7;137)		1.9% (4;175)	4.0% (16;309)	3.8% (4;113)	4.3% (10;234)
	Regional Medical of San Jose	5.7% (17;245)	9.3% (39;306)	26.1% (23;80)	3.4% (10;213)	26.8% (6;13)	1.7% (6;273)	2.2% (13;495)	1.4% (1;83)	4.7% (17;310)
	Saint Louise Regional Hospital	5.8% (4;31)	5.6% (2;48)		4.0% (2;46)		2.9% (1;43)	4.0% (7;126)	0.0% (0;27)	3.4% (4;116)
	Santa Clara Valley Medical Center	5.6% (9;234)	9.6% (24;331)	28.8% (17;70)	3.7% (6;252)	11.8% (1;9)	1.4% (3;264)	1.3% (3;463)	0.0% (0;45)	2.4% (5;243)
	Stanford Hospital	5.1% (11;220)	10.0% (62;528)	22.3% (21;101)	5.0% (21;328)	26.7% (20;99)	1.9% (6;326)	4.1% (23;467)	2.7% (5;134)	6.6% (23;393) Worse
Santa Cruz	Dominican Hospital – Santa Cruz/Soquel	11.8% (20;207) Worse	13.0% (20;218)	20.3% (5;35)	9.4% (12;170)	26.7% (3;13)	1.9% (4;227)	3.5% (9;299)	3.9% (5;113)	3.8% (9;265)
	Watsonville Community Hospital	7.7% (2;15)	10.1% (6;74)	26.7% (3;10)	6.9% (3;62)		7.4% (4;78)	3.7% (4;119)	0.0% (0;34)	7.8% (5;79)
Shasta	Mayers Memorial Hospital		0.0% (0;4)		0.0% (0;4)		0.0% (0;3)	32.2% (5;22) Worse		13.7% (2;28)
	Mercy Medical Center – Redding	6.3% (19;297)	11.0% (37;297)	25.4% (20;68)	6.8% (16;226)	13.6% (1;3)	3.4% (9;173)	4.0% (24;398)	1.5% (4;203)	4.1% (18;343)
	Shasta Regional Medical Center	5.6% (10;181)	14.1% (13;137)		6.8% (10;133)		2.1% (6;219)	2.9% (8;239)	3.1% (5;73)	2.3% (6;225)
Siskiyou	Fairchild Medical Center	0.0% (0;6)	12.9% (1;21)	0.0% (0;3)	14.2% (1;18)		0.0% (0;36)	4.2% (1;24)	4.5% (1;22)	3.2% (2;123)
	Mercy Medical Center Mt. Shasta	5.9% (1;8)	33.3% (3;15)		9.9% (1;12)		5.8% (1;20)	7.0% (2;28)	0.0% (0;16)	28.9% (4;41) Worse
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	4.1% (6;132)	5.1% (10;185) Better	18.1% (5;22)	2.3% (5;162) Better		2.6% (5;190)	3.7% (12;245)	4.1% (4;85)	4.1% (8;164)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Solano (continued)	Kaiser Foundation Hospital – Vacaville	6.2% (4;65)	8.1% (7;134)	37.1% (3;7)	3.5% (4;126)		3.3% (3;79)	5.4% (7;112)	1.7% (1;61)	11.2% (12;117) Worse
	North Bay Medical Center	6.2% (12;218)	10.7% (7;106)	68.7% (5;9) Worse	1.4% (1;96)		1.9% (3;130)	1.8% (5;309)	3.1% (2;67)	5.3% (16;302)
	Sutter Solano Medical Center	3.2% (1;18)	8.4% (6;85)	16.2% (2;8)	6.5% (4;76)		0.0% (0;73)	0.8% (1;162)	0.0% (0;32)	0.0% (0;120) Better
Sonoma	Healdsburg District Hospital	31.7% (1;3)	0.0% (0;28)		0.0% (0;27)		0.0% (0;11)	0.0% (0;22)	2.0% (1;29)	0.0% (0;45)
	Kaiser Foundation Hospital – Santa Rosa	2.9% (3;87)	6.7% (16;172)	15.9% (7;28)	4.0% (9;142)		1.3% (2;181)	4.1% (7;170)	3.6% (5;118)	2.3% (3;136)
	Palm Drive Hospital	23.6% (2;8)	30.2% (3;24)	161.8% (2;3) Worse	7.8% (1;21)		3.4% (1;34)	10.8% (3;36)	0.0% (0;14)	0.0% (0;59)
	Petaluma Valley Hospital	6.7% (3;27)	16.9% (6;48)	33.7% (2;3)	10.8% (4;45)		3.1% (2;61)	2.4% (2;85)	2.1% (1;38)	5.2% (5;102)
	Santa Rosa Memorial Hospital – Montgomery (View Comment Letter)	6.8% (17;270)	12.8% (36;252)	29.2% (18;72)	7.3% (15;173)	33.7% (3;7)	2.7% (7;235)	5.2% (17;294) Worse	3.9% (7;145)	6.1% (12;203)
	Sonoma Valley Hospital	0.0% (0;7)	11.4% (2;27)		5.2% (1;26)		0.0% (0;47)	1.7% (1;44)	0.0% (0;38)	0.0% (0;29)
	Sutter Medical Center of Santa Rosa	5.4% (7;186)	4.1% (1;58)	0.0% (0;3)	2.8% (1;54)		1.9% (1;79)	6.0% (7;139)	0.0% (0;65)	5.2% (4;95)
Stanislaus	Doctors Medical Center	7.0% (29;454)	11.1% (41;356)	28.0% (24;93)	5.3% (14;258)	34.2% (3;5)	5.1% (14;312) Worse	4.2% (15;441)	5.2% (5;106)	7.2% (17;373) Worse
	Emanuel Medical Center, Inc.	5.2% (12;236)	11.2% (4;87)	66.3% (2;3)	4.1% (2;84)		1.6% (2;139)	3.3% (8;284)	2.9% (1;47)	5.2% (14;313)
	Memorial Hospital Medical Center – Modesto	6.8% (23;411)	8.4% (29;312)	20.2% (18;91)	4.6% (10;215)	16.1% (1;6)	2.1% (7;286)	5.1% (26;526) Worse	2.9% (7;224)	4.6% (23;548)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Stanislaus (continued)	Oak Valley District Hospital	16.1% (2;8)	33.0% (3;24)		8.7% (1;22)		18.5% (2;26) Worse	8.6% (3;46)	0.0% (0;15)	0.0% (0;55)
Tehama	Saint Elizabeth Community Hospital	4.8% (2;15)	32.9% (4;38)		15.0% (3;37)		0.0% (0;62)	3.0% (2;93)	7.7% (1;22)	3.5% (3;135)
Trinity	Trinity Hospital	4.5% (1;13)					20.0% (1;7)	0.0% (0;6)		3.5% (1;47)
Tulare	Kaweah Delta Medical Center (View Comment Letter)	10.1% (43;459) Worse	13.1% (29;304)	28.5% (9;28)	7.7% (18;271)	36.6% (2;5)	1.5% (6;412)	2.8% (12;502)	2.0% (4;192)	2.9% (18;659)
	Sierra View District Hospital	11.5% (9;71)	11.9% (10;133)	15.7% (2;14)	8.5% (8;119)		6.3% (5;125)	4.8% (7;180)	2.1% (1;64)	9.8% (26;339) Worse
	Tulare Regional Medical Center	5.9% (2;28)	24.2% (5;54)		11.8% (4;52)		2.9% (2;82)	11.8% (14;143) Worse	6.4% (1;25)	13.6% (13;189) Worse
Tuolumne	Sonora Regional Medical Center – Greenley	6.2% (7;50)	11.0% (8;73)		5.5% (6;71)		4.1% (1;23)	0.7% (1;102)	0.0% (0;40)	2.1% (6;196)
Ventura	Community Memorial Hospital – San Buenaventura	4.2% (10;277)	7.9% (12;213)	27.3% (5;26)	3.5% (6;183)	17.9% (1;4)	2.5% (6;207)	3.5% (11;304)	2.9% (5;150)	4.3% (13;274)
	Los Robles Hospital and Medical Center	6.7% (16;340)	10.3% (19;212)	20.0% (6;36)	6.7% (11;170)	22.8% (2;6)	2.8% (4;189)	4.6% (15;273)	1.3% (2;159)	2.7% (8;267)
	Ojai Valley Community Hospital		18.1% (6;23)	68.8% (5;5) Worse	3.6% (1;18)		0.0% (0;18)	7.1% (1;14)	3.1% (1;34)	6.3% (2;39)
	Saint John’s Pleasant Valley Hospital	3.5% (1;23)	12.7% (8;86)	29.4% (3;7)	7.0% (3;77)		5.1% (4;84)	3.9% (8;143)	3.0% (2;77)	5.2% (7;130)
	Saint John’s Regional Medical Center	6.5% (16;246)	9.3% (22;232)	22.8% (13;63)	5.1% (8;164)	17.8% (1;5)	3.2% (6;178)	2.6% (10;305)	0.0% (0;78)	2.7% (10;297)
	Simi Valley Hospital and Healthcare Services – Sycamore	3.3% (2;37)	12.3% (10;88)	20.5% (4;17)	9.3% (6;71)		0.0% (0;83)	2.3% (4;131)	0.0% (0;50)	3.6% (6;160)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2012

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Total	Hemorrhagic	Ischemic	Subarachnoid				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	6.3% (2,938;46,663)	9.6% (5,227;54,191)	23.0% (2,432;10,576)	5.3% (2,150;40,900)	23.8% (645;2,715)	2.1% (1,024;47,893)	3.0% (2,458;81,250)	2.3% (552;23,774)	4.0% (2,606;64,400)
Ventura (continued)	Thousand Oaks Surgical Hospital, A Campus of Los Robles Hospital and Medical Center*									
	Ventura County Medical Center	14.5% (5;42)	10.9% (12;99)	26.8% (7;24)	6.5% (5;73)		4.9% (5;104)	2.8% (2;89)	5.9% (2;46)	8.3% (10;144) Worse
Yolo	Sutter Davis Hospital		12.7% (3;37)	24.0% (1;4)	8.3% (2;33)		0.0% (0;58)	1.8% (1;51)	7.7% (3;38)	4.9% (3;64)
	Woodland Memorial Hospital	12.4% (4;17)	14.0% (10;78)	42.1% (7;14)	5.3% (3;64)		5.0% (3;65)	3.8% (4;72)	9.0% (2;35)	9.1% (10;82) Worse
Yuba	Rideout Memorial Hospital	7.6% (22;275)	13.4% (28;235) Worse	35.9% (16;39) Worse	6.4% (10;193)	32.0% (2;3)	2.5% (6;258)	3.2% (10;388)	1.9% (2;114)	4.7% (20;487)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.