

**Table 4: California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010**

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>Sacramento Valley &amp; Northern California Region</b>	Enloe Medical Center – Esplanade Campus	Average	Average	Average	
	Mercy General Hospital	<b>Better</b>	Average	<b>Better</b>	
	Mercy Medical Center – Redding	Average	Average	Average	
	Mercy San Juan Hospital	Average	Average	Average	
	Rideout Memorial Hospital	Average	Average	Average	
	Shasta Regional Medical Center	Average	Average	Average	<b>Low</b>
	St. Joseph Hospital – Eureka	Average	Average	Average	
	Sutter Memorial Hospital	Average	Average	Average	
	UC Davis Medical Center	Average	Average	Average	
<b>San Francisco Bay Area &amp; San Jose</b>	Alta Bates Summit Medical Center - Summit Campus	Average	Average	Average	
	California Pacific Medical Center – Pacific Campus	Average	Average	Average	
	Community Hospital Monterey Peninsula	Average	Average	Average	
	Dominican Hospital	Average	Average	Average	
	El Camino Hospital	Average	Average	Average	
	Good Samaritan Hospital – San Jose	Average	Average	Average	
	John Muir Medical Center – Concord Campus	Average	Average	Average	
	Kaiser Foundation Hospital – San Francisco	Average	Average	Average	
	Kaiser Foundation Hospital – Santa Clara	Average	Average	Average	
	Marin General Hospital	Average	Average	Average	
	North Bay Medical Center	Average	Average	Average	
	O’Connor Hospital – San Jose	Average	Average	Average	
	Peninsula Medical Center	Average	Average	Average	

**Table 4: California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010**

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>San Francisco Bay Area &amp; San Jose (continued)</b>	Queen of the Valley Hospital – Napa	Average	Average	Average	
	Regional Medical of San Jose	Average	Average	Average	
	Salinas Valley Memorial Hospital	Average	Average	Average	
	San Ramon Regional Medical Center	Average	Average	Average	
	Santa Clara Valley Medical Center	Average	Average	Average	
	Santa Rosa Memorial Hospital – Montgomery	Average	Average	Average	
	Sequoia Hospital	Average	Average	Average	
	Seton Medical Center	Average	Average	Average	
	St. Helena Hospital	Average	Average	<b>Worse</b>	
	St. Mary's Medical Center, San Francisco	Average	Average	Average	
	Stanford University Hospital	Average	Average	Average	
	Sutter Medical Center of Santa Rosa	Average	Average	Average	<b>Low</b>
	UCSF Medical Center	Average	Average	Average	
	Valleycare Medical Center	Average	Average	Average	
Washington Hospital – Fremont	Average	Average	Average		
<b>Central California</b>	Bakersfield Heart Hospital	<b>Worse</b>	Average	Average	
	Bakersfield Memorial Hospital	Average	Average	Average	
	Community Medical Center – Fresno	Average	Average	Average	
	Dameron Hospital	Average	Average	Average	
	Doctors Medical Center – Modesto Campus	Average	Average	<b>Better</b>	
	Fresno Heart Hospital	Average	Average	Average	
	Kaweah Delta Hospital†	<b>Worse</b>	Average	Average	
	Marian Medical Center	Average	Average	Average	
	Memorial Medical Center of Modesto	Average	Average	Average	

**Table 4: California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010**

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>Central California (continued)</b>	San Joaquin Community Hospital	Average	Average	Average	
	St. Agnes Medical Center	Average	Average	Average	
	St. Joseph's Medical Center of Stockton	Average	Average	Average	
<b>San Fernando Valley, Antelope Valley, Ventura &amp; Santa Barbara</b>	Antelope Valley Hospital Medical Center	<b>Worse</b>	Average	Average	<b>Low</b>
	Community Memorial Hospital of San Buenaventura	Average	Average	Average	
	French Hospital Medical Center	Average	Average	Average	
	Glendale Adventist Medical Center – Wilson Terrace	Average	Average	Average	
	Glendale Memorial Hospital and Health Center	Average	Average	Average	
	Lancaster Community Hospital	Average	Average	Average	
	Los Robles Regional Medical Center	Average	Average	Average	
	Northridge Hospital Medical Center	Average	Average	Average	
	Providence Holy Cross Medical Center	Average	Average	Average	
	Providence St. Joseph Medical Center	Average	Average	Average	
	Providence Tarzana Regional Medical Center – Tarzana	Average	<b>Worse</b>	Average	
	Santa Barbara Cottage Hospital	Average	Average	Average	
	St. John's Regional Medical Center	Average	Average	Average	<b>Low</b>
	Valley Presbyterian Hospital	Average	Average	Average	
West Hills Regional Medical Center	Average	Average	Average		
<b>Greater Los Angeles</b>	Beverly Hospital	Average	Average	Average	
	Cedars Sinai Medical Center	Average	Average	Average	
	Centinela Hospital Medical Center	Average	Average	Average	
	Citrus Valley Medical Center – IC Campus	Average	Average	Average	

**Table 4:** California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>Greater Los Angeles (continued)</b>	Downey Regional Medical Center	Average	Average	Average	
	Garfield Medical Center	Average	Average	Average	
	Good Samaritan Hospital – Los Angeles	Average	Average	Average	
	Huntington Memorial Hospital	Average	Average	Average	
	Kaiser Foundation Hospital – Sunset	Average	Average	Average	
	Lakewood Regional Medical Center	Average	Average	Average	
	Providence Little Company of Mary Medical Center	Average	Average	Average	
	Long Beach Memorial Medical Center	Average	Average	<b>Worse</b>	
	Los Angeles Co. Harbor – UCLA Medical Center	Average	Average	Average	
	Los Angeles Co. USC Medical Center	Average	Average	Average	
	Methodist Hospital of Southern California	Average	Average	Average	
	Presbyterian Intercommunity Hospital	Average	Average	Average	
	Ronald Reagan UCLA Medical Center	Average	Average	Average	
	Santa Monica - UCLA Medical Center and Orthopaedic Hospital	Average	Average	Average	
	St. Francis Medical Center	Average	Average	Average	
	St. John's Hospital and Health Center	Average	Average	Average	
	St. Mary Medical Center	Average	Average	Average	
	St. Vincent Medical Center	Average	Average	Average	
	Torrance Memorial Medical Center	Average	Average	Average	
	Keck Hospital of USC	Average	Average	Average	
White Memorial Medical Center	Average	Average	Average		

**Table 4: California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010**

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>Inland Empire, Riverside &amp;</b>	Desert Regional Medical Center	Average	Average	Average	
	Eisenhower Memorial Hospital	Average	Average	Average	
	Loma Linda University Medical Center	Average	Average	Average	
	Pomona Valley Hospital Medical Center	Average	Average	Average	
	Riverside Community Hospital	Average	Average	Average	
	San Antonio Community Hospital	Average	Average	Average	
	St. Bernardine Medical Center	Average	Average	Average	
	St. Mary Regional Medical Center	Average	Average	Average	
<b>Orange County</b>	AHMC Anaheim Regional Medical Center	Average	Average	Average	
	Fountain Valley Regional Hospital and Medical Center – Euclid	Average	Average	Average	
	Hoag Memorial Hospital Presbyterian	Average	<b>Worse</b>	Average	
	Mission Hospital Regional Medical Center	Average	Average	Average	
	Orange Coast Memorial Medical Center	Average	Average	Average	
	Saddleback Memorial Medical Center	Average	Average	Average	
	St. Joseph Hospital – Orange	Average	Average	Average	
	St. Jude Medical Center	Average	Average	Average	
	UC Irvine Medical Center	Average	Average	Average	
	West Anaheim Medical Center	Average	Average	Average	<b>Low</b>
	Western Medical Center – Santa Ana <sup>†</sup>	Average	Average	Average	
	Western Medical Center Hospital – Anaheim	Average	Average	Average	
<b>Greater San Diego</b>	Alvarado Hospital Medical Center	Average	Average	Average	
	Palomar Health Downtown Campus	<b>Worse</b>	Average	Average	

**Table 4: California Hospital Performance Ratings for Coronary Artery Bypass Graft (CABG) Surgery by Region as Compared to the Statewide Average, 2009-2010**

Region	Hospital Name	Operative Mortality 2010 <sup>1</sup>	Post-Operative Stroke 2009-2010 <sup>2</sup>	30-Day Readmission 2010 <sup>3</sup>	Internal Mammary Artery Use 2010 <sup>4</sup>
<b>Greater San Diego (continued)</b>	Scripps Green Hospital	Average	Average	Average	
	Scripps Memorial Hospital – La Jolla	Average	Average	Average	
	Scripps Mercy Hospital	Average	Average	Average	
	Sharp Chula Vista Medical Center	Average	Average	Average	
	Grossmont Hospital	Average	<b>Worse</b>	Average	
	Sharp Memorial Hospital	Average	<b>Worse</b>	Average	
	Tri-City Medical Center	Average	Average	Average	
	UCSD Medical Center	Average	Average	Average	
	UCSD Medical Center – La Jolla, John M. & Sally B. Thornton Hospital	Average	Average	Average	

<sup>1</sup> **Operative Mortality** is defined as patient death occurring in the hospital after CABG surgery, regardless of length of stay, or death occurring anywhere after hospital discharge but within 30 days after the CABG surgery. Hospital ratings are risk-adjusted using a statistical technique that allows for fair comparison of hospital outcomes even though some hospitals have sicker patients than average.

<sup>2</sup> **Post-Operative Stroke** is defined as a post-operative, central neurologic deficit persisting for more than 24 hours after CABG surgery while in the operating hospital. Hospital ratings are risk-adjusted using a statistical technique that allows for fair comparison of hospital outcomes even though some hospitals have sicker patients than average.

<sup>3</sup> **Readmission** is defined as a CABG surgery patient being readmitted to an acute care hospital within 30 days of being discharged to home or a non-acute care setting with a principal diagnosis indicating a heart-related condition, or an infection or a complication that was likely related to the CABG surgery. Hospital ratings are risk-adjusted using a statistical technique that allows for fair comparison of hospital outcomes even though some hospitals have sicker patients than average.

<sup>4</sup> **Internal Mammary Artery (IMA) Usage** in CABG surgery is an evidence-based indicator of surgery quality. Clinical research shows that IMA grafts used in CABG surgery stay open longer and increase patients' survival. Very low hospital utilization rates may be associated with poorer care. Hospitals are not assessed for very high IMA usage rates because there is no consensus on what constitutes an optimal rate. Most first-time CABG surgery patients are eligible to receive an IMA bypass.