

**Type of Care by Patient County of Residence
for 2009
Los Angeles County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	1,027,188	92.25	4.4
Chemical Dependency Recovery Care	3,315	0.30	10
Invalid/Blank	3	0.00	7.7
Physical Rehabilitation Care	9,897	0.89	15
Psychiatric Care	60,132	5.40	8.7
Skilled Nursing/Intermediate Care	12,933	1.16	29
All	1,113,468	100.0	5.1

***Disposition by Patient County of Residence
for 2009
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	37	0.00	9.2
01 - Routine (Home)	776,854	75.63	3.4
02 - Acute Care within the admitting hospital	105	0.01	16
03 - Other Care with the admitting hospital	7,767	0.76	7.8
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	10,409	1.01	7.2
05 - Acute Care at another hospital	20,530	2.00	5.9
06 - Other Care (not SN/IC) at another hospital	7,100	0.69	8.4
07 - SN/IC at another facility	84,932	8.27	8.5
08 - Residential Care facility	5,401	0.53	5.9
09 - Prison/Jail	1,995	0.19	3.9
10 - Left Against Medical Advice	13,526	1.32	2.6
11 - Died	21,503	2.09	12
12 - Home Health Service	74,050	7.21	7.1
13 - Other	2,979	0.29	8.8
All	1,027,188	100.0	4.4

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,187	65.97	12
02 - Acute Care within the admitting hospital	14	0.42	3.1
03 - Other Care with the admitting hospital	57	1.72	5.1
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.03	8.0
05 - Acute Care at another hospital	24	0.72	5.7
06 - Other Care (not SN/IC) at another hospital	34	1.03	8.6
07 - SN/IC at another facility	18	0.54	6.7
08 - Residential Care facility	266	8.02	6.5
09 - Prison/Jail	2	0.06	31
10 - Left Against Medical Advice	701	21.15	7.9
12 - Home Health Service	2	0.06	4.5
13 - Other	9	0.27	4.3
All	3,315	100.0	10

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1	33.33	4.0
07 - SN/IC at another facility	1	33.33	11
12 - Home Health Service	1	33.33	8.0
All	3	100.0	7.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,706	27.34	16
02 - Acute Care within the admitting hospital	1,091	11.02	11
03 - Other Care with the admitting hospital	39	0.39	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	47	0.47	14
05 - Acute Care at another hospital	228	2.30	13
06 - Other Care (not SN/IC) at another hospital	25	0.25	20
07 - SN/IC at another facility	986	9.96	18
08 - Residential Care facility	85	0.86	27
10 - Left Against Medical Advice	60	0.61	13
11 - Died	14	0.14	5.9
12 - Home Health Service	4,613	46.61	15
13 - Other	3	0.03	16
All	9,897	100.0	15

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	11	0.02	18
01 - Routine (Home)	46,650	77.58	7.8
02 - Acute Care within the admitting hospital	654	1.09	8.8
03 - Other Care with the admitting hospital	140	0.23	13
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	43	0.07	14
05 - Acute Care at another hospital	1,107	1.84	5.8
06 - Other Care (not SN/IC) at another hospital	881	1.47	15
07 - SN/IC at another facility	3,396	5.65	15
08 - Residential Care facility	4,897	8.14	13
09 - Prison/Jail	173	0.29	10
10 - Left Against Medical Advice	1,691	2.81	4.4
11 - Died	13	0.02	7.8
12 - Home Health Service	224	0.37	14
13 - Other	252	0.42	12
All	60,132	100.0	8.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.02	186
01 - Routine (Home)	3,580	27.68	9.6
02 - Acute Care within the admitting hospital	1,612	12.46	60
03 - Other Care with the admitting hospital	93	0.72	24
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	71	0.55	40
05 - Acute Care at another hospital	490	3.79	93
06 - Other Care (not SN/IC) at another hospital	96	0.74	84
07 - SN/IC at another facility	1,763	13.63	27
08 - Residential Care facility	208	1.61	46
09 - Prison/Jail	10	0.08	159
10 - Left Against Medical Advice	77	0.60	7.1
11 - Died	667	5.16	110
12 - Home Health Service	4,150	32.09	10
13 - Other	114	0.88	49
All	12,933	100.0	29

***Gender by Patient County of Residence
for 2009
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	.00
1 - Male	463,274	41.61	5.6
2 - Female	650,107	58.39	4.7
3 - Other	20	0.00	3.6
4 - Unknown	66	0.01	3.1
All	1,113,468	100.0	5.1

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	.00
1 - Male	419,054	40.80	4.9
2 - Female	608,047	59.20	4.1
3 - Other	20	0.00	3.6
4 - Unknown	66	0.01	3.1
All	1,027,188	100.0	4.4

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,095	63.20	11
2 - Female	1,220	36.80	9.3
All	3,315	100.0	10

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2	66.67	7.5
2 - Female	1	33.33	8.0
All	3	100.0	7.7

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	4,642	46.90	16
2 - Female	5,255	53.10	15
All	9,897	100.0	15

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	32,120	53.42	8.8
2 - Female	28,012	46.58	8.5
All	60,132	100.0	8.7

***Gender by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,361	41.45	30
2 - Female	7,572	58.55	28
All	12,933	100.0	29

***Expected Payer by Patient County of Residence
for 2009
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	38	0.00	3.7
01 - Medicare	351,796	31.59	6.2
02 - Medi-Cal	341,013	30.63	5.1
03 - Private Coverage	333,146	29.92	3.8
04 - Workers' Compensatio	5,238	0.47	4.8
05 - County Indigent Prog	16,346	1.47	4.1
06 - Other Government	16,344	1.47	10
07 - Other Indigent	2,919	0.26	3.9
08 - Self-Pay	42,401	3.81	3.7
09 - Other Payer	4,227	0.38	6.4
All	1,113,468	100.0	5.1

**Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	32	0.00	3.1
01 - Medicare	319,396	31.09	5.6
02 - Medi-Cal	318,791	31.04	4.3
03 - Private Coverage	311,767	30.35	3.5
04 - Workers' Compensatio	4,852	0.47	4.1
05 - County Indigent Prog	15,247	1.48	3.8
06 - Other Government	10,656	1.04	7.8
07 - Other Indigent	2,695	0.26	3.8
08 - Self-Pay	39,887	3.88	3.5
09 - Other Payer	3,865	0.38	3.4
All	1,027,188	100.0	4.4

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	627	18.91	6.8
02 - Medi-Cal	4	0.12	6.3
03 - Private Coverage	1,088	32.82	6.7
04 - Workers' Compensatio	3	0.09	23
06 - Other Government	1,223	36.89	14
08 - Self-Pay	344	10.38	11
09 - Other Payer	26	0.78	14
All	3,315	100.0	10

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2	66.67	7.5
02 - Medi-Cal	1	33.33	8.0
All	3	100.0	7.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	6,422	64.89	14
02 - Medi-Cal	1,281	12.94	19
03 - Private Coverage	1,684	17.02	16
04 - Workers' Compensatio	240	2.42	14
05 - County Indigent Prog	156	1.58	18
06 - Other Government	18	0.18	18
07 - Other Indigent	4	0.04	15
08 - Self-Pay	68	0.69	16
09 - Other Payer	24	0.24	15
All	9,897	100.0	15

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.00	6.0
01 - Medicare	16,659	27.70	11
02 - Medi-Cal	19,586	32.57	7.7
03 - Private Coverage	15,956	26.53	6.5
04 - Workers' Compensatio	98	0.16	12
05 - County Indigent Prog	941	1.56	6.5
06 - Other Government	4,441	7.39	14
07 - Other Indigent	220	0.37	4.9
08 - Self-Pay	2,035	3.38	4.9
09 - Other Payer	193	0.32	5.4
All	60,132	100.0	8.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.02	8.7
01 - Medicare	8,690	67.19	15
02 - Medi-Cal	1,350	10.44	146
03 - Private Coverage	2,651	20.50	11
04 - Workers' Compensatio	45	0.35	8.4
05 - County Indigent Prog	2	0.02	107
06 - Other Government	6	0.05	14
08 - Self-Pay	67	0.52	18
09 - Other Payer	119	0.92	100
All	12,933	100.0	29

***Race Group by Patient County of Residence
for 2009
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	7,421	0.67	5.5
1 - White	377,647	33.92	5.6
2 - Black	145,026	13.02	5.6
3 - Hispanic	447,446	40.18	4.4
4 - Asian/Pacific Islander	96,688	8.68	5.2
5 - Native American/Eskimo/Ale	1,391	0.12	5.4
6 - Other	37,849	3.40	4.9
All	1,113,468	100.0	5.1

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6,498	0.63	4.3
1 - White	337,892	32.89	4.7
2 - Black	130,059	12.66	4.9
3 - Hispanic	425,767	41.45	4.1
4 - Asian/Pacific Islander	91,039	8.86	4.6
5 - Native American/Eskimo/Ale	1,217	0.12	4.6
6 - Other	34,716	3.38	4.3
All	1,027,188	100.0	4.4

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	73	2.20	12
1 - White	1,847	55.72	9.3
2 - Black	365	11.01	13
3 - Hispanic	917	27.66	10
4 - Asian/Pacific Islander	22	0.66	30
5 - Native American/Eskimo/Ale	15	0.45	24
6 - Other	76	2.29	7.2
All	3,315	100.0	10

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	1	33.33	4.0
4 - Asian/Pacific Islander	1	33.33	11
6 - Other	1	33.33	8.0
All	3	100.0	7.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	111	1.12	18
1 - White	4,446	44.92	14
2 - Black	1,076	10.87	16
3 - Hispanic	2,435	24.60	16
4 - Asian/Pacific Islander	1,427	14.42	15
5 - Native American/Eskimo/Ale	6	0.06	13
6 - Other	396	4.00	16
All	9,897	100.0	15

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	687	1.14	10
1 - White	26,988	44.88	8.8
2 - Black	12,068	20.07	9.0
3 - Hispanic	15,319	25.48	8.2
4 - Asian/Pacific Islander	2,603	4.33	9.0
5 - Native American/Eskimo/Ale	143	0.24	8.4
6 - Other	2,324	3.86	7.4
All	60,132	100.0	8.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	52	0.40	51
1 - White	6,473	50.05	30
2 - Black	1,458	11.27	27
3 - Hispanic	3,008	23.26	28
4 - Asian/Pacific Islander	1,596	12.34	23
5 - Native American/Eskimo/Ale	10	0.08	37
6 - Other	336	2.60	41
All	12,933	100.0	29

**Source of Admission by Patient County of Residence
for 2009
Los Angeles County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	236	0.02	10
1 - Home	849,680	76.31	4.4
2 - Residential Care Facility	9,186	0.82	8.0
3 - Ambulatory Surgery	4,430	0.40	3.5
4 - Skilled Nursing/Intermedia	35,646	3.20	9.0
5 - Acute Inpatient Hospital C	54,073	4.86	16
6 - Other Inpatient Hospital C	5,777	0.52	10
7 - Newborn (born in admitting	138,051	12.40	3.5
8 - Prison/Jail	1,864	0.17	6.7
9 - Other	14,525	1.30	5.4
All	1,113,468	100.0	5.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	223	0.02	9.7
1 - Home	800,225	77.90	4.1
2 - Residential Care Facility	6,347	0.62	5.3
3 - Ambulatory Surgery	4,359	0.42	3.4
4 - Skilled Nursing/Intermedia	32,724	3.19	7.3
5 - Acute Inpatient Hospital C	26,683	2.60	14
6 - Other Inpatient Hospital C	4,583	0.45	7.6
7 - Newborn (born in admitting	138,048	13.44	3.5
8 - Prison/Jail	1,560	0.15	4.3
9 - Other	12,436	1.21	4.8
All	1,027,188	100.0	4.4

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3,195	96.38	9.8
2 - Residential Care Facility	14	0.42	7.1
3 - Ambulatory Surgery	1	0.03	4.0
4 - Skilled Nursing/Intermedia	5	0.15	8.0
5 - Acute Inpatient Hospital C	49	1.48	6.4
6 - Other Inpatient Hospital C	36	1.09	9.4
8 - Prison/Jail	12	0.36	118
9 - Other	3	0.09	7.7
All	3,315	100.0	10

*Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	100.0	7.7
All	3	100.0	7.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	372	3.76	15
2 - Residential Care Facility	6	0.06	16
3 - Ambulatory Surgery	32	0.32	17
4 - Skilled Nursing/Intermedia	311	3.14	18
5 - Acute Inpatient Hospital C	9,051	91.45	15
6 - Other Inpatient Hospital C	100	1.01	13
9 - Other	25	0.25	13
All	9,897	100.0	15

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	12	0.02	22
1 - Home	45,293	75.32	8.2
2 - Residential Care Facility	2,777	4.62	11
3 - Ambulatory Surgery	33	0.05	5.6
4 - Skilled Nursing/Intermedia	2,374	3.95	13
5 - Acute Inpatient Hospital C	6,349	10.56	8.8
6 - Other Inpatient Hospital C	958	1.59	12
7 - Newborn (born in admitting	1	0.00	5.0
8 - Prison/Jail	292	0.49	15
9 - Other	2,043	3.40	7.8
All	60,132	100.0	8.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.01	23
1 - Home	592	4.58	41
2 - Residential Care Facility	42	0.32	192
3 - Ambulatory Surgery	5	0.04	7.8
4 - Skilled Nursing/Intermedia	232	1.79	199
5 - Acute Inpatient Hospital C	11,941	92.33	23
6 - Other Inpatient Hospital C	100	0.77	111
7 - Newborn (born in admitting	2	0.02	9.0
9 - Other	18	0.14	129
All	12,933	100.0	29

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	72	0.01	50
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	15	0.00	26
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	1,510	0.14	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	2,028	0.18	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	119	0.01	35
006	LIVER TRANSPLANT WITHOUT MCC	32	0.00	9.8
007	LUNG TRANSPLANT	39	0.00	18
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	14	0.00	10
009	BONE MARROW TRANSPLANT	447	0.04	33
010	PANCREAS TRANSPLANT	5	0.00	8.2
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	95	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	145	0.01	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	90	0.01	7.7
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	139	0.01	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	84	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	61	0.01	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	432	0.04	15
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	203	0.02	9.2
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	876	0.08	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	930	0.08	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1,381	0.12	4.6
028	SPINAL PROCEDURES WITH MCC	160	0.01	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	292	0.03	8.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	375	0.03	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	135	0.01	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	289	0.03	5.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	167	0.01	3.3
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	14	0.00	9.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	30	0.00	3.8
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	114	0.01	1.9
037	EXTRACRANIAL PROCEDURES WITH MCC	176	0.02	9.4
038	EXTRACRANIAL PROCEDURES WITH CC	395	0.04	3.7
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	983	0.09	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	264	0.02	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	409	0.04	7.1
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	299	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	148	0.01	22
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	76	0.01	6.8
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	514	0.05	7.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	957	0.09	4.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	670	0.06	21
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2,215	0.20	30

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	63	0.01	8.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	232	0.02	7.3
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	372	0.03	4.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	83	0.01	9.4
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	125	0.01	5.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	34	0.00	3.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	3,840	0.34	7.4
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	5,114	0.46	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	3,797	0.34	3.2
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	88	0.01	6.9
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	477	0.04	3.5
069	TRANSIENT ISCHEMIA	4,768	0.43	2.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	782	0.07	8.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	678	0.06	4.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	432	0.04	3.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	788	0.07	5.3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2,493	0.22	3.5
075	VIRAL MENINGITIS WITH CC/MCC	279	0.03	5.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	774	0.07	2.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	85	0.01	6.1
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	106	0.01	3.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	55	0.00	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
080	NONTRAUMATIC STUPOR & COMA WITH MCC	231	0.02	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	731	0.07	3.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	169	0.02	8.6
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	146	0.01	5.9
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	311	0.03	3.2
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	474	0.04	9.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	736	0.07	5.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1,515	0.14	2.6
088	CONCUSSION WITH MCC	85	0.01	3.5
089	CONCUSSION WITH CC	233	0.02	3.2
090	CONCUSSION WITHOUT CC/MCC	579	0.05	1.5
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	736	0.07	18
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	993	0.09	8.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1,241	0.11	4.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	169	0.02	14
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	140	0.01	12
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	154	0.01	6.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	119	0.01	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	105	0.01	10
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	149	0.01	5.5
100	SEIZURES WITH MCC	1,717	0.15	5.0
101	SEIZURES WITHOUT MCC	5,708	0.51	3.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	132	0.01	3.3
103	HEADACHES WITHOUT MCC	1,937	0.17	2.6
113	ORBITAL PROCEDURES WITH CC/MCC	79	0.01	5.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	119	0.01	2.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	123	0.01	3.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	89	0.01	3.2
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	303	0.03	1.7
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	96	0.01	5.2
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	187	0.02	3.2
123	NEUROLOGICAL EYE DISORDERS	334	0.03	2.8
124	OTHER DISORDERS OF THE EYE WITH MCC	81	0.01	5.2
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	655	0.06	2.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	82	0.01	4.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	126	0.01	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	226	0.02	5.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	695	0.06	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	380	0.03	5.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1,452	0.13	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	66	0.01	7.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	64	0.01	2.5
137	MOUTH PROCEDURES WITH CC/MCC	71	0.01	4.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	108	0.01	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	206	0.02	1.5
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	77	0.01	13
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	135	0.01	5.7
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	103	0.01	3.8
149	DYSEQUILIBRIUM	2,166	0.19	2.1
150	EPISTAXIS WITH MCC	82	0.01	4.9
151	EPISTAXIS WITHOUT MCC	271	0.02	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	422	0.04	5.2
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	3,734	0.34	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	193	0.02	6.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	476	0.04	3.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	723	0.06	2.2
157	DENTAL & ORAL DISEASES WITH MCC	124	0.01	5.4
158	DENTAL & ORAL DISEASES WITH CC	423	0.04	3.4
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	463	0.04	2.1
163	MAJOR CHEST PROCEDURES WITH MCC	765	0.07	15
164	MAJOR CHEST PROCEDURES WITH CC	805	0.07	7.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	761	0.07	4.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1,021	0.09	19
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	764	0.07	8.4
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	313	0.03	4.7
175	PULMONARY EMBOLISM WITH MCC	608	0.05	6.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	1,620	0.15	4.2
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4,337	0.39	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	3,125	0.28	8.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	983	0.09	6.3
180	RESPIRATORY NEOPLASMS WITH MCC	1,205	0.11	8.3
181	RESPIRATORY NEOPLASMS WITH CC	1,367	0.12	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	217	0.02	3.6
183	MAJOR CHEST TRAUMA WITH MCC	135	0.01	5.0
184	MAJOR CHEST TRAUMA WITH CC	265	0.02	3.3
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	161	0.01	2.2
186	PLEURAL EFFUSION WITH MCC	605	0.05	6.9
187	PLEURAL EFFUSION WITH CC	562	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	239	0.02	5.5
189	PULMONARY EDEMA & RESPIRATORY FAILURE	3,279	0.29	17
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	6,012	0.54	5.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	5,277	0.47	4.6
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	5,636	0.51	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	5,719	0.51	7.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	10,286	0.92	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	7,215	0.65	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	399	0.04	7.8
197	INTERSTITIAL LUNG DISEASE WITH CC	386	0.03	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	246	0.02	3.6
199	PNEUMOTHORAX WITH MCC	234	0.02	7.7
200	PNEUMOTHORAX WITH CC	506	0.05	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	451	0.04	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	4,427	0.40	3.7
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	8,864	0.80	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	1,952	0.18	2.4
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	470	0.04	16
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1,817	0.16	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3,821	0.34	34
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3,982	0.36	6.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	8	0.00	13
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	332	0.03	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	178	0.02	13
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	58	0.01	9.7
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	575	0.05	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	656	0.06	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	264	0.02	6.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	119	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	142	0.01	6.2
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	127	0.01	9.1
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	135	0.01	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	287	0.03	8.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	978	0.09	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	210	0.02	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	262	0.02	7.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	132	0.01	4.9
231	CORONARY BYPASS WITH PTCA WITH MCC	57	0.01	13
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	43	0.00	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	618	0.06	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	855	0.08	8.9
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	279	0.03	9.6
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	678	0.06	6.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1,098	0.10	13
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1,287	0.12	4.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	526	0.05	14
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	375	0.03	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	36	0.00	6.3
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	835	0.07	8.1
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	1,141	0.10	4.5
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	1,586	0.14	2.7
245	AICD GENERATOR PROCEDURES	165	0.01	3.4
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1,367	0.12	5.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	6,356	0.57	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	415	0.04	6.9
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1,517	0.14	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	352	0.03	7.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	2,108	0.19	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	2,404	0.22	7.1
253	OTHER VASCULAR PROCEDURES WITH CC	1,444	0.13	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1,401	0.13	2.7
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	162	0.01	8.8
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	218	0.02	6.7
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	25	0.00	3.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	38	0.00	6.2
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	245	0.02	2.2
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	90	0.01	11
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	136	0.01	4.1
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	115	0.01	2.5
263	VEIN LIGATION & STRIPPING	47	0.00	3.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1,463	0.13	8.0
265	AICD LEAD PROCEDURES	67	0.01	3.4
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3,446	0.31	6.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1,827	0.16	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	2,297	0.21	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	595	0.05	5.4

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	83	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	33	0.00	1.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	1,159	0.10	6.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	5,462	0.49	2.9
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	172	0.02	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	79	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	34	0.00	6.2
291	HEART FAILURE & SHOCK WITH MCC	10,962	0.98	5.9
292	HEART FAILURE & SHOCK WITH CC	8,346	0.75	4.4
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	5,534	0.50	3.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	69	0.01	5.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	36	0.00	3.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	124	0.01	3.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	28	0.00	1.9
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	22	0.00	1.2
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1,329	0.12	6.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2,301	0.21	5.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1,513	0.14	3.6
302	ATHEROSCLEROSIS WITH MCC	526	0.05	4.9
303	ATHEROSCLEROSIS WITHOUT MCC	2,960	0.27	2.7
304	HYPERTENSION WITH MCC	234	0.02	5.2
305	HYPERTENSION WITHOUT MCC	2,736	0.25	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	233	0.02	8.4
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	474	0.04	3.7
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2,568	0.23	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	3,805	0.34	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	6,650	0.60	2.2
311	ANGINA PECTORIS	1,943	0.17	2.0
312	SYNCOPE & COLLAPSE	9,138	0.82	2.5
313	CHEST PAIN	21,872	1.96	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	4,145	0.37	6.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1,541	0.14	4.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	917	0.08	2.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	711	0.06	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	733	0.07	10
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1,025	0.09	3.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2,270	0.20	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	3,190	0.29	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1,934	0.17	5.2
332	RECTAL RESECTION WITH MCC	94	0.01	14
333	RECTAL RESECTION WITH CC	320	0.03	7.4
334	RECTAL RESECTION WITHOUT CC/MCC	265	0.02	5.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	343	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	735	0.07	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	699	0.06	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	166	0.01	8.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	591	0.05	6.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,123	0.19	4.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	149	0.01	4.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	687	0.06	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7,959	0.71	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	36	0.00	11
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	206	0.02	6.2
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	261	0.02	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	123	0.01	7.8
348	ANAL & STOMAL PROCEDURES WITH CC	332	0.03	4.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	726	0.07	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	94	0.01	8.9
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	205	0.02	4.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	588	0.05	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	174	0.02	9.5
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	493	0.04	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1,130	0.10	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	416	0.04	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	361	0.03	6.9
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	280	0.03	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	304	0.03	6.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	379	0.03	4.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	320	0.03	2.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1,282	0.12	8.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1,408	0.13	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	920	0.08	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	823	0.07	9.6
375	DIGESTIVE MALIGNANCY WITH CC	1,399	0.13	5.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	295	0.03	3.7
377	G.I. HEMORRHAGE WITH MCC	3,169	0.28	5.5
378	G.I. HEMORRHAGE WITH CC	5,185	0.47	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	4,159	0.37	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	237	0.02	6.5
381	COMPLICATED PEPTIC ULCER WITH CC	309	0.03	4.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	256	0.02	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	110	0.01	4.6
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	706	0.06	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	202	0.02	7.2
386	INFLAMMATORY BOWEL DISEASE WITH CC	742	0.07	5.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	668	0.06	4.0
388	G.I. OBSTRUCTION WITH MCC	1,091	0.10	6.8
389	G.I. OBSTRUCTION WITH CC	2,457	0.22	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2,945	0.26	3.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	3,460	0.31	4.2
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	20,933	1.88	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1,832	0.16	7.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	3,028	0.27	4.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2,419	0.22	2.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	354	0.03	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	409	0.04	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	213	0.02	5.9
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	114	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	106	0.01	8.1
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	50	0.00	7.1
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	35	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	47	0.00	9.4
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	67	0.01	6.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	295	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	326	0.03	6.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	507	0.05	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	1,453	0.13	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	2,178	0.20	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6,095	0.55	2.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	65	0.01	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	81	0.01	5.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	30	0.00	4.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	121	0.01	14
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	50	0.00	8.0
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	12	0.00	6.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	2,027	0.18	6.3
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1,298	0.12	3.6
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	158	0.01	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	1,071	0.10	7.2
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	918	0.08	4.8
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	212	0.02	3.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1,402	0.13	7.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	2,497	0.22	4.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	3,294	0.30	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1,927	0.17	7.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1,758	0.16	4.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	843	0.08	3.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1,291	0.12	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	1,507	0.14	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	2,638	0.24	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	82	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	359	0.03	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	306	0.03	4.5
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	99	0.01	16
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	236	0.02	7.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	204	0.02	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	192	0.02	9.2
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	2,998	0.27	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	28	0.00	11
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	376	0.03	4.4
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	287	0.03	21
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	437	0.04	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	279	0.03	6.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	114	0.01	8.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	621	0.06	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	618	0.06	3.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	1,023	0.09	8.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	14,976	1.34	3.7
471	CERVICAL SPINAL FUSION WITH MCC	174	0.02	9.4
472	CERVICAL SPINAL FUSION WITH CC	554	0.05	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	1,775	0.16	2.4
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	142	0.01	14

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	151	0.01	8.5
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	54	0.00	5.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	130	0.01	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	331	0.03	7.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	272	0.02	3.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	1,042	0.09	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	2,349	0.21	5.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2,134	0.19	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	269	0.02	4.7
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	543	0.05	2.4
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	43	0.00	9.3
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	122	0.01	7.1
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	73	0.01	4.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	197	0.02	5.1
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	591	0.05	2.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1,337	0.12	4.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	3,200	0.29	2.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	308	0.03	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1,179	0.11	5.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	4,304	0.39	2.6
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	118	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	386	0.03	5.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	714	0.06	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	83	0.01	6.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	107	0.01	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	162	0.01	10
501	SOFT TISSUE PROCEDURES WITH CC	379	0.03	5.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	772	0.07	2.3
503	FOOT PROCEDURES WITH MCC	51	0.00	9.2
504	FOOT PROCEDURES WITH CC	157	0.01	5.6
505	FOOT PROCEDURES WITHOUT CC/MCC	381	0.03	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	104	0.01	2.7
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	49	0.00	6.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	167	0.01	2.0
509	ARTHROSCOPY	44	0.00	4.3
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	65	0.01	4.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	264	0.02	3.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1,466	0.13	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	243	0.02	3.4
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	522	0.05	1.7
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	180	0.02	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	391	0.04	6.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	680	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	50	0.00	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	259	0.02	3.2
535	FRACTURES OF HIP & PELVIS WITH MCC	337	0.03	6.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1,336	0.12	5.0
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	48	0.00	4.2
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	52	0.00	2.0
539	OSTEOMYELITIS WITH MCC	275	0.02	16
540	OSTEOMYELITIS WITH CC	410	0.04	9.6
541	OSTEOMYELITIS WITHOUT CC/MCC	197	0.02	7.1
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	335	0.03	8.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	798	0.07	5.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	320	0.03	4.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	390	0.04	8.9
546	CONNECTIVE TISSUE DISORDERS WITH CC	670	0.06	4.8
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	674	0.06	3.6
548	SEPTIC ARTHRITIS WITH MCC	60	0.01	14
549	SEPTIC ARTHRITIS WITH CC	116	0.01	7.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	101	0.01	4.5
551	MEDICAL BACK PROBLEMS WITH MCC	711	0.06	6.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	5,090	0.46	3.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	200	0.02	4.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1,117	0.10	4.9
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	153	0.01	5.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1,192	0.11	2.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	283	0.03	6.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	958	0.09	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	237	0.02	11
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	640	0.06	8.9
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	844	0.08	5.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	437	0.04	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2,894	0.26	2.8
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	173	0.02	7.9
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	332	0.03	4.7
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	270	0.02	2.9
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	366	0.03	23
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	581	0.05	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	301	0.03	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	41	0.00	16
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	209	0.02	5.2
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	347	0.03	3.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	265	0.02	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	963	0.09	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1,687	0.15	2.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	581	0.05	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	966	0.09	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	88	0.01	3.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	499	0.04	2.0
592	SKIN ULCERS WITH MCC	382	0.03	14
593	SKIN ULCERS WITH CC	799	0.07	8.4
594	SKIN ULCERS WITHOUT CC/MCC	114	0.01	4.1
595	MAJOR SKIN DISORDERS WITH MCC	97	0.01	8.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	432	0.04	4.3
597	MALIGNANT BREAST DISORDERS WITH MCC	99	0.01	8.6
598	MALIGNANT BREAST DISORDERS WITH CC	192	0.02	6.1
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	38	0.00	2.7
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	110	0.01	5.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	232	0.02	2.6
602	CELLULITIS WITH MCC	2,027	0.18	7.1
603	CELLULITIS WITHOUT MCC	12,583	1.13	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	305	0.03	4.3
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2,304	0.21	2.1
606	MINOR SKIN DISORDERS WITH MCC	146	0.01	4.9
607	MINOR SKIN DISORDERS WITHOUT MCC	905	0.08	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	252	0.02	5.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	232	0.02	3.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	89	0.01	16
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	553	0.05	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	15	0.00	7.7
619	O.R. PROCEDURES FOR OBESITY WITH MCC	79	0.01	5.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	422	0.04	2.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2,624	0.24	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	65	0.01	17
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	158	0.01	8.7
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	17	0.00	4.5
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	60	0.01	6.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	389	0.03	2.6
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2,354	0.21	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	216	0.02	7.9
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	268	0.02	7.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	62	0.01	3.1
637	DIABETES WITH MCC	2,130	0.19	5.1
638	DIABETES WITH CC	4,411	0.40	4.1
639	DIABETES WITHOUT CC/MCC	3,870	0.35	2.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4,043	0.36	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	10,339	0.93	3.0
642	INBORN ERRORS OF METABOLISM	277	0.02	5.3
643	ENDOCRINE DISORDERS WITH MCC	440	0.04	7.2
644	ENDOCRINE DISORDERS WITH CC	817	0.07	5.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	961	0.09	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
652	KIDNEY TRANSPLANT	431	0.04	7.3
653	MAJOR BLADDER PROCEDURES WITH MCC	95	0.01	15
654	MAJOR BLADDER PROCEDURES WITH CC	180	0.02	9.7
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	79	0.01	6.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	210	0.02	9.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	379	0.03	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	456	0.04	3.3
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	262	0.02	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	598	0.05	4.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	725	0.07	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	54	0.00	11
663	MINOR BLADDER PROCEDURES WITH CC	117	0.01	4.1
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	220	0.02	1.6
665	PROSTATECTOMY WITH MCC	32	0.00	12
666	PROSTATECTOMY WITH CC	83	0.01	5.7
667	PROSTATECTOMY WITHOUT CC/MCC	108	0.01	2.2
668	TRANSURETHRAL PROCEDURES WITH MCC	254	0.02	8.2
669	TRANSURETHRAL PROCEDURES WITH CC	733	0.07	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	537	0.05	2.0
671	URETHRAL PROCEDURES WITH CC/MCC	58	0.01	5.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	69	0.01	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	734	0.07	9.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	445	0.04	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	153	0.01	2.1
682	RENAL FAILURE WITH MCC	5,203	0.47	6.6
683	RENAL FAILURE WITH CC	5,036	0.45	4.7
684	RENAL FAILURE WITHOUT CC/MCC	1,517	0.14	3.2
685	ADMIT FOR RENAL DIALYSIS	119	0.01	3.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	119	0.01	6.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	186	0.02	7.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	70	0.01	2.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	4,291	0.39	6.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12,593	1.13	3.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	154	0.01	3.9
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	47	0.00	1.6
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	294	0.03	3.7
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1,942	0.17	1.9
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	82	0.01	5.4
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	555	0.05	2.6
697	URETHRAL STRICTURE	57	0.01	2.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1,415	0.13	6.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1,518	0.14	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	779	0.07	3.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	438	0.04	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	1,972	0.18	1.8
709	PENIS PROCEDURES WITH CC/MCC	70	0.01	4.6
710	PENIS PROCEDURES WITHOUT CC/MCC	227	0.02	1.7
711	TESTES PROCEDURES WITH CC/MCC	91	0.01	6.5
712	TESTES PROCEDURES WITHOUT CC/MCC	217	0.02	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	545	0.05	3.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1,341	0.12	1.7
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	38	0.00	6.9
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	51	0.00	1.9
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	41	0.00	7.2
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	30	0.00	1.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	84	0.01	5.9
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	109	0.01	6.4
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	52	0.00	6.5
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	123	0.01	3.9
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	263	0.02	3.2
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	172	0.02	6.9
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	618	0.06	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	91	0.01	5.5
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	77	0.01	2.9
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	254	0.02	6.9
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	374	0.03	2.9

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	58	0.01	13
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	244	0.02	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	168	0.02	3.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	53	0.00	11
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	306	0.03	4.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	734	0.07	2.5
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2,036	0.18	3.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	10,864	0.98	2.3
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	233	0.02	4.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	617	0.06	1.6
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	170	0.02	4.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	554	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	1,182	0.11	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	123	0.01	11
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	111	0.01	2.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	148	0.01	10
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	299	0.03	5.1
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	109	0.01	2.5
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	133	0.01	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	247	0.02	4.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	490	0.04	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	492	0.04	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1,085	0.10	1.4
765	CESAREAN SECTION WITH CC/MCC	14,060	1.26	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	36,720	3.30	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	3,129	0.28	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	73	0.01	3.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	332	0.03	3.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	1,452	0.13	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	7,162	0.64	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	75,657	6.79	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1,233	0.11	2.6
777	ECTOPIC PREGNANCY	1,226	0.11	2.0
778	THREATENED ABORTION	2,455	0.22	2.7
779	ABORTION WITHOUT D&C	654	0.06	1.5
780	FALSE LABOR	336	0.03	.64
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	7,187	0.65	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	1,740	0.16	2.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	2,168	0.19	7.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2,237	0.20	39
791	PREMATURITY WITH MAJOR PROBLEMS	2,391	0.21	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	5,673	0.51	6.4
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	5,413	0.49	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	18,495	1.66	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
795	NORMAL NEWBORN	106,713	9.58	2.3
799	SPLENECTOMY WITH MCC	31	0.00	14
800	SPLENECTOMY WITH CC	42	0.00	6.5
801	SPLENECTOMY WITHOUT CC/MCC	76	0.01	3.8
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	62	0.01	16
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	92	0.01	6.9
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	109	0.01	3.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	487	0.04	8.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1,218	0.11	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	368	0.03	3.6
811	RED BLOOD CELL DISORDERS WITH MCC	2,330	0.21	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	7,645	0.69	3.3
813	COAGULATION DISORDERS	1,194	0.11	4.0
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	151	0.01	8.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	349	0.03	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	379	0.03	3.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	110	0.01	23
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	146	0.01	7.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	192	0.02	3.3
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	119	0.01	16
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	159	0.01	8.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	141	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	47	0.00	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	107	0.01	8.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	82	0.01	3.7
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	115	0.01	9.5
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	65	0.01	2.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	408	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	341	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	231	0.02	7.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	200	0.02	23
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	389	0.03	12
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	396	0.04	7.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	653	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	619	0.06	7.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	397	0.04	4.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	137	0.01	7.7
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	213	0.02	5.4
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	88	0.01	3.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	444	0.04	7.6
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	3,385	0.30	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	373	0.03	3.5
849	RADIOTHERAPY	210	0.02	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	2,859	0.26	19

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	426	0.04	9.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	37	0.00	4.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	358	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	523	0.05	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	164	0.01	4.8
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	740	0.07	8.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1,644	0.15	4.6
864	FEVER	1,682	0.15	3.0
865	VIRAL ILLNESS WITH MCC	207	0.02	6.3
866	VIRAL ILLNESS WITHOUT MCC	1,275	0.11	2.6
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	436	0.04	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	166	0.01	7.3
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	110	0.01	4.6
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3,375	0.30	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	20,415	1.83	7.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	5,745	0.52	5.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	50	0.00	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1,019	0.09	2.6
881	DEPRESSIVE NEUROSES	2,626	0.24	4.1
882	NEUROSES EXCEPT DEPRESSIVE	973	0.09	4.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	365	0.03	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	997	0.09	20

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	52,826	4.74	9.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	506	0.05	7.9
887	OTHER MENTAL DISORDER DIAGNOSIS	196	0.02	9.7
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1,557	0.14	4.8
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1,589	0.14	13
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	801	0.07	5.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	7,532	0.68	5.0
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	56	0.01	24
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	129	0.01	11
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	119	0.01	3.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	118	0.01	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	75	0.01	5.5
906	HAND PROCEDURES FOR INJURIES	199	0.02	2.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	552	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	584	0.05	5.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	597	0.05	2.6
913	TRAUMATIC INJURY WITH MCC	89	0.01	4.6
914	TRAUMATIC INJURY WITHOUT MCC	855	0.08	2.1
915	ALLERGIC REACTIONS WITH MCC	94	0.01	3.6
916	ALLERGIC REACTIONS WITHOUT MCC	481	0.04	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1,541	0.14	4.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	3,591	0.32	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	680	0.06	6.6
920	COMPLICATIONS OF TREATMENT WITH CC	888	0.08	4.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	684	0.06	2.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	111	0.01	5.8
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	436	0.04	1.9
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	31	0.00	27
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	117	0.01	14
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	142	0.01	8.1
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	5	0.00	1.8
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	87	0.01	4.9
935	NON-EXTENSIVE BURNS	360	0.03	5.2
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	161	0.01	21
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	215	0.02	9.9
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	244	0.02	3.2
945	REHABILITATION WITH CC/MCC	10,084	0.91	17
946	REHABILITATION WITHOUT CC/MCC	2,407	0.22	9.4
947	SIGNS & SYMPTOMS WITH MCC	776	0.07	5.7
948	SIGNS & SYMPTOMS WITHOUT MCC	2,923	0.26	3.6
949	AFTERCARE WITH CC/MCC	1,267	0.11	9.9
950	AFTERCARE WITHOUT CC/MCC	378	0.03	5.8
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1,322	0.12	3.1
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	87	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	275	0.02	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	307	0.03	19
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	321	0.03	10
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	153	0.01	6.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	140	0.01	10
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	348	0.03	5.7
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	205	0.02	4.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	84	0.01	24
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	26	0.00	12
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	779	0.07	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	583	0.05	8.6
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	334	0.03	5.1
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	530	0.05	4.9
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1,500	0.13	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1,027	0.09	8.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	881	0.08	3.3
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	42	0.00	12
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	46	0.00	10
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.00	3.6
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	499	0.04	18
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	617	0.06	6.7
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	514	0.05	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	10	0.00	3.2
999	UNGROUPABLE	7	0.00	1.7
All		1,113,468	100.0	5.1

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	72	0.01	50
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	15	0.00	26
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	1,510	0.15	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	2,027	0.20	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	119	0.01	35
006	LIVER TRANSPLANT WITHOUT MCC	32	0.00	9.8
007	LUNG TRANSPLANT	39	0.00	18
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	14	0.00	10
009	BONE MARROW TRANSPLANT	447	0.04	33
010	PANCREAS TRANSPLANT	5	0.00	8.2
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	95	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	145	0.01	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	90	0.01	7.7
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	139	0.01	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	84	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	61	0.01	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	432	0.04	15
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	203	0.02	9.2
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	875	0.09	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	930	0.09	8.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1,381	0.13	4.6
028	SPINAL PROCEDURES WITH MCC	160	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	291	0.03	8.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	375	0.04	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	135	0.01	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	289	0.03	5.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	167	0.02	3.3
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	14	0.00	9.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	30	0.00	3.8
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	114	0.01	1.9
037	EXTRACRANIAL PROCEDURES WITH MCC	176	0.02	9.4
038	EXTRACRANIAL PROCEDURES WITH CC	395	0.04	3.7
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	983	0.10	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	262	0.03	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	408	0.04	7.1
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	299	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	129	0.01	11
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	73	0.01	3.5
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	495	0.05	6.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	925	0.09	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	528	0.05	8.8
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1,584	0.15	4.8
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	57	0.01	5.9
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	219	0.02	6.8
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	365	0.04	3.7
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	83	0.01	9.4
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	125	0.01	5.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	34	0.00	3.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	3,769	0.37	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	4,990	0.49	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	3,763	0.37	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	86	0.01	6.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	468	0.05	3.2
069	TRANSIENT ISCHEMIA	4,752	0.46	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	756	0.07	6.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	661	0.06	4.1
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	427	0.04	3.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	782	0.08	5.2
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2,456	0.24	3.3
075	VIRAL MENINGITIS WITH CC/MCC	276	0.03	5.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	772	0.08	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	85	0.01	6.1
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	106	0.01	3.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	55	0.01	2.5
080	NONTRAUMATIC STUPOR & COMA WITH MCC	218	0.02	4.6
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	720	0.07	2.9
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	163	0.02	7.4
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	143	0.01	5.1
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	307	0.03	3.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	462	0.04	7.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	717	0.07	4.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1,498	0.15	2.5
088	CONCUSSION WITH MCC	85	0.01	3.5
089	CONCUSSION WITH CC	231	0.02	3.0
090	CONCUSSION WITHOUT CC/MCC	578	0.06	1.5
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	675	0.07	6.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	937	0.09	3.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1,202	0.12	2.5
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	164	0.02	13
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	134	0.01	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	152	0.01	6.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	116	0.01	15

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	103	0.01	10
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	148	0.01	5.5
100	SEIZURES WITH MCC	1,710	0.17	5.0
101	SEIZURES WITHOUT MCC	5,677	0.55	2.8
102	HEADACHES WITH MCC	131	0.01	3.3
103	HEADACHES WITHOUT MCC	1,930	0.19	2.4
113	ORBITAL PROCEDURES WITH CC/MCC	79	0.01	5.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	119	0.01	2.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	123	0.01	3.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	89	0.01	3.2
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	303	0.03	1.7
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	93	0.01	5.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	187	0.02	3.2
123	NEUROLOGICAL EYE DISORDERS	333	0.03	2.8
124	OTHER DISORDERS OF THE EYE WITH MCC	81	0.01	5.2
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	652	0.06	2.8
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	82	0.01	4.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	126	0.01	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	226	0.02	5.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	695	0.07	2.0
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	380	0.04	5.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1,452	0.14	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	66	0.01	7.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	64	0.01	2.5
137	MOUTH PROCEDURES WITH CC/MCC	71	0.01	4.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	108	0.01	2.3
139	SALIVARY GLAND PROCEDURES	206	0.02	1.5
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	71	0.01	8.3
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	132	0.01	4.9
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	98	0.01	2.7
149	DYSEQUILIBRIUM	2,144	0.21	2.1
150	EPISTAXIS WITH MCC	80	0.01	4.7
151	EPISTAXIS WITHOUT MCC	269	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	421	0.04	5.2
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	3,726	0.36	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	192	0.02	6.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	474	0.05	3.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	715	0.07	2.2
157	DENTAL & ORAL DISEASES WITH MCC	122	0.01	5.4
158	DENTAL & ORAL DISEASES WITH CC	421	0.04	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	463	0.05	2.1
163	MAJOR CHEST PROCEDURES WITH MCC	765	0.07	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
164	MAJOR CHEST PROCEDURES WITH CC	805	0.08	7.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	760	0.07	4.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1,016	0.10	17
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	761	0.07	7.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	313	0.03	4.7
175	PULMONARY EMBOLISM WITH MCC	599	0.06	6.6
176	PULMONARY EMBOLISM WITHOUT MCC	1,595	0.16	4.2
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4,267	0.42	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	3,038	0.30	8.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	952	0.09	6.2
180	RESPIRATORY NEOPLASMS WITH MCC	1,182	0.12	7.8
181	RESPIRATORY NEOPLASMS WITH CC	1,335	0.13	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	211	0.02	3.4
183	MAJOR CHEST TRAUMA WITH MCC	134	0.01	5.0
184	MAJOR CHEST TRAUMA WITH CC	264	0.03	3.2
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	161	0.02	2.2
186	PLEURAL EFFUSION WITH MCC	597	0.06	6.6
187	PLEURAL EFFUSION WITH CC	552	0.05	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	232	0.02	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	2,937	0.29	7.5
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5,894	0.57	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	5,162	0.50	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	5,540	0.54	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	5,600	0.55	6.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	10,092	0.98	4.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	7,102	0.69	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	387	0.04	7.6
197	INTERSTITIAL LUNG DISEASE WITH CC	375	0.04	5.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	241	0.02	3.5
199	PNEUMOTHORAX WITH MCC	234	0.02	7.7
200	PNEUMOTHORAX WITH CC	504	0.05	3.9
201	PNEUMOTHORAX WITHOUT CC/MCC	449	0.04	2.9
202	BRONCHITIS & ASTHMA WITH CC/MCC	4,400	0.43	3.7
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	8,841	0.86	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	1,936	0.19	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	459	0.04	14
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1,805	0.18	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3,488	0.34	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3,956	0.39	6.7
215	OTHER HEART ASSIST SYSTEM IMPLANT	8	0.00	13
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	332	0.03	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	178	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	58	0.01	9.7
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	575	0.06	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	656	0.06	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	264	0.03	6.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	119	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	142	0.01	6.2
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	127	0.01	9.1
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	135	0.01	5.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	287	0.03	8.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	978	0.10	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	210	0.02	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	262	0.03	7.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	132	0.01	4.9
231	CORONARY BYPASS WITH PTCA WITH MCC	57	0.01	13
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	43	0.00	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	618	0.06	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	855	0.08	8.9
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	279	0.03	9.6
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	678	0.07	6.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1,097	0.11	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1,287	0.13	4.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	526	0.05	14
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	374	0.04	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	36	0.00	6.3
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	834	0.08	8.1
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	1,141	0.11	4.5
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	1,586	0.15	2.7
245	AICD GENERATOR PROCEDURES	165	0.02	3.4
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1,367	0.13	5.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	6,356	0.62	2.3
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	415	0.04	6.9
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1,516	0.15	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	352	0.03	7.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	2,107	0.21	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	2,402	0.23	7.1
253	OTHER VASCULAR PROCEDURES WITH CC	1,441	0.14	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1,401	0.14	2.7
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	162	0.02	8.8
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	216	0.02	6.7
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	25	0.00	3.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	38	0.00	6.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	245	0.02	2.2
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	90	0.01	11
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	136	0.01	4.1
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	115	0.01	2.5
263	VEIN LIGATION & STRIPPING	47	0.00	3.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1,462	0.14	8.0
265	AICD LEAD PROCEDURES	67	0.01	3.4
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3,436	0.33	6.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1,822	0.18	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	2,291	0.22	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	594	0.06	5.4
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	83	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	33	0.00	1.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	1,159	0.11	6.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	5,462	0.53	2.9
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	162	0.02	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	73	0.01	10
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	29	0.00	5.0
291	HEART FAILURE & SHOCK WITH MCC	10,843	1.06	5.8
292	HEART FAILURE & SHOCK WITH CC	8,232	0.80	4.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	5,456	0.53	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	65	0.01	5.2
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	36	0.00	3.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	121	0.01	2.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	28	0.00	1.9
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	22	0.00	1.2
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1,269	0.12	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2,226	0.22	4.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1,476	0.14	3.1
302	ATHEROSCLEROSIS WITH MCC	517	0.05	3.9
303	ATHEROSCLEROSIS WITHOUT MCC	2,932	0.29	2.2
304	HYPERTENSION WITH MCC	232	0.02	3.8
305	HYPERTENSION WITHOUT MCC	2,696	0.26	2.3
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	229	0.02	8.4
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	462	0.04	3.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2,554	0.25	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	3,777	0.37	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	6,618	0.64	2.0
311	ANGINA PECTORIS	1,935	0.19	2.0
312	SYNCOPE & COLLAPSE	9,060	0.88	2.4
313	CHEST PAIN	21,839	2.13	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	4,090	0.40	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1,508	0.15	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	897	0.09	2.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	711	0.07	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	733	0.07	10
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1,024	0.10	3.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2,269	0.22	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	3,190	0.31	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1,934	0.19	5.2
332	RECTAL RESECTION WITH MCC	94	0.01	14
333	RECTAL RESECTION WITH CC	320	0.03	7.4
334	RECTAL RESECTION WITHOUT CC/MCC	265	0.03	5.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	343	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	734	0.07	8.0
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	699	0.07	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	165	0.02	8.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	590	0.06	6.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,123	0.21	4.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	149	0.01	4.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	686	0.07	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7,959	0.77	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	36	0.00	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	206	0.02	6.2
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	261	0.03	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	123	0.01	7.8
348	ANAL & STOMAL PROCEDURES WITH CC	332	0.03	4.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	726	0.07	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	94	0.01	8.9
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	205	0.02	4.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	588	0.06	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	174	0.02	9.5
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	493	0.05	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1,130	0.11	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	415	0.04	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	361	0.04	6.9
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	280	0.03	3.6
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	302	0.03	6.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	378	0.04	4.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	320	0.03	2.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1,262	0.12	8.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1,380	0.13	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	911	0.09	3.9
374	DIGESTIVE MALIGNANCY WITH MCC	797	0.08	9.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	1,370	0.13	5.7
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	285	0.03	3.6
377	G.I. HEMORRHAGE WITH MCC	3,144	0.31	5.4
378	G.I. HEMORRHAGE WITH CC	5,157	0.50	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	4,138	0.40	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	236	0.02	6.4
381	COMPLICATED PEPTIC ULCER WITH CC	303	0.03	4.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	255	0.02	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	110	0.01	4.6
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	703	0.07	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	202	0.02	7.2
386	INFLAMMATORY BOWEL DISEASE WITH CC	739	0.07	5.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	664	0.06	4.0
388	G.I. OBSTRUCTION WITH MCC	1,079	0.11	6.8
389	G.I. OBSTRUCTION WITH CC	2,431	0.24	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2,932	0.29	2.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	3,427	0.33	4.2
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	20,778	2.02	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1,806	0.18	7.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	3,005	0.29	4.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2,401	0.23	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	354	0.03	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	409	0.04	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	213	0.02	5.9
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	114	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	106	0.01	8.1
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	50	0.00	7.1
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	35	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	47	0.00	9.4
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	67	0.01	6.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	295	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	326	0.03	6.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	507	0.05	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	1,453	0.14	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	2,177	0.21	4.5
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6,095	0.59	2.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	65	0.01	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	81	0.01	5.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	30	0.00	4.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	121	0.01	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	50	0.00	8.0
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	12	0.00	6.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	2,015	0.20	6.3
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1,290	0.13	3.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	157	0.02	2.6
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1,051	0.10	7.2
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	895	0.09	4.7
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	205	0.02	3.4
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1,387	0.14	6.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	2,479	0.24	4.5
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	3,276	0.32	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1,916	0.19	7.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1,739	0.17	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	835	0.08	3.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1,273	0.12	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	1,498	0.15	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	2,627	0.26	2.5
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	82	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	359	0.03	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	306	0.03	4.5
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	99	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	236	0.02	7.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	204	0.02	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	192	0.02	9.2
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	2,997	0.29	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	28	0.00	11
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	376	0.04	4.4
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	286	0.03	21
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	435	0.04	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	279	0.03	6.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	114	0.01	8.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	620	0.06	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	618	0.06	3.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	1,023	0.10	8.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	14,971	1.46	3.7
471	CERVICAL SPINAL FUSION WITH MCC	174	0.02	9.4
472	CERVICAL SPINAL FUSION WITH CC	554	0.05	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	1,773	0.17	2.4
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	141	0.01	14
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	151	0.01	8.5
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	54	0.01	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	130	0.01	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	331	0.03	7.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	270	0.03	3.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	1,042	0.10	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	2,347	0.23	5.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2,132	0.21	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	269	0.03	4.7
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	543	0.05	2.4
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	43	0.00	9.3
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	122	0.01	7.1
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	73	0.01	4.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	197	0.02	5.1
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	591	0.06	2.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1,337	0.13	4.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	3,200	0.31	2.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	308	0.03	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1,178	0.11	5.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	4,304	0.42	2.6
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	118	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	386	0.04	5.5
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	714	0.07	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	83	0.01	6.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	107	0.01	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	162	0.02	10
501	SOFT TISSUE PROCEDURES WITH CC	379	0.04	5.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	771	0.08	2.3
503	FOOT PROCEDURES WITH MCC	51	0.00	9.2
504	FOOT PROCEDURES WITH CC	157	0.02	5.6
505	FOOT PROCEDURES WITHOUT CC/MCC	381	0.04	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	104	0.01	2.7
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	49	0.00	6.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	166	0.02	2.0
509	ARTHROSCOPY	44	0.00	4.3
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	65	0.01	4.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	264	0.03	3.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1,466	0.14	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	243	0.02	3.4
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	522	0.05	1.7
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	180	0.02	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	391	0.04	6.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	680	0.07	3.0
533	FRACTURES OF FEMUR WITH MCC	45	0.00	4.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	248	0.02	2.9
535	FRACTURES OF HIP & PELVIS WITH MCC	304	0.03	5.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1,140	0.11	3.2
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	48	0.00	4.2
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	52	0.01	2.0
539	OSTEOMYELITIS WITH MCC	259	0.03	15
540	OSTEOMYELITIS WITH CC	381	0.04	9.0
541	OSTEOMYELITIS WITHOUT CC/MCC	190	0.02	6.9
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	321	0.03	8.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	768	0.07	5.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	309	0.03	3.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	389	0.04	8.9
546	CONNECTIVE TISSUE DISORDERS WITH CC	657	0.06	4.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	660	0.06	3.4
548	SEPTIC ARTHRITIS WITH MCC	58	0.01	14
549	SEPTIC ARTHRITIS WITH CC	104	0.01	6.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	94	0.01	4.3
551	MEDICAL BACK PROBLEMS WITH MCC	679	0.07	5.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	4,892	0.48	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	187	0.02	4.5
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	880	0.09	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	150	0.01	3.8
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1,151	0.11	2.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	278	0.03	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	941	0.09	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	139	0.01	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	327	0.03	7.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	309	0.03	2.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	428	0.04	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2,817	0.27	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	167	0.02	7.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	322	0.03	4.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	260	0.03	2.6
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	366	0.04	23
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	578	0.06	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	301	0.03	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	41	0.00	16
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	209	0.02	5.2
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	346	0.03	3.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	265	0.03	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	962	0.09	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1,687	0.16	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	581	0.06	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	966	0.09	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	88	0.01	3.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	499	0.05	2.0
592	SKIN ULCERS WITH MCC	371	0.04	14
593	SKIN ULCERS WITH CC	766	0.07	7.7
594	SKIN ULCERS WITHOUT CC/MCC	107	0.01	3.8
595	MAJOR SKIN DISORDERS WITH MCC	96	0.01	8.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	425	0.04	4.2
597	MALIGNANT BREAST DISORDERS WITH MCC	96	0.01	8.0
598	MALIGNANT BREAST DISORDERS WITH CC	186	0.02	4.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	35	0.00	2.3
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	110	0.01	5.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	230	0.02	2.6
602	CELLULITIS WITH MCC	1,989	0.19	7.0
603	CELLULITIS WITHOUT MCC	12,362	1.20	3.8
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	302	0.03	4.2
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2,290	0.22	2.0
606	MINOR SKIN DISORDERS WITH MCC	145	0.01	4.8
607	MINOR SKIN DISORDERS WITHOUT MCC	897	0.09	2.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	252	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	232	0.02	3.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	88	0.01	16
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	547	0.05	11
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	15	0.00	7.7
619	O.R. PROCEDURES FOR OBESITY WITH MCC	79	0.01	5.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	422	0.04	2.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2,624	0.26	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	64	0.01	17
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	157	0.02	8.7
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	17	0.00	4.5
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	60	0.01	6.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	389	0.04	2.6
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2,353	0.23	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	216	0.02	7.9
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	264	0.03	7.7
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	62	0.01	3.1
637	DIABETES WITH MCC	2,115	0.21	5.0
638	DIABETES WITH CC	4,344	0.42	3.9
639	DIABETES WITHOUT CC/MCC	3,839	0.37	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4,015	0.39	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	10,239	1.00	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	270	0.03	3.2
643	ENDOCRINE DISORDERS WITH MCC	437	0.04	7.3
644	ENDOCRINE DISORDERS WITH CC	808	0.08	4.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	957	0.09	2.7
652	KIDNEY TRANSPLANT	431	0.04	7.3
653	MAJOR BLADDER PROCEDURES WITH MCC	95	0.01	15
654	MAJOR BLADDER PROCEDURES WITH CC	180	0.02	9.7
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	79	0.01	6.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	210	0.02	9.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	379	0.04	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	456	0.04	3.3
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	262	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	597	0.06	4.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	725	0.07	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	54	0.01	11
663	MINOR BLADDER PROCEDURES WITH CC	117	0.01	4.1
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	220	0.02	1.6
665	PROSTATECTOMY WITH MCC	32	0.00	12
666	PROSTATECTOMY WITH CC	83	0.01	5.7
667	PROSTATECTOMY WITHOUT CC/MCC	107	0.01	2.2
668	TRANSURETHRAL PROCEDURES WITH MCC	254	0.02	8.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	733	0.07	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	537	0.05	2.0
671	URETHRAL PROCEDURES WITH CC/MCC	58	0.01	5.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	69	0.01	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	733	0.07	8.9
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	445	0.04	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	153	0.01	2.1
682	RENAL FAILURE WITH MCC	5,146	0.50	6.5
683	RENAL FAILURE WITH CC	4,955	0.48	4.6
684	RENAL FAILURE WITHOUT CC/MCC	1,490	0.15	3.0
685	ADMIT FOR RENAL DIALYSIS	119	0.01	3.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	115	0.01	6.6
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	179	0.02	4.3
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	68	0.01	2.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	4,222	0.41	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12,366	1.20	3.4
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	153	0.01	3.8
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	47	0.00	1.6
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	292	0.03	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1,933	0.19	1.9
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	80	0.01	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	544	0.05	2.5
697	URETHRAL STRICTURE	57	0.01	2.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1,406	0.14	6.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1,507	0.15	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	773	0.08	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	438	0.04	4.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	1,972	0.19	1.8
709	PENIS PROCEDURES WITH CC/MCC	70	0.01	4.6
710	PENIS PROCEDURES WITHOUT CC/MCC	227	0.02	1.7
711	TESTES PROCEDURES WITH CC/MCC	91	0.01	6.5
712	TESTES PROCEDURES WITHOUT CC/MCC	217	0.02	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	545	0.05	3.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1,341	0.13	1.7
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	38	0.00	6.9
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	51	0.00	1.9
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	41	0.00	7.2
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	30	0.00	1.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	83	0.01	6.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	104	0.01	4.2
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	50	0.00	1.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	120	0.01	3.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	258	0.03	2.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	170	0.02	6.9
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	605	0.06	3.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	90	0.01	5.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	76	0.01	2.8
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	254	0.02	6.9
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	374	0.04	2.9
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	58	0.01	13
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	244	0.02	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	168	0.02	3.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	53	0.01	11
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	306	0.03	4.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	734	0.07	2.5
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2,036	0.20	3.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	10,863	1.06	2.3
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	233	0.02	4.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	617	0.06	1.6
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	170	0.02	4.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	554	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	1,182	0.12	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	123	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	111	0.01	2.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	144	0.01	10
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	288	0.03	5.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	107	0.01	2.4
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	131	0.01	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	243	0.02	4.7
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	487	0.05	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	489	0.05	2.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1,083	0.11	1.4
765	CESAREAN SECTION WITH CC/MCC	14,059	1.37	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	36,720	3.57	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	3,129	0.30	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	73	0.01	3.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	331	0.03	3.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	1,452	0.14	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	7,162	0.70	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	75,656	7.37	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1,201	0.12	2.6
777	ECTOPIC PREGNANCY	1,226	0.12	2.0
778	THREATENED ABORTION	2,455	0.24	2.7
779	ABORTION WITHOUT D&C	654	0.06	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
780	FALSE LABOR	336	0.03	.64
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	7,099	0.69	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	1,739	0.17	2.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	2,166	0.21	7.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2,237	0.22	39
791	PREMATURITY WITH MAJOR PROBLEMS	2,391	0.23	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	5,673	0.55	6.4
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	5,413	0.53	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	18,495	1.80	2.9
795	NORMAL NEWBORN	106,712	10.39	2.3
799	SPLENECTOMY WITH MCC	31	0.00	14
800	SPLENECTOMY WITH CC	42	0.00	6.5
801	SPLENECTOMY WITHOUT CC/MCC	76	0.01	3.8
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	62	0.01	16
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	92	0.01	6.9
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	108	0.01	3.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	487	0.05	8.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1,210	0.12	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	367	0.04	3.6
811	RED BLOOD CELL DISORDERS WITH MCC	2,317	0.23	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	7,597	0.74	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	1,186	0.12	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	149	0.01	8.1
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	346	0.03	4.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	374	0.04	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	110	0.01	23
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	146	0.01	7.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	192	0.02	3.3
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	118	0.01	16
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	159	0.02	8.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	141	0.01	4.3
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	47	0.00	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	107	0.01	8.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	82	0.01	3.7
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	115	0.01	9.5
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	65	0.01	2.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	408	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	339	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	230	0.02	7.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	200	0.02	23
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	389	0.04	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	396	0.04	7.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	640	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	597	0.06	6.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	391	0.04	4.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	131	0.01	7.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	204	0.02	5.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	85	0.01	3.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	444	0.04	7.6
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	3,384	0.33	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	373	0.04	3.5
849	RADIOTHERAPY	208	0.02	3.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	2,854	0.28	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	425	0.04	9.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	37	0.00	4.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	356	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	523	0.05	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	164	0.02	4.8
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	721	0.07	8.2
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1,604	0.16	4.4
864	FEVER	1,677	0.16	3.0
865	VIRAL ILLNESS WITH MCC	206	0.02	6.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	1,273	0.12	2.6
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	427	0.04	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	162	0.02	6.2
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	107	0.01	4.4
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3,367	0.33	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	20,170	1.96	7.8
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	5,636	0.55	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	28	0.00	8.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	782	0.08	1.7
881	DEPRESSIVE NEUROSES	188	0.02	2.9
882	NEUROSES EXCEPT DEPRESSIVE	97	0.01	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	68	0.01	9.8
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	578	0.06	5.7
885	PSYCHOSES	1,469	0.14	5.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	136	0.01	1.6
887	OTHER MENTAL DISORDER DIAGNOSIS	98	0.01	2.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	509	0.05	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	138	0.01	11
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	764	0.07	5.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3,705	0.36	3.0
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	56	0.01	24

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	129	0.01	11
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	119	0.01	3.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	118	0.01	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	74	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	199	0.02	2.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	551	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	583	0.06	5.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	597	0.06	2.6
913	TRAUMATIC INJURY WITH MCC	85	0.01	4.0
914	TRAUMATIC INJURY WITHOUT MCC	845	0.08	2.0
915	ALLERGIC REACTIONS WITH MCC	94	0.01	3.6
916	ALLERGIC REACTIONS WITHOUT MCC	479	0.05	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1,530	0.15	4.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	3,489	0.34	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	674	0.07	6.5
920	COMPLICATIONS OF TREATMENT WITH CC	874	0.09	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	676	0.07	2.6
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	111	0.01	5.8
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	434	0.04	1.9
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	31	0.00	27
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	117	0.01	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	142	0.01	8.1
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	5	0.00	1.8
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	83	0.01	4.5
935	NON-EXTENSIVE BURNS	359	0.03	5.2
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	60	0.01	11
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	140	0.01	4.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	241	0.02	3.1
945	REHABILITATION WITH CC/MCC	221	0.02	24
946	REHABILITATION WITHOUT CC/MCC	19	0.00	9.4
947	SIGNS & SYMPTOMS WITH MCC	694	0.07	4.4
948	SIGNS & SYMPTOMS WITHOUT MCC	2,790	0.27	2.9
949	AFTERCARE WITH CC/MCC	164	0.02	10
950	AFTERCARE WITHOUT CC/MCC	92	0.01	3.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	947	0.09	2.6
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	87	0.01	16
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	275	0.03	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	307	0.03	19
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	321	0.03	10
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	153	0.01	6.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	135	0.01	9.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	339	0.03	5.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	202	0.02	3.9
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	84	0.01	24
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	26	0.00	12
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	778	0.08	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	573	0.06	8.6
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	330	0.03	5.2
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	524	0.05	4.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1,496	0.15	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1,022	0.10	8.4
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	880	0.09	3.3
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	42	0.00	12
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	46	0.00	10
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.00	3.6
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	496	0.05	16
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	615	0.06	6.6
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	513	0.05	2.9
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	10	0.00	3.2
999	UNGROUPABLE	7	0.00	1.7
All		1,027,188	100.0	4.4

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.03	8.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.03	7.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	2	0.06	5.5
683	RENAL FAILURE WITH CC	1	0.03	9.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.03	5.0
881	DEPRESSIVE NEUROSES	2	0.06	2.5
882	NEUROSES EXCEPT DEPRESSIVE	1	0.03	41
885	PSYCHOSES	32	0.97	9.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.03	240
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	694	20.94	7.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1,289	38.88	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	7	0.21	6.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1,276	38.49	6.7
945	REHABILITATION WITH CC/MCC	4	0.12	3.3
946	REHABILITATION WITHOUT CC/MCC	2	0.06	3.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.03	11
All		3,315	100.0	10

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	33.33	11
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	33.33	4.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	33.33	8.0
All		3	100.0	7.7

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.01	6.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	1	0.01	15
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	13	0.13	30
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.03	16
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	9	0.09	17
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	9	0.09	14
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	21	0.21	18
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.04	16
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	5	0.05	13
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.03	21
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	35	0.35	20
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	54	0.55	18
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	5	0.05	13
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	6	0.06	11
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	4	0.04	11
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.02	18
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	4	0.04	20
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.04	8.8
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.04	59
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	2	0.02	62
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.02	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	3	0.03	64
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.10	28
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	4	0.04	17
089	CONCUSSION WITH CC	2	0.02	28
090	CONCUSSION WITHOUT CC/MCC	1	0.01	18
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	16	0.16	23
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	8	0.08	12
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.07	11
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.01	91
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.01	12
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	88
101	SEIZURES WITHOUT MCC	3	0.03	16
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	14
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.01	3.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1	0.01	27
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.01	14
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	3	0.03	18
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.02	12
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.01	.00
189	PULMONARY EDEMA & RESPIRATORY FAILURE	6	0.06	22
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	4	0.04	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	2	0.02	9.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.01	7.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.02	14
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	0.01	2.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.01	14
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	1	0.01	10
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	2	0.02	10
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.01	10
291	HEART FAILURE & SHOCK WITH MCC	8	0.08	14
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.05	12
300	PERIPHERAL VASCULAR DISORDERS WITH CC	4	0.04	13
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.01	12
302	ATHEROSCLEROSIS WITH MCC	1	0.01	18
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.01	14
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.01	19
312	SYNCOPE & COLLAPSE	2	0.02	13
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.01	1.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	2	0.02	22
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.01	12
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	2	0.02	45
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.01	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	1	0.01	20
377	G.I. HEMORRHAGE WITH MCC	3	0.03	17
388	G.I. OBSTRUCTION WITH MCC	1	0.01	8.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	2	0.02	9.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	3	0.03	10
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.01	32
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.01	13
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	2	0.02	6.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.01	16
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	2	0.02	5.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.01	84
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.01	.00
533	FRACTURES OF FEMUR WITH MCC	5	0.05	19
534	FRACTURES OF FEMUR WITHOUT MCC	4	0.04	14
535	FRACTURES OF HIP & PELVIS WITH MCC	15	0.15	17
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	41	0.41	14
539	OSTEOMYELITIS WITH MCC	2	0.02	19
540	OSTEOMYELITIS WITH CC	3	0.03	8.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.01	8.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	4	0.04	14
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	3	0.03	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.01	19
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.04	12
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	3	0.03	9.3
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	34
551	MEDICAL BACK PROBLEMS WITH MCC	14	0.14	19
552	MEDICAL BACK PROBLEMS WITHOUT MCC	44	0.44	14
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.04	10
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	55	0.56	11
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	0.02	10
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	2	0.02	9.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.04	16
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.01	11
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.04	9.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	3	0.03	12
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.03	17
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.04	17
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.01	13
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.01	10
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.02	13
593	SKIN ULCERS WITH CC	7	0.07	25
602	CELLULITIS WITH MCC	1	0.01	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
603	CELLULITIS WITHOUT MCC	6	0.06	6.2
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.01	13
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	8.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.01	35
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.01	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	6	0.06	13
637	DIABETES WITH MCC	1	0.01	7.0
638	DIABETES WITH CC	2	0.02	25
639	DIABETES WITHOUT CC/MCC	1	0.01	1.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.01	4.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.01	11
644	ENDOCRINE DISORDERS WITH CC	2	0.02	16
682	RENAL FAILURE WITH MCC	2	0.02	15
683	RENAL FAILURE WITH CC	2	0.02	14
684	RENAL FAILURE WITHOUT CC/MCC	1	0.01	18
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.01	13
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.03	21
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2	0.02	12
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.01	12
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.01	18
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1	0.01	1.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	1	0.01	13
864	FEVER	1	0.01	2.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.01	8.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	5	0.05	9.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	0.01	1.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.01	.00
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.03	26
885	PSYCHOSES	9	0.09	12
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	0.01	3.0
913	TRAUMATIC INJURY WITH MCC	2	0.02	21
914	TRAUMATIC INJURY WITHOUT MCC	2	0.02	6.5
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.01	15
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.01	22
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	88	0.89	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	67	0.68	19
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	3	0.03	12
945	REHABILITATION WITH CC/MCC	7,740	78.21	15
946	REHABILITATION WITHOUT CC/MCC	1,293	13.06	11
947	SIGNS & SYMPTOMS WITH MCC	24	0.24	15
948	SIGNS & SYMPTOMS WITHOUT MCC	18	0.18	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
949	AFTERCARE WITH CC/MCC	11	0.11	16
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	0.07	5.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.04	33
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	4	0.04	19
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	17
975	HIV WITH MAJOR RELATED CONDITION WITH CC	1	0.01	5.0
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.01	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	9.0
All		9,897	100.0	15

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.00	22
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.00	12
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	56	0.09	14
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	390	0.65	14
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.00	22
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	2	0.00	2.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	0.00	1.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.00	6.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.00	15
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	5	0.01	12
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.00	4.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2	0.00	9.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.00	3.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.01	12
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.01	7.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.00	16
101	SEIZURES WITHOUT MCC	7	0.01	10
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	1	0.00	1.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.00	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
187	PLEURAL EFFUSION WITH CC	1	0.00	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	0.00	2.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	3	0.00	6.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	6	0.01	5.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	5	0.01	3.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.00	9.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	2	0.00	3.0
200	PNEUMOTHORAX WITH CC	1	0.00	15
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.00	3.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	2	0.00	3.0
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	1	0.00	5.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.00	4.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	2	0.00	27
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3	0.00	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1	0.00	9.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	1	0.00	8.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	1	0.00	4.0
252	OTHER VASCULAR PROCEDURES WITH MCC	2	0.00	1.5
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.00	2.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	1	0.00	12
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
291	HEART FAILURE & SHOCK WITH MCC	2	0.00	7.5
292	HEART FAILURE & SHOCK WITH CC	3	0.00	4.7
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.00	6.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.00	4.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	2	0.00	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.00	4.0
305	HYPERTENSION WITHOUT MCC	4	0.01	2.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.00	5.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.00	2.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.00	3.0
311	ANGINA PECTORIS	4	0.01	2.3
312	SYNCOPE & COLLAPSE	5	0.01	4.8
313	CHEST PAIN	16	0.03	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	2	0.00	7.5
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	2	0.00	5.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	5.0
336	PERITONEAL ADHESIOLYSIS WITH CC	1	0.00	10
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	4.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	1	0.00	6.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.00	4.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.00	6.0
377	G.I. HEMORRHAGE WITH MCC	3	0.00	2.7
378	G.I. HEMORRHAGE WITH CC	3	0.00	3.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	2	0.00	2.5
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.00	5.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	1	0.00	3.0
388	G.I. OBSTRUCTION WITH MCC	1	0.00	6.0
389	G.I. OBSTRUCTION WITH CC	1	0.00	3.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	1	0.00	4.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	1	0.00	2.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	12	0.02	4.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.00	6.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.00	3.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.00	2.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.00	7.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.00	2.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	2	0.00	2.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	2	0.00	3.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.01	25
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	2	0.00	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	1	0.00	7.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	1	0.00	6.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3	0.00	6.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	2	0.00	2.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	1	0.00	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2	0.00	5.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1	0.00	5.0
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	1	0.00	3.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.00	1.0
540	OSTEOMYELITIS WITH CC	1	0.00	31
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.00	2.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.00	6.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.00	2.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.00	2.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	4	0.01	14
602	CELLULITIS WITH MCC	1	0.00	16
603	CELLULITIS WITHOUT MCC	10	0.02	5.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.00	5.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.00	4.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.00	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
637	DIABETES WITH MCC	2	0.00	5.5
638	DIABETES WITH CC	4	0.01	3.5
639	DIABETES WITHOUT CC/MCC	3	0.00	2.7
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.00	3.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	6	0.01	6.2
642	INBORN ERRORS OF METABOLISM	2	0.00	9.5
644	ENDOCRINE DISORDERS WITH CC	1	0.00	6.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.00	4.0
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.00	8.0
682	RENAL FAILURE WITH MCC	2	0.00	2.0
683	RENAL FAILURE WITH CC	1	0.00	4.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.00	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	8	0.01	5.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.00	7.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.00	13
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	5.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	3.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	1	0.00	9.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	1	0.00	146
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	1	0.00	9.0
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.00	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	30	0.05	3.6
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	85	0.14	7.4
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	1	0.00	3.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	1	0.00	5.0
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.00	15
812	RED BLOOD CELL DISORDERS WITHOUT MCC	7	0.01	8.4
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.01	12
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	2	0.00	9.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.00	2.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.00	4.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	7	0.01	3.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	3	0.00	3.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	22	0.04	13
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	235	0.39	5.6
881	DEPRESSIVE NEUROSES	2,431	4.04	3.9
882	NEUROSES EXCEPT DEPRESSIVE	874	1.45	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	297	0.49	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	383	0.64	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	51,308	85.33	9.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	369	0.61	9.5
887	OTHER MENTAL DISORDER DIAGNOSIS	98	0.16	17
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	354	0.59	3.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	162	0.27	4.4
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	30	0.05	5.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2,545	4.23	7.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	1	0.00	12
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	1	0.00	2.0
914	TRAUMATIC INJURY WITHOUT MCC	1	0.00	3.0
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.00	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	9	0.01	7.6
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	100	0.17	5.0
945	REHABILITATION WITH CC/MCC	4	0.01	14
949	AFTERCARE WITH CC/MCC	1	0.00	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	40	0.07	1.9
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.00	17
975	HIV WITH MAJOR RELATED CONDITION WITH CC	9	0.01	11
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.00	2.7
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.00	6.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	9.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	10
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	17
All		60,132	100.0	8.7

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.01	47
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	1	0.01	3.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.05	244
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.02	86
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.12	13
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	23	0.18	14
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	77	0.60	107
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	220	1.70	239
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.02	53
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.05	16
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	4	0.03	94
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	36	0.28	33
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	67	0.52	13
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	27	0.21	12
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.02	16
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	8	0.06	20
069	TRANSIENT ISCHEMIA	16	0.12	7.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	18	0.14	105
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	8	0.06	6.1
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.02	94
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.02	3.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	31	0.24	15
075	VIRAL MENINGITIS WITH CC/MCC	3	0.02	6.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.02	4.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	13	0.10	111
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	9	0.07	23
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.02	4.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.01	6.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.02	18
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	9	0.07	88
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	9	0.07	12
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	13	0.10	13
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	45	0.35	188
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	44	0.34	105
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	28	0.22	72
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.04	20
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	5	0.04	18
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.01	8.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	4.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	9.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.01	4.0
100	SEIZURES WITH MCC	7	0.05	12

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
101	SEIZURES WITHOUT MCC	21	0.16	55
102	HEADACHES WITH MCC	1	0.01	5.0
103	HEADACHES WITHOUT MCC	7	0.05	76
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.02	13
123	NEUROLOGICAL EYE DISORDERS	1	0.01	4.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	32
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	6	0.05	64
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.02	41
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	5	0.04	25
149	DYSEQUILIBRIUM	22	0.17	5.3
150	EPISTAXIS WITH MCC	2	0.02	12
151	EPISTAXIS WITHOUT MCC	2	0.02	1.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	7	0.05	15
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.01	7.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.02	5.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	7	0.05	5.0
157	DENTAL & ORAL DISEASES WITH MCC	2	0.02	3.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.01	3.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	1	0.01	5.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	4	0.03	508
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	3	0.02	219

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
175	PULMONARY EMBOLISM WITH MCC	9	0.07	7.6
176	PULMONARY EMBOLISM WITHOUT MCC	24	0.19	5.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	67	0.52	16
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	85	0.66	11
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	31	0.24	8.8
180	RESPIRATORY NEOPLASMS WITH MCC	22	0.17	37
181	RESPIRATORY NEOPLASMS WITH CC	32	0.25	8.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.05	11
183	MAJOR CHEST TRAUMA WITH MCC	1	0.01	6.0
184	MAJOR CHEST TRAUMA WITH CC	1	0.01	15
186	PLEURAL EFFUSION WITH MCC	8	0.06	28
187	PLEURAL EFFUSION WITH CC	9	0.07	9.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	7	0.05	88
189	PULMONARY EDEMA & RESPIRATORY FAILURE	335	2.59	99
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	111	0.86	10
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	107	0.83	15
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	90	0.70	15
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	118	0.91	22
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	192	1.48	12
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	110	0.85	8.6
196	INTERSTITIAL LUNG DISEASE WITH MCC	12	0.09	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
197	INTERSTITIAL LUNG DISEASE WITH CC	11	0.09	46
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.04	6.4
200	PNEUMOTHORAX WITH CC	1	0.01	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	2	0.02	5.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	25	0.19	10
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	21	0.16	20
204	RESPIRATORY SIGNS & SYMPTOMS	16	0.12	10
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	10	0.08	88
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	10	0.08	68
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	331	2.56	179
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	22	0.17	29
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1	0.01	.00
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1	0.01	1.0
253	OTHER VASCULAR PROCEDURES WITH CC	2	0.02	5.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1	0.01	18
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	8	0.06	26
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	4	0.03	9.8
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	6	0.05	6.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.01	8.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	10	0.08	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	5	0.04	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.03	15
291	HEART FAILURE & SHOCK WITH MCC	109	0.84	13
292	HEART FAILURE & SHOCK WITH CC	111	0.86	30
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	78	0.60	39
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.03	9.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	3	0.02	14
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	54	0.42	14
300	PERIPHERAL VASCULAR DISORDERS WITH CC	70	0.54	11
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	34	0.26	25
302	ATHEROSCLEROSIS WITH MCC	8	0.06	68
303	ATHEROSCLEROSIS WITHOUT MCC	26	0.20	58
304	HYPERTENSION WITH MCC	2	0.02	170
305	HYPERTENSION WITHOUT MCC	36	0.28	177
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.02	8.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	12	0.09	11
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	13	0.10	9.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	26	0.20	17
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	31	0.24	45
311	ANGINA PECTORIS	4	0.03	15
312	SYNCOPE & COLLAPSE	71	0.55	11
313	CHEST PAIN	17	0.13	6.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	52	0.40	13
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	29	0.22	10
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.15	17
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.01	10
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	1	0.01	8.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	18	0.14	17
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	26	0.20	13
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	9	0.07	9.0
374	DIGESTIVE MALIGNANCY WITH MCC	25	0.19	11
375	DIGESTIVE MALIGNANCY WITH CC	28	0.22	7.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	10	0.08	4.9
377	G.I. HEMORRHAGE WITH MCC	19	0.15	10
378	G.I. HEMORRHAGE WITH CC	25	0.19	10
379	G.I. HEMORRHAGE WITHOUT CC/MCC	19	0.15	6.7
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.01	9.0
381	COMPLICATED PEPTIC ULCER WITH CC	5	0.04	7.4
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.01	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	3	0.02	5.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	3	0.02	19
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.02	8.7
388	G.I. OBSTRUCTION WITH MCC	10	0.08	7.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
389	G.I. OBSTRUCTION WITH CC	25	0.19	7.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	12	0.09	29
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	30	0.23	8.4
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	140	1.08	13
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	25	0.19	12
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	23	0.18	7.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.14	18
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	11	0.09	15
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	4	0.03	12
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.01	23
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	20	0.15	7.8
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	23	0.18	6.1
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	6	0.05	6.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	15	0.12	7.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	18	0.14	7.9
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	16	0.12	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	9	0.07	7.4
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	15	0.12	17
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.03	5.8
444	DISORDERS OF THE BILIARY TRACT WITH MCC	17	0.13	8.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	9	0.07	7.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	9	0.07	4.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	42
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	2	0.02	29
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.01	5.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	1	0.01	12
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.05	11
535	FRACTURES OF HIP & PELVIS WITH MCC	18	0.14	16
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	154	1.19	16
539	OSTEOMYELITIS WITH MCC	14	0.11	34
540	OSTEOMYELITIS WITH CC	25	0.19	19
541	OSTEOMYELITIS WITHOUT CC/MCC	7	0.05	13
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	12	0.09	9.7
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	26	0.20	8.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	8	0.06	42
546	CONNECTIVE TISSUE DISORDERS WITH CC	9	0.07	14
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	11	0.09	14
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	5.0
549	SEPTIC ARTHRITIS WITH CC	12	0.09	16
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	7	0.05	7.9
551	MEDICAL BACK PROBLEMS WITH MCC	18	0.14	22
552	MEDICAL BACK PROBLEMS WITHOUT MCC	153	1.18	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
553	BONE DISEASES & ARTHROPATHIES WITH MCC	9	0.07	11
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	182	1.41	13
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.02	78
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	38	0.29	9.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.04	11
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.12	6.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	94	0.73	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	311	2.40	11
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	531	4.11	6.4
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	6	0.05	11
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	70	0.54	14
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.02	15
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	9	0.07	7.7
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	9	0.07	9.4
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	0.01	6.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.01	.00
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	1	0.01	20
592	SKIN ULCERS WITH MCC	11	0.09	25
593	SKIN ULCERS WITH CC	26	0.20	24
594	SKIN ULCERS WITHOUT CC/MCC	7	0.05	9.4
595	MAJOR SKIN DISORDERS WITH MCC	1	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.05	8.0
597	MALIGNANT BREAST DISORDERS WITH MCC	3	0.02	28
598	MALIGNANT BREAST DISORDERS WITH CC	6	0.05	56
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.02	6.7
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	5.0
602	CELLULITIS WITH MCC	36	0.28	12
603	CELLULITIS WITHOUT MCC	205	1.59	10
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.02	7.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	11	0.09	20
607	MINOR SKIN DISORDERS WITHOUT MCC	6	0.05	7.2
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.01	14
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.01	11
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	4	0.03	16
637	DIABETES WITH MCC	12	0.09	21
638	DIABETES WITH CC	61	0.47	18
639	DIABETES WITHOUT CC/MCC	27	0.21	72
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	26	0.20	6.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	93	0.72	18
642	INBORN ERRORS OF METABOLISM	5	0.04	115
643	ENDOCRINE DISORDERS WITH MCC	3	0.02	6.0
644	ENDOCRINE DISORDERS WITH CC	6	0.05	88

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	3	0.02	191
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	1	0.01	4.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	0.01	69
682	RENAL FAILURE WITH MCC	53	0.41	11
683	RENAL FAILURE WITH CC	77	0.60	9.6
684	RENAL FAILURE WITHOUT CC/MCC	26	0.20	14
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.03	11
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	6	0.05	85
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.02	4.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	63	0.49	28
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	217	1.68	10
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	7.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	2	0.02	11
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	9	0.07	9.2
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	2	0.02	9.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	10	0.08	7.7
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	9	0.07	27
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	9	0.07	5.2
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	5	0.04	53
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.04	51

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	126
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.02	9.7
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.04	34
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	7.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	13	0.10	11
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.01	18
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	9.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.03	12
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	10	0.08	9.1
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	8.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	13
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	12
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	16
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.02	6.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.01	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.02	12
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	2	0.02	4.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	2	0.02	43
795	NORMAL NEWBORN	1	0.01	1.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	7	0.05	8.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	12	0.09	8.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	41	0.32	32
813	COAGULATION DISORDERS	8	0.06	7.8
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.02	5.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	13
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.01	1.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	48
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	2	0.02	28
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	13	0.10	15
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	21	0.16	25
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	6	0.05	5.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.05	5.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	9	0.07	3.4
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	3	0.02	5.7
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	1	0.01	2.0
849	RADIOTHERAPY	2	0.02	22
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	3	0.02	47
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	1	0.01	44
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	2	0.02	24
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	19	0.15	20

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	39	0.30	11
864	FEVER	4	0.03	4.3
865	VIRAL ILLNESS WITH MCC	1	0.01	16
866	VIRAL ILLNESS WITHOUT MCC	2	0.02	8.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.07	21
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	4	0.03	54
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.02	14
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	7	0.05	172
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	233	1.80	13
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	105	0.81	9.9
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.02	6.0
881	DEPRESSIVE NEUROSES	5	0.04	147
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	33	0.26	351
885	PSYCHOSES	8	0.06	499
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	5	0.04	5.8
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	1	0.01	20
913	TRAUMATIC INJURY WITH MCC	2	0.02	13
914	TRAUMATIC INJURY WITHOUT MCC	7	0.05	11
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.01	2.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	2	0.02	14
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	2	0.02	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	5	0.04	13
920	COMPLICATIONS OF TREATMENT WITH CC	14	0.11	7.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	8	0.06	7.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	2	0.02	17
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	3	0.02	10
935	NON-EXTENSIVE BURNS	1	0.01	7.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	13	0.10	56
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	8	0.06	26
945	REHABILITATION WITH CC/MCC	2,115	16.35	21
946	REHABILITATION WITHOUT CC/MCC	1,093	8.45	7.1
947	SIGNS & SYMPTOMS WITH MCC	58	0.45	18
948	SIGNS & SYMPTOMS WITHOUT MCC	115	0.89	17
949	AFTERCARE WITH CC/MCC	1,091	8.44	9.8
950	AFTERCARE WITHOUT CC/MCC	286	2.21	6.7
951	OTHER FACTORS INFLUENCING HEALTH STATUS	328	2.54	4.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.01	15
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	4	0.03	13
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.02	15
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.01	19
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.01	3.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.02	10

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	99
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.02	102
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	306
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.02	20
All		12,933	100.0	29

**MDC by Patient County of Residence
for 2009
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	7	0.00	1.7
01	NERVOUS SYSTEM, DISEASES & DISORDERS	57,972	5.21	6.7
02	EYE, DISEASES & DISORDERS	2,099	0.19	3.2
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	13,306	1.20	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	92,795	8.33	7.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	140,202	12.59	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	91,097	8.18	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	35,814	3.22	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	74,364	6.68	4.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	28,073	2.52	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	35,928	3.23	3.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	43,437	3.90	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	6,698	0.60	2.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	21,224	1.91	2.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	153,473	13.78	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	143,126	12.85	3.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	14,891	1.34	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	10,162	0.91	8.6
18	INFECTIOUS & PARASITIC DISEASES	40,898	3.67	9.3
19	MENTAL DISEASES & DISORDERS	59,558	5.35	8.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	11,512	1.03	6.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	12,106	1.09	4.0

(Continued)

*MDC by Patient County of Residence
for 2009
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	753	0.07	8.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	19,777	1.78	12
24	MULTIPLE SIGNFICANT TRAUMA	1,841	0.17	10
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2,355	0.21	10
All		1,113,468	100.0	5.1

**MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	7	0.00	1.7
01	NERVOUS SYSTEM, DISEASES & DISORDERS	56,432	5.49	5.1
02	EYE, DISEASES & DISORDERS	2,092	0.20	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	13,242	1.29	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	90,895	8.85	6.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	139,259	13.56	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	90,565	8.82	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	35,615	3.47	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	72,336	7.04	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	27,708	2.70	4.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	35,649	3.47	3.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	42,909	4.18	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	6,665	0.65	2.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	21,192	2.06	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	153,349	14.93	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	143,123	13.93	3.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	14,802	1.44	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	10,096	0.98	8.6
18	INFECTIOUS & PARASITIC DISEASES	40,444	3.94	9.3
19	MENTAL DISEASES & DISORDERS	3,444	0.34	4.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5,146	0.50	3.5

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	11,944	1.16	4.0
22	BURNS	748	0.07	8.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	5,368	0.52	4.3
24	MULTIPLE SIGNFICANT TRAUMA	1,824	0.18	10
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2,334	0.23	10
All		1,027,188	100.0	4.4

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.03	8.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.03	7.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	0.06	5.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.03	9.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.03	5.0
19	MENTAL DISEASES & DISORDERS	36	1.09	17
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3,267	98.55	10
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	6	0.18	3.2
All		3,315	100.0	10

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	66.67	7.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	33.33	8.0
All		3	100.0	7.7

**MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	249	2.52	20
02	EYE, DISEASES & DISORDERS	1	0.01	14
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.01	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	25	0.25	15
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	30	0.30	13
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	15	0.15	19
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4	0.04	10
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	233	2.35	14
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	20	0.20	16
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	15	0.15	13
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	13	0.13	16
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.01	1.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	0.01	13
18	INFECTIOUS & PARASITIC DISEASES	8	0.08	7.3
19	MENTAL DISEASES & DISORDERS	13	0.13	14
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	0.01	3.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	5	0.05	14
22	BURNS	1	0.01	22
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	9,251	93.47	15
24	MULTIPLE SIGNFICANT TRAUMA	9	0.09	25

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.01	5.0
All		9,897	100.0	15

**MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	480	0.80	13
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3	0.00	4.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	31	0.05	6.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	55	0.09	3.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	34	0.06	4.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	16	0.03	8.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	23	0.04	7.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	16	0.03	6.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	21	0.03	5.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	17	0.03	5.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5	0.01	4.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	119	0.20	7.5
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	13	0.02	9.7
18	INFECTIOUS & PARASITIC DISEASES	15	0.02	5.6
19	MENTAL DISEASES & DISORDERS	56,017	93.16	8.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3,093	5.14	6.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	113	0.19	5.1
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	45	0.07	2.9
24	MULTIPLE SIGNFICANT TRAUMA	1	0.00	17
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	15	0.02	8.2
All		60,132	100.0	8.7

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	809	6.26	110
02	EYE, DISEASES & DISORDERS	6	0.05	21
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	60	0.46	16
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,843	14.25	62
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	857	6.63	28
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	482	3.73	12
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	177	1.37	8.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,772	13.70	11
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	329	2.54	13
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	243	1.88	28
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	497	3.84	14
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	33	0.26	27
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	27	0.21	10
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4	0.03	8.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3	0.02	29
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	75	0.58	21
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	65	0.50	15
18	INFECTIOUS & PARASITIC DISEASES	431	3.33	16
19	MENTAL DISEASES & DISORDERS	48	0.37	340
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5	0.04	5.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	44	0.34	10

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	4	0.03	9.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	5,107	39.49	14
24	MULTIPLE SIGNFICANT TRAUMA	7	0.05	14
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	5	0.04	11
All		12,933	100.0	29