

**Type of Care by Patient County of Residence
for 2010
Los Angeles County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	1,020,315	91.98	4.4
Chemical Dependency Recovery Care	3,291	0.30	9.0
Invalid/Blank	3	0.00	8.7
Physical Rehabilitation Care	9,623	0.87	15
Psychiatric Care	62,719	5.65	8.5
Skilled Nursing/Intermediate Care	13,272	1.20	29
All	1,109,223	100.0	5.1

***Disposition by Patient County of Residence
for 2010
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

**Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	27	0.00	6.2
01 - Routine (Home)	762,310	74.71	3.4
02 - Acute Care within the admitting hospital	63	0.01	7.4
03 - Other Care with the admitting hospital	7,718	0.76	7.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	9,865	0.97	6.8
05 - Acute Care at another hospital	21,030	2.06	6.0
06 - Other Care (not SN/IC) at another hospital	6,990	0.69	8.3
07 - SN/IC at another facility	89,108	8.73	8.5
08 - Residential Care facility	5,616	0.55	5.8
09 - Prison/Jail	2,704	0.27	4.1
10 - Left Against Medical Advice	13,935	1.37	2.4
11 - Died	20,265	1.99	12
12 - Home Health Service	78,085	7.65	6.8
13 - Other	2,599	0.25	9.1
All	1,020,315	100.0	4.4

***Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,165	65.79	11
02 - Acute Care within the admitting hospital	25	0.76	4.4
03 - Other Care with the admitting hospital	37	1.12	5.8
05 - Acute Care at another hospital	20	0.61	4.9
06 - Other Care (not SN/IC) at another hospital	31	0.94	8.3
07 - SN/IC at another facility	36	1.09	7.9
08 - Residential Care facility	298	9.05	6.4
09 - Prison/Jail	1	0.03	20
10 - Left Against Medical Advice	666	20.24	6.0
11 - Died	1	0.03	24
12 - Home Health Service	3	0.09	8.3
13 - Other	8	0.24	2.0
All	3,291	100.0	9.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
06 - Other Care (not SN/IC) at another hospital	1	33.33	21
07 - SN/IC at another facility	1	33.33	3.0
13 - Other	1	33.33	2.0
All	3	100.0	8.7

***Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	11
01 - Routine (Home)	2,785	28.94	16
02 - Acute Care within the admitting hospital	952	9.89	12
03 - Other Care with the admitting hospital	24	0.25	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	42	0.44	13
05 - Acute Care at another hospital	210	2.18	13
06 - Other Care (not SN/IC) at another hospital	33	0.34	14
07 - SN/IC at another facility	871	9.05	18
08 - Residential Care facility	92	0.96	25
09 - Prison/Jail	2	0.02	21
10 - Left Against Medical Advice	63	0.65	8.3
11 - Died	18	0.19	7.1
12 - Home Health Service	4,521	46.98	15
13 - Other	9	0.09	29
All	9,623	100.0	15

***Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.00	21
01 - Routine (Home)	48,862	77.91	7.6
02 - Acute Care within the admitting hospital	750	1.20	9.5
03 - Other Care with the admitting hospital	111	0.18	13
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	55	0.09	18
05 - Acute Care at another hospital	1,135	1.81	5.8
06 - Other Care (not SN/IC) at another hospital	1,077	1.72	15
07 - SN/IC at another facility	3,531	5.63	15
08 - Residential Care facility	4,862	7.75	13
09 - Prison/Jail	185	0.29	14
10 - Left Against Medical Advice	1,695	2.70	4.4
11 - Died	16	0.03	8.6
12 - Home Health Service	226	0.36	12
13 - Other	212	0.34	11
All	62,719	100.0	8.5

***Disposition by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	2.0
01 - Routine (Home)	4,357	32.83	9.2
02 - Acute Care within the admitting hospital	1,546	11.65	70
03 - Other Care with the admitting hospital	74	0.56	41
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	62	0.47	76
05 - Acute Care at another hospital	464	3.50	134
06 - Other Care (not SN/IC) at another hospital	85	0.64	56
07 - SN/IC at another facility	1,515	11.42	23
08 - Residential Care facility	142	1.07	20
09 - Prison/Jail	5	0.04	29
10 - Left Against Medical Advice	86	0.65	15
11 - Died	722	5.44	109
12 - Home Health Service	4,091	30.82	10
13 - Other	122	0.92	63
All	13,272	100.0	29

***Gender by Patient County of Residence
for 2010
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	3.0
1 - Male	466,455	42.05	5.5
2 - Female	642,684	57.94	4.7
3 - Other	29	0.00	8.7
4 - Unknown	54	0.00	6.3
All	1,109,223	100.0	5.1

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	3.0
1 - Male	420,436	41.21	4.8
2 - Female	599,798	58.79	4.1
3 - Other	29	0.00	8.7
4 - Unknown	51	0.00	6.3
All	1,020,315	100.0	4.4

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,054	62.41	9.2
2 - Female	1,237	37.59	8.7
All	3,291	100.0	9.0

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2	66.67	12
2 - Female	1	33.33	2.0
All	3	100.0	8.7

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	4,566	47.45	16
2 - Female	5,057	52.55	15
All	9,623	100.0	15

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	33,688	53.71	8.6
2 - Female	29,029	46.28	8.4
4 - Unknown	2	0.00	5.0
All	62,719	100.0	8.5

***Gender by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,709	43.02	27
2 - Female	7,562	56.98	31
4 - Unknown	1	0.01	10
All	13,272	100.0	29

***Expected Payer by Patient County of Residence
for 2010
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	63	0.01	3.1
01 - Medicare	360,020	32.46	6.1
02 - Medi-Cal	336,833	30.37	5.1
03 - Private Coverage	320,143	28.86	3.8
04 - Workers' Compensatio	5,292	0.48	5.0
05 - County Indigent Prog	15,976	1.44	4.4
06 - Other Government	17,493	1.58	9.5
07 - Other Indigent	2,844	0.26	3.6
08 - Self-Pay	44,913	4.05	3.6
09 - Other Payer	5,646	0.51	7.0
All	1,109,223	100.0	5.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	55	0.01	2.8
01 - Medicare	326,884	32.04	5.5
02 - Medi-Cal	313,832	30.76	4.2
03 - Private Coverage	298,261	29.23	3.5
04 - Workers' Compensatio	4,940	0.48	4.1
05 - County Indigent Prog	14,775	1.45	4.0
06 - Other Government	11,952	1.17	7.5
07 - Other Indigent	2,634	0.26	3.5
08 - Self-Pay	41,793	4.10	3.4
09 - Other Payer	5,189	0.51	3.3
All	1,020,315	100.0	4.4

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.03	.00
01 - Medicare	730	22.18	6.5
02 - Medi-Cal	6	0.18	13
03 - Private Coverage	997	30.29	6.7
04 - Workers' Compensatio	9	0.27	8.9
06 - Other Government	1,209	36.74	12
08 - Self-Pay	323	9.81	11
09 - Other Payer	16	0.49	20
All	3,291	100.0	9.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2	66.67	12
08 - Self-Pay	1	33.33	2.0
All	3	100.0	8.7

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	11
01 - Medicare	6,069	63.07	14
02 - Medi-Cal	1,483	15.41	19
03 - Private Coverage	1,569	16.30	17
04 - Workers' Compensatio	183	1.90	18
05 - County Indigent Prog	195	2.03	16
06 - Other Government	40	0.42	19
07 - Other Indigent	1	0.01	15
08 - Self-Pay	44	0.46	13
09 - Other Payer	38	0.39	14
All	9,623	100.0	15

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	5	0.01	3.6
01 - Medicare	17,404	27.75	11
02 - Medi-Cal	20,403	32.53	7.9
03 - Private Coverage	16,447	26.22	6.1
04 - Workers' Compensatio	114	0.18	12
05 - County Indigent Prog	1,001	1.60	7.0
06 - Other Government	4,286	6.83	14
07 - Other Indigent	208	0.33	4.5
08 - Self-Pay	2,671	4.26	4.4
09 - Other Payer	180	0.29	6.0
All	62,719	100.0	8.5

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	14
01 - Medicare	8,931	67.29	13
02 - Medi-Cal	1,109	8.36	193
03 - Private Coverage	2,869	21.62	11
04 - Workers' Compensatio	46	0.35	25
05 - County Indigent Prog	5	0.04	167
06 - Other Government	6	0.05	78
07 - Other Indigent	1	0.01	1.0
08 - Self-Pay	81	0.61	21
09 - Other Payer	223	1.68	92
All	13,272	100.0	29

***Race Group by Patient County of Residence
for 2010
Los Angeles County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	7,396	0.67	6.0
1 - White	376,724	33.96	5.5
2 - Black	147,072	13.26	5.6
3 - Hispanic	442,243	39.87	4.5
4 - Asian/Pacific Islander	97,521	8.79	5.2
5 - Native American/Eskimo/Ale	1,473	0.13	4.9
6 - Other	36,794	3.32	4.9
All	1,109,223	100.0	5.1

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6,498	0.64	4.7
1 - White	336,724	33.00	4.6
2 - Black	131,783	12.92	4.9
3 - Hispanic	418,091	40.98	4.1
4 - Asian/Pacific Islander	91,528	8.97	4.6
5 - Native American/Eskimo/Ale	1,324	0.13	4.3
6 - Other	34,367	3.37	4.3
All	1,020,315	100.0	4.4

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	68	2.07	13
1 - White	1,869	56.79	8.5
2 - Black	404	12.28	12
3 - Hispanic	854	25.95	8.5
4 - Asian/Pacific Islander	33	1.00	13
5 - Native American/Eskimo/Ale	16	0.49	14
6 - Other	47	1.43	9.2
All	3,291	100.0	9.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	1	33.33	21
2 - Black	2	66.67	2.5
All	3	100.0	8.7

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	94	0.98	17
1 - White	4,276	44.44	15
2 - Black	1,019	10.59	16
3 - Hispanic	2,451	25.47	16
4 - Asian/Pacific Islander	1,444	15.01	15
5 - Native American/Eskimo/Ale	3	0.03	11
6 - Other	336	3.49	17
All	9,623	100.0	15

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	681	1.09	9.8
1 - White	27,237	43.43	8.7
2 - Black	12,259	19.55	8.8
3 - Hispanic	17,941	28.61	7.8
4 - Asian/Pacific Islander	2,731	4.35	9.5
5 - Native American/Eskimo/Ale	125	0.20	10
6 - Other	1,745	2.78	7.7
All	62,719	100.0	8.5

***Race Group by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	55	0.41	92
1 - White	6,617	49.86	31
2 - Black	1,605	12.09	26
3 - Hispanic	2,906	21.90	31
4 - Asian/Pacific Islander	1,785	13.45	21
5 - Native American/Eskimo/Ale	5	0.04	8.4
6 - Other	299	2.25	40
All	13,272	100.0	29

**Source of Admission by Patient County of Residence
for 2010
Los Angeles County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	67	0.01	8.6
1 - Home	835,793	75.35	4.4
2 - Residential Care Facility	9,859	0.89	7.5
3 - Ambulatory Surgery	5,841	0.53	3.3
4 - Skilled Nursing/Intermedia	39,530	3.56	8.7
5 - Acute Inpatient Hospital C	53,522	4.83	16
6 - Other Inpatient Hospital C	6,706	0.60	8.7
7 - Newborn (born in admitting	131,850	11.89	3.5
8 - Prison/Jail	2,807	0.25	6.0
9 - Other	23,248	2.10	5.0
All	1,109,223	100.0	5.1

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	60	0.01	9.0
1 - Home	784,396	76.88	4.1
2 - Residential Care Facility	7,375	0.72	5.1
3 - Ambulatory Surgery	5,710	0.56	3.1
4 - Skilled Nursing/Intermedia	36,407	3.57	7.1
5 - Acute Inpatient Hospital C	26,162	2.56	15
6 - Other Inpatient Hospital C	5,410	0.53	7.1
7 - Newborn (born in admitting	131,846	12.92	3.5
8 - Prison/Jail	2,355	0.23	4.4
9 - Other	20,594	2.02	4.5
All	1,020,315	100.0	4.4

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3,156	95.90	9.1
2 - Residential Care Facility	15	0.46	5.3
3 - Ambulatory Surgery	1	0.03	4.0
4 - Skilled Nursing/Intermedia	2	0.06	6.0
5 - Acute Inpatient Hospital C	59	1.79	6.3
6 - Other Inpatient Hospital C	41	1.25	8.9
8 - Prison/Jail	2	0.06	67
9 - Other	15	0.46	3.3
All	3,291	100.0	9.0

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
4 - Skilled Nursing/Intermedia	1	33.33	3.0
5 - Acute Inpatient Hospital C	2	66.67	12
All	3	100.0	8.7

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	394	4.09	17
2 - Residential Care Facility	5	0.05	30
3 - Ambulatory Surgery	66	0.69	16
4 - Skilled Nursing/Intermedia	304	3.16	17
5 - Acute Inpatient Hospital C	8,758	91.01	15
6 - Other Inpatient Hospital C	83	0.86	19
9 - Other	13	0.14	25
All	9,623	100.0	15

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	2	0.00	3.0
1 - Home	46,646	74.37	8.0
2 - Residential Care Facility	2,430	3.87	11
3 - Ambulatory Surgery	61	0.10	11
4 - Skilled Nursing/Intermedia	2,647	4.22	13
5 - Acute Inpatient Hospital C	6,787	10.82	8.6
6 - Other Inpatient Hospital C	1,092	1.74	12
7 - Newborn (born in admitting	3	0.00	7.3
8 - Prison/Jail	448	0.71	14
9 - Other	2,603	4.15	7.3
All	62,719	100.0	8.5

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	5	0.04	6.2
1 - Home	1,201	9.05	25
2 - Residential Care Facility	34	0.26	265
3 - Ambulatory Surgery	3	0.02	13
4 - Skilled Nursing/Intermedia	169	1.27	272
5 - Acute Inpatient Hospital C	11,754	88.56	25
6 - Other Inpatient Hospital C	80	0.60	60
7 - Newborn (born in admitting	1	0.01	2.0
8 - Prison/Jail	2	0.02	4.5
9 - Other	23	0.17	137
All	13,272	100.0	29

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	72	0.01	57
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	21	0.00	26
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	1,464	0.13	49
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1,917	0.17	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	134	0.01	35
006	LIVER TRANSPLANT WITHOUT MCC	23	0.00	13
007	LUNG TRANSPLANT	25	0.00	20
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	15	0.00	11
009	BONE MARROW TRANSPLANT	339	0.03	33
010	PANCREAS TRANSPLANT	5	0.00	12
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	104	0.01	15
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	133	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	103	0.01	8.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	140	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	100	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	57	0.01	12
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	459	0.04	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	186	0.02	8.8
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1,048	0.09	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	940	0.08	7.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1,373	0.12	4.7
028	SPINAL PROCEDURES WITH MCC	150	0.01	16
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	324	0.03	8.2
030	SPINAL PROCEDURES WITHOUT CC/MCC	374	0.03	3.9
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	166	0.01	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	249	0.02	5.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	184	0.02	3.5
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	19	0.00	7.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	39	0.00	3.3
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	88	0.01	2.4
037	EXTRACRANIAL PROCEDURES WITH MCC	177	0.02	9.3
038	EXTRACRANIAL PROCEDURES WITH CC	373	0.03	3.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	912	0.08	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	268	0.02	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	455	0.04	5.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	303	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	117	0.01	14
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	61	0.01	3.9
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	504	0.05	8.1
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	994	0.09	4.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	657	0.06	21
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2,124	0.19	18

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	63	0.01	17
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	223	0.02	8.9
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	363	0.03	3.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	120	0.01	7.8
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	192	0.02	5.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	77	0.01	3.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	3,914	0.35	7.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	5,278	0.48	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	3,743	0.34	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	87	0.01	4.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	422	0.04	3.2
069	TRANSIENT ISCHEMIA	4,805	0.43	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	814	0.07	8.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	742	0.07	4.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	446	0.04	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	880	0.08	4.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2,744	0.25	3.5
075	VIRAL MENINGITIS WITH CC/MCC	261	0.02	5.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	945	0.09	2.9
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	104	0.01	6.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	117	0.01	3.6
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	61	0.01	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
080	NONTRAUMATIC STUPOR & COMA WITH MCC	202	0.02	4.7
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	647	0.06	3.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	180	0.02	7.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	158	0.01	7.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	270	0.02	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	522	0.05	8.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	763	0.07	4.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1,454	0.13	2.4
088	CONCUSSION WITH MCC	110	0.01	5.9
089	CONCUSSION WITH CC	231	0.02	3.6
090	CONCUSSION WITHOUT CC/MCC	535	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	786	0.07	13
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1,121	0.10	8.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1,241	0.11	5.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	147	0.01	16
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	131	0.01	9.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	158	0.01	7.6
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	116	0.01	13
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	130	0.01	9.3
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	132	0.01	5.1
100	SEIZURES WITH MCC	1,894	0.17	4.7
101	SEIZURES WITHOUT MCC	5,564	0.50	3.5

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	172	0.02	3.5
103	HEADACHES WITHOUT MCC	1,944	0.18	2.2
113	ORBITAL PROCEDURES WITH CC/MCC	75	0.01	5.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	132	0.01	2.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	169	0.02	2.8
116	INTRAOCULAR PROCEDURES WITH CC/MCC	90	0.01	4.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	262	0.02	1.8
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	79	0.01	6.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	169	0.02	3.5
123	NEUROLOGICAL EYE DISORDERS	335	0.03	2.5
124	OTHER DISORDERS OF THE EYE WITH MCC	95	0.01	5.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	620	0.06	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	95	0.01	6.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	84	0.01	3.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	289	0.03	4.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	722	0.07	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	366	0.03	4.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1,408	0.13	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	60	0.01	7.7
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	55	0.00	2.5
137	MOUTH PROCEDURES WITH CC/MCC	89	0.01	4.3
138	MOUTH PROCEDURES WITHOUT CC/MCC	121	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	167	0.02	1.5
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	73	0.01	8.8
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	152	0.01	7.2
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	92	0.01	3.2
149	DYSEQUILIBRIUM	2,394	0.22	2.1
150	EPISTAXIS WITH MCC	73	0.01	5.0
151	EPISTAXIS WITHOUT MCC	295	0.03	6.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	309	0.03	3.4
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	2,557	0.23	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	214	0.02	6.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	490	0.04	3.4
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	756	0.07	2.2
157	DENTAL & ORAL DISEASES WITH MCC	139	0.01	6.8
158	DENTAL & ORAL DISEASES WITH CC	461	0.04	3.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	483	0.04	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	762	0.07	14
164	MAJOR CHEST PROCEDURES WITH CC	873	0.08	6.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	814	0.07	4.1
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1,007	0.09	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	687	0.06	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	249	0.02	4.3
175	PULMONARY EMBOLISM WITH MCC	680	0.06	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	1,695	0.15	4.1
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4,653	0.42	12
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	3,036	0.27	8.0
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	893	0.08	6.8
180	RESPIRATORY NEOPLASMS WITH MCC	1,078	0.10	7.1
181	RESPIRATORY NEOPLASMS WITH CC	1,314	0.12	5.2
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	164	0.01	3.5
183	MAJOR CHEST TRAUMA WITH MCC	135	0.01	5.1
184	MAJOR CHEST TRAUMA WITH CC	276	0.02	3.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	145	0.01	2.5
186	PLEURAL EFFUSION WITH MCC	530	0.05	6.3
187	PLEURAL EFFUSION WITH CC	558	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	212	0.02	3.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	3,701	0.33	19
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	6,044	0.54	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	5,486	0.49	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	5,030	0.45	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	5,781	0.52	6.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	9,848	0.89	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	6,595	0.59	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	359	0.03	6.8
197	INTERSTITIAL LUNG DISEASE WITH CC	313	0.03	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	232	0.02	3.4
199	PNEUMOTHORAX WITH MCC	236	0.02	7.7
200	PNEUMOTHORAX WITH CC	482	0.04	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	415	0.04	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	4,435	0.40	3.7
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	8,288	0.75	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	1,773	0.16	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	499	0.04	13
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1,922	0.17	3.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3,356	0.30	36
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3,782	0.34	6.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	6	0.00	53
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	382	0.03	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	222	0.02	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	76	0.01	9.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	652	0.06	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	643	0.06	7.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	300	0.03	6.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	131	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	118	0.01	5.6
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	124	0.01	12
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	143	0.01	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	315	0.03	8.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	1,096	0.10	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	234	0.02	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	238	0.02	6.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	123	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	51	0.00	14
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	41	0.00	7.9
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	589	0.05	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	866	0.08	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	296	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	640	0.06	6.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1,205	0.11	13
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1,330	0.12	5.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	411	0.04	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	354	0.03	9.3
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	31	0.00	6.1
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	798	0.07	7.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	1,200	0.11	4.4
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	1,443	0.13	2.7
245	AICD GENERATOR PROCEDURES	172	0.02	3.1
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1,473	0.13	5.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	6,283	0.57	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	477	0.04	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1,568	0.14	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	353	0.03	7.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1,951	0.18	2.3
252	OTHER VASCULAR PROCEDURES WITH MCC	2,290	0.21	6.9
253	OTHER VASCULAR PROCEDURES WITH CC	1,493	0.13	5.9
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1,273	0.11	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	170	0.02	9.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	222	0.02	6.6
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	14	0.00	4.7
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	37	0.00	5.7
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	204	0.02	2.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	73	0.01	7.2
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	151	0.01	4.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	82	0.01	2.7
263	VEIN LIGATION & STRIPPING	64	0.01	2.9
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1,467	0.13	7.2
265	AICD LEAD PROCEDURES	61	0.01	3.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3,499	0.32	5.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1,999	0.18	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	2,303	0.21	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	553	0.05	5.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	79	0.01	1.9
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	53	0.00	1.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	1,104	0.10	6.6
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	5,217	0.47	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	173	0.02	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	76	0.01	9.3
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	24	0.00	5.3
291	HEART FAILURE & SHOCK WITH MCC	10,715	0.97	5.9
292	HEART FAILURE & SHOCK WITH CC	8,752	0.79	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	5,120	0.46	3.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	41	0.00	5.1
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	25	0.00	4.3
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	97	0.01	2.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	30	0.00	1.8
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	14	0.00	.93
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1,444	0.13	6.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2,350	0.21	5.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1,440	0.13	3.5
302	ATHEROSCLEROSIS WITH MCC	511	0.05	3.7
303	ATHEROSCLEROSIS WITHOUT MCC	2,985	0.27	3.8
304	HYPERTENSION WITH MCC	274	0.02	3.7
305	HYPERTENSION WITHOUT MCC	2,784	0.25	5.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	218	0.02	8.1
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	492	0.04	3.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2,751	0.25	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	3,994	0.36	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	6,305	0.57	2.8
311	ANGINA PECTORIS	2,040	0.18	1.8
312	SYNCOPE & COLLAPSE	9,000	0.81	2.3
313	CHEST PAIN	21,577	1.95	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	4,200	0.38	6.8
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1,516	0.14	4.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	888	0.08	3.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	763	0.07	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	748	0.07	9.1
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	992	0.09	4.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2,211	0.20	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	3,062	0.28	8.5
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2,021	0.18	5.0
332	RECTAL RESECTION WITH MCC	87	0.01	12
333	RECTAL RESECTION WITH CC	313	0.03	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	267	0.02	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	356	0.03	14
336	PERITONEAL ADHESIOLYSIS WITH CC	682	0.06	7.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	725	0.07	4.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	168	0.02	8.6
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	614	0.06	6.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,073	0.19	4.1
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	201	0.02	5.2
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	687	0.06	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8,064	0.73	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	39	0.00	8.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	225	0.02	6.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	241	0.02	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	119	0.01	9.2
348	ANAL & STOMAL PROCEDURES WITH CC	368	0.03	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	730	0.07	2.2
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	109	0.01	7.3
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	218	0.02	3.6
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	646	0.06	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	184	0.02	8.8
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	539	0.05	4.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1,154	0.10	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	414	0.04	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	350	0.03	7.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	276	0.02	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	288	0.03	6.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	399	0.04	3.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	304	0.03	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1,391	0.13	8.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1,580	0.14	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	901	0.08	3.8
374	DIGESTIVE MALIGNANCY WITH MCC	815	0.07	8.9
375	DIGESTIVE MALIGNANCY WITH CC	1,433	0.13	5.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	335	0.03	3.7
377	G.I. HEMORRHAGE WITH MCC	3,272	0.30	5.6
378	G.I. HEMORRHAGE WITH CC	5,414	0.49	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	3,709	0.33	2.6
380	COMPLICATED PEPTIC ULCER WITH MCC	207	0.02	6.5
381	COMPLICATED PEPTIC ULCER WITH CC	344	0.03	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	275	0.02	3.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	127	0.01	4.8
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	749	0.07	2.9
385	INFLAMMATORY BOWEL DISEASE WITH MCC	205	0.02	7.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	784	0.07	5.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	793	0.07	3.9
388	G.I. OBSTRUCTION WITH MCC	1,189	0.11	6.8
389	G.I. OBSTRUCTION WITH CC	2,585	0.23	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2,928	0.26	3.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	3,634	0.33	4.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	21,923	1.98	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1,934	0.17	7.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	3,335	0.30	4.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2,409	0.22	2.2
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	344	0.03	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	395	0.04	8.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	244	0.02	6.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	118	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	116	0.01	9.3
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	68	0.01	6.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	39	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	54	0.00	6.9
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	82	0.01	5.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	293	0.03	8.9
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	337	0.03	6.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	474	0.04	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	1,549	0.14	6.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	2,449	0.22	4.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6,594	0.59	2.6
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	60	0.01	15
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	68	0.01	5.8
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	24	0.00	6.4
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	110	0.01	19
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	45	0.00	9.2
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	8	0.00	6.6
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1,989	0.18	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1,367	0.12	3.7
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	136	0.01	2.8
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	1,029	0.09	7.3
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	942	0.08	4.9
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	194	0.02	3.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1,479	0.13	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	2,569	0.23	4.5
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	3,366	0.30	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	2,066	0.19	7.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1,951	0.18	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	835	0.08	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1,238	0.11	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	1,600	0.14	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	2,533	0.23	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	100	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	360	0.03	6.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	340	0.03	4.4
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	116	0.01	18
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	226	0.02	9.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	213	0.02	4.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	186	0.02	9.7
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	3,218	0.29	4.3
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	30	0.00	8.8
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	337	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	321	0.03	22
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	537	0.05	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	297	0.03	6.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	138	0.01	7.7
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	580	0.05	4.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	631	0.06	3.6
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	1,096	0.10	7.6
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	15,950	1.44	3.5
471	CERVICAL SPINAL FUSION WITH MCC	207	0.02	9.5
472	CERVICAL SPINAL FUSION WITH CC	633	0.06	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	1,870	0.17	2.3
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	133	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	132	0.01	8.6
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	67	0.01	4.9
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	133	0.01	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	331	0.03	7.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	221	0.02	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	1,058	0.10	8.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	2,401	0.22	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2,077	0.19	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	253	0.02	4.1
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	613	0.06	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	40	0.00	12
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	83	0.01	6.8
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	75	0.01	5.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	183	0.02	5.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	523	0.05	2.4
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1,306	0.12	4.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	3,076	0.28	2.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	335	0.03	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1,152	0.10	5.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	4,292	0.39	2.9
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	78	0.01	9.7
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	351	0.03	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	656	0.06	2.6
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	84	0.01	8.2
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	110	0.01	2.5
500	SOFT TISSUE PROCEDURES WITH MCC	149	0.01	14
501	SOFT TISSUE PROCEDURES WITH CC	394	0.04	5.6
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	722	0.07	2.4
503	FOOT PROCEDURES WITH MCC	58	0.01	7.5
504	FOOT PROCEDURES WITH CC	144	0.01	5.9
505	FOOT PROCEDURES WITHOUT CC/MCC	396	0.04	2.7
506	MAJOR THUMB OR JOINT PROCEDURES	96	0.01	2.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	24	0.00	5.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	130	0.01	2.0
509	ARTHROSCOPY	37	0.00	2.4
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	69	0.01	5.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	255	0.02	3.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1,332	0.12	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	218	0.02	3.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	509	0.05	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	193	0.02	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	414	0.04	5.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	631	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	58	0.01	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	265	0.02	3.6
535	FRACTURES OF HIP & PELVIS WITH MCC	369	0.03	6.5
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1,367	0.12	4.8
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	56	0.01	3.6
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	65	0.01	1.9
539	OSTEOMYELITIS WITH MCC	269	0.02	16
540	OSTEOMYELITIS WITH CC	406	0.04	11
541	OSTEOMYELITIS WITHOUT CC/MCC	207	0.02	7.2
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	365	0.03	8.1
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	785	0.07	5.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	299	0.03	5.1
545	CONNECTIVE TISSUE DISORDERS WITH MCC	444	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	711	0.06	7.1
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	695	0.06	3.5
548	SEPTIC ARTHRITIS WITH MCC	44	0.00	7.4
549	SEPTIC ARTHRITIS WITH CC	121	0.01	6.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	80	0.01	4.6
551	MEDICAL BACK PROBLEMS WITH MCC	718	0.06	6.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	5,455	0.49	3.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	234	0.02	5.7
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1,181	0.11	8.1
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	212	0.02	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1,350	0.12	3.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	293	0.03	6.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1,109	0.10	3.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	220	0.02	11
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	532	0.05	8.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	763	0.07	5.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	404	0.04	4.9
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2,908	0.26	2.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	177	0.02	8.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	358	0.03	6.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	305	0.03	3.4
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	346	0.03	24
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	509	0.05	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	273	0.02	4.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	41	0.00	15
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	206	0.02	5.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	326	0.03	3.3
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	287	0.03	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	982	0.09	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1,740	0.16	2.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	523	0.05	2.5
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	926	0.08	1.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	128	0.01	4.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	456	0.04	2.0
592	SKIN ULCERS WITH MCC	345	0.03	15
593	SKIN ULCERS WITH CC	678	0.06	8.5
594	SKIN ULCERS WITHOUT CC/MCC	106	0.01	5.9
595	MAJOR SKIN DISORDERS WITH MCC	122	0.01	8.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	420	0.04	4.1
597	MALIGNANT BREAST DISORDERS WITH MCC	71	0.01	9.2
598	MALIGNANT BREAST DISORDERS WITH CC	171	0.02	5.7
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	49	0.00	9.8
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	97	0.01	3.8
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	239	0.02	2.8
602	CELLULITIS WITH MCC	2,120	0.19	7.0
603	CELLULITIS WITHOUT MCC	12,835	1.16	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	309	0.03	3.9
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2,310	0.21	2.2
606	MINOR SKIN DISORDERS WITH MCC	147	0.01	5.5
607	MINOR SKIN DISORDERS WITHOUT MCC	1,000	0.09	3.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	232	0.02	6.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	229	0.02	3.1
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	97	0.01	14
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	557	0.05	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	11	0.00	6.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	59	0.01	5.6
620	O.R. PROCEDURES FOR OBESITY WITH CC	396	0.04	2.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2,818	0.25	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	68	0.01	16
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	181	0.02	8.4
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	23	0.00	3.9
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	73	0.01	6.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	352	0.03	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2,339	0.21	1.4
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	267	0.02	9.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	317	0.03	7.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	52	0.00	3.6
637	DIABETES WITH MCC	2,120	0.19	4.7
638	DIABETES WITH CC	4,527	0.41	3.7
639	DIABETES WITHOUT CC/MCC	3,682	0.33	2.6
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4,229	0.38	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	9,055	0.82	3.0
642	INBORN ERRORS OF METABOLISM	272	0.02	6.0
643	ENDOCRINE DISORDERS WITH MCC	463	0.04	7.0
644	ENDOCRINE DISORDERS WITH CC	853	0.08	4.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1,003	0.09	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
652	KIDNEY TRANSPLANT	439	0.04	7.3
653	MAJOR BLADDER PROCEDURES WITH MCC	87	0.01	17
654	MAJOR BLADDER PROCEDURES WITH CC	221	0.02	9.9
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	80	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	209	0.02	9.7
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	391	0.04	4.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	447	0.04	3.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	274	0.02	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	628	0.06	4.8
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	723	0.07	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	61	0.01	9.5
663	MINOR BLADDER PROCEDURES WITH CC	106	0.01	3.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	201	0.02	1.8
665	PROSTATECTOMY WITH MCC	43	0.00	9.2
666	PROSTATECTOMY WITH CC	80	0.01	6.5
667	PROSTATECTOMY WITHOUT CC/MCC	92	0.01	2.5
668	TRANSURETHRAL PROCEDURES WITH MCC	222	0.02	7.0
669	TRANSURETHRAL PROCEDURES WITH CC	750	0.07	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	466	0.04	1.8
671	URETHRAL PROCEDURES WITH CC/MCC	56	0.01	13
672	URETHRAL PROCEDURES WITHOUT CC/MCC	54	0.00	2.2
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	723	0.07	8.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	447	0.04	6.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	122	0.01	3.2
682	RENAL FAILURE WITH MCC	5,340	0.48	6.6
683	RENAL FAILURE WITH CC	5,206	0.47	4.7
684	RENAL FAILURE WITHOUT CC/MCC	1,497	0.13	3.5
685	ADMIT FOR RENAL DIALYSIS	118	0.01	3.7
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	113	0.01	6.9
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	197	0.02	4.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	70	0.01	2.8
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	4,073	0.37	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12,593	1.14	3.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	162	0.01	3.5
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	40	0.00	1.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	286	0.03	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1,946	0.18	1.9
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	86	0.01	4.4
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	603	0.05	2.7
697	URETHRAL STRICTURE	47	0.00	2.6
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1,467	0.13	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1,604	0.14	4.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	825	0.07	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	447	0.04	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	2,013	0.18	1.7
709	PENIS PROCEDURES WITH CC/MCC	77	0.01	5.0
710	PENIS PROCEDURES WITHOUT CC/MCC	208	0.02	1.6
711	TESTES PROCEDURES WITH CC/MCC	78	0.01	6.3
712	TESTES PROCEDURES WITHOUT CC/MCC	215	0.02	1.2
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	558	0.05	3.7
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1,328	0.12	1.6
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	20	0.00	5.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	42	0.00	1.9
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	43	0.00	9.6
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	37	0.00	2.9
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	67	0.01	7.2
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	113	0.01	5.1
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	37	0.00	1.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	80	0.01	4.1
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	273	0.02	5.7
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	169	0.02	6.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	652	0.06	3.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	81	0.01	4.1
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	74	0.01	1.6
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	333	0.03	7.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	348	0.03	2.8

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	65	0.01	17
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	248	0.02	6.6
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	148	0.01	3.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	61	0.01	9.6
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	305	0.03	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	701	0.06	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2,002	0.18	3.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	10,073	0.91	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	240	0.02	3.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	515	0.05	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	145	0.01	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	494	0.04	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	1,103	0.10	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	145	0.01	8.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	109	0.01	2.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	135	0.01	8.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	294	0.03	4.9
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	122	0.01	2.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	128	0.01	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	237	0.02	4.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	478	0.04	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	487	0.04	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1,111	0.10	1.5
765	CESAREAN SECTION WITH CC/MCC	13,942	1.26	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	34,836	3.14	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	2,789	0.25	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	52	0.00	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	325	0.03	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	1,394	0.13	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	6,791	0.61	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	71,959	6.49	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1,264	0.11	2.6
777	ECTOPIC PREGNANCY	1,216	0.11	1.9
778	THREATENED ABORTION	2,531	0.23	2.7
779	ABORTION WITHOUT D&C	691	0.06	1.5
780	FALSE LABOR	374	0.03	.74
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	6,886	0.62	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	1,854	0.17	2.4
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1,996	0.18	7.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2,256	0.20	40
791	PREMATURITY WITH MAJOR PROBLEMS	2,223	0.20	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	5,540	0.50	6.4
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	5,251	0.47	7.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	17,854	1.61	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
795	NORMAL NEWBORN	101,426	9.14	2.3
799	SPLENECTOMY WITH MCC	39	0.00	11
800	SPLENECTOMY WITH CC	46	0.00	6.8
801	SPLENECTOMY WITHOUT CC/MCC	55	0.00	3.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	57	0.01	15
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	77	0.01	6.2
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	103	0.01	4.4
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	482	0.04	9.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1,205	0.11	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	376	0.03	3.5
811	RED BLOOD CELL DISORDERS WITH MCC	2,222	0.20	5.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	7,620	0.69	3.2
813	COAGULATION DISORDERS	1,216	0.11	4.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	141	0.01	7.2
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	371	0.03	4.4
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	344	0.03	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	95	0.01	23
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	133	0.01	8.9
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	176	0.02	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	118	0.01	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	162	0.01	8.5
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	136	0.01	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	46	0.00	20
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	111	0.01	7.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	84	0.01	3.6
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	122	0.01	11
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	71	0.01	3.2
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	390	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	331	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	268	0.02	8.6
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	183	0.02	24
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	312	0.03	13
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	430	0.04	6.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	600	0.05	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	684	0.06	7.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	426	0.04	4.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	137	0.01	8.4
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	209	0.02	5.1
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	79	0.01	4.4
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	338	0.03	7.8
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	3,172	0.29	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	404	0.04	3.4
849	RADIOTHERAPY	155	0.01	3.7
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	3,490	0.31	18

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	548	0.05	9.1
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	37	0.00	7.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	353	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	507	0.05	8.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	132	0.01	5.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	820	0.07	8.6
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1,671	0.15	4.7
864	FEVER	1,528	0.14	3.0
865	VIRAL ILLNESS WITH MCC	140	0.01	5.6
866	VIRAL ILLNESS WITHOUT MCC	1,121	0.10	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	382	0.03	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	166	0.01	5.3
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	127	0.01	4.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3,326	0.30	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	22,999	2.07	8.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	6,808	0.61	5.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	53	0.00	21
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1,004	0.09	2.8
881	DEPRESSIVE NEUROSES	2,564	0.23	3.6
882	NEUROSES EXCEPT DEPRESSIVE	760	0.07	4.4
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	382	0.03	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1,069	0.10	23

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	55,995	5.05	8.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	478	0.04	6.6
887	OTHER MENTAL DISORDER DIAGNOSIS	185	0.02	12
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1,500	0.14	4.2
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	967	0.09	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	931	0.08	5.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	8,375	0.76	5.0
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	45	0.00	21
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	105	0.01	7.6
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	103	0.01	4.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	135	0.01	11
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	58	0.01	4.7
906	HAND PROCEDURES FOR INJURIES	213	0.02	2.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	464	0.04	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	616	0.06	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	613	0.06	2.7
913	TRAUMATIC INJURY WITH MCC	96	0.01	5.2
914	TRAUMATIC INJURY WITHOUT MCC	866	0.08	2.4
915	ALLERGIC REACTIONS WITH MCC	114	0.01	3.9
916	ALLERGIC REACTIONS WITHOUT MCC	541	0.05	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1,672	0.15	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	3,711	0.33	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	777	0.07	6.9
920	COMPLICATIONS OF TREATMENT WITH CC	945	0.09	4.2
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	629	0.06	2.6
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	126	0.01	6.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	431	0.04	1.8
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	26	0.00	24
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	101	0.01	17
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	175	0.02	9.6
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	8	0.00	7.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	92	0.01	5.2
935	NON-EXTENSIVE BURNS	370	0.03	5.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	139	0.01	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	201	0.02	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	229	0.02	2.8
945	REHABILITATION WITH CC/MCC	10,385	0.94	17
946	REHABILITATION WITHOUT CC/MCC	2,211	0.20	9.7
947	SIGNS & SYMPTOMS WITH MCC	818	0.07	5.8
948	SIGNS & SYMPTOMS WITHOUT MCC	3,350	0.30	4.0
949	AFTERCARE WITH CC/MCC	1,030	0.09	9.6
950	AFTERCARE WITHOUT CC/MCC	291	0.03	6.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1,700	0.15	3.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	103	0.01	14

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	299	0.03	13
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	327	0.03	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	339	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	157	0.01	7.4
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	158	0.01	15
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	326	0.03	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	188	0.02	4.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	86	0.01	34
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	23	0.00	9.8
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	737	0.07	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	576	0.05	7.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	304	0.03	5.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	460	0.04	4.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1,505	0.14	19
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1,118	0.10	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,306	0.12	2.9
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	26	0.00	13
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	37	0.00	8.1
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	30	0.00	4.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	507	0.05	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	630	0.06	6.9
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	492	0.04	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	12	0.00	2.0
999	UNGROUPABLE	11	0.00	6.7
All		1,109,118	100.0	5.1

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	72	0.01	57
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	21	0.00	26
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	1,464	0.14	49
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1,916	0.19	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	134	0.01	35
006	LIVER TRANSPLANT WITHOUT MCC	23	0.00	13
007	LUNG TRANSPLANT	25	0.00	20
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	15	0.00	11
009	BONE MARROW TRANSPLANT	339	0.03	33
010	PANCREAS TRANSPLANT	5	0.00	12
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	104	0.01	15
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	133	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	103	0.01	8.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	140	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	100	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	57	0.01	12
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	459	0.04	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	186	0.02	8.8
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1,047	0.10	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	940	0.09	7.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1,372	0.13	4.7
028	SPINAL PROCEDURES WITH MCC	150	0.01	16
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	324	0.03	8.2
030	SPINAL PROCEDURES WITHOUT CC/MCC	374	0.04	3.9
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	166	0.02	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	249	0.02	5.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	184	0.02	3.5
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	19	0.00	7.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	39	0.00	3.3
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	88	0.01	2.4
037	EXTRACRANIAL PROCEDURES WITH MCC	177	0.02	9.3
038	EXTRACRANIAL PROCEDURES WITH CC	373	0.04	3.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	912	0.09	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	268	0.03	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	453	0.04	5.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	303	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	95	0.01	7.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	59	0.01	3.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	484	0.05	7.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	953	0.09	4.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	518	0.05	8.5
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1,589	0.16	4.6
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	53	0.01	10
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	213	0.02	4.9
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	354	0.03	3.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	120	0.01	7.8
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	192	0.02	5.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	77	0.01	3.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	3,840	0.38	7.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	5,111	0.50	4.5
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	3,707	0.36	3.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	87	0.01	4.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	419	0.04	3.2
069	TRANSIENT ISCHEMIA	4,781	0.47	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	794	0.08	6.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	717	0.07	3.9
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	442	0.04	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	872	0.09	4.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2,717	0.27	3.2
075	VIRAL MENINGITIS WITH CC/MCC	260	0.03	5.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	944	0.09	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	103	0.01	6.4
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	117	0.01	3.6
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	61	0.01	2.4
080	NONTRAUMATIC STUPOR & COMA WITH MCC	192	0.02	4.4
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	632	0.06	2.7
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	176	0.02	6.7
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	151	0.01	5.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	270	0.03	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	512	0.05	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	750	0.07	4.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1,444	0.14	2.3
088	CONCUSSION WITH MCC	109	0.01	5.0
089	CONCUSSION WITH CC	229	0.02	2.9
090	CONCUSSION WITHOUT CC/MCC	534	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	730	0.07	6.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1,063	0.10	3.6
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1,205	0.12	2.4
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	141	0.01	17
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	125	0.01	9.5
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	154	0.02	7.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	112	0.01	12

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	126	0.01	8.9
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	131	0.01	5.1
100	SEIZURES WITH MCC	1,887	0.18	4.7
101	SEIZURES WITHOUT MCC	5,540	0.54	2.7
102	HEADACHES WITH MCC	172	0.02	3.5
103	HEADACHES WITHOUT MCC	1,930	0.19	2.2
113	ORBITAL PROCEDURES WITH CC/MCC	75	0.01	5.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	132	0.01	2.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	169	0.02	2.8
116	INTRAOCULAR PROCEDURES WITH CC/MCC	90	0.01	4.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	262	0.03	1.8
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	79	0.01	6.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	167	0.02	3.4
123	NEUROLOGICAL EYE DISORDERS	332	0.03	2.5
124	OTHER DISORDERS OF THE EYE WITH MCC	95	0.01	5.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	616	0.06	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	95	0.01	6.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	84	0.01	3.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	289	0.03	4.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	722	0.07	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	366	0.04	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1,408	0.14	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	60	0.01	7.7
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	55	0.01	2.5
137	MOUTH PROCEDURES WITH CC/MCC	89	0.01	4.3
138	MOUTH PROCEDURES WITHOUT CC/MCC	121	0.01	2.6
139	SALIVARY GLAND PROCEDURES	167	0.02	1.5
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	69	0.01	8.1
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	147	0.01	6.2
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	92	0.01	3.2
149	DYSEQUILIBRIUM	2,362	0.23	2.1
150	EPISTAXIS WITH MCC	73	0.01	5.0
151	EPISTAXIS WITHOUT MCC	293	0.03	2.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	309	0.03	3.4
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	2,544	0.25	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	214	0.02	6.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	486	0.05	3.4
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	753	0.07	2.2
157	DENTAL & ORAL DISEASES WITH MCC	137	0.01	6.6
158	DENTAL & ORAL DISEASES WITH CC	460	0.05	3.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	483	0.05	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	762	0.07	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
164	MAJOR CHEST PROCEDURES WITH CC	873	0.09	6.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	813	0.08	4.1
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	999	0.10	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	687	0.07	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	249	0.02	4.3
175	PULMONARY EMBOLISM WITH MCC	671	0.07	6.1
176	PULMONARY EMBOLISM WITHOUT MCC	1,668	0.16	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4,566	0.45	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2,916	0.29	7.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	857	0.08	6.1
180	RESPIRATORY NEOPLASMS WITH MCC	1,051	0.10	7.0
181	RESPIRATORY NEOPLASMS WITH CC	1,283	0.13	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	157	0.02	3.4
183	MAJOR CHEST TRAUMA WITH MCC	135	0.01	5.1
184	MAJOR CHEST TRAUMA WITH CC	273	0.03	3.3
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	144	0.01	2.3
186	PLEURAL EFFUSION WITH MCC	520	0.05	6.2
187	PLEURAL EFFUSION WITH CC	554	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	207	0.02	3.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	3,349	0.33	6.9
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5,946	0.58	5.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	5,398	0.53	4.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	4,950	0.49	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	5,674	0.56	6.6
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	9,668	0.95	4.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	6,487	0.64	2.9
196	INTERSTITIAL LUNG DISEASE WITH MCC	354	0.03	6.7
197	INTERSTITIAL LUNG DISEASE WITH CC	307	0.03	5.3
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	226	0.02	3.1
199	PNEUMOTHORAX WITH MCC	233	0.02	7.5
200	PNEUMOTHORAX WITH CC	481	0.05	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	415	0.04	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	4,409	0.43	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	8,264	0.81	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	1,737	0.17	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	480	0.05	5.2
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1,906	0.19	2.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3,014	0.30	21
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3,759	0.37	6.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	6	0.00	53
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	382	0.04	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	222	0.02	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	76	0.01	9.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	652	0.06	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	643	0.06	7.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	300	0.03	6.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	131	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	118	0.01	5.6
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	124	0.01	12
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	143	0.01	4.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	315	0.03	8.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	1,096	0.11	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	234	0.02	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	238	0.02	6.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	123	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	51	0.00	14
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	41	0.00	7.9
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	589	0.06	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	866	0.08	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	296	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	640	0.06	6.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1,205	0.12	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1,330	0.13	5.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	411	0.04	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	353	0.03	9.3
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	31	0.00	6.1
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	798	0.08	7.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	1,199	0.12	4.4
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	1,443	0.14	2.7
245	AICD GENERATOR PROCEDURES	172	0.02	3.1
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1,473	0.14	5.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	6,283	0.62	2.2
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	477	0.05	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1,568	0.15	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	353	0.03	7.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1,949	0.19	2.3
252	OTHER VASCULAR PROCEDURES WITH MCC	2,290	0.22	6.9
253	OTHER VASCULAR PROCEDURES WITH CC	1,493	0.15	5.9
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1,271	0.12	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	170	0.02	9.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	222	0.02	6.6
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	14	0.00	4.7
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	37	0.00	5.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	204	0.02	2.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	73	0.01	7.2
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	151	0.01	4.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	82	0.01	2.7
263	VEIN LIGATION & STRIPPING	64	0.01	2.9
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1,461	0.14	7.2
265	AICD LEAD PROCEDURES	61	0.01	3.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3,489	0.34	5.8
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1,994	0.20	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	2,300	0.23	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	551	0.05	5.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	79	0.01	1.9
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	53	0.01	1.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	1,104	0.11	6.6
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	5,216	0.51	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	170	0.02	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	74	0.01	9.4
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	23	0.00	5.4
291	HEART FAILURE & SHOCK WITH MCC	10,624	1.04	5.8
292	HEART FAILURE & SHOCK WITH CC	8,631	0.85	4.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	5,042	0.49	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	40	0.00	5.1
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	25	0.00	4.3
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	95	0.01	2.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	30	0.00	1.8
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	14	0.00	.93
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1,398	0.14	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2,273	0.22	4.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1,404	0.14	3.0
302	ATHEROSCLEROSIS WITH MCC	504	0.05	3.5
303	ATHEROSCLEROSIS WITHOUT MCC	2,953	0.29	2.1
304	HYPERTENSION WITH MCC	273	0.03	3.6
305	HYPERTENSION WITHOUT MCC	2,752	0.27	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	213	0.02	8.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	475	0.05	3.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2,733	0.27	4.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	3,963	0.39	3.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	6,267	0.61	2.0
311	ANGINA PECTORIS	2,032	0.20	1.8
312	SYNCOPE & COLLAPSE	8,925	0.87	2.3
313	CHEST PAIN	21,538	2.11	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	4,151	0.41	6.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1,483	0.15	4.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	865	0.08	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	762	0.07	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	748	0.07	9.1
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	991	0.10	4.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2,211	0.22	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	3,062	0.30	8.5
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2,021	0.20	5.0
332	RECTAL RESECTION WITH MCC	86	0.01	12
333	RECTAL RESECTION WITH CC	313	0.03	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	267	0.03	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	356	0.03	14
336	PERITONEAL ADHESIOLYSIS WITH CC	682	0.07	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	725	0.07	4.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	168	0.02	8.6
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	614	0.06	6.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2,073	0.20	4.1
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	201	0.02	5.2
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	686	0.07	2.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8,062	0.79	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	39	0.00	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	225	0.02	6.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	240	0.02	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	119	0.01	9.2
348	ANAL & STOMAL PROCEDURES WITH CC	368	0.04	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	730	0.07	2.2
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	109	0.01	7.3
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	218	0.02	3.6
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	646	0.06	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	184	0.02	8.8
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	539	0.05	4.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1,154	0.11	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	414	0.04	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	347	0.03	7.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	276	0.03	3.9
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	288	0.03	6.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	399	0.04	3.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	304	0.03	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1,367	0.13	8.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1,554	0.15	5.9
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	870	0.09	3.8
374	DIGESTIVE MALIGNANCY WITH MCC	791	0.08	8.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	1,398	0.14	5.4
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	323	0.03	3.6
377	G.I. HEMORRHAGE WITH MCC	3,247	0.32	5.6
378	G.I. HEMORRHAGE WITH CC	5,380	0.53	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	3,689	0.36	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	204	0.02	6.4
381	COMPLICATED PEPTIC ULCER WITH CC	343	0.03	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	274	0.03	3.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	126	0.01	4.8
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	747	0.07	2.9
385	INFLAMMATORY BOWEL DISEASE WITH MCC	205	0.02	7.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	779	0.08	5.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	789	0.08	3.9
388	G.I. OBSTRUCTION WITH MCC	1,174	0.12	6.7
389	G.I. OBSTRUCTION WITH CC	2,550	0.25	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2,903	0.28	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	3,598	0.35	4.3
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	21,760	2.13	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1,909	0.19	7.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	3,305	0.32	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2,390	0.23	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	343	0.03	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	395	0.04	8.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	244	0.02	6.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	118	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	116	0.01	9.3
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	68	0.01	6.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	39	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	54	0.01	6.9
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	82	0.01	5.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	293	0.03	8.9
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	337	0.03	6.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	474	0.05	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	1,549	0.15	6.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	2,449	0.24	4.2
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6,593	0.65	2.6
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	60	0.01	15
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	68	0.01	5.8
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	24	0.00	6.4
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	109	0.01	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	45	0.00	9.2
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	8	0.00	6.6
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1,981	0.19	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1,355	0.13	3.7
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	136	0.01	2.8
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1,013	0.10	7.3
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	925	0.09	4.9
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	186	0.02	3.7
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1,472	0.14	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	2,552	0.25	4.5
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	3,347	0.33	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	2,049	0.20	7.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1,927	0.19	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	829	0.08	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1,233	0.12	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	1,593	0.16	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	2,525	0.25	2.5
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	100	0.01	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	360	0.04	6.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	339	0.03	4.4
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	116	0.01	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	226	0.02	9.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	213	0.02	4.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	186	0.02	9.7
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	3,218	0.32	4.3
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	30	0.00	8.8
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	337	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	320	0.03	22
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	537	0.05	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	296	0.03	6.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	138	0.01	7.7
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	580	0.06	4.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	631	0.06	3.6
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	1,096	0.11	7.6
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	15,948	1.56	3.5
471	CERVICAL SPINAL FUSION WITH MCC	207	0.02	9.5
472	CERVICAL SPINAL FUSION WITH CC	633	0.06	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	1,870	0.18	2.3
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	133	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	132	0.01	8.6
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	67	0.01	4.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	133	0.01	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	330	0.03	7.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	221	0.02	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	1,057	0.10	8.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	2,400	0.24	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2,077	0.20	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	253	0.02	4.1
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	613	0.06	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	40	0.00	12
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	83	0.01	6.8
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	74	0.01	4.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	183	0.02	5.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	523	0.05	2.4
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1,305	0.13	4.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	3,076	0.30	2.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	335	0.03	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1,150	0.11	5.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	4,291	0.42	2.9
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	78	0.01	9.7
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	351	0.03	5.2
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	656	0.06	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	84	0.01	8.2
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	110	0.01	2.5
500	SOFT TISSUE PROCEDURES WITH MCC	149	0.01	14
501	SOFT TISSUE PROCEDURES WITH CC	393	0.04	5.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	722	0.07	2.4
503	FOOT PROCEDURES WITH MCC	58	0.01	7.5
504	FOOT PROCEDURES WITH CC	144	0.01	5.9
505	FOOT PROCEDURES WITHOUT CC/MCC	396	0.04	2.7
506	MAJOR THUMB OR JOINT PROCEDURES	96	0.01	2.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	24	0.00	5.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	130	0.01	2.0
509	ARTHROSCOPY	37	0.00	2.4
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	69	0.01	5.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	255	0.02	3.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1,332	0.13	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	218	0.02	3.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	509	0.05	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	193	0.02	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	414	0.04	5.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	631	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	57	0.01	5.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	245	0.02	2.9
535	FRACTURES OF HIP & PELVIS WITH MCC	338	0.03	5.9
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1,176	0.12	3.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	55	0.01	3.6
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	65	0.01	1.9
539	OSTEOMYELITIS WITH MCC	260	0.03	16
540	OSTEOMYELITIS WITH CC	391	0.04	10
541	OSTEOMYELITIS WITHOUT CC/MCC	196	0.02	6.7
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	359	0.04	8.1
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	767	0.08	5.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	290	0.03	3.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	442	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	703	0.07	5.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	687	0.07	3.4
548	SEPTIC ARTHRITIS WITH MCC	44	0.00	7.4
549	SEPTIC ARTHRITIS WITH CC	117	0.01	6.3
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	77	0.01	4.6
551	MEDICAL BACK PROBLEMS WITH MCC	677	0.07	5.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	5,249	0.51	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	221	0.02	5.5
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	931	0.09	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	205	0.02	4.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1,300	0.13	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	289	0.03	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1,090	0.11	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	137	0.01	11
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	305	0.03	6.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	340	0.03	3.3
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	392	0.04	4.6
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2,839	0.28	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	168	0.02	7.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	342	0.03	4.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	297	0.03	3.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	344	0.03	24
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	507	0.05	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	273	0.03	4.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	41	0.00	15
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	206	0.02	5.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	326	0.03	3.3
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	287	0.03	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	980	0.10	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1,740	0.17	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	523	0.05	2.5
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	926	0.09	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	128	0.01	4.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	456	0.04	2.0
592	SKIN ULCERS WITH MCC	324	0.03	14
593	SKIN ULCERS WITH CC	643	0.06	6.7
594	SKIN ULCERS WITHOUT CC/MCC	97	0.01	4.1
595	MAJOR SKIN DISORDERS WITH MCC	121	0.01	8.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	418	0.04	4.1
597	MALIGNANT BREAST DISORDERS WITH MCC	70	0.01	9.2
598	MALIGNANT BREAST DISORDERS WITH CC	162	0.02	5.6
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	46	0.00	1.8
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	97	0.01	3.8
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	235	0.02	2.7
602	CELLULITIS WITH MCC	2,069	0.20	6.9
603	CELLULITIS WITHOUT MCC	12,616	1.24	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	305	0.03	3.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2,288	0.22	2.1
606	MINOR SKIN DISORDERS WITH MCC	147	0.01	5.5
607	MINOR SKIN DISORDERS WITHOUT MCC	995	0.10	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	232	0.02	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	229	0.02	3.1
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	97	0.01	14
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	557	0.05	11
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	11	0.00	6.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	59	0.01	5.6
620	O.R. PROCEDURES FOR OBESITY WITH CC	396	0.04	2.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2,818	0.28	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	68	0.01	16
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	180	0.02	8.2
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	23	0.00	3.9
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	73	0.01	6.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	352	0.03	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2,339	0.23	1.4
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	267	0.03	9.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	316	0.03	7.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	52	0.01	3.6
637	DIABETES WITH MCC	2,108	0.21	4.6
638	DIABETES WITH CC	4,489	0.44	3.7
639	DIABETES WITHOUT CC/MCC	3,659	0.36	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4,191	0.41	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	8,957	0.88	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	267	0.03	4.3
643	ENDOCRINE DISORDERS WITH MCC	461	0.05	6.9
644	ENDOCRINE DISORDERS WITH CC	847	0.08	4.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	995	0.10	2.6
652	KIDNEY TRANSPLANT	439	0.04	7.3
653	MAJOR BLADDER PROCEDURES WITH MCC	87	0.01	17
654	MAJOR BLADDER PROCEDURES WITH CC	221	0.02	9.9
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	80	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	209	0.02	9.7
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	391	0.04	4.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	447	0.04	3.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	274	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	628	0.06	4.8
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	723	0.07	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	61	0.01	9.5
663	MINOR BLADDER PROCEDURES WITH CC	106	0.01	3.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	201	0.02	1.8
665	PROSTATECTOMY WITH MCC	43	0.00	9.2
666	PROSTATECTOMY WITH CC	80	0.01	6.5
667	PROSTATECTOMY WITHOUT CC/MCC	92	0.01	2.5
668	TRANSURETHRAL PROCEDURES WITH MCC	221	0.02	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	750	0.07	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	466	0.05	1.8
671	URETHRAL PROCEDURES WITH CC/MCC	56	0.01	13
672	URETHRAL PROCEDURES WITHOUT CC/MCC	54	0.01	2.2
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	723	0.07	8.6
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	447	0.04	6.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	122	0.01	3.2
682	RENAL FAILURE WITH MCC	5,296	0.52	6.6
683	RENAL FAILURE WITH CC	5,129	0.50	4.5
684	RENAL FAILURE WITHOUT CC/MCC	1,473	0.14	2.9
685	ADMIT FOR RENAL DIALYSIS	117	0.01	3.6
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	106	0.01	6.9
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	188	0.02	4.6
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	68	0.01	2.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3,995	0.39	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12,383	1.21	3.4
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	162	0.02	3.5
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	40	0.00	1.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	286	0.03	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1,944	0.19	1.9
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	83	0.01	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	595	0.06	2.6
697	URETHRAL STRICTURE	46	0.00	2.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1,455	0.14	6.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1,594	0.16	4.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	817	0.08	2.6
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	447	0.04	4.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	2,012	0.20	1.7
709	PENIS PROCEDURES WITH CC/MCC	77	0.01	5.0
710	PENIS PROCEDURES WITHOUT CC/MCC	208	0.02	1.6
711	TESTES PROCEDURES WITH CC/MCC	78	0.01	6.3
712	TESTES PROCEDURES WITHOUT CC/MCC	215	0.02	1.2
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	558	0.05	3.7
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1,328	0.13	1.6
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	20	0.00	5.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	42	0.00	1.9
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	43	0.00	9.6
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	37	0.00	2.9
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	65	0.01	7.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	108	0.01	4.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	37	0.00	1.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	76	0.01	3.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	269	0.03	2.7
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	167	0.02	6.7
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	644	0.06	3.2
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	81	0.01	4.1
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	74	0.01	1.6
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	333	0.03	7.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	348	0.03	2.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	65	0.01	17
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	248	0.02	6.6
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	148	0.01	3.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	61	0.01	9.6
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	305	0.03	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	701	0.07	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2,001	0.20	3.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	10,072	0.99	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	240	0.02	3.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	515	0.05	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	145	0.01	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	494	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	1,103	0.11	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	145	0.01	8.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	109	0.01	2.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	128	0.01	8.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	285	0.03	4.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	116	0.01	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	124	0.01	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	235	0.02	4.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	477	0.05	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	484	0.05	2.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1,109	0.11	1.5
765	CESAREAN SECTION WITH CC/MCC	13,941	1.37	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	34,836	3.41	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	2,789	0.27	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	52	0.01	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	325	0.03	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	1,394	0.14	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	6,791	0.67	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	71,956	7.05	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1,238	0.12	2.5
777	ECTOPIC PREGNANCY	1,216	0.12	1.9
778	THREATENED ABORTION	2,531	0.25	2.7
779	ABORTION WITHOUT D&C	691	0.07	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
780	FALSE LABOR	374	0.04	.74
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	6,812	0.67	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	1,854	0.18	2.4
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1,994	0.20	7.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2,256	0.22	40
791	PREMATURITY WITH MAJOR PROBLEMS	2,223	0.22	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	5,540	0.54	6.4
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	5,250	0.51	7.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	17,854	1.75	2.8
795	NORMAL NEWBORN	101,424	9.94	2.3
799	SPLENECTOMY WITH MCC	39	0.00	11
800	SPLENECTOMY WITH CC	46	0.00	6.8
801	SPLENECTOMY WITHOUT CC/MCC	55	0.01	3.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	56	0.01	15
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	77	0.01	6.2
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	103	0.01	4.4
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	479	0.05	9.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1,200	0.12	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	376	0.04	3.5
811	RED BLOOD CELL DISORDERS WITH MCC	2,205	0.22	4.6
812	RED BLOOD CELL DISORDERS WITHOUT MCC	7,583	0.74	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	1,210	0.12	4.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	140	0.01	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	368	0.04	4.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	343	0.03	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	95	0.01	23
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	133	0.01	8.9
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	176	0.02	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	118	0.01	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	162	0.02	8.5
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	136	0.01	4.9
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	46	0.00	20
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	111	0.01	7.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	84	0.01	3.6
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	122	0.01	11
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	71	0.01	3.2
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	383	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	327	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	267	0.03	8.6
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	183	0.02	24
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	312	0.03	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	430	0.04	6.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	580	0.06	12
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	661	0.06	6.9
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	416	0.04	4.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	132	0.01	7.9
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	204	0.02	5.1
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	77	0.01	4.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	338	0.03	7.8
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	3,172	0.31	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	404	0.04	3.4
849	RADIOTHERAPY	153	0.01	3.6
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	3,488	0.34	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	547	0.05	9.1
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	37	0.00	7.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	353	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	505	0.05	8.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	132	0.01	5.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	801	0.08	8.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1,632	0.16	4.5
864	FEVER	1,525	0.15	3.0
865	VIRAL ILLNESS WITH MCC	138	0.01	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	1,120	0.11	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	374	0.04	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	165	0.02	5.3
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	126	0.01	4.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	3,319	0.33	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	22,727	2.23	7.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	6,660	0.65	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	25	0.00	13
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	801	0.08	2.2
881	DEPRESSIVE NEUROSES	250	0.02	2.1
882	NEUROSES EXCEPT DEPRESSIVE	71	0.01	2.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	63	0.01	4.9
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	675	0.07	5.5
885	PSYCHOSES	1,673	0.16	5.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	154	0.02	1.7
887	OTHER MENTAL DISORDER DIAGNOSIS	84	0.01	2.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	492	0.05	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	140	0.01	11
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	876	0.09	5.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	4,003	0.39	3.0
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	45	0.00	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	105	0.01	7.6
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	103	0.01	4.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	135	0.01	11
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	58	0.01	4.7
906	HAND PROCEDURES FOR INJURIES	213	0.02	2.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	464	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	616	0.06	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	612	0.06	2.7
913	TRAUMATIC INJURY WITH MCC	93	0.01	4.0
914	TRAUMATIC INJURY WITHOUT MCC	854	0.08	2.2
915	ALLERGIC REACTIONS WITH MCC	114	0.01	3.9
916	ALLERGIC REACTIONS WITHOUT MCC	540	0.05	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1,652	0.16	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	3,617	0.35	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	764	0.07	6.7
920	COMPLICATIONS OF TREATMENT WITH CC	930	0.09	4.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	624	0.06	2.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	126	0.01	6.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	428	0.04	1.7
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	26	0.00	24
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	101	0.01	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	175	0.02	9.6
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	8	0.00	7.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	90	0.01	5.0
935	NON-EXTENSIVE BURNS	369	0.04	5.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	50	0.00	12
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	123	0.01	4.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	224	0.02	2.4
945	REHABILITATION WITH CC/MCC	164	0.02	41
946	REHABILITATION WITHOUT CC/MCC	20	0.00	11
947	SIGNS & SYMPTOMS WITH MCC	749	0.07	4.6
948	SIGNS & SYMPTOMS WITHOUT MCC	3,191	0.31	2.9
949	AFTERCARE WITH CC/MCC	144	0.01	10
950	AFTERCARE WITHOUT CC/MCC	77	0.01	3.6
951	OTHER FACTORS INFLUENCING HEALTH STATUS	753	0.07	2.4
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	103	0.01	14
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	299	0.03	13
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	327	0.03	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	339	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	157	0.02	7.4
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	149	0.01	9.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	319	0.03	5.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	184	0.02	3.8
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	86	0.01	34
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	23	0.00	9.8
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	731	0.07	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	565	0.06	7.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	297	0.03	5.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	458	0.04	4.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1,501	0.15	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1,117	0.11	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,305	0.13	2.9
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	26	0.00	13
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	37	0.00	8.1
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	30	0.00	4.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	505	0.05	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	627	0.06	6.8
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	492	0.05	2.9
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	12	0.00	2.0
999	UNGROUPABLE	11	0.00	6.7
All		1,020,210	100.0	4.4

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.03	31
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	1	0.03	67
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.03	50
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.03	5.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.03	24
292	HEART FAILURE & SHOCK WITH CC	1	0.03	29
305	HYPERTENSION WITHOUT MCC	2	0.06	29
386	INFLAMMATORY BOWEL DISEASE WITH CC	1	0.03	29
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.03	28
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.03	28
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.03	29
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.03	31
642	INBORN ERRORS OF METABOLISM	3	0.09	30
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	1	0.03	29
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	3	0.09	5.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.03	1.0
881	DEPRESSIVE NEUROSES	2	0.06	4.5
885	PSYCHOSES	32	0.97	7.7
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.03	40
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	660	20.05	6.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	675	20.51	18

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	35	1.06	6.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1,851	56.24	6.5
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.03	29
945	REHABILITATION WITH CC/MCC	5	0.15	2.8
946	REHABILITATION WITHOUT CC/MCC	1	0.03	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	5	0.15	18
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.03	1.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.03	20
All		3,291	100.0	9.0

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	33.33	21
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	33.33	2.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	33.33	3.0
All		3	100.0	8.7

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.01	22
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	17	0.18	25
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	6	0.06	20
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	18	0.19	18
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	15	0.16	16
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	22	0.23	16
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	5	0.05	19
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	6	0.06	18
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.01	16
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	36	0.37	20
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	67	0.70	18
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	2	0.02	11
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.03	8.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.01	15
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.01	16
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	3	0.03	17
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	6	0.06	27
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.03	19
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.05	40
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	4	0.04	30

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	7	0.07	16
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	3	0.03	16
088	CONCUSSION WITH MCC	1	0.01	104
089	CONCUSSION WITH CC	1	0.01	90
090	CONCUSSION WITHOUT CC/MCC	1	0.01	2.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	18	0.19	21
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.04	15
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.03	29
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	0.02	25
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.03	26
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.01	16
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	102
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	33
100	SEIZURES WITH MCC	1	0.01	23
101	SEIZURES WITHOUT MCC	5	0.05	2.4
149	DYSEQUILIBRIUM	1	0.01	7.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.01	29
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
175	PULMONARY EMBOLISM WITH MCC	2	0.02	11
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.01	19
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.01	34

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
189	PULMONARY EDEMA & RESPIRATORY FAILURE	2	0.02	16
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	2	0.02	17
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	0.01	13
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	2	0.02	38
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.02	17
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	0.01	.00
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.01	1.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1	0.01	4.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	2	0.02	16
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.01	11
291	HEART FAILURE & SHOCK WITH MCC	5	0.05	16
292	HEART FAILURE & SHOCK WITH CC	5	0.05	14
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.01	13
300	PERIPHERAL VASCULAR DISORDERS WITH CC	5	0.05	14
302	ATHEROSCLEROSIS WITH MCC	1	0.01	23
312	SYNCOPE & COLLAPSE	4	0.04	14
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.01	14
332	RECTAL RESECTION WITH MCC	1	0.01	13
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.01	19
377	G.I. HEMORRHAGE WITH MCC	1	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
378	G.I. HEMORRHAGE WITH CC	1	0.01	14
379	G.I. HEMORRHAGE WITHOUT CC/MCC	1	0.01	14
389	G.I. OBSTRUCTION WITH CC	1	0.01	6.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.01	14
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.01	5.0
423	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	9.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.01	14
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	1	0.01	15
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1	0.01	3.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.01	4.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	1	0.01	3.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1	0.01	8.0
501	SOFT TISSUE PROCEDURES WITH CC	1	0.01	26
534	FRACTURES OF FEMUR WITHOUT MCC	3	0.03	20
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.10	15
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	34	0.35	15
539	OSTEOMYELITIS WITH MCC	2	0.02	19
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.01	24
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.01	15
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	2	0.02	15
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	2	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.01	2.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.03	13
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.02	13
551	MEDICAL BACK PROBLEMS WITH MCC	18	0.19	19
552	MEDICAL BACK PROBLEMS WITHOUT MCC	34	0.35	14
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.04	15
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	32	0.33	12
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.01	38
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.03	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	8	0.08	14
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.03	10
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	7	0.07	13
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	84
593	SKIN ULCERS WITH CC	1	0.01	1.0
602	CELLULITIS WITH MCC	1	0.01	14
603	CELLULITIS WITHOUT MCC	2	0.02	6.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.01	15
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.02	15
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.01	5.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.01	10
683	RENAL FAILURE WITH CC	2	0.02	9.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.01	17
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.01	7.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	2	0.02	18
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	4	0.04	3.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	19
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1	0.01	7.0
795	NORMAL NEWBORN	1	0.01	2.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	1	0.01	2.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.01	10
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.01	4.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.01	8.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	3	0.03	19
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	0.01	22
885	PSYCHOSES	2	0.02	3.5
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	1	0.01	10
913	TRAUMATIC INJURY WITH MCC	2	0.02	24
914	TRAUMATIC INJURY WITHOUT MCC	1	0.01	18
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.02	43
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.01	25
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	82	0.85	30

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	72	0.75	21
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.04	22
945	REHABILITATION WITH CC/MCC	7,688	79.89	16
946	REHABILITATION WITHOUT CC/MCC	1,157	12.02	12
947	SIGNS & SYMPTOMS WITH MCC	18	0.19	14
948	SIGNS & SYMPTOMS WITHOUT MCC	27	0.28	14
949	AFTERCARE WITH CC/MCC	9	0.09	13
951	OTHER FACTORS INFLUENCING HEALTH STATUS	6	0.06	10
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.05	53
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	6	0.06	26
All		9,623	100.0	15

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	63	0.10	15
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	395	0.63	14
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.00	10
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	2	0.00	4.5
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	0.00	1.0
069	TRANSIENT ISCHEMIA	2	0.00	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.00	14
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	9	0.01	8.3
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	1	0.00	3.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.01	3.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.00	5.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	1	0.00	14
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	10	0.02	8.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.01	14
100	SEIZURES WITH MCC	1	0.00	1.0
101	SEIZURES WITHOUT MCC	5	0.01	46
103	HEADACHES WITHOUT MCC	2	0.00	4.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.00	3.0
149	DYSEQUILIBRIUM	1	0.00	2.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.00	15
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.00	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
186	PLEURAL EFFUSION WITH MCC	1	0.00	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	9	0.01	33
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.00	6.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	3	0.00	2.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.00	2.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.00	1.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.00	4.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	3	0.00	4.7
202	BRONCHITIS & ASTHMA WITH CC/MCC	3	0.00	3.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	2	0.00	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	4	0.01	1.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	3	0.00	4.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	2	0.00	12
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	1	0.00	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1	0.00	2.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1	0.00	4.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1	0.00	4.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.00	1.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	1	0.00	2.0
291	HEART FAILURE & SHOCK WITH MCC	4	0.01	4.0
292	HEART FAILURE & SHOCK WITH CC	4	0.01	8.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.00	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.00	6.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.00	5.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	2	0.00	15
303	ATHEROSCLEROSIS WITHOUT MCC	3	0.00	4.0
305	HYPERTENSION WITHOUT MCC	5	0.01	1.4
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2	0.00	2.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	4	0.01	5.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	4	0.01	10
311	ANGINA PECTORIS	5	0.01	5.0
312	SYNCOPE & COLLAPSE	5	0.01	2.2
313	CHEST PAIN	16	0.03	1.4
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	2	0.00	4.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	1	0.00	11
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1	0.00	6.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.00	1.0
377	G.I. HEMORRHAGE WITH MCC	3	0.00	2.7
378	G.I. HEMORRHAGE WITH CC	3	0.00	3.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	1	0.00	3.0
388	G.I. OBSTRUCTION WITH MCC	1	0.00	7.0
389	G.I. OBSTRUCTION WITH CC	1	0.00	.00

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2	0.00	4.5
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	4	0.01	2.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	12	0.02	4.8
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.00	4.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	12
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	10
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	2	0.00	7.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.01	4.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	2	0.00	2.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	2	0.00	3.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	1	0.00	3.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1	0.00	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	1	0.00	6.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	2	0.00	5.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	1	0.00	3.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.00	13
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.00	5.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	2	0.00	13
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.00	6.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2	0.00	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.00	3.0
602	CELLULITIS WITH MCC	3	0.00	4.0
603	CELLULITIS WITHOUT MCC	8	0.01	9.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	7	0.01	3.1
637	DIABETES WITH MCC	3	0.00	6.7
638	DIABETES WITH CC	1	0.00	1.0
639	DIABETES WITHOUT CC/MCC	6	0.01	9.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4	0.01	7.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	12	0.02	4.8
642	INBORN ERRORS OF METABOLISM	1	0.00	7.0
644	ENDOCRINE DISORDERS WITH CC	1	0.00	9.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.00	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.00	9.0
682	RENAL FAILURE WITH MCC	6	0.01	4.3
683	RENAL FAILURE WITH CC	9	0.01	7.6
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	0.00	4.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	16	0.03	4.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.00	1.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.00	37
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	1	0.00	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	1	0.00	40
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3	0.00	15
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	23	0.04	6.7
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	71	0.11	9.1
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.00	2.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	6	0.01	8.7
813	COAGULATION DISORDERS	2	0.00	12
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.00	8.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.00	8.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	2	0.00	12
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	16	0.03	5.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.01	4.8
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	28	0.04	27
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	199	0.32	5.2
881	DEPRESSIVE NEUROSES	2,312	3.69	3.8
882	NEUROSES EXCEPT DEPRESSIVE	688	1.10	4.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	319	0.51	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	366	0.58	12
885	PSYCHOSES	54,270	86.53	8.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	322	0.51	8.6
887	OTHER MENTAL DISORDER DIAGNOSIS	100	0.16	20

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	347	0.55	3.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	150	0.24	4.8
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	18	0.03	6.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2,517	4.01	7.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	19	0.03	6.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	93	0.15	5.0
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.00	3.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.00	5.0
945	REHABILITATION WITH CC/MCC	5	0.01	18
947	SIGNS & SYMPTOMS WITH MCC	3	0.00	2.0
948	SIGNS & SYMPTOMS WITHOUT MCC	4	0.01	3.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	44	0.07	1.8
975	HIV WITH MAJOR RELATED CONDITION WITH CC	8	0.01	20
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	7	0.01	6.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.00	10
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	17
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	14
All		62,719	100.0	8.5

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.01	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	2	0.02	14
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.04	95
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.02	20
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	14	0.11	41
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	23	0.17	13
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	61	0.46	131
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	118	0.89	219
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	5	0.04	95
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	4	0.03	206
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	7	0.05	14
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	38	0.29	77
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	98	0.74	16
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	33	0.25	10
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	3	0.02	7.3
069	TRANSIENT ISCHEMIA	22	0.17	43
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	16	0.12	125
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	15	0.11	43
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	3	0.02	5.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	4	0.03	9.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	17	0.13	46
075	VIRAL MENINGITIS WITH CC/MCC	1	0.01	3.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.01	3.0
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.01	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	10	0.08	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	12	0.09	24
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	1	0.01	17
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	2	0.02	53
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	6	0.05	48
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	5	0.04	6.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	7	0.05	10
089	CONCUSSION WITH CC	1	0.01	100
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	38	0.29	134
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	43	0.32	133
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	28	0.21	112
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.03	9.8
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.02	4.3
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.02	8.3
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.02	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	7.5
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.01	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	5	0.04	5.6
101	SEIZURES WITHOUT MCC	14	0.11	302
103	HEADACHES WITHOUT MCC	12	0.09	4.5
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.02	9.0
123	NEUROLOGICAL EYE DISORDERS	3	0.02	7.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	3.7
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	4	0.03	22
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	5	0.04	38
149	DYSEQUILIBRIUM	30	0.23	5.2
151	EPISTAXIS WITHOUT MCC	2	0.02	544
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	12	0.09	12
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	3	0.02	4.7
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.0
157	DENTAL & ORAL DISEASES WITH MCC	2	0.02	26
158	DENTAL & ORAL DISEASES WITH CC	1	0.01	17
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	8	0.06	456
175	PULMONARY EMBOLISM WITH MCC	7	0.05	10
176	PULMONARY EMBOLISM WITHOUT MCC	27	0.20	8.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	86	0.65	20
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	117	0.88	12
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	36	0.27	22

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
180	RESPIRATORY NEOPLASMS WITH MCC	27	0.20	8.5
181	RESPIRATORY NEOPLASMS WITH CC	31	0.23	8.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	7	0.05	6.6
184	MAJOR CHEST TRAUMA WITH CC	3	0.02	6.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.01	24
186	PLEURAL EFFUSION WITH MCC	9	0.07	14
187	PLEURAL EFFUSION WITH CC	4	0.03	3.8
188	PLEURAL EFFUSION WITHOUT CC/MCC	5	0.04	10
189	PULMONARY EDEMA & RESPIRATORY FAILURE	340	2.56	134
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	95	0.72	12
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	84	0.63	17
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	79	0.60	23
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	104	0.78	17
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	176	1.33	11
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	104	0.78	8.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	5	0.04	9.0
197	INTERSTITIAL LUNG DISEASE WITH CC	6	0.05	70
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	6	0.05	15
199	PNEUMOTHORAX WITH MCC	3	0.02	26
200	PNEUMOTHORAX WITH CC	1	0.01	7.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	22	0.17	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	22	0.17	26
204	RESPIRATORY SIGNS & SYMPTOMS	32	0.24	12
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	19	0.14	214
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	13	0.10	98
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	340	2.56	174
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	22	0.17	9.8
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	1	0.01	2.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1	0.01	13
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	5	0.04	10
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	6	0.05	17
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	5	0.04	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	3	0.02	2.7
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.01	2.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.02	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.02	4.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.01	2.0
291	HEART FAILURE & SHOCK WITH MCC	82	0.62	13
292	HEART FAILURE & SHOCK WITH CC	111	0.84	12
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	77	0.58	41
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.01	4.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.02	7.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	44	0.33	9.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	71	0.53	35
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	34	0.26	25
302	ATHEROSCLEROSIS WITH MCC	6	0.05	17
303	ATHEROSCLEROSIS WITHOUT MCC	29	0.22	175
304	HYPERTENSION WITH MCC	1	0.01	9.0
305	HYPERTENSION WITHOUT MCC	25	0.19	365
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	5	0.04	14
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	17	0.13	12
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	16	0.12	22
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	27	0.20	16
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	34	0.26	163
311	ANGINA PECTORIS	3	0.02	9.0
312	SYNCOPE & COLLAPSE	66	0.50	9.1
313	CHEST PAIN	23	0.17	11
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	46	0.35	9.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	33	0.25	21
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	23	0.17	54
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	1	0.01	8.0
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.02	8.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	24	0.18	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	26	0.20	24
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	31	0.23	6.0
374	DIGESTIVE MALIGNANCY WITH MCC	23	0.17	9.4
375	DIGESTIVE MALIGNANCY WITH CC	35	0.26	11
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	12	0.09	5.7
377	G.I. HEMORRHAGE WITH MCC	21	0.16	8.5
378	G.I. HEMORRHAGE WITH CC	30	0.23	9.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	18	0.14	24
380	COMPLICATED PEPTIC ULCER WITH MCC	3	0.02	15
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.01	1.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.01	5.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.01	9.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.02	9.5
386	INFLAMMATORY BOWEL DISEASE WITH CC	4	0.03	33
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	4	0.03	6.5
388	G.I. OBSTRUCTION WITH MCC	14	0.11	12
389	G.I. OBSTRUCTION WITH CC	33	0.25	43
390	G.I. OBSTRUCTION WITHOUT CC/MCC	23	0.17	19
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	32	0.24	20
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	151	1.14	22
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	25	0.19	8.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	27	0.20	12
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.14	8.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	6	0.05	8.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	6	0.05	10
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	16	0.12	6.4
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	17	0.13	6.9
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	8	0.06	6.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	7	0.05	9.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	15	0.11	12
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	19	0.14	57
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	17	0.13	11
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	23	0.17	7.1
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	6	0.05	7.5
444	DISORDERS OF THE BILIARY TRACT WITH MCC	5	0.04	7.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	5	0.04	4.2
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	7	0.05	6.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	48
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	1	0.01	2.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.01	16
533	FRACTURES OF FEMUR WITH MCC	1	0.01	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	17	0.13	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	21	0.16	13
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	157	1.18	14
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.01	2.0
539	OSTEOMYELITIS WITH MCC	7	0.05	19
540	OSTEOMYELITIS WITH CC	15	0.11	18
541	OSTEOMYELITIS WITHOUT CC/MCC	10	0.08	16
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	4	0.03	8.8
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	16	0.12	9.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	7	0.05	60
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.01	5.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	5	0.04	231
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	6	0.05	4.7
549	SEPTIC ARTHRITIS WITH CC	4	0.03	13
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	3	0.02	3.7
551	MEDICAL BACK PROBLEMS WITH MCC	23	0.17	30
552	MEDICAL BACK PROBLEMS WITHOUT MCC	170	1.28	12
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.06	6.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	216	1.63	31
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	7	0.05	12
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	47	0.35	25
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.03	8.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	19	0.14	9.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	80	0.60	11
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	219	1.65	11
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	420	3.16	6.6
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	12	0.09	14
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	59	0.44	11
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	9	0.07	21
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	16	0.12	38
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	8	0.06	7.4
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	16
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.02	45
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	2	0.02	6.5
592	SKIN ULCERS WITH MCC	21	0.16	36
593	SKIN ULCERS WITH CC	34	0.26	43
594	SKIN ULCERS WITHOUT CC/MCC	9	0.07	26
595	MAJOR SKIN DISORDERS WITH MCC	1	0.01	2.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.01	5.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	10
598	MALIGNANT BREAST DISORDERS WITH CC	9	0.07	6.1
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.02	133
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.03	7.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
602	CELLULITIS WITH MCC	47	0.35	11
603	CELLULITIS WITHOUT MCC	209	1.57	13
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.02	16
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	13	0.10	9.2
607	MINOR SKIN DISORDERS WITHOUT MCC	5	0.04	14
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.01	41
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	1	0.01	21
637	DIABETES WITH MCC	9	0.07	21
638	DIABETES WITH CC	37	0.28	12
639	DIABETES WITHOUT CC/MCC	17	0.13	48
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	34	0.26	8.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	85	0.64	6.8
642	INBORN ERRORS OF METABOLISM	1	0.01	383
643	ENDOCRINE DISORDERS WITH MCC	2	0.02	33
644	ENDOCRINE DISORDERS WITH CC	5	0.04	7.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	6	0.05	128
682	RENAL FAILURE WITH MCC	38	0.29	15
683	RENAL FAILURE WITH CC	66	0.50	26
684	RENAL FAILURE WITHOUT CC/MCC	24	0.18	38
685	ADMIT FOR RENAL DIALYSIS	1	0.01	14
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	6	0.05	6.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	8	0.06	7.4
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.02	10
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	75	0.57	10
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	190	1.43	13
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	2	0.02	4.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	3	0.02	15
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	8	0.06	7.5
697	URETHRAL STRICTURE	1	0.01	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	12	0.09	17
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	9	0.07	22
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	7	0.05	15
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	14
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.04	10
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	4	0.03	10
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	3	0.02	266
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	13
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	8	0.06	8.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.05	7.2
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.07	6.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	6	0.05	6.7
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.03	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.02	9.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.01	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.02	12
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	2	0.02	1.5
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	3	0.02	4.7
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	2	0.02	51
795	NORMAL NEWBORN	1	0.01	2.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.01	9.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.02	8.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	5	0.04	6.6
811	RED BLOOD CELL DISORDERS WITH MCC	16	0.12	79
812	RED BLOOD CELL DISORDERS WITHOUT MCC	31	0.23	24
813	COAGULATION DISORDERS	4	0.03	6.3
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	33
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	13
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	7	0.05	29
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	4	0.03	11
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	20	0.15	6.9
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	22	0.17	8.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	10	0.08	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	5	0.04	21
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.04	6.6
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.5
849	RADIOTHERAPY	2	0.02	14
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.01	360
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	1	0.01	5.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.01	8.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	18	0.14	13
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	39	0.29	13
864	FEVER	3	0.02	2.3
865	VIRAL ILLNESS WITH MCC	2	0.02	8.0
866	VIRAL ILLNESS WITHOUT MCC	1	0.01	5.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	8	0.06	16
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.01	12
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	5	0.04	11
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	253	1.91	15
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	137	1.03	9.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	3	0.02	7.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.01	8.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	28	0.21	583
885	PSYCHOSES	18	0.14	32

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.02	45
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.01	4.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.02	8.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.02	4.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	4	0.03	6.0
913	TRAUMATIC INJURY WITH MCC	1	0.01	80
914	TRAUMATIC INJURY WITHOUT MCC	11	0.08	16
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1	0.01	4.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.01	13
919	COMPLICATIONS OF TREATMENT WITH MCC	12	0.09	19
920	COMPLICATIONS OF TREATMENT WITH CC	13	0.10	13
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	5	0.04	19
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.01	7.0
935	NON-EXTENSIVE BURNS	1	0.01	13
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	7	0.05	19
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.05	23
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.01	28
945	REHABILITATION WITH CC/MCC	2,523	19.01	19
946	REHABILITATION WITHOUT CC/MCC	1,033	7.78	7.1
947	SIGNS & SYMPTOMS WITH MCC	48	0.36	23

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	128	0.96	31
949	AFTERCARE WITH CC/MCC	877	6.61	9.4
950	AFTERCARE WITHOUT CC/MCC	214	1.61	7.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	892	6.72	4.9
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.03	185
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.01	24
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	4	0.03	16
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.05	19
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.02	7.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	586
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.01	10
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	144
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.01	26
All		13,272	100.0	29

**MDC by Patient County of Residence
for 2010
Los Angeles County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	11	0.00	6.7
01	NERVOUS SYSTEM, DISEASES & DISORDERS	58,963	5.32	6.1
02	EYE, DISEASES & DISORDERS	2,058	0.19	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	12,378	1.12	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	90,121	8.12	7.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	139,644	12.59	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	93,608	8.44	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	37,147	3.35	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	76,201	6.87	4.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	28,210	2.54	4.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	35,499	3.20	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	43,601	3.93	4.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	6,665	0.60	2.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	20,153	1.82	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	146,951	13.25	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	136,596	12.31	3.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	14,639	1.32	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	9,807	0.88	8.8
18	INFECTIOUS & PARASITIC DISEASES	44,922	4.05	9.3
19	MENTAL DISEASES & DISORDERS	62,491	5.63	8.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	11,809	1.06	5.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	12,492	1.13	4.0

(Continued)

*MDC by Patient County of Residence
for 2010
Los Angeles County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	787	0.07	9.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	20,360	1.84	12
24	MULTIPLE SIGNFICANT TRAUMA	1,904	0.17	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2,206	0.20	9.6
All		1,109,223	100.0	5.1

**MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	11	0.00	6.7
01	NERVOUS SYSTEM, DISEASES & DISORDERS	57,485	5.63	4.9
02	EYE, DISEASES & DISORDERS	2,049	0.20	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	12,312	1.21	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	88,218	8.65	6.2
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	138,745	13.60	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	93,002	9.12	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	36,973	3.62	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	74,413	7.29	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	27,818	2.73	4.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	35,267	3.46	3.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	43,104	4.22	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	6,639	0.65	2.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	20,117	1.97	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	146,847	14.39	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	136,591	13.39	3.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	14,565	1.43	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	9,728	0.95	8.7
18	INFECTIOUS & PARASITIC DISEASES	44,416	4.35	9.3
19	MENTAL DISEASES & DISORDERS	3,797	0.37	4.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5,545	0.54	3.5

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	12,325	1.21	3.9
22	BURNS	784	0.08	9.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	5,500	0.54	4.5
24	MULTIPLE SIGNFICANT TRAUMA	1,884	0.18	10
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2,180	0.21	9.5
All		1,020,315	100.0	4.4

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.03	31
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.03	67
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.03	50
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	5	0.15	23
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.03	29
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.03	28
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3	0.09	29
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	3	0.09	30
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.03	29
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	3	0.09	5.3
19	MENTAL DISEASES & DISORDERS	36	1.09	8.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3,223	97.93	8.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.03	29
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	11	0.33	9.5
All		3,291	100.0	9.0

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	33.33	21
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	33.33	2.0
18	INFECTIOUS & PARASITIC DISEASES	1	33.33	3.0
All		3	100.0	8.7

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	276	2.87	20
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	2	0.02	18
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	16	0.17	17
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	26	0.27	14
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	8	0.08	11
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4	0.04	11
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	176	1.83	14
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	8	0.08	20
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.02	7.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	10	0.10	9.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2	0.02	11
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2	0.02	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	0.01	2.0
18	INFECTIOUS & PARASITIC DISEASES	7	0.07	14
19	MENTAL DISEASES & DISORDERS	2	0.02	3.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	6	0.06	27
22	BURNS	1	0.01	25
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	9,063	94.18	15
24	MULTIPLE SIGNFICANT TRAUMA	11	0.11	38
All		9,623	100.0	15

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	507	0.81	14
02	EYE, DISEASES & DISORDERS	1	0.00	3.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	2	0.00	8.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	38	0.06	11
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	65	0.10	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	34	0.05	4.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	12	0.02	4.8
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	14	0.02	6.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	19	0.03	5.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	29	0.05	6.2
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	34	0.05	5.4
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2	0.00	19
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.00	21
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	98	0.16	9.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	10	0.02	8.6
18	INFECTIOUS & PARASITIC DISEASES	28	0.04	5.7
19	MENTAL DISEASES & DISORDERS	58,604	93.44	8.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3,032	4.83	6.7
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	116	0.18	5.3
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	56	0.09	3.4

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	17	0.03	13
All		62,719	100.0	8.5

**MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	694	5.23	94
02	EYE, DISEASES & DISORDERS	8	0.06	6.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	61	0.46	29
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,847	13.92	71
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	803	6.05	42
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	563	4.24	17
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	157	1.18	14
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,595	12.02	15
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	365	2.75	18
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	198	1.49	18
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	452	3.41	16
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	24	0.18	42
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	32	0.24	7.4
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	3	0.02	4.7
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3	0.02	34
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	64	0.48	34
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	78	0.59	10
18	INFECTIOUS & PARASITIC DISEASES	470	3.54	13
19	MENTAL DISEASES & DISORDERS	52	0.39	327
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	9	0.07	5.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	44	0.33	17

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Los Angeles County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	2	0.02	10
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	5,730	43.17	13
24	MULTIPLE SIGNFICANT TRAUMA	9	0.07	92
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	9	0.07	15
All		13,272	100.0	29