

***Type of Care by Patient County of Residence
for 2009
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	25,458	96.01	4.2
Chemical Dependency Recovery Care	6	0.02	14
Physical Rehabilitation Care	51	0.19	18
Psychiatric Care	840	3.17	5.5
Skilled Nursing/Intermediate Care	160	0.60	46
All	26,515	100.0	4.5

***Disposition by Patient County of Residence
for 2009
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	20,570	80.80	3.4
02 - Acute Care within the admitting hospital	3	0.01	4.3
03 - Other Care with the admitting hospital	19	0.07	12
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	139	0.55	8.3
05 - Acute Care at another hospital	719	2.82	4.3
06 - Other Care (not SN/IC) at another hospital	225	0.88	11
07 - SN/IC at another facility	1,812	7.12	8.4
08 - Residential Care facility	113	0.44	5.8
09 - Prison/Jail	54	0.21	4.6
10 - Left Against Medical Advice	189	0.74	2.7
11 - Died	538	2.11	9.5
12 - Home Health Service	1,052	4.13	8.3
13 - Other	25	0.10	9.4
All	25,458	100.0	4.2

***Disposition by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	6	100.0	14
All	6	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	30	58.82	17
02 - Acute Care within the admitting hospital	2	3.92	6.0
05 - Acute Care at another hospital	1	1.96	6.0
06 - Other Care (not SN/IC) at another hospital	1	1.96	1.0
07 - SN/IC at another facility	4	7.84	25
08 - Residential Care facility	1	1.96	21
12 - Home Health Service	11	21.57	16
13 - Other	1	1.96	80
All	51	100.0	18

***Disposition by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	747	88.93	5.3
02 - Acute Care within the admitting hospital	1	0.12	1.0
05 - Acute Care at another hospital	8	0.95	3.3
06 - Other Care (not SN/IC) at another hospital	12	1.43	5.8
07 - SN/IC at another facility	42	5.00	9.5
08 - Residential Care facility	17	2.02	7.6
09 - Prison/Jail	7	0.83	6.0
10 - Left Against Medical Advice	3	0.36	8.3
12 - Home Health Service	1	0.12	6.0
13 - Other	2	0.24	2.5
All	840	100.0	5.5

***Disposition by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	18	11.25	28
02 - Acute Care within the admitting hospital	37	23.13	82
05 - Acute Care at another hospital	6	3.75	19
06 - Other Care (not SN/IC) at another hospital	4	2.50	54
07 - SN/IC at another facility	5	3.13	34
08 - Residential Care facility	4	2.50	43
10 - Left Against Medical Advice	1	0.63	.00
11 - Died	10	6.25	181
12 - Home Health Service	75	46.88	19
All	160	100.0	46

***Gender by Patient County of Residence
for 2009
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	10,440	39.37	5.1
2 - Female	16,075	60.63	4.2
All	26,515	100.0	4.5

***Gender by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	9,946	39.07	4.7
2 - Female	15,512	60.93	3.9
All	25,458	100.0	4.2

***Gender by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3	50.00	13
2 - Female	3	50.00	15
All	6	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	25	49.02	16
2 - Female	26	50.98	20
All	51	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	410	48.81	5.2
2 - Female	430	51.19	5.8
All	840	100.0	5.5

***Gender by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	56	35.00	66
2 - Female	104	65.00	36
All	160	100.0	46

***Expected Payer by Patient County of Residence
for 2009
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	7,759	29.26	6.0
02 - Medi-Cal	10,003	37.73	4.1
03 - Private Coverage	6,950	26.21	3.6
04 - Workers' Compensatio	160	0.60	4.2
05 - County Indigent Prog	329	1.24	4.2
06 - Other Government	400	1.51	5.5
07 - Other Indigent	76	0.29	3.4
08 - Self-Pay	784	2.96	4.3
09 - Other Payer	54	0.20	8.9
All	26,515	100.0	4.5

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	7,500	29.46	5.8
02 - Medi-Cal	9,580	37.63	3.5
03 - Private Coverage	6,775	26.61	3.5
04 - Workers' Compensatio	156	0.61	3.9
05 - County Indigent Prog	312	1.23	4.1
06 - Other Government	387	1.52	5.5
07 - Other Indigent	76	0.30	3.4
08 - Self-Pay	622	2.44	3.6
09 - Other Payer	50	0.20	9.3
All	25,458	100.0	4.2

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	3	50.00	6.7
03 - Private Coverage	1	16.67	9.0
06 - Other Government	2	33.33	27
All	6	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	17	33.33	15
02 - Medi-Cal	14	27.45	22
03 - Private Coverage	17	33.33	19
04 - Workers' Compensatio	3	5.88	9.0
All	51	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	137	16.31	7.2
02 - Medi-Cal	372	44.29	5.4
03 - Private Coverage	142	16.90	6.2
05 - County Indigent Prog	17	2.02	5.7
06 - Other Government	11	1.31	3.3
08 - Self-Pay	158	18.81	3.9
09 - Other Payer	3	0.36	5.0
All	840	100.0	5.5

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	102	63.75	17
02 - Medi-Cal	37	23.13	130
03 - Private Coverage	15	9.38	18
04 - Workers' Compensatio	1	0.63	28
08 - Self-Pay	4	2.50	140
09 - Other Payer	1	0.63	3.0
All	160	100.0	46

***Race Group by Patient County of Residence
for 2009
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	158	0.60	15
1 - White	12,195	45.99	4.9
2 - Black	1,168	4.41	4.8
3 - Hispanic	11,136	42.00	3.9
4 - Asian/Pacific Islander	1,282	4.83	4.1
5 - Native American/Eskimo/Ale	22	0.08	6.7
6 - Other	554	2.09	6.3
All	26,515	100.0	4.5

***Race Group by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	136	0.53	5.5
1 - White	11,595	45.55	4.6
2 - Black	1,088	4.27	4.6
3 - Hispanic	10,853	42.63	3.8
4 - Asian/Pacific Islander	1,253	4.92	4.0
5 - Native American/Eskimo/Ale	19	0.07	7.2
6 - Other	514	2.02	5.7
All	25,458	100.0	4.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	3	50.00	13
3 - Hispanic	2	33.33	18
5 - Native American/Eskimo/Ale	1	16.67	9.0
All	6	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4	7.84	27
1 - White	31	60.78	17
3 - Hispanic	12	23.53	17
4 - Asian/Pacific Islander	2	3.92	25
6 - Other	2	3.92	18
All	51	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	17	2.02	4.4
1 - White	465	55.36	5.3
2 - Black	72	8.57	6.5
3 - Hispanic	233	27.74	5.2
4 - Asian/Pacific Islander	26	3.10	10
5 - Native American/Eskimo/Ale	2	0.24	1.0
6 - Other	25	2.98	6.6
All	840	100.0	5.5

***Race Group by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	0.63	1E3
1 - White	101	63.13	43
2 - Black	8	5.00	14
3 - Hispanic	36	22.50	32
4 - Asian/Pacific Islander	1	0.63	15
6 - Other	13	8.13	25
All	160	100.0	46

**Source of Admission by Patient County of Residence
for 2009
Merced County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	20,008	75.46	4.2
2 - Residential Care Facility	61	0.23	7.0
3 - Ambulatory Surgery	100	0.38	3.1
4 - Skilled Nursing/Intermedia	680	2.56	7.4
5 - Acute Inpatient Hospital C	1,027	3.87	17
6 - Other Inpatient Hospital C	73	0.28	13
7 - Newborn (born in admitting	4,335	16.35	2.4
8 - Prison/Jail	56	0.21	4.3
9 - Other	175	0.66	5.6
All	26,515	100.0	4.5

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	19,232	75.54	4.2
2 - Residential Care Facility	60	0.24	6.9
3 - Ambulatory Surgery	100	0.39	3.1
4 - Skilled Nursing/Intermedia	645	2.53	7.3
5 - Acute Inpatient Hospital C	815	3.20	12
6 - Other Inpatient Hospital C	64	0.25	7.9
7 - Newborn (born in admitting	4,335	17.03	2.4
8 - Prison/Jail	47	0.18	3.9
9 - Other	160	0.63	5.4
All	25,458	100.0	4.2

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5	83.33	16
5 - Acute Inpatient Hospital C	1	16.67	2.0
All	6	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	1.96	1.0
5 - Acute Inpatient Hospital C	47	92.16	19
6 - Other Inpatient Hospital C	3	5.88	5.7
All	51	100.0	18

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	768	91.43	5.4
2 - Residential Care Facility	1	0.12	14
4 - Skilled Nursing/Intermedia	33	3.93	7.9
5 - Acute Inpatient Hospital C	10	1.19	4.7
6 - Other Inpatient Hospital C	4	0.48	7.3
8 - Prison/Jail	9	1.07	6.3
9 - Other	15	1.79	6.9
All	840	100.0	5.5

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2	1.25	9.0
4 - Skilled Nursing/Intermedia	2	1.25	7.5
5 - Acute Inpatient Hospital C	154	96.25	46
6 - Other Inpatient Hospital C	2	1.25	187
All	160	100.0	46

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	21	0.08	69
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	27	0.10	41
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	11
007	LUNG TRANSPLANT	1	0.00	11
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	4	0.02	17
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.01	19
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.02	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.03	12
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	9.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.03	24
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	28	0.11	8.4
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	37	0.14	9.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	26	0.10	5.4
028	SPINAL PROCEDURES WITH MCC	4	0.02	30
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	8	0.03	6.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	10	0.04	5.6
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
032	VENTRICULAR SHUNT PROCEDURES WITH CC	10	0.04	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	4	0.02	4.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	10
037	EXTRACRANIAL PROCEDURES WITH MCC	5	0.02	16
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.08	4.9
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	45	0.17	1.3
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.03	6.1
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	7	0.03	7.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.02	4.2
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.02	4.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.00	8.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	13	0.05	5.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.08	3.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	20
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	29	0.11	6.0
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	14
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.00	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	3.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.00	17
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	4	0.02	2.8
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	2	0.01	4.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	99	0.37	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	122	0.46	5.1
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	77	0.29	3.2
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	7.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	13	0.05	8.4
069	TRANSIENT ISCHEMIA	86	0.32	2.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	10	0.04	6.4
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	4	0.02	2.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	4	0.02	4.3
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	18	0.07	6.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	46	0.17	3.5
075	VIRAL MENINGITIS WITH CC/MCC	4	0.02	3.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	31	0.12	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	7.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	1.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	1.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	7	0.03	5.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	15	0.06	3.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.02	4.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	26
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.03	4.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	14	0.05	8.6
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	15	0.06	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	24	0.09	3.3
088	CONCUSSION WITH MCC	2	0.01	2.5
089	CONCUSSION WITH CC	7	0.03	5.0
090	CONCUSSION WITHOUT CC/MCC	12	0.05	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	15	0.06	7.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	16	0.06	4.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	15	0.06	3.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.02	21
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	17
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.00	10
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	4	0.02	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	14
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.00	7.0
100	SEIZURES WITH MCC	26	0.10	4.2
101	SEIZURES WITHOUT MCC	86	0.32	2.9
102	HEADACHES WITH MCC	2	0.01	4.5
103	HEADACHES WITHOUT MCC	28	0.11	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	1.7
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.01	1.7
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	2.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.7

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	1.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.00	6.0
123	NEUROLOGICAL EYE DISORDERS	2	0.01	2.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.00	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	7	0.03	2.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	2	0.01	4.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.08	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	14	0.05	7.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	57	0.21	1.6
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	3.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	3.3
139	SALIVARY GLAND PROCEDURES	5	0.02	.60
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	5	0.02	5.4
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	3.5
149	DYSEQUILIBRIUM	30	0.11	2.8
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	7	0.03	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.04	8.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	79	0.30	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.02	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	4.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	9	0.03	3.4
157	DENTAL & ORAL DISEASES WITH MCC	2	0.01	6.5
158	DENTAL & ORAL DISEASES WITH CC	11	0.04	3.7
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	7	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	21	0.08	13
164	MAJOR CHEST PROCEDURES WITH CC	35	0.13	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	28	0.11	3.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	18	0.07	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	14	0.05	8.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	3.3
175	PULMONARY EMBOLISM WITH MCC	12	0.05	6.3
176	PULMONARY EMBOLISM WITHOUT MCC	40	0.15	5.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	91	0.34	9.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	58	0.22	7.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	16	0.06	5.7
180	RESPIRATORY NEOPLASMS WITH MCC	25	0.09	8.0
181	RESPIRATORY NEOPLASMS WITH CC	23	0.09	5.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	0.01	7.7
183	MAJOR CHEST TRAUMA WITH MCC	1	0.00	11
184	MAJOR CHEST TRAUMA WITH CC	6	0.02	3.7
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
186	PLEURAL EFFUSION WITH MCC	7	0.03	6.7
187	PLEURAL EFFUSION WITH CC	7	0.03	5.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	2.5
189	PULMONARY EDEMA & RESPIRATORY FAILURE	138	0.52	6.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	174	0.66	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	117	0.44	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	130	0.49	9.9
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	184	0.69	6.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	263	0.99	4.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	194	0.73	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	5.9
197	INTERSTITIAL LUNG DISEASE WITH CC	6	0.02	9.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.00	3.0
199	PNEUMOTHORAX WITH MCC	4	0.02	7.5
200	PNEUMOTHORAX WITH CC	18	0.07	4.9
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.04	3.5
202	BRONCHITIS & ASTHMA WITH CC/MCC	123	0.46	3.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	190	0.72	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	28	0.11	2.6
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	9	0.03	4.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	19	0.07	3.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	53	0.20	17

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	84	0.32	10
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	13	0.05	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	8	0.03	13
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	3	0.01	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	13	0.05	27
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	18	0.07	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	6	0.02	7.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	16
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.02	4.8
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	19
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.02	3.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.03	17
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	15	0.06	2.1
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.02	14
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.02	8.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	21
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	6	0.02	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	18	0.07	17
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	50	0.19	8.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	29	0.11	6.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	22	0.08	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	35	0.13	5.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	4	0.02	14
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	13	0.05	12
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	8.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	27	0.10	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	24	0.09	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.12	2.8
245	AICD GENERATOR PROCEDURES	5	0.02	1.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	27	0.10	3.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	135	0.51	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	15	0.06	6.6
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	28	0.11	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	12
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	24	0.09	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	37	0.14	8.8
253	OTHER VASCULAR PROCEDURES WITH CC	46	0.17	5.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	44	0.17	3.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	8.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	11
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	6	0.02	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.00	4.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.01	6.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	16	0.06	5.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	96	0.36	5.6
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	43	0.16	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	79	0.30	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.05	5.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.02	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	28	0.11	5.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	112	0.42	2.7
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.00	14
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	6.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	13
291	HEART FAILURE & SHOCK WITH MCC	286	1.08	5.9
292	HEART FAILURE & SHOCK WITH CC	146	0.55	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	70	0.26	3.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.01	5.7
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.01	2.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	48	0.18	5.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	51	0.19	4.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	52	0.20	31

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
302	ATHEROSCLEROSIS WITH MCC	12	0.05	4.3
303	ATHEROSCLEROSIS WITHOUT MCC	64	0.24	2.3
304	HYPERTENSION WITH MCC	3	0.01	3.0
305	HYPERTENSION WITHOUT MCC	25	0.09	2.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	5	0.02	14
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	21	0.08	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	40	0.15	7.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	63	0.24	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	94	0.35	2.6
311	ANGINA PECTORIS	35	0.13	1.8
312	SYNCOPE & COLLAPSE	94	0.35	2.5
313	CHEST PAIN	262	0.99	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	70	0.26	8.4
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	27	0.10	4.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	13	0.05	2.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	20	0.08	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	22	0.08	9.2
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	41	0.15	2.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	68	0.26	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	80	0.30	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	39	0.15	5.0
332	RECTAL RESECTION WITH MCC	2	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
333	RECTAL RESECTION WITH CC	7	0.03	8.6
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.02	6.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	9	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	16	0.06	7.6
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	26	0.10	3.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.02	9.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.06	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	58	0.22	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	3.5
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	21	0.08	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	239	0.90	1.6
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	6	0.02	4.5
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.02	4.0
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	4.5
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.04	4.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	21	0.08	2.7
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	11
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	3	0.01	2.7
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	11	0.04	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.01	9.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	17	0.06	5.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	30	0.11	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	13	0.05	9.9
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	8	0.03	5.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	16	0.06	3.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	4	0.02	6.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	5	0.02	3.8
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	4	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	34	0.13	7.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	31	0.12	7.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	26	0.10	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	17	0.06	6.1
375	DIGESTIVE MALIGNANCY WITH CC	14	0.05	5.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.01	4.0
377	G.I. HEMORRHAGE WITH MCC	80	0.30	5.9
378	G.I. HEMORRHAGE WITH CC	131	0.49	4.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	96	0.36	2.6
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.02	6.0
381	COMPLICATED PEPTIC ULCER WITH CC	11	0.04	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.03	4.6
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	2.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	12	0.05	2.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.01	3.5
386	INFLAMMATORY BOWEL DISEASE WITH CC	14	0.05	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	12	0.05	6.3
388	G.I. OBSTRUCTION WITH MCC	17	0.06	4.9
389	G.I. OBSTRUCTION WITH CC	41	0.15	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	37	0.14	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	57	0.21	5.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	367	1.38	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	25	0.09	7.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	51	0.19	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	45	0.17	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	21
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	6.1
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	3	0.01	5.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.00	2.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	2.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.02	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.03	9.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.03	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	9	0.03	4.8
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	58	0.22	6.8
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	86	0.32	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	197	0.74	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	4.5
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.01	4.7
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	12
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	67	0.25	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	26	0.10	4.3
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	22	0.08	6.1
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	19	0.07	6.0
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	8	0.03	3.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	37	0.14	8.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	43	0.16	5.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	76	0.29	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	67	0.25	7.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	33	0.12	4.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	10	0.04	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	20	0.08	6.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	25	0.09	5.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	34	0.13	2.1
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.02	17
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	7	0.03	7.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	17	0.06	4.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	4	0.02	19
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.02	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	7	0.03	4.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	2	0.01	5.5
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	90	0.34	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	8	0.03	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.03	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	12	0.05	7.1
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	6	0.02	5.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.02	6.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	22	0.08	4.6
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	26	0.10	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	29	0.11	8.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	455	1.72	3.5
471	CERVICAL SPINAL FUSION WITH MCC	1	0.00	17
472	CERVICAL SPINAL FUSION WITH CC	15	0.06	1.7
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	49	0.18	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.02	25

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	6	0.02	5.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	17
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.02	16
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.01	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	31	0.12	8.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	85	0.32	5.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	62	0.23	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	10	0.04	2.9
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	24	0.09	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.01	12
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.02	2.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	18	0.07	2.1
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	28	0.11	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	80	0.30	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	6	0.02	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	27	0.10	3.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	85	0.32	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.02	7.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.02	6.8
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	14	0.05	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	1.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	4.7
500	SOFT TISSUE PROCEDURES WITH MCC	5	0.02	8.0
501	SOFT TISSUE PROCEDURES WITH CC	4	0.02	4.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	17	0.06	2.3
503	FOOT PROCEDURES WITH MCC	1	0.00	4.0
504	FOOT PROCEDURES WITH CC	2	0.01	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	5	0.02	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	45
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.01	6.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	12	0.05	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.00	3.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	8	0.03	1.6
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.01	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	12	0.05	9.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	11	0.04	2.5
533	FRACTURES OF FEMUR WITH MCC	3	0.01	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.03	3.4
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.02	6.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	22	0.08	3.1

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	3.0
539	OSTEOMYELITIS WITH MCC	2	0.01	5.5
540	OSTEOMYELITIS WITH CC	6	0.02	7.0
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	9.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.03	13
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	17	0.06	5.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	5	0.02	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	5	0.02	7.4
546	CONNECTIVE TISSUE DISORDERS WITH CC	16	0.06	6.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	3	0.01	2.7
549	SEPTIC ARTHRITIS WITH CC	1	0.00	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	4.0
551	MEDICAL BACK PROBLEMS WITH MCC	10	0.04	4.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	68	0.26	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	6	0.02	15
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	17	0.06	2.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.01	8.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	19	0.07	4.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	5.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	23	0.09	5.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.02	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.01	64

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	7	0.03	3.4
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.03	3.9
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	36	0.14	3.1
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.03	12
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.03	4.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.02	1.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	12	0.05	18
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	21	0.08	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.03	3.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	5.5
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.01	14
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.03	1.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	14
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	17	0.06	2.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	50	0.19	2.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	2.1
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	22	0.08	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	11
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	11	0.04	1.2
592	SKIN ULCERS WITH MCC	9	0.03	8.4
593	SKIN ULCERS WITH CC	14	0.05	12
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	18
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.04	5.8
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	1.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.02	3.3
602	CELLULITIS WITH MCC	31	0.12	7.8
603	CELLULITIS WITHOUT MCC	207	0.78	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	2.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	21	0.08	3.0
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	10	0.04	3.4
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.02	7.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.02	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.00	28
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	11	0.04	6.8
619	O.R. PROCEDURES FOR OBESITY WITH MCC	5	0.02	5.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	30	0.11	2.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	222	0.84	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.02	6.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	8.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	6.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	15

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	11	0.04	1.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	60	0.23	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.01	7.3
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	15	0.06	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	1.5
637	DIABETES WITH MCC	45	0.17	5.0
638	DIABETES WITH CC	73	0.28	4.0
639	DIABETES WITHOUT CC/MCC	83	0.31	2.5
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	97	0.37	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	215	0.81	3.2
642	INBORN ERRORS OF METABOLISM	32	0.12	4.6
643	ENDOCRINE DISORDERS WITH MCC	16	0.06	6.9
644	ENDOCRINE DISORDERS WITH CC	19	0.07	4.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.05	2.5
652	KIDNEY TRANSPLANT	13	0.05	6.6
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	16
654	MAJOR BLADDER PROCEDURES WITH CC	3	0.01	11
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.02	5.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.6
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	11	0.04	3.7
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	21	0.08	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.02	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	12	0.05	4.2
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	13	0.05	2.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.02	1.6
665	PROSTATECTOMY WITH MCC	1	0.00	4.0
666	PROSTATECTOMY WITH CC	2	0.01	2.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.02	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	7.3
669	TRANSURETHRAL PROCEDURES WITH CC	16	0.06	5.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	6	0.02	1.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	16	0.06	15
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	8	0.03	7.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	.50
682	RENAL FAILURE WITH MCC	115	0.43	7.8
683	RENAL FAILURE WITH CC	153	0.58	4.9
684	RENAL FAILURE WITHOUT CC/MCC	43	0.16	2.5
685	ADMIT FOR RENAL DIALYSIS	4	0.02	5.5
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	5.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	6	0.02	3.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	1.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	68	0.26	5.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	254	0.96	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	3.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	4	0.02	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	24	0.09	3.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	6.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.03	3.1
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	22	0.08	10
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.07	3.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	10	0.04	3.8
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	28	0.11	2.1
710	PENIS PROCEDURES WITHOUT CC/MCC	30	0.11	1.7
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	2.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	10	0.04	5.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	48	0.18	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	7.5
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	3.3
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	6	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	3.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	15
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.00	1.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	3.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	6.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.02	3.4
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	8	0.03	3.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	15	0.06	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	63	0.24	3.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	339	1.28	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	5	0.02	3.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	9	0.03	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	1.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	13	0.05	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	28	0.11	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.02	16
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	8.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	3.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	8.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	4.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	9	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	8	0.03	1.0
765	CESAREAN SECTION WITH CC/MCC	345	1.30	4.2
766	CESAREAN SECTION WITHOUT CC/MCC	972	3.67	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	209	0.79	2.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	4.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	18	0.07	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	18	0.07	.78
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	275	1.04	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,518	9.50	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	33	0.12	2.7
777	ECTOPIC PREGNANCY	32	0.12	1.7
778	THREATENED ABORTION	38	0.14	2.0
779	ABORTION WITHOUT D&C	24	0.09	1.7
780	FALSE LABOR	8	0.03	.25
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	133	0.50	3.4
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	32	0.12	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	217	0.82	1.6
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	86	0.32	38
791	PREMATURITY WITH MAJOR PROBLEMS	55	0.21	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	198	0.75	5.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	122	0.46	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	462	1.74	2.4
795	NORMAL NEWBORN	3,513	13.25	1.8
799	SPLENECTOMY WITH MCC	1	0.00	20
800	SPLENECTOMY WITH CC	2	0.01	4.5
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	2	0.01	2.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	6.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	1	0.00	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	19	0.07	8.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	23	0.09	3.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.02	4.7
811	RED BLOOD CELL DISORDERS WITH MCC	48	0.18	5.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	154	0.58	3.6
813	COAGULATION DISORDERS	27	0.10	2.8
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	5	0.02	11
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.06	4.2
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.03	3.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	20
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.01	5.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	2.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	8.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.02	6.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	16
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	14
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.01	4.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	2	0.01	8.5
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.02	42
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.03	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	1	0.00	32
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	9	0.03	8.2
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	18	0.07	3.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	10	0.04	14
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	10	0.04	6.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	2	0.01	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.00	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	4	0.02	9.8
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.02	13
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	58	0.22	4.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	11	0.04	3.4
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	79	0.30	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	8	0.03	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.03	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	12	0.05	9.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	7.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	15	0.06	7.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	43	0.16	4.9
864	FEVER	36	0.14	3.1
865	VIRAL ILLNESS WITH MCC	6	0.02	5.2
866	VIRAL ILLNESS WITHOUT MCC	32	0.12	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.03	12
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	5.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	12
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	53	0.20	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	554	2.09	8.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	127	0.48	5.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	23	0.09	2.6
881	DEPRESSIVE NEUROSES	86	0.32	2.9
882	NEUROSES EXCEPT DEPRESSIVE	40	0.15	3.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	8	0.03	9.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	17	0.06	8.5
885	PSYCHOSES	688	2.59	6.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.02	5.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	0.01	1.7
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	4	0.02	7.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	16	0.06	6.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	61	0.23	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	10
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	14
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	3	0.01	4.7
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.01	4.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	5.5
906	HAND PROCEDURES FOR INJURIES	9	0.03	4.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	16	0.06	14
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	13	0.05	4.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	12	0.05	2.6
913	TRAUMATIC INJURY WITH MCC	4	0.02	1.8
914	TRAUMATIC INJURY WITHOUT MCC	16	0.06	3.3
916	ALLERGIC REACTIONS WITHOUT MCC	6	0.02	2.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	42	0.16	5.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	70	0.26	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	20	0.08	6.9
920	COMPLICATIONS OF TREATMENT WITH CC	17	0.06	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.06	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.03	6.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	9	0.03	1.8
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	44
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.00	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	10
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.01	1.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.02	6.6
935	NON-EXTENSIVE BURNS	13	0.05	5.2
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.01	1.5
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.03	5.9
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	2	0.01	12
945	REHABILITATION WITH CC/MCC	131	0.49	24
946	REHABILITATION WITHOUT CC/MCC	86	0.32	24
947	SIGNS & SYMPTOMS WITH MCC	12	0.05	4.1
948	SIGNS & SYMPTOMS WITHOUT MCC	40	0.15	4.9
949	AFTERCARE WITH CC/MCC	7	0.03	43
950	AFTERCARE WITHOUT CC/MCC	4	0.02	6.8
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.04	1.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	12	0.05	9.4
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	12	0.05	26
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	14	0.05	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.02	4.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	22	0.08	7.2
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	2.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	17	0.06	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.02	2.8
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	5.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	31	0.12	15
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	21	0.08	8.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.05	3.4
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.02	8.2
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.08	8.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.7
All		26,515	100.0	4.5

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	21	0.08	69
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	27	0.11	41
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	11
007	LUNG TRANSPLANT	1	0.00	11
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	4	0.02	17
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	15
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.02	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.03	12
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	9.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.04	24
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	28	0.11	8.4
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	37	0.15	9.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	26	0.10	5.4
028	SPINAL PROCEDURES WITH MCC	4	0.02	30
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	8	0.03	6.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	10	0.04	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	3.7
032	VENTRICULAR SHUNT PROCEDURES WITH CC	10	0.04	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	4	0.02	4.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	10
037	EXTRACRANIAL PROCEDURES WITH MCC	5	0.02	16
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.08	4.9
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	45	0.18	1.3
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.04	6.1
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	7	0.03	7.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.02	4.2
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.02	4.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.00	8.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	13	0.05	5.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.08	3.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	20
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	26	0.10	5.1
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	14
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.00	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	3.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.00	17
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	4	0.02	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	2	0.01	4.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	97	0.38	9.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	122	0.48	5.1
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	77	0.30	3.2
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	7.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.04	3.6
069	TRANSIENT ISCHEMIA	86	0.34	2.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	10	0.04	6.4
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	4	0.02	2.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	4	0.02	4.3
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	18	0.07	6.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	46	0.18	3.5
075	VIRAL MENINGITIS WITH CC/MCC	4	0.02	3.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	31	0.12	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	7.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	1.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	1.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	7	0.03	5.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	15	0.06	3.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.02	4.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	26

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.03	4.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	14	0.05	8.6
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	15	0.06	5.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	24	0.09	3.3
088	CONCUSSION WITH MCC	2	0.01	2.5
089	CONCUSSION WITH CC	7	0.03	5.0
090	CONCUSSION WITHOUT CC/MCC	12	0.05	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	15	0.06	7.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	16	0.06	4.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	15	0.06	3.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.02	21
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	17
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.00	10
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	4	0.02	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	14
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.00	7.0
100	SEIZURES WITH MCC	26	0.10	4.2
101	SEIZURES WITHOUT MCC	86	0.34	2.9
102	HEADACHES WITH MCC	2	0.01	4.5
103	HEADACHES WITHOUT MCC	28	0.11	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	1.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.01	1.7
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	2.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.7
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	1.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.00	6.0
123	NEUROLOGICAL EYE DISORDERS	2	0.01	2.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.00	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	7	0.03	2.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	2	0.01	4.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.08	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	14	0.05	7.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	57	0.22	1.6
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	3.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	3.3
139	SALIVARY GLAND PROCEDURES	5	0.02	.60
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	5	0.02	5.4
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	3.5
149	DYSEQUILIBRIUM	30	0.12	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	7	0.03	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.04	8.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	79	0.31	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.02	3.8
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	4.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	9	0.04	3.4
157	DENTAL & ORAL DISEASES WITH MCC	2	0.01	6.5
158	DENTAL & ORAL DISEASES WITH CC	11	0.04	3.7
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	7	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	21	0.08	13
164	MAJOR CHEST PROCEDURES WITH CC	35	0.14	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	28	0.11	3.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	18	0.07	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	14	0.05	8.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	3.3
175	PULMONARY EMBOLISM WITH MCC	12	0.05	6.3
176	PULMONARY EMBOLISM WITHOUT MCC	40	0.16	5.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	91	0.36	9.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	58	0.23	7.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	16	0.06	5.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
180	RESPIRATORY NEOPLASMS WITH MCC	25	0.10	8.0
181	RESPIRATORY NEOPLASMS WITH CC	23	0.09	5.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	0.01	7.7
183	MAJOR CHEST TRAUMA WITH MCC	1	0.00	11
184	MAJOR CHEST TRAUMA WITH CC	6	0.02	3.7
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.00	2.0
186	PLEURAL EFFUSION WITH MCC	7	0.03	6.7
187	PLEURAL EFFUSION WITH CC	7	0.03	5.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	2.5
189	PULMONARY EDEMA & RESPIRATORY FAILURE	138	0.54	6.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	174	0.68	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	117	0.46	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	129	0.51	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	183	0.72	6.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	263	1.03	4.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	194	0.76	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	5.9
197	INTERSTITIAL LUNG DISEASE WITH CC	6	0.02	9.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.00	3.0
199	PNEUMOTHORAX WITH MCC	4	0.02	7.5
200	PNEUMOTHORAX WITH CC	18	0.07	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.04	3.5
202	BRONCHITIS & ASTHMA WITH CC/MCC	123	0.48	3.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	190	0.75	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	28	0.11	2.6
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	9	0.04	4.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	19	0.07	3.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	52	0.20	17
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	83	0.33	5.9
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	13	0.05	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	8	0.03	13
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	3	0.01	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	13	0.05	27
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	18	0.07	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	6	0.02	7.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	16
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.02	4.8
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	19
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.02	3.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.04	17
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	15	0.06	2.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.02	14
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.02	8.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	21
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	6	0.02	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	18	0.07	17
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	50	0.20	8.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	29	0.11	6.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	22	0.09	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	35	0.14	5.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	4	0.02	14
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	13	0.05	12
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	8.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	27	0.11	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	24	0.09	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.12	2.8
245	AICD GENERATOR PROCEDURES	5	0.02	1.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	27	0.11	3.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	135	0.53	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	15	0.06	6.6
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	28	0.11	2.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	12
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	24	0.09	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	37	0.15	8.8
253	OTHER VASCULAR PROCEDURES WITH CC	46	0.18	5.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	44	0.17	3.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	8.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	11
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	6	0.02	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	2.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.00	4.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.01	6.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	16	0.06	5.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	96	0.38	5.6
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	43	0.17	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	79	0.31	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.05	5.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.02	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	28	0.11	5.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	112	0.44	2.7
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.00	14

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	6.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	13
291	HEART FAILURE & SHOCK WITH MCC	285	1.12	5.7
292	HEART FAILURE & SHOCK WITH CC	146	0.57	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	70	0.27	3.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.01	5.7
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.01	2.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	48	0.19	5.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	51	0.20	4.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	51	0.20	3.8
302	ATHEROSCLEROSIS WITH MCC	12	0.05	4.3
303	ATHEROSCLEROSIS WITHOUT MCC	64	0.25	2.3
304	HYPERTENSION WITH MCC	3	0.01	3.0
305	HYPERTENSION WITHOUT MCC	25	0.10	2.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	5	0.02	14
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	21	0.08	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	40	0.16	7.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	63	0.25	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	94	0.37	2.6
311	ANGINA PECTORIS	35	0.14	1.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
312	SYNCOPE & COLLAPSE	94	0.37	2.5
313	CHEST PAIN	262	1.03	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	70	0.27	8.4
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	27	0.11	4.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	13	0.05	2.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	20	0.08	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	22	0.09	9.2
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	41	0.16	2.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	68	0.27	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	80	0.31	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	39	0.15	5.0
332	RECTAL RESECTION WITH MCC	2	0.01	13
333	RECTAL RESECTION WITH CC	7	0.03	8.6
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.02	6.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	9	0.04	13
336	PERITONEAL ADHESIOLYSIS WITH CC	16	0.06	7.6
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	26	0.10	3.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.02	9.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.07	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	58	0.23	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	3.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	21	0.08	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	239	0.94	1.6
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	6	0.02	4.5
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.02	4.0
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	4.5
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.04	4.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	21	0.08	2.7
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	11
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	3	0.01	2.7
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	11	0.04	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.01	9.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	17	0.07	5.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	30	0.12	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	13	0.05	9.9
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	8	0.03	5.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	16	0.06	3.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	4	0.02	6.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	5	0.02	3.8
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	4	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	34	0.13	7.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	31	0.12	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	26	0.10	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	17	0.07	6.1
375	DIGESTIVE MALIGNANCY WITH CC	14	0.05	5.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.01	4.0
377	G.I. HEMORRHAGE WITH MCC	80	0.31	5.9
378	G.I. HEMORRHAGE WITH CC	131	0.51	4.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	96	0.38	2.6
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.02	6.0
381	COMPLICATED PEPTIC ULCER WITH CC	11	0.04	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.04	4.6
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	2.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	12	0.05	2.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.01	3.5
386	INFLAMMATORY BOWEL DISEASE WITH CC	14	0.05	5.6
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	12	0.05	6.3
388	G.I. OBSTRUCTION WITH MCC	17	0.07	4.9
389	G.I. OBSTRUCTION WITH CC	41	0.16	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	37	0.15	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	57	0.22	5.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	367	1.44	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	25	0.10	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	51	0.20	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	45	0.18	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	21
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	6.1
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	3	0.01	5.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.00	2.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	2.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.02	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.04	9.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.04	4.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	9	0.04	4.8
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	58	0.23	6.8
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	86	0.34	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	197	0.77	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	4.5
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	5.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	12
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	67	0.26	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	26	0.10	4.3
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	22	0.09	6.1
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	19	0.07	6.0
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	8	0.03	3.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	37	0.15	8.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	43	0.17	5.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	76	0.30	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	67	0.26	7.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	33	0.13	4.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	10	0.04	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	20	0.08	6.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	25	0.10	5.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	34	0.13	2.1
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.02	17
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	7	0.03	7.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	17	0.07	4.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	4	0.02	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.02	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	7	0.03	4.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	2	0.01	5.5
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	90	0.35	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	8	0.03	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.03	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	12	0.05	7.1
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	6	0.02	5.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.02	6.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	22	0.09	4.6
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	26	0.10	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	29	0.11	8.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	455	1.79	3.5
471	CERVICAL SPINAL FUSION WITH MCC	1	0.00	17
472	CERVICAL SPINAL FUSION WITH CC	15	0.06	1.7
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	49	0.19	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.02	25
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	6	0.02	5.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.02	16
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.01	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	31	0.12	8.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	85	0.33	5.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	62	0.24	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	10	0.04	2.9
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	24	0.09	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.01	12
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.02	2.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	18	0.07	2.1
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	28	0.11	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	80	0.31	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	6	0.02	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	27	0.11	3.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	85	0.33	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.02	7.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.02	6.8
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	14	0.05	2.1
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	1.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
500	SOFT TISSUE PROCEDURES WITH MCC	5	0.02	8.0
501	SOFT TISSUE PROCEDURES WITH CC	4	0.02	4.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	17	0.07	2.3
503	FOOT PROCEDURES WITH MCC	1	0.00	4.0
504	FOOT PROCEDURES WITH CC	2	0.01	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	5	0.02	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	45
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.01	6.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	12	0.05	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.00	3.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	8	0.03	1.6
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.01	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	12	0.05	9.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	11	0.04	2.5
533	FRACTURES OF FEMUR WITH MCC	3	0.01	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.03	3.4
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.02	6.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	22	0.09	3.1
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
539	OSTEOMYELITIS WITH MCC	2	0.01	5.5
540	OSTEOMYELITIS WITH CC	5	0.02	4.4
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	9.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.03	13
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	17	0.07	5.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	5	0.02	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	5	0.02	7.4
546	CONNECTIVE TISSUE DISORDERS WITH CC	16	0.06	6.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	3	0.01	2.7
549	SEPTIC ARTHRITIS WITH CC	1	0.00	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	4.0
551	MEDICAL BACK PROBLEMS WITH MCC	10	0.04	4.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	68	0.27	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	6	0.02	15
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	17	0.07	2.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.00	2.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	17	0.07	3.2
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	5.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	23	0.09	5.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.02	17
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.00	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.02	2.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.03	3.9
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	36	0.14	3.1
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.03	12
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.03	4.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.02	1.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	12	0.05	18
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	21	0.08	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.04	3.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	5.5
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.01	14
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.03	1.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	14
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	17	0.07	2.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	50	0.20	2.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	2.1
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	22	0.09	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	11
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	11	0.04	1.2
592	SKIN ULCERS WITH MCC	9	0.04	8.4
593	SKIN ULCERS WITH CC	14	0.05	12

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	18
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.04	5.8
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	1.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.02	3.3
602	CELLULITIS WITH MCC	31	0.12	7.8
603	CELLULITIS WITHOUT MCC	206	0.81	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	2.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	21	0.08	3.0
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	10	0.04	3.4
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.02	7.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.02	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.00	28
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	11	0.04	6.8
619	O.R. PROCEDURES FOR OBESITY WITH MCC	5	0.02	5.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	30	0.12	2.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	222	0.87	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.02	6.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	8.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	6.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	15
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	11	0.04	1.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	60	0.24	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.01	7.3
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	15	0.06	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	1.5
637	DIABETES WITH MCC	45	0.18	5.0
638	DIABETES WITH CC	73	0.29	4.0
639	DIABETES WITHOUT CC/MCC	83	0.33	2.5
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	97	0.38	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	215	0.84	3.2
642	INBORN ERRORS OF METABOLISM	32	0.13	4.6
643	ENDOCRINE DISORDERS WITH MCC	16	0.06	6.9
644	ENDOCRINE DISORDERS WITH CC	19	0.07	4.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.05	2.5
652	KIDNEY TRANSPLANT	13	0.05	6.6
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	16
654	MAJOR BLADDER PROCEDURES WITH CC	3	0.01	11
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.02	5.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	11	0.04	3.7
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	21	0.08	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.02	7.3
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	12	0.05	4.2
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	13	0.05	2.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.02	1.6
665	PROSTATECTOMY WITH MCC	1	0.00	4.0
666	PROSTATECTOMY WITH CC	2	0.01	2.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.02	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	7.3
669	TRANSURETHRAL PROCEDURES WITH CC	16	0.06	5.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	6	0.02	1.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	16	0.06	15
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	8	0.03	7.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	.50
682	RENAL FAILURE WITH MCC	114	0.45	7.8
683	RENAL FAILURE WITH CC	153	0.60	4.9
684	RENAL FAILURE WITHOUT CC/MCC	43	0.17	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
685	ADMIT FOR RENAL DIALYSIS	4	0.02	5.5
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	5.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	6	0.02	3.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	68	0.27	5.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	254	1.00	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	3.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	4	0.02	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	24	0.09	3.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	6.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.04	3.1
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	22	0.09	10
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.07	3.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	10	0.04	3.8
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	28	0.11	2.1
710	PENIS PROCEDURES WITHOUT CC/MCC	30	0.12	1.7
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	2.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	10	0.04	5.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	48	0.19	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	7.5

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	3.3
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	6	0.02	2.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	3.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	15
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.00	1.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	3.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	6.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.02	3.4
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	8	0.03	3.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	15	0.06	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	63	0.25	3.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	339	1.33	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	5	0.02	3.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	9	0.04	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	1.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	13	0.05	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	28	0.11	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.02	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.01	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	8.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	3.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	8.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	4.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	9	0.04	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	8	0.03	1.0
765	CESAREAN SECTION WITH CC/MCC	345	1.36	4.2
766	CESAREAN SECTION WITHOUT CC/MCC	972	3.82	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	209	0.82	2.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	4.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	18	0.07	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	18	0.07	.78
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	275	1.08	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,518	9.89	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	33	0.13	2.7
777	ECTOPIC PREGNANCY	32	0.13	1.7
778	THREATENED ABORTION	38	0.15	2.0
779	ABORTION WITHOUT D&C	24	0.09	1.7
780	FALSE LABOR	8	0.03	.25

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	132	0.52	3.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	32	0.13	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	217	0.85	1.6
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	86	0.34	38
791	PREMATURITY WITH MAJOR PROBLEMS	55	0.22	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	198	0.78	5.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	122	0.48	7.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	462	1.81	2.4
795	NORMAL NEWBORN	3,513	13.80	1.8
799	SPLENECTOMY WITH MCC	1	0.00	20
800	SPLENECTOMY WITH CC	2	0.01	4.5
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	2	0.01	2.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	6.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	1	0.00	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	19	0.07	8.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	23	0.09	3.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.02	4.7
811	RED BLOOD CELL DISORDERS WITH MCC	48	0.19	5.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	154	0.60	3.6
813	COAGULATION DISORDERS	27	0.11	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	5	0.02	11
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.07	4.2
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.04	3.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	20
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.01	5.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	2.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	8.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.02	6.4
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	16
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	14
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.01	4.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	2	0.01	8.5
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.02	42
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.03	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	1	0.00	32
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	9	0.04	8.2
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	18	0.07	3.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	10	0.04	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	10	0.04	6.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	2	0.01	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.00	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	4	0.02	9.8
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.02	13
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	58	0.23	4.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	11	0.04	3.4
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	79	0.31	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	8	0.03	12
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.03	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	12	0.05	9.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	7.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	15	0.06	7.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	42	0.16	4.9
864	FEVER	36	0.14	3.1
865	VIRAL ILLNESS WITH MCC	6	0.02	5.2
866	VIRAL ILLNESS WITHOUT MCC	32	0.13	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.04	12
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	5.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	53	0.21	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	554	2.18	8.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	127	0.50	5.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	17	0.07	1.9
881	DEPRESSIVE NEUROSES	5	0.02	2.4
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	6.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	3	0.01	4.7
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	15	0.06	8.1
885	PSYCHOSES	7	0.03	4.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	3.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	0.01	1.7
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	16	0.06	6.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	41	0.16	2.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	10
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	14
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	3	0.01	4.7
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.01	4.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	5.5
906	HAND PROCEDURES FOR INJURIES	9	0.04	4.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	16	0.06	14
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	13	0.05	4.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	12	0.05	2.6
913	TRAUMATIC INJURY WITH MCC	4	0.02	1.8
914	TRAUMATIC INJURY WITHOUT MCC	16	0.06	3.3
916	ALLERGIC REACTIONS WITHOUT MCC	6	0.02	2.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	42	0.16	5.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	70	0.27	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	20	0.08	6.9
920	COMPLICATIONS OF TREATMENT WITH CC	17	0.07	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.06	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.03	6.9
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	9	0.04	1.8
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	44
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.00	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	10
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.01	1.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.02	6.6
935	NON-EXTENSIVE BURNS	13	0.05	5.2
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.01	1.5
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.03	5.9
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	23	0.09	16
946	REHABILITATION WITHOUT CC/MCC	13	0.05	8.7
947	SIGNS & SYMPTOMS WITH MCC	12	0.05	4.1
948	SIGNS & SYMPTOMS WITHOUT MCC	40	0.16	4.9
949	AFTERCARE WITH CC/MCC	5	0.02	4.8
950	AFTERCARE WITHOUT CC/MCC	2	0.01	5.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	9	0.04	1.4
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	12	0.05	9.4
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	12	0.05	26
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	14	0.05	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.00	2.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.02	4.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	22	0.09	7.2
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	2.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	17	0.07	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.02	2.8
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	5.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	31	0.12	15
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	21	0.08	8.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.05	3.4

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.02	8.2
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.09	8.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.7
All		25,458	100.0	4.2

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	4	66.67	7.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	33.33	27
All		6	100.0	14

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
012	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSIS WITH CC	1	1.96	27
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	1.96	14
945	REHABILITATION WITH CC/MCC	35	68.63	21
946	REHABILITATION WITHOUT CC/MCC	13	25.49	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	1.96	1.0
All		51	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.12	10
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.12	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	6	0.71	4.3
881	DEPRESSIVE NEUROSES	81	9.64	3.0
882	NEUROSES EXCEPT DEPRESSIVE	39	4.64	3.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	0.60	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.24	12
885	PSYCHOSES	681	81.07	6.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.60	5.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	18	2.14	2.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.12	2.0
All		840	100.0	5.5

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	1.25	17
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	2	1.25	86
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	2	1.25	35
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.63	833
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.63	32
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	1	0.63	4.0
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.63	389
291	HEART FAILURE & SHOCK WITH MCC	1	0.63	61
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.63	1E3
540	OSTEOMYELITIS WITH CC	1	0.63	20
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.63	14
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	1.25	15
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.63	4.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.63	121
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	1.25	6.5
603	CELLULITIS WITHOUT MCC	1	0.63	8.0
682	RENAL FAILURE WITH MCC	1	0.63	9.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.63	3.0
945	REHABILITATION WITH CC/MCC	73	45.63	28
946	REHABILITATION WITHOUT CC/MCC	60	37.50	30
949	AFTERCARE WITH CC/MCC	2	1.25	138

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
950	AFTERCARE WITHOUT CC/MCC	2	1.25	8.5
All		160	100.0	46

**MDC by Patient County of Residence
for 2009
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,201	4.53	6.3
02	EYE, DISEASES & DISORDERS	25	0.09	2.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	287	1.08	3.4
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,188	8.25	6.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,661	10.04	5.2
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,983	7.48	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	911	3.44	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,711	6.45	4.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	496	1.87	5.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	988	3.73	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	915	3.45	5.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	137	0.52	2.6
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	539	2.03	2.4
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,659	17.57	2.4
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	4,654	17.55	3.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	328	1.24	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	177	0.67	7.7
18	INFECTIOUS & PARASITIC DISEASES	1,004	3.79	9.7
19	MENTAL DISEASES & DISORDERS	868	3.27	5.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	84	0.32	4.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	273	1.03	4.5
22	BURNS	25	0.09	10

(Continued)

*MDC by Patient County of Residence
for 2009
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	302	1.14	19
24	MULTIPLE SIGNFICANT TRAUMA	75	0.28	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	24	0.09	11
All		26,515	100.0	4.5

**MDC by Patient County of Residence
and Type of Care for 2009
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,194	4.69	6.1
02	EYE, DISEASES & DISORDERS	25	0.10	2.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	286	1.12	3.3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,184	8.58	5.6
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,659	10.44	4.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,983	7.79	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	911	3.58	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,703	6.69	4.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	495	1.94	5.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	988	3.88	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	914	3.59	5.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	137	0.54	2.6
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	539	2.12	2.4
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,658	18.30	2.4
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	4,654	18.28	3.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	328	1.29	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	177	0.70	7.7
18	INFECTIOUS & PARASITIC DISEASES	1,003	3.94	9.7
19	MENTAL DISEASES & DISORDERS	49	0.19	4.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	60	0.24	3.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	273	1.07	4.5

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	25	0.10	10
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	114	0.45	7.2
24	MULTIPLE SIGNFICANT TRAUMA	75	0.29	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	24	0.09	11
All		25,458	100.0	4.2

***MDC by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	6	100.0	14
All		6	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	1.96	27
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	50	98.04	18
All		51	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.12	10
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.12	10
19	MENTAL DISEASES & DISORDERS	819	97.50	5.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	18	2.14	2.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.12	2.0
All		840	100.0	5.5

***MDC by Patient County of Residence
and Type of Care for 2009
Merced County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	6	3.75	46
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	4	2.50	315
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	1.25	746
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	8	5.00	25
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.63	8.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.63	9.0
18	INFECTIOUS & PARASITIC DISEASES	1	0.63	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	137	85.63	30
All		160	100.0	46