

***Type of Care by Patient County of Residence
for 2010
Monterey County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	38,256	95.67	4.0
Chemical Dependency Recovery Care	15	0.04	12
Physical Rehabilitation Care	379	0.95	14
Psychiatric Care	1,172	2.93	5.8
Skilled Nursing/Intermediate Care	165	0.41	119
All	39,987	100.0	4.6

**Disposition by Patient County of Residence
for 2010
Monterey County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	4	0.01	4.3
01 - Routine (Home)	29,729	77.71	3.1
02 - Acute Care within the admitting hospital	1	0.00	3.0
03 - Other Care with the admitting hospital	199	0.52	6.8
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	137	0.36	8.9
05 - Acute Care at another hospital	421	1.10	6.3
06 - Other Care (not SN/IC) at another hospital	485	1.27	11
07 - SN/IC at another facility	2,654	6.94	7.7
08 - Residential Care facility	49	0.13	4.6
09 - Prison/Jail	509	1.33	4.8
10 - Left Against Medical Advice	195	0.51	2.1
11 - Died	674	1.76	7.7
12 - Home Health Service	3,161	8.26	6.9
13 - Other	38	0.10	5.7
All	38,256	100.0	4.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	12	80.00	15
03 - Other Care with the admitting hospital	2	13.33	3.5
10 - Left Against Medical Advice	1	6.67	1.0
All	15	100.0	12

***Disposition by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	119	31.40	14
02 - Acute Care within the admitting hospital	18	4.75	9.7
05 - Acute Care at another hospital	9	2.37	11
06 - Other Care (not SN/IC) at another hospital	2	0.53	9.0
07 - SN/IC at another facility	37	9.76	15
09 - Prison/Jail	4	1.06	16
10 - Left Against Medical Advice	4	1.06	4.8
11 - Died	2	0.53	8.0
12 - Home Health Service	180	47.49	13
13 - Other	4	1.06	9.8
All	379	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	988	84.30	5.5
02 - Acute Care within the admitting hospital	8	0.68	4.4
03 - Other Care with the admitting hospital	5	0.43	2.4
05 - Acute Care at another hospital	9	0.77	5.6
06 - Other Care (not SN/IC) at another hospital	44	3.75	8.5
07 - SN/IC at another facility	11	0.94	9.1
08 - Residential Care facility	8	0.68	12
09 - Prison/Jail	15	1.28	6.5
10 - Left Against Medical Advice	21	1.79	3.2
12 - Home Health Service	3	0.26	11
13 - Other	60	5.12	7.7
All	1,172	100.0	5.8

***Disposition by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	74	44.85	32
02 - Acute Care within the admitting hospital	24	14.55	315
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	6	3.64	527
05 - Acute Care at another hospital	11	6.67	178
07 - SN/IC at another facility	7	4.24	231
09 - Prison/Jail	10	6.06	21
10 - Left Against Medical Advice	2	1.21	3.5
11 - Died	18	10.91	140
12 - Home Health Service	13	7.88	17
All	165	100.0	119

***Gender by Patient County of Residence
for 2010
Monterey County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	16,035	40.10	5.1
2 - Female	23,951	59.90	4.3
4 - Unknown	1	0.00	14
All	39,987	100.0	4.6

***Gender by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	15,244	39.85	4.5
2 - Female	23,011	60.15	3.7
4 - Unknown	1	0.00	14
All	38,256	100.0	4.0

***Gender by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	6	40.00	18
2 - Female	9	60.00	8.6
All	15	100.0	12

***Gender by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	183	48.28	13
2 - Female	196	51.72	14
All	379	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	539	45.99	5.6
2 - Female	633	54.01	5.9
All	1,172	100.0	5.8

***Gender by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	63	38.18	131
2 - Female	102	61.82	111
All	165	100.0	119

***Expected Payer by Patient County of Residence
for 2010
Monterey County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.01	2.0
01 - Medicare	11,511	28.79	5.9
02 - Medi-Cal	13,040	32.61	4.1
03 - Private Coverage	10,865	27.17	4.2
04 - Workers' Compensatio	376	0.94	4.1
05 - County Indigent Prog	283	0.71	4.6
06 - Other Government	2,151	5.38	3.8
07 - Other Indigent	85	0.21	4.8
08 - Self-Pay	1,631	4.08	3.8
09 - Other Payer	43	0.11	5.7
All	39,987	100.0	4.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.01	2.0
01 - Medicare	10,877	28.43	5.3
02 - Medi-Cal	12,703	33.21	3.4
03 - Private Coverage	10,437	27.28	3.6
04 - Workers' Compensatio	361	0.94	3.9
05 - County Indigent Prog	277	0.72	4.6
06 - Other Government	1,945	5.08	3.6
07 - Other Indigent	85	0.22	4.8
08 - Self-Pay	1,532	4.00	3.7
09 - Other Payer	37	0.10	6.0
All	38,256	100.0	4.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2	13.33	10
03 - Private Coverage	7	46.67	8.0
08 - Self-Pay	6	40.00	18
All	15	100.0	12

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	235	62.01	13
02 - Medi-Cal	58	15.30	17
03 - Private Coverage	67	17.68	14
04 - Workers' Compensatio	11	2.90	8.8
06 - Other Government	8	2.11	20
All	379	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	311	26.54	6.6
02 - Medi-Cal	251	21.42	6.0
03 - Private Coverage	304	25.94	5.9
04 - Workers' Compensatio	3	0.26	5.7
05 - County Indigent Prog	6	0.51	5.0
06 - Other Government	198	16.89	4.7
08 - Self-Pay	93	7.94	4.3
09 - Other Payer	6	0.51	3.7
All	1,172	100.0	5.8

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	86	52.12	60
02 - Medi-Cal	28	16.97	304
03 - Private Coverage	50	30.30	118
04 - Workers' Compensatio	1	0.61	6.0
All	165	100.0	119

***Race Group by Patient County of Residence
for 2010
Monterey County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	174	0.44	6.5
1 - White	15,228	38.08	5.2
2 - Black	1,273	3.18	5.4
3 - Hispanic	19,435	48.60	4.1
4 - Asian/Pacific Islander	1,719	4.30	4.9
5 - Native American/Eskimo/Ale	34	0.09	6.4
6 - Other	2,124	5.31	4.3
All	39,987	100.0	4.6

***Race Group by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	148	0.39	6.0
1 - White	14,301	37.38	4.5
2 - Black	1,211	3.17	4.9
3 - Hispanic	18,932	49.49	3.5
4 - Asian/Pacific Islander	1,673	4.37	4.9
5 - Native American/Eskimo/Ale	32	0.08	5.5
6 - Other	1,959	5.12	3.9
All	38,256	100.0	4.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	11	73.33	13
3 - Hispanic	4	26.67	9.3
All	15	100.0	12

***Race Group by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	8	2.11	19
1 - White	179	47.23	13
2 - Black	8	2.11	17
3 - Hispanic	120	31.66	13
4 - Asian/Pacific Islander	7	1.85	10
6 - Other	57	15.04	13
All	379	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	17	1.45	4.9
1 - White	657	56.06	5.9
2 - Black	51	4.35	5.5
3 - Hispanic	308	26.28	5.7
4 - Asian/Pacific Islander	39	3.33	6.7
5 - Native American/Eskimo/Ale	1	0.09	5.0
6 - Other	99	8.45	4.7
All	1,172	100.0	5.8

***Race Group by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	0.61	2.0
1 - White	80	48.48	114
2 - Black	3	1.82	204
3 - Hispanic	71	43.03	135
5 - Native American/Eskimo/Ale	1	0.61	36
6 - Other	9	5.45	29
All	165	100.0	119

**Source of Admission by Patient County of Residence
for 2010
Monterey County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	2	0.01	3.0
1 - Home	30,869	77.20	4.2
2 - Residential Care Facility	100	0.25	5.8
3 - Ambulatory Surgery	303	0.76	3.3
4 - Skilled Nursing/Intermedia	369	0.92	9.8
5 - Acute Inpatient Hospital C	983	2.46	24
6 - Other Inpatient Hospital C	296	0.74	15
7 - Newborn (born in admitting	6,436	16.10	2.8
8 - Prison/Jail	333	0.83	5.0
9 - Other	296	0.74	7.7
All	39,987	100.0	4.6

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	2	0.01	3.0
1 - Home	29,790	77.87	4.0
2 - Residential Care Facility	90	0.24	5.5
3 - Ambulatory Surgery	297	0.78	3.1
4 - Skilled Nursing/Intermedia	361	0.94	6.7
5 - Acute Inpatient Hospital C	583	1.52	13
6 - Other Inpatient Hospital C	94	0.25	13
7 - Newborn (born in admitting	6,436	16.82	2.8
8 - Prison/Jail	311	0.81	4.7
9 - Other	292	0.76	7.7
All	38,256	100.0	4.0

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	15	100.0	12
All	15	100.0	12

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11	2.90	14
2 - Residential Care Facility	1	0.26	28
3 - Ambulatory Surgery	6	1.58	13
4 - Skilled Nursing/Intermedia	2	0.53	20
5 - Acute Inpatient Hospital C	230	60.69	14
6 - Other Inpatient Hospital C	128	33.77	13
8 - Prison/Jail	1	0.26	7.0
All	379	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,043	88.99	5.7
2 - Residential Care Facility	9	0.77	6.7
4 - Skilled Nursing/Intermedia	2	0.17	15
5 - Acute Inpatient Hospital C	46	3.92	6.2
6 - Other Inpatient Hospital C	48	4.10	5.6
8 - Prison/Jail	20	1.71	8.8
9 - Other	4	0.34	8.8
All	1,172	100.0	5.8

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10	6.06	418
4 - Skilled Nursing/Intermedia	4	2.42	287
5 - Acute Inpatient Hospital C	124	75.15	105
6 - Other Inpatient Hospital C	26	15.76	48
8 - Prison/Jail	1	0.61	25
All	165	100.0	119

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	36
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	34	0.09	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	29	0.07	47
006	LIVER TRANSPLANT WITHOUT MCC	2	0.01	6.5
007	LUNG TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	5	0.01	36
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.01	15
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.01	7.7
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	3.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	5	0.01	29
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	8	0.02	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	20	0.05	15
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.01	14
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	43	0.11	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	33	0.08	7.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	51	0.13	3.9
028	SPINAL PROCEDURES WITH MCC	7	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	20	0.05	6.1
030	SPINAL PROCEDURES WITHOUT CC/MCC	22	0.06	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.01	16
032	VENTRICULAR SHUNT PROCEDURES WITH CC	9	0.02	6.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.03	2.3
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	9.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.01	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	10	0.03	1.2
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.01	6.3
038	EXTRACRANIAL PROCEDURES WITH CC	21	0.05	2.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	53	0.13	2.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.02	9.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.05	5.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	10	0.03	2.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.01	19
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.04	4.1
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	35	0.09	7.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	17	0.04	67
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	57	0.14	72
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	6.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.02	5.4
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	12	0.03	4.3
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	5	0.01	9.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	8	0.02	7.3

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Monterey County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	5	0.01	2.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	101	0.25	8.6
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	195	0.49	4.5
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	107	0.27	3.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	2.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	7	0.02	71
069	TRANSIENT ISCHEMIA	120	0.30	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	16	0.04	6.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	16	0.04	6.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	7	0.02	1.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	17	0.04	4.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	39	0.10	3.8
075	VIRAL MENINGITIS WITH CC/MCC	10	0.03	2.4
076	VIRAL MENINGITIS WITHOUT CC/MCC	35	0.09	2.2
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	9.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	4.8
080	NONTRAUMATIC STUPOR & COMA WITH MCC	7	0.02	3.1
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	24	0.06	2.4
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	7.7
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	4	0.01	6.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	6	0.02	2.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	6	0.02	8.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	22	0.06	5.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	33	0.08	2.0
088	CONCUSSION WITH MCC	4	0.01	2.8
089	CONCUSSION WITH CC	7	0.02	3.6
090	CONCUSSION WITHOUT CC/MCC	20	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	18	0.05	51
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	32	0.08	2.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	30	0.08	3.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	8	0.02	22
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	9	0.02	6.1
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	8	0.02	7.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	8	0.02	22
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	10	0.03	7.3
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.02	5.3
100	SEIZURES WITH MCC	57	0.14	4.4
101	SEIZURES WITHOUT MCC	163	0.41	2.3
102	HEADACHES WITH MCC	5	0.01	2.2
103	HEADACHES WITHOUT MCC	51	0.13	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.00	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.01	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	1.5

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Monterey County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	3	0.01	2.7
123	NEUROLOGICAL EYE DISORDERS	5	0.01	1.4
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	14	0.04	3.1
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	6	0.02	3.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.02	2.2
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	14	0.04	4.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	25	0.06	2.2
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	22	0.06	4.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	93	0.23	1.4
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	2	0.01	21
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.01	1.7
137	MOUTH PROCEDURES WITH CC/MCC	6	0.02	2.2
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.01	1.0
139	SALIVARY GLAND PROCEDURES	8	0.02	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	8	0.02	3.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	4.0
149	DYSEQUILIBRIUM	39	0.10	2.2
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	12	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.03	2.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	105	0.26	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	6	0.02	2.2
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	11	0.03	3.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	13	0.03	2.1
157	DENTAL & ORAL DISEASES WITH MCC	8	0.02	6.8
158	DENTAL & ORAL DISEASES WITH CC	20	0.05	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	15	0.04	1.7
163	MAJOR CHEST PROCEDURES WITH MCC	34	0.09	15
164	MAJOR CHEST PROCEDURES WITH CC	37	0.09	7.4
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	15	0.04	6.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	43	0.11	22
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	25	0.06	5.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	15	0.04	4.8
175	PULMONARY EMBOLISM WITH MCC	22	0.06	6.6
176	PULMONARY EMBOLISM WITHOUT MCC	68	0.17	4.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	118	0.30	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	111	0.28	21
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	48	0.12	5.8
180	RESPIRATORY NEOPLASMS WITH MCC	54	0.14	7.4
181	RESPIRATORY NEOPLASMS WITH CC	60	0.15	5.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.02	3.3
183	MAJOR CHEST TRAUMA WITH MCC	4	0.01	2.8
184	MAJOR CHEST TRAUMA WITH CC	26	0.07	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	4	0.01	3.0
186	PLEURAL EFFUSION WITH MCC	24	0.06	6.4
187	PLEURAL EFFUSION WITH CC	25	0.06	5.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.00	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	89	0.22	6.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	187	0.47	7.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	153	0.38	4.8
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	134	0.34	4.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	163	0.41	6.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	438	1.10	5.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	343	0.86	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	15	0.04	9.5
197	INTERSTITIAL LUNG DISEASE WITH CC	14	0.04	3.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.02	5.6
199	PNEUMOTHORAX WITH MCC	4	0.01	6.8
200	PNEUMOTHORAX WITH CC	24	0.06	4.2
201	PNEUMOTHORAX WITHOUT CC/MCC	17	0.04	3.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	234	0.59	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	411	1.03	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	58	0.15	2.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	8	0.02	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	31	0.08	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	85	0.21	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	99	0.25	6.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	26	0.07	25
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	9	0.02	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	37	0.09	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	67	0.17	7.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	9	0.02	6.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	5	0.01	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.01	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	8	0.02	3.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	6	0.02	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	43	0.11	2.9
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	13	0.03	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	13	0.03	12
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	2	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	5	0.01	10
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	23	0.06	15
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	40	0.10	9.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.02	9.6
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	43	0.11	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	50	0.13	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	44	0.11	6.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	34	0.09	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	23	0.06	8.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	15
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	39	0.10	6.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	49	0.12	3.3
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	48	0.12	2.5
245	AICD GENERATOR PROCEDURES	5	0.01	3.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	57	0.14	5.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	208	0.52	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	18	0.05	6.4
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	40	0.10	2.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	11	0.03	13
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	98	0.25	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	63	0.16	9.0
253	OTHER VASCULAR PROCEDURES WITH CC	40	0.10	8.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	26	0.07	4.3
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	11	0.03	7.9
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	13	0.03	8.9
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	4.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	2	0.01	1.5
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	3	0.01	8.3
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.01	6.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	2.0
263	VEIN LIGATION & STRIPPING	2	0.01	6.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	51	0.13	8.9
265	AICD LEAD PROCEDURES	1	0.00	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	88	0.22	6.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	52	0.13	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	40	0.10	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	15	0.04	4.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	1.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.01	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	35	0.09	5.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	179	0.45	2.6
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	9	0.02	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	4	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.01	20
291	HEART FAILURE & SHOCK WITH MCC	235	0.59	25
292	HEART FAILURE & SHOCK WITH CC	270	0.68	8.2
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	97	0.24	3.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.01	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	4	0.01	8.5
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	35	0.09	6.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	60	0.15	9.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	40	0.10	3.5
302	ATHEROSCLEROSIS WITH MCC	12	0.03	9.5
303	ATHEROSCLEROSIS WITHOUT MCC	58	0.15	3.8
304	HYPERTENSION WITH MCC	6	0.02	12
305	HYPERTENSION WITHOUT MCC	48	0.12	2.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	8	0.02	5.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	11	0.03	2.1
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	85	0.21	5.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	167	0.42	3.3
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	196	0.49	2.2
311	ANGINA PECTORIS	44	0.11	2.0
312	SYNCOPE & COLLAPSE	196	0.49	2.4
313	CHEST PAIN	330	0.83	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	71	0.18	6.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	61	0.15	6.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.05	2.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	30	0.08	15

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	37	0.09	5.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	59	0.15	2.5
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	84	0.21	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	153	0.38	9.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	66	0.17	4.6
332	RECTAL RESECTION WITH MCC	2	0.01	17
333	RECTAL RESECTION WITH CC	12	0.03	5.7
334	RECTAL RESECTION WITHOUT CC/MCC	11	0.03	4.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	19	0.05	15
336	PERITONEAL ADHESIOLYSIS WITH CC	58	0.15	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	47	0.12	2.9
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	21	0.05	7.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	110	0.28	3.7
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.01	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	24	0.06	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	330	0.83	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	40
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.03	4.2
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	7	0.02	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	3	0.01	10
348	ANAL & STOMAL PROCEDURES WITH CC	14	0.04	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	36	0.09	1.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.01	4.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	12	0.03	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	20	0.05	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.02	11
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	30	0.08	3.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	40	0.10	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	22	0.06	13
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	17	0.04	4.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.03	4.7
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.01	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	10	0.03	3.7
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	5	0.01	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	26	0.07	11
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	56	0.14	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	39	0.10	3.7
374	DIGESTIVE MALIGNANCY WITH MCC	19	0.05	6.5
375	DIGESTIVE MALIGNANCY WITH CC	43	0.11	8.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	98	0.25	4.6
378	G.I. HEMORRHAGE WITH CC	241	0.60	3.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	91	0.23	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.01	1.8
381	COMPLICATED PEPTIC ULCER WITH CC	17	0.04	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	13	0.03	2.6
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.01	2.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	14	0.04	3.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	6	0.02	13
386	INFLAMMATORY BOWEL DISEASE WITH CC	30	0.08	3.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	31	0.08	4.3
388	G.I. OBSTRUCTION WITH MCC	21	0.05	5.7
389	G.I. OBSTRUCTION WITH CC	102	0.26	4.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	80	0.20	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	96	0.24	5.6
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	586	1.47	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	63	0.16	5.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	104	0.26	3.7
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	59	0.15	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	14	0.04	11
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	22	0.06	8.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.01	3.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.01	6.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	4.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.01	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	1.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.03	9.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	23	0.06	7.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	16	0.04	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	85	0.21	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	192	0.48	3.2
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	436	1.09	1.8
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	8.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	6	0.02	10
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	77
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	9.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	61	0.15	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	28	0.07	4.3
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	7	0.02	3.4
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	52	0.13	5.9
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	34	0.09	5.2
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	54	0.14	9.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	87	0.22	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	117	0.29	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	54	0.14	9.2
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	65	0.16	5.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	21	0.05	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	28	0.07	4.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	33	0.08	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	41	0.10	2.4
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	8	0.02	5.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	10	0.03	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	7.2
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	17	0.04	4.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	9	0.02	4.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	13	0.03	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	230	0.58	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	3	0.01	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	35	0.09	4.2
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	13	0.03	23
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	23	0.06	8.7
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	10	0.03	4.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	11	0.03	5.4
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	31	0.08	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	47	0.12	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	42	0.11	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	856	2.14	3.3
471	CERVICAL SPINAL FUSION WITH MCC	8	0.02	6.6
472	CERVICAL SPINAL FUSION WITH CC	33	0.08	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	135	0.34	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	17
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	6.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	4.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	9	0.02	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.03	7.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	17	0.04	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	48	0.12	8.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	116	0.29	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	93	0.23	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	12	0.03	3.1
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	35	0.09	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	9.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	5	0.01	7.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	5.3
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.02	5.1
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	34	0.09	2.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	67	0.17	3.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	170	0.43	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	12	0.03	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	58	0.15	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	184	0.46	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	5	0.01	10
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	24	0.06	6.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	35	0.09	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	4	0.01	6.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	7	0.02	16
501	SOFT TISSUE PROCEDURES WITH CC	19	0.05	4.6
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	38	0.10	2.6
503	FOOT PROCEDURES WITH MCC	1	0.00	30
504	FOOT PROCEDURES WITH CC	5	0.01	3.6
505	FOOT PROCEDURES WITHOUT CC/MCC	12	0.03	5.3
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.01	4.3
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	2.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.01	1.8
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	5.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.03	3.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	41	0.10	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	9	0.02	7.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.01	3.2
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.01	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	19	0.05	6.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	21	0.05	3.2
533	FRACTURES OF FEMUR WITH MCC	2	0.01	22
534	FRACTURES OF FEMUR WITHOUT MCC	12	0.03	2.7
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.03	3.4
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	52	0.13	4.5
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	3.0
539	OSTEOMYELITIS WITH MCC	8	0.02	14
540	OSTEOMYELITIS WITH CC	13	0.03	18
541	OSTEOMYELITIS WITHOUT CC/MCC	5	0.01	6.6
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	9	0.02	6.9
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	51	0.13	7.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.02	4.6
545	CONNECTIVE TISSUE DISORDERS WITH MCC	13	0.03	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	15	0.04	4.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	13	0.03	2.8
549	SEPTIC ARTHRITIS WITH CC	5	0.01	9.2
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.04	7.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Monterey County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
552	MEDICAL BACK PROBLEMS WITHOUT MCC	128	0.32	3.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.02	8.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	26	0.07	7.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.01	6.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	41	0.10	3.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.01	17
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	25	0.06	6.9
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.01	9.8
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	12	0.03	13
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	15	0.04	5.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.01	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	80	0.20	2.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	5.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.02	3.4
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	22	0.06	23
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	31	0.08	7.3
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	21	0.05	5.1
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	15
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.03	5.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.04	2.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	16	0.04	9.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	39	0.10	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	74	0.19	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.03	2.9
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	19	0.05	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.01	3.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
592	SKIN ULCERS WITH MCC	2	0.01	9.0
593	SKIN ULCERS WITH CC	12	0.03	11
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	3.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.02	3.7
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	3.5
598	MALIGNANT BREAST DISORDERS WITH CC	3	0.01	.67
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	3.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	6.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	6	0.02	1.8
602	CELLULITIS WITH MCC	50	0.13	8.8
603	CELLULITIS WITHOUT MCC	436	1.09	4.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	5.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	43	0.11	2.2
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	5.5
607	MINOR SKIN DISORDERS WITHOUT MCC	22	0.06	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	15	0.04	9.1
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	12	0.03	2.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	6	0.02	14
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	14	0.04	9.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	25	0.06	2.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	146	0.37	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	12	0.03	14
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.01	16
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	3.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.06	2.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	86	0.22	1.4
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	13	0.03	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.02	7.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	1.0
637	DIABETES WITH MCC	44	0.11	4.3
638	DIABETES WITH CC	127	0.32	3.3
639	DIABETES WITHOUT CC/MCC	123	0.31	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	110	0.28	5.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	346	0.87	3.1
642	INBORN ERRORS OF METABOLISM	7	0.02	3.6
643	ENDOCRINE DISORDERS WITH MCC	12	0.03	7.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	26	0.07	4.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	23	0.06	2.5
652	KIDNEY TRANSPLANT	12	0.03	4.8
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.02	8.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.01	7.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.03	13
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	15	0.04	5.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	17	0.04	2.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	9	0.02	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	19	0.05	4.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	23	0.06	2.3
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	11
663	MINOR BLADDER PROCEDURES WITH CC	6	0.02	6.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	9	0.02	1.7
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	10	0.03	5.5
669	TRANSURETHRAL PROCEDURES WITH CC	17	0.04	4.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	14	0.04	1.3
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	9.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	38	0.10	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	23	0.06	8.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	9.0
682	RENAL FAILURE WITH MCC	102	0.26	22
683	RENAL FAILURE WITH CC	135	0.34	4.8
684	RENAL FAILURE WITHOUT CC/MCC	27	0.07	3.0
685	ADMIT FOR RENAL DIALYSIS	1	0.00	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	4.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	8	0.02	4.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	115	0.29	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	429	1.07	3.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	4.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.01	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	3	0.01	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	39	0.10	1.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	6.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	15	0.04	2.7
697	URETHRAL STRICTURE	1	0.00	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	53	0.13	5.6
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	63	0.16	5.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	24	0.06	4.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	7	0.02	3.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	21	0.05	1.8
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	7.0
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	7	0.02	2.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	19	0.05	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	5	0.01	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	6.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	10
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	8	0.02	3.4
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	8.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	23	0.06	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	7.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	8	0.02	4.5
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	12	0.03	3.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.01	10
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	12
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.02	2.7
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	15	0.04	4.5
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	18	0.05	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	115	0.29	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	404	1.01	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	11	0.03	4.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	13	0.03	2.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	2.6
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	15	0.04	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	54	0.14	1.1
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.02	3.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	10
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.02	3.1
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	4.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	8.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.02	4.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	13	0.03	4.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	3.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	22	0.06	1.7
765	CESAREAN SECTION WITH CC/MCC	702	1.76	4.5
766	CESAREAN SECTION WITHOUT CC/MCC	1,231	3.08	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	198	0.50	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	32	0.08	2.7
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	32	0.08	1.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	635	1.59	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,702	9.26	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	60	0.15	2.7
777	ECTOPIC PREGNANCY	50	0.13	1.4
778	THREATENED ABORTION	88	0.22	1.7
779	ABORTION WITHOUT D&C	20	0.05	1.5
780	FALSE LABOR	7	0.02	.29
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	270	0.68	3.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	71	0.18	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	110	0.28	6.1
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	87	0.22	31
791	PREMATURITY WITH MAJOR PROBLEMS	91	0.23	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	265	0.66	5.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	303	0.76	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,407	3.52	2.5
795	NORMAL NEWBORN	4,498	11.25	2.0
799	SPLENECTOMY WITH MCC	1	0.00	32
800	SPLENECTOMY WITH CC	5	0.01	6.6
801	SPLENECTOMY WITHOUT CC/MCC	5	0.01	2.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	3	0.01	7.7
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	7.3
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	5	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	19	0.05	7.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	48	0.12	4.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	9	0.02	2.4
811	RED BLOOD CELL DISORDERS WITH MCC	36	0.09	4.1
812	RED BLOOD CELL DISORDERS WITHOUT MCC	134	0.34	2.6
813	COAGULATION DISORDERS	35	0.09	4.0
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.00	5.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	4	0.01	2.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	13	0.03	2.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	13
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	12	0.03	9.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.02	2.3
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	8	0.02	14
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	13	0.03	7.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	7.5
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	6	0.02	9.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	7	0.02	2.9
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	7	0.02	17
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	9	0.02	28
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.02	9.6
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	15
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.01	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	48	0.12	4.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	16	0.04	9.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	36	0.09	7.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	12	0.03	3.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	15
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.02	5.9
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	5	0.01	4.4
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	7	0.02	16
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	105	0.26	4.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.01	6.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	75	0.19	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	16	0.04	6.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	11
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	18	0.05	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	29	0.07	6.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	4.3
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	31	0.08	8.9
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	53	0.13	4.6
864	FEVER	64	0.16	2.8
865	VIRAL ILLNESS WITH MCC	5	0.01	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	48	0.12	2.6
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	12	0.03	9.7
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	8	0.02	6.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	2.3
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	33	0.08	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	332	0.83	6.8
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	167	0.42	4.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.01	13
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	30	0.08	1.8
881	DEPRESSIVE NEUROSES	97	0.24	3.1
882	NEUROSES EXCEPT DEPRESSIVE	25	0.06	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.01	11
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	39	0.10	23
885	PSYCHOSES	1,100	2.75	6.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	6	0.02	5.5
887	OTHER MENTAL DISORDER DIAGNOSIS	7	0.02	8.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	23	0.06	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	7	0.02	17
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	50	0.13	5.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	295	0.74	3.3
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	4	0.01	21
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	10	0.03	6.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	4.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	13	0.03	8.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.0
906	HAND PROCEDURES FOR INJURIES	8	0.02	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	18	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	30	0.08	6.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	30	0.08	2.5
913	TRAUMATIC INJURY WITH MCC	2	0.01	3.0
914	TRAUMATIC INJURY WITHOUT MCC	16	0.04	2.1
915	ALLERGIC REACTIONS WITH MCC	2	0.01	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	13	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	75	0.19	3.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	142	0.36	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	17	0.04	5.5
920	COMPLICATIONS OF TREATMENT WITH CC	28	0.07	3.6
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	22	0.06	1.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	5	0.01	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	17	0.04	1.7
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	46
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	8	0.02	19
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	3	0.01	5.0
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Monterey County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	5.0
935	NON-EXTENSIVE BURNS	23	0.06	5.7
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.01	2.5
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	20	0.05	6.2
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	11	0.03	1.2
945	REHABILITATION WITH CC/MCC	333	0.83	15
946	REHABILITATION WITHOUT CC/MCC	73	0.18	10
947	SIGNS & SYMPTOMS WITH MCC	18	0.05	5.0
948	SIGNS & SYMPTOMS WITHOUT MCC	99	0.25	2.9
949	AFTERCARE WITH CC/MCC	8	0.02	13
950	AFTERCARE WITHOUT CC/MCC	2	0.01	7.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	30	0.08	4.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	10
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	17	0.04	13
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.03	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.01	5.2
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.01	8.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	18	0.05	20
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.7
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	31
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.01	18

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Monterey County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	3.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	6.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	11	0.03	5.9
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	45	0.11	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	25	0.06	5.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	15	0.04	2.6
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	18	0.05	6.2
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	11	0.03	3.5
All		39,982	100.0	4.6

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	36
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	34	0.09	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	29	0.08	47
006	LIVER TRANSPLANT WITHOUT MCC	2	0.01	6.5
007	LUNG TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	5	0.01	36
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.01	15
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.01	7.7
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	3.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	5	0.01	29
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	8	0.02	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	20	0.05	15
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.01	14
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	43	0.11	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	33	0.09	7.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	51	0.13	3.9
028	SPINAL PROCEDURES WITH MCC	7	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	20	0.05	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	22	0.06	3.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.01	16
032	VENTRICULAR SHUNT PROCEDURES WITH CC	9	0.02	6.1
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.03	2.3
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	9.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.01	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	10	0.03	1.2
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.01	6.3
038	EXTRACRANIAL PROCEDURES WITH CC	21	0.05	2.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	53	0.14	2.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.02	9.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.05	5.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	10	0.03	2.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.01	19
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.04	4.1
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	35	0.09	7.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	15	0.04	7.2
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	46	0.12	4.8
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	6.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.02	5.4
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	12	0.03	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	5	0.01	9.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	8	0.02	7.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	5	0.01	2.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	100	0.26	7.7
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	194	0.51	4.5
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	106	0.28	3.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	2.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	6	0.02	3.2
069	TRANSIENT ISCHEMIA	120	0.31	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	15	0.04	6.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	16	0.04	6.3
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	7	0.02	1.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	17	0.04	4.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	39	0.10	3.8
075	VIRAL MENINGITIS WITH CC/MCC	10	0.03	2.4
076	VIRAL MENINGITIS WITHOUT CC/MCC	35	0.09	2.2
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	9.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	4.8
080	NONTRAUMATIC STUPOR & COMA WITH MCC	6	0.02	3.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	24	0.06	2.4
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	7.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	4	0.01	6.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	6	0.02	2.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	6	0.02	8.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	22	0.06	5.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	33	0.09	2.0
088	CONCUSSION WITH MCC	4	0.01	2.8
089	CONCUSSION WITH CC	7	0.02	3.6
090	CONCUSSION WITHOUT CC/MCC	20	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	17	0.04	4.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	32	0.08	2.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	30	0.08	3.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.02	9.3
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	7	0.02	6.9
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	8	0.02	7.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	8	0.02	22
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	10	0.03	7.3
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.02	5.3
100	SEIZURES WITH MCC	56	0.15	4.0
101	SEIZURES WITHOUT MCC	163	0.43	2.3
102	HEADACHES WITH MCC	5	0.01	2.2
103	HEADACHES WITHOUT MCC	51	0.13	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.00	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.01	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	1.5
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	3	0.01	2.7
123	NEUROLOGICAL EYE DISORDERS	5	0.01	1.4
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	14	0.04	3.1
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	6	0.02	3.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.02	2.2
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	14	0.04	4.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	25	0.07	2.2
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	22	0.06	4.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	93	0.24	1.4
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	2	0.01	21
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.01	1.7
137	MOUTH PROCEDURES WITH CC/MCC	6	0.02	2.2
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.01	1.0
139	SALIVARY GLAND PROCEDURES	8	0.02	1.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	8	0.02	3.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	39	0.10	2.2
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	12	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.03	2.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	105	0.27	2.0
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	6	0.02	2.2
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	11	0.03	3.5
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	13	0.03	2.1
157	DENTAL & ORAL DISEASES WITH MCC	8	0.02	6.8
158	DENTAL & ORAL DISEASES WITH CC	20	0.05	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	15	0.04	1.7
163	MAJOR CHEST PROCEDURES WITH MCC	34	0.09	15
164	MAJOR CHEST PROCEDURES WITH CC	37	0.10	7.4
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	15	0.04	6.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	43	0.11	22
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	25	0.07	5.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	15	0.04	4.8
175	PULMONARY EMBOLISM WITH MCC	21	0.05	5.9
176	PULMONARY EMBOLISM WITHOUT MCC	68	0.18	4.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	114	0.30	8.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	109	0.28	7.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	48	0.13	5.8
180	RESPIRATORY NEOPLASMS WITH MCC	54	0.14	7.4
181	RESPIRATORY NEOPLASMS WITH CC	60	0.16	5.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.02	3.3
183	MAJOR CHEST TRAUMA WITH MCC	4	0.01	2.8
184	MAJOR CHEST TRAUMA WITH CC	26	0.07	3.3
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	3	0.01	3.3
186	PLEURAL EFFUSION WITH MCC	24	0.06	6.4
187	PLEURAL EFFUSION WITH CC	25	0.07	5.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.00	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	89	0.23	6.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	186	0.49	5.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	152	0.40	4.7
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	133	0.35	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	159	0.42	6.1
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	434	1.13	4.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	342	0.89	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	15	0.04	9.5
197	INTERSTITIAL LUNG DISEASE WITH CC	14	0.04	3.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.02	5.6
199	PNEUMOTHORAX WITH MCC	4	0.01	6.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
200	PNEUMOTHORAX WITH CC	24	0.06	4.2
201	PNEUMOTHORAX WITHOUT CC/MCC	17	0.04	3.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	233	0.61	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	411	1.07	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	57	0.15	2.0
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	8	0.02	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	31	0.08	2.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	85	0.22	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	99	0.26	6.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	26	0.07	25
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	9	0.02	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	37	0.10	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	67	0.18	7.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	9	0.02	6.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	5	0.01	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.01	16
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	8	0.02	3.1
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	6	0.02	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	43	0.11	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	13	0.03	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	13	0.03	12
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	2	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	5	0.01	10
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	23	0.06	15
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	40	0.10	9.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.02	9.6
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	43	0.11	5.6
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	50	0.13	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	44	0.12	6.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	34	0.09	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	23	0.06	8.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	15
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	39	0.10	6.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	49	0.13	3.3
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	48	0.13	2.5
245	AICD GENERATOR PROCEDURES	5	0.01	3.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	57	0.15	5.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	208	0.54	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	18	0.05	6.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	40	0.10	2.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	11	0.03	13
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	98	0.26	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	63	0.16	9.0
253	OTHER VASCULAR PROCEDURES WITH CC	40	0.10	8.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	26	0.07	4.3
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	11	0.03	7.9
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	13	0.03	8.9
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	4.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	2	0.01	1.5
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	3	0.01	8.3
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.01	6.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	2.0
263	VEIN LIGATION & STRIPPING	2	0.01	6.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	51	0.13	8.9
265	AICD LEAD PROCEDURES	1	0.00	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	88	0.23	6.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	52	0.14	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	40	0.10	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	15	0.04	4.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	1.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.01	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	35	0.09	5.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	179	0.47	2.6
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	9	0.02	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	4	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.01	5.5
291	HEART FAILURE & SHOCK WITH MCC	227	0.59	5.7
292	HEART FAILURE & SHOCK WITH CC	264	0.69	4.2
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	96	0.25	2.7
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	4.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.01	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	4	0.01	8.5
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	35	0.09	6.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	59	0.15	4.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	39	0.10	3.4
302	ATHEROSCLEROSIS WITH MCC	11	0.03	4.8
303	ATHEROSCLEROSIS WITHOUT MCC	56	0.15	3.2
304	HYPERTENSION WITH MCC	5	0.01	4.2
305	HYPERTENSION WITHOUT MCC	48	0.13	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	8	0.02	5.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	11	0.03	2.1
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	82	0.21	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	166	0.43	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	195	0.51	2.1
311	ANGINA PECTORIS	44	0.12	2.0
312	SYNCOPE & COLLAPSE	196	0.51	2.4
313	CHEST PAIN	330	0.86	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	70	0.18	6.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	60	0.16	4.6
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.05	2.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	30	0.08	15
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	37	0.10	5.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	59	0.15	2.5
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	84	0.22	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	153	0.40	9.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	66	0.17	4.6
332	RECTAL RESECTION WITH MCC	2	0.01	17
333	RECTAL RESECTION WITH CC	12	0.03	5.7
334	RECTAL RESECTION WITHOUT CC/MCC	11	0.03	4.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	19	0.05	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
336	PERITONEAL ADHESIOLYSIS WITH CC	58	0.15	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	47	0.12	2.9
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	21	0.05	7.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	110	0.29	3.7
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.01	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	24	0.06	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	330	0.86	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	40
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.03	4.2
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	7	0.02	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	3	0.01	10
348	ANAL & STOMAL PROCEDURES WITH CC	14	0.04	3.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	36	0.09	1.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.01	4.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	12	0.03	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	20	0.05	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.02	11
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	30	0.08	3.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	40	0.10	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	22	0.06	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	17	0.04	4.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.03	4.7
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.01	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	10	0.03	3.7
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	5	0.01	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	26	0.07	11
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	56	0.15	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	39	0.10	3.7
374	DIGESTIVE MALIGNANCY WITH MCC	19	0.05	6.5
375	DIGESTIVE MALIGNANCY WITH CC	42	0.11	7.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	98	0.26	4.6
378	G.I. HEMORRHAGE WITH CC	241	0.63	3.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	91	0.24	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.01	1.8
381	COMPLICATED PEPTIC ULCER WITH CC	17	0.04	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	13	0.03	2.6
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.01	2.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	14	0.04	3.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	6	0.02	13
386	INFLAMMATORY BOWEL DISEASE WITH CC	30	0.08	3.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	31	0.08	4.3
388	G.I. OBSTRUCTION WITH MCC	21	0.05	5.7
389	G.I. OBSTRUCTION WITH CC	102	0.27	4.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	80	0.21	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	94	0.25	5.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	585	1.53	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	62	0.16	5.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	104	0.27	3.7
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	59	0.15	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	14	0.04	11
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	22	0.06	8.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.01	3.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.01	6.8
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	4.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.01	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	1.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.03	9.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	23	0.06	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	16	0.04	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	85	0.22	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	192	0.50	3.2
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	436	1.14	1.8
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	8.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	6	0.02	10
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	77
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	9.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	61	0.16	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	28	0.07	4.3
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	7	0.02	3.4
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	52	0.14	5.9
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	34	0.09	5.2
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	53	0.14	9.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	87	0.23	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	117	0.31	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	53	0.14	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	64	0.17	5.3
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	20	0.05	2.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
444	DISORDERS OF THE BILIARY TRACT WITH MCC	27	0.07	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	33	0.09	3.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	40	0.10	2.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	8	0.02	5.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	10	0.03	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	7.2
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	17	0.04	4.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	9	0.02	4.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	13	0.03	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	230	0.60	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	3	0.01	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	35	0.09	4.2
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	13	0.03	23
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	23	0.06	8.7
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	10	0.03	4.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	11	0.03	5.4
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	31	0.08	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	47	0.12	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	42	0.11	7.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	856	2.24	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
471	CERVICAL SPINAL FUSION WITH MCC	8	0.02	6.6
472	CERVICAL SPINAL FUSION WITH CC	33	0.09	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	135	0.35	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	17
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	6.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	4.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	9	0.02	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.03	7.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	17	0.04	3.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	48	0.13	8.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	116	0.30	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	93	0.24	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	12	0.03	3.1
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	35	0.09	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	9.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	5	0.01	7.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	5.3
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.02	5.1
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	34	0.09	2.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	67	0.18	3.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	170	0.44	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	12	0.03	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	58	0.15	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	184	0.48	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	5	0.01	10
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	24	0.06	6.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	35	0.09	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	4	0.01	6.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	7	0.02	16
501	SOFT TISSUE PROCEDURES WITH CC	19	0.05	4.6
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	38	0.10	2.6
503	FOOT PROCEDURES WITH MCC	1	0.00	30
504	FOOT PROCEDURES WITH CC	5	0.01	3.6
505	FOOT PROCEDURES WITHOUT CC/MCC	12	0.03	5.3
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.01	4.3
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	2.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.01	1.8
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	5.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.03	3.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	41	0.11	1.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	9	0.02	7.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.01	3.2
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.01	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	19	0.05	6.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	21	0.05	3.2
533	FRACTURES OF FEMUR WITH MCC	2	0.01	22
534	FRACTURES OF FEMUR WITHOUT MCC	12	0.03	2.7
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.03	3.4
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	52	0.14	4.5
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	3.0
539	OSTEOMYELITIS WITH MCC	8	0.02	14
540	OSTEOMYELITIS WITH CC	11	0.03	8.8
541	OSTEOMYELITIS WITHOUT CC/MCC	4	0.01	5.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	9	0.02	6.9
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	50	0.13	7.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.02	4.6
545	CONNECTIVE TISSUE DISORDERS WITH MCC	13	0.03	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	15	0.04	4.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	13	0.03	2.8
549	SEPTIC ARTHRITIS WITH CC	5	0.01	9.2

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.04	7.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	125	0.33	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	7	0.02	9.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	20	0.05	3.1
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.01	6.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	39	0.10	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	3	0.01	5.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	23	0.06	5.2
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.01	8.3
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	9	0.02	10
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	11	0.03	3.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.01	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	77	0.20	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	5.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.02	3.4
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	22	0.06	23
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	31	0.08	7.3
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	21	0.05	5.1
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	15

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.03	5.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.04	2.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	16	0.04	9.3
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	39	0.10	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	74	0.19	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.03	2.9
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	19	0.05	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.01	3.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
592	SKIN ULCERS WITH MCC	2	0.01	9.0
593	SKIN ULCERS WITH CC	10	0.03	7.4
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	3.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.02	3.7
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	3.5
598	MALIGNANT BREAST DISORDERS WITH CC	3	0.01	.67
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	3.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	3	0.01	5.3
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	6	0.02	1.8
602	CELLULITIS WITH MCC	48	0.13	7.2
603	CELLULITIS WITHOUT MCC	432	1.13	3.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	5.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	42	0.11	2.2
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	5.5
607	MINOR SKIN DISORDERS WITHOUT MCC	22	0.06	2.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	15	0.04	9.1
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	12	0.03	2.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	6	0.02	14
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	14	0.04	9.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	25	0.07	2.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	146	0.38	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	12	0.03	14
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	3	0.01	16
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	3.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.06	2.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	86	0.22	1.4
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	13	0.03	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.02	7.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	1.0
637	DIABETES WITH MCC	44	0.12	4.3
638	DIABETES WITH CC	127	0.33	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
639	DIABETES WITHOUT CC/MCC	123	0.32	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	110	0.29	5.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	344	0.90	3.0
642	INBORN ERRORS OF METABOLISM	7	0.02	3.6
643	ENDOCRINE DISORDERS WITH MCC	12	0.03	7.9
644	ENDOCRINE DISORDERS WITH CC	26	0.07	4.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	23	0.06	2.5
652	KIDNEY TRANSPLANT	12	0.03	4.8
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.02	8.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.01	7.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.03	13
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	15	0.04	5.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	17	0.04	2.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	9	0.02	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	19	0.05	4.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	23	0.06	2.3
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	11
663	MINOR BLADDER PROCEDURES WITH CC	6	0.02	6.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	9	0.02	1.7
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	10	0.03	5.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	17	0.04	4.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	14	0.04	1.3
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	9.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	38	0.10	13
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	23	0.06	8.6
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	9.0
682	RENAL FAILURE WITH MCC	101	0.26	11
683	RENAL FAILURE WITH CC	134	0.35	4.7
684	RENAL FAILURE WITHOUT CC/MCC	27	0.07	3.0
685	ADMIT FOR RENAL DIALYSIS	1	0.00	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	3.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	8	0.02	4.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	114	0.30	5.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	424	1.11	3.4
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	4.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.01	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	3	0.01	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	39	0.10	1.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	6.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	15	0.04	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
697	URETHRAL STRICTURE	1	0.00	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	52	0.14	5.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	63	0.16	5.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	24	0.06	4.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	7	0.02	3.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	21	0.05	1.8
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	7.0
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	7	0.02	2.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	19	0.05	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	5	0.01	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	6.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	10
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	8	0.02	3.4
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	8.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	23	0.06	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	7.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	7	0.02	4.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	12	0.03	3.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.01	10
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	12
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.02	2.7
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	15	0.04	4.5
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	18	0.05	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	115	0.30	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	404	1.06	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	11	0.03	4.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	13	0.03	2.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	2.6
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	15	0.04	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	54	0.14	1.1
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.02	3.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	10
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.02	3.1
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	4.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	8.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.02	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	12	0.03	3.3
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	3.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	22	0.06	1.7
765	CESAREAN SECTION WITH CC/MCC	702	1.84	4.5
766	CESAREAN SECTION WITHOUT CC/MCC	1,231	3.22	3.2
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	198	0.52	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	32	0.08	2.7
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	32	0.08	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	635	1.66	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,702	9.68	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	58	0.15	2.6
777	ECTOPIC PREGNANCY	50	0.13	1.4
778	THREATENED ABORTION	88	0.23	1.7
779	ABORTION WITHOUT D&C	20	0.05	1.5
780	FALSE LABOR	7	0.02	.29
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	267	0.70	3.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	71	0.19	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	110	0.29	6.1
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	87	0.23	31
791	PREMATURITY WITH MAJOR PROBLEMS	91	0.24	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
792	PREMATURITY WITHOUT MAJOR PROBLEMS	265	0.69	5.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	303	0.79	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,407	3.68	2.5
795	NORMAL NEWBORN	4,498	11.76	2.0
799	SPLENECTOMY WITH MCC	1	0.00	32
800	SPLENECTOMY WITH CC	5	0.01	6.6
801	SPLENECTOMY WITHOUT CC/MCC	5	0.01	2.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	3	0.01	7.7
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	7.3
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	5	0.01	4.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	19	0.05	7.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	48	0.13	4.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	9	0.02	2.4
811	RED BLOOD CELL DISORDERS WITH MCC	36	0.09	4.1
812	RED BLOOD CELL DISORDERS WITHOUT MCC	133	0.35	2.6
813	COAGULATION DISORDERS	35	0.09	4.0
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.00	5.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	4	0.01	2.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	13	0.03	2.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	13
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	12	0.03	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.02	2.3
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	8	0.02	14
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	13	0.03	7.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	7.5
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	3	0.01	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	6	0.02	9.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	7	0.02	2.9
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	7	0.02	17
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	9	0.02	28
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.02	9.6
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	1.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	15
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.01	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	48	0.13	4.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	16	0.04	9.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	36	0.09	7.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	12	0.03	3.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	15
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.02	5.9
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	5	0.01	4.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	7	0.02	16
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	105	0.27	4.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.01	6.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	75	0.20	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	16	0.04	6.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	11
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	18	0.05	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	29	0.08	6.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	4.3
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	29	0.08	8.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	53	0.14	4.6
864	FEVER	64	0.17	2.8
865	VIRAL ILLNESS WITH MCC	5	0.01	2.8
866	VIRAL ILLNESS WITHOUT MCC	48	0.13	2.6
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	12	0.03	9.7
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	8	0.02	6.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	2.3
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	33	0.09	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	331	0.87	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	165	0.43	4.6
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	9.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	22	0.06	1.1
881	DEPRESSIVE NEUROSES	9	0.02	3.4
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	3.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.01	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	34	0.09	7.2
885	PSYCHOSES	155	0.41	5.1
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.01	3.0
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.01	3.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	18	0.05	2.1
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	48	0.13	5.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	222	0.58	3.1
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	4	0.01	21
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	10	0.03	6.4
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	4.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	13	0.03	8.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.0
906	HAND PROCEDURES FOR INJURIES	8	0.02	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	18	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	30	0.08	6.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	30	0.08	2.5
913	TRAUMATIC INJURY WITH MCC	2	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
914	TRAUMATIC INJURY WITHOUT MCC	16	0.04	2.1
915	ALLERGIC REACTIONS WITH MCC	2	0.01	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	13	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	75	0.20	3.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	137	0.36	2.2
919	COMPLICATIONS OF TREATMENT WITH MCC	17	0.04	5.5
920	COMPLICATIONS OF TREATMENT WITH CC	27	0.07	3.4
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	22	0.06	1.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	5	0.01	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	17	0.04	1.7
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	46
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	8	0.02	19
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	3	0.01	5.0
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	5.0
935	NON-EXTENSIVE BURNS	23	0.06	5.7
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.01	2.5
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	16	0.04	2.7
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	11	0.03	1.2
945	REHABILITATION WITH CC/MCC	9	0.02	27

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
946	REHABILITATION WITHOUT CC/MCC	2	0.01	14
947	SIGNS & SYMPTOMS WITH MCC	18	0.05	5.0
948	SIGNS & SYMPTOMS WITHOUT MCC	98	0.26	2.9
949	AFTERCARE WITH CC/MCC	6	0.02	8.0
950	AFTERCARE WITHOUT CC/MCC	1	0.00	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	26	0.07	2.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	10
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	17	0.04	13
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.03	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.01	5.2
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.01	8.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	17	0.04	20
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.7
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	31
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.01	18
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	3.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	6.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	11	0.03	5.9
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	44	0.12	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	25	0.07	5.7

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	15	0.04	2.6
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	18	0.05	6.2
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	11	0.03	3.5
All		38,251	100.0	4.0

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	6.67	1.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	7	46.67	17
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	7	46.67	8.4
All		15	100.0	12

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.26	10
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.26	17
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	1.06	20
945	REHABILITATION WITH CC/MCC	309	81.53	14
946	REHABILITATION WITHOUT CC/MCC	64	16.89	11
All		379	100.0	14

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	5	0.43	3.8
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.09	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.09	2.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	0.09	7.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	1	0.09	4.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.17	5.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	3	0.26	18
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.09	16
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	8	0.68	3.8
881	DEPRESSIVE NEUROSES	88	7.51	3.0
882	NEUROSES EXCEPT DEPRESSIVE	22	1.88	2.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.17	10
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.34	13
885	PSYCHOSES	945	80.63	6.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.26	8.0
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.17	21
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	4	0.34	1.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.09	2.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	66	5.63	3.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	5	0.43	4.6
945	REHABILITATION WITH CC/MCC	3	0.26	18

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
946	REHABILITATION WITHOUT CC/MCC	1	0.09	7.0
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.09	7.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.17	11
All		1,172	100.0	5.8

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	2	1.21	517
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	3.64	643
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.61	104
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.61	11
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	0.61	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.61	476
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.61	5.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.61	838
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	1.21	62
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	1.21	3.5
100	SEIZURES WITH MCC	1	0.61	27
175	PULMONARY EMBOLISM WITH MCC	1	0.61	22
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4	2.42	60
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	1.21	744
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.61	2.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.61	284
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	0.61	21
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.61	115
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	4	2.42	16
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	4	2.42	124
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	0.61	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.61	9.0
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.61	4.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	1.21	34
291	HEART FAILURE & SHOCK WITH MCC	8	4.85	564
292	HEART FAILURE & SHOCK WITH CC	6	3.64	185
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.61	66
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.61	309
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.61	7.0
302	ATHEROSCLEROSIS WITH MCC	1	0.61	61
303	ATHEROSCLEROSIS WITHOUT MCC	2	1.21	21
304	HYPERTENSION WITH MCC	1	0.61	49
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	3	1.82	19
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.61	15
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.61	13
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.61	9.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.61	87
375	DIGESTIVE MALIGNANCY WITH CC	1	0.61	82
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	2	1.21	26
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	0.61	4.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.61	17
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.61	129

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.61	28
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	0.61	9.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.61	5.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	1	0.61	1.0
540	OSTEOMYELITIS WITH CC	2	1.21	70
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.61	10
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.61	20
552	MEDICAL BACK PROBLEMS WITHOUT MCC	3	1.82	27
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.61	7.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	5	3.03	25
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	2	1.21	7.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.61	49
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	2	1.21	27
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.61	16
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	1.82	22
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	2.42	12
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	1.82	8.7
593	SKIN ULCERS WITH CC	2	1.21	26
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.61	8.0
602	CELLULITIS WITH MCC	2	1.21	49
603	CELLULITIS WITHOUT MCC	4	2.42	80

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.61	3.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2	1.21	19
682	RENAL FAILURE WITH MCC	1	0.61	1E3
683	RENAL FAILURE WITH CC	1	0.61	7.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.61	7.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	0.61	68
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	4	2.42	20
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.61	12
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.61	22
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.61	9.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.61	14
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1	0.61	3.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	1.21	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.61	612
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.61	19
920	COMPLICATIONS OF TREATMENT WITH CC	1	0.61	9.0
945	REHABILITATION WITH CC/MCC	12	7.27	24
946	REHABILITATION WITHOUT CC/MCC	6	3.64	6.7
949	AFTERCARE WITH CC/MCC	2	1.21	29
950	AFTERCARE WITHOUT CC/MCC	1	0.61	13
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	1.21	16

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.61	5.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.61	6.0
All		165	100.0	119

**MDC by Patient County of Residence
for 2010
Monterey County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,793	4.48	8.6
02	EYE, DISEASES & DISORDERS	34	0.09	2.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	448	1.12	2.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3,299	8.25	6.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,815	9.54	6.4
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3,188	7.97	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,531	3.83	4.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,326	8.32	4.2
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	882	2.21	5.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,198	3.00	3.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,274	3.19	6.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	108	0.27	3.1
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	763	1.91	2.4
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	7,100	17.76	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	6,761	16.91	3.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	329	0.82	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	347	0.87	7.8
18	INFECTIOUS & PARASITIC DISEASES	909	2.27	7.8
19	MENTAL DISEASES & DISORDERS	1,310	3.28	6.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	377	0.94	3.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	462	1.16	3.8
22	BURNS	37	0.09	9.5

(Continued)

***MDC by Patient County of Residence
for 2010
Monterey County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	596	1.49	11
24	MULTIPLE SIGNFICANT TRAUMA	79	0.20	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	21	0.05	9.0
All		39,987	100.0	4.6

***MDC by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,768	4.62	5.0
02	EYE, DISEASES & DISORDERS	34	0.09	2.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	448	1.17	2.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3,277	8.57	5.6
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,785	9.89	4.8
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3,183	8.32	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,525	3.99	4.3
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,296	8.62	4.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	871	2.28	4.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,196	3.13	3.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,264	3.30	5.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	108	0.28	3.1
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	761	1.99	2.4
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	7,095	18.55	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	6,761	17.67	3.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	328	0.86	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	347	0.91	7.8
18	INFECTIOUS & PARASITIC DISEASES	904	2.36	7.7
19	MENTAL DISEASES & DISORDERS	234	0.61	4.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	290	0.76	3.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	456	1.19	3.8

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	37	0.10	9.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	189	0.49	4.4
24	MULTIPLE SIGNFICANT TRAUMA	78	0.20	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	21	0.05	9.0
All		38,256	100.0	4.0

***MDC by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	15	100.0	12
All		15	100.0	12

***MDC by Patient County of Residence
and Type of Care for 2010
Monterey County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.26	10
18	INFECTIOUS & PARASITIC DISEASES	1	0.26	17
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	377	99.47	14
All		379	100.0	14

**MDC by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	6	0.51	3.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.09	2.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.09	7.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.09	4.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	5	0.43	13
19	MENTAL DISEASES & DISORDERS	1,075	91.72	5.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	71	6.06	3.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	5	0.43	4.6
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	7	0.60	13
All		1,172	100.0	5.8

**MDC by Patient County of Residence
and Type of Care for 2010
Monterey County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	19	11.52	341
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	22	13.33	125
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	30	18.18	213
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	5	3.03	31
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	5	3.03	34
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	29	17.58	23
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	11	6.67	44
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	1.21	19
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	9	5.45	146
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.61	22
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.61	9.0
18	INFECTIOUS & PARASITIC DISEASES	4	2.42	13
19	MENTAL DISEASES & DISORDERS	1	0.61	612
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	0.61	19
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.61	9.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	23	13.94	19
24	MULTIPLE SIGNFICANT TRAUMA	1	0.61	5.0
All		165	100.0	119