

**Type of Care by Patient County of Residence
for 2010
Placer County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	30,306	93.79	3.6
Chemical Dependency Recovery Care	19	0.06	11
Physical Rehabilitation Care	393	1.22	14
Psychiatric Care	1,517	4.69	6.4
Skilled Nursing/Intermediate Care	77	0.24	33
All	32,312	100.0	3.9

***Disposition by Patient County of Residence
for 2010
Placer County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	22,017	72.65	2.9
02 - Acute Care within the admitting hospital	3	0.01	4.0
03 - Other Care with the admitting hospital	230	0.76	6.8
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	62	0.20	7.9
05 - Acute Care at another hospital	657	2.17	4.2
06 - Other Care (not SN/IC) at another hospital	244	0.81	7.2
07 - SN/IC at another facility	2,645	8.73	5.7
08 - Residential Care facility	250	0.82	4.5
09 - Prison/Jail	14	0.05	1.6
10 - Left Against Medical Advice	101	0.33	1.8
11 - Died	690	2.28	5.9
12 - Home Health Service	3,356	11.07	4.8
13 - Other	37	0.12	6.3
All	30,306	100.0	3.6

***Disposition by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	15	78.95	7.9
09 - Prison/Jail	1	5.26	24
10 - Left Against Medical Advice	3	15.79	21
All	19	100.0	11

***Disposition by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	129	32.82	12
02 - Acute Care within the admitting hospital	26	6.62	7.9
05 - Acute Care at another hospital	5	1.27	9.8
07 - SN/IC at another facility	44	11.20	17
08 - Residential Care facility	11	2.80	13
10 - Left Against Medical Advice	1	0.25	3.0
12 - Home Health Service	176	44.78	16
13 - Other	1	0.25	15
All	393	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,245	82.07	6.2
03 - Other Care with the admitting hospital	2	0.13	5.5
05 - Acute Care at another hospital	14	0.92	16
06 - Other Care (not SN/IC) at another hospital	10	0.66	12
07 - SN/IC at another facility	4	0.26	9.5
08 - Residential Care facility	171	11.27	6.1
09 - Prison/Jail	19	1.25	12
10 - Left Against Medical Advice	23	1.52	5.0
11 - Died	1	0.07	4.0
12 - Home Health Service	2	0.13	8.5
13 - Other	26	1.71	4.3
All	1,517	100.0	6.4

***Disposition by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	22	28.57	19
02 - Acute Care within the admitting hospital	17	22.08	85
05 - Acute Care at another hospital	1	1.30	27
06 - Other Care (not SN/IC) at another hospital	2	2.60	47
07 - SN/IC at another facility	3	3.90	13
10 - Left Against Medical Advice	1	1.30	21
11 - Died	8	10.39	22
12 - Home Health Service	23	29.87	15
All	77	100.0	33

***Gender by Patient County of Residence
for 2010
Placer County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	13,467	41.68	4.2
2 - Female	18,844	58.32	3.7
4 - Unknown	1	0.00	2.0
All	32,312	100.0	3.9

***Gender by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	12,547	41.40	3.8
2 - Female	17,758	58.60	3.4
4 - Unknown	1	0.00	2.0
All	30,306	100.0	3.6

***Gender by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	10	52.63	5.8
2 - Female	9	47.37	17
All	19	100.0	11

***Gender by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	196	49.87	14
2 - Female	197	50.13	14
All	393	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	687	45.29	6.3
2 - Female	830	54.71	6.4
All	1,517	100.0	6.4

***Gender by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	27	35.06	39
2 - Female	50	64.94	30
All	77	100.0	33

***Expected Payer by Patient County of Residence
for 2010
Placer County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	12,320	38.13	4.5
02 - Medi-Cal	4,043	12.51	3.9
03 - Private Coverage	13,735	42.51	3.4
04 - Workers' Compensatio	203	0.63	4.2
05 - County Indigent Prog	710	2.20	4.7
06 - Other Government	528	1.63	3.8
07 - Other Indigent	3	0.01	5.7
08 - Self-Pay	749	2.32	3.7
09 - Other Payer	21	0.06	5.8
All	32,312	100.0	3.9

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	11,815	38.99	4.1
02 - Medi-Cal	3,694	12.19	3.4
03 - Private Coverage	12,995	42.88	3.1
04 - Workers' Compensatio	197	0.65	3.9
05 - County Indigent Prog	362	1.19	4.5
06 - Other Government	503	1.66	3.6
07 - Other Indigent	2	0.01	8.0
08 - Self-Pay	728	2.40	3.5
09 - Other Payer	10	0.03	7.3
All	30,306	100.0	3.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1	5.26	5.0
03 - Private Coverage	15	78.95	6.3
06 - Other Government	1	5.26	24
08 - Self-Pay	2	10.53	42
All	19	100.0	11

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	276	70.23	13
02 - Medi-Cal	6	1.53	25
03 - Private Coverage	99	25.19	15
04 - Workers' Compensatio	5	1.27	13
05 - County Indigent Prog	3	0.76	12
06 - Other Government	2	0.51	14
08 - Self-Pay	2	0.51	9.5
All	393	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	182	12.00	12
02 - Medi-Cal	329	21.69	5.2
03 - Private Coverage	614	40.47	6.3
05 - County Indigent Prog	345	22.74	4.8
06 - Other Government	22	1.45	5.4
07 - Other Indigent	1	0.07	1.0
08 - Self-Pay	13	0.86	7.7
09 - Other Payer	11	0.73	4.5
All	1,517	100.0	6.4

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	46	59.74	18
02 - Medi-Cal	14	18.18	107
03 - Private Coverage	12	15.58	14
04 - Workers' Compensatio	1	1.30	22
08 - Self-Pay	4	5.19	4.5
All	77	100.0	33

***Race Group by Patient County of Residence
for 2010
Placer County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	127	0.39	4.3
1 - White	27,402	84.80	3.9
2 - Black	521	1.61	4.2
3 - Hispanic	2,671	8.27	3.6
4 - Asian/Pacific Islander	1,221	3.78	3.8
5 - Native American/Eskimo/Ale	96	0.30	5.0
6 - Other	274	0.85	4.9
All	32,312	100.0	3.9

***Race Group by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	106	0.35	3.3
1 - White	25,667	84.69	3.6
2 - Black	467	1.54	3.9
3 - Hispanic	2,557	8.44	3.4
4 - Asian/Pacific Islander	1,170	3.86	3.6
5 - Native American/Eskimo/Ale	89	0.29	5.0
6 - Other	250	0.82	4.3
All	30,306	100.0	3.6

***Race Group by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3	15.79	21
1 - White	13	68.42	8.0
2 - Black	1	5.26	24
3 - Hispanic	2	10.53	8.0
All	19	100.0	11

***Race Group by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	0.25	10
1 - White	343	87.28	14
2 - Black	7	1.78	12
3 - Hispanic	21	5.34	11
4 - Asian/Pacific Islander	17	4.33	14
6 - Other	4	1.02	27
All	393	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	16	1.05	6.7
1 - White	1,304	85.96	6.3
2 - Black	46	3.03	6.0
3 - Hispanic	91	6.00	6.7
4 - Asian/Pacific Islander	34	2.24	5.6
5 - Native American/Eskimo/Ale	7	0.46	5.3
6 - Other	19	1.25	8.4
All	1,517	100.0	6.4

***Race Group by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	1.30	8.0
1 - White	75	97.40	34
6 - Other	1	1.30	11
All	77	100.0	33

**Source of Admission by Patient County of Residence
for 2010
Placer County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	2.0
1 - Home	25,718	79.59	3.6
2 - Residential Care Facility	387	1.20	4.2
3 - Ambulatory Surgery	124	0.38	2.9
4 - Skilled Nursing/Intermedia	658	2.04	4.8
5 - Acute Inpatient Hospital C	1,244	3.85	11
6 - Other Inpatient Hospital C	91	0.28	10
7 - Newborn (born in admitting	3,782	11.70	2.9
8 - Prison/Jail	29	0.09	7.0
9 - Other	278	0.86	5.0
All	32,312	100.0	3.9

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	2.0
1 - Home	24,281	80.12	3.5
2 - Residential Care Facility	380	1.25	3.9
3 - Ambulatory Surgery	124	0.41	2.9
4 - Skilled Nursing/Intermedia	653	2.15	4.7
5 - Acute Inpatient Hospital C	765	2.52	7.9
6 - Other Inpatient Hospital C	79	0.26	7.4
7 - Newborn (born in admitting	3,782	12.48	2.9
8 - Prison/Jail	14	0.05	2.7
9 - Other	227	0.75	4.0
All	30,306	100.0	3.6

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	18	94.74	10
8 - Prison/Jail	1	5.26	24
All	19	100.0	11

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	0.25	18
4 - Skilled Nursing/Intermedia	5	1.27	19
5 - Acute Inpatient Hospital C	382	97.20	14
6 - Other Inpatient Hospital C	5	1.27	24
All	393	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,415	93.28	6.1
2 - Residential Care Facility	7	0.46	18
5 - Acute Inpatient Hospital C	28	1.85	10
6 - Other Inpatient Hospital C	2	0.13	5.0
8 - Prison/Jail	14	0.92	10
9 - Other	51	3.36	9.5
All	1,517	100.0	6.4

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	3.90	29
5 - Acute Inpatient Hospital C	69	89.61	33
6 - Other Inpatient Hospital C	5	6.49	42
All	77	100.0	33

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	88
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.01	18
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	38	0.12	32
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	25	0.08	24
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	11
006	LIVER TRANSPLANT WITHOUT MCC	2	0.01	6.0
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	20
009	BONE MARROW TRANSPLANT	13	0.04	29
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.02	11
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	7	0.02	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	5	0.02	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	3	0.01	19
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	6.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	17	0.05	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	7	0.02	5.1
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	24	0.07	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	45	0.14	5.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	58	0.18	4.0
028	SPINAL PROCEDURES WITH MCC	7	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	11	0.03	6.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	18	0.06	1.9
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	6	0.02	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.03	5.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.03	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.00	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	5	0.02	3.8
038	EXTRACRANIAL PROCEDURES WITH CC	22	0.07	2.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	65	0.20	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.02	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	12	0.04	5.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.04	2.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	10	0.03	4.7
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	2.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	10	0.03	3.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	36	0.11	4.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.02	5.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	35	0.11	5.7
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	3	0.01	10
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	3	0.01	2.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.01	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.02	3.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	13	0.04	3.5
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	101	0.31	6.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	187	0.58	3.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	130	0.40	2.3
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	4	0.01	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	17	0.05	1.8
069	TRANSIENT ISCHEMIA	65	0.20	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	6	0.02	6.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	19	0.06	3.1
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	5	0.02	3.8
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	14	0.04	3.9
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	38	0.12	2.6
075	VIRAL MENINGITIS WITH CC/MCC	5	0.02	6.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	22	0.07	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	4.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	4.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	17	0.05	2.9
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	26	0.08	2.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	9	0.03	1.9
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	10	0.03	8.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.02	2.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	10	0.03	6.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	34	0.11	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	46	0.14	1.8
088	CONCUSSION WITH MCC	4	0.01	3.8
089	CONCUSSION WITH CC	14	0.04	1.9
090	CONCUSSION WITHOUT CC/MCC	35	0.11	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	20	0.06	5.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	21	0.07	2.4
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	12	0.04	2.8
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.02	9.8
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	4	0.01	8.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.02	7.4
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.01	3.7
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.01	3.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	6	0.02	5.0
100	SEIZURES WITH MCC	34	0.11	4.2
101	SEIZURES WITHOUT MCC	118	0.37	2.4
102	HEADACHES WITH MCC	3	0.01	10
103	HEADACHES WITHOUT MCC	38	0.12	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.00	3.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.00	1.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Placer County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.01	7.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.02	2.0
123	NEUROLOGICAL EYE DISORDERS	7	0.02	1.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	8	0.02	3.8
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	6	0.02	4.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.02	2.8
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	10	0.03	3.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.06	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	8	0.02	3.6
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	34	0.11	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	1.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	2.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
139	SALIVARY GLAND PROCEDURES	4	0.01	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	8.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.01	5.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	5	0.02	3.0
149	DYSEQUILIBRIUM	23	0.07	1.7
150	EPISTAXIS WITH MCC	2	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
151	EPISTAXIS WITHOUT MCC	2	0.01	4.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	47	0.15	1.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.02	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	13	0.04	2.1
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	1.3
158	DENTAL & ORAL DISEASES WITH CC	13	0.04	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	13	0.04	1.8
163	MAJOR CHEST PROCEDURES WITH MCC	24	0.07	10
164	MAJOR CHEST PROCEDURES WITH CC	37	0.11	5.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	40	0.12	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	20	0.06	10
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	30	0.09	4.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	21	0.07	1.9
175	PULMONARY EMBOLISM WITH MCC	36	0.11	4.1
176	PULMONARY EMBOLISM WITHOUT MCC	93	0.29	2.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	82	0.25	6.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	121	0.37	4.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	39	0.12	5.0
180	RESPIRATORY NEOPLASMS WITH MCC	38	0.12	4.9
181	RESPIRATORY NEOPLASMS WITH CC	33	0.10	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	0.01	3.7
183	MAJOR CHEST TRAUMA WITH MCC	10	0.03	6.2
184	MAJOR CHEST TRAUMA WITH CC	17	0.05	3.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	7	0.02	2.1
186	PLEURAL EFFUSION WITH MCC	13	0.04	5.8
187	PLEURAL EFFUSION WITH CC	15	0.05	4.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	8	0.02	1.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	135	0.42	4.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	194	0.60	3.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	157	0.49	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	114	0.35	2.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	150	0.46	5.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	299	0.93	3.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	164	0.51	2.4
196	INTERSTITIAL LUNG DISEASE WITH MCC	16	0.05	4.5
197	INTERSTITIAL LUNG DISEASE WITH CC	7	0.02	6.4
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.02	3.2
199	PNEUMOTHORAX WITH MCC	5	0.02	5.4
200	PNEUMOTHORAX WITH CC	30	0.09	3.5
201	PNEUMOTHORAX WITHOUT CC/MCC	17	0.05	2.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	67	0.21	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	124	0.38	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
204	RESPIRATORY SIGNS & SYMPTOMS	26	0.08	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	12	0.04	5.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	40	0.12	3.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	34	0.11	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	92	0.28	4.7
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	13	0.04	16
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	18	0.06	8.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	43	0.13	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	83	0.26	7.5
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	5	0.02	5.8
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	4.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.01	3.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.01	19
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	51	0.16	1.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	13	0.04	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	25	0.08	6.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	6	0.02	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	6.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	5	0.02	7.2
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	24	0.07	8.3

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Placer County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	26	0.08	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	93	0.29	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	35	0.11	8.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	54	0.17	3.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	5	0.02	6.4
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	17	0.05	8.6
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	17	0.05	4.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	52	0.16	2.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	84	0.26	1.6
245	AICD GENERATOR PROCEDURES	3	0.01	2.3
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	61	0.19	3.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	325	1.01	1.6
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.04	4.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	44	0.14	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	14	0.04	4.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	98	0.30	1.5
252	OTHER VASCULAR PROCEDURES WITH MCC	37	0.11	6.3
253	OTHER VASCULAR PROCEDURES WITH CC	64	0.20	4.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	43	0.13	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.00	3.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	4	0.01	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.01	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	28
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.00	8.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	2.5
263	VEIN LIGATION & STRIPPING	1	0.00	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	10	0.03	11
265	AICD LEAD PROCEDURES	2	0.01	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	91	0.28	4.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	92	0.28	2.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	90	0.28	1.6
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.06	4.6
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	2.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.09	4.8
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	199	0.62	2.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	5	0.02	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	7.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.01	12
291	HEART FAILURE & SHOCK WITH MCC	210	0.65	4.3
292	HEART FAILURE & SHOCK WITH CC	239	0.74	3.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	94	0.29	2.2
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.01	.50
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	4.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	39	0.12	5.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	38	0.12	3.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	23	0.07	3.0
302	ATHEROSCLEROSIS WITH MCC	13	0.04	3.0
303	ATHEROSCLEROSIS WITHOUT MCC	41	0.13	1.8
304	HYPERTENSION WITH MCC	6	0.02	2.3
305	HYPERTENSION WITHOUT MCC	26	0.08	1.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	5	0.02	2.6
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	13	0.04	3.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	110	0.34	3.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	164	0.51	2.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	182	0.56	1.8
311	ANGINA PECTORIS	25	0.08	1.2
312	SYNCOPE & COLLAPSE	107	0.33	2.2
313	CHEST PAIN	178	0.55	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	65	0.20	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	44	0.14	3.1
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.06	2.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	27	0.08	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	32	0.10	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	47	0.15	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	98	0.30	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	175	0.54	8.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	103	0.32	4.6
332	RECTAL RESECTION WITH MCC	4	0.01	8.0
333	RECTAL RESECTION WITH CC	9	0.03	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	14	0.04	4.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	8	0.02	10
336	PERITONEAL ADHESIOLYSIS WITH CC	27	0.08	8.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	25	0.08	3.8
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	6	0.02	7.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	22	0.07	5.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	55	0.17	3.1
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	3.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	44	0.14	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	295	0.91	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	11
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	15	0.05	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.04	3.8
347	ANAL & STOMAL PROCEDURES WITH MCC	4	0.01	22
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.03	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	17	0.05	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.01	6.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	9	0.03	3.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	22	0.07	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	8	0.02	6.9
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	36	0.11	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	54	0.17	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	11	0.03	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.06	5.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.04	2.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	6	0.02	3.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	19	0.06	3.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.02	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	44	0.14	5.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	70	0.22	5.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	29	0.09	3.5
374	DIGESTIVE MALIGNANCY WITH MCC	28	0.09	7.0
375	DIGESTIVE MALIGNANCY WITH CC	42	0.13	4.2
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	4.3
377	G.I. HEMORRHAGE WITH MCC	78	0.24	3.8
378	G.I. HEMORRHAGE WITH CC	234	0.72	2.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	73	0.23	1.9
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
381	COMPLICATED PEPTIC ULCER WITH CC	9	0.03	3.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.01	2.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	1.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	4	0.01	1.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	7	0.02	4.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	35	0.11	2.6
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.06	2.8
388	G.I. OBSTRUCTION WITH MCC	34	0.11	4.0
389	G.I. OBSTRUCTION WITH CC	105	0.33	3.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	81	0.25	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	130	0.40	4.3
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	491	1.52	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	48	0.15	5.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	85	0.26	3.7
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	50	0.15	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	10	0.03	12
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	14	0.04	7.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	11	0.03	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	4.5
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.02	7.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	3.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	8.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	10	0.03	8.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6	0.02	3.8
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	63	0.20	5.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	122	0.38	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	229	0.71	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	26
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	5.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	62
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	41	0.13	4.9
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	20	0.06	2.8
434	CIRRHOIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	3.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	34	0.11	5.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	17	0.05	4.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	40	0.12	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	67	0.21	3.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	86	0.27	3.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	49	0.15	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	34	0.11	2.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	12	0.04	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
444	DISORDERS OF THE BILIARY TRACT WITH MCC	36	0.11	5.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	33	0.10	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	38	0.12	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	6	0.02	8.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	17	0.05	6.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	41	0.13	4.2
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	6.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	12	0.04	7.1
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	16	0.05	5.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	7	0.02	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	171	0.53	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	32	0.10	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.02	12
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	26	0.08	6.3
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	8	0.02	2.9
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.02	7.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	50	0.15	4.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	50	0.15	2.9
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	59	0.18	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,252	3.88	3.0
471	CERVICAL SPINAL FUSION WITH MCC	4	0.01	5.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
472	CERVICAL SPINAL FUSION WITH CC	28	0.09	3.4
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	90	0.28	1.6
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	9.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	9	0.03	7.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.02	15
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.01	7.7
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.02	5.2
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	48	0.15	6.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	154	0.48	4.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	86	0.27	3.1
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	19	0.06	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	48	0.15	2.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.02	5.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	4.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.05	4.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	36	0.11	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	75	0.23	3.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	194	0.60	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	24	0.07	6.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	63	0.20	3.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	178	0.55	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	19	0.06	3.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	34	0.11	2.4
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	3.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	5	0.02	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	3	0.01	3.7
501	SOFT TISSUE PROCEDURES WITH CC	20	0.06	3.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	27	0.08	1.6
503	FOOT PROCEDURES WITH MCC	1	0.00	1.0
504	FOOT PROCEDURES WITH CC	9	0.03	4.2
505	FOOT PROCEDURES WITHOUT CC/MCC	20	0.06	1.3
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	15	0.05	1.5
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.01	3.7
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	13	0.04	3.2
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	39	0.12	1.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.02	2.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	17	0.05	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	6	0.02	5.2
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	20	0.06	5.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	27	0.08	3.0
533	FRACTURES OF FEMUR WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	2.2
535	FRACTURES OF HIP & PELVIS WITH MCC	19	0.06	3.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	52	0.16	2.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	2.5
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.01	2.5
539	OSTEOMYELITIS WITH MCC	8	0.02	16
540	OSTEOMYELITIS WITH CC	6	0.02	25
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	6.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	5	0.02	7.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	33	0.10	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	11	0.03	2.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	8	0.02	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.02	2.6
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	13	0.04	2.7
549	SEPTIC ARTHRITIS WITH CC	1	0.00	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	16	0.05	5.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	109	0.34	2.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	2	0.01	1.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	26	0.08	2.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	6	0.02	4.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	22	0.07	1.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	25	0.08	2.9
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	6.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.02	4.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.02	2.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.02	2.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	40	0.12	3.2
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.01	10
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	11	0.03	4.7
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.02	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	9.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	10
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.03	4.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	14	0.04	2.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	17	0.05	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	46	0.14	2.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	69	0.21	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	17	0.05	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	34	0.11	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	17	0.05	2.0
592	SKIN ULCERS WITH MCC	4	0.01	6.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
593	SKIN ULCERS WITH CC	20	0.06	4.1
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	7.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.01	3.8
597	MALIGNANT BREAST DISORDERS WITH MCC	4	0.01	7.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	7.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	3.8
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.01	2.0
602	CELLULITIS WITH MCC	43	0.13	4.3
603	CELLULITIS WITHOUT MCC	299	0.93	3.2
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	6.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	51	0.16	1.8
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	1.5
607	MINOR SKIN DISORDERS WITHOUT MCC	15	0.05	1.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	7	0.02	6.7
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	12	0.04	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.01	12
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	12	0.04	6.4
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	2.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	19	0.06	3.1
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	80	0.25	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	3	0.01	13
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	23	0.07	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	85	0.26	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.01	15
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	12	0.04	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
637	DIABETES WITH MCC	47	0.15	4.1
638	DIABETES WITH CC	66	0.20	3.2
639	DIABETES WITHOUT CC/MCC	59	0.18	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	69	0.21	3.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	181	0.56	3.8
642	INBORN ERRORS OF METABOLISM	3	0.01	4.7
643	ENDOCRINE DISORDERS WITH MCC	9	0.03	3.6
644	ENDOCRINE DISORDERS WITH CC	17	0.05	3.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	8	0.02	1.8
652	KIDNEY TRANSPLANT	17	0.05	4.8
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.02	12
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.02	8.7
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.02	6.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	16	0.05	4.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	34	0.11	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	11	0.03	6.4
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	42	0.13	3.1
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	40	0.12	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	10
663	MINOR BLADDER PROCEDURES WITH CC	3	0.01	3.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	12	0.04	1.0
666	PROSTATECTOMY WITH CC	2	0.01	2.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	6.0
669	TRANSURETHRAL PROCEDURES WITH CC	8	0.02	5.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.03	.91
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.01	5.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	1.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.01	6.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	4	0.01	2.3
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	7	0.02	1.3
682	RENAL FAILURE WITH MCC	96	0.30	6.3
683	RENAL FAILURE WITH CC	145	0.45	3.8
684	RENAL FAILURE WITHOUT CC/MCC	27	0.08	2.4
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	2.8
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	75	0.23	4.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	241	0.75	2.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	6	0.02	3.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	11	0.03	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	55	0.17	1.6
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	22	0.07	3.4
697	URETHRAL STRICTURE	3	0.01	1.7
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	79	0.24	4.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	43	0.13	4.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	20	0.06	3.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.05	3.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	54	0.17	1.7
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	2.8
710	PENIS PROCEDURES WITHOUT CC/MCC	4	0.01	1.8
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	6.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	23	0.07	2.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	68	0.21	1.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.01	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	3.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.02	1.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	6.3
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	11	0.03	3.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	5.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	14	0.04	2.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	5	0.02	7.6
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	21	0.07	5.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.01	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	21	0.07	3.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.08	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	107	0.33	2.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	430	1.33	1.7
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	4	0.01	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	5	0.02	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.02	3.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	21	0.07	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	58	0.18	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	5	0.02	6.6
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	8	0.02	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.02	7.2
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	11	0.03	6.5
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	3.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	8	0.02	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	1.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	10	0.03	1.1
765	CESAREAN SECTION WITH CC/MCC	391	1.21	4.2
766	CESAREAN SECTION WITHOUT CC/MCC	647	2.00	3.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	20	0.06	3.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	8	0.02	3.1
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	7	0.02	2.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	11	0.03	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	327	1.01	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,310	7.15	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	29	0.09	2.0
777	ECTOPIC PREGNANCY	22	0.07	1.3
778	THREATENED ABORTION	53	0.16	2.7
779	ABORTION WITHOUT D&C	10	0.03	.90

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
780	FALSE LABOR	8	0.02	1.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	140	0.43	2.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	49	0.15	.84
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	53	0.16	9.0
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	59	0.18	36
791	PREMATURITY WITH MAJOR PROBLEMS	42	0.13	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	231	0.72	4.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	134	0.41	5.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	780	2.41	2.2
795	NORMAL NEWBORN	2,601	8.05	1.9
799	SPLENECTOMY WITH MCC	1	0.00	2.0
800	SPLENECTOMY WITH CC	3	0.01	4.7
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	3.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	2.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	5	0.02	3.6
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	18	0.06	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	41	0.13	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.03	2.6
811	RED BLOOD CELL DISORDERS WITH MCC	59	0.18	2.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	126	0.39	2.3
813	COAGULATION DISORDERS	37	0.11	3.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.01	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	4	0.01	1.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	8	0.02	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	8.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.02	6.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	10	0.03	4.4
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	21
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	4	0.01	8.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	2.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	6.6
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	9	0.03	4.4
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	7	0.02	8.7
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	1.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	8	0.02	32
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	11	0.03	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	5.7
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	11	0.03	19
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	28	0.09	6.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	25	0.08	4.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	11	0.03	7.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	19	0.06	3.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.02	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.02	4.2
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	6	0.02	6.7
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.3
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	10	0.03	5.6
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	114	0.35	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	45	0.14	3.3
849	RADIOTHERAPY	5	0.02	3.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	100	0.31	12
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	27	0.08	9.1
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	14	0.04	9.4
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	17	0.05	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	11	0.03	4.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.05	4.9
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	59	0.18	4.9
864	FEVER	42	0.13	2.5
865	VIRAL ILLNESS WITH MCC	6	0.02	4.0
866	VIRAL ILLNESS WITHOUT MCC	29	0.09	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	6	0.02	9.7
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.01	14
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	49	0.15	15

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	912	2.82	5.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	290	0.90	4.2
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	8.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	35	0.11	3.1
881	DEPRESSIVE NEUROSES	116	0.36	2.9
882	NEUROSES EXCEPT DEPRESSIVE	28	0.09	6.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	12	0.04	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	16	0.05	3.3
885	PSYCHOSES	1,329	4.11	6.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	10	0.03	5.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	16
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	7	0.02	10
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.01	5.7
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	27	0.08	6.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	143	0.44	2.9
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	11
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.01	3.8
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	5.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.03	9.1
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	8.0
906	HAND PROCEDURES FOR INJURIES	8	0.02	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.05	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	28	0.09	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	21	0.07	2.0
914	TRAUMATIC INJURY WITHOUT MCC	12	0.04	1.7
915	ALLERGIC REACTIONS WITH MCC	6	0.02	5.2
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.01	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	109	0.34	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	150	0.46	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	24	0.07	5.5
920	COMPLICATIONS OF TREATMENT WITH CC	41	0.13	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	20	0.06	2.2
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.01	3.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	10	0.03	1.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	24
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	17
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	15
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	2.8
935	NON-EXTENSIVE BURNS	20	0.06	2.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.01	45
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.02	3.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	13	0.04	1.2
945	REHABILITATION WITH CC/MCC	377	1.17	17
946	REHABILITATION WITHOUT CC/MCC	66	0.20	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	22	0.07	4.5
948	SIGNS & SYMPTOMS WITHOUT MCC	77	0.24	2.8
949	AFTERCARE WITH CC/MCC	2	0.01	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	21	0.07	6.4
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.02	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	15	0.05	7.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.04	6.1
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.01	5.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.04	7.2
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	21	0.07	5.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	2.3
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	14
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.01	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	8	0.02	9.6
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	3.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	39	0.12	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	46	0.14	4.8
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	29	0.09	1.9
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	10	0.03	8.4

(Continued)

***MS-DRG by Patient County of Residence
for 2010
Placer County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	12	0.04	4.0
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	14	0.04	2.4
999	UNGROUPABLE	1	0.00	3.0
All		32,305	100.0	3.9

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	88
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.01	18
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	38	0.13	32
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	25	0.08	24
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	11
006	LIVER TRANSPLANT WITHOUT MCC	2	0.01	6.0
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	20
009	BONE MARROW TRANSPLANT	13	0.04	29
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.02	11
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	7	0.02	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	5	0.02	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	3	0.01	19
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	6.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	17	0.06	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	7	0.02	5.1
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	24	0.08	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	45	0.15	5.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	58	0.19	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	7	0.02	11
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	11	0.04	6.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	18	0.06	1.9
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	6	0.02	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.04	5.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.04	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.00	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	5	0.02	3.8
038	EXTRACRANIAL PROCEDURES WITH CC	22	0.07	2.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	65	0.21	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.03	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	12	0.04	5.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.05	2.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	10	0.03	4.7
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	2.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	10	0.03	3.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	36	0.12	4.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.03	5.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	34	0.11	5.7
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	3	0.01	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	3	0.01	2.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.01	2.3
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.02	3.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	13	0.04	3.5
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	101	0.33	6.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	186	0.61	3.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	130	0.43	2.3
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	4	0.01	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	17	0.06	1.8
069	TRANSIENT ISCHEMIA	65	0.21	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	5	0.02	3.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	19	0.06	3.1
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	5	0.02	3.8
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	14	0.05	3.9
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	38	0.13	2.6
075	VIRAL MENINGITIS WITH CC/MCC	5	0.02	6.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	22	0.07	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	4.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.00	4.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	17	0.06	2.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	26	0.09	2.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	9	0.03	1.9
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	10	0.03	8.1
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	8	0.03	2.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	10	0.03	6.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	34	0.11	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	46	0.15	1.8
088	CONCUSSION WITH MCC	4	0.01	3.8
089	CONCUSSION WITH CC	14	0.05	1.9
090	CONCUSSION WITHOUT CC/MCC	35	0.12	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	20	0.07	5.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	21	0.07	2.4
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	12	0.04	2.8
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.02	9.8
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	4	0.01	8.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.02	7.4
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.01	3.7
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.01	3.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	6	0.02	5.0
100	SEIZURES WITH MCC	34	0.11	4.2
101	SEIZURES WITHOUT MCC	118	0.39	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	3	0.01	10
103	HEADACHES WITHOUT MCC	38	0.13	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.00	3.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.01	7.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.02	2.0
123	NEUROLOGICAL EYE DISORDERS	7	0.02	1.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	8	0.03	3.8
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	6	0.02	4.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.02	2.8
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	10	0.03	3.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.07	2.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	8	0.03	3.6
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	34	0.11	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	1.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	2.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
139	SALIVARY GLAND PROCEDURES	4	0.01	1.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	8.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.01	5.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	5	0.02	3.0
149	DYSEQUILIBRIUM	23	0.08	1.7
150	EPISTAXIS WITH MCC	2	0.01	5.0
151	EPISTAXIS WITHOUT MCC	2	0.01	4.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	47	0.16	1.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	13	0.04	2.1
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	1.3
158	DENTAL & ORAL DISEASES WITH CC	13	0.04	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	13	0.04	1.8
163	MAJOR CHEST PROCEDURES WITH MCC	24	0.08	10
164	MAJOR CHEST PROCEDURES WITH CC	37	0.12	5.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	40	0.13	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	20	0.07	10
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	30	0.10	4.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	21	0.07	1.9
175	PULMONARY EMBOLISM WITH MCC	36	0.12	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	93	0.31	2.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	81	0.27	6.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	120	0.40	4.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	39	0.13	5.0
180	RESPIRATORY NEOPLASMS WITH MCC	38	0.13	4.9
181	RESPIRATORY NEOPLASMS WITH CC	32	0.11	4.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	0.01	3.7
183	MAJOR CHEST TRAUMA WITH MCC	10	0.03	6.2
184	MAJOR CHEST TRAUMA WITH CC	17	0.06	3.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	7	0.02	2.1
186	PLEURAL EFFUSION WITH MCC	13	0.04	5.8
187	PLEURAL EFFUSION WITH CC	15	0.05	4.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	8	0.03	1.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	134	0.44	4.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	194	0.64	3.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	157	0.52	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	114	0.38	2.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	150	0.50	5.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	298	0.98	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	164	0.54	2.4
196	INTERSTITIAL LUNG DISEASE WITH MCC	16	0.05	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
197	INTERSTITIAL LUNG DISEASE WITH CC	7	0.02	6.4
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.02	3.2
199	PNEUMOTHORAX WITH MCC	5	0.02	5.4
200	PNEUMOTHORAX WITH CC	30	0.10	3.5
201	PNEUMOTHORAX WITHOUT CC/MCC	17	0.06	2.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	67	0.22	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	124	0.41	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	26	0.09	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	12	0.04	5.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	40	0.13	3.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	31	0.10	18
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	91	0.30	4.6
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	13	0.04	16
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	18	0.06	8.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	43	0.14	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	83	0.27	7.5
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	5	0.02	5.8
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	4.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.01	19
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	51	0.17	1.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	13	0.04	18
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	25	0.08	6.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	6	0.02	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	6.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	5	0.02	7.2
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	24	0.08	8.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	26	0.09	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	93	0.31	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	35	0.12	8.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	54	0.18	3.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	5	0.02	6.4
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	17	0.06	8.6
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	17	0.06	4.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	52	0.17	2.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	84	0.28	1.6
245	AICD GENERATOR PROCEDURES	3	0.01	2.3
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	61	0.20	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	325	1.07	1.6
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.05	4.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	44	0.15	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	14	0.05	4.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	98	0.32	1.5
252	OTHER VASCULAR PROCEDURES WITH MCC	37	0.12	6.3
253	OTHER VASCULAR PROCEDURES WITH CC	64	0.21	4.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	43	0.14	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.00	3.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	4	0.01	7.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.01	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	28
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.00	8.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	2.5
263	VEIN LIGATION & STRIPPING	1	0.00	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	10	0.03	11
265	AICD LEAD PROCEDURES	2	0.01	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	91	0.30	4.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	92	0.30	2.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	90	0.30	1.6
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.07	4.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	2.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.10	4.8
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	199	0.66	2.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	5	0.02	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	7.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	3	0.01	3.3
291	HEART FAILURE & SHOCK WITH MCC	210	0.69	4.3
292	HEART FAILURE & SHOCK WITH CC	239	0.79	3.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	94	0.31	2.2
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.01	.50
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	4.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	39	0.13	5.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	38	0.13	3.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	23	0.08	3.0
302	ATHEROSCLEROSIS WITH MCC	13	0.04	3.0
303	ATHEROSCLEROSIS WITHOUT MCC	41	0.14	1.8
304	HYPERTENSION WITH MCC	6	0.02	2.3
305	HYPERTENSION WITHOUT MCC	26	0.09	1.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	5	0.02	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	13	0.04	3.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	110	0.36	3.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	164	0.54	2.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	182	0.60	1.8
311	ANGINA PECTORIS	25	0.08	1.2
312	SYNCOPE & COLLAPSE	107	0.35	2.2
313	CHEST PAIN	178	0.59	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	65	0.21	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	43	0.14	3.1
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.06	2.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	27	0.09	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	32	0.11	7.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	47	0.16	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	98	0.32	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	175	0.58	8.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	103	0.34	4.6
332	RECTAL RESECTION WITH MCC	4	0.01	8.0
333	RECTAL RESECTION WITH CC	9	0.03	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	14	0.05	4.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	8	0.03	10
336	PERITONEAL ADHESIOLYSIS WITH CC	27	0.09	8.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	25	0.08	3.8
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	6	0.02	7.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	22	0.07	5.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	55	0.18	3.1
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	3.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	44	0.15	2.8
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	295	0.97	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	11
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	15	0.05	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.05	3.8
347	ANAL & STOMAL PROCEDURES WITH MCC	4	0.01	22
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.03	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	17	0.06	1.7
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.01	6.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	9	0.03	3.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	22	0.07	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	8	0.03	6.9
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	36	0.12	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	54	0.18	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	11	0.04	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.06	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.05	2.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	6	0.02	3.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	19	0.06	3.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.02	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	44	0.15	5.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	70	0.23	5.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	29	0.10	3.5
374	DIGESTIVE MALIGNANCY WITH MCC	28	0.09	7.0
375	DIGESTIVE MALIGNANCY WITH CC	42	0.14	4.2
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	4.3
377	G.I. HEMORRHAGE WITH MCC	78	0.26	3.8
378	G.I. HEMORRHAGE WITH CC	234	0.77	2.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	73	0.24	1.9
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.01	3.3
381	COMPLICATED PEPTIC ULCER WITH CC	9	0.03	3.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.01	2.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	1.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	4	0.01	1.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	7	0.02	4.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	35	0.12	2.6
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.06	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
388	G.I. OBSTRUCTION WITH MCC	34	0.11	4.0
389	G.I. OBSTRUCTION WITH CC	105	0.35	3.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	81	0.27	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	130	0.43	4.3
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	490	1.62	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	48	0.16	5.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	85	0.28	3.7
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	50	0.17	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	10	0.03	12
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	14	0.05	7.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	11	0.04	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	4.5
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.02	7.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	11
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	3.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	8.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	10	0.03	8.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	6	0.02	3.8
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	63	0.21	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	122	0.40	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	229	0.76	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	26
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	5.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	62
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	41	0.14	4.9
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	20	0.07	2.8
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	3.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	34	0.11	5.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	17	0.06	4.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	40	0.13	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	67	0.22	3.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	86	0.28	3.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	49	0.16	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	34	0.11	2.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	12	0.04	2.7
444	DISORDERS OF THE BILIARY TRACT WITH MCC	36	0.12	5.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	33	0.11	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	38	0.13	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	6	0.02	8.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	17	0.06	6.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	41	0.14	4.2
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	6.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	12	0.04	7.1
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	16	0.05	5.4
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	7	0.02	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	171	0.56	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	32	0.11	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.03	12
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	26	0.09	6.3
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	8	0.03	2.9
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.02	7.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	50	0.17	4.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	50	0.17	2.9
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	59	0.19	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,252	4.13	3.0
471	CERVICAL SPINAL FUSION WITH MCC	4	0.01	5.5
472	CERVICAL SPINAL FUSION WITH CC	28	0.09	3.4
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	90	0.30	1.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	9.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	9	0.03	7.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.02	15
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.01	7.7
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.02	5.2
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	48	0.16	6.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	154	0.51	4.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	86	0.28	3.1
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	19	0.06	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	48	0.16	2.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.02	5.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	4.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.05	4.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	36	0.12	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	75	0.25	3.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	194	0.64	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	24	0.08	6.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	63	0.21	3.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	178	0.59	2.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	19	0.06	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	34	0.11	2.4
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	3.5
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	5	0.02	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	3	0.01	3.7
501	SOFT TISSUE PROCEDURES WITH CC	20	0.07	3.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	27	0.09	1.6
503	FOOT PROCEDURES WITH MCC	1	0.00	1.0
504	FOOT PROCEDURES WITH CC	9	0.03	4.2
505	FOOT PROCEDURES WITHOUT CC/MCC	20	0.07	1.3
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	15	0.05	1.5
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.01	3.7
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	13	0.04	3.2
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	39	0.13	1.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.03	2.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	17	0.06	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	6	0.02	5.2
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	20	0.07	5.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	27	0.09	3.0
533	FRACTURES OF FEMUR WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	2.2
535	FRACTURES OF HIP & PELVIS WITH MCC	19	0.06	3.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	52	0.17	2.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.01	2.5
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.01	2.5
539	OSTEOMYELITIS WITH MCC	8	0.03	16
540	OSTEOMYELITIS WITH CC	5	0.02	6.2
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	6.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	5	0.02	7.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	33	0.11	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	11	0.04	2.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	8	0.03	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.03	2.6
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	13	0.04	2.7
549	SEPTIC ARTHRITIS WITH CC	1	0.00	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	16	0.05	5.3
552	MEDICAL BACK PROBLEMS WITHOUT MCC	109	0.36	2.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	2	0.01	1.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	26	0.09	2.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	6	0.02	4.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	22	0.07	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.02	5.6
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	25	0.08	2.9
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	6.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.02	4.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.02	1.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	7	0.02	2.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	40	0.13	3.2
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.01	10
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	11	0.04	4.7
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.02	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	9.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	10
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.04	4.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	14	0.05	2.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	17	0.06	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	46	0.15	2.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	69	0.23	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	17	0.06	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	34	0.11	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	17	0.06	2.0
592	SKIN ULCERS WITH MCC	4	0.01	6.3
593	SKIN ULCERS WITH CC	20	0.07	4.1
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	7.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.01	3.8
597	MALIGNANT BREAST DISORDERS WITH MCC	4	0.01	7.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	7.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	3.8
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.01	2.0
602	CELLULITIS WITH MCC	43	0.14	4.3
603	CELLULITIS WITHOUT MCC	299	0.99	3.2
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	6.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	51	0.17	1.8
606	MINOR SKIN DISORDERS WITH MCC	2	0.01	1.5
607	MINOR SKIN DISORDERS WITHOUT MCC	14	0.05	1.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	7	0.02	6.7
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	12	0.04	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.01	12
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	12	0.04	6.4
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
620	O.R. PROCEDURES FOR OBESITY WITH CC	19	0.06	3.1
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	80	0.26	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.01	4.7
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	3	0.01	13
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	23	0.08	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	85	0.28	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.01	15
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	12	0.04	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
637	DIABETES WITH MCC	47	0.16	4.1
638	DIABETES WITH CC	66	0.22	3.2
639	DIABETES WITHOUT CC/MCC	59	0.19	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	69	0.23	3.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	180	0.59	2.9
642	INBORN ERRORS OF METABOLISM	3	0.01	4.7
643	ENDOCRINE DISORDERS WITH MCC	9	0.03	3.6
644	ENDOCRINE DISORDERS WITH CC	17	0.06	3.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	8	0.03	1.8
652	KIDNEY TRANSPLANT	17	0.06	4.8
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.02	12
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.02	8.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.03	6.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	16	0.05	4.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	34	0.11	3.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	11	0.04	6.4
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	42	0.14	3.1
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	40	0.13	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	10
663	MINOR BLADDER PROCEDURES WITH CC	3	0.01	3.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	12	0.04	1.0
666	PROSTATECTOMY WITH CC	2	0.01	2.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	6.0
669	TRANSURETHRAL PROCEDURES WITH CC	8	0.03	5.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	.91
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.01	5.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	1.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.01	6.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	4	0.01	2.3
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	7	0.02	1.3
682	RENAL FAILURE WITH MCC	96	0.32	6.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
683	RENAL FAILURE WITH CC	145	0.48	3.8
684	RENAL FAILURE WITHOUT CC/MCC	27	0.09	2.4
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	2.8
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	2.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	75	0.25	4.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	241	0.80	2.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	6	0.02	3.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	11	0.04	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	55	0.18	1.6
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	22	0.07	3.4
697	URETHRAL STRICTURE	3	0.01	1.7
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	79	0.26	4.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	43	0.14	4.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	20	0.07	3.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.05	3.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	54	0.18	1.7
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	2.8
710	PENIS PROCEDURES WITHOUT CC/MCC	4	0.01	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	6.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	23	0.08	2.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	68	0.22	1.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.01	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	3.5
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	3.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.02	1.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	6.3
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	11	0.04	3.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	5	0.02	5.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	14	0.05	2.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	5	0.02	7.6
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	21	0.07	5.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.01	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	21	0.07	3.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.09	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	107	0.35	2.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	430	1.42	1.7
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	4	0.01	1.8
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	5	0.02	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.02	3.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	21	0.07	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	58	0.19	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	5	0.02	6.6
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	8	0.03	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.02	7.2
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	11	0.04	6.5
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	3.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	8	0.03	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	1.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	10	0.03	1.1
765	CESAREAN SECTION WITH CC/MCC	391	1.29	4.2
766	CESAREAN SECTION WITHOUT CC/MCC	647	2.14	3.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	20	0.07	3.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	8	0.03	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	7	0.02	2.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	11	0.04	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	327	1.08	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,310	7.62	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	29	0.10	2.0
777	ECTOPIC PREGNANCY	22	0.07	1.3
778	THREATENED ABORTION	53	0.17	2.7
779	ABORTION WITHOUT D&C	10	0.03	.90
780	FALSE LABOR	8	0.03	1.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	139	0.46	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	49	0.16	.84
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	53	0.17	9.0
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	59	0.19	36
791	PREMATURITY WITH MAJOR PROBLEMS	42	0.14	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	231	0.76	4.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	134	0.44	5.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	780	2.57	2.2
795	NORMAL NEWBORN	2,601	8.58	1.9
799	SPLENECTOMY WITH MCC	1	0.00	2.0
800	SPLENECTOMY WITH CC	3	0.01	4.7
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	2.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	5	0.02	3.6
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	18	0.06	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	41	0.14	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.03	2.6
811	RED BLOOD CELL DISORDERS WITH MCC	59	0.19	2.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	126	0.42	2.3
813	COAGULATION DISORDERS	37	0.12	3.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.01	4.5
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	4	0.01	1.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	8	0.03	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	8.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.03	6.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	10	0.03	4.4
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	21
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	4	0.01	8.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	2.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	6.6
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	9	0.03	4.4
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	7	0.02	8.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	1.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	8	0.03	32
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	11	0.04	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	5.7
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	11	0.04	19
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	28	0.09	6.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	25	0.08	4.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	11	0.04	7.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	19	0.06	3.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.03	3.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.02	4.2
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	6	0.02	6.7
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.3
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	10	0.03	5.6
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	114	0.38	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	45	0.15	3.3
849	RADIOTHERAPY	5	0.02	3.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	100	0.33	12
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	27	0.09	9.1
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	14	0.05	9.4
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	17	0.06	7.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	11	0.04	4.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.06	4.9
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	58	0.19	4.7
864	FEVER	42	0.14	2.5
865	VIRAL ILLNESS WITH MCC	6	0.02	4.0
866	VIRAL ILLNESS WITHOUT MCC	29	0.10	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	6	0.02	9.7
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.01	14
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	49	0.16	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	911	3.01	5.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	289	0.95	4.2
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	8.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	20	0.07	2.6
881	DEPRESSIVE NEUROSES	10	0.03	1.3
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	3.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	3	0.01	4.7
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	14	0.05	3.1
885	PSYCHOSES	19	0.06	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	0.01	1.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	27	0.09	6.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	94	0.31	2.5
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	11
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.01	3.8
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	5.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.03	9.1
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	8.0
906	HAND PROCEDURES FOR INJURIES	8	0.03	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.05	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	28	0.09	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	21	0.07	2.0
914	TRAUMATIC INJURY WITHOUT MCC	12	0.04	1.7
915	ALLERGIC REACTIONS WITH MCC	6	0.02	5.2
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.01	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	109	0.36	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	150	0.50	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	24	0.08	5.5
920	COMPLICATIONS OF TREATMENT WITH CC	41	0.14	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	20	0.07	2.2
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	10	0.03	1.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	24
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	17
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	15
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	2.8
935	NON-EXTENSIVE BURNS	20	0.07	2.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	6.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.02	3.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	13	0.04	1.2
947	SIGNS & SYMPTOMS WITH MCC	22	0.07	4.5
948	SIGNS & SYMPTOMS WITHOUT MCC	77	0.25	2.8
949	AFTERCARE WITH CC/MCC	2	0.01	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	19	0.06	5.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.02	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	15	0.05	7.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.04	6.1
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.01	5.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.04	7.2
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	21	0.07	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	2.3
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	14
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.01	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	8	0.03	9.6
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	3.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	39	0.13	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	46	0.15	4.8
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	29	0.10	1.9
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	10	0.03	8.4
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	12	0.04	4.0
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	14	0.05	2.4
999	UNGROUPABLE	1	0.00	3.0
All		30,299	100.0	3.6

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	1	5.26	24
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	15.79	21
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	15.79	5.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	11	57.89	6.4
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	5.26	32
All		19	100.0	11

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.76	58
945	REHABILITATION WITH CC/MCC	341	86.77	14
946	REHABILITATION WITHOUT CC/MCC	49	12.47	11
All		393	100.0	14

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.07	1.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	15	0.99	3.8
881	DEPRESSIVE NEUROSES	106	6.99	3.1
882	NEUROSES EXCEPT DEPRESSIVE	25	1.65	6.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	9	0.59	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.13	4.5
885	PSYCHOSES	1,309	86.29	6.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	10	0.66	5.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.07	16
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.07	5.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	38	2.50	3.0
All		1,517	100.0	6.4

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	1.30	5.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	1.30	8.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	1.30	21
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	1.30	6.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	1.30	9.0
181	RESPIRATORY NEOPLASMS WITH CC	1	1.30	11
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	1.30	81
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	1.30	50
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3	3.90	59
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	1.30	9.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	1.30	36
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	1.30	3.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	1.30	1.0
540	OSTEOMYELITIS WITH CC	1	1.30	120
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	1.30	5.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	1.30	7.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	1.30	175
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	1.30	13
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	1.30	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1	1.30	7.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	1.30	2.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	36	46.75	44
946	REHABILITATION WITHOUT CC/MCC	17	22.08	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	1.30	1.0
All		77	100.0	33

**MDC by Patient County of Residence
for 2010
Placer County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	3.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,629	5.04	4.1
02	EYE, DISEASES & DISORDERS	31	0.10	2.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	245	0.76	2.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,401	7.43	4.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,625	11.22	3.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,993	9.26	4.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,015	3.14	4.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,645	11.28	3.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	706	2.18	3.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	736	2.28	3.1
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,097	3.40	3.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	205	0.63	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	793	2.45	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,034	12.48	2.4
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3,902	12.08	3.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	325	1.01	3.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	396	1.23	7.1
18	INFECTIOUS & PARASITIC DISEASES	1,600	4.95	5.8
19	MENTAL DISEASES & DISORDERS	1,548	4.79	6.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	182	0.56	3.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	480	1.49	3.6

(Continued)

*MDC by Patient County of Residence
for 2010
Placer County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	29	0.09	5.4
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	591	1.83	13
24	MULTIPLE SIGNFICANT TRAUMA	87	0.27	7.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.05	8.8
All		32,312	100.0	3.9

**MDC by Patient County of Residence
and Type of Care for 2010
Placer County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	3.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,626	5.37	4.1
02	EYE, DISEASES & DISORDERS	31	0.10	2.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	245	0.81	2.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,392	7.89	4.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,623	11.95	3.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,992	9.87	4.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,015	3.35	4.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,642	12.02	3.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	705	2.33	3.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	735	2.43	2.9
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,097	3.62	3.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	205	0.68	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	793	2.62	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,033	13.31	2.4
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3,902	12.88	3.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	325	1.07	3.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	396	1.31	7.1
18	INFECTIOUS & PARASITIC DISEASES	1,597	5.27	5.8
19	MENTAL DISEASES & DISORDERS	70	0.23	3.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	126	0.42	3.3

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	480	1.58	3.6
22	BURNS	29	0.10	5.4
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	143	0.47	3.4
24	MULTIPLE SIGNFICANT TRAUMA	87	0.29	7.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.05	8.8
All		30,306	100.0	3.6

***MDC by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	1	5.26	24
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	17	89.47	8.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	5.26	32
All		19	100.0	11

***MDC by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	393	100.0	14
All		393	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.07	1.0
19	MENTAL DISEASES & DISORDERS	1,477	97.36	6.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	39	2.57	3.1
All		1,517	100.0	6.4

***MDC by Patient County of Residence
and Type of Care for 2010
Placer County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3	3.90	11
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	9	11.69	38
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	2.60	20
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	1.30	1.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3	3.90	44
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	1.30	175
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	1.30	13
18	INFECTIOUS & PARASITIC DISEASES	3	3.90	8.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	54	70.13	33
All		77	100.0	33