

***Type of Care by Patient County of Residence
for 2009
Plumas County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	1,795	93.44	3.8
Chemical Dependency Recovery Care	3	0.16	3.7
Physical Rehabilitation Care	13	0.68	12
Psychiatric Care	23	1.20	7.2
Skilled Nursing/Intermediate Care	87	4.53	98
All	1,921	100.0	8.2

**Disposition by Patient County of Residence
for 2009
Plumas County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.06	1.0
01 - Routine (Home)	1,407	78.38	3.0
03 - Other Care with the admitting hospital	10	0.56	8.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	55	3.06	6.5
05 - Acute Care at another hospital	55	3.06	4.6
06 - Other Care (not SN/IC) at another hospital	27	1.50	4.4
07 - SN/IC at another facility	93	5.18	7.0
08 - Residential Care facility	2	0.11	3.5
10 - Left Against Medical Advice	12	0.67	2.1
11 - Died	33	1.84	17
12 - Home Health Service	97	5.40	5.6
13 - Other	3	0.17	4.7
All	1,795	100.0	3.8

***Disposition by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	3	100.0	3.7
All	3	100.0	3.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	4	30.77	7.3
02 - Acute Care within the admitting hospital	1	7.69	2.0
07 - SN/IC at another facility	2	15.38	12
12 - Home Health Service	6	46.15	16
All	13	100.0	12

***Disposition by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	22	95.65	7.3
10 - Left Against Medical Advice	1	4.35	6.0
All	23	100.0	7.2

***Disposition by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	31	35.63	16
02 - Acute Care within the admitting hospital	16	18.39	182
05 - Acute Care at another hospital	5	5.75	178
07 - SN/IC at another facility	5	5.75	20
08 - Residential Care facility	1	1.15	33
11 - Died	21	24.14	187
12 - Home Health Service	6	6.90	25
13 - Other	2	2.30	13
All	87	100.0	98

***Gender by Patient County of Residence
for 2009
Plumas County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	775	40.34	6.3
2 - Female	1,146	59.66	9.4
All	1,921	100.0	8.2

***Gender by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	723	40.28	4.1
2 - Female	1,072	59.72	3.6
All	1,795	100.0	3.8

***Gender by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3	100.0	3.7
All	3	100.0	3.7

***Gender by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	6	46.15	13
2 - Female	7	53.85	10
All	13	100.0	12

***Gender by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	12	52.17	6.6
2 - Female	11	47.83	7.9
All	23	100.0	7.2

***Gender by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	31	35.63	56
2 - Female	56	64.37	121
All	87	100.0	98

***Expected Payer by Patient County of Residence
for 2009
Plumas County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	897	46.69	13
02 - Medi-Cal	414	21.55	5.7
03 - Private Coverage	445	23.17	3.3
04 - Workers' Compensatio	21	1.09	5.9
05 - County Indigent Prog	28	1.46	4.6
06 - Other Government	13	0.68	5.0
07 - Other Indigent	2	0.10	4.5
08 - Self-Pay	92	4.79	3.1
09 - Other Payer	9	0.47	2.2
All	1,921	100.0	8.2

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	817	45.52	4.5
02 - Medi-Cal	393	21.89	3.4
03 - Private Coverage	428	23.84	3.0
04 - Workers' Compensatio	19	1.06	5.3
05 - County Indigent Prog	26	1.45	4.1
06 - Other Government	10	0.56	4.4
07 - Other Indigent	2	0.11	4.5
08 - Self-Pay	91	5.07	3.1
09 - Other Payer	9	0.50	2.2
All	1,795	100.0	3.8

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	2	66.67	5.0
08 - Self-Pay	1	33.33	1.0
All	3	100.0	3.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	10	76.92	12
03 - Private Coverage	2	15.38	14
04 - Workers' Compensatio	1	7.69	5.0
All	13	100.0	12

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	4	17.39	5.0
02 - Medi-Cal	3	13.04	5.0
03 - Private Coverage	11	47.83	7.9
05 - County Indigent Prog	2	8.70	12
06 - Other Government	3	13.04	7.0
All	23	100.0	7.2

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	66	75.86	113
02 - Medi-Cal	18	20.69	55
03 - Private Coverage	2	2.30	24
04 - Workers' Compensatio	1	1.15	19
All	87	100.0	98

***Race Group by Patient County of Residence
for 2009
Plumas County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	25	1.30	3.3
1 - White	1,584	82.46	8.8
2 - Black	24	1.25	3.8
3 - Hispanic	208	10.83	4.5
4 - Asian/Pacific Islander	7	0.36	4.3
5 - Native American/Eskimo/Ale	36	1.87	4.5
6 - Other	37	1.93	11
All	1,921	100.0	8.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	23	1.28	3.0
1 - White	1,491	83.06	3.9
2 - Black	22	1.23	2.5
3 - Hispanic	183	10.19	3.4
4 - Asian/Pacific Islander	7	0.39	4.3
5 - Native American/Eskimo/Ale	33	1.84	3.8
6 - Other	36	2.01	3.6
All	1,795	100.0	3.8

***Race Group by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	33.33	5.0
1 - White	2	66.67	3.0
All	3	100.0	3.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	12	92.31	11
5 - Native American/Eskimo/Ale	1	7.69	20
All	13	100.0	12

***Race Group by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	4.35	9.0
1 - White	20	86.96	7.1
5 - Native American/Eskimo/Ale	2	8.70	8.0
All	23	100.0	7.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	59	67.82	134
2 - Black	2	2.30	18
3 - Hispanic	25	28.74	13
6 - Other	1	1.15	284
All	87	100.0	98

**Source of Admission by Patient County of Residence
for 2009
Plumas County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,582	82.35	5.7
3 - Ambulatory Surgery	8	0.42	5.1
4 - Skilled Nursing/Intermedia	49	2.55	6.7
5 - Acute Inpatient Hospital C	107	5.57	27
6 - Other Inpatient Hospital C	11	0.57	197
7 - Newborn (born in admitting	145	7.55	1.7
8 - Prison/Jail	1	0.05	3.0
9 - Other	18	0.94	58
All	1,921	100.0	8.2

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,542	85.91	3.5
3 - Ambulatory Surgery	8	0.45	5.1
4 - Skilled Nursing/Intermedia	48	2.67	6.5
5 - Acute Inpatient Hospital C	34	1.89	11
6 - Other Inpatient Hospital C	4	0.22	11
7 - Newborn (born in admitting	145	8.08	1.7
8 - Prison/Jail	1	0.06	3.0
9 - Other	13	0.72	28
All	1,795	100.0	3.8

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	100.0	3.7
All	3	100.0	3.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	13	100.0	12
All	13	100.0	12

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	21	91.30	6.8
6 - Other Inpatient Hospital C	1	4.35	19
9 - Other	1	4.35	4.0
All	23	100.0	7.2

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	16	18.39	211
4 - Skilled Nursing/Intermedia	1	1.15	13
5 - Acute Inpatient Hospital C	60	68.97	39
6 - Other Inpatient Hospital C	6	6.90	350
9 - Other	4	4.60	169
All	87	100.0	98

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.05	192
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.05	15
007	LUNG TRANSPLANT	1	0.05	9.0
009	BONE MARROW TRANSPLANT	1	0.05	62
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.05	3.0
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	5	0.26	8.4
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	5	0.26	2.6
038	EXTRACRANIAL PROCEDURES WITH CC	1	0.05	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.05	3.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.05	2.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.05	2.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.05	28
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	15	0.78	151
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	7	0.36	6.4
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	7	0.36	3.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	5	0.26	2.6
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.05	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	3	0.16	5.0
069	TRANSIENT ISCHEMIA	4	0.21	106
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.05	15
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.05	1.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Plumas County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.05	941
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.21	3.3
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.05	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.05	3.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.05	1.0
088	CONCUSSION WITH MCC	1	0.05	2.0
090	CONCUSSION WITHOUT CC/MCC	3	0.16	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.16	2.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.05	1.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.05	3.0
101	SEIZURES WITHOUT MCC	11	0.57	33
103	HEADACHES WITHOUT MCC	6	0.31	1.7
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.05	4.0
123	NEUROLOGICAL EYE DISORDERS	1	0.05	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.05	2.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.05	1.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.05	.00
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	6	0.31	2.2
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.05	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.05	3.0
139	SALIVARY GLAND PROCEDURES	1	0.05	1.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.05	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	2	0.10	3.5
151	EPISTAXIS WITHOUT MCC	3	0.16	2.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	5	0.26	2.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.05	1.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.10	4.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.05	1.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.10	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	2	0.10	12
164	MAJOR CHEST PROCEDURES WITH CC	2	0.10	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	5	0.26	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	2	0.10	5.0
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.10	5.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.10	2.5
175	PULMONARY EMBOLISM WITH MCC	1	0.05	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	7	0.36	5.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.05	7.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	7	0.36	5.6
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	1	0.05	8.0
183	MAJOR CHEST TRAUMA WITH MCC	1	0.05	4.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.05	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.05	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	16	0.83	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	15	0.78	6.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	11	0.57	4.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	33	1.72	4.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	9	0.47	4.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	46	2.39	4.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	42	2.19	3.2
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.05	3.0
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.05	1.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	6	0.31	4.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	13	0.68	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	3	0.16	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	2	0.10	4.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	6	0.31	8.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	2	0.10	42
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3	0.16	4.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.05	20
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	1	0.05	7.0
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	1	0.05	5.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	1	0.05	3.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.05	4.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	2	0.10	7.0
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	1	0.05	17

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	3	0.16	11
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.05	4.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	2	0.10	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1	0.05	138
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1	0.05	5.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.10	10
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	4	0.21	2.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	4	0.21	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	4	0.21	1.5
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.05	4.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	2	0.10	1.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	2	0.10	1.0
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.05	8.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	2	0.10	1.5
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.05	7.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.16	18
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.05	6.0
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	3	0.16	1.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	6	0.31	1.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.05	7.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	2	0.10	1.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	3	0.16	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.05	15
291	HEART FAILURE & SHOCK WITH MCC	15	0.78	6.8
292	HEART FAILURE & SHOCK WITH CC	26	1.35	27
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	17	0.88	3.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.05	10
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.26	3.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	14	0.73	5.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	8	0.42	3.0
302	ATHEROSCLEROSIS WITH MCC	1	0.05	3.0
303	ATHEROSCLEROSIS WITHOUT MCC	9	0.47	1.1
305	HYPERTENSION WITHOUT MCC	4	0.21	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2	0.10	6.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	1.04	4.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	18	0.94	2.0
311	ANGINA PECTORIS	7	0.36	1.3
312	SYNCOPE & COLLAPSE	9	0.47	6.9
313	CHEST PAIN	18	0.94	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.05	3.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	4	0.21	6.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.16	5.7
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	3	0.16	14
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1	0.05	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	6	0.31	7.2
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	13	0.68	7.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.10	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.05	8.0
336	PERITONEAL ADHESIOLYSIS WITH CC	3	0.16	6.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	5	0.26	7.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.05	2.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.47	1.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.05	6.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.05	9.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.05	11
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	3	0.16	2.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.05	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.05	7.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1	0.05	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.05	9.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.05	4.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.10	3.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.10	1.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	2	0.10	1.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	2	0.10	7.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.10	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	5	0.26	2.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.16	2.3
377	G.I. HEMORRHAGE WITH MCC	2	0.10	1.0
378	G.I. HEMORRHAGE WITH CC	11	0.57	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	8	0.42	2.3
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.10	2.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.10	2.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.10	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.10	15
386	INFLAMMATORY BOWEL DISEASE WITH CC	3	0.16	4.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.36	1.9
388	G.I. OBSTRUCTION WITH MCC	3	0.16	6.3
389	G.I. OBSTRUCTION WITH CC	7	0.36	2.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	10	0.52	2.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	11	0.57	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	49	2.55	3.2
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	4	0.21	5.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.10	3.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.21	2.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.05	3.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	2	0.10	2.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.05	6.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Plumas County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.05	9.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.05	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.16	7.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.26	4.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	14	0.73	3.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	2	0.10	2.5
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	4	0.21	7.3
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.05	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	5	0.26	11
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	10	0.52	5.1
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	22	1.15	2.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	5	0.26	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	7	0.36	2.7
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	2	0.10	4.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	3	0.16	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	5	0.26	2.2
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	10	0.52	1.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.05	18
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	1	0.05	11
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	2	0.10	7.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.05	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.05	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	15	0.78	4.6
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.05	13
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	2	0.10	3.5
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.05	27
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	1	0.05	6.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	3	0.16	2.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	4	0.21	5.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	58	3.02	2.8
472	CERVICAL SPINAL FUSION WITH CC	4	0.21	3.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	5	0.26	1.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	4	0.21	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	5	0.26	3.6
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	7	0.36	2.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.05	7.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.10	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.05	2.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.16	3.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	7	0.36	3.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	5	0.26	3.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	1	0.05	3.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	3	0.16	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	16	0.83	2.1
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	1	0.05	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	2	0.10	3.0
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	4	0.21	3.0
504	FOOT PROCEDURES WITH CC	1	0.05	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.05	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1	0.05	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	5	0.26	8.4
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	5	0.26	21
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.05	1.0
540	OSTEOMYELITIS WITH CC	3	0.16	17
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.05	4.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.05	14
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.05	22
552	MEDICAL BACK PROBLEMS WITHOUT MCC	12	0.62	9.8
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.05	23
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	8	0.42	6.4
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.05	3.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.05	4.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.10	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.16	15
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.31	14
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	1	0.05	27
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	5	0.26	8.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.10	1.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.05	3.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.05	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.05	3.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	3	0.16	2.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	3	0.16	1.3
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	4	0.21	1.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	3	0.16	1.7
592	SKIN ULCERS WITH MCC	1	0.05	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.10	4.5
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.05	4.0
602	CELLULITIS WITH MCC	3	0.16	17
603	CELLULITIS WITHOUT MCC	28	1.46	3.1
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	8	0.42	2.4
638	DIABETES WITH CC	7	0.36	2.6
639	DIABETES WITHOUT CC/MCC	4	0.21	1.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4	0.21	2.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	22	1.15	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	1	0.05	5.0
644	ENDOCRINE DISORDERS WITH CC	4	0.21	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.05	4.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.16	1.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	1	0.05	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
682	RENAL FAILURE WITH MCC	3	0.16	26
683	RENAL FAILURE WITH CC	7	0.36	6.6
684	RENAL FAILURE WITHOUT CC/MCC	4	0.21	1.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.05	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	7	0.36	3.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	25	1.30	10
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	5	0.26	1.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.05	1.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	3	0.16	8.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	4	0.21	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1	0.05	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.05	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.05	4.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.05	14
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.10	2.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Plumas County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.05	5.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.16	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	6	0.31	3.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	28	1.46	1.4
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.10	1.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	2	0.10	1.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.05	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.05	6.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.16	2.3
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.10	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.05	3.0
765	CESAREAN SECTION WITH CC/MCC	12	0.62	2.8
766	CESAREAN SECTION WITHOUT CC/MCC	23	1.20	2.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	12	0.62	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	99	5.15	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.10	2.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	18	0.94	4.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1	0.05	.00
792	PREMATURITY WITHOUT MAJOR PROBLEMS	2	0.10	1.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	10	0.52	2.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	42	2.19	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
795	NORMAL NEWBORN	94	4.89	1.5
800	SPLENECTOMY WITH CC	1	0.05	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	1	0.05	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.05	1.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	5	0.26	9.4
813	COAGULATION DISORDERS	2	0.10	2.5
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.05	24
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.26	3.4
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.05	3.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.10	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.05	1.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.05	1.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.05	8.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.05	3.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	18	0.94	3.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.05	6.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.05	23
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	4	0.21	5.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.05	2.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	2	0.10	6.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	4	0.21	6.8
864	FEVER	3	0.16	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	2	0.10	3.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.05	7.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	14	0.73	9.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.47	3.9
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.05	4.0
881	DEPRESSIVE NEUROSES	2	0.10	3.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.21	63
885	PSYCHOSES	24	1.25	7.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.05	2.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	5	0.26	1.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.10	3.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	5	0.26	15
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	14	0.73	3.4
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	1	0.05	1.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	1	0.05	5.0
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	2	0.10	3.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	3	0.16	1.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.83	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	2	0.10	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.05	4.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.05	2.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.05	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.05	8.0
935	NON-EXTENSIVE BURNS	1	0.05	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.05	1.0
945	REHABILITATION WITH CC/MCC	24	1.25	99
946	REHABILITATION WITHOUT CC/MCC	9	0.47	11
947	SIGNS & SYMPTOMS WITH MCC	1	0.05	3.0
948	SIGNS & SYMPTOMS WITHOUT MCC	15	0.78	8.4
950	AFTERCARE WITHOUT CC/MCC	2	0.10	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.16	95
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.16	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.10	7.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.10	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.05	2.0
All		1,921	100.0	8.2

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.06	192
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.06	15
007	LUNG TRANSPLANT	1	0.06	9.0
009	BONE MARROW TRANSPLANT	1	0.06	62
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.06	3.0
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	5	0.28	8.4
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	5	0.28	2.6
038	EXTRACRANIAL PROCEDURES WITH CC	1	0.06	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.06	3.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.06	2.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.06	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	5	0.28	5.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	6	0.33	6.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	7	0.39	3.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	5	0.28	2.6
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.06	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	3	0.17	5.0
069	TRANSIENT ISCHEMIA	3	0.17	1.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.06	15

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.06	1.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.22	3.3
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.06	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.06	3.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.06	1.0
088	CONCUSSION WITH MCC	1	0.06	2.0
090	CONCUSSION WITHOUT CC/MCC	3	0.17	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.17	2.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.06	1.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.06	3.0
101	SEIZURES WITHOUT MCC	10	0.56	4.2
103	HEADACHES WITHOUT MCC	6	0.33	1.7
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.06	4.0
123	NEUROLOGICAL EYE DISORDERS	1	0.06	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.06	2.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.06	1.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.06	.00
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	6	0.33	2.2
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.06	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.06	3.0
139	SALIVARY GLAND PROCEDURES	1	0.06	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.06	1.0
149	DYSEQUILIBRIUM	2	0.11	3.5
151	EPISTAXIS WITHOUT MCC	3	0.17	2.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	5	0.28	2.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.06	1.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.11	4.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.06	1.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.11	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	2	0.11	12
164	MAJOR CHEST PROCEDURES WITH CC	2	0.11	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	5	0.28	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	2	0.11	5.0
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.11	5.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.11	2.5
175	PULMONARY EMBOLISM WITH MCC	1	0.06	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	7	0.39	5.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.06	7.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	7	0.39	5.6
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	1	0.06	8.0
183	MAJOR CHEST TRAUMA WITH MCC	1	0.06	4.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.06	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.06	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	16	0.89	5.1
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	13	0.72	4.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	11	0.61	4.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	32	1.78	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	8	0.45	5.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	44	2.45	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	42	2.34	3.2
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.06	3.0
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.06	1.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	6	0.33	4.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	13	0.72	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	3	0.17	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	2	0.11	4.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	4	0.22	2.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	2	0.11	42
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3	0.17	4.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.06	20
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	1	0.06	7.0
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	1	0.06	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	1	0.06	3.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.06	4.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	2	0.11	7.0
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	1	0.06	17
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	3	0.17	11
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.06	4.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	2	0.11	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1	0.06	138
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	1	0.06	5.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.11	10
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	4	0.22	2.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	4	0.22	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	4	0.22	1.5
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.06	4.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	2	0.11	1.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	2	0.11	1.0
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.06	8.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	2	0.11	1.5
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	1	0.06	7.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.17	18

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.06	6.0
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	3	0.17	1.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	6	0.33	1.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.06	7.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	2	0.11	1.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	3	0.17	1.3
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.06	15
291	HEART FAILURE & SHOCK WITH MCC	14	0.78	5.7
292	HEART FAILURE & SHOCK WITH CC	23	1.28	4.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	16	0.89	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.06	10
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.28	3.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	13	0.72	4.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	7	0.39	2.9
302	ATHEROSCLEROSIS WITH MCC	1	0.06	3.0
303	ATHEROSCLEROSIS WITHOUT MCC	9	0.50	1.1
305	HYPERTENSION WITHOUT MCC	4	0.22	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2	0.11	6.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	20	1.11	4.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	18	1.00	2.0
311	ANGINA PECTORIS	7	0.39	1.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
312	SYNCOPE & COLLAPSE	8	0.45	2.3
313	CHEST PAIN	18	1.00	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.06	3.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	3	0.17	4.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.17	5.7
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	3	0.17	14
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	1	0.06	1.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	6	0.33	7.2
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	13	0.72	7.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.11	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.06	8.0
336	PERITONEAL ADHESIOLYSIS WITH CC	3	0.17	6.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	5	0.28	7.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.06	2.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.50	1.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.06	6.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.06	9.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.06	11
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	3	0.17	2.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.06	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.06	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	1	0.06	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.06	9.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.06	4.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.11	3.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.11	1.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	2	0.11	1.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	2	0.11	7.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.11	4.0
375	DIGESTIVE MALIGNANCY WITH CC	5	0.28	2.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.11	3.5
377	G.I. HEMORRHAGE WITH MCC	2	0.11	1.0
378	G.I. HEMORRHAGE WITH CC	10	0.56	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	8	0.45	2.3
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.11	2.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.11	2.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.11	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.11	15
386	INFLAMMATORY BOWEL DISEASE WITH CC	3	0.17	4.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.39	1.9
388	G.I. OBSTRUCTION WITH MCC	3	0.17	6.3
389	G.I. OBSTRUCTION WITH CC	7	0.39	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	10	0.56	2.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	11	0.61	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	48	2.67	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	4	0.22	5.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.11	3.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.22	2.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.06	3.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	2	0.11	2.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.06	6.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.06	9.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.06	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.17	7.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.28	4.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	14	0.78	3.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	2	0.11	2.5
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	4	0.22	7.3
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.06	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	5	0.28	11
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	10	0.56	5.1
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	22	1.23	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	5	0.28	4.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	7	0.39	2.7
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	0.06	3.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	2	0.11	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	5	0.28	2.2
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	10	0.56	1.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.06	18
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	1	0.06	11
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	2	0.11	7.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.06	7.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.06	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	15	0.84	4.6
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.06	13
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	2	0.11	3.5
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.06	27
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	1	0.06	6.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	3	0.17	2.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	4	0.22	5.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	58	3.23	2.8
472	CERVICAL SPINAL FUSION WITH CC	4	0.22	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	5	0.28	1.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	4	0.22	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	5	0.28	3.6
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	7	0.39	2.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.06	7.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.11	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.06	2.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.17	3.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	7	0.39	3.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	5	0.28	3.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	1	0.06	3.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	3	0.17	3.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	16	0.89	2.1
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	1	0.06	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	2	0.11	3.0
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	4	0.22	3.0
504	FOOT PROCEDURES WITH CC	1	0.06	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.06	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	1	0.06	1.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	4	0.22	9.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	3	0.17	5.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.06	1.0
540	OSTEOMYELITIS WITH CC	2	0.11	5.0
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.06	4.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.06	14
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.06	22
552	MEDICAL BACK PROBLEMS WITHOUT MCC	11	0.61	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.06	23
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	7	0.39	3.4
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.06	3.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.06	4.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.06	23
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.06	5.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.11	2.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	1	0.06	27
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	4	0.22	3.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.11	1.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.06	3.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.06	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	1	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	3	0.17	2.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	3	0.17	1.3
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	4	0.22	1.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	3	0.17	1.7
592	SKIN ULCERS WITH MCC	1	0.06	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.11	4.5
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.06	4.0
602	CELLULITIS WITH MCC	3	0.17	17
603	CELLULITIS WITHOUT MCC	28	1.56	3.1
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	8	0.45	2.4
638	DIABETES WITH CC	7	0.39	2.6
639	DIABETES WITHOUT CC/MCC	4	0.22	1.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4	0.22	2.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	21	1.17	3.1
642	INBORN ERRORS OF METABOLISM	1	0.06	5.0
644	ENDOCRINE DISORDERS WITH CC	4	0.22	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.06	4.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.17	1.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	1	0.06	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
682	RENAL FAILURE WITH MCC	3	0.17	26

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
683	RENAL FAILURE WITH CC	6	0.33	5.2
684	RENAL FAILURE WITHOUT CC/MCC	4	0.22	1.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.06	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	7	0.39	3.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	24	1.34	3.9
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	5	0.28	1.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.06	1.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	2	0.11	5.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	4	0.22	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	1	0.06	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.06	4.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	14
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.11	2.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.06	5.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.17	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	6	0.33	3.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	28	1.56	1.4
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.11	1.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.06	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	2	0.11	1.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.06	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	6.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.17	2.3
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.11	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.06	3.0
765	CESAREAN SECTION WITH CC/MCC	12	0.67	2.8
766	CESAREAN SECTION WITHOUT CC/MCC	23	1.28	2.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	12	0.67	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	99	5.52	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.11	2.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	18	1.00	4.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	1	0.06	.00
792	PREMATURITY WITHOUT MAJOR PROBLEMS	2	0.11	1.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	10	0.56	2.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	42	2.34	2.1
795	NORMAL NEWBORN	94	5.24	1.5
800	SPLENECTOMY WITH CC	1	0.06	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	1	0.06	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.06	1.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	4	0.22	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	2	0.11	2.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.28	3.4
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.06	3.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.11	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	1.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	1.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.06	8.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.06	3.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	18	1.00	3.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.06	6.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.06	23
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	4	0.22	5.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	2.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	2	0.11	6.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	4	0.22	6.8
864	FEVER	3	0.17	3.3
866	VIRAL ILLNESS WITHOUT MCC	2	0.11	3.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.06	7.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	14	0.78	9.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.50	3.9
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.06	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.11	6.0
885	PSYCHOSES	3	0.17	2.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.06	2.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	5	0.28	1.6
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	4	0.22	7.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	13	0.72	3.3
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	1	0.06	1.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	1	0.06	5.0
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	2	0.11	3.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	3	0.17	1.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.89	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	2	0.11	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.06	4.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.06	2.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.06	1.0
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.06	8.0
935	NON-EXTENSIVE BURNS	1	0.06	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.06	1.0
946	REHABILITATION WITHOUT CC/MCC	1	0.06	9.0
947	SIGNS & SYMPTOMS WITH MCC	1	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	10	0.56	3.4
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.11	1.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.17	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.11	7.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.11	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.06	2.0
All		1,795	100.0	3.8

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	66.67	3.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	33.33	5.0
All		3	100.0	3.7

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	10	76.92	12
946	REHABILITATION WITHOUT CC/MCC	3	23.08	9.0
All		13	100.0	12

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	2	8.70	3.5
885	PSYCHOSES	21	91.30	7.6
All		23	100.0	7.2

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	1.15	28
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	10	11.49	225
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	1.15	6.0
069	TRANSIENT ISCHEMIA	1	1.15	418
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	1.15	941
101	SEIZURES WITHOUT MCC	1	1.15	326
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	2	2.30	18
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	1.15	25
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	1.15	.00
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	2.30	13
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	2	2.30	21
291	HEART FAILURE & SHOCK WITH MCC	1	1.15	22
292	HEART FAILURE & SHOCK WITH CC	3	3.45	198
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	1.15	9.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	1.15	10
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	1.15	4.0
312	SYNCOPE & COLLAPSE	1	1.15	44
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	1.15	15
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	1.15	61
378	G.I. HEMORRHAGE WITH CC	1	1.15	2.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	1.15	19

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	1.15	5.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	1.15	4.0
535	FRACTURES OF HIP & PELVIS WITH MCC	1	1.15	3.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	2	2.30	44
540	OSTEOMYELITIS WITH CC	1	1.15	41
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	1.15	85
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	1.15	27
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	1.15	1.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	2.30	21
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	4.60	19
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	1.15	29
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	1.15	7.0
683	RENAL FAILURE WITH CC	1	1.15	15
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	1.15	163
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	1.15	15
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	1.15	33
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	1.15	24
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	2.30	119
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	1.15	44
945	REHABILITATION WITH CC/MCC	14	16.09	161
946	REHABILITATION WITHOUT CC/MCC	5	5.75	12

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	5	5.75	18
950	AFTERCARE WITHOUT CC/MCC	2	2.30	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	1.15	284
All		87	100.0	98

**MDC by Patient County of Residence
for 2009
Plumas County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	96	5.00	44
02	EYE, DISEASES & DISORDERS	3	0.16	2.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	29	1.51	2.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	246	12.81	4.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	241	12.55	7.2
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	203	10.57	5.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	105	5.47	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	228	11.87	5.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	58	3.02	3.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	43	2.24	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	66	3.44	7.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	7	0.36	3.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	51	2.65	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	166	8.64	2.2
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	149	7.76	1.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	17	0.88	9.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	25	1.30	3.2
18	INFECTIOUS & PARASITIC DISEASES	42	2.19	6.7
19	MENTAL DISEASES & DISORDERS	32	1.67	13
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	26	1.35	5.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	28	1.46	2.3
22	BURNS	2	0.10	9.5

(Continued)

*MDC by Patient County of Residence
for 2009
Plumas County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	55	2.86	53
24	MULTIPLE SIGNFICANT TRAUMA	3	0.16	6.3
All		1,921	100.0	8.2

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	81	4.51	3.7
02	EYE, DISEASES & DISORDERS	3	0.17	2.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	29	1.62	2.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	238	13.26	4.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	232	12.92	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	200	11.14	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	103	5.74	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	214	11.92	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	58	3.23	3.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	42	2.34	3.2
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	63	3.51	4.4
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	7	0.39	3.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	51	2.84	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	166	9.25	2.2
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	149	8.30	1.7
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	15	0.84	7.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	25	1.39	3.2
18	INFECTIOUS & PARASITIC DISEASES	42	2.34	6.7
19	MENTAL DISEASES & DISORDERS	7	0.39	3.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	22	1.23	3.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	28	1.56	2.3

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	2	0.11	9.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	15	0.84	3.3
24	MULTIPLE SIGNFICANT TRAUMA	3	0.17	6.3
All		1,795	100.0	3.8

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3	100.0	3.7
All		3	100.0	3.7

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	13	100.0	12
All		13	100.0	12

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	23	100.0	7.2
All		23	100.0	7.2

***MDC by Patient County of Residence
and Type of Care for 2009
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	15	17.24	264
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	8	9.20	16
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	9	10.34	78
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3	3.45	27
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	2.30	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	14	16.09	28
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	1.15	7.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	3	3.45	64
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	2	2.30	29
19	MENTAL DISEASES & DISORDERS	2	2.30	119
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	1.15	44
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	27	31.03	101
All		87	100.0	98