

**Type of Care by Patient County of Residence
for 2009
Riverside County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	214,602	93.51	4.0
Chemical Dependency Recovery Care	1,275	0.56	8.0
Physical Rehabilitation Care	1,016	0.44	17
Psychiatric Care	10,991	4.79	6.6
Skilled Nursing/Intermediate Care	1,603	0.70	17
All	229,487	100.0	4.3

***Disposition by Patient County of Residence
for 2009
Riverside County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	11	0.01	11
01 - Routine (Home)	168,255	78.40	3.1
02 - Acute Care within the admitting hospital	21	0.01	17
03 - Other Care with the admitting hospital	605	0.28	10
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1,351	0.63	5.9
05 - Acute Care at another hospital	5,297	2.47	5.0
06 - Other Care (not SN/IC) at another hospital	1,875	0.87	9.5
07 - SN/IC at another facility	16,298	7.59	7.8
08 - Residential Care facility	840	0.39	5.9
09 - Prison/Jail	1,369	0.64	6.2
10 - Left Against Medical Advice	1,947	0.91	2.6
11 - Died	3,831	1.79	10
12 - Home Health Service	12,439	5.80	7.0
13 - Other	463	0.22	6.0
All	214,602	100.0	4.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,065	83.53	8.6
02 - Acute Care within the admitting hospital	10	0.78	3.3
03 - Other Care with the admitting hospital	28	2.20	5.6
05 - Acute Care at another hospital	6	0.47	5.5
06 - Other Care (not SN/IC) at another hospital	9	0.71	2.3
08 - Residential Care facility	32	2.51	10
10 - Left Against Medical Advice	114	8.94	3.1
12 - Home Health Service	2	0.16	4.0
13 - Other	9	0.71	3.0
All	1,275	100.0	8.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	404	39.76	17
02 - Acute Care within the admitting hospital	53	5.22	20
03 - Other Care with the admitting hospital	4	0.39	27
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.10	27
05 - Acute Care at another hospital	65	6.40	12
06 - Other Care (not SN/IC) at another hospital	9	0.89	32
07 - SN/IC at another facility	109	10.73	19
08 - Residential Care facility	9	0.89	33
09 - Prison/Jail	1	0.10	9.0
10 - Left Against Medical Advice	12	1.18	4.5
11 - Died	2	0.20	3.5
12 - Home Health Service	346	34.06	17
13 - Other	1	0.10	2.0
All	1,016	100.0	17

***Disposition by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	1.0
01 - Routine (Home)	9,137	83.13	6.2
02 - Acute Care within the admitting hospital	89	0.81	7.1
03 - Other Care with the admitting hospital	25	0.23	3.0
05 - Acute Care at another hospital	171	1.56	4.0
06 - Other Care (not SN/IC) at another hospital	96	0.87	8.7
07 - SN/IC at another facility	198	1.80	22
08 - Residential Care facility	942	8.57	7.7
09 - Prison/Jail	56	0.51	5.3
10 - Left Against Medical Advice	214	1.95	4.2
12 - Home Health Service	21	0.19	8.6
13 - Other	41	0.37	5.4
All	10,991	100.0	6.6

***Disposition by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	679	42.36	12
02 - Acute Care within the admitting hospital	148	9.23	33
03 - Other Care with the admitting hospital	7	0.44	43
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	11	0.69	11
05 - Acute Care at another hospital	46	2.87	40
06 - Other Care (not SN/IC) at another hospital	4	0.25	83
07 - SN/IC at another facility	221	13.79	9.9
08 - Residential Care facility	18	1.12	18
10 - Left Against Medical Advice	14	0.87	28
11 - Died	73	4.55	58
12 - Home Health Service	358	22.33	11
13 - Other	24	1.50	6.4
All	1,603	100.0	17

***Gender by Patient County of Residence
for 2009
Riverside County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	94,097	41.00	4.8
2 - Female	135,377	58.99	3.9
3 - Other	2	0.00	5.0
4 - Unknown	11	0.00	4.6
All	229,487	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	86,651	40.38	4.5
2 - Female	127,938	59.62	3.7
3 - Other	2	0.00	5.0
4 - Unknown	11	0.01	4.6
All	214,602	100.0	4.0

***Gender by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	705	55.29	7.9
2 - Female	570	44.71	8.1
All	1,275	100.0	8.0

***Gender by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	559	55.02	18
2 - Female	457	44.98	16
All	1,016	100.0	17

***Gender by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,431	49.41	6.7
2 - Female	5,560	50.59	6.5
All	10,991	100.0	6.6

***Gender by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	751	46.85	18
2 - Female	852	53.15	16
All	1,603	100.0	17

***Expected Payer by Patient County of Residence
for 2009
Riverside County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	16	0.01	5.9
01 - Medicare	71,488	31.15	5.2
02 - Medi-Cal	56,975	24.83	4.1
03 - Private Coverage	81,113	35.35	3.5
04 - Workers' Compensatio	1,457	0.63	4.2
05 - County Indigent Prog	3,367	1.47	4.7
06 - Other Government	4,940	2.15	5.7
07 - Other Indigent	1,074	0.47	4.5
08 - Self-Pay	8,786	3.83	4.2
09 - Other Payer	271	0.12	6.9
All	229,487	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	13	0.01	6.1
01 - Medicare	67,239	31.33	4.9
02 - Medi-Cal	53,934	25.13	3.8
03 - Private Coverage	76,618	35.70	3.3
04 - Workers' Compensatio	1,368	0.64	3.6
05 - County Indigent Prog	2,587	1.21	4.4
06 - Other Government	4,700	2.19	5.6
07 - Other Indigent	1,052	0.49	4.2
08 - Self-Pay	6,901	3.22	3.8
09 - Other Payer	190	0.09	4.8
All	214,602	100.0	4.0

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	300	23.53	6.5
02 - Medi-Cal	9	0.71	3.0
03 - Private Coverage	771	60.47	6.1
04 - Workers' Compensatio	5	0.39	10
06 - Other Government	33	2.59	12
08 - Self-Pay	135	10.59	19
09 - Other Payer	22	1.73	20
All	1,275	100.0	8.0

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	497	48.92	15
02 - Medi-Cal	186	18.31	22
03 - Private Coverage	264	25.98	18
04 - Workers' Compensatio	45	4.43	19
05 - County Indigent Prog	1	0.10	47
06 - Other Government	20	1.97	17
07 - Other Indigent	1	0.10	14
08 - Self-Pay	2	0.20	22
All	1,016	100.0	17

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.03	5.0
01 - Medicare	2,231	20.30	11
02 - Medi-Cal	2,753	25.05	5.4
03 - Private Coverage	3,203	29.14	5.9
04 - Workers' Compensatio	32	0.29	8.1
05 - County Indigent Prog	779	7.09	5.6
06 - Other Government	185	1.68	6.9
07 - Other Indigent	9	0.08	6.2
08 - Self-Pay	1,740	15.83	4.7
09 - Other Payer	56	0.51	8.7
All	10,991	100.0	6.6

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,221	76.17	10
02 - Medi-Cal	93	5.80	116
03 - Private Coverage	257	16.03	9.8
04 - Workers' Compensatio	7	0.44	4.3
06 - Other Government	2	0.12	71
07 - Other Indigent	12	0.75	28
08 - Self-Pay	8	0.50	13
09 - Other Payer	3	0.19	14
All	1,603	100.0	17

***Race Group by Patient County of Residence
for 2009
Riverside County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2,627	1.14	4.8
1 - White	116,082	50.58	4.5
2 - Black	16,434	7.16	4.9
3 - Hispanic	82,360	35.89	4.0
4 - Asian/Pacific Islander	6,320	2.75	4.2
5 - Native American/Eskimo/Ale	513	0.22	5.0
6 - Other	5,151	2.24	4.1
All	229,487	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2,339	1.09	4.1
1 - White	107,681	50.18	4.1
2 - Black	14,897	6.94	4.6
3 - Hispanic	78,199	36.44	3.7
4 - Asian/Pacific Islander	6,113	2.85	3.9
5 - Native American/Eskimo/Ale	473	0.22	4.0
6 - Other	4,900	2.28	3.8
All	214,602	100.0	4.0

***Race Group by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	77	6.04	11
1 - White	904	70.90	7.9
2 - Black	40	3.14	5.1
3 - Hispanic	222	17.41	8.0
4 - Asian/Pacific Islander	4	0.31	3.0
5 - Native American/Eskimo/Ale	9	0.71	10
6 - Other	19	1.49	4.1
All	1,275	100.0	8.0

***Race Group by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	24	2.36	16
1 - White	643	63.29	16
2 - Black	93	9.15	17
3 - Hispanic	197	19.39	19
4 - Asian/Pacific Islander	33	3.25	17
5 - Native American/Eskimo/Ale	3	0.30	121
6 - Other	23	2.26	18
All	1,016	100.0	17

***Race Group by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	176	1.60	7.9
1 - White	5,572	50.70	7.1
2 - Black	1,339	12.18	6.7
3 - Hispanic	3,531	32.13	5.7
4 - Asian/Pacific Islander	150	1.36	6.3
5 - Native American/Eskimo/Ale	26	0.24	8.4
6 - Other	197	1.79	7.3
All	10,991	100.0	6.6

***Race Group by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	11	0.69	15
1 - White	1,282	79.98	13
2 - Black	65	4.05	16
3 - Hispanic	211	13.16	32
4 - Asian/Pacific Islander	20	1.25	59
5 - Native American/Eskimo/Ale	2	0.12	3.0
6 - Other	12	0.75	15
All	1,603	100.0	17

**Source of Admission by Patient County of Residence
for 2009
Riverside County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	35	0.02	7.2
1 - Home	178,660	77.85	4.0
2 - Residential Care Facility	1,239	0.54	6.5
3 - Ambulatory Surgery	2,079	0.91	2.7
4 - Skilled Nursing/Intermedia	3,290	1.43	8.3
5 - Acute Inpatient Hospital C	8,448	3.68	13
6 - Other Inpatient Hospital C	1,123	0.49	8.9
7 - Newborn (born in admitting	30,761	13.40	2.9
8 - Prison/Jail	1,380	0.60	6.3
9 - Other	2,472	1.08	4.9
All	229,487	100.0	4.3

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	35	0.02	7.2
1 - Home	168,197	78.38	3.9
2 - Residential Care Facility	822	0.38	5.1
3 - Ambulatory Surgery	2,078	0.97	2.7
4 - Skilled Nursing/Intermedia	3,117	1.45	7.6
5 - Acute Inpatient Hospital C	5,373	2.50	12
6 - Other Inpatient Hospital C	680	0.32	7.3
7 - Newborn (born in admitting	30,761	14.33	2.9
8 - Prison/Jail	1,341	0.62	6.4
9 - Other	2,198	1.02	4.8
All	214,602	100.0	4.0

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,235	96.86	8.1
2 - Residential Care Facility	11	0.86	6.7
4 - Skilled Nursing/Intermedia	1	0.08	3.0
5 - Acute Inpatient Hospital C	19	1.49	4.3
6 - Other Inpatient Hospital C	3	0.24	7.3
9 - Other	6	0.47	3.7
All	1,275	100.0	8.0

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	65	6.40	17
2 - Residential Care Facility	1	0.10	82
4 - Skilled Nursing/Intermedia	25	2.46	21
5 - Acute Inpatient Hospital C	870	85.63	17
6 - Other Inpatient Hospital C	49	4.82	16
9 - Other	6	0.59	22
All	1,016	100.0	17

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	9,027	82.13	6.4
2 - Residential Care Facility	403	3.67	9.2
4 - Skilled Nursing/Intermedia	130	1.18	11
5 - Acute Inpatient Hospital C	784	7.13	7.1
6 - Other Inpatient Hospital C	346	3.15	7.9
8 - Prison/Jail	39	0.35	5.3
9 - Other	262	2.38	5.8
All	10,991	100.0	6.6

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	136	8.48	7.3
2 - Residential Care Facility	2	0.12	2.0
3 - Ambulatory Surgery	1	0.06	2.0
4 - Skilled Nursing/Intermedia	17	1.06	94
5 - Acute Inpatient Hospital C	1,402	87.46	16
6 - Other Inpatient Hospital C	45	2.81	33
All	1,603	100.0	17

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	15	0.01	34
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	7	0.00	15
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	306	0.13	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	334	0.15	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	22	0.01	37
006	LIVER TRANSPLANT WITHOUT MCC	4	0.00	19
007	LUNG TRANSPLANT	5	0.00	13
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.00	7.5
009	BONE MARROW TRANSPLANT	91	0.04	37
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	22	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	23	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	17	0.01	7.1
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	31	0.01	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	14	0.01	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	11	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	51	0.02	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	31	0.01	9.9
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	149	0.06	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	197	0.09	8.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	271	0.12	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	24	0.01	12
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	64	0.03	7.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	94	0.04	3.5
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	37	0.02	17
032	VENTRICULAR SHUNT PROCEDURES WITH CC	62	0.03	4.6
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	54	0.02	3.2
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	9	0.00	5.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	13	0.01	5.1
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	53	0.02	1.7
037	EXTRACRANIAL PROCEDURES WITH MCC	34	0.01	8.6
038	EXTRACRANIAL PROCEDURES WITH CC	68	0.03	3.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	348	0.15	1.8
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	69	0.03	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	80	0.03	5.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	83	0.04	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	31	0.01	28
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	19	0.01	2.7
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	78	0.03	7.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	166	0.07	4.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	81	0.04	19
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	383	0.17	5.6
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.00	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	25	0.01	5.3
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	41	0.02	3.6
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.00	7.7
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	24	0.01	6.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	11	0.00	2.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	612	0.27	7.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1,052	0.46	5.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	912	0.40	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	16	0.01	9.2
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	91	0.04	2.6
069	TRANSIENT ISCHEMIA	854	0.37	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	83	0.04	7.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	56	0.02	4.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	70	0.03	3.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	132	0.06	6.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	358	0.16	3.9
075	VIRAL MENINGITIS WITH CC/MCC	50	0.02	5.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	99	0.04	2.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	8	0.00	6.1
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	7	0.00	5.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	7	0.00	2.1
080	NONTRAUMATIC STUPOR & COMA WITH MCC	94	0.04	5.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	333	0.15	3.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	41	0.02	9.2
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	32	0.01	6.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	72	0.03	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	100	0.04	7.6
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	137	0.06	5.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	305	0.13	4.5
088	CONCUSSION WITH MCC	16	0.01	3.1
089	CONCUSSION WITH CC	41	0.02	2.2
090	CONCUSSION WITHOUT CC/MCC	162	0.07	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	108	0.05	9.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	228	0.10	8.4
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	226	0.10	3.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	39	0.02	30
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	24	0.01	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	34	0.01	7.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	26	0.01	19
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	40	0.02	10
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	27	0.01	5.2
100	SEIZURES WITH MCC	282	0.12	6.2
101	SEIZURES WITHOUT MCC	1,093	0.48	2.8
102	HEADACHES WITH MCC	27	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
103	HEADACHES WITHOUT MCC	382	0.17	2.4
113	ORBITAL PROCEDURES WITH CC/MCC	14	0.01	5.4
114	ORBITAL PROCEDURES WITHOUT CC/MCC	18	0.01	2.9
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	31	0.01	3.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	22	0.01	4.9
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	28	0.01	2.2
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	16	0.01	5.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	36	0.02	3.2
123	NEUROLOGICAL EYE DISORDERS	51	0.02	3.1
124	OTHER DISORDERS OF THE EYE WITH MCC	14	0.01	4.3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	120	0.05	2.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	31	0.01	5.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	34	0.01	2.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.02	5.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	196	0.09	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	99	0.04	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	325	0.14	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	12	0.01	4.4
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	9	0.00	1.2
137	MOUTH PROCEDURES WITH CC/MCC	5	0.00	4.8
138	MOUTH PROCEDURES WITHOUT CC/MCC	17	0.01	2.2
139	SALIVARY GLAND PROCEDURES	43	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	9	0.00	13
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	12	0.01	4.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	8	0.00	4.0
149	DYSEQUILIBRIUM	293	0.13	2.0
150	EPISTAXIS WITH MCC	6	0.00	5.5
151	EPISTAXIS WITHOUT MCC	57	0.02	2.1
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	90	0.04	4.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	648	0.28	2.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	29	0.01	5.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	62	0.03	4.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	109	0.05	2.5
157	DENTAL & ORAL DISEASES WITH MCC	25	0.01	7.1
158	DENTAL & ORAL DISEASES WITH CC	73	0.03	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	62	0.03	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	176	0.08	15
164	MAJOR CHEST PROCEDURES WITH CC	185	0.08	7.2
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	170	0.07	4.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	157	0.07	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	129	0.06	7.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	53	0.02	4.2
175	PULMONARY EMBOLISM WITH MCC	153	0.07	7.1
176	PULMONARY EMBOLISM WITHOUT MCC	444	0.19	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	438	0.19	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	381	0.17	7.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	171	0.07	5.8
180	RESPIRATORY NEOPLASMS WITH MCC	200	0.09	8.3
181	RESPIRATORY NEOPLASMS WITH CC	274	0.12	4.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	49	0.02	4.2
183	MAJOR CHEST TRAUMA WITH MCC	37	0.02	6.7
184	MAJOR CHEST TRAUMA WITH CC	60	0.03	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	18	0.01	2.1
186	PLEURAL EFFUSION WITH MCC	116	0.05	6.8
187	PLEURAL EFFUSION WITH CC	122	0.05	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	58	0.03	2.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	738	0.32	9.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	989	0.43	5.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	845	0.37	4.2
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1,321	0.58	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1,058	0.46	6.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2,214	0.96	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1,779	0.78	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	53	0.02	7.8
197	INTERSTITIAL LUNG DISEASE WITH CC	60	0.03	5.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	49	0.02	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
199	PNEUMOTHORAX WITH MCC	46	0.02	9.1
200	PNEUMOTHORAX WITH CC	129	0.06	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	116	0.05	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	695	0.30	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,557	0.68	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	441	0.19	3.4
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	93	0.04	5.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	349	0.15	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	678	0.30	28
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	847	0.37	6.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	2	0.00	5.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	121	0.05	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	94	0.04	9.8
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	19	0.01	8.2
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	124	0.05	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	149	0.06	7.4
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	84	0.04	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	20	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	38	0.02	5.1
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	26	0.01	9.9
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	48	0.02	4.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	79	0.03	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	306	0.13	1.9
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	56	0.02	13
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	55	0.02	5.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	51	0.02	3.6
231	CORONARY BYPASS WITH PTCA WITH MCC	23	0.01	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	23	0.01	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	144	0.06	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	359	0.16	7.6
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	56	0.02	9.5
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	222	0.10	6.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	204	0.09	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	307	0.13	4.2
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	79	0.03	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	92	0.04	7.9
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	16	0.01	7.6
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	170	0.07	7.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	276	0.12	4.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	501	0.22	2.6
245	AICD GENERATOR PROCEDURES	50	0.02	2.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	465	0.20	4.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,891	0.82	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	109	0.05	5.2

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Riverside County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	376	0.16	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	61	0.03	6.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	522	0.23	1.9
252	OTHER VASCULAR PROCEDURES WITH MCC	294	0.13	8.2
253	OTHER VASCULAR PROCEDURES WITH CC	265	0.12	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	323	0.14	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	30	0.01	9.8
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	52	0.02	7.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	6	0.00	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	12	0.01	4.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	54	0.02	2.7
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	25	0.01	7.6
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	33	0.01	3.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	30	0.01	2.5
263	VEIN LIGATION & STRIPPING	18	0.01	4.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	211	0.09	9.0
265	AICD LEAD PROCEDURES	14	0.01	3.2
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	729	0.32	6.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	479	0.21	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	782	0.34	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	126	0.05	5.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	26	0.01	2.1

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Riverside County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	19	0.01	1.4
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	292	0.13	6.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	1,352	0.59	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	21	0.01	9.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	9	0.00	7.9
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.00	5.0
291	HEART FAILURE & SHOCK WITH MCC	1,635	0.71	5.5
292	HEART FAILURE & SHOCK WITH CC	1,428	0.62	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1,133	0.49	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	11	0.00	7.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.00	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	22	0.01	4.2
297	CARDIAC ARREST, UNEXPLAINED WITH CC	7	0.00	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	4	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	275	0.12	6.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	398	0.17	4.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	340	0.15	3.0
302	ATHEROSCLEROSIS WITH MCC	110	0.05	3.7
303	ATHEROSCLEROSIS WITHOUT MCC	905	0.39	2.4
304	HYPERTENSION WITH MCC	42	0.02	4.6
305	HYPERTENSION WITHOUT MCC	383	0.17	2.8
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	42	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	104	0.05	3.4
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	495	0.22	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	851	0.37	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1,787	0.78	2.1
311	ANGINA PECTORIS	614	0.27	2.2
312	SYNCOPE & COLLAPSE	1,677	0.73	2.4
313	CHEST PAIN	5,648	2.46	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	619	0.27	7.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	333	0.15	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	203	0.09	2.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	147	0.06	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	164	0.07	8.3
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	257	0.11	3.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	497	0.22	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	801	0.35	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	527	0.23	5.1
332	RECTAL RESECTION WITH MCC	16	0.01	16
333	RECTAL RESECTION WITH CC	92	0.04	7.1
334	RECTAL RESECTION WITHOUT CC/MCC	52	0.02	5.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	57	0.02	13
336	PERITONEAL ADHESIOLYSIS WITH CC	165	0.07	8.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	200	0.09	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	25	0.01	9.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	117	0.05	7.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	358	0.16	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	23	0.01	4.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	125	0.05	3.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,756	0.77	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	14	0.01	11
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	59	0.03	5.2
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	62	0.03	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	13	0.01	14
348	ANAL & STOMAL PROCEDURES WITH CC	62	0.03	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	126	0.05	2.4
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	14	0.01	7.2
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	36	0.02	4.1
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	165	0.07	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	33	0.01	9.2
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	122	0.05	4.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	297	0.13	2.3
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	76	0.03	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	82	0.04	6.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	73	0.03	3.6
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	38	0.02	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	68	0.03	3.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	45	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	269	0.12	8.1
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	293	0.13	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	216	0.09	4.4
374	DIGESTIVE MALIGNANCY WITH MCC	111	0.05	9.0
375	DIGESTIVE MALIGNANCY WITH CC	191	0.08	5.4
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	55	0.02	4.7
377	G.I. HEMORRHAGE WITH MCC	529	0.23	5.5
378	G.I. HEMORRHAGE WITH CC	1,080	0.47	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	864	0.38	2.7
380	COMPLICATED PEPTIC ULCER WITH MCC	51	0.02	8.0
381	COMPLICATED PEPTIC ULCER WITH CC	64	0.03	4.8
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	68	0.03	3.4
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	19	0.01	4.4
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	115	0.05	3.3
385	INFLAMMATORY BOWEL DISEASE WITH MCC	41	0.02	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	157	0.07	5.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	177	0.08	5.3
388	G.I. OBSTRUCTION WITH MCC	238	0.10	6.3
389	G.I. OBSTRUCTION WITH CC	483	0.21	4.1
390	G.I. OBSTRUCTION WITHOUT CC/MCC	752	0.33	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	589	0.26	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	3,951	1.72	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	278	0.12	6.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	578	0.25	4.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	451	0.20	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	54	0.02	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	88	0.04	8.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	36	0.02	5.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	13	0.01	14
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	7.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.00	5.2
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	8	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.00	6.8
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	19	0.01	6.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	71	0.03	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	113	0.05	7.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	131	0.06	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	295	0.13	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	504	0.22	4.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1,540	0.67	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	11	0.00	14
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	22	0.01	9.2
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.00	3.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	30	0.01	18
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.00	3.5
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	3.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	346	0.15	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	209	0.09	4.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	20	0.01	4.1
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	148	0.06	6.7
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	151	0.07	4.6
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	48	0.02	3.1
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	261	0.11	8.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	490	0.21	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	709	0.31	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	375	0.16	6.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	360	0.16	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	182	0.08	3.5
444	DISORDERS OF THE BILIARY TRACT WITH MCC	190	0.08	5.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	230	0.10	3.9
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	450	0.20	2.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	24	0.01	9.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	90	0.04	5.6
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	84	0.04	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	34	0.01	15
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	45	0.02	6.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	48	0.02	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	60	0.03	9.5
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	995	0.43	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	5	0.00	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	75	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	55	0.02	30
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	85	0.04	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	60	0.03	5.9
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	37	0.02	7.2
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	134	0.06	4.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	261	0.11	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	194	0.08	8.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	4,579	2.00	3.2
471	CERVICAL SPINAL FUSION WITH MCC	33	0.01	9.5
472	CERVICAL SPINAL FUSION WITH CC	122	0.05	3.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	606	0.26	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	16	0.01	16
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	46	0.02	6.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	12	0.01	3.4
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	26	0.01	13
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	74	0.03	7.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	70	0.03	3.9
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	187	0.08	9.1
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	501	0.22	5.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	636	0.28	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	50	0.02	3.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	177	0.08	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	11	0.00	19
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	17	0.01	9.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	25	0.01	5.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	41	0.02	4.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	149	0.06	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	290	0.13	3.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	730	0.32	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	56	0.02	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	224	0.10	5.2
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	827	0.36	2.5
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	14	0.01	10
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	85	0.04	4.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	186	0.08	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	13	0.01	6.7
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	43	0.02	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	27	0.01	8.8
501	SOFT TISSUE PROCEDURES WITH CC	75	0.03	5.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	173	0.08	2.2
503	FOOT PROCEDURES WITH MCC	9	0.00	14
504	FOOT PROCEDURES WITH CC	27	0.01	4.5
505	FOOT PROCEDURES WITHOUT CC/MCC	108	0.05	2.3
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	2.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	8	0.00	5.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	24	0.01	2.3
509	ARTHROSCOPY	7	0.00	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	7	0.00	6.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	39	0.02	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	212	0.09	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	38	0.02	3.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	63	0.03	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	30	0.01	15
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	66	0.03	6.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	136	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	6	0.00	5.7
534	FRACTURES OF FEMUR WITHOUT MCC	57	0.02	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	59	0.03	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	282	0.12	3.5
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	8	0.00	4.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	7	0.00	1.7
539	OSTEOMYELITIS WITH MCC	51	0.02	19
540	OSTEOMYELITIS WITH CC	53	0.02	8.5
541	OSTEOMYELITIS WITHOUT CC/MCC	31	0.01	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	48	0.02	8.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	123	0.05	5.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	55	0.02	3.1
545	CONNECTIVE TISSUE DISORDERS WITH MCC	68	0.03	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	124	0.05	5.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	140	0.06	2.8
548	SEPTIC ARTHRITIS WITH MCC	10	0.00	16
549	SEPTIC ARTHRITIS WITH CC	13	0.01	8.8
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	17	0.01	3.8
551	MEDICAL BACK PROBLEMS WITH MCC	120	0.05	6.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	841	0.37	3.3
553	BONE DISEASES & ARTHROPATHIES WITH MCC	29	0.01	7.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	155	0.07	3.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	29	0.01	3.8
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	191	0.08	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	38	0.02	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	176	0.08	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	37	0.02	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	77	0.03	7.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	222	0.10	4.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	60	0.03	5.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	400	0.17	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	27	0.01	7.7
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	46	0.02	7.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	63	0.03	6.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	66	0.03	28
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	110	0.05	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	78	0.03	5.7
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	16	0.01	25
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	46	0.02	4.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	92	0.04	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	45	0.02	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	204	0.09	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	380	0.17	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	104	0.05	1.9
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	197	0.09	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	22	0.01	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	132	0.06	1.9
592	SKIN ULCERS WITH MCC	62	0.03	14
593	SKIN ULCERS WITH CC	104	0.05	6.2
594	SKIN ULCERS WITHOUT CC/MCC	16	0.01	6.6
595	MAJOR SKIN DISORDERS WITH MCC	13	0.01	8.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	54	0.02	4.5
597	MALIGNANT BREAST DISORDERS WITH MCC	11	0.00	5.9
598	MALIGNANT BREAST DISORDERS WITH CC	27	0.01	5.3
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	8	0.00	5.4
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	14	0.01	4.4
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	48	0.02	2.9
602	CELLULITIS WITH MCC	322	0.14	7.1
603	CELLULITIS WITHOUT MCC	2,065	0.90	4.1
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	37	0.02	3.2
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	342	0.15	2.0
606	MINOR SKIN DISORDERS WITH MCC	23	0.01	6.5
607	MINOR SKIN DISORDERS WITHOUT MCC	150	0.07	3.2
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	45	0.02	6.4
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	38	0.02	3.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	18	0.01	16
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	99	0.04	8.9
619	O.R. PROCEDURES FOR OBESITY WITH MCC	20	0.01	8.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
620	O.R. PROCEDURES FOR OBESITY WITH CC	128	0.06	2.8
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	879	0.38	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	11	0.00	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	28	0.01	8.9
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	4	0.00	6.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.00	7.9
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	82	0.04	2.2
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	467	0.20	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	32	0.01	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	52	0.02	7.5
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	5.8
637	DIABETES WITH MCC	362	0.16	5.3
638	DIABETES WITH CC	696	0.30	4.0
639	DIABETES WITHOUT CC/MCC	898	0.39	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	661	0.29	5.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2,137	0.93	2.9
642	INBORN ERRORS OF METABOLISM	23	0.01	4.4
643	ENDOCRINE DISORDERS WITH MCC	70	0.03	8.5
644	ENDOCRINE DISORDERS WITH CC	101	0.04	8.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	189	0.08	2.8
652	KIDNEY TRANSPLANT	86	0.04	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	31	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
654	MAJOR BLADDER PROCEDURES WITH CC	44	0.02	8.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	25	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	50	0.02	9.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	85	0.04	5.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	100	0.04	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	70	0.03	10
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	148	0.06	4.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	167	0.07	2.9
662	MINOR BLADDER PROCEDURES WITH MCC	8	0.00	7.8
663	MINOR BLADDER PROCEDURES WITH CC	21	0.01	3.1
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	62	0.03	1.5
665	PROSTATECTOMY WITH MCC	3	0.00	12
666	PROSTATECTOMY WITH CC	12	0.01	3.0
667	PROSTATECTOMY WITHOUT CC/MCC	23	0.01	2.8
668	TRANSURETHRAL PROCEDURES WITH MCC	39	0.02	5.9
669	TRANSURETHRAL PROCEDURES WITH CC	151	0.07	3.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	130	0.06	1.8
671	URETHRAL PROCEDURES WITH CC/MCC	6	0.00	2.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	14	0.01	2.2
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	101	0.04	11
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	79	0.03	7.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	36	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	818	0.36	7.2
683	RENAL FAILURE WITH CC	1,007	0.44	4.7
684	RENAL FAILURE WITHOUT CC/MCC	405	0.18	3.0
685	ADMIT FOR RENAL DIALYSIS	20	0.01	2.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	22	0.01	8.6
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	38	0.02	6.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	7	0.00	3.1
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	589	0.26	5.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2,189	0.95	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	17	0.01	3.2
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	11	0.00	1.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	41	0.02	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	327	0.14	2.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	9	0.00	7.9
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	110	0.05	2.5
697	URETHRAL STRICTURE	10	0.00	1.9
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	241	0.11	6.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	269	0.12	4.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	171	0.07	2.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	74	0.03	4.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	350	0.15	1.8
709	PENIS PROCEDURES WITH CC/MCC	9	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	43	0.02	1.5
711	TESTES PROCEDURES WITH CC/MCC	10	0.00	4.7
712	TESTES PROCEDURES WITHOUT CC/MCC	42	0.02	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	85	0.04	3.4
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	224	0.10	1.5
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	6	0.00	1.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	2.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	4	0.00	5.3
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	3.5
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	9	0.00	5.2
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	23	0.01	8.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	1.9
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	15	0.01	4.8
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	34	0.01	2.3
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	17	0.01	8.9
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	103	0.04	4.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	10	0.00	3.2
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.00	1.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	28	0.01	6.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	48	0.02	3.9
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	19	0.01	12
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	43	0.02	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	23	0.01	4.4
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	12	0.01	10
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	66	0.03	4.3
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	166	0.07	2.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	508	0.22	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	2,753	1.20	2.1
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	45	0.02	4.6
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	130	0.06	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	40	0.02	3.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	151	0.07	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	471	0.21	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	22	0.01	5.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	34	0.01	2.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	17	0.01	7.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	46	0.02	6.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	20	0.01	2.6
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	8	0.00	6.8
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	29	0.01	5.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	83	0.04	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	68	0.03	3.5
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	198	0.09	1.5
765	CESAREAN SECTION WITH CC/MCC	2,886	1.26	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
766	CESAREAN SECTION WITHOUT CC/MCC	7,343	3.20	2.8
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	512	0.22	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	17	0.01	5.9
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	116	0.05	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	294	0.13	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,895	0.83	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	18,045	7.86	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	312	0.14	2.8
777	ECTOPIC PREGNANCY	232	0.10	1.9
778	THREATENED ABORTION	479	0.21	2.5
779	ABORTION WITHOUT D&C	176	0.08	1.6
780	FALSE LABOR	62	0.03	.87
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1,624	0.71	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	336	0.15	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	794	0.35	4.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	544	0.24	36
791	PREMATURITY WITH MAJOR PROBLEMS	529	0.23	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,147	0.50	5.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1,409	0.61	7.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	4,064	1.77	2.4
795	NORMAL NEWBORN	24,060	10.48	1.8
799	SPLENECTOMY WITH MCC	9	0.00	8.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
800	SPLENECTOMY WITH CC	12	0.01	7.1
801	SPLENECTOMY WITHOUT CC/MCC	22	0.01	4.2
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	11	0.00	15
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	11	0.00	7.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	18	0.01	4.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	126	0.05	8.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	286	0.12	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	98	0.04	3.4
811	RED BLOOD CELL DISORDERS WITH MCC	424	0.18	5.6
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1,437	0.63	3.2
813	COAGULATION DISORDERS	246	0.11	3.7
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	32	0.01	8.2
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	64	0.03	3.9
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	85	0.04	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	18	0.01	24
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	36	0.02	7.3
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	31	0.01	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	17	0.01	12
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	37	0.02	8.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	46	0.02	4.6
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.00	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	25	0.01	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	15	0.01	4.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	18	0.01	16
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	8.5
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	82	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	60	0.03	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	56	0.02	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	37	0.02	27
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	78	0.03	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	98	0.04	6.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	100	0.04	10
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	108	0.05	6.2
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	84	0.04	5.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	24	0.01	8.1
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	33	0.01	4.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	15	0.01	2.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	45	0.02	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	534	0.23	4.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	45	0.02	4.5
849	RADIOTHERAPY	21	0.01	7.2
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	373	0.16	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	60	0.03	11
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	8.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	71	0.03	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	135	0.06	8.0
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	53	0.02	4.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	157	0.07	8.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	415	0.18	4.8
864	FEVER	366	0.16	3.2
865	VIRAL ILLNESS WITH MCC	36	0.02	8.2
866	VIRAL ILLNESS WITHOUT MCC	243	0.11	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	90	0.04	15
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	37	0.02	5.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	16	0.01	4.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	435	0.19	20
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,584	1.13	7.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	822	0.36	5.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	3	0.00	2.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	176	0.08	2.4
881	DEPRESSIVE NEUROSES	525	0.23	3.1
882	NEUROSES EXCEPT DEPRESSIVE	197	0.09	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	302	0.13	5.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	195	0.08	7.2
885	PSYCHOSES	9,902	4.31	6.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	68	0.03	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
887	OTHER MENTAL DISORDER DIAGNOSIS	11	0.00	5.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	169	0.07	2.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	528	0.23	13
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	132	0.06	5.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1,272	0.55	4.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	19	0.01	15
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	21	0.01	12
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	39	0.02	5.1
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	23	0.01	11
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	21	0.01	5.0
906	HAND PROCEDURES FOR INJURIES	33	0.01	2.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	119	0.05	12
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	152	0.07	5.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	153	0.07	2.9
913	TRAUMATIC INJURY WITH MCC	15	0.01	5.5
914	TRAUMATIC INJURY WITHOUT MCC	141	0.06	2.0
915	ALLERGIC REACTIONS WITH MCC	7	0.00	7.9
916	ALLERGIC REACTIONS WITHOUT MCC	82	0.04	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	357	0.16	4.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	810	0.35	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	139	0.06	6.3
920	COMPLICATIONS OF TREATMENT WITH CC	187	0.08	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	169	0.07	2.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	46	0.02	6.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	111	0.05	2.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	4	0.00	33
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	10	0.00	13
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	22	0.01	9.7
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	14	0.01	5.1
935	NON-EXTENSIVE BURNS	163	0.07	4.3
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	17	0.01	30
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	58	0.03	9.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	64	0.03	3.8
945	REHABILITATION WITH CC/MCC	986	0.43	14
946	REHABILITATION WITHOUT CC/MCC	406	0.18	7.3
947	SIGNS & SYMPTOMS WITH MCC	161	0.07	5.9
948	SIGNS & SYMPTOMS WITHOUT MCC	640	0.28	3.0
949	AFTERCARE WITH CC/MCC	101	0.04	11
950	AFTERCARE WITHOUT CC/MCC	67	0.03	8.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	107	0.05	2.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	19	0.01	16
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	83	0.04	9.4
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	56	0.02	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	74	0.03	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	48	0.02	6.1
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	43	0.02	9.8
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	81	0.04	6.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	59	0.03	3.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	7	0.00	17
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	3	0.00	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	80	0.03	15
975	HIV WITH MAJOR RELATED CONDITION WITH CC	56	0.02	8.1
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	40	0.02	6.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	49	0.02	4.9
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	230	0.10	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	207	0.09	7.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	203	0.09	3.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.00	5.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	76	0.03	14
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	120	0.05	5.7
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	106	0.05	2.9
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	3	0.00	.67
All		229,487	100.0	4.3

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	15	0.01	34
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	7	0.00	15
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	306	0.14	45
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	334	0.16	36
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	22	0.01	37
006	LIVER TRANSPLANT WITHOUT MCC	4	0.00	19
007	LUNG TRANSPLANT	5	0.00	13
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.00	7.5
009	BONE MARROW TRANSPLANT	91	0.04	37
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	22	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	23	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	17	0.01	7.1
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	31	0.01	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	14	0.01	13
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	11	0.01	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	51	0.02	14
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	31	0.01	9.9
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	149	0.07	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	197	0.09	8.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	271	0.13	4.4
028	SPINAL PROCEDURES WITH MCC	24	0.01	12
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	64	0.03	7.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	93	0.04	3.3
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	37	0.02	17
032	VENTRICULAR SHUNT PROCEDURES WITH CC	62	0.03	4.6
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	54	0.03	3.2
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	9	0.00	5.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	13	0.01	5.1
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	53	0.02	1.7
037	EXTRACRANIAL PROCEDURES WITH MCC	34	0.02	8.6
038	EXTRACRANIAL PROCEDURES WITH CC	68	0.03	3.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	348	0.16	1.8
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	69	0.03	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	80	0.04	5.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	83	0.04	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	13	0.01	10
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	18	0.01	2.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	77	0.04	7.4
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	159	0.07	4.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	68	0.03	6.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	330	0.15	4.3
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.00	16
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	23	0.01	5.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	41	0.02	3.6
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.00	7.7
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	24	0.01	6.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	11	0.01	2.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	589	0.27	6.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	992	0.46	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	909	0.42	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	16	0.01	9.2
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	91	0.04	2.6
069	TRANSIENT ISCHEMIA	852	0.40	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	83	0.04	7.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	53	0.02	4.4
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	69	0.03	3.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	130	0.06	6.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	354	0.16	3.9
075	VIRAL MENINGITIS WITH CC/MCC	50	0.02	5.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	99	0.05	2.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	8	0.00	6.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	7	0.00	5.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	7	0.00	2.1
080	NONTRAUMATIC STUPOR & COMA WITH MCC	92	0.04	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	329	0.15	3.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	41	0.02	9.2
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	32	0.01	6.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	70	0.03	2.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	96	0.04	7.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	129	0.06	4.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	300	0.14	2.4
088	CONCUSSION WITH MCC	16	0.01	3.1
089	CONCUSSION WITH CC	41	0.02	2.2
090	CONCUSSION WITHOUT CC/MCC	162	0.08	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	96	0.04	5.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	216	0.10	3.8
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	223	0.10	3.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	35	0.02	17
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	24	0.01	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	33	0.02	6.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	24	0.01	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	37	0.02	9.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	27	0.01	5.2
100	SEIZURES WITH MCC	280	0.13	6.0
101	SEIZURES WITHOUT MCC	1,091	0.51	2.8
102	HEADACHES WITH MCC	27	0.01	4.0
103	HEADACHES WITHOUT MCC	382	0.18	2.4
113	ORBITAL PROCEDURES WITH CC/MCC	14	0.01	5.4
114	ORBITAL PROCEDURES WITHOUT CC/MCC	18	0.01	2.9
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	31	0.01	3.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	22	0.01	4.9
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	28	0.01	2.2
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	16	0.01	5.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	36	0.02	3.2
123	NEUROLOGICAL EYE DISORDERS	51	0.02	3.1
124	OTHER DISORDERS OF THE EYE WITH MCC	14	0.01	4.3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	118	0.05	2.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	31	0.01	5.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	34	0.02	2.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.02	5.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	196	0.09	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	99	0.05	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	325	0.15	1.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	12	0.01	4.4
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	9	0.00	1.2
137	MOUTH PROCEDURES WITH CC/MCC	5	0.00	4.8
138	MOUTH PROCEDURES WITHOUT CC/MCC	17	0.01	2.2
139	SALIVARY GLAND PROCEDURES	43	0.02	2.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	9	0.00	13
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	12	0.01	4.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	8	0.00	4.0
149	DYSEQUILIBRIUM	292	0.14	2.0
150	EPISTAXIS WITH MCC	6	0.00	5.5
151	EPISTAXIS WITHOUT MCC	56	0.03	2.1
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	90	0.04	4.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	647	0.30	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	29	0.01	5.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	62	0.03	4.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	109	0.05	2.5
157	DENTAL & ORAL DISEASES WITH MCC	25	0.01	7.1
158	DENTAL & ORAL DISEASES WITH CC	73	0.03	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	62	0.03	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	176	0.08	15
164	MAJOR CHEST PROCEDURES WITH CC	185	0.09	7.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	170	0.08	4.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	156	0.07	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	129	0.06	7.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	53	0.02	4.2
175	PULMONARY EMBOLISM WITH MCC	152	0.07	7.2
176	PULMONARY EMBOLISM WITHOUT MCC	437	0.20	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	435	0.20	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	380	0.18	7.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	168	0.08	5.8
180	RESPIRATORY NEOPLASMS WITH MCC	199	0.09	8.3
181	RESPIRATORY NEOPLASMS WITH CC	274	0.13	4.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	47	0.02	4.3
183	MAJOR CHEST TRAUMA WITH MCC	36	0.02	6.7
184	MAJOR CHEST TRAUMA WITH CC	59	0.03	3.7
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	18	0.01	2.1
186	PLEURAL EFFUSION WITH MCC	116	0.05	6.8
187	PLEURAL EFFUSION WITH CC	121	0.06	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	58	0.03	2.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	700	0.33	6.4
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	982	0.46	5.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	836	0.39	4.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1,307	0.61	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1,048	0.49	6.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2,192	1.02	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1,754	0.82	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	53	0.02	7.8
197	INTERSTITIAL LUNG DISEASE WITH CC	60	0.03	5.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	49	0.02	3.4
199	PNEUMOTHORAX WITH MCC	44	0.02	9.3
200	PNEUMOTHORAX WITH CC	129	0.06	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	115	0.05	3.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	695	0.32	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,556	0.73	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	435	0.20	2.6
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	93	0.04	5.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	348	0.16	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	623	0.29	21
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	844	0.39	6.4
215	OTHER HEART ASSIST SYSTEM IMPLANT	2	0.00	5.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	120	0.06	16
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	94	0.04	9.8
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	19	0.01	8.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	124	0.06	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	149	0.07	7.4
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	84	0.04	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	20	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	38	0.02	5.1
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	26	0.01	9.9
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	48	0.02	4.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	79	0.04	6.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	306	0.14	1.9
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	56	0.03	13
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	55	0.03	5.8
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	51	0.02	3.6
231	CORONARY BYPASS WITH PTCA WITH MCC	23	0.01	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	23	0.01	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	144	0.07	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	359	0.17	7.6
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	56	0.03	9.5
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	222	0.10	6.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	204	0.10	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	307	0.14	4.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	79	0.04	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	91	0.04	7.8
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	16	0.01	7.6
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	170	0.08	7.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	276	0.13	4.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	501	0.23	2.6
245	AICD GENERATOR PROCEDURES	50	0.02	2.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	465	0.22	4.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,891	0.88	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	109	0.05	5.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	376	0.18	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	61	0.03	6.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	522	0.24	1.9
252	OTHER VASCULAR PROCEDURES WITH MCC	294	0.14	8.2
253	OTHER VASCULAR PROCEDURES WITH CC	265	0.12	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	323	0.15	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	30	0.01	9.8
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	51	0.02	7.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	6	0.00	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	12	0.01	4.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	54	0.03	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	25	0.01	7.6
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	33	0.02	3.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	30	0.01	2.5
263	VEIN LIGATION & STRIPPING	18	0.01	4.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	211	0.10	9.0
265	AICD LEAD PROCEDURES	14	0.01	3.2
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	728	0.34	6.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	479	0.22	3.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	781	0.36	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	126	0.06	5.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	26	0.01	2.1
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	18	0.01	1.4
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	292	0.14	6.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	1,352	0.63	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	21	0.01	9.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	9	0.00	7.9
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.00	5.0
291	HEART FAILURE & SHOCK WITH MCC	1,630	0.76	5.5
292	HEART FAILURE & SHOCK WITH CC	1,426	0.66	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1,124	0.52	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	11	0.01	7.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.00	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	22	0.01	4.2
297	CARDIAC ARREST, UNEXPLAINED WITH CC	7	0.00	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	4	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	269	0.13	6.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	392	0.18	4.3
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	336	0.16	3.0
302	ATHEROSCLEROSIS WITH MCC	108	0.05	3.6
303	ATHEROSCLEROSIS WITHOUT MCC	900	0.42	2.3
304	HYPERTENSION WITH MCC	42	0.02	4.6
305	HYPERTENSION WITHOUT MCC	380	0.18	2.7
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	41	0.02	5.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	103	0.05	3.4
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	494	0.23	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	850	0.40	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1,785	0.83	2.1
311	ANGINA PECTORIS	614	0.29	2.2
312	SYNCOPE & COLLAPSE	1,671	0.78	2.4
313	CHEST PAIN	5,647	2.63	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	616	0.29	7.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	331	0.15	4.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	199	0.09	2.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	147	0.07	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	164	0.08	8.3
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	257	0.12	3.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	497	0.23	15
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	801	0.37	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	527	0.25	5.1
332	RECTAL RESECTION WITH MCC	16	0.01	16
333	RECTAL RESECTION WITH CC	92	0.04	7.1
334	RECTAL RESECTION WITHOUT CC/MCC	52	0.02	5.2
335	PERITONEAL ADHESIOLYSIS WITH MCC	57	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	165	0.08	8.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	200	0.09	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	25	0.01	9.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	117	0.05	7.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	358	0.17	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	23	0.01	4.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	125	0.06	3.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,756	0.82	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	14	0.01	11
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	59	0.03	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	62	0.03	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	13	0.01	14
348	ANAL & STOMAL PROCEDURES WITH CC	62	0.03	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	126	0.06	2.4
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	14	0.01	7.2
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	36	0.02	4.1
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	165	0.08	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	33	0.02	9.2
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	122	0.06	4.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	297	0.14	2.3
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	76	0.04	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	81	0.04	6.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	73	0.03	3.6
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	38	0.02	4.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	68	0.03	3.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	45	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	268	0.12	8.1
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	290	0.14	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	214	0.10	4.4
374	DIGESTIVE MALIGNANCY WITH MCC	111	0.05	9.0
375	DIGESTIVE MALIGNANCY WITH CC	189	0.09	5.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	54	0.03	4.7
377	G.I. HEMORRHAGE WITH MCC	528	0.25	5.5
378	G.I. HEMORRHAGE WITH CC	1,076	0.50	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	858	0.40	2.7
380	COMPLICATED PEPTIC ULCER WITH MCC	51	0.02	8.0
381	COMPLICATED PEPTIC ULCER WITH CC	64	0.03	4.8
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	68	0.03	3.4
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	19	0.01	4.4
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	114	0.05	3.2
385	INFLAMMATORY BOWEL DISEASE WITH MCC	41	0.02	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	157	0.07	5.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	177	0.08	5.3
388	G.I. OBSTRUCTION WITH MCC	238	0.11	6.3
389	G.I. OBSTRUCTION WITH CC	480	0.22	4.1
390	G.I. OBSTRUCTION WITHOUT CC/MCC	750	0.35	3.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	588	0.27	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	3,940	1.84	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	277	0.13	6.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	575	0.27	4.7
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	448	0.21	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	54	0.03	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	88	0.04	8.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	36	0.02	5.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	13	0.01	14
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	7.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.00	5.2
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	8	0.00	13
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.00	6.8
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	19	0.01	6.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	71	0.03	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	113	0.05	7.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	131	0.06	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	295	0.14	6.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	504	0.23	4.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1,540	0.72	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	11	0.01	14
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	22	0.01	9.2
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.00	3.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	30	0.01	18
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.00	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	3.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	346	0.16	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	209	0.10	4.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	20	0.01	4.1
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	148	0.07	6.7
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	151	0.07	4.6
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	48	0.02	3.1
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	261	0.12	8.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	489	0.23	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	704	0.33	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	374	0.17	6.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	359	0.17	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	182	0.08	3.5
444	DISORDERS OF THE BILIARY TRACT WITH MCC	189	0.09	5.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	229	0.11	3.9
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	450	0.21	2.9
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	24	0.01	9.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	90	0.04	5.6
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	84	0.04	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH MCC	34	0.02	15
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH CC	45	0.02	6.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	48	0.02	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	60	0.03	9.5
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	995	0.46	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	5	0.00	6.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	75	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	55	0.03	30
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	85	0.04	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	60	0.03	5.9
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	37	0.02	7.2
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	134	0.06	4.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	261	0.12	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	194	0.09	8.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	4,578	2.13	3.2
471	CERVICAL SPINAL FUSION WITH MCC	33	0.02	9.5
472	CERVICAL SPINAL FUSION WITH CC	122	0.06	3.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	606	0.28	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	16	0.01	16
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	46	0.02	6.9
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	12	0.01	3.4
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	26	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	74	0.03	7.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	70	0.03	3.9
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	187	0.09	9.1
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	501	0.23	5.5
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	636	0.30	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	50	0.02	3.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	177	0.08	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	11	0.01	19
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	17	0.01	9.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	25	0.01	5.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	41	0.02	4.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	149	0.07	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	289	0.13	3.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	730	0.34	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	56	0.03	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	224	0.10	5.2
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	826	0.38	2.5
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	14	0.01	10
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	85	0.04	4.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	186	0.09	2.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	13	0.01	6.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	43	0.02	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	27	0.01	8.8
501	SOFT TISSUE PROCEDURES WITH CC	75	0.03	5.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	173	0.08	2.2
503	FOOT PROCEDURES WITH MCC	9	0.00	14
504	FOOT PROCEDURES WITH CC	27	0.01	4.5
505	FOOT PROCEDURES WITHOUT CC/MCC	108	0.05	2.3
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	2.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	8	0.00	5.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	24	0.01	2.3
509	ARTHROSCOPY	7	0.00	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	7	0.00	6.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	39	0.02	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	212	0.10	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	38	0.02	3.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	63	0.03	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	30	0.01	15
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	66	0.03	6.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	136	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	5	0.00	4.8
534	FRACTURES OF FEMUR WITHOUT MCC	52	0.02	2.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	57	0.03	4.6
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	264	0.12	2.8
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	8	0.00	4.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	7	0.00	1.7
539	OSTEOMYELITIS WITH MCC	49	0.02	18
540	OSTEOMYELITIS WITH CC	50	0.02	8.0
541	OSTEOMYELITIS WITHOUT CC/MCC	31	0.01	5.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	48	0.02	8.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	123	0.06	5.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	55	0.03	3.1
545	CONNECTIVE TISSUE DISORDERS WITH MCC	67	0.03	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	123	0.06	5.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	138	0.06	2.8
548	SEPTIC ARTHRITIS WITH MCC	10	0.00	16
549	SEPTIC ARTHRITIS WITH CC	12	0.01	7.9
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	16	0.01	2.9
551	MEDICAL BACK PROBLEMS WITH MCC	116	0.05	6.1
552	MEDICAL BACK PROBLEMS WITHOUT MCC	806	0.38	2.9
553	BONE DISEASES & ARTHROPATHIES WITH MCC	28	0.01	7.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	136	0.06	2.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	29	0.01	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	179	0.08	2.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	38	0.02	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	175	0.08	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	30	0.01	9.8
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	42	0.02	5.7
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	77	0.04	2.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	58	0.03	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	394	0.18	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	25	0.01	7.8
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	44	0.02	6.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	49	0.02	3.7
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	66	0.03	28
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	110	0.05	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	78	0.04	5.7
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	16	0.01	25
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	46	0.02	4.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	92	0.04	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	45	0.02	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	204	0.10	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	380	0.18	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	104	0.05	1.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	197	0.09	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	22	0.01	3.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	132	0.06	1.9
592	SKIN ULCERS WITH MCC	61	0.03	14
593	SKIN ULCERS WITH CC	102	0.05	6.2
594	SKIN ULCERS WITHOUT CC/MCC	15	0.01	6.9
595	MAJOR SKIN DISORDERS WITH MCC	13	0.01	8.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	54	0.03	4.5
597	MALIGNANT BREAST DISORDERS WITH MCC	11	0.01	5.9
598	MALIGNANT BREAST DISORDERS WITH CC	26	0.01	5.3
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	7	0.00	2.1
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	14	0.01	4.4
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	48	0.02	2.9
602	CELLULITIS WITH MCC	319	0.15	7.1
603	CELLULITIS WITHOUT MCC	2,037	0.95	4.0
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	37	0.02	3.2
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	341	0.16	1.9
606	MINOR SKIN DISORDERS WITH MCC	21	0.01	6.4
607	MINOR SKIN DISORDERS WITHOUT MCC	149	0.07	3.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	45	0.02	6.4
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	38	0.02	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	18	0.01	16
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	99	0.05	8.9
619	O.R. PROCEDURES FOR OBESITY WITH MCC	20	0.01	8.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	128	0.06	2.8
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	879	0.41	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	11	0.01	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	28	0.01	8.9
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	4	0.00	6.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.00	7.9
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	82	0.04	2.2
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	467	0.22	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	32	0.01	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	52	0.02	7.5
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	5.8
637	DIABETES WITH MCC	362	0.17	5.3
638	DIABETES WITH CC	687	0.32	3.9
639	DIABETES WITHOUT CC/MCC	897	0.42	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	657	0.31	5.1
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2,118	0.99	2.8
642	INBORN ERRORS OF METABOLISM	23	0.01	4.4
643	ENDOCRINE DISORDERS WITH MCC	70	0.03	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	100	0.05	4.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	189	0.09	2.8
652	KIDNEY TRANSPLANT	86	0.04	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	31	0.01	16
654	MAJOR BLADDER PROCEDURES WITH CC	44	0.02	8.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	25	0.01	6.4
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	50	0.02	9.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	85	0.04	5.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	100	0.05	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	70	0.03	10
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	148	0.07	4.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	167	0.08	2.9
662	MINOR BLADDER PROCEDURES WITH MCC	8	0.00	7.8
663	MINOR BLADDER PROCEDURES WITH CC	21	0.01	3.1
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	62	0.03	1.5
665	PROSTATECTOMY WITH MCC	3	0.00	12
666	PROSTATECTOMY WITH CC	12	0.01	3.0
667	PROSTATECTOMY WITHOUT CC/MCC	23	0.01	2.8
668	TRANSURETHRAL PROCEDURES WITH MCC	39	0.02	5.9
669	TRANSURETHRAL PROCEDURES WITH CC	151	0.07	3.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	130	0.06	1.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
671	URETHRAL PROCEDURES WITH CC/MCC	6	0.00	2.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	14	0.01	2.2
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	101	0.05	11
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	79	0.04	7.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	36	0.02	2.3
682	RENAL FAILURE WITH MCC	810	0.38	7.3
683	RENAL FAILURE WITH CC	1,000	0.47	4.7
684	RENAL FAILURE WITHOUT CC/MCC	398	0.19	3.0
685	ADMIT FOR RENAL DIALYSIS	20	0.01	2.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	22	0.01	8.6
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	38	0.02	6.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	6	0.00	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	584	0.27	5.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2,171	1.01	3.2
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	17	0.01	3.2
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	11	0.01	1.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	41	0.02	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	327	0.15	2.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	9	0.00	7.9
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	106	0.05	2.5
697	URETHRAL STRICTURE	10	0.00	1.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	241	0.11	6.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	267	0.12	4.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	170	0.08	2.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	74	0.03	4.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	350	0.16	1.8
709	PENIS PROCEDURES WITH CC/MCC	9	0.00	4.0
710	PENIS PROCEDURES WITHOUT CC/MCC	43	0.02	1.5
711	TESTES PROCEDURES WITH CC/MCC	10	0.00	4.7
712	TESTES PROCEDURES WITHOUT CC/MCC	42	0.02	1.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	85	0.04	3.4
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	224	0.10	1.5
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	6	0.00	1.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	2.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	4	0.00	5.3
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	3.5
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	9	0.00	5.2
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	23	0.01	8.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	1.9
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	15	0.01	4.8
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	34	0.02	2.3
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	17	0.01	8.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	101	0.05	3.9
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	10	0.00	3.2
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.00	1.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	28	0.01	6.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	48	0.02	3.9
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	19	0.01	12
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	43	0.02	6.1
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	23	0.01	4.4
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	12	0.01	10
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	66	0.03	4.3
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	166	0.08	2.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	508	0.24	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	2,753	1.28	2.1
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	44	0.02	4.6
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	130	0.06	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	40	0.02	3.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	151	0.07	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	471	0.22	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	22	0.01	5.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	34	0.02	2.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	16	0.01	7.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	45	0.02	6.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	20	0.01	2.6
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	8	0.00	6.8
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	28	0.01	5.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	83	0.04	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	68	0.03	3.5
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	198	0.09	1.5
765	CESAREAN SECTION WITH CC/MCC	2,886	1.34	4.3
766	CESAREAN SECTION WITHOUT CC/MCC	7,342	3.42	2.8
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	512	0.24	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	17	0.01	5.9
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	116	0.05	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	294	0.14	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,895	0.88	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	18,045	8.41	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	307	0.14	2.7
777	ECTOPIC PREGNANCY	232	0.11	1.9
778	THREATENED ABORTION	479	0.22	2.5
779	ABORTION WITHOUT D&C	176	0.08	1.6
780	FALSE LABOR	62	0.03	.87
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1,614	0.75	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	336	0.16	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	794	0.37	4.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	544	0.25	36
791	PREMATURITY WITH MAJOR PROBLEMS	529	0.25	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,147	0.53	5.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1,409	0.66	7.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	4,064	1.89	2.4
795	NORMAL NEWBORN	24,060	11.21	1.8
799	SPLENECTOMY WITH MCC	9	0.00	8.7
800	SPLENECTOMY WITH CC	12	0.01	7.1
801	SPLENECTOMY WITHOUT CC/MCC	22	0.01	4.2
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	11	0.01	15
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	11	0.01	7.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	18	0.01	4.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	126	0.06	8.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	285	0.13	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	98	0.05	3.4
811	RED BLOOD CELL DISORDERS WITH MCC	424	0.20	5.6
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1,433	0.67	3.2
813	COAGULATION DISORDERS	246	0.11	3.7
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	32	0.01	8.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	61	0.03	3.9
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	82	0.04	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	18	0.01	24
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	36	0.02	7.3
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	31	0.01	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	17	0.01	12
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	37	0.02	8.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	46	0.02	4.6
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.00	18
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	25	0.01	7.1
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	15	0.01	4.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	18	0.01	16
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.00	8.5
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	82	0.04	22
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	60	0.03	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	55	0.03	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	37	0.02	27
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	78	0.04	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	98	0.05	6.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	100	0.05	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	106	0.05	6.3
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	83	0.04	5.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	24	0.01	8.1
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	33	0.02	4.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	15	0.01	2.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	45	0.02	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	534	0.25	4.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	45	0.02	4.5
849	RADIOTHERAPY	21	0.01	7.2
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	373	0.17	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	60	0.03	11
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	8.5
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	71	0.03	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	135	0.06	8.0
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	52	0.02	4.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	154	0.07	8.3
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	408	0.19	4.7
864	FEVER	366	0.17	3.2
865	VIRAL ILLNESS WITH MCC	36	0.02	8.2
866	VIRAL ILLNESS WITHOUT MCC	243	0.11	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	89	0.04	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	36	0.02	5.1
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	16	0.01	4.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	433	0.20	20
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,577	1.20	7.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	813	0.38	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	2.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	137	0.06	1.9
881	DEPRESSIVE NEUROSES	24	0.01	4.0
882	NEUROSES EXCEPT DEPRESSIVE	15	0.01	4.4
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	14	0.01	9.6
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	149	0.07	4.5
885	PSYCHOSES	334	0.16	5.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	8	0.00	4.9
887	OTHER MENTAL DISORDER DIAGNOSIS	6	0.00	2.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	51	0.02	2.4
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.00	8.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	121	0.06	5.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	452	0.21	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	19	0.01	15
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	21	0.01	12
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	39	0.02	5.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	23	0.01	11
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	21	0.01	5.0
906	HAND PROCEDURES FOR INJURIES	33	0.02	2.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	119	0.06	12
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	152	0.07	5.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	153	0.07	2.9
913	TRAUMATIC INJURY WITH MCC	15	0.01	5.5
914	TRAUMATIC INJURY WITHOUT MCC	140	0.07	2.0
915	ALLERGIC REACTIONS WITH MCC	7	0.00	7.9
916	ALLERGIC REACTIONS WITHOUT MCC	81	0.04	1.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	357	0.17	4.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	809	0.38	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	139	0.06	6.3
920	COMPLICATIONS OF TREATMENT WITH CC	187	0.09	4.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	168	0.08	2.8
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	46	0.02	6.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	111	0.05	2.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	4	0.00	33
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	10	0.00	13
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	22	0.01	9.7
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	13	0.01	3.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
935	NON-EXTENSIVE BURNS	163	0.08	4.3
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	6	0.00	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	44	0.02	5.9
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	64	0.03	3.8
945	REHABILITATION WITH CC/MCC	26	0.01	24
946	REHABILITATION WITHOUT CC/MCC	5	0.00	15
947	SIGNS & SYMPTOMS WITH MCC	143	0.07	4.7
948	SIGNS & SYMPTOMS WITHOUT MCC	615	0.29	2.7
949	AFTERCARE WITH CC/MCC	28	0.01	14
950	AFTERCARE WITHOUT CC/MCC	23	0.01	4.6
951	OTHER FACTORS INFLUENCING HEALTH STATUS	90	0.04	2.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	19	0.01	16
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	83	0.04	9.4
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	56	0.03	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	74	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	48	0.02	6.1
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	39	0.02	8.8
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	72	0.03	4.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	58	0.03	3.3
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	7	0.00	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	3	0.00	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	80	0.04	15
975	HIV WITH MAJOR RELATED CONDITION WITH CC	54	0.03	8.2
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	33	0.02	6.7
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	49	0.02	4.9
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	230	0.11	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	207	0.10	7.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	203	0.09	3.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.00	5.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	76	0.04	14
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	120	0.06	5.7
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	106	0.05	2.9
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	3	0.00	.67
All		214,602	100.0	4.0

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.08	3.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.08	4.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.08	6.0
881	DEPRESSIVE NEUROSES	1	0.08	5.0
885	PSYCHOSES	6	0.47	5.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	111	8.71	3.1
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	520	40.78	13
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	10	0.78	4.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	606	47.53	5.1
945	REHABILITATION WITH CC/MCC	5	0.39	3.0
946	REHABILITATION WITHOUT CC/MCC	12	0.94	1.7
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.08	.00
All		1,275	100.0	8.0

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	1	0.10	21
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	15	1.48	32
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.10	10
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.10	19
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	6	0.59	13
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.30	127
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	8	0.79	15
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.10	14
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	23	2.26	16
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	57	5.61	17
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	1	0.10	12
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.10	13
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.20	8.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	0.10	19
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.20	6.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	4	0.39	17
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	7	0.69	19
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	4	0.39	11
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	11	1.08	30
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	7	0.69	17
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.10	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.30	24
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.30	16
100	SEIZURES WITH MCC	1	0.10	18
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.10	16
184	MAJOR CHEST TRAUMA WITH CC	1	0.10	13
189	PULMONARY EDEMA & RESPIRATORY FAILURE	7	0.69	12
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	2	0.20	61
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.10	35
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	1	0.10	14
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	4	0.39	10
300	PERIPHERAL VASCULAR DISORDERS WITH CC	5	0.49	19
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.10	9.0
302	ATHEROSCLEROSIS WITH MCC	1	0.10	13
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.10	3.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1	0.10	13
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.10	9.0
533	FRACTURES OF FEMUR WITH MCC	1	0.10	10
534	FRACTURES OF FEMUR WITHOUT MCC	4	0.39	11
535	FRACTURES OF HIP & PELVIS WITH MCC	2	0.20	17
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	17	1.67	13
539	OSTEOMYELITIS WITH MCC	1	0.10	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	2	0.20	17
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.10	96
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.10	6.0
551	MEDICAL BACK PROBLEMS WITH MCC	4	0.39	11
552	MEDICAL BACK PROBLEMS WITHOUT MCC	30	2.95	11
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.10	13
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	14	1.38	10
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.10	17
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.20	14
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	2	0.20	10
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	5	0.49	12
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	2	0.20	38
606	MINOR SKIN DISORDERS WITH MCC	1	0.10	12
638	DIABETES WITH CC	2	0.20	12
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.10	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.10	6.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.10	15
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	10	0.98	37
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	8	0.79	21
945	REHABILITATION WITH CC/MCC	562	55.31	18
946	REHABILITATION WITHOUT CC/MCC	105	10.33	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	14	1.38	16
948	SIGNS & SYMPTOMS WITHOUT MCC	13	1.28	13
949	AFTERCARE WITH CC/MCC	2	0.20	22
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.10	14
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.39	19
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	9	0.89	22
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.10	14
All		1,016	100.0	17

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.03	11
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	31	0.28	11
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	4.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.01	6.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.01	12
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.01	17
101	SEIZURES WITHOUT MCC	2	0.02	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.01	2.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1	0.01	2.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.01	3.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.01	21
639	DIABETES WITHOUT CC/MCC	1	0.01	2.0
682	RENAL FAILURE WITH MCC	1	0.01	1.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	6.0
766	CESAREAN SECTION WITHOUT CC/MCC	1	0.01	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	4	0.04	4.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	9	0.08	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.02	2.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.02	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	38	0.35	4.2
881	DEPRESSIVE NEUROSES	500	4.55	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
882	NEUROSES EXCEPT DEPRESSIVE	182	1.66	2.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	288	2.62	5.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	44	0.40	12
885	PSYCHOSES	9,561	86.99	6.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	60	0.55	4.2
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.05	9.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	7	0.06	2.3
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	6	0.05	5.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.01	10
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	214	1.95	4.6
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.01	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.10	.00
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.02	4.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	6	0.05	4.3
All		10,991	100.0	6.6

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.19	89
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.06	4.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.44	97
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	14	0.87	22
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	3	0.19	164
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	2	0.12	2.0
069	TRANSIENT ISCHEMIA	2	0.12	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.06	19
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.06	4.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	3	0.19	8.3
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.12	98
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.19	6.3
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	1	0.06	6.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.06	615
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.06	107
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.25	240
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.12	6.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.06	499
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.06	14
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	2	0.12	71
100	SEIZURES WITH MCC	1	0.06	41

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.06	1.0
149	DYSEQUILIBRIUM	1	0.06	2.0
151	EPISTAXIS WITHOUT MCC	1	0.06	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	1	0.06	83
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1	0.06	4.0
175	PULMONARY EMBOLISM WITH MCC	1	0.06	3.0
176	PULMONARY EMBOLISM WITHOUT MCC	7	0.44	5.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	2	0.12	28
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.06	2.0
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	3	0.19	10
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.06	5.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.12	2.0
183	MAJOR CHEST TRAUMA WITH MCC	1	0.06	5.0
187	PLEURAL EFFUSION WITH CC	1	0.06	6.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	31	1.93	72
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	7	0.44	9.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	9	0.56	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	14	0.87	4.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	10	0.62	10
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	22	1.37	9.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	25	1.56	4.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
199	PNEUMOTHORAX WITH MCC	2	0.12	4.5
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.06	10
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1	0.06	4.0
204	RESPIRATORY SIGNS & SYMPTOMS	6	0.37	62
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.06	13
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	53	3.31	115
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3	0.19	111
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	1	0.06	7.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.06	14
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	1	0.06	8.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.06	1.0
291	HEART FAILURE & SHOCK WITH MCC	5	0.31	2.6
292	HEART FAILURE & SHOCK WITH CC	2	0.12	15
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	9	0.56	5.4
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	2	0.12	2.5
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.06	2.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	3	0.19	3.7
302	ATHEROSCLEROSIS WITH MCC	1	0.06	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	5	0.31	22
305	HYPERTENSION WITHOUT MCC	3	0.19	22
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.06	4.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.06	2.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.06	4.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	2	0.12	4.0
312	SYNCOPE & COLLAPSE	6	0.37	5.3
313	CHEST PAIN	1	0.06	507
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	3	0.19	8.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.06	2.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.25	6.8
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	1	0.06	15
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.06	17
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	2	0.12	12
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.12	4.5
375	DIGESTIVE MALIGNANCY WITH CC	2	0.12	16
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.06	2.0
377	G.I. HEMORRHAGE WITH MCC	1	0.06	1.0
378	G.I. HEMORRHAGE WITH CC	4	0.25	5.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	6	0.37	2.3
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	1	0.06	8.0
389	G.I. OBSTRUCTION WITH CC	3	0.19	5.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2	0.12	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	1	0.06	14
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	11	0.69	5.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.06	108
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	3	0.19	11
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.19	1.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.06	2.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	5	0.31	3.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.06	3.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.06	3.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.06	4.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	1	0.06	2.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	1	0.06	4.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.06	17
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.06	10
539	OSTEOMYELITIS WITH MCC	1	0.06	90
540	OSTEOMYELITIS WITH CC	1	0.06	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.06	16
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.06	2.0
549	SEPTIC ARTHRITIS WITH CC	1	0.06	19
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.06	19
552	MEDICAL BACK PROBLEMS WITHOUT MCC	5	0.31	14

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	5	0.31	11
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	12	0.75	14
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.37	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	33	2.06	9.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	145	9.05	5.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.06	2.0
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.12	6.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.12	21
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	12	0.75	13
592	SKIN ULCERS WITH MCC	1	0.06	11
593	SKIN ULCERS WITH CC	2	0.12	9.5
594	SKIN ULCERS WITHOUT CC/MCC	1	0.06	1.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.06	5.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.06	28
602	CELLULITIS WITH MCC	3	0.19	10
603	CELLULITIS WITHOUT MCC	28	1.75	11
606	MINOR SKIN DISORDERS WITH MCC	1	0.06	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.06	9.0
638	DIABETES WITH CC	7	0.44	16
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4	0.25	21
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	19	1.19	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	1	0.06	346
682	RENAL FAILURE WITH MCC	7	0.44	4.7
683	RENAL FAILURE WITH CC	7	0.44	8.0
684	RENAL FAILURE WITHOUT CC/MCC	7	0.44	4.9
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.06	10
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	5	0.31	16
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	18	1.12	6.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	4	0.25	2.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.06	2.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.06	2.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.12	13
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.06	21
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.06	7.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	1	0.06	4.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	4	0.25	22
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.19	4.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.06	3.0
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	3.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.12	4.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.06	6.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	3	0.19	12
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	7	0.44	10
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.06	18
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.06	25
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	2	0.12	35
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	7	0.44	18
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.56	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.06	222
885	PSYCHOSES	1	0.06	2.0
914	TRAUMATIC INJURY WITHOUT MCC	1	0.06	4.0
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.06	5.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.06	30
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.06	8.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.37	20
945	REHABILITATION WITH CC/MCC	393	24.52	8.7
946	REHABILITATION WITHOUT CC/MCC	284	17.72	6.0
947	SIGNS & SYMPTOMS WITH MCC	4	0.25	12
948	SIGNS & SYMPTOMS WITHOUT MCC	12	0.75	8.3
949	AFTERCARE WITH CC/MCC	71	4.43	9.2
950	AFTERCARE WITHOUT CC/MCC	44	2.74	9.9

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	4	0.25	2.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.06	4.0
All		1,603	100.0	17

**MDC by Patient County of Residence
for 2009
Riverside County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	11,233	4.89	5.6
02	EYE, DISEASES & DISORDERS	355	0.15	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	2,382	1.04	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	17,763	7.74	6.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	31,695	13.81	3.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	18,513	8.07	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	7,201	3.14	4.8
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	16,941	7.38	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	4,861	2.12	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	7,225	3.15	3.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	7,864	3.43	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,090	0.47	2.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5,057	2.20	2.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	34,342	14.96	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	32,552	14.18	3.1
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	2,955	1.29	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,752	0.76	9.1
18	INFECTIOUS & PARASITIC DISEASES	5,996	2.61	9.0
19	MENTAL DISEASES & DISORDERS	11,379	4.96	6.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	2,105	0.92	6.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2,702	1.18	4.2
22	BURNS	215	0.09	6.9

(Continued)

*MDC by Patient County of Residence
for 2009
Riverside County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	2,607	1.14	8.8
24	MULTIPLE SIGNFICANT TRAUMA	464	0.20	9.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	238	0.10	10
All		229,487	100.0	4.3

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	10,973	5.11	4.9
02	EYE, DISEASES & DISORDERS	353	0.16	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	2,379	1.11	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	17,547	8.18	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	31,625	14.74	3.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	18,467	8.61	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	7,191	3.35	4.8
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	16,616	7.74	4.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	4,820	2.25	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	7,191	3.35	3.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	7,811	3.64	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,088	0.51	2.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5,053	2.35	2.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	34,326	16.00	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	32,552	15.17	3.1
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	2,944	1.37	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,748	0.81	9.1
18	INFECTIOUS & PARASITIC DISEASES	5,965	2.78	9.0
19	MENTAL DISEASES & DISORDERS	688	0.32	4.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	630	0.29	3.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2,698	1.26	4.2

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	214	0.10	6.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,044	0.49	4.2
24	MULTIPLE SIGNFICANT TRAUMA	450	0.21	8.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	229	0.11	10
All		214,602	100.0	4.0

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2	0.16	3.5
19	MENTAL DISEASES & DISORDERS	8	0.63	5.1
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1,247	97.80	8.1
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	18	1.41	1.9
All		1,275	100.0	8.0

**MDC by Patient County of Residence
and Type of Care for 2009
Riverside County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	164	16.14	21
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	11	1.08	21
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	14	1.38	15
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.10	13
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.10	9.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	90	8.86	13
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.10	12
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.20	12
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.10	14
19	MENTAL DISEASES & DISORDERS	1	0.10	6.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.10	15
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	715	70.37	17
24	MULTIPLE SIGNFICANT TRAUMA	14	1.38	21
All		1,016	100.0	17

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	40	0.36	10
02	EYE, DISEASES & DISORDERS	1	0.01	2.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	0.02	2.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.01	21
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.01	2.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.01	1.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.01	6.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	14	0.13	4.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	2	0.02	2.5
19	MENTAL DISEASES & DISORDERS	10,680	97.17	6.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	228	2.07	4.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.01	2.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	11	0.10	.00
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	8	0.07	4.4
All		10,991	100.0	6.6

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	56	3.49	79
02	EYE, DISEASES & DISORDERS	1	0.06	1.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3	0.19	29
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	205	12.79	48
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	56	3.49	17
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	45	2.81	8.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	9	0.56	3.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	233	14.54	7.8
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	39	2.43	11
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	31	1.93	27
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	51	3.18	6.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2	0.12	13
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3	0.19	11
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	9	0.56	12
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	4	0.25	4.3
18	INFECTIOUS & PARASITIC DISEASES	31	1.93	15
19	MENTAL DISEASES & DISORDERS	2	0.12	112
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2	0.12	4.5
22	BURNS	1	0.06	30
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	819	51.09	8.0

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.06	4.0
All		1,603	100.0	17