

***Type of Care by Patient County of Residence
for 2009
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	148,320	95.51	4.1
Chemical Dependency Recovery Care	63	0.04	18
Physical Rehabilitation Care	646	0.42	18
Psychiatric Care	5,625	3.62	9.2
Skilled Nursing/Intermediate Care	637	0.41	71
All	155,291	100.0	4.6

**Disposition by Patient County of Residence
for 2009
Santa Clara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	48	0.03	10
01 - Routine (Home)	120,050	80.94	3.3
02 - Acute Care within the admitting hospital	26	0.02	3.6
03 - Other Care with the admitting hospital	432	0.29	8.9
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	541	0.36	7.5
05 - Acute Care at another hospital	1,937	1.31	5.3
06 - Other Care (not SN/IC) at another hospital	735	0.50	11
07 - SN/IC at another facility	11,009	7.42	8.2
08 - Residential Care facility	920	0.62	6.1
09 - Prison/Jail	208	0.14	3.6
10 - Left Against Medical Advice	704	0.47	2.7
11 - Died	3,114	2.10	9.6
12 - Home Health Service	8,128	5.48	7.4
13 - Other	468	0.32	7.6
All	148,320	100.0	4.1

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	58	92.06	19
06 - Other Care (not SN/IC) at another hospital	1	1.59	2.0
08 - Residential Care facility	1	1.59	5.0
10 - Left Against Medical Advice	2	3.17	3.0
13 - Other	1	1.59	3.0
All	63	100.0	18

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	304	47.06	17
02 - Acute Care within the admitting hospital	76	11.76	9.9
03 - Other Care with the admitting hospital	2	0.31	2.0
05 - Acute Care at another hospital	13	2.01	15
06 - Other Care (not SN/IC) at another hospital	8	1.24	25
07 - SN/IC at another facility	58	8.98	22
08 - Residential Care facility	6	0.93	58
09 - Prison/Jail	1	0.15	9.0
10 - Left Against Medical Advice	2	0.31	79
12 - Home Health Service	173	26.78	19
13 - Other	3	0.46	14
All	646	100.0	18

**Disposition by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	12	0.21	11
01 - Routine (Home)	4,482	79.68	7.8
02 - Acute Care within the admitting hospital	59	1.05	8.8
03 - Other Care with the admitting hospital	13	0.23	7.6
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.02	27
05 - Acute Care at another hospital	22	0.39	7.5
06 - Other Care (not SN/IC) at another hospital	130	2.31	15
07 - SN/IC at another facility	239	4.25	20
08 - Residential Care facility	475	8.44	15
09 - Prison/Jail	28	0.50	8.5
10 - Left Against Medical Advice	110	1.96	4.7
11 - Died	2	0.04	15
12 - Home Health Service	7	0.12	9.9
13 - Other	45	0.80	14
All	5,625	100.0	9.2

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	104	16.33	54
02 - Acute Care within the admitting hospital	83	13.03	32
03 - Other Care with the admitting hospital	1	0.16	14
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	0.31	7.0
05 - Acute Care at another hospital	34	5.34	639
06 - Other Care (not SN/IC) at another hospital	3	0.47	30
07 - SN/IC at another facility	67	10.52	80
08 - Residential Care facility	8	1.26	15
10 - Left Against Medical Advice	3	0.47	6.0
11 - Died	28	4.40	214
12 - Home Health Service	303	47.57	12
13 - Other	1	0.16	19
All	637	100.0	71

***Gender by Patient County of Residence
for 2009
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	61,554	39.64	5.1
2 - Female	93,729	60.36	4.3
3 - Other	4	0.00	5.3
4 - Unknown	4	0.00	3.3
All	155,291	100.0	4.6

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	58,376	39.36	4.5
2 - Female	89,936	60.64	3.9
3 - Other	4	0.00	5.3
4 - Unknown	4	0.00	3.3
All	148,320	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	34	53.97	23
2 - Female	29	46.03	11
All	63	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	374	57.89	18
2 - Female	272	42.11	17
All	646	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,537	45.10	9.7
2 - Female	3,088	54.90	8.8
All	5,625	100.0	9.2

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	233	36.58	72
2 - Female	404	63.42	71
All	637	100.0	71

***Expected Payer by Patient County of Residence
for 2009
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	59	0.04	3.1
01 - Medicare	42,823	27.58	6.1
02 - Medi-Cal	32,219	20.75	4.5
03 - Private Coverage	69,634	44.84	3.7
04 - Workers' Compensatio	647	0.42	4.8
05 - County Indigent Prog	3,201	2.06	4.7
06 - Other Government	1,943	1.25	9.4
07 - Other Indigent	1,481	0.95	3.3
08 - Self-Pay	2,230	1.44	3.7
09 - Other Payer	1,054	0.68	4.7
All	155,291	100.0	4.6

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	58	0.04	3.1
01 - Medicare	41,164	27.75	5.4
02 - Medi-Cal	31,197	21.03	3.8
03 - Private Coverage	66,912	45.11	3.5
04 - Workers' Compensatio	620	0.42	4.2
05 - County Indigent Prog	2,671	1.80	3.4
06 - Other Government	1,098	0.74	6.0
07 - Other Indigent	1,471	0.99	3.2
08 - Self-Pay	2,129	1.44	3.6
09 - Other Payer	1,000	0.67	4.6
All	148,320	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	7	11.11	10
03 - Private Coverage	37	58.73	19
06 - Other Government	3	4.76	17
07 - Other Indigent	1	1.59	28
08 - Self-Pay	15	23.81	17
All	63	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	295	45.67	16
02 - Medi-Cal	76	11.76	25
03 - Private Coverage	248	38.39	17
04 - Workers' Compensatio	11	1.70	32
05 - County Indigent Prog	1	0.15	8.0
06 - Other Government	7	1.08	14
07 - Other Indigent	5	0.77	19
08 - Self-Pay	3	0.46	23
All	646	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.02	4.0
01 - Medicare	899	15.98	11
02 - Medi-Cal	881	15.66	8.0
03 - Private Coverage	2,343	41.65	7.0
04 - Workers' Compensatio	8	0.14	12
05 - County Indigent Prog	525	9.33	11
06 - Other Government	831	14.77	14
07 - Other Indigent	3	0.05	3.0
08 - Self-Pay	81	1.44	3.9
09 - Other Payer	53	0.94	7.4
All	5,625	100.0	9.2

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	458	71.90	52
02 - Medi-Cal	65	10.20	298
03 - Private Coverage	94	14.76	21
04 - Workers' Compensatio	8	1.26	12
05 - County Indigent Prog	4	0.63	32
06 - Other Government	4	0.63	17
07 - Other Indigent	1	0.16	14
08 - Self-Pay	2	0.31	21
09 - Other Payer	1	0.16	35
All	637	100.0	71

***Race Group by Patient County of Residence
for 2009
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2,710	1.75	4.8
1 - White	64,468	41.51	5.1
2 - Black	5,203	3.35	5.3
3 - Hispanic	42,049	27.08	4.1
4 - Asian/Pacific Islander	35,208	22.67	4.4
5 - Native American/Eskimo/Ale	257	0.17	5.0
6 - Other	5,396	3.47	4.3
All	155,291	100.0	4.6

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2,266	1.53	3.6
1 - White	60,916	41.07	4.3
2 - Black	4,842	3.26	4.8
3 - Hispanic	40,714	27.45	3.7
4 - Asian/Pacific Islander	34,211	23.07	4.1
5 - Native American/Eskimo/Ale	237	0.16	4.0
6 - Other	5,134	3.46	4.1
All	148,320	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	7	11.11	7.7
1 - White	43	68.25	20
2 - Black	1	1.59	28
3 - Hispanic	8	12.70	12
4 - Asian/Pacific Islander	3	4.76	11
6 - Other	1	1.59	29
All	63	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	40	6.19	17
1 - White	351	54.33	17
2 - Black	17	2.63	18
3 - Hispanic	88	13.62	19
4 - Asian/Pacific Islander	134	20.74	18
5 - Native American/Eskimo/Ale	1	0.15	25
6 - Other	15	2.32	16
All	646	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	384	6.83	6.9
1 - White	2,751	48.91	8.9
2 - Black	325	5.78	9.7
3 - Hispanic	1,134	20.16	10
4 - Asian/Pacific Islander	784	13.94	10
5 - Native American/Eskimo/Ale	15	0.27	7.4
6 - Other	232	4.12	7.2
All	5,625	100.0	9.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	13	2.04	113
1 - White	407	63.89	76
2 - Black	18	2.83	20
3 - Hispanic	105	16.48	59
4 - Asian/Pacific Islander	76	11.93	78
5 - Native American/Eskimo/Ale	4	0.63	52
6 - Other	14	2.20	17
All	637	100.0	71

**Source of Admission by Patient County of Residence
for 2009
Santa Clara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	15
1 - Home	117,016	75.35	4.2
2 - Residential Care Facility	1,628	1.05	7.5
3 - Ambulatory Surgery	484	0.31	3.3
4 - Skilled Nursing/Intermedia	4,054	2.61	8.9
5 - Acute Inpatient Hospital C	3,783	2.44	16
6 - Other Inpatient Hospital C	459	0.30	27
7 - Newborn (born in admitting	25,647	16.52	3.3
8 - Prison/Jail	182	0.12	5.9
9 - Other	2,037	1.31	6.1
All	155,291	100.0	4.6

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	15
1 - Home	112,141	75.61	4.0
2 - Residential Care Facility	1,479	1.00	5.7
3 - Ambulatory Surgery	478	0.32	3.3
4 - Skilled Nursing/Intermedia	3,965	2.67	7.4
5 - Acute Inpatient Hospital C	2,379	1.60	10
6 - Other Inpatient Hospital C	399	0.27	7.3
7 - Newborn (born in admitting	25,647	17.29	3.3
8 - Prison/Jail	149	0.10	4.0
9 - Other	1,682	1.13	5.0
All	148,320	100.0	4.1

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	63	100.0	18
All	63	100.0	18

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10	1.55	20
3 - Ambulatory Surgery	2	0.31	14
4 - Skilled Nursing/Intermedia	20	3.10	26
5 - Acute Inpatient Hospital C	601	93.03	18
6 - Other Inpatient Hospital C	12	1.86	18
9 - Other	1	0.15	2.0
All	646	100.0	18

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,772	84.84	8.7
2 - Residential Care Facility	145	2.58	14
3 - Ambulatory Surgery	4	0.07	8.3
4 - Skilled Nursing/Intermedia	62	1.10	19
5 - Acute Inpatient Hospital C	210	3.73	9.1
6 - Other Inpatient Hospital C	45	0.80	8.0
8 - Prison/Jail	33	0.59	15
9 - Other	354	6.29	11
All	5,625	100.0	9.2

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	30	4.71	127
2 - Residential Care Facility	4	0.63	427
4 - Skilled Nursing/Intermedia	7	1.10	726
5 - Acute Inpatient Hospital C	593	93.09	44
6 - Other Inpatient Hospital C	3	0.47	3E3
All	637	100.0	71

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	13	0.01	35
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.00	6.5
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	183	0.12	52
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	195	0.13	48
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	26	0.02	25
006	LIVER TRANSPLANT WITHOUT MCC	5	0.00	7.4
007	LUNG TRANSPLANT	6	0.00	22
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	6	0.00	10
009	BONE MARROW TRANSPLANT	54	0.03	34
010	PANCREAS TRANSPLANT	2	0.00	11
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	12
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	11	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	6	0.00	6.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	31	0.02	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	16	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	11	0.01	9.4
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	88	0.06	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	29	0.02	7.3
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	167	0.11	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	201	0.13	6.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	278	0.18	3.5
028	SPINAL PROCEDURES WITH MCC	20	0.01	17
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	56	0.04	5.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	67	0.04	3.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	22	0.01	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	39	0.03	5.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	36	0.02	2.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	14	0.01	8.4
035	CAROTID ARTERY STENT PROCEDURE WITH CC	22	0.01	4.2
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	32	0.02	1.8
037	EXTRACRANIAL PROCEDURES WITH MCC	26	0.02	9.0
038	EXTRACRANIAL PROCEDURES WITH CC	67	0.04	4.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	135	0.09	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	43	0.03	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	74	0.05	5.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	45	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	13	0.01	6.2
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	8	0.01	2.9
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	93	0.06	6.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	148	0.10	3.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	83	0.05	92
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	236	0.15	8.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	8	0.01	11
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	25	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	40	0.03	3.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	44	0.03	6.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	42	0.03	6.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	25	0.02	3.4
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	500	0.32	7.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	743	0.48	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	587	0.38	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.00	4.2
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	47	0.03	2.4
069	TRANSIENT ISCHEMIA	459	0.30	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	37	0.02	10
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	25	0.02	3.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	25	0.02	2.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	120	0.08	6.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	264	0.17	12
075	VIRAL MENINGITIS WITH CC/MCC	35	0.02	4.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	130	0.08	2.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	9	0.01	2.9
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	9	0.01	2.6
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	5	0.00	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
080	NONTRAUMATIC STUPOR & COMA WITH MCC	24	0.02	8.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	59	0.04	35
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	33	0.02	7.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	37	0.02	4.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	62	0.04	2.7
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	77	0.05	7.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	110	0.07	4.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	259	0.17	2.1
088	CONCUSSION WITH MCC	8	0.01	3.6
089	CONCUSSION WITH CC	22	0.01	2.8
090	CONCUSSION WITHOUT CC/MCC	85	0.05	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	84	0.05	26
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	141	0.09	4.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	127	0.08	2.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	28	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	25	0.02	7.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	26	0.02	7.1
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	21	0.01	13
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	16	0.01	6.1
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	17	0.01	5.6
100	SEIZURES WITH MCC	183	0.12	5.9
101	SEIZURES WITHOUT MCC	696	0.45	2.3

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	21	0.01	5.5
103	HEADACHES WITHOUT MCC	227	0.15	2.4
113	ORBITAL PROCEDURES WITH CC/MCC	13	0.01	3.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	12	0.01	2.6
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	13	0.01	4.3
116	INTRAOCULAR PROCEDURES WITH CC/MCC	8	0.01	5.6
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	6	0.00	2.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.01	5.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	22	0.01	4.5
123	NEUROLOGICAL EYE DISORDERS	34	0.02	2.1
124	OTHER DISORDERS OF THE EYE WITH MCC	16	0.01	6.6
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	63	0.04	2.1
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	16	0.01	4.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	13	0.01	2.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.03	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	160	0.10	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	87	0.06	3.6
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	298	0.19	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	9	0.01	5.9
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	5	0.00	4.0
137	MOUTH PROCEDURES WITH CC/MCC	10	0.01	3.1
138	MOUTH PROCEDURES WITHOUT CC/MCC	16	0.01	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	41	0.03	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	4	0.00	15
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	7	0.00	4.6
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	4	0.00	1.3
149	DYSEQUILIBRIUM	199	0.13	2.1
150	EPISTAXIS WITH MCC	5	0.00	5.8
151	EPISTAXIS WITHOUT MCC	32	0.02	2.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	72	0.05	4.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	521	0.34	2.4
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	29	0.02	3.2
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	84	0.05	3.4
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	70	0.05	5.2
157	DENTAL & ORAL DISEASES WITH MCC	17	0.01	6.4
158	DENTAL & ORAL DISEASES WITH CC	51	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	46	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	123	0.08	13
164	MAJOR CHEST PROCEDURES WITH CC	191	0.12	6.9
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	163	0.10	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	158	0.10	17
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	104	0.07	6.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	47	0.03	4.1
175	PULMONARY EMBOLISM WITH MCC	122	0.08	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	267	0.17	4.1
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	507	0.33	8.7
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	496	0.32	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	152	0.10	5.5
180	RESPIRATORY NEOPLASMS WITH MCC	174	0.11	7.9
181	RESPIRATORY NEOPLASMS WITH CC	193	0.12	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	17	0.01	3.4
183	MAJOR CHEST TRAUMA WITH MCC	23	0.01	4.1
184	MAJOR CHEST TRAUMA WITH CC	59	0.04	2.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	22	0.01	2.0
186	PLEURAL EFFUSION WITH MCC	71	0.05	6.7
187	PLEURAL EFFUSION WITH CC	68	0.04	5.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	28	0.02	3.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	373	0.24	11
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	566	0.36	5.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	462	0.30	4.2
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	499	0.32	5.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	777	0.50	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,399	0.90	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	894	0.58	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	63	0.04	7.1
197	INTERSTITIAL LUNG DISEASE WITH CC	33	0.02	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	41	0.03	3.2
199	PNEUMOTHORAX WITH MCC	33	0.02	7.2
200	PNEUMOTHORAX WITH CC	84	0.05	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	89	0.06	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	465	0.30	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	926	0.60	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	194	0.12	6.9
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	63	0.04	3.9
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	148	0.10	5.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	366	0.24	30
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	457	0.29	6.7
215	OTHER HEART ASSIST SYSTEM IMPLANT	3	0.00	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	53	0.03	23
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	37	0.02	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	14	0.01	8.3
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	143	0.09	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	196	0.13	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	53	0.03	6.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	20	0.01	14
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	13	0.01	6.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	24	0.02	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	24	0.02	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	54	0.03	9.4
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	113	0.07	3.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	37	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	33	0.02	7.2
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	8	0.01	6.3
231	CORONARY BYPASS WITH PTCA WITH MCC	6	0.00	11
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	8	0.01	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	74	0.05	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	98	0.06	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	50	0.03	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	124	0.08	6.6
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	199	0.13	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	223	0.14	4.8
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	52	0.03	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	48	0.03	9.6
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	8	0.01	3.9
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	149	0.10	7.1
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	226	0.15	4.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	236	0.15	2.8
245	AICD GENERATOR PROCEDURES	20	0.01	2.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	374	0.24	4.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,119	0.72	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	88	0.06	6.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	213	0.14	2.9
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	50	0.03	6.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	311	0.20	2.2
252	OTHER VASCULAR PROCEDURES WITH MCC	191	0.12	8.5
253	OTHER VASCULAR PROCEDURES WITH CC	159	0.10	5.1
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	147	0.09	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	16	0.01	7.4
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	36	0.02	5.2
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	7	0.00	8.1
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	24	0.02	3.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.00	6.7
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	21	0.01	4.8
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	8	0.01	2.9
263	VEIN LIGATION & STRIPPING	3	0.00	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	115	0.07	8.6
265	AICD LEAD PROCEDURES	17	0.01	2.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	351	0.23	6.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	207	0.13	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	237	0.15	2.1
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	87	0.06	4.8

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	20	0.01	1.6
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	5	0.00	1.8
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	180	0.12	7.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	673	0.43	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	26	0.02	8.9
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	17	0.01	7.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.00	3.5
291	HEART FAILURE & SHOCK WITH MCC	1,177	0.76	6.1
292	HEART FAILURE & SHOCK WITH CC	973	0.63	4.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	631	0.41	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.00	7.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	5	0.00	2.8
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	15	0.01	5.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	4.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	151	0.10	5.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	205	0.13	4.2
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	130	0.08	2.9
302	ATHEROSCLEROSIS WITH MCC	57	0.04	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	221	0.14	4.0
304	HYPERTENSION WITH MCC	23	0.01	63
305	HYPERTENSION WITHOUT MCC	157	0.10	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	36	0.02	5.3
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	51	0.03	2.6
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	338	0.22	7.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	500	0.32	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	685	0.44	2.0
311	ANGINA PECTORIS	102	0.07	12
312	SYNCOPE & COLLAPSE	750	0.48	2.2
313	CHEST PAIN	1,181	0.76	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	363	0.23	6.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	182	0.12	3.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	95	0.06	2.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	97	0.06	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	132	0.09	8.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	182	0.12	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	339	0.22	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	643	0.41	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	386	0.25	4.9
332	RECTAL RESECTION WITH MCC	15	0.01	12
333	RECTAL RESECTION WITH CC	61	0.04	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	42	0.03	4.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	31	0.02	15
336	PERITONEAL ADHESIOLYSIS WITH CC	115	0.07	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	103	0.07	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	19	0.01	8.1
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	89	0.06	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	281	0.18	3.3
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	20	0.01	3.6
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	109	0.07	2.2
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,512	0.97	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	6	0.00	10
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	39	0.03	5.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	42	0.03	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	21	0.01	8.9
348	ANAL & STOMAL PROCEDURES WITH CC	44	0.03	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	108	0.07	1.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	17	0.01	4.4
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	37	0.02	3.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	72	0.05	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	14	0.01	7.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	80	0.05	3.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	218	0.14	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	52	0.03	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	55	0.04	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	49	0.03	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	37	0.02	5.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	52	0.03	2.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	26	0.02	2.4
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	229	0.15	7.9
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	239	0.15	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	152	0.10	4.4
374	DIGESTIVE MALIGNANCY WITH MCC	88	0.06	7.6
375	DIGESTIVE MALIGNANCY WITH CC	167	0.11	5.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	29	0.02	2.9
377	G.I. HEMORRHAGE WITH MCC	413	0.27	5.2
378	G.I. HEMORRHAGE WITH CC	735	0.47	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	449	0.29	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	31	0.02	6.5
381	COMPLICATED PEPTIC ULCER WITH CC	38	0.02	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	36	0.02	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	11	0.01	6.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	45	0.03	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	27	0.02	11
386	INFLAMMATORY BOWEL DISEASE WITH CC	100	0.06	5.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	98	0.06	3.6
388	G.I. OBSTRUCTION WITH MCC	152	0.10	6.1
389	G.I. OBSTRUCTION WITH CC	383	0.25	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	533	0.34	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	413	0.27	4.2
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,048	1.32	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	237	0.15	6.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	382	0.25	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	281	0.18	2.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	67	0.04	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	83	0.05	9.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	50	0.03	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	17	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	21	0.01	7.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	11	0.01	5.6
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.00	8.7
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	9	0.01	6.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.01	3.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	37	0.02	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	46	0.03	5.6
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	77	0.05	3.1
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	188	0.12	5.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	314	0.20	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	875	0.56	2.2
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	9	0.01	14
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	10	0.01	5.7
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.00	7.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	17	0.01	21
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	6	0.00	6.3
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	10
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	232	0.15	7.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	125	0.08	3.4
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	10	0.01	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	145	0.09	5.7
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	100	0.06	4.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	19	0.01	3.7
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	200	0.13	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	378	0.24	4.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	459	0.30	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	268	0.17	6.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	206	0.13	3.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	103	0.07	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	175	0.11	5.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	186	0.12	4.1
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	253	0.16	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	17	0.01	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	53	0.03	7.2
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	98	0.06	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	22	0.01	16
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	39	0.03	5.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	27	0.02	5.1
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	17	0.01	7.6
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	383	0.25	3.9
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	4	0.00	12
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	79	0.05	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	29	0.02	29
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	54	0.03	9.2
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	20	0.01	7.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	20	0.01	14
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	78	0.05	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	106	0.07	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	191	0.12	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,002	1.93	3.4
471	CERVICAL SPINAL FUSION WITH MCC	14	0.01	7.1
472	CERVICAL SPINAL FUSION WITH CC	74	0.05	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	365	0.24	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	15	0.01	17

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	20	0.01	7.9
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	11	0.01	4.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	20	0.01	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	51	0.03	6.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	37	0.02	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	161	0.10	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	430	0.28	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	322	0.21	3.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	57	0.04	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	84	0.05	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	7	0.00	8.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	21	0.01	8.4
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	25	0.02	6.6
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	37	0.02	5.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	131	0.08	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	220	0.14	4.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	666	0.43	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	63	0.04	6.3
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	189	0.12	4.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	671	0.43	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	20	0.01	8.1
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	50	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	100	0.06	2.0
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	16	0.01	7.4
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	13	0.01	1.2
500	SOFT TISSUE PROCEDURES WITH MCC	17	0.01	17
501	SOFT TISSUE PROCEDURES WITH CC	63	0.04	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	138	0.09	2.2
503	FOOT PROCEDURES WITH MCC	11	0.01	7.0
504	FOOT PROCEDURES WITH CC	29	0.02	4.2
505	FOOT PROCEDURES WITHOUT CC/MCC	63	0.04	2.2
506	MAJOR THUMB OR JOINT PROCEDURES	9	0.01	2.7
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	9	0.01	4.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	23	0.01	1.9
509	ARTHROSCOPY	3	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	6	0.00	2.8
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	37	0.02	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	155	0.10	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	14	0.01	3.6
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	29	0.02	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	41	0.03	9.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	69	0.04	6.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	123	0.08	2.7
533	FRACTURES OF FEMUR WITH MCC	2	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	27	0.02	2.4
535	FRACTURES OF HIP & PELVIS WITH MCC	50	0.03	7.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	173	0.11	3.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	13	0.01	3.5
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.00	1.5
539	OSTEOMYELITIS WITH MCC	28	0.02	16
540	OSTEOMYELITIS WITH CC	30	0.02	10
541	OSTEOMYELITIS WITHOUT CC/MCC	12	0.01	5.4
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	43	0.03	8.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	106	0.07	4.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	26	0.02	4.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	63	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	70	0.05	6.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	82	0.05	2.9
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	6.0
549	SEPTIC ARTHRITIS WITH CC	8	0.01	3.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	3	0.00	.67
551	MEDICAL BACK PROBLEMS WITH MCC	92	0.06	5.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	559	0.36	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	22	0.01	3.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	105	0.07	3.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	21	0.01	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	135	0.09	2.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	54	0.03	5.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	142	0.09	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	12	0.01	5.9
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	32	0.02	4.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	37	0.02	1.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	50	0.03	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	279	0.18	2.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	20	0.01	4.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	39	0.03	4.4
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	17	0.01	2.1
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	29	0.02	22
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	47	0.03	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	33	0.02	5.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	4	0.00	10
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	22	0.01	5.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	47	0.03	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	30	0.02	10
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	153	0.10	3.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	268	0.17	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	84	0.05	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	120	0.08	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	10	0.01	2.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	95	0.06	1.6
592	SKIN ULCERS WITH MCC	19	0.01	12
593	SKIN ULCERS WITH CC	42	0.03	5.5
594	SKIN ULCERS WITHOUT CC/MCC	6	0.00	3.5
595	MAJOR SKIN DISORDERS WITH MCC	15	0.01	8.1
596	MAJOR SKIN DISORDERS WITHOUT MCC	38	0.02	4.2
597	MALIGNANT BREAST DISORDERS WITH MCC	8	0.01	5.9
598	MALIGNANT BREAST DISORDERS WITH CC	15	0.01	3.2
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	5.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	5	0.00	4.4
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	35	0.02	2.0
602	CELLULITIS WITH MCC	193	0.12	5.3
603	CELLULITIS WITHOUT MCC	1,361	0.88	3.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	43	0.03	4.1
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	232	0.15	1.9
606	MINOR SKIN DISORDERS WITH MCC	22	0.01	7.5
607	MINOR SKIN DISORDERS WITHOUT MCC	93	0.06	2.5
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	52	0.03	4.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	52	0.03	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	6	0.00	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	60	0.04	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	2	0.00	2.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	14	0.01	11
620	O.R. PROCEDURES FOR OBESITY WITH CC	47	0.03	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	401	0.26	1.6
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	5	0.00	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	12	0.01	6.0
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	3.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.01	8.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	76	0.05	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	358	0.23	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	19	0.01	9.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	38	0.02	9.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	7.3
637	DIABETES WITH MCC	236	0.15	5.2
638	DIABETES WITH CC	354	0.23	3.2
639	DIABETES WITHOUT CC/MCC	450	0.29	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	494	0.32	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,204	0.78	3.1
642	INBORN ERRORS OF METABOLISM	35	0.02	3.6
643	ENDOCRINE DISORDERS WITH MCC	76	0.05	9.2
644	ENDOCRINE DISORDERS WITH CC	160	0.10	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	138	0.09	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
652	KIDNEY TRANSPLANT	86	0.06	5.6
653	MAJOR BLADDER PROCEDURES WITH MCC	11	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	39	0.03	8.1
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	22	0.01	5.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	33	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	77	0.05	4.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	115	0.07	3.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	44	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	129	0.08	4.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	131	0.08	2.7
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.00	13
663	MINOR BLADDER PROCEDURES WITH CC	15	0.01	5.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	24	0.02	1.4
665	PROSTATECTOMY WITH MCC	3	0.00	8.7
666	PROSTATECTOMY WITH CC	11	0.01	3.1
667	PROSTATECTOMY WITHOUT CC/MCC	19	0.01	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	27	0.02	8.4
669	TRANSURETHRAL PROCEDURES WITH CC	65	0.04	2.9
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	63	0.04	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.00	3.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	19	0.01	2.1
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	72	0.05	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	68	0.04	8.8
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	11	0.01	4.2
682	RENAL FAILURE WITH MCC	440	0.28	7.1
683	RENAL FAILURE WITH CC	580	0.37	4.5
684	RENAL FAILURE WITHOUT CC/MCC	155	0.10	3.0
685	ADMIT FOR RENAL DIALYSIS	22	0.01	2.7
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	10	0.01	6.2
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	22	0.01	2.9
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.00	.80
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	479	0.31	4.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,467	0.94	3.2
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.00	1.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	37	0.02	3.4
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	178	0.11	1.8
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	10	0.01	3.4
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	52	0.03	2.1
697	URETHRAL STRICTURE	3	0.00	5.7
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	289	0.19	6.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	227	0.15	4.4
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	109	0.07	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	57	0.04	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	286	0.18	1.7
709	PENIS PROCEDURES WITH CC/MCC	8	0.01	3.0
710	PENIS PROCEDURES WITHOUT CC/MCC	19	0.01	1.6
711	TESTES PROCEDURES WITH CC/MCC	9	0.01	3.8
712	TESTES PROCEDURES WITHOUT CC/MCC	16	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	76	0.05	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	259	0.17	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	5	0.00	2.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	7	0.00	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	4	0.00	6.3
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.00	5.6
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.00	1.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.00	4.3
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	20	0.01	2.9
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	6.2
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	70	0.05	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	4	0.00	4.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.00	4.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	31	0.02	5.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	40	0.03	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	12	0.01	16
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	55	0.04	7.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	25	0.02	3.1
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	8	0.01	9.1
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	62	0.04	4.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	129	0.08	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	406	0.26	3.0
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,670	1.08	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	14	0.01	3.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	33	0.02	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	23	0.01	2.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	99	0.06	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	214	0.14	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	26	0.02	6.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	23	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.00	11
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	3.4
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	2.1
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	6.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	5.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	76	0.05	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	38	0.02	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	88	0.06	1.3
765	CESAREAN SECTION WITH CC/MCC	2,656	1.71	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	4,798	3.09	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	446	0.29	3.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	11	0.01	3.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	60	0.04	2.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	74	0.05	1.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,397	1.54	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	14,853	9.56	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	221	0.14	2.5
777	ECTOPIC PREGNANCY	144	0.09	1.4
778	THREATENED ABORTION	324	0.21	2.0
779	ABORTION WITHOUT D&C	69	0.04	1.3
780	FALSE LABOR	55	0.04	.45
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	872	0.56	2.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	233	0.15	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	271	0.17	8.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	323	0.21	45
791	PREMATURITY WITH MAJOR PROBLEMS	377	0.24	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,256	0.81	6.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	996	0.64	5.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	5,910	3.81	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
795	NORMAL NEWBORN	17,605	11.34	2.2
799	SPLENECTOMY WITH MCC	9	0.01	7.0
800	SPLENECTOMY WITH CC	9	0.01	4.0
801	SPLENECTOMY WITHOUT CC/MCC	13	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	8	0.01	19
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	18	0.01	6.3
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	21	0.01	2.9
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	98	0.06	7.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	287	0.18	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	64	0.04	3.5
811	RED BLOOD CELL DISORDERS WITH MCC	250	0.16	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	617	0.40	2.6
813	COAGULATION DISORDERS	147	0.09	3.4
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	21	0.01	6.4
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	44	0.03	4.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	42	0.03	2.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	11	0.01	19
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	31	0.02	7.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	42	0.03	2.7
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	20	0.01	14
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	25	0.02	8.1
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	22	0.01	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	8	0.01	14
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	24	0.02	6.8
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	13	0.01	4.1
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	22	0.01	8.3
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	2.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	54	0.03	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	40	0.03	19
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	48	0.03	7.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	18	0.01	18
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	90	0.06	6.1
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	121	0.08	4.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	91	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	90	0.06	8.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	39	0.03	4.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	14	0.01	9.7
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	30	0.02	5.9
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	10	0.01	4.1
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	43	0.03	5.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	659	0.42	3.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	49	0.03	3.4
849	RADIOTHERAPY	20	0.01	4.4
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	334	0.22	18

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	46	0.03	10
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	3.8
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	61	0.04	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	104	0.07	8.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	29	0.02	6.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	119	0.08	7.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	268	0.17	4.5
864	FEVER	230	0.15	2.8
865	VIRAL ILLNESS WITH MCC	51	0.03	4.3
866	VIRAL ILLNESS WITHOUT MCC	220	0.14	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	63	0.04	10
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	22	0.01	4.5
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	16	0.01	2.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	326	0.21	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,371	1.53	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	793	0.51	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	7	0.00	9.4
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	118	0.08	3.1
881	DEPRESSIVE NEUROSES	515	0.33	3.9
882	NEUROSES EXCEPT DEPRESSIVE	105	0.07	3.9
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	97	0.06	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	106	0.07	113

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	5,045	3.25	9.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	54	0.03	16
887	OTHER MENTAL DISORDER DIAGNOSIS	28	0.02	9.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	44	0.03	1.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	16	0.01	21
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	128	0.08	8.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	648	0.42	4.1
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	4	0.00	28
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	15	0.01	7.1
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	6	0.00	7.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	16	0.01	14
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	11	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	26	0.02	3.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	80	0.05	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	101	0.07	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	124	0.08	2.6
913	TRAUMATIC INJURY WITH MCC	11	0.01	3.5
914	TRAUMATIC INJURY WITHOUT MCC	67	0.04	1.9
915	ALLERGIC REACTIONS WITH MCC	10	0.01	4.4
916	ALLERGIC REACTIONS WITHOUT MCC	53	0.03	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	250	0.16	5.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	534	0.34	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	122	0.08	5.7
920	COMPLICATIONS OF TREATMENT WITH CC	174	0.11	5.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	112	0.07	2.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	28	0.02	3.4
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	70	0.05	2.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.00	75
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	18	0.01	13
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	15	0.01	9.7
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	7.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	11	0.01	3.8
935	NON-EXTENSIVE BURNS	108	0.07	4.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	10	0.01	14
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	32	0.02	14
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	39	0.03	1.8
945	REHABILITATION WITH CC/MCC	935	0.60	17
946	REHABILITATION WITHOUT CC/MCC	201	0.13	12
947	SIGNS & SYMPTOMS WITH MCC	86	0.06	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	358	0.23	3.1
949	AFTERCARE WITH CC/MCC	26	0.02	14
950	AFTERCARE WITHOUT CC/MCC	15	0.01	3.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	103	0.07	2.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	20	0.01	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	47	0.03	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	44	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	46	0.03	9.1
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	13	0.01	4.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	18	0.01	8.7
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	69	0.04	4.6
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	29	0.02	4.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	4	0.00	7.8
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	3.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	47	0.03	16
975	HIV WITH MAJOR RELATED CONDITION WITH CC	33	0.02	7.1
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	25	0.02	6.9
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	25	0.02	4.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	191	0.12	18
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	118	0.08	6.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	92	0.06	3.1
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	9.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	8.7
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	47	0.03	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	48	0.03	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	48	0.03	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	2	0.00	2.0
999	UNGROUPABLE	5	0.00	6.4
All		155,291	100.0	4.6

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	13	0.01	35
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.00	6.5
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	183	0.12	52
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	195	0.13	48
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	26	0.02	25
006	LIVER TRANSPLANT WITHOUT MCC	5	0.00	7.4
007	LUNG TRANSPLANT	6	0.00	22
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	6	0.00	10
009	BONE MARROW TRANSPLANT	54	0.04	34
010	PANCREAS TRANSPLANT	2	0.00	11
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	12
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	11	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	6	0.00	6.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	31	0.02	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	16	0.01	15
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	11	0.01	9.4
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	88	0.06	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	29	0.02	7.3
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	167	0.11	13

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	201	0.14	6.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	278	0.19	3.5
028	SPINAL PROCEDURES WITH MCC	19	0.01	17
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	56	0.04	5.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	67	0.05	3.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	22	0.01	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	39	0.03	5.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	36	0.02	2.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	14	0.01	8.4
035	CAROTID ARTERY STENT PROCEDURE WITH CC	22	0.01	4.2
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	32	0.02	1.8
037	EXTRACRANIAL PROCEDURES WITH MCC	26	0.02	9.0
038	EXTRACRANIAL PROCEDURES WITH CC	67	0.05	4.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	135	0.09	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	43	0.03	15
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	74	0.05	5.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	45	0.03	2.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	13	0.01	6.2
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	8	0.01	2.9
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	93	0.06	6.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	148	0.10	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	79	0.05	9.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	228	0.15	6.2
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	8	0.01	11
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	25	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	40	0.03	3.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	44	0.03	6.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	42	0.03	6.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	25	0.02	3.4
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	500	0.34	7.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	743	0.50	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	587	0.40	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.00	4.2
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	47	0.03	2.4
069	TRANSIENT ISCHEMIA	459	0.31	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	37	0.02	10
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	25	0.02	3.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	25	0.02	2.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	120	0.08	6.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	262	0.18	3.4
075	VIRAL MENINGITIS WITH CC/MCC	35	0.02	4.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	129	0.09	2.7

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	9	0.01	2.9
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	9	0.01	2.6
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	4	0.00	1.8
080	NONTRAUMATIC STUPOR & COMA WITH MCC	24	0.02	8.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	58	0.04	3.7
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	33	0.02	7.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	37	0.02	4.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	62	0.04	2.7
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	77	0.05	7.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	110	0.07	4.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	259	0.17	2.1
088	CONCUSSION WITH MCC	8	0.01	3.6
089	CONCUSSION WITH CC	22	0.01	2.8
090	CONCUSSION WITHOUT CC/MCC	85	0.06	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	80	0.05	7.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	140	0.09	4.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	127	0.09	2.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	28	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	25	0.02	7.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	24	0.02	6.9
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	21	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	16	0.01	6.1
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	17	0.01	5.6
100	SEIZURES WITH MCC	183	0.12	5.9
101	SEIZURES WITHOUT MCC	696	0.47	2.3
102	HEADACHES WITH MCC	21	0.01	5.5
103	HEADACHES WITHOUT MCC	227	0.15	2.4
113	ORBITAL PROCEDURES WITH CC/MCC	13	0.01	3.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	12	0.01	2.6
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	13	0.01	4.3
116	INTRAOCULAR PROCEDURES WITH CC/MCC	8	0.01	5.6
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	6	0.00	2.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.01	5.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	22	0.01	4.5
123	NEUROLOGICAL EYE DISORDERS	34	0.02	2.1
124	OTHER DISORDERS OF THE EYE WITH MCC	16	0.01	6.6
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	63	0.04	2.1
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	16	0.01	4.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	13	0.01	2.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.03	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	160	0.11	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	87	0.06	3.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	298	0.20	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	9	0.01	5.9
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	5	0.00	4.0
137	MOUTH PROCEDURES WITH CC/MCC	10	0.01	3.1
138	MOUTH PROCEDURES WITHOUT CC/MCC	16	0.01	2.2
139	SALIVARY GLAND PROCEDURES	41	0.03	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	4	0.00	15
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	7	0.00	4.6
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	4	0.00	1.3
149	DYSEQUILIBRIUM	199	0.13	2.1
150	EPISTAXIS WITH MCC	5	0.00	5.8
151	EPISTAXIS WITHOUT MCC	32	0.02	2.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	71	0.05	3.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	521	0.35	2.4
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	29	0.02	3.2
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	82	0.06	2.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	69	0.05	2.1
157	DENTAL & ORAL DISEASES WITH MCC	17	0.01	6.4
158	DENTAL & ORAL DISEASES WITH CC	51	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	46	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	123	0.08	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
164	MAJOR CHEST PROCEDURES WITH CC	191	0.13	6.9
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	163	0.11	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	156	0.11	13
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	104	0.07	6.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	47	0.03	4.1
175	PULMONARY EMBOLISM WITH MCC	122	0.08	6.2
176	PULMONARY EMBOLISM WITHOUT MCC	267	0.18	4.1
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	503	0.34	8.6
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	494	0.33	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	149	0.10	5.4
180	RESPIRATORY NEOPLASMS WITH MCC	172	0.12	7.9
181	RESPIRATORY NEOPLASMS WITH CC	192	0.13	5.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	17	0.01	3.4
183	MAJOR CHEST TRAUMA WITH MCC	23	0.02	4.1
184	MAJOR CHEST TRAUMA WITH CC	59	0.04	2.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	22	0.01	2.0
186	PLEURAL EFFUSION WITH MCC	71	0.05	6.7
187	PLEURAL EFFUSION WITH CC	68	0.05	5.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	28	0.02	3.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	369	0.25	7.1
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	565	0.38	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	462	0.31	4.2
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	496	0.33	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	777	0.52	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,397	0.94	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	891	0.60	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	63	0.04	7.1
197	INTERSTITIAL LUNG DISEASE WITH CC	33	0.02	4.5
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	41	0.03	3.2
199	PNEUMOTHORAX WITH MCC	33	0.02	7.2
200	PNEUMOTHORAX WITH CC	84	0.06	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	89	0.06	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	465	0.31	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	926	0.62	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	193	0.13	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	63	0.04	3.9
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	147	0.10	2.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	362	0.24	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	457	0.31	6.7
215	OTHER HEART ASSIST SYSTEM IMPLANT	3	0.00	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	53	0.04	23
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	37	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	14	0.01	8.3
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	143	0.10	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	196	0.13	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	53	0.04	6.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	20	0.01	14
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	13	0.01	6.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	24	0.02	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	24	0.02	5.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	54	0.04	9.4
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	113	0.08	3.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	37	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	33	0.02	7.2
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	8	0.01	6.3
231	CORONARY BYPASS WITH PTCA WITH MCC	6	0.00	11
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	8	0.01	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	74	0.05	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	98	0.07	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	50	0.03	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	124	0.08	6.6
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	199	0.13	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	223	0.15	4.8
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	52	0.04	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	48	0.03	9.6
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	8	0.01	3.9
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	149	0.10	7.1
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	226	0.15	4.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	236	0.16	2.8
245	AICD GENERATOR PROCEDURES	20	0.01	2.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	374	0.25	4.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,119	0.75	2.2
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	88	0.06	6.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	213	0.14	2.9
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	50	0.03	6.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	311	0.21	2.2
252	OTHER VASCULAR PROCEDURES WITH MCC	191	0.13	8.5
253	OTHER VASCULAR PROCEDURES WITH CC	159	0.11	5.1
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	147	0.10	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	16	0.01	7.4
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	36	0.02	5.2
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	4.5
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	7	0.00	8.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	24	0.02	3.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.00	6.7
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	21	0.01	4.8
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	8	0.01	2.9
263	VEIN LIGATION & STRIPPING	3	0.00	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	115	0.08	8.6
265	AICD LEAD PROCEDURES	17	0.01	2.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	351	0.24	6.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	207	0.14	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	237	0.16	2.1
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	87	0.06	4.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	20	0.01	1.6
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	5	0.00	1.8
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	180	0.12	7.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	673	0.45	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	26	0.02	8.9
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	15	0.01	5.7
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	3	0.00	4.0
291	HEART FAILURE & SHOCK WITH MCC	1,175	0.79	6.0
292	HEART FAILURE & SHOCK WITH CC	973	0.66	4.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	631	0.43	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.00	7.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	5	0.00	2.8
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	15	0.01	5.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	4.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	151	0.10	5.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	203	0.14	4.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	130	0.09	2.9
302	ATHEROSCLEROSIS WITH MCC	57	0.04	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	220	0.15	1.6
304	HYPERTENSION WITH MCC	19	0.01	4.2
305	HYPERTENSION WITHOUT MCC	156	0.11	1.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	36	0.02	5.3
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	51	0.03	2.6
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	336	0.23	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	500	0.34	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	685	0.46	2.0
311	ANGINA PECTORIS	101	0.07	1.8
312	SYNCOPE & COLLAPSE	750	0.51	2.2
313	CHEST PAIN	1,181	0.80	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	361	0.24	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	182	0.12	3.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	95	0.06	2.3
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	97	0.07	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	132	0.09	8.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	182	0.12	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	339	0.23	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	643	0.43	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	386	0.26	4.9
332	RECTAL RESECTION WITH MCC	15	0.01	12
333	RECTAL RESECTION WITH CC	61	0.04	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	42	0.03	4.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	31	0.02	15
336	PERITONEAL ADHESIOLYSIS WITH CC	115	0.08	8.0
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	103	0.07	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	19	0.01	8.1
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	89	0.06	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	281	0.19	3.3
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	20	0.01	3.6
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	109	0.07	2.2
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,512	1.02	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	6	0.00	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	39	0.03	5.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	42	0.03	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	21	0.01	8.9
348	ANAL & STOMAL PROCEDURES WITH CC	44	0.03	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	108	0.07	1.8
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	17	0.01	4.4
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	37	0.02	3.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	72	0.05	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	14	0.01	7.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	80	0.05	3.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	218	0.15	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	52	0.04	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	55	0.04	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	49	0.03	3.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	37	0.02	5.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	52	0.04	2.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	26	0.02	2.4
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	228	0.15	7.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	239	0.16	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	152	0.10	4.4
374	DIGESTIVE MALIGNANCY WITH MCC	86	0.06	7.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	166	0.11	5.2
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	29	0.02	2.9
377	G.I. HEMORRHAGE WITH MCC	413	0.28	5.2
378	G.I. HEMORRHAGE WITH CC	734	0.49	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	449	0.30	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	31	0.02	6.5
381	COMPLICATED PEPTIC ULCER WITH CC	38	0.03	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	36	0.02	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	11	0.01	6.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	45	0.03	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	27	0.02	11
386	INFLAMMATORY BOWEL DISEASE WITH CC	100	0.07	5.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	98	0.07	3.6
388	G.I. OBSTRUCTION WITH MCC	152	0.10	6.1
389	G.I. OBSTRUCTION WITH CC	383	0.26	4.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	533	0.36	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	413	0.28	4.2
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,046	1.38	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	237	0.16	6.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	382	0.26	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	281	0.19	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	67	0.05	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	83	0.06	9.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	50	0.03	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	17	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	21	0.01	7.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	11	0.01	5.6
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.00	8.7
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	9	0.01	6.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.01	3.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	37	0.02	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	46	0.03	5.6
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	77	0.05	3.1
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	188	0.13	5.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	314	0.21	4.0
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	875	0.59	2.2
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	9	0.01	14
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	10	0.01	5.7
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.00	7.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	17	0.01	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	6	0.00	6.3
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	10
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	232	0.16	7.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	125	0.08	3.4
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	10	0.01	2.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	143	0.10	5.4
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	100	0.07	4.1
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	18	0.01	3.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	200	0.13	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	378	0.25	4.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	458	0.31	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	267	0.18	6.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	206	0.14	3.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	103	0.07	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	175	0.12	5.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	185	0.12	4.1
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	253	0.17	2.5
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	17	0.01	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	53	0.04	7.2
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	98	0.07	4.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	22	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	39	0.03	5.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	27	0.02	5.1
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	17	0.01	7.6
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	383	0.26	3.9
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	4	0.00	12
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	79	0.05	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	29	0.02	29
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	54	0.04	9.2
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	20	0.01	7.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	20	0.01	14
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	78	0.05	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	106	0.07	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	191	0.13	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,002	2.02	3.4
471	CERVICAL SPINAL FUSION WITH MCC	14	0.01	7.1
472	CERVICAL SPINAL FUSION WITH CC	74	0.05	4.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	365	0.25	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	15	0.01	17
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	20	0.01	7.9
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	11	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	20	0.01	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	51	0.03	6.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	37	0.02	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	161	0.11	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	430	0.29	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	322	0.22	3.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	57	0.04	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	84	0.06	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	7	0.00	8.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	21	0.01	8.4
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	25	0.02	6.6
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	37	0.02	5.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	131	0.09	1.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	220	0.15	4.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	666	0.45	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	63	0.04	6.3
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	189	0.13	4.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	671	0.45	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	20	0.01	8.1
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	50	0.03	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	100	0.07	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	16	0.01	7.4
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	13	0.01	1.2
500	SOFT TISSUE PROCEDURES WITH MCC	17	0.01	17
501	SOFT TISSUE PROCEDURES WITH CC	63	0.04	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	138	0.09	2.2
503	FOOT PROCEDURES WITH MCC	11	0.01	7.0
504	FOOT PROCEDURES WITH CC	29	0.02	4.2
505	FOOT PROCEDURES WITHOUT CC/MCC	63	0.04	2.2
506	MAJOR THUMB OR JOINT PROCEDURES	9	0.01	2.7
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	9	0.01	4.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	23	0.02	1.9
509	ARTHROSCOPY	3	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	6	0.00	2.8
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	37	0.02	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	155	0.10	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	14	0.01	3.6
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	29	0.02	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	41	0.03	9.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	69	0.05	6.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	123	0.08	2.7
533	FRACTURES OF FEMUR WITH MCC	2	0.00	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	27	0.02	2.4
535	FRACTURES OF HIP & PELVIS WITH MCC	50	0.03	7.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	173	0.12	3.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	13	0.01	3.5
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.00	1.5
539	OSTEOMYELITIS WITH MCC	27	0.02	14
540	OSTEOMYELITIS WITH CC	29	0.02	10
541	OSTEOMYELITIS WITHOUT CC/MCC	11	0.01	2.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	43	0.03	8.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	106	0.07	4.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	26	0.02	4.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	63	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	69	0.05	5.8
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	81	0.05	2.8
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	6.0
549	SEPTIC ARTHRITIS WITH CC	8	0.01	3.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	3	0.00	.67
551	MEDICAL BACK PROBLEMS WITH MCC	92	0.06	5.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	559	0.38	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	21	0.01	3.5
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	104	0.07	3.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	21	0.01	3.6
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	135	0.09	2.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	54	0.04	5.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	142	0.10	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	12	0.01	5.9
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	30	0.02	4.6
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	36	0.02	1.6
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	50	0.03	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	279	0.19	2.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	20	0.01	4.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	38	0.03	2.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	17	0.01	2.1
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	29	0.02	22
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	47	0.03	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	33	0.02	5.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	4	0.00	10
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	22	0.01	5.3
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	47	0.03	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	30	0.02	10
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	153	0.10	3.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	268	0.18	1.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	84	0.06	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	120	0.08	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	10	0.01	2.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	95	0.06	1.6
592	SKIN ULCERS WITH MCC	18	0.01	12
593	SKIN ULCERS WITH CC	41	0.03	5.3
594	SKIN ULCERS WITHOUT CC/MCC	5	0.00	4.2
595	MAJOR SKIN DISORDERS WITH MCC	15	0.01	8.1
596	MAJOR SKIN DISORDERS WITHOUT MCC	38	0.03	4.2
597	MALIGNANT BREAST DISORDERS WITH MCC	8	0.01	5.9
598	MALIGNANT BREAST DISORDERS WITH CC	15	0.01	3.2
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	5.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	5	0.00	4.4
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	35	0.02	2.0
602	CELLULITIS WITH MCC	193	0.13	5.3
603	CELLULITIS WITHOUT MCC	1,353	0.91	3.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	42	0.03	4.2
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	231	0.16	1.9
606	MINOR SKIN DISORDERS WITH MCC	22	0.01	7.5
607	MINOR SKIN DISORDERS WITHOUT MCC	92	0.06	2.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	52	0.04	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	52	0.04	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	6	0.00	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	60	0.04	7.1
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	2	0.00	2.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	14	0.01	11
620	O.R. PROCEDURES FOR OBESITY WITH CC	47	0.03	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	401	0.27	1.6
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	5	0.00	20
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	12	0.01	6.0
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	3.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.01	8.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	76	0.05	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	358	0.24	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	19	0.01	9.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	38	0.03	9.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	7.3
637	DIABETES WITH MCC	235	0.16	5.0
638	DIABETES WITH CC	354	0.24	3.2
639	DIABETES WITHOUT CC/MCC	449	0.30	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	494	0.33	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,202	0.81	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	35	0.02	3.6
643	ENDOCRINE DISORDERS WITH MCC	76	0.05	9.2
644	ENDOCRINE DISORDERS WITH CC	160	0.11	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	138	0.09	2.9
652	KIDNEY TRANSPLANT	86	0.06	5.6
653	MAJOR BLADDER PROCEDURES WITH MCC	11	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	39	0.03	8.1
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	22	0.01	5.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	33	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	77	0.05	4.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	115	0.08	3.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	44	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	129	0.09	4.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	131	0.09	2.7
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.00	13
663	MINOR BLADDER PROCEDURES WITH CC	15	0.01	5.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	24	0.02	1.4
665	PROSTATECTOMY WITH MCC	3	0.00	8.7
666	PROSTATECTOMY WITH CC	11	0.01	3.1
667	PROSTATECTOMY WITHOUT CC/MCC	19	0.01	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	27	0.02	8.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	65	0.04	2.9
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	63	0.04	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.00	3.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	19	0.01	2.1
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	72	0.05	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	68	0.05	8.8
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	11	0.01	4.2
682	RENAL FAILURE WITH MCC	440	0.30	7.1
683	RENAL FAILURE WITH CC	579	0.39	4.5
684	RENAL FAILURE WITHOUT CC/MCC	155	0.10	3.0
685	ADMIT FOR RENAL DIALYSIS	22	0.01	2.7
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	10	0.01	6.2
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	22	0.01	2.9
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.00	.80
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	476	0.32	4.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,465	0.99	3.2
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.00	1.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	37	0.02	3.4
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	178	0.12	1.8
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	10	0.01	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	52	0.04	2.1
697	URETHRAL STRICTURE	3	0.00	5.7
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	289	0.19	6.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	226	0.15	4.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	109	0.07	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	57	0.04	3.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	286	0.19	1.7
709	PENIS PROCEDURES WITH CC/MCC	8	0.01	3.0
710	PENIS PROCEDURES WITHOUT CC/MCC	19	0.01	1.6
711	TESTES PROCEDURES WITH CC/MCC	9	0.01	3.8
712	TESTES PROCEDURES WITHOUT CC/MCC	16	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	76	0.05	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	259	0.17	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	5	0.00	2.4
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	7	0.00	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	4	0.00	6.3
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.00	5.6
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.00	1.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.00	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	20	0.01	2.9
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	6.2
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	70	0.05	3.4
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	4	0.00	4.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.00	4.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	31	0.02	5.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	40	0.03	2.4
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	12	0.01	16
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	55	0.04	7.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	25	0.02	3.1
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	8	0.01	9.1
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	62	0.04	4.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	129	0.09	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	406	0.27	3.0
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,670	1.13	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	14	0.01	3.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	33	0.02	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	23	0.02	2.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	99	0.07	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	214	0.14	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	26	0.02	6.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	23	0.02	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.00	11
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	3.4
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	2.1
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	6.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	5.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	76	0.05	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	38	0.03	1.9
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	87	0.06	1.2
765	CESAREAN SECTION WITH CC/MCC	2,656	1.79	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	4,798	3.23	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	446	0.30	3.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	11	0.01	3.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	60	0.04	2.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	74	0.05	1.7
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,397	1.62	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	14,853	10.01	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	201	0.14	2.2
777	ECTOPIC PREGNANCY	144	0.10	1.4
778	THREATENED ABORTION	324	0.22	2.0
779	ABORTION WITHOUT D&C	69	0.05	1.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
780	FALSE LABOR	55	0.04	.45
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	849	0.57	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	233	0.16	1.8
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	271	0.18	8.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	323	0.22	45
791	PREMATURITY WITH MAJOR PROBLEMS	377	0.25	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,256	0.85	6.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	996	0.67	5.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	5,910	3.98	2.5
795	NORMAL NEWBORN	17,605	11.87	2.2
799	SPLENECTOMY WITH MCC	9	0.01	7.0
800	SPLENECTOMY WITH CC	9	0.01	4.0
801	SPLENECTOMY WITHOUT CC/MCC	13	0.01	3.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	8	0.01	19
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	18	0.01	6.3
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	21	0.01	2.9
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	98	0.07	7.8
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	287	0.19	4.7
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	64	0.04	3.5
811	RED BLOOD CELL DISORDERS WITH MCC	250	0.17	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	617	0.42	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	147	0.10	3.4
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	21	0.01	6.4
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	44	0.03	4.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	42	0.03	2.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	11	0.01	19
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	31	0.02	7.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	42	0.03	2.7
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	20	0.01	14
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	25	0.02	8.1
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	22	0.01	2.8
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	8	0.01	14
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	24	0.02	6.8
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	13	0.01	4.1
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	22	0.01	8.3
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	2.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	53	0.04	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	40	0.03	19
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	48	0.03	7.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	18	0.01	18
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	90	0.06	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	121	0.08	4.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	91	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	90	0.06	8.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	39	0.03	4.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	14	0.01	9.7
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	30	0.02	5.9
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	10	0.01	4.1
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	43	0.03	5.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	659	0.44	3.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	49	0.03	3.4
849	RADIOTHERAPY	19	0.01	3.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	334	0.23	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	46	0.03	10
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	3.8
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	61	0.04	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	103	0.07	8.6
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	29	0.02	6.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	119	0.08	7.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	266	0.18	4.4
864	FEVER	230	0.16	2.8
865	VIRAL ILLNESS WITH MCC	51	0.03	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	220	0.15	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	63	0.04	10
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	22	0.01	4.5
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	16	0.01	2.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	326	0.22	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,368	1.60	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	791	0.53	4.8
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	3	0.00	3.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	80	0.05	2.2
881	DEPRESSIVE NEUROSES	24	0.02	2.9
882	NEUROSES EXCEPT DEPRESSIVE	10	0.01	2.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	41	0.03	9.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	84	0.06	6.3
885	PSYCHOSES	354	0.24	8.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.00	2.8
887	OTHER MENTAL DISORDER DIAGNOSIS	22	0.01	7.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	36	0.02	1.5
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.00	5.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	125	0.08	8.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	507	0.34	3.1
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	4	0.00	28

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	15	0.01	7.1
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	6	0.00	7.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	16	0.01	14
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	11	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	26	0.02	3.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	80	0.05	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	101	0.07	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	124	0.08	2.6
913	TRAUMATIC INJURY WITH MCC	11	0.01	3.5
914	TRAUMATIC INJURY WITHOUT MCC	67	0.05	1.9
915	ALLERGIC REACTIONS WITH MCC	10	0.01	4.4
916	ALLERGIC REACTIONS WITHOUT MCC	53	0.04	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	250	0.17	5.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	518	0.35	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	121	0.08	5.5
920	COMPLICATIONS OF TREATMENT WITH CC	173	0.12	3.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	111	0.07	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	28	0.02	3.4
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	70	0.05	2.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.00	75
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	18	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	15	0.01	9.7
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	7.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	11	0.01	3.8
935	NON-EXTENSIVE BURNS	108	0.07	4.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	8	0.01	11
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	21	0.01	4.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	39	0.03	1.8
945	REHABILITATION WITH CC/MCC	15	0.01	15
947	SIGNS & SYMPTOMS WITH MCC	86	0.06	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	357	0.24	3.1
949	AFTERCARE WITH CC/MCC	18	0.01	3.7
950	AFTERCARE WITHOUT CC/MCC	15	0.01	3.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	100	0.07	2.2
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	20	0.01	10
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	47	0.03	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	44	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	46	0.03	9.1
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	13	0.01	4.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	18	0.01	8.7
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	69	0.05	4.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	29	0.02	4.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	4	0.00	7.8
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	3.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	46	0.03	16
975	HIV WITH MAJOR RELATED CONDITION WITH CC	31	0.02	5.8
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	24	0.02	4.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	25	0.02	4.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	190	0.13	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	118	0.08	6.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	92	0.06	3.1
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	9.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	8.7
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	47	0.03	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	48	0.03	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	48	0.03	2.3
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	2	0.00	2.0
999	UNGROUPABLE	5	0.00	6.4
All		148,320	100.0	4.1

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
378	G.I. HEMORRHAGE WITH CC	1	1.59	13
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	3.17	3.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	14	22.22	24
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	1.59	4.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	45	71.43	17
All		63	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	1	0.15	6.0
885	PSYCHOSES	2	0.31	14
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.31	28
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	9	1.39	30
945	REHABILITATION WITH CC/MCC	581	89.94	18
946	REHABILITATION WITHOUT CC/MCC	51	7.89	9.7
All		646	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	7	0.12	27
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.02	2.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.02	11
375	DIGESTIVE MALIGNANCY WITH CC	1	0.02	14
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.02	17
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.02	7.0
592	SKIN ULCERS WITH MCC	1	0.02	14
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	2.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.02	12
639	DIABETES WITHOUT CC/MCC	1	0.02	4.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.02	1.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.02	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	20	0.36	5.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	23	0.41	5.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	4	0.07	14
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	38	0.68	5.0
881	DEPRESSIVE NEUROSES	491	8.73	3.9
882	NEUROSES EXCEPT DEPRESSIVE	95	1.69	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	56	1.00	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	17	0.30	10
885	PSYCHOSES	4,686	83.31	9.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	49	0.87	17
887	OTHER MENTAL DISORDER DIAGNOSIS	6	0.11	19
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	6	0.11	1.7
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.04	18
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	96	1.71	3.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.28	4.7
945	REHABILITATION WITH CC/MCC	1	0.02	89
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.02	77
All		5,625	100.0	9.2

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	4	0.63	2E3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.16	387
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2	0.31	1E3
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.16	13
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.16	9.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.16	2E3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.47	524
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.31	10
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.16	28
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.31	22
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.16	218
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	2	0.31	333
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4	0.63	20
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.31	12
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	3	0.47	6.3
180	RESPIRATORY NEOPLASMS WITH MCC	2	0.31	11
181	RESPIRATORY NEOPLASMS WITH CC	1	0.16	18
189	PULMONARY EDEMA & RESPIRATORY FAILURE	4	0.63	327
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.16	7.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	3	0.47	306
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.31	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	3	0.47	7.7
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.16	914
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.16	406
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	4	0.63	688
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.31	21
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.16	2.0
291	HEART FAILURE & SHOCK WITH MCC	2	0.31	76
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.31	20
303	ATHEROSCLEROSIS WITHOUT MCC	1	0.16	535
304	HYPERTENSION WITH MCC	4	0.63	343
305	HYPERTENSION WITHOUT MCC	1	0.16	18
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	2	0.31	505
311	ANGINA PECTORIS	1	0.16	1E3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	2	0.31	10
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.16	19
374	DIGESTIVE MALIGNANCY WITH MCC	2	0.31	29
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2	0.31	106
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	2	0.31	27
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.16	1.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.16	11
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.16	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.16	7.0
539	OSTEOMYELITIS WITH MCC	1	0.16	64
540	OSTEOMYELITIS WITH CC	1	0.16	3.0
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.16	37
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.16	13
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.16	1.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.31	2.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.16	4.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.16	86
593	SKIN ULCERS WITH CC	1	0.16	15
594	SKIN ULCERS WITHOUT CC/MCC	1	0.16	.00
603	CELLULITIS WITHOUT MCC	8	1.26	11
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.16	22
637	DIABETES WITH MCC	1	0.16	46
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.16	72
683	RENAL FAILURE WITH CC	1	0.16	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.47	7.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2	0.31	3.5
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.16	57
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.16	10
849	RADIOTHERAPY	1	0.16	20

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Clara County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.16	14
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	2	0.31	19
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	3	0.47	9.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	0.31	7.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	5	0.78	2E3
885	PSYCHOSES	3	0.47	85
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.16	23
920	COMPLICATIONS OF TREATMENT WITH CC	1	0.16	257
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.16	92
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.31	40
945	REHABILITATION WITH CC/MCC	338	53.06	15
946	REHABILITATION WITHOUT CC/MCC	150	23.55	13
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.16	17
949	AFTERCARE WITH CC/MCC	8	1.26	36
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.47	7.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.16	9.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.31	27
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.16	431
All		637	100.0	71

**MDC by Patient County of Residence
for 2009
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	5	0.00	6.4
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7,807	5.03	6.8
02	EYE, DISEASES & DISORDERS	209	0.13	3.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,873	1.21	2.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	11,115	7.16	6.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	15,209	9.79	4.8
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	12,528	8.07	4.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,780	3.08	4.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,391	7.34	4.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,116	2.01	3.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,380	2.82	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,226	3.37	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	872	0.56	2.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3,164	2.04	2.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	27,227	17.53	2.7
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	26,743	17.22	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,682	1.08	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,694	1.09	6.9
18	INFECTIOUS & PARASITIC DISEASES	5,126	3.30	8.2
19	MENTAL DISEASES & DISORDERS	6,075	3.91	11
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	840	0.54	5.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1,845	1.19	4.4

(Continued)

*MDC by Patient County of Residence
for 2009
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	156	0.10	7.4
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,805	1.16	12
24	MULTIPLE SIGNFICANT TRAUMA	286	0.18	8.9
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	137	0.09	10
All		155,291	100.0	4.6

**MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	5	0.00	6.4
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7,781	5.25	5.1
02	EYE, DISEASES & DISORDERS	209	0.14	3.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,869	1.26	2.7
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	11,082	7.47	5.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	15,191	10.24	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	12,521	8.44	4.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,774	3.22	4.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,380	7.67	4.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,102	2.09	3.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,376	2.95	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,219	3.52	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	872	0.59	2.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3,163	2.13	2.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	27,184	18.33	2.7
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	26,743	18.03	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,682	1.13	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,692	1.14	6.9
18	INFECTIOUS & PARASITIC DISEASES	5,118	3.45	8.2
19	MENTAL DISEASES & DISORDERS	623	0.42	6.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	674	0.45	4.0

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1,826	1.23	4.2
22	BURNS	156	0.11	7.4
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	659	0.44	3.4
24	MULTIPLE SIGNFICANT TRAUMA	286	0.19	8.9
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	133	0.09	9.5
All		148,320	100.0	4.1

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	1.59	13
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	62	98.41	18
All		63	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.15	6.0
19	MENTAL DISEASES & DISORDERS	2	0.31	14
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	643	99.54	18
All		646	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	9	0.16	22
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.02	14
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	0.04	12
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3	0.05	9.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.04	2.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.02	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	43	0.76	5.6
19	MENTAL DISEASES & DISORDERS	5,442	96.75	9.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	104	1.85	3.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	16	0.28	4.7
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.02	89
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.02	77
All		5,625	100.0	9.2

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	16	2.51	842
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	4	0.63	72
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	33	5.18	217
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	18	2.83	235
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	5	0.78	57
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	6	0.94	13
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	9	1.41	24
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	11	1.73	12
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.31	59
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	7	1.10	13
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	2	0.31	15
18	INFECTIOUS & PARASITIC DISEASES	8	1.26	12
19	MENTAL DISEASES & DISORDERS	8	1.26	1E3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	3	0.47	124
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	502	78.81	15
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	3	0.47	21
All		637	100.0	71