

**Type of Care by Patient County of Residence
for 2010
Santa Clara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	144,842	95.25	4.1
Chemical Dependency Recovery Care	67	0.04	12
Invalid/Blank	1	0.00	1.0
Physical Rehabilitation Care	848	0.56	16
Psychiatric Care	5,715	3.76	9.3
Skilled Nursing/Intermediate Care	594	0.39	51
All	152,067	100.0	4.5

***Disposition by Patient County of Residence
for 2010
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	35	0.02	11
01 - Routine (Home)	115,360	79.65	3.2
02 - Acute Care within the admitting hospital	15	0.01	2.3
03 - Other Care with the admitting hospital	680	0.47	8.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	533	0.37	7.3
05 - Acute Care at another hospital	1,974	1.36	5.1
06 - Other Care (not SN/IC) at another hospital	718	0.50	11
07 - SN/IC at another facility	11,257	7.77	7.8
08 - Residential Care facility	912	0.63	6.5
09 - Prison/Jail	174	0.12	4.7
10 - Left Against Medical Advice	782	0.54	2.3
11 - Died	2,942	2.03	9.4
12 - Home Health Service	9,056	6.25	6.8
13 - Other	404	0.28	7.8
All	144,842	100.0	4.1

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	60	89.55	12
03 - Other Care with the admitting hospital	2	2.99	15
10 - Left Against Medical Advice	3	4.48	4.3
13 - Other	2	2.99	22
All	67	100.0	12

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1	100.0	1.0
All	1	100.0	1.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	409	48.23	17
02 - Acute Care within the admitting hospital	78	9.20	15
03 - Other Care with the admitting hospital	3	0.35	19
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.12	18
05 - Acute Care at another hospital	16	1.89	7.4
06 - Other Care (not SN/IC) at another hospital	4	0.47	18
07 - SN/IC at another facility	56	6.60	18
08 - Residential Care facility	8	0.94	30
10 - Left Against Medical Advice	1	0.12	1.0
12 - Home Health Service	268	31.60	16
13 - Other	4	0.47	14
All	848	100.0	16

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	13	0.23	20
01 - Routine (Home)	4,558	79.76	7.8
02 - Acute Care within the admitting hospital	71	1.24	15
03 - Other Care with the admitting hospital	10	0.17	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.02	19
05 - Acute Care at another hospital	69	1.21	16
06 - Other Care (not SN/IC) at another hospital	93	1.63	19
07 - SN/IC at another facility	191	3.34	21
08 - Residential Care facility	524	9.17	15
09 - Prison/Jail	25	0.44	5.6
10 - Left Against Medical Advice	126	2.20	5.4
12 - Home Health Service	7	0.12	8.9
13 - Other	27	0.47	14
All	5,715	100.0	9.3

***Disposition by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	117	19.70	23
02 - Acute Care within the admitting hospital	73	12.29	53
03 - Other Care with the admitting hospital	2	0.34	238
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.17	6.0
05 - Acute Care at another hospital	26	4.38	301
07 - SN/IC at another facility	60	10.10	41
08 - Residential Care facility	11	1.85	21
10 - Left Against Medical Advice	1	0.17	29
11 - Died	26	4.38	335
12 - Home Health Service	276	46.46	14
13 - Other	1	0.17	10
All	594	100.0	51

***Gender by Patient County of Residence
for 2010
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	60,785	39.97	5.0
2 - Female	91,268	60.02	4.2
3 - Other	1	0.00	4.0
4 - Unknown	13	0.01	7.6
All	152,067	100.0	4.5

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	57,486	39.69	4.6
2 - Female	87,343	60.30	3.8
3 - Other	1	0.00	4.0
4 - Unknown	12	0.01	7.8
All	144,842	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	36	53.73	12
2 - Female	31	46.27	13
All	67	100.0	12

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
2 - Female	1	100.0	1.0
All	1	100.0	1.0

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	501	59.08	17
2 - Female	347	40.92	16
All	848	100.0	16

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,540	44.44	9.7
2 - Female	3,174	55.54	8.9
4 - Unknown	1	0.02	6.0
All	5,715	100.0	9.3

***Gender by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	222	37.37	45
2 - Female	372	62.63	54
All	594	100.0	51

***Expected Payer by Patient County of Residence
for 2010
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	11	0.01	2.6
01 - Medicare	44,415	29.21	5.6
02 - Medi-Cal	31,255	20.55	4.6
03 - Private Coverage	66,336	43.62	3.7
04 - Workers' Compensatio	601	0.40	4.1
05 - County Indigent Prog	2,590	1.70	5.1
06 - Other Government	1,864	1.23	10
07 - Other Indigent	1,813	1.19	3.7
08 - Self-Pay	2,606	1.71	3.8
09 - Other Payer	576	0.38	5.3
All	152,067	100.0	4.5

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	9	0.01	1.8
01 - Medicare	42,446	29.31	5.2
02 - Medi-Cal	30,250	20.88	3.9
03 - Private Coverage	63,606	43.91	3.4
04 - Workers' Compensatio	577	0.40	3.7
05 - County Indigent Prog	2,060	1.42	3.4
06 - Other Government	1,107	0.76	7.2
07 - Other Indigent	1,800	1.24	3.7
08 - Self-Pay	2,466	1.70	3.6
09 - Other Payer	521	0.36	4.5
All	144,842	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	9	13.43	4.1
03 - Private Coverage	36	53.73	11
06 - Other Government	4	5.97	40
08 - Self-Pay	17	25.37	13
09 - Other Payer	1	1.49	30
All	67	100.0	12

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	1	100.0	1.0
All	1	100.0	1.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	404	47.64	15
02 - Medi-Cal	121	14.27	20
03 - Private Coverage	289	34.08	17
04 - Workers' Compensatio	17	2.00	15
05 - County Indigent Prog	4	0.47	19
06 - Other Government	3	0.35	32
07 - Other Indigent	8	0.94	17
08 - Self-Pay	2	0.24	29
All	848	100.0	16

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.03	6.5
01 - Medicare	1,096	19.18	11
02 - Medi-Cal	812	14.21	8.2
03 - Private Coverage	2,344	41.01	6.9
04 - Workers' Compensatio	6	0.10	8.2
05 - County Indigent Prog	526	9.20	12
06 - Other Government	749	13.11	14
07 - Other Indigent	5	0.09	3.6
08 - Self-Pay	121	2.12	6.2
09 - Other Payer	54	0.94	12
All	5,715	100.0	9.3

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	460	77.44	18
02 - Medi-Cal	72	12.12	261
03 - Private Coverage	60	10.10	50
04 - Workers' Compensatio	1	0.17	7.0
06 - Other Government	1	0.17	84
All	594	100.0	51

***Race Group by Patient County of Residence
for 2010
Santa Clara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2,494	1.64	4.3
1 - White	63,425	41.71	4.9
2 - Black	5,230	3.44	5.2
3 - Hispanic	41,125	27.04	4.0
4 - Asian/Pacific Islander	34,195	22.49	4.4
5 - Native American/Eskimo/Ale	263	0.17	4.6
6 - Other	5,335	3.51	4.5
All	152,067	100.0	4.5

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1,958	1.35	3.5
1 - White	59,761	41.26	4.3
2 - Black	4,858	3.35	4.6
3 - Hispanic	39,784	27.47	3.8
4 - Asian/Pacific Islander	33,173	22.90	4.1
5 - Native American/Eskimo/Ale	244	0.17	4.3
6 - Other	5,064	3.50	4.3
All	144,842	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	7	10.45	15
1 - White	49	73.13	12
2 - Black	1	1.49	1.0
3 - Hispanic	7	10.45	14
4 - Asian/Pacific Islander	2	2.99	2.5
6 - Other	1	1.49	60
All	67	100.0	12

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	1	100.0	1.0
All	1	100.0	1.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	39	4.60	15
1 - White	425	50.12	16
2 - Black	30	3.54	21
3 - Hispanic	135	15.92	19
4 - Asian/Pacific Islander	192	22.64	16
5 - Native American/Eskimo/Ale	2	0.24	14
6 - Other	25	2.95	12
All	848	100.0	16

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	485	8.49	5.9
1 - White	2,768	48.43	9.4
2 - Black	326	5.70	11
3 - Hispanic	1,122	19.63	9.2
4 - Asian/Pacific Islander	761	13.32	11
5 - Native American/Eskimo/Ale	16	0.28	9.0
6 - Other	237	4.15	7.7
All	5,715	100.0	9.3

***Race Group by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	5	0.84	79
1 - White	421	70.88	51
2 - Black	15	2.53	17
3 - Hispanic	77	12.96	55
4 - Asian/Pacific Islander	67	11.28	51
5 - Native American/Eskimo/Ale	1	0.17	8.0
6 - Other	8	1.35	40
All	594	100.0	51

**Source of Admission by Patient County of Residence
for 2010
Santa Clara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	114,074	75.02	4.2
2 - Residential Care Facility	1,540	1.01	7.8
3 - Ambulatory Surgery	399	0.26	2.7
4 - Skilled Nursing/Intermedia	3,780	2.49	7.1
5 - Acute Inpatient Hospital C	4,061	2.67	14
6 - Other Inpatient Hospital C	870	0.57	11
7 - Newborn (born in admitting	24,357	16.02	3.3
8 - Prison/Jail	149	0.10	5.4
9 - Other	2,837	1.87	5.9
All	152,067	100.0	4.5

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	109,488	75.59	4.0
2 - Residential Care Facility	1,415	0.98	6.4
3 - Ambulatory Surgery	397	0.27	2.7
4 - Skilled Nursing/Intermedia	3,723	2.57	6.8
5 - Acute Inpatient Hospital C	2,428	1.68	9.8
6 - Other Inpatient Hospital C	579	0.40	8.8
7 - Newborn (born in admitting	24,355	16.81	3.3
8 - Prison/Jail	123	0.08	3.8
9 - Other	2,334	1.61	5.0
All	144,842	100.0	4.1

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	66	98.51	13
8 - Prison/Jail	1	1.49	1.0
All	67	100.0	12

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	100.0	1.0
All	1	100.0	1.0

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	0.35	8.0
2 - Residential Care Facility	2	0.24	20
3 - Ambulatory Surgery	1	0.12	2.0
4 - Skilled Nursing/Intermedia	12	1.42	26
5 - Acute Inpatient Hospital C	799	94.22	16
6 - Other Inpatient Hospital C	31	3.66	17
All	848	100.0	16

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,486	78.50	8.6
2 - Residential Care Facility	122	2.13	14
3 - Ambulatory Surgery	1	0.02	4.0
4 - Skilled Nursing/Intermedia	37	0.65	21
5 - Acute Inpatient Hospital C	282	4.93	11
6 - Other Inpatient Hospital C	257	4.50	14
7 - Newborn (born in admitting	2	0.03	7.0
8 - Prison/Jail	25	0.44	13
9 - Other	503	8.80	10
All	5,715	100.0	9.3

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	30	5.05	321
2 - Residential Care Facility	1	0.17	1E3
4 - Skilled Nursing/Intermedia	8	1.35	35
5 - Acute Inpatient Hospital C	552	92.93	34
6 - Other Inpatient Hospital C	3	0.51	19
All	594	100.0	51

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.00	66
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	17
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	169	0.11	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	140	0.09	41
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	26	0.02	22
006	LIVER TRANSPLANT WITHOUT MCC	7	0.00	8.6
007	LUNG TRANSPLANT	11	0.01	22
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	4	0.00	9.0
009	BONE MARROW TRANSPLANT	31	0.02	32
010	PANCREAS TRANSPLANT	2	0.00	7.5
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	21
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	22	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	10	0.01	6.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	37	0.02	17
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	13	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	9	0.01	9.8
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	96	0.06	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	48	0.03	7.4
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	168	0.11	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	176	0.12	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	239	0.16	3.5
028	SPINAL PROCEDURES WITH MCC	24	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	55	0.04	5.9
030	SPINAL PROCEDURES WITHOUT CC/MCC	70	0.05	3.6
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	17	0.01	12
032	VENTRICULAR SHUNT PROCEDURES WITH CC	36	0.02	4.4
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	16	0.01	2.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	8	0.01	8.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	15	0.01	4.7
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	25	0.02	1.7
037	EXTRACRANIAL PROCEDURES WITH MCC	26	0.02	13
038	EXTRACRANIAL PROCEDURES WITH CC	43	0.03	3.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	120	0.08	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	37	0.02	18
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	66	0.04	6.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	44	0.03	2.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	16	0.01	9.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	6	0.00	1.5
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	94	0.06	4.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	109	0.07	3.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	59	0.04	55
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	212	0.14	37

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	7	0.00	9.7
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	24	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	49	0.03	3.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	36	0.02	5.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	55	0.04	6.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	28	0.02	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	516	0.34	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	761	0.50	4.4
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	569	0.37	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.00	16
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	33	0.02	2.5
069	TRANSIENT ISCHEMIA	403	0.27	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	41	0.03	9.4
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	42	0.03	5.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	38	0.02	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	101	0.07	4.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	293	0.19	3.6
075	VIRAL MENINGITIS WITH CC/MCC	31	0.02	4.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	90	0.06	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	12	0.01	6.6
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	15	0.01	3.1
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	7	0.00	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
080	NONTRAUMATIC STUPOR & COMA WITH MCC	16	0.01	3.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	72	0.05	3.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	27	0.02	7.4
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	24	0.02	5.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	53	0.03	2.7
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	79	0.05	7.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	142	0.09	3.9
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	223	0.15	1.9
088	CONCUSSION WITH MCC	8	0.01	2.9
089	CONCUSSION WITH CC	25	0.02	2.5
090	CONCUSSION WITHOUT CC/MCC	55	0.04	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	88	0.06	8.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	143	0.09	9.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	111	0.07	5.2
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	16	0.01	21
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	23	0.02	9.6
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	22	0.01	5.6
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	24	0.02	16
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	15	0.01	8.3
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	18	0.01	3.4
100	SEIZURES WITH MCC	173	0.11	5.6
101	SEIZURES WITHOUT MCC	577	0.38	2.3

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	18	0.01	2.6
103	HEADACHES WITHOUT MCC	222	0.15	2.6
113	ORBITAL PROCEDURES WITH CC/MCC	12	0.01	3.8
114	ORBITAL PROCEDURES WITHOUT CC/MCC	18	0.01	2.6
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	21	0.01	2.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	6	0.00	1.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	18	0.01	.50
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	9	0.01	4.7
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	27	0.02	2.7
123	NEUROLOGICAL EYE DISORDERS	38	0.02	2.2
124	OTHER DISORDERS OF THE EYE WITH MCC	11	0.01	2.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	65	0.04	2.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	11	0.01	3.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	17	0.01	2.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.03	5.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	144	0.09	1.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	71	0.05	4.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	263	0.17	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	11	0.01	5.8
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	11	0.01	1.9
137	MOUTH PROCEDURES WITH CC/MCC	13	0.01	3.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	21	0.01	1.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	60	0.04	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	11	0.01	2.3
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	8	0.01	1.6
149	DYSEQUILIBRIUM	167	0.11	2.0
150	EPISTAXIS WITH MCC	11	0.01	2.5
151	EPISTAXIS WITHOUT MCC	27	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	50	0.03	2.8
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	347	0.23	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	19	0.01	3.8
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	62	0.04	2.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	68	0.04	5.3
157	DENTAL & ORAL DISEASES WITH MCC	12	0.01	3.7
158	DENTAL & ORAL DISEASES WITH CC	61	0.04	3.1
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	48	0.03	1.6
163	MAJOR CHEST PROCEDURES WITH MCC	124	0.08	14
164	MAJOR CHEST PROCEDURES WITH CC	178	0.12	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	133	0.09	4.1
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	122	0.08	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	72	0.05	5.4
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	46	0.03	4.6
175	PULMONARY EMBOLISM WITH MCC	102	0.07	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	325	0.21	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	496	0.33	8.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	534	0.35	6.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	137	0.09	7.1
180	RESPIRATORY NEOPLASMS WITH MCC	135	0.09	6.8
181	RESPIRATORY NEOPLASMS WITH CC	158	0.10	4.6
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	15	0.01	3.5
183	MAJOR CHEST TRAUMA WITH MCC	21	0.01	4.4
184	MAJOR CHEST TRAUMA WITH CC	56	0.04	3.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	29	0.02	2.5
186	PLEURAL EFFUSION WITH MCC	78	0.05	4.7
187	PLEURAL EFFUSION WITH CC	72	0.05	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	16	0.01	3.2
189	PULMONARY EDEMA & RESPIRATORY FAILURE	391	0.26	6.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	610	0.40	5.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	500	0.33	3.8
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	430	0.28	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	724	0.48	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,330	0.87	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	835	0.55	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	61	0.04	8.3
197	INTERSTITIAL LUNG DISEASE WITH CC	50	0.03	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	26	0.02	3.2
199	PNEUMOTHORAX WITH MCC	25	0.02	6.0
200	PNEUMOTHORAX WITH CC	89	0.06	3.4
201	PNEUMOTHORAX WITHOUT CC/MCC	91	0.06	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	548	0.36	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,009	0.66	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	185	0.12	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	60	0.04	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	151	0.10	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	329	0.22	28
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	484	0.32	6.4
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	59	0.04	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	29	0.02	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	6	0.00	8.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	137	0.09	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	218	0.14	7.7
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	41	0.03	6.9
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	22	0.01	17
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	20	0.01	6.1
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	20	0.01	8.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	26	0.02	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	37	0.02	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	99	0.07	4.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	49	0.03	17
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	33	0.02	8.6
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.00	4.6
231	CORONARY BYPASS WITH PTCA WITH MCC	8	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	4	0.00	6.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	71	0.05	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	113	0.07	8.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	43	0.03	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	125	0.08	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	179	0.12	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	204	0.13	4.8
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	49	0.03	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	48	0.03	8.7
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	6	0.00	7.7
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	134	0.09	7.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	221	0.15	4.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	220	0.14	2.9
245	AICD GENERATOR PROCEDURES	7	0.00	5.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	390	0.26	4.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,166	0.77	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	66	0.04	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	133	0.09	2.9
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	45	0.03	7.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	204	0.13	2.4
252	OTHER VASCULAR PROCEDURES WITH MCC	194	0.13	8.4
253	OTHER VASCULAR PROCEDURES WITH CC	148	0.10	5.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	143	0.09	3.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	18	0.01	6.6
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	25	0.02	8.2
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	4	0.00	4.8
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	4	0.00	3.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	20	0.01	2.2
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	9	0.01	14
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	17	0.01	4.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	8	0.01	3.6
263	VEIN LIGATION & STRIPPING	6	0.00	6.2
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	81	0.05	9.3
265	AICD LEAD PROCEDURES	6	0.00	8.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	336	0.22	6.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	277	0.18	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	288	0.19	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	59	0.04	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	14	0.01	2.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	7	0.00	.86
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	179	0.12	6.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	650	0.43	2.9
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	18	0.01	9.8
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	19	0.01	9.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.00	2.8
291	HEART FAILURE & SHOCK WITH MCC	1,189	0.78	5.9
292	HEART FAILURE & SHOCK WITH CC	1,086	0.71	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	592	0.39	4.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.00	3.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	13	0.01	2.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	3	0.00	1.3
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	5	0.00	.40
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	158	0.10	5.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	207	0.14	3.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	126	0.08	2.5
302	ATHEROSCLEROSIS WITH MCC	46	0.03	3.6
303	ATHEROSCLEROSIS WITHOUT MCC	221	0.15	1.9
304	HYPERTENSION WITH MCC	37	0.02	31
305	HYPERTENSION WITHOUT MCC	169	0.11	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	35	0.02	16
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	49	0.03	2.9
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	382	0.25	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	534	0.35	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	654	0.43	2.0
311	ANGINA PECTORIS	87	0.06	1.8
312	SYNCOPE & COLLAPSE	637	0.42	2.3
313	CHEST PAIN	969	0.64	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	373	0.25	7.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	177	0.12	3.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	88	0.06	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	104	0.07	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	133	0.09	8.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	156	0.10	3.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	322	0.21	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	675	0.44	8.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	391	0.26	5.0
332	RECTAL RESECTION WITH MCC	16	0.01	13
333	RECTAL RESECTION WITH CC	55	0.04	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	55	0.04	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	39	0.03	16
336	PERITONEAL ADHESIOLYSIS WITH CC	98	0.06	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	125	0.08	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	11	0.01	7.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	74	0.05	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	272	0.18	3.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	24	0.02	2.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	102	0.07	2.3
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,348	0.89	1.2
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.00	30
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	44	0.03	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	54	0.04	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	11	0.01	6.5
348	ANAL & STOMAL PROCEDURES WITH CC	55	0.04	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	118	0.08	2.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	15	0.01	7.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	36	0.02	2.9
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	72	0.05	1.6
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	15	0.01	6.5
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	120	0.08	3.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	185	0.12	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	53	0.03	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	69	0.05	6.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	58	0.04	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	37	0.02	6.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	50	0.03	3.1
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	25	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	244	0.16	8.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	269	0.18	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	160	0.11	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	92	0.06	7.3
375	DIGESTIVE MALIGNANCY WITH CC	161	0.11	5.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	26	0.02	2.8
377	G.I. HEMORRHAGE WITH MCC	423	0.28	4.8
378	G.I. HEMORRHAGE WITH CC	824	0.54	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	468	0.31	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	26	0.02	6.1
381	COMPLICATED PEPTIC ULCER WITH CC	65	0.04	3.7
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	29	0.02	2.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	11	0.01	3.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	36	0.02	2.2
385	INFLAMMATORY BOWEL DISEASE WITH MCC	23	0.02	8.4
386	INFLAMMATORY BOWEL DISEASE WITH CC	106	0.07	4.9
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	115	0.08	3.3
388	G.I. OBSTRUCTION WITH MCC	158	0.10	7.4
389	G.I. OBSTRUCTION WITH CC	379	0.25	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	543	0.36	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	454	0.30	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,055	1.35	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	173	0.11	7.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	407	0.27	3.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	243	0.16	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	64	0.04	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	90	0.06	7.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	35	0.02	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	18	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	9.4
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	13	0.01	4.9
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.00	6.8
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	13	0.01	6.6
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	12	0.01	3.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.02	7.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.03	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	72	0.05	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	204	0.13	5.9
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	331	0.22	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	931	0.61	2.2
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	10	0.01	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	12	0.01	5.8
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.00	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	17	0.01	21
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	8	0.01	7.8
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	9.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	185	0.12	5.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	104	0.07	3.1
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	13	0.01	1.9
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	117	0.08	7.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	121	0.08	4.2
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	17	0.01	4.9
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	183	0.12	6.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	361	0.24	3.9
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	387	0.25	2.8
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	285	0.19	6.2
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	258	0.17	3.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	106	0.07	2.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	166	0.11	5.3
445	DISORDERS OF THE BILIARY TRACT WITH CC	196	0.13	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	249	0.16	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	21	0.01	9.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	58	0.04	7.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	117	0.08	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	17	0.01	12
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	42	0.03	6.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	30	0.02	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	15	0.01	11
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	353	0.23	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	7	0.00	7.1
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	82	0.05	3.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	43	0.03	22
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	77	0.05	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	19	0.01	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	29	0.02	10
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	78	0.05	6.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	153	0.10	3.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	197	0.13	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,111	2.05	3.3
471	CERVICAL SPINAL FUSION WITH MCC	18	0.01	11
472	CERVICAL SPINAL FUSION WITH CC	72	0.05	3.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	316	0.21	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	9	0.01	12

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	26	0.02	7.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	8	0.01	2.6
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	14	0.01	13
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	48	0.03	6.5
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	30	0.02	3.9
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	165	0.11	8.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	450	0.30	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	335	0.22	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	56	0.04	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	113	0.07	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	6	0.00	9.5
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	27	0.02	6.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.01	7.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	34	0.02	6.3
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	116	0.08	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	265	0.17	3.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	670	0.44	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	42	0.03	7.2
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	211	0.14	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	625	0.41	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	10	0.01	19
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	62	0.04	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	106	0.07	1.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	12	0.01	3.9
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	21	0.01	1.9
500	SOFT TISSUE PROCEDURES WITH MCC	20	0.01	27
501	SOFT TISSUE PROCEDURES WITH CC	57	0.04	4.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	98	0.06	2.1
503	FOOT PROCEDURES WITH MCC	15	0.01	5.1
504	FOOT PROCEDURES WITH CC	27	0.02	4.9
505	FOOT PROCEDURES WITHOUT CC/MCC	74	0.05	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	3.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	10	0.01	3.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	14	0.01	1.8
509	ARTHROSCOPY	2	0.00	3.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.00	2.8
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	43	0.03	2.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	142	0.09	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	15	0.01	3.4
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	23	0.02	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	28	0.02	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	102	0.07	5.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	113	0.07	2.4
533	FRACTURES OF FEMUR WITH MCC	8	0.01	8.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	40	0.03	2.4
535	FRACTURES OF HIP & PELVIS WITH MCC	60	0.04	4.5
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	159	0.10	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	7	0.00	4.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	5	0.00	2.4
539	OSTEOMYELITIS WITH MCC	30	0.02	7.8
540	OSTEOMYELITIS WITH CC	32	0.02	5.9
541	OSTEOMYELITIS WITHOUT CC/MCC	15	0.01	3.6
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	39	0.03	8.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	92	0.06	4.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	31	0.02	3.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	63	0.04	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	69	0.05	5.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	76	0.05	2.5
548	SEPTIC ARTHRITIS WITH MCC	6	0.00	13
549	SEPTIC ARTHRITIS WITH CC	9	0.01	17
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	6	0.00	3.2
551	MEDICAL BACK PROBLEMS WITH MCC	98	0.06	5.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	503	0.33	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	35	0.02	3.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	103	0.07	2.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	19	0.01	4.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	131	0.09	2.2
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	42	0.03	5.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	144	0.09	3.1
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	17	0.01	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	37	0.02	3.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	38	0.02	2.4
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	52	0.03	4.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	268	0.18	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	18	0.01	86
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	38	0.02	7.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	22	0.01	11
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	26	0.02	20
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	36	0.02	6.9
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	19	0.01	5.5
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	4	0.00	5.3
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	34	0.02	4.8
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	44	0.03	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	23	0.02	12
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	147	0.10	3.3
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	314	0.21	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	72	0.05	1.8
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	122	0.08	1.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	20	0.01	3.2
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	95	0.06	1.3
592	SKIN ULCERS WITH MCC	17	0.01	15
593	SKIN ULCERS WITH CC	53	0.03	3.5
594	SKIN ULCERS WITHOUT CC/MCC	6	0.00	4.3
595	MAJOR SKIN DISORDERS WITH MCC	13	0.01	7.8
596	MAJOR SKIN DISORDERS WITHOUT MCC	47	0.03	3.9
597	MALIGNANT BREAST DISORDERS WITH MCC	8	0.01	4.9
598	MALIGNANT BREAST DISORDERS WITH CC	7	0.00	6.6
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	1.5
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	7	0.00	2.1
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	33	0.02	1.9
602	CELLULITIS WITH MCC	211	0.14	5.7
603	CELLULITIS WITHOUT MCC	1,407	0.93	3.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	31	0.02	3.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	207	0.14	1.9
606	MINOR SKIN DISORDERS WITH MCC	24	0.02	4.6
607	MINOR SKIN DISORDERS WITHOUT MCC	84	0.06	2.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	42	0.03	5.4
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	48	0.03	2.2
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	7	0.00	18
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	70	0.05	6.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	2	0.00	4.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	3	0.00	15
620	O.R. PROCEDURES FOR OBESITY WITH CC	52	0.03	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	364	0.24	1.5
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	1.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	16	0.01	6.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	2.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.01	5.8
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	76	0.05	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	308	0.20	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	19	0.01	8.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	34	0.02	7.7
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	4	0.00	2.3
637	DIABETES WITH MCC	223	0.15	4.8
638	DIABETES WITH CC	420	0.28	2.9
639	DIABETES WITHOUT CC/MCC	401	0.26	2.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	580	0.38	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,042	0.69	2.9
642	INBORN ERRORS OF METABOLISM	25	0.02	4.0
643	ENDOCRINE DISORDERS WITH MCC	97	0.06	8.7
644	ENDOCRINE DISORDERS WITH CC	154	0.10	3.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	119	0.08	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
652	KIDNEY TRANSPLANT	107	0.07	6.3
653	MAJOR BLADDER PROCEDURES WITH MCC	11	0.01	17
654	MAJOR BLADDER PROCEDURES WITH CC	35	0.02	9.1
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	12	0.01	5.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	27	0.02	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	86	0.06	4.5
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	114	0.07	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	39	0.03	9.6
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	130	0.09	3.9
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	110	0.07	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	6	0.00	12
663	MINOR BLADDER PROCEDURES WITH CC	17	0.01	3.2
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	22	0.01	1.7
665	PROSTATECTOMY WITH MCC	2	0.00	7.0
666	PROSTATECTOMY WITH CC	14	0.01	3.6
667	PROSTATECTOMY WITHOUT CC/MCC	20	0.01	2.3
668	TRANSURETHRAL PROCEDURES WITH MCC	21	0.01	5.9
669	TRANSURETHRAL PROCEDURES WITH CC	73	0.05	3.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	69	0.05	1.6
671	URETHRAL PROCEDURES WITH CC/MCC	7	0.00	2.6
672	URETHRAL PROCEDURES WITHOUT CC/MCC	19	0.01	1.9
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	79	0.05	12

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	45	0.03	6.1
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	9	0.01	2.1
682	RENAL FAILURE WITH MCC	465	0.31	6.4
683	RENAL FAILURE WITH CC	578	0.38	4.9
684	RENAL FAILURE WITHOUT CC/MCC	123	0.08	2.7
685	ADMIT FOR RENAL DIALYSIS	11	0.01	3.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	15	0.01	6.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	24	0.02	3.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	471	0.31	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,368	0.90	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	4	0.00	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	25	0.02	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	156	0.10	1.7
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	7	0.00	2.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	70	0.05	2.5
697	URETHRAL STRICTURE	1	0.00	4.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	304	0.20	6.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	241	0.16	3.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	90	0.06	2.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	52	0.03	3.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	354	0.23	1.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
709	PENIS PROCEDURES WITH CC/MCC	8	0.01	4.6
710	PENIS PROCEDURES WITHOUT CC/MCC	12	0.01	1.5
711	TESTES PROCEDURES WITH CC/MCC	10	0.01	2.9
712	TESTES PROCEDURES WITHOUT CC/MCC	17	0.01	.59
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	82	0.05	2.7
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	245	0.16	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	3.5
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	3.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	6.3
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	9	0.01	2.6
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	.00
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	6	0.00	3.7
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	19	0.01	2.1
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	10	0.01	5.7
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	51	0.03	2.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	5	0.00	2.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.00	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	51	0.03	5.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	43	0.03	2.2
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	6	0.00	16

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	61	0.04	5.7
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	27	0.02	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	10	0.01	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	66	0.04	2.9
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	124	0.08	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	383	0.25	2.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,606	1.06	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	20	0.01	2.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	54	0.04	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	21	0.01	2.2
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	90	0.06	1.4
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	202	0.13	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	18	0.01	4.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.01	1.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	14	0.01	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	6.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.00	2.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	13	0.01	5.6
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	34	0.02	3.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	82	0.05	2.5
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	32	0.02	4.4
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	76	0.05	1.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	2,658	1.75	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	4,575	3.01	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	457	0.30	2.8
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	15	0.01	5.4
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	65	0.04	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	62	0.04	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,271	1.49	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	13,940	9.17	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	223	0.15	2.7
777	ECTOPIC PREGNANCY	122	0.08	1.4
778	THREATENED ABORTION	313	0.21	2.1
779	ABORTION WITHOUT D&C	52	0.03	1.3
780	FALSE LABOR	39	0.03	.38
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	847	0.56	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	280	0.18	2.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	238	0.16	8.1
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	331	0.22	39
791	PREMATURITY WITH MAJOR PROBLEMS	358	0.24	21
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,176	0.77	6.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	904	0.59	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	5,551	3.65	2.5
795	NORMAL NEWBORN	16,806	11.05	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
799	SPLENECTOMY WITH MCC	5	0.00	5.6
800	SPLENECTOMY WITH CC	11	0.01	4.9
801	SPLENECTOMY WITHOUT CC/MCC	15	0.01	2.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	4	0.00	14
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	14	0.01	4.6
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	23	0.02	2.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	113	0.07	8.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	267	0.18	4.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	48	0.03	3.2
811	RED BLOOD CELL DISORDERS WITH MCC	194	0.13	4.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	593	0.39	2.4
813	COAGULATION DISORDERS	132	0.09	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	16	0.01	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	43	0.03	5.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	48	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	18	0.01	15
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	35	0.02	4.9
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	43	0.03	2.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	26	0.02	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	39	0.03	6.7
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	21	0.01	3.9
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	9	0.01	15

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	21	0.01	6.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	19	0.01	3.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	25	0.02	9.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	3.2
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	67	0.04	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	36	0.02	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	42	0.03	7.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	37	0.02	23
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	74	0.05	6.4
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	102	0.07	3.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	82	0.05	9.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	69	0.05	6.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	37	0.02	2.1
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	16	0.01	6.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	21	0.01	6.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	9	0.01	2.1
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	32	0.02	8.8
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	523	0.34	3.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	17	0.01	2.4
849	RADIOTHERAPY	15	0.01	3.1
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	403	0.27	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	90	0.06	9.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	5.2
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	48	0.03	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	93	0.06	6.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	28	0.02	3.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	132	0.09	5.9
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	227	0.15	4.1
864	FEVER	262	0.17	2.6
865	VIRAL ILLNESS WITH MCC	34	0.02	5.0
866	VIRAL ILLNESS WITHOUT MCC	187	0.12	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	54	0.04	7.6
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	27	0.02	3.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	24	0.02	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	289	0.19	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,937	1.93	6.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1,079	0.71	4.1
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	8	0.01	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	109	0.07	2.9
881	DEPRESSIVE NEUROSES	464	0.31	4.2
882	NEUROSES EXCEPT DEPRESSIVE	102	0.07	4.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	108	0.07	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	129	0.08	44
885	PSYCHOSES	5,302	3.49	9.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	42	0.03	16
887	OTHER MENTAL DISORDER DIAGNOSIS	39	0.03	7.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	67	0.04	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	27	0.02	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	139	0.09	6.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	704	0.46	3.8
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.00	21
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	8	0.01	12
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	13	0.01	3.6
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	13	0.01	17
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	10	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	19	0.01	3.2
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	82	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	111	0.07	8.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	116	0.08	2.2
913	TRAUMATIC INJURY WITH MCC	6	0.00	1.8
914	TRAUMATIC INJURY WITHOUT MCC	54	0.04	2.5
915	ALLERGIC REACTIONS WITH MCC	12	0.01	3.3
916	ALLERGIC REACTIONS WITHOUT MCC	46	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	258	0.17	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	503	0.33	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	101	0.07	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
920	COMPLICATIONS OF TREATMENT WITH CC	171	0.11	4.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	87	0.06	2.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	16	0.01	3.9
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	50	0.03	1.2
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	5	0.00	37
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	14	0.01	13
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	14	0.01	9.1
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.00	4.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.00	15
935	NON-EXTENSIVE BURNS	90	0.06	5.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	20	0.01	24
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	28	0.02	14
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	36	0.02	2.0
945	REHABILITATION WITH CC/MCC	1,051	0.69	16
946	REHABILITATION WITHOUT CC/MCC	249	0.16	12
947	SIGNS & SYMPTOMS WITH MCC	129	0.08	4.8
948	SIGNS & SYMPTOMS WITHOUT MCC	415	0.27	3.1
949	AFTERCARE WITH CC/MCC	31	0.02	15
950	AFTERCARE WITHOUT CC/MCC	9	0.01	7.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	130	0.09	2.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	11	0.01	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	53	0.03	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	38	0.02	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	52	0.03	9.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	22	0.01	5.8
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	26	0.02	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	72	0.05	4.7
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	27	0.02	3.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	4	0.00	26
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	9.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	47	0.03	10
975	HIV WITH MAJOR RELATED CONDITION WITH CC	31	0.02	6.1
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	23	0.02	6.7
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	24	0.02	4.1
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	184	0.12	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	128	0.08	7.5
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	155	0.10	2.2
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	20
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	3.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	50	0.03	23
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	57	0.04	7.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	41	0.03	2.6
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
999	UNGROUPABLE	5	0.00	4.0
All		152,054	100.0	4.5

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.00	66
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	17
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	169	0.12	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	139	0.10	41
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	26	0.02	22
006	LIVER TRANSPLANT WITHOUT MCC	7	0.00	8.6
007	LUNG TRANSPLANT	11	0.01	22
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	4	0.00	9.0
009	BONE MARROW TRANSPLANT	31	0.02	32
010	PANCREAS TRANSPLANT	2	0.00	7.5
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	21
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	22	0.02	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	10	0.01	6.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	37	0.03	17
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	13	0.01	16
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	9	0.01	9.8
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	95	0.07	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	48	0.03	7.4
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	168	0.12	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	176	0.12	6.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	239	0.17	3.5
028	SPINAL PROCEDURES WITH MCC	24	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	55	0.04	5.9
030	SPINAL PROCEDURES WITHOUT CC/MCC	70	0.05	3.6
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	17	0.01	12
032	VENTRICULAR SHUNT PROCEDURES WITH CC	36	0.02	4.4
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	16	0.01	2.1
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	8	0.01	8.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	15	0.01	4.7
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	25	0.02	1.7
037	EXTRACRANIAL PROCEDURES WITH MCC	26	0.02	13
038	EXTRACRANIAL PROCEDURES WITH CC	43	0.03	3.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	120	0.08	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	37	0.03	18
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	66	0.05	6.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	44	0.03	2.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	16	0.01	9.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	6	0.00	1.5
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	94	0.06	4.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	109	0.08	3.4

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	56	0.04	7.9
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	198	0.14	7.4
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	7	0.00	9.7
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	24	0.02	5.2
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	49	0.03	3.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	36	0.02	5.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	55	0.04	6.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	28	0.02	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	516	0.36	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	761	0.53	4.4
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	569	0.39	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.00	16
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	32	0.02	2.5
069	TRANSIENT ISCHEMIA	403	0.28	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	41	0.03	9.4
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	42	0.03	5.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	38	0.03	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	101	0.07	4.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	293	0.20	3.6
075	VIRAL MENINGITIS WITH CC/MCC	31	0.02	4.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	90	0.06	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	12	0.01	6.6
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	15	0.01	3.1
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	7	0.00	2.1
080	NONTRAUMATIC STUPOR & COMA WITH MCC	16	0.01	3.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	71	0.05	3.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	27	0.02	7.4
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	24	0.02	5.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	53	0.04	2.7
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	79	0.05	7.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	142	0.10	3.9
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	223	0.15	1.9
088	CONCUSSION WITH MCC	8	0.01	2.9
089	CONCUSSION WITH CC	25	0.02	2.5
090	CONCUSSION WITHOUT CC/MCC	55	0.04	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	87	0.06	7.9
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	141	0.10	5.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	110	0.08	5.2
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	16	0.01	21
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	23	0.02	9.6
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	22	0.02	5.6
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	23	0.02	15

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	15	0.01	8.3
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	18	0.01	3.4
100	SEIZURES WITH MCC	173	0.12	5.6
101	SEIZURES WITHOUT MCC	577	0.40	2.3
102	HEADACHES WITH MCC	18	0.01	2.6
103	HEADACHES WITHOUT MCC	222	0.15	2.6
113	ORBITAL PROCEDURES WITH CC/MCC	12	0.01	3.8
114	ORBITAL PROCEDURES WITHOUT CC/MCC	18	0.01	2.6
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	21	0.01	2.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	6	0.00	1.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	18	0.01	.50
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	9	0.01	4.7
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	27	0.02	2.7
123	NEUROLOGICAL EYE DISORDERS	38	0.03	2.2
124	OTHER DISORDERS OF THE EYE WITH MCC	11	0.01	2.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	65	0.04	2.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	11	0.01	3.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	17	0.01	2.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	41	0.03	5.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	144	0.10	1.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	71	0.05	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	263	0.18	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	11	0.01	5.8
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	11	0.01	1.9
137	MOUTH PROCEDURES WITH CC/MCC	13	0.01	3.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	21	0.01	1.6
139	SALIVARY GLAND PROCEDURES	60	0.04	1.3
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	11	0.01	2.3
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	8	0.01	1.6
149	DYSEQUILIBRIUM	167	0.12	2.0
150	EPISTAXIS WITH MCC	11	0.01	2.5
151	EPISTAXIS WITHOUT MCC	27	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	50	0.03	2.8
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	347	0.24	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	19	0.01	3.8
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	62	0.04	2.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	67	0.05	1.6
157	DENTAL & ORAL DISEASES WITH MCC	12	0.01	3.7
158	DENTAL & ORAL DISEASES WITH CC	61	0.04	3.1
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	48	0.03	1.6
163	MAJOR CHEST PROCEDURES WITH MCC	124	0.09	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
164	MAJOR CHEST PROCEDURES WITH CC	178	0.12	6.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	133	0.09	4.1
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	121	0.08	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	72	0.05	5.4
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	46	0.03	4.6
175	PULMONARY EMBOLISM WITH MCC	102	0.07	6.0
176	PULMONARY EMBOLISM WITHOUT MCC	325	0.22	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	495	0.34	8.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	533	0.37	6.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	137	0.09	7.1
180	RESPIRATORY NEOPLASMS WITH MCC	135	0.09	6.8
181	RESPIRATORY NEOPLASMS WITH CC	158	0.11	4.6
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	15	0.01	3.5
183	MAJOR CHEST TRAUMA WITH MCC	21	0.01	4.4
184	MAJOR CHEST TRAUMA WITH CC	56	0.04	3.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	29	0.02	2.5
186	PLEURAL EFFUSION WITH MCC	78	0.05	4.7
187	PLEURAL EFFUSION WITH CC	72	0.05	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	16	0.01	3.2
189	PULMONARY EDEMA & RESPIRATORY FAILURE	391	0.27	6.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	610	0.42	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	500	0.35	3.8
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	430	0.30	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	721	0.50	5.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,328	0.92	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	835	0.58	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	61	0.04	8.3
197	INTERSTITIAL LUNG DISEASE WITH CC	49	0.03	4.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	26	0.02	3.2
199	PNEUMOTHORAX WITH MCC	25	0.02	6.0
200	PNEUMOTHORAX WITH CC	89	0.06	3.4
201	PNEUMOTHORAX WITHOUT CC/MCC	91	0.06	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	548	0.38	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,009	0.70	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	185	0.13	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	60	0.04	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	151	0.10	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	323	0.22	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	481	0.33	6.4
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	58	0.04	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	29	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	6	0.00	8.8
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	137	0.09	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	218	0.15	7.7
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	41	0.03	6.9
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	22	0.02	17
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	20	0.01	6.1
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	20	0.01	8.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	26	0.02	4.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	37	0.03	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	99	0.07	4.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	49	0.03	17
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	33	0.02	8.6
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.00	4.6
231	CORONARY BYPASS WITH PTCA WITH MCC	8	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	4	0.00	6.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	71	0.05	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	113	0.08	8.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	43	0.03	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	125	0.09	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	179	0.12	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	204	0.14	4.8
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	49	0.03	17
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	48	0.03	8.7
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	6	0.00	7.7
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	134	0.09	7.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	221	0.15	4.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	220	0.15	2.9
245	AICD GENERATOR PROCEDURES	7	0.00	5.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	390	0.27	4.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,166	0.81	2.2
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	66	0.05	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	133	0.09	2.9
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	45	0.03	7.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	204	0.14	2.4
252	OTHER VASCULAR PROCEDURES WITH MCC	194	0.13	8.4
253	OTHER VASCULAR PROCEDURES WITH CC	148	0.10	5.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	143	0.10	3.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	18	0.01	6.6
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	25	0.02	8.2
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	4	0.00	4.8
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	4	0.00	3.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	20	0.01	2.2
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	9	0.01	14
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	17	0.01	4.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	8	0.01	3.6
263	VEIN LIGATION & STRIPPING	6	0.00	6.2
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	81	0.06	9.3
265	AICD LEAD PROCEDURES	6	0.00	8.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	335	0.23	6.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	277	0.19	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	288	0.20	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	59	0.04	4.3
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	14	0.01	2.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	7	0.00	.86
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	179	0.12	6.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	650	0.45	2.9
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	18	0.01	9.8
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	19	0.01	9.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	4	0.00	2.8
291	HEART FAILURE & SHOCK WITH MCC	1,189	0.82	5.9
292	HEART FAILURE & SHOCK WITH CC	1,086	0.75	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	590	0.41	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.00	3.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	13	0.01	2.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	3	0.00	1.3
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	5	0.00	.40
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	158	0.11	5.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	206	0.14	3.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	126	0.09	2.5
302	ATHEROSCLEROSIS WITH MCC	45	0.03	3.2
303	ATHEROSCLEROSIS WITHOUT MCC	221	0.15	1.9
304	HYPERTENSION WITH MCC	33	0.02	3.8
305	HYPERTENSION WITHOUT MCC	166	0.11	1.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	33	0.02	5.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	49	0.03	2.9
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	382	0.26	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	534	0.37	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	654	0.45	2.0
311	ANGINA PECTORIS	87	0.06	1.8
312	SYNCOPE & COLLAPSE	636	0.44	2.3
313	CHEST PAIN	969	0.67	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	373	0.26	7.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	177	0.12	3.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	88	0.06	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	104	0.07	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	133	0.09	8.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	156	0.11	3.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	322	0.22	16
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	675	0.47	8.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	391	0.27	5.0
332	RECTAL RESECTION WITH MCC	16	0.01	13
333	RECTAL RESECTION WITH CC	55	0.04	7.3
334	RECTAL RESECTION WITHOUT CC/MCC	55	0.04	4.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	39	0.03	16
336	PERITONEAL ADHESIOLYSIS WITH CC	98	0.07	8.0
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	125	0.09	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	11	0.01	7.8
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	74	0.05	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	272	0.19	3.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	24	0.02	2.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	102	0.07	2.3
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1,348	0.93	1.2
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.00	30

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	44	0.03	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	54	0.04	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	11	0.01	6.5
348	ANAL & STOMAL PROCEDURES WITH CC	55	0.04	4.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	118	0.08	2.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	15	0.01	7.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	36	0.02	2.9
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	72	0.05	1.6
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	15	0.01	6.5
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	120	0.08	3.5
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	185	0.13	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	53	0.04	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	69	0.05	6.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	58	0.04	3.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	37	0.03	6.5
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	50	0.03	3.1
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	25	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	243	0.17	8.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	268	0.19	6.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	160	0.11	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	92	0.06	7.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	160	0.11	4.9
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	26	0.02	2.8
377	G.I. HEMORRHAGE WITH MCC	423	0.29	4.8
378	G.I. HEMORRHAGE WITH CC	824	0.57	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	468	0.32	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	26	0.02	6.1
381	COMPLICATED PEPTIC ULCER WITH CC	65	0.04	3.7
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	29	0.02	2.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	11	0.01	3.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	36	0.02	2.2
385	INFLAMMATORY BOWEL DISEASE WITH MCC	23	0.02	8.4
386	INFLAMMATORY BOWEL DISEASE WITH CC	106	0.07	4.9
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	115	0.08	3.3
388	G.I. OBSTRUCTION WITH MCC	157	0.11	7.4
389	G.I. OBSTRUCTION WITH CC	379	0.26	4.1
390	G.I. OBSTRUCTION WITHOUT CC/MCC	543	0.37	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	454	0.31	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,054	1.42	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	172	0.12	7.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	405	0.28	3.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	243	0.17	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	64	0.04	17
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	90	0.06	7.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	35	0.02	5.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	18	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	9.4
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	13	0.01	4.9
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.00	6.8
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	13	0.01	6.6
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	12	0.01	3.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.02	7.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.03	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	72	0.05	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	204	0.14	5.9
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	331	0.23	3.7
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	931	0.64	2.2
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	10	0.01	13
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	12	0.01	5.8
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.00	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	17	0.01	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	8	0.01	7.8
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	9.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	185	0.13	5.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	104	0.07	3.1
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	13	0.01	1.9
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	117	0.08	7.5
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	121	0.08	4.2
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	17	0.01	4.9
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	182	0.13	6.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	361	0.25	3.9
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	387	0.27	2.8
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	284	0.20	6.2
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	258	0.18	3.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	106	0.07	2.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	166	0.11	5.3
445	DISORDERS OF THE BILIARY TRACT WITH CC	196	0.14	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	249	0.17	2.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	21	0.01	9.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	58	0.04	7.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	117	0.08	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	17	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	42	0.03	6.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	30	0.02	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	15	0.01	11
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	352	0.24	4.0
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	7	0.00	7.1
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	82	0.06	3.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	43	0.03	22
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	77	0.05	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	19	0.01	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	29	0.02	10
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	78	0.05	6.2
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	153	0.11	3.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	197	0.14	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,111	2.15	3.3
471	CERVICAL SPINAL FUSION WITH MCC	18	0.01	11
472	CERVICAL SPINAL FUSION WITH CC	72	0.05	3.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	316	0.22	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	9	0.01	12
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	26	0.02	7.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	8	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	14	0.01	13
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	48	0.03	6.5
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	30	0.02	3.9
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	165	0.11	8.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	450	0.31	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	334	0.23	4.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	56	0.04	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	113	0.08	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	6	0.00	9.5
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	27	0.02	6.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.01	7.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	34	0.02	6.3
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	116	0.08	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	265	0.18	3.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	670	0.46	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	42	0.03	7.2
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	211	0.15	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	625	0.43	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	10	0.01	19
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	62	0.04	4.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	106	0.07	1.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	12	0.01	3.9
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	21	0.01	1.9
500	SOFT TISSUE PROCEDURES WITH MCC	20	0.01	27
501	SOFT TISSUE PROCEDURES WITH CC	57	0.04	4.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	98	0.07	2.1
503	FOOT PROCEDURES WITH MCC	15	0.01	5.1
504	FOOT PROCEDURES WITH CC	27	0.02	4.9
505	FOOT PROCEDURES WITHOUT CC/MCC	74	0.05	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	3.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	10	0.01	3.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	14	0.01	1.8
509	ARTHROSCOPY	2	0.00	3.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.00	2.8
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	43	0.03	2.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	142	0.10	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	15	0.01	3.4
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	23	0.02	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	28	0.02	14
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	102	0.07	5.1
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	113	0.08	2.4
533	FRACTURES OF FEMUR WITH MCC	8	0.01	8.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	40	0.03	2.4
535	FRACTURES OF HIP & PELVIS WITH MCC	60	0.04	4.5
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	159	0.11	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	7	0.00	4.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	5	0.00	2.4
539	OSTEOMYELITIS WITH MCC	30	0.02	7.8
540	OSTEOMYELITIS WITH CC	30	0.02	4.5
541	OSTEOMYELITIS WITHOUT CC/MCC	15	0.01	3.6
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	39	0.03	8.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	92	0.06	4.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	31	0.02	3.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	63	0.04	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	67	0.05	5.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	76	0.05	2.5
548	SEPTIC ARTHRITIS WITH MCC	5	0.00	15
549	SEPTIC ARTHRITIS WITH CC	8	0.01	5.6
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	6	0.00	3.2
551	MEDICAL BACK PROBLEMS WITH MCC	98	0.07	5.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	503	0.35	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	35	0.02	3.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	103	0.07	2.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	19	0.01	4.2
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	131	0.09	2.2
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	42	0.03	5.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	144	0.10	3.1
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	17	0.01	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	34	0.02	2.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	36	0.02	2.1
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	52	0.04	4.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	268	0.19	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	17	0.01	4.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	35	0.02	3.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	20	0.01	3.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	26	0.02	20
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	36	0.02	6.9
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	19	0.01	5.5
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	4	0.00	5.3
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	34	0.02	4.8
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	44	0.03	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	23	0.02	12
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	147	0.10	3.3
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	314	0.22	1.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	72	0.05	1.8
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	122	0.08	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	20	0.01	3.2
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	95	0.07	1.3
592	SKIN ULCERS WITH MCC	16	0.01	15
593	SKIN ULCERS WITH CC	53	0.04	3.5
594	SKIN ULCERS WITHOUT CC/MCC	6	0.00	4.3
595	MAJOR SKIN DISORDERS WITH MCC	13	0.01	7.8
596	MAJOR SKIN DISORDERS WITHOUT MCC	47	0.03	3.9
597	MALIGNANT BREAST DISORDERS WITH MCC	8	0.01	4.9
598	MALIGNANT BREAST DISORDERS WITH CC	7	0.00	6.6
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	1.5
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	7	0.00	2.1
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	33	0.02	1.9
602	CELLULITIS WITH MCC	211	0.15	5.7
603	CELLULITIS WITHOUT MCC	1,400	0.97	3.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	31	0.02	3.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	207	0.14	1.9
606	MINOR SKIN DISORDERS WITH MCC	24	0.02	4.6
607	MINOR SKIN DISORDERS WITHOUT MCC	84	0.06	2.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	42	0.03	5.4

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	48	0.03	2.2
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	7	0.00	18
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	70	0.05	6.6
618	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC	2	0.00	4.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	3	0.00	15
620	O.R. PROCEDURES FOR OBESITY WITH CC	52	0.04	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	364	0.25	1.5
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	1.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	16	0.01	6.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	2.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	10	0.01	5.8
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	76	0.05	1.8
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	308	0.21	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	19	0.01	8.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	34	0.02	7.7
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	4	0.00	2.3
637	DIABETES WITH MCC	222	0.15	4.4
638	DIABETES WITH CC	419	0.29	2.9
639	DIABETES WITHOUT CC/MCC	401	0.28	2.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	579	0.40	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,040	0.72	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	25	0.02	4.0
643	ENDOCRINE DISORDERS WITH MCC	97	0.07	8.7
644	ENDOCRINE DISORDERS WITH CC	154	0.11	3.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	119	0.08	2.7
652	KIDNEY TRANSPLANT	107	0.07	6.3
653	MAJOR BLADDER PROCEDURES WITH MCC	11	0.01	17
654	MAJOR BLADDER PROCEDURES WITH CC	35	0.02	9.1
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	12	0.01	5.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	27	0.02	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	86	0.06	4.5
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	114	0.08	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	39	0.03	9.6
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	130	0.09	3.9
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	110	0.08	2.6
662	MINOR BLADDER PROCEDURES WITH MCC	6	0.00	12
663	MINOR BLADDER PROCEDURES WITH CC	17	0.01	3.2
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	22	0.02	1.7
665	PROSTATECTOMY WITH MCC	2	0.00	7.0
666	PROSTATECTOMY WITH CC	14	0.01	3.6
667	PROSTATECTOMY WITHOUT CC/MCC	20	0.01	2.3
668	TRANSURETHRAL PROCEDURES WITH MCC	21	0.01	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	73	0.05	3.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	69	0.05	1.6
671	URETHRAL PROCEDURES WITH CC/MCC	7	0.00	2.6
672	URETHRAL PROCEDURES WITHOUT CC/MCC	19	0.01	1.9
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	79	0.05	12
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	45	0.03	6.1
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	9	0.01	2.1
682	RENAL FAILURE WITH MCC	463	0.32	6.4
683	RENAL FAILURE WITH CC	577	0.40	4.9
684	RENAL FAILURE WITHOUT CC/MCC	123	0.08	2.7
685	ADMIT FOR RENAL DIALYSIS	11	0.01	3.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	15	0.01	6.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	24	0.02	3.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	468	0.32	4.6
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,366	0.94	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	4	0.00	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	25	0.02	3.2
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	156	0.11	1.7
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	7	0.00	2.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	70	0.05	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
697	URETHRAL STRICTURE	1	0.00	4.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	304	0.21	6.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	241	0.17	3.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	90	0.06	2.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	52	0.04	3.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	354	0.24	1.5
709	PENIS PROCEDURES WITH CC/MCC	8	0.01	4.6
710	PENIS PROCEDURES WITHOUT CC/MCC	12	0.01	1.5
711	TESTES PROCEDURES WITH CC/MCC	10	0.01	2.9
712	TESTES PROCEDURES WITHOUT CC/MCC	17	0.01	.59
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	82	0.06	2.7
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	245	0.17	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	3.5
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	3.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	6.3
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	9	0.01	2.6
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	.00
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	6	0.00	3.7
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	19	0.01	2.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	10	0.01	5.7
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	51	0.04	2.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	5	0.00	2.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.00	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	51	0.04	5.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	43	0.03	2.2
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	6	0.00	16
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	61	0.04	5.7
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	27	0.02	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	10	0.01	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	66	0.05	2.9
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	124	0.09	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	383	0.26	2.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,606	1.11	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	20	0.01	2.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	54	0.04	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	21	0.01	2.2
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	90	0.06	1.4
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	202	0.14	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	18	0.01	4.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.01	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	14	0.01	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	25	0.02	6.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.00	2.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	13	0.01	5.6
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	34	0.02	3.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	82	0.06	2.5
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	32	0.02	4.4
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	76	0.05	1.2
765	CESAREAN SECTION WITH CC/MCC	2,658	1.84	4.7
766	CESAREAN SECTION WITHOUT CC/MCC	4,574	3.16	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	457	0.32	2.8
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	15	0.01	5.4
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	65	0.04	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	62	0.04	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	2,271	1.57	2.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	13,938	9.62	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	205	0.14	2.3
777	ECTOPIC PREGNANCY	122	0.08	1.4
778	THREATENED ABORTION	313	0.22	2.1
779	ABORTION WITHOUT D&C	52	0.04	1.3
780	FALSE LABOR	39	0.03	.38

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	816	0.56	2.4
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	280	0.19	2.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	238	0.16	8.1
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	331	0.23	39
791	PREMATURITY WITH MAJOR PROBLEMS	358	0.25	21
792	PREMATURITY WITHOUT MAJOR PROBLEMS	1,176	0.81	6.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	903	0.62	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	5,551	3.83	2.5
795	NORMAL NEWBORN	16,805	11.60	2.2
799	SPLENECTOMY WITH MCC	5	0.00	5.6
800	SPLENECTOMY WITH CC	11	0.01	4.9
801	SPLENECTOMY WITHOUT CC/MCC	15	0.01	2.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	4	0.00	14
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	14	0.01	4.6
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	23	0.02	2.7
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	113	0.08	8.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	267	0.18	4.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	48	0.03	3.2
811	RED BLOOD CELL DISORDERS WITH MCC	193	0.13	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	593	0.41	2.4
813	COAGULATION DISORDERS	132	0.09	3.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	16	0.01	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	41	0.03	3.8
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	48	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	18	0.01	15
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	35	0.02	4.9
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	43	0.03	2.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	26	0.02	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	39	0.03	6.7
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	21	0.01	3.9
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	9	0.01	15
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	21	0.01	6.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	19	0.01	3.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	25	0.02	9.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	3.2
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	67	0.05	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	36	0.02	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	42	0.03	7.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	37	0.03	23
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	74	0.05	6.4
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	102	0.07	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	82	0.06	9.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	69	0.05	6.8
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	37	0.03	2.1
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	16	0.01	6.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	21	0.01	6.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	9	0.01	2.1
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	32	0.02	8.8
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	523	0.36	3.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	17	0.01	2.4
849	RADIOTHERAPY	15	0.01	3.1
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	403	0.28	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	90	0.06	9.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	10	0.01	5.2
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	48	0.03	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	93	0.06	6.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	28	0.02	3.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	132	0.09	5.9
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	225	0.16	4.1
864	FEVER	262	0.18	2.6
865	VIRAL ILLNESS WITH MCC	34	0.02	5.0
866	VIRAL ILLNESS WITHOUT MCC	187	0.13	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	54	0.04	7.6
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	27	0.02	3.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	24	0.02	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	289	0.20	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,935	2.03	6.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1,077	0.74	4.1
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	6	0.00	9.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	78	0.05	2.2
881	DEPRESSIVE NEUROSES	28	0.02	5.9
882	NEUROSES EXCEPT DEPRESSIVE	20	0.01	4.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	54	0.04	10
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	113	0.08	15
885	PSYCHOSES	410	0.28	10
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	7	0.00	57
887	OTHER MENTAL DISORDER DIAGNOSIS	31	0.02	7.2
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	64	0.04	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	4	0.00	6.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	134	0.09	6.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	588	0.41	3.3
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.00	21
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	8	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	13	0.01	3.6
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	13	0.01	17
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	10	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	19	0.01	3.2
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	82	0.06	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	111	0.08	8.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	116	0.08	2.2
913	TRAUMATIC INJURY WITH MCC	6	0.00	1.8
914	TRAUMATIC INJURY WITHOUT MCC	54	0.04	2.5
915	ALLERGIC REACTIONS WITH MCC	12	0.01	3.3
916	ALLERGIC REACTIONS WITHOUT MCC	46	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	258	0.18	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	487	0.34	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	99	0.07	5.0
920	COMPLICATIONS OF TREATMENT WITH CC	169	0.12	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	87	0.06	2.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	16	0.01	3.9
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	50	0.03	1.2
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	5	0.00	37
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	14	0.01	13
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	14	0.01	9.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.00	4.5
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.00	15
935	NON-EXTENSIVE BURNS	90	0.06	5.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	7	0.00	14
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	20	0.01	7.2
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	36	0.02	2.0
945	REHABILITATION WITH CC/MCC	15	0.01	23
946	REHABILITATION WITHOUT CC/MCC	2	0.00	22
947	SIGNS & SYMPTOMS WITH MCC	129	0.09	4.8
948	SIGNS & SYMPTOMS WITHOUT MCC	415	0.29	3.1
949	AFTERCARE WITH CC/MCC	23	0.02	4.9
950	AFTERCARE WITHOUT CC/MCC	8	0.01	1.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	117	0.08	2.4
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	11	0.01	12
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	53	0.04	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	38	0.03	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	52	0.04	9.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	22	0.02	5.8
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	26	0.02	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	72	0.05	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	27	0.02	3.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	4	0.00	26
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	9.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	47	0.03	10
975	HIV WITH MAJOR RELATED CONDITION WITH CC	31	0.02	6.1
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	22	0.02	4.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	24	0.02	4.1
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	184	0.13	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	127	0.09	7.5
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	155	0.11	2.2
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	20
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	3.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	50	0.03	23
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	57	0.04	7.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	41	0.03	2.6
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	3.0
999	UNGROUPABLE	5	0.00	4.0
All		144,829	100.0	4.1

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	1	1.49	1.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	2.99	6.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	23	34.33	16
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	1.49	4.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	39	58.21	11
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	1.49	7.0
All		67	100.0	12

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	100.0	1.0
All		1	100.0	1.0

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.24	22
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.12	35
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.12	2.0
885	PSYCHOSES	1	0.12	13
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.12	15
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	12	1.42	29
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.83	29
945	REHABILITATION WITH CC/MCC	709	83.61	17
946	REHABILITATION WITHOUT CC/MCC	114	13.44	11
All		848	100.0	16

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	0.10	17
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.02	5.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	6.0
312	SYNCOPE & COLLAPSE	1	0.02	1.0
766	CESAREAN SECTION WITHOUT CC/MCC	1	0.02	3.0
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2	0.03	2.5
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	18	0.31	7.4
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	31	0.54	9.9
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	1	0.02	12
795	NORMAL NEWBORN	1	0.02	2.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.03	12
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	31	0.54	4.7
881	DEPRESSIVE NEUROSES	435	7.61	4.1
882	NEUROSES EXCEPT DEPRESSIVE	82	1.43	4.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	54	0.94	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	11	0.19	32
885	PSYCHOSES	4,890	85.56	9.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	35	0.61	7.4
887	OTHER MENTAL DISORDER DIAGNOSIS	8	0.14	9.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.02	1.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	4	0.07	4.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	77	1.35	4.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.28	3.0
945	REHABILITATION WITH CC/MCC	1	0.02	54
951	OTHER FACTORS INFLUENCING HEALTH STATUS	5	0.09	1.6
All		5,715	100.0	9.3

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.17	34
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	1	0.17	5.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.51	931
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	1.01	1E3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.17	3.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.17	84
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.34	310
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.17	254
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1	0.17	328
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.17	3.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.17	5.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	3	0.51	16
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.17	7.0
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.17	26
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	6	1.01	480
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	3	0.51	2.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.17	11
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.17	8.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	2	0.34	371
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.17	14

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
302	ATHEROSCLEROSIS WITH MCC	1	0.17	18
304	HYPERTENSION WITH MCC	4	0.67	256
305	HYPERTENSION WITHOUT MCC	3	0.51	239
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	2	0.34	192
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.17	7.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1	0.17	18
375	DIGESTIVE MALIGNANCY WITH CC	1	0.17	10
388	G.I. OBSTRUCTION WITH MCC	1	0.17	16
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	0.17	5.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.17	11
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.34	6.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.17	13
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.17	24
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	1	0.17	3.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	1	0.17	3.0
540	OSTEOMYELITIS WITH CC	2	0.34	27
546	CONNECTIVE TISSUE DISORDERS WITH CC	2	0.34	2.5
548	SEPTIC ARTHRITIS WITH MCC	1	0.17	3.0
549	SEPTIC ARTHRITIS WITH CC	1	0.17	108
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.51	14
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.34	7.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.17	1E3
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.51	52
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	2	0.34	97
592	SKIN ULCERS WITH MCC	1	0.17	2.0
603	CELLULITIS WITHOUT MCC	7	1.18	12
637	DIABETES WITH MCC	1	0.17	84
638	DIABETES WITH CC	1	0.17	11
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.17	15
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2	0.34	42
682	RENAL FAILURE WITH MCC	2	0.34	10
683	RENAL FAILURE WITH CC	1	0.17	13
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.51	16
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2	0.34	9.5
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.17	22
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.34	43
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	2	0.34	10
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2	0.34	2.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	0.34	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	5	0.84	736
885	PSYCHOSES	1	0.17	452
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.17	9.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.34	14
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.17	24
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.17	31
945	REHABILITATION WITH CC/MCC	326	54.88	14
946	REHABILITATION WITHOUT CC/MCC	133	22.39	13
949	AFTERCARE WITH CC/MCC	8	1.35	44
950	AFTERCARE WITHOUT CC/MCC	1	0.17	55
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	1.18	4.4
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.17	53
All		594	100.0	51

**MDC by Patient County of Residence
for 2010
Santa Clara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	5	0.00	4.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7,355	4.84	6.6
02	EYE, DISEASES & DISORDERS	229	0.15	2.6
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,597	1.05	2.7
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	10,954	7.20	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	14,714	9.68	4.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	12,588	8.28	4.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,731	3.11	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,509	7.57	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,159	2.08	3.4
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,240	2.79	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,066	3.33	4.5
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	901	0.59	1.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3,090	2.03	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	25,934	17.05	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	25,368	16.68	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,552	1.02	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,485	0.98	7.7
18	INFECTIOUS & PARASITIC DISEASES	5,979	3.93	7.5
19	MENTAL DISEASES & DISORDERS	6,303	4.14	10
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	944	0.62	4.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1,702	1.12	3.9

(Continued)

*MDC by Patient County of Residence
for 2010
Santa Clara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	130	0.09	7.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	2,098	1.38	11
24	MULTIPLE SIGNFICANT TRAUMA	302	0.20	8.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	132	0.09	8.8
All		152,067	100.0	4.5

**MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	5	0.00	4.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7,330	5.06	5.3
02	EYE, DISEASES & DISORDERS	229	0.16	2.6
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,596	1.10	2.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	10,936	7.55	5.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	14,698	10.15	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	12,580	8.69	4.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,729	3.26	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,490	7.93	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,151	2.18	3.4
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,235	2.92	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,058	3.49	4.5
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	901	0.62	1.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3,090	2.13	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	25,882	17.87	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	25,366	17.51	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,549	1.07	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,485	1.03	7.7
18	INFECTIOUS & PARASITIC DISEASES	5,972	4.12	7.5
19	MENTAL DISEASES & DISORDERS	747	0.52	10
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	796	0.55	3.7

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1,682	1.16	3.9
22	BURNS	130	0.09	7.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	772	0.53	3.9
24	MULTIPLE SIGNFICANT TRAUMA	302	0.21	8.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	131	0.09	8.5
All		144,842	100.0	4.1

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	1	1.49	1.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	66	98.51	13
All		67	100.0	12

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	100.0	1.0
All		1	100.0	1.0

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3	0.35	26
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.12	2.0
19	MENTAL DISEASES & DISORDERS	1	0.12	13
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.12	15
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	842	99.29	16
All		848	100.0	16

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	8	0.14	14
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.02	1.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	52	0.91	8.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2	0.03	7.0
19	MENTAL DISEASES & DISORDERS	5,548	97.08	9.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	82	1.43	4.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	16	0.28	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	6	0.10	10
All		5,715	100.0	9.3

***MDC by Patient County of Residence
and Type of Care for 2010
Santa Clara County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	14	2.36	698
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.17	254
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	17	2.86	194
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	15	2.53	194
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	8	1.35	9.9
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	0.34	19
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	19	3.20	108
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	8	1.35	11
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	5	0.84	39
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	8	1.35	13
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	3	0.51	36
18	INFECTIOUS & PARASITIC DISEASES	7	1.18	12
19	MENTAL DISEASES & DISORDERS	6	1.01	689
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	3	0.51	12
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	477	80.30	14
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.17	53
All		594	100.0	51