

**Type of Care by Patient County of Residence  
for 2009  
Santa Cruz County**

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	23,560	90.84	4.1
<b>Chemical Dependency Recovery Care</b>	17	0.07	13
<b>Physical Rehabilitation Care</b>	370	1.43	14
<b>Psychiatric Care</b>	1,215	4.68	6.9
<b>Skilled Nursing/Intermediate Care</b>	773	2.98	12
<b>All</b>	25,935	100.0	4.6

***Disposition by Patient County of Residence  
for 2009  
Santa Cruz County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	278	0.01	11
<b>01 - Routine (Home)</b>	3,004,054	75.38	3.6
<b>02 - Acute Care within the admitting hospital</b>	10,153	0.25	53
<b>03 - Other Care with the admitting hospital</b>	20,525	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	34,806	0.87	7.9
<b>05 - Acute Care at another hospital</b>	82,489	2.07	11
<b>06 - Other Care (not SN/IC) at another hospital</b>	35,667	0.89	9.8
<b>07 - SN/IC at another facility</b>	293,004	7.35	8.8
<b>08 - Residential Care facility</b>	35,985	0.90	10
<b>09 - Prison/Jail</b>	19,746	0.50	5.7
<b>10 - Left Against Medical Advice</b>	43,300	1.09	3.3
<b>11 - Died</b>	79,937	2.01	17
<b>12 - Home Health Service</b>	313,429	7.86	7.3
<b>13 - Other</b>	11,793	0.30	11
<b>All</b>	3,985,166	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	6	0.03	3.7
01 - Routine (Home)	18,205	77.27	3.3
02 - Acute Care within the admitting hospital	1	0.00	7.0
03 - Other Care with the admitting hospital	327	1.39	8.4
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	626	2.66	6.9
05 - Acute Care at another hospital	331	1.40	6.7
06 - Other Care (not SN/IC) at another hospital	174	0.74	10
07 - SN/IC at another facility	1,329	5.64	8.0
08 - Residential Care facility	98	0.42	4.3
09 - Prison/Jail	23	0.10	2.5
10 - Left Against Medical Advice	141	0.60	3.4
11 - Died	453	1.92	8.0
12 - Home Health Service	1,811	7.69	5.6
13 - Other	35	0.15	5.0
All	23,560	100.0	4.1

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	17	100.0	13
<b>All</b>	17	100.0	13

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	64	17.30	12
<b>02 - Acute Care within the admitting hospital</b>	21	5.68	10
<b>03 - Other Care with the admitting hospital</b>	1	0.27	18
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	9	2.43	16
<b>05 - Acute Care at another hospital</b>	11	2.97	15
<b>06 - Other Care (not SN/IC) at another hospital</b>	2	0.54	34
<b>07 - SN/IC at another facility</b>	50	13.51	18
<b>08 - Residential Care facility</b>	1	0.27	15
<b>10 - Left Against Medical Advice</b>	1	0.27	6.0
<b>12 - Home Health Service</b>	210	56.76	13
<b>All</b>	370	100.0	14

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	777	63.95	5.0
02 - Acute Care within the admitting hospital	19	1.56	4.6
03 - Other Care with the admitting hospital	1	0.08	5.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.08	10
05 - Acute Care at another hospital	10	0.82	3.3
06 - Other Care (not SN/IC) at another hospital	33	2.72	22
07 - SN/IC at another facility	84	6.91	18
08 - Residential Care facility	217	17.86	7.4
09 - Prison/Jail	14	1.15	6.7
10 - Left Against Medical Advice	47	3.87	5.3
11 - Died	1	0.08	1.0
12 - Home Health Service	1	0.08	4.0
13 - Other	10	0.82	23
All	1,215	100.0	6.9

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	104	13.45	13
<b>02 - Acute Care within the admitting hospital</b>	49	6.34	9.0
<b>03 - Other Care with the admitting hospital</b>	5	0.65	12
<b>05 - Acute Care at another hospital</b>	5	0.65	73
<b>07 - SN/IC at another facility</b>	69	8.93	17
<b>08 - Residential Care facility</b>	1	0.13	13
<b>10 - Left Against Medical Advice</b>	4	0.52	22
<b>11 - Died</b>	9	1.16	13
<b>12 - Home Health Service</b>	527	68.18	11
<b>All</b>	773	100.0	12

***Gender by Patient County of Residence  
for 2009  
Santa Cruz County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	10,535	40.62	5.2
<b>2 - Female</b>	15,400	59.38	4.3
<b>All</b>	25,935	100.0	4.6

***Gender by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	9,381	39.82	4.6
<b>2 - Female</b>	14,179	60.18	3.8
<b>All</b>	23,560	100.0	4.1

***Gender by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	9	52.94	15
2 - Female	8	47.06	11
All	17	100.0	13

***Gender by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	218	58.92	14
<b>2 - Female</b>	152	41.08	13
<b>All</b>	370	100.0	14

***Gender by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	635	52.26	7.0
<b>2 - Female</b>	580	47.74	6.9
<b>All</b>	1,215	100.0	6.9

***Gender by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	292	37.77	12
<b>2 - Female</b>	481	62.23	12
<b>All</b>	773	100.0	12

***Expected Payer by Patient County of Residence  
for 2009  
Santa Cruz County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	4	0.02	2.0
<b>01 - Medicare</b>	7,465	28.78	5.7
<b>02 - Medi-Cal</b>	6,423	24.77	4.3
<b>03 - Private Coverage</b>	9,967	38.43	4.0
<b>04 - Workers' Compensatio</b>	188	0.72	5.0
<b>05 - County Indigent Prog</b>	371	1.43	5.2
<b>06 - Other Government</b>	487	1.88	7.4
<b>07 - Other Indigent</b>	75	0.29	2.8
<b>08 - Self-Pay</b>	897	3.46	4.1
<b>09 - Other Payer</b>	58	0.22	4.4
<b>All</b>	25,935	100.0	4.6

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Acute Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	2	0.01	.50
<b>01 - Medicare</b>	6,486	27.53	4.9
<b>02 - Medi-Cal</b>	6,042	25.65	4.0
<b>03 - Private Coverage</b>	9,340	39.64	3.7
<b>04 - Workers' Compensatio</b>	167	0.71	3.4
<b>05 - County Indigent Prog</b>	332	1.41	4.8
<b>06 - Other Government</b>	250	1.06	6.1
<b>07 - Other Indigent</b>	73	0.31	2.7
<b>08 - Self-Pay</b>	813	3.45	3.6
<b>09 - Other Payer</b>	55	0.23	4.1
<b>All</b>	23,560	100.0	4.1

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	3	17.65	6.7
<b>03 - Private Coverage</b>	11	64.71	12
<b>08 - Self-Pay</b>	3	17.65	21
<b>All</b>	17	100.0	13

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	2	0.54	3.5
<b>01 - Medicare</b>	203	54.86	14
<b>02 - Medi-Cal</b>	43	11.62	13
<b>03 - Private Coverage</b>	103	27.84	13
<b>04 - Workers' Compensatio</b>	4	1.08	25
<b>05 - County Indigent Prog</b>	5	1.35	12
<b>06 - Other Government</b>	2	0.54	25
<b>08 - Self-Pay</b>	8	2.16	17
<b>All</b>	370	100.0	14

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	304	25.02	7.5
<b>02 - Medi-Cal</b>	277	22.80	6.7
<b>03 - Private Coverage</b>	320	26.34	5.8
<b>04 - Workers' Compensatio</b>	1	0.08	8.0
<b>05 - County Indigent Prog</b>	24	1.98	7.2
<b>06 - Other Government</b>	234	19.26	8.6
<b>07 - Other Indigent</b>	2	0.16	6.0
<b>08 - Self-Pay</b>	50	4.12	3.9
<b>09 - Other Payer</b>	3	0.25	9.7
<b>All</b>	1,215	100.0	6.9

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	469	60.67	12
02 - Medi-Cal	61	7.89	18
03 - Private Coverage	193	24.97	9.8
04 - Workers' Compensatio	16	2.07	17
05 - County Indigent Prog	10	1.29	13
06 - Other Government	1	0.13	13
08 - Self-Pay	23	2.98	15
All	773	100.0	12

***Race Group by Patient County of Residence  
for 2009  
Santa Cruz County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	187	0.72	5.7
<b>1 - White</b>	16,797	64.77	4.8
<b>2 - Black</b>	296	1.14	5.4
<b>3 - Hispanic</b>	7,169	27.64	4.2
<b>4 - Asian/Pacific Islander</b>	501	1.93	5.0
<b>5 - Native American/Eskimo/Ale</b>	24	0.09	2.7
<b>6 - Other</b>	961	3.71	3.7
<b>All</b>	25,935	100.0	4.6

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	152	0.65	5.5
<b>1 - White</b>	14,853	63.04	4.2
<b>2 - Black</b>	248	1.05	4.3
<b>3 - Hispanic</b>	6,898	29.28	4.0
<b>4 - Asian/Pacific Islander</b>	453	1.92	4.4
<b>5 - Native American/Eskimo/Ale</b>	22	0.09	2.7
<b>6 - Other</b>	934	3.96	3.6
<b>All</b>	23,560	100.0	4.1

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	3	17.65	12
<b>1 - White</b>	12	70.59	12
<b>3 - Hispanic</b>	2	11.76	17
<b>All</b>	17	100.0	13

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	0.27	19
<b>1 - White</b>	306	82.70	13
<b>2 - Black</b>	5	1.35	12
<b>3 - Hispanic</b>	46	12.43	15
<b>4 - Asian/Pacific Islander</b>	7	1.89	15
<b>6 - Other</b>	5	1.35	12
<b>All</b>	370	100.0	14

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	30	2.47	5.1
<b>1 - White</b>	926	76.21	6.7
<b>2 - Black</b>	38	3.13	11
<b>3 - Hispanic</b>	168	13.83	7.5
<b>4 - Asian/Pacific Islander</b>	33	2.72	9.2
<b>5 - Native American/Eskimo/Ale</b>	2	0.16	2.5
<b>6 - Other</b>	18	1.48	4.7
<b>All</b>	1,215	100.0	6.9

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	0.13	11
<b>1 - White</b>	700	90.56	12
<b>2 - Black</b>	5	0.65	15
<b>3 - Hispanic</b>	55	7.12	14
<b>4 - Asian/Pacific Islander</b>	8	1.03	8.9
<b>6 - Other</b>	4	0.52	11
<b>All</b>	773	100.0	12

**Source of Admission by Patient County of Residence  
for 2009  
Santa Cruz County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	3	0.01	.33
<b>1 - Home</b>	19,753	76.16	4.1
<b>2 - Residential Care Facility</b>	364	1.40	5.4
<b>3 - Ambulatory Surgery</b>	99	0.38	3.5
<b>4 - Skilled Nursing/Intermedia</b>	387	1.49	8.0
<b>5 - Acute Inpatient Hospital C</b>	1,559	6.01	12
<b>6 - Other Inpatient Hospital C</b>	101	0.39	12
<b>7 - Newborn (born in admitting</b>	3,413	13.16	3.5
<b>8 - Prison/Jail</b>	47	0.18	5.5
<b>9 - Other</b>	209	0.81	6.8
<b>All</b>	25,935	100.0	4.6

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>0 - Invalid</b>	3	0.01	.33
<b>1 - Home</b>	18,677	79.27	4.0
<b>2 - Residential Care Facility</b>	326	1.38	5.0
<b>3 - Ambulatory Surgery</b>	97	0.41	3.4
<b>4 - Skilled Nursing/Intermedia</b>	341	1.45	6.5
<b>5 - Acute Inpatient Hospital C</b>	394	1.67	12
<b>6 - Other Inpatient Hospital C</b>	81	0.34	12
<b>7 - Newborn (born in admitting</b>	3,413	14.49	3.5
<b>8 - Prison/Jail</b>	33	0.14	3.4
<b>9 - Other</b>	195	0.83	6.7
<b>All</b>	23,560	100.0	4.1

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	16	94.12	13
<b>5 - Acute Inpatient Hospital C</b>	1	5.88	3.0
<b>All</b>	17	100.0	13

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10	2.70	13
4 - Skilled Nursing/Intermedia	6	1.62	15
5 - Acute Inpatient Hospital C	347	93.78	14
6 - Other Inpatient Hospital C	4	1.08	25
9 - Other	3	0.81	7.3
All	370	100.0	14

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	1,037	85.35	6.4
<b>2 - Residential Care Facility</b>	38	3.13	8.8
<b>4 - Skilled Nursing/Intermedia</b>	38	3.13	21
<b>5 - Acute Inpatient Hospital C</b>	70	5.76	4.8
<b>6 - Other Inpatient Hospital C</b>	7	0.58	7.0
<b>8 - Prison/Jail</b>	14	1.15	10
<b>9 - Other</b>	11	0.91	9.0
<b>All</b>	1,215	100.0	6.9

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	13	1.68	10
3 - Ambulatory Surgery	2	0.26	8.5
4 - Skilled Nursing/Intermedia	2	0.26	15
5 - Acute Inpatient Hospital C	747	96.64	12
6 - Other Inpatient Hospital C	9	1.16	13
All	773	100.0	12

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.02	49
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	21	0.08	57
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	20	0.08	34
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	6	0.02	42
007	LUNG TRANSPLANT	2	0.01	26
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	12	0.05	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	7.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.00	16
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	7.0
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	8.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	15	0.06	7.7
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	4	0.02	2.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	21	0.08	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	41	0.16	7.1
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	50	0.19	3.7
028	SPINAL PROCEDURES WITH MCC	8	0.03	11
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	16	0.06	5.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	17	0.07	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.04	4.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	4	0.02	2.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	1.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	11	0.04	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.01	4.5
038	EXTRACRANIAL PROCEDURES WITH CC	8	0.03	4.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	27	0.10	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.03	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.04	4.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	9	0.03	2.2
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.01	39
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	10	0.04	4.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.08	3.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	47
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	31	0.12	4.8
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.00	5.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	4.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.02	3.8
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	60	0.23	5.3
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	139	0.54	4.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	85	0.33	2.6
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	1.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	4	0.02	1.8
069	TRANSIENT ISCHEMIA	69	0.27	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	7	0.03	4.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	12	0.05	5.6
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	7	0.03	2.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	7	0.03	2.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	32	0.12	3.3
075	VIRAL MENINGITIS WITH CC/MCC	4	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	12	0.05	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	4.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	4	0.02	3.3
080	NONTRAUMATIC STUPOR & COMA WITH MCC	4	0.02	4.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	19	0.07	3.5
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	7	0.03	5.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	1.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	5	0.02	2.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	10	0.04	5.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	23	0.09	4.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	20	0.08	1.9
088	CONCUSSION WITH MCC	1	0.00	4.0
089	CONCUSSION WITH CC	5	0.02	3.2
090	CONCUSSION WITHOUT CC/MCC	4	0.02	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	14	0.05	8.9
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	22	0.08	2.6
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	22	0.08	2.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	7	0.03	6.4
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	6	0.02	5.5
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.02	6.2
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.00	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	3.0
100	SEIZURES WITH MCC	36	0.14	4.1
101	SEIZURES WITHOUT MCC	83	0.32	2.9
102	HEADACHES WITH MCC	3	0.01	3.3
103	HEADACHES WITHOUT MCC	35	0.13	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	2.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	5	0.02	5.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.01	2.0
123	NEUROLOGICAL EYE DISORDERS	4	0.02	2.3
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.01	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	10	0.04	3.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.02	5.2
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	4	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	11	0.04	3.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	27	0.10	1.2
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	12	0.05	6.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	27	0.10	1.1
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	5	0.02	4.4
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
137	MOUTH PROCEDURES WITH CC/MCC	5	0.02	2.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.02	1.3
139	SALIVARY GLAND PROCEDURES	6	0.02	1.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	1.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	19	0.07	2.1
151	EPISTAXIS WITHOUT MCC	5	0.02	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	11	0.04	7.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	54	0.21	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	5.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.02	7.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	5	0.02	2.0
157	DENTAL & ORAL DISEASES WITH MCC	1	0.00	5.0
158	DENTAL & ORAL DISEASES WITH CC	12	0.05	2.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	11	0.04	1.6
163	MAJOR CHEST PROCEDURES WITH MCC	16	0.06	14
164	MAJOR CHEST PROCEDURES WITH CC	29	0.11	7.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	16	0.06	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	24	0.09	14
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	14	0.05	4.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.02	2.2
175	PULMONARY EMBOLISM WITH MCC	12	0.05	5.4
176	PULMONARY EMBOLISM WITHOUT MCC	52	0.20	3.8
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	50	0.19	9.8
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	61	0.24	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	24	0.09	5.0
180	RESPIRATORY NEOPLASMS WITH MCC	25	0.10	7.0
181	RESPIRATORY NEOPLASMS WITH CC	29	0.11	5.3
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.02	2.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
183	MAJOR CHEST TRAUMA WITH MCC	7	0.03	4.4
184	MAJOR CHEST TRAUMA WITH CC	15	0.06	3.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	12	0.05	2.7
186	PLEURAL EFFUSION WITH MCC	7	0.03	5.1
187	PLEURAL EFFUSION WITH CC	13	0.05	3.8
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.00	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	55	0.21	5.1
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	112	0.43	6.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	82	0.32	4.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	94	0.36	3.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.39	6.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	240	0.93	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	212	0.82	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	8.7
197	INTERSTITIAL LUNG DISEASE WITH CC	3	0.01	3.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.02	3.0
199	PNEUMOTHORAX WITH MCC	3	0.01	9.0
200	PNEUMOTHORAX WITH CC	19	0.07	4.3
201	PNEUMOTHORAX WITHOUT CC/MCC	11	0.04	2.4
202	BRONCHITIS & ASTHMA WITH CC/MCC	65	0.25	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	127	0.49	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	24	0.09	1.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	11	0.04	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	32	0.12	2.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	41	0.16	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	53	0.20	7.0
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	1.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	10	0.04	13
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	6	0.02	8.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	29	0.11	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	27	0.10	8.3
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	7	0.03	5.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.03	8.9
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.01	7.7
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	6.3
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.01	3.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	8	0.03	4.6
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	59	0.23	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.02	11
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.02	5.5
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.00	6.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	20
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	13	0.05	13

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	37	0.14	8.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	7	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	11	0.04	5.6
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	33	0.13	20
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	40	0.15	4.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.03	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	11	0.04	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	26	0.10	8.4
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	39	0.15	2.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	67	0.26	2.2
245	AICD GENERATOR PROCEDURES	2	0.01	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	42	0.16	3.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	113	0.44	2.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	37	0.14	5.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	66	0.25	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	2.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	64	0.25	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	18	0.07	7.3
253	OTHER VASCULAR PROCEDURES WITH CC	30	0.12	3.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	21	0.08	1.8
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	8.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	3.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.02	1.5
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	2	0.01	18
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.02	2.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.00	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	22	0.08	7.8
265	AICD LEAD PROCEDURES	3	0.01	2.3
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	56	0.22	8.8
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	30	0.12	4.4
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.14	3.1
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.05	3.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.02	2.3
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.01	.33
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.12	6.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	167	0.64	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.00	6.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	5	0.02	8.6
291	HEART FAILURE & SHOCK WITH MCC	188	0.72	6.4
292	HEART FAILURE & SHOCK WITH CC	170	0.66	4.6
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	97	0.37	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	8	0.03	13
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	22	0.08	6.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
300	PERIPHERAL VASCULAR DISORDERS WITH CC	40	0.15	5.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	23	0.09	3.3
302	ATHEROSCLEROSIS WITH MCC	11	0.04	4.5
303	ATHEROSCLEROSIS WITHOUT MCC	74	0.29	3.4
304	HYPERTENSION WITH MCC	2	0.01	32
305	HYPERTENSION WITHOUT MCC	25	0.10	1.8
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.01	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	7	0.03	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	61	0.24	3.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	96	0.37	3.9
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	147	0.57	1.6
311	ANGINA PECTORIS	44	0.17	2.2
312	SYNCOPE & COLLAPSE	129	0.50	2.4
313	CHEST PAIN	154	0.59	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	46	0.18	7.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	56	0.22	4.5
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.08	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	14	0.05	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	24	0.09	11
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	40	0.15	2.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	67	0.26	14
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	113	0.44	7.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	72	0.28	4.6
332	RECTAL RESECTION WITH MCC	1	0.00	11
333	RECTAL RESECTION WITH CC	6	0.02	6.8
334	RECTAL RESECTION WITHOUT CC/MCC	4	0.02	5.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	7	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.11	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	21	0.08	3.7
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.07	4.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	53	0.20	3.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	19	0.07	1.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	243	0.94	1.1
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.03	6.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	10	0.04	3.9
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.00	3.0
348	ANAL & STOMAL PROCEDURES WITH CC	9	0.03	2.9
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	18	0.07	1.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	5	0.02	3.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	19	0.07	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	28	0.11	4.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	37	0.14	1.8
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	13	0.05	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.07	6.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	2.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	7	0.03	5.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	8	0.03	4.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.02	2.7
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	20	0.08	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	32	0.12	5.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	21	0.08	3.4
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.04	5.0
375	DIGESTIVE MALIGNANCY WITH CC	28	0.11	5.7
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	1.3
377	G.I. HEMORRHAGE WITH MCC	56	0.22	7.4
378	G.I. HEMORRHAGE WITH CC	154	0.59	3.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	55	0.21	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.02	6.6
381	COMPLICATED PEPTIC ULCER WITH CC	9	0.03	4.4
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	5	0.02	2.2
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	10	0.04	4.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	8	0.03	8.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
386	INFLAMMATORY BOWEL DISEASE WITH CC	19	0.07	7.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	12	0.05	4.9
388	G.I. OBSTRUCTION WITH MCC	25	0.10	5.6
389	G.I. OBSTRUCTION WITH CC	59	0.23	3.9
390	G.I. OBSTRUCTION WITHOUT CC/MCC	51	0.20	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	66	0.25	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	338	1.30	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	30	0.12	5.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	58	0.22	3.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	26	0.10	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	14	0.05	15
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	9.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.02	3.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	17
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.00	10
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	3.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	6	0.02	9.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	1.7
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	19
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.02	3.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	50	0.19	5.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	90	0.35	2.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	275	1.06	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	21
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	2.5
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	15
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	46	0.18	5.9
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	16	0.06	4.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	1.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	17	0.07	7.4
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	14	0.05	5.4
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	24	0.09	9.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	47	0.18	4.1
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	66	0.25	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	42	0.16	6.3
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	41	0.16	3.8
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	18	0.07	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	19	0.07	5.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
445	DISORDERS OF THE BILIARY TRACT WITH CC	19	0.07	4.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	40	0.15	2.8
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.01	7.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.06	11
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	11	0.04	4.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	11
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	10	0.04	9.4
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.05	6.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	9	0.03	6.7
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	111	0.43	4.7
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	9	0.03	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	11	0.04	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	16	0.06	9.6
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	4	0.02	4.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.02	9.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	20	0.08	5.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	33	0.13	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	26	0.10	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	780	3.01	3.3
471	CERVICAL SPINAL FUSION WITH MCC	4	0.02	5.8
472	CERVICAL SPINAL FUSION WITH CC	18	0.07	5.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	71	0.27	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.02	6.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.01	1.5
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.05	5.8
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	8	0.03	1.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.10	9.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	89	0.34	5.3
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	59	0.23	3.6
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	6	0.02	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	25	0.10	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	11
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.00	9.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.03	5.1
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.00	1.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.06	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	88	0.34	3.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	245	0.94	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	7	0.03	9.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	44	0.17	4.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	133	0.51	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	8	0.03	3.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	26	0.10	2.7
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	16
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.02	8.8
501	SOFT TISSUE PROCEDURES WITH CC	23	0.09	5.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	22	0.08	2.6
504	FOOT PROCEDURES WITH CC	8	0.03	4.5
505	FOOT PROCEDURES WITHOUT CC/MCC	15	0.06	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.02	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	2.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	8	0.03	1.6
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.02	6.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	9	0.03	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	32	0.12	1.9
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	3	0.01	6.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	4	0.02	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.02	9.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	16	0.06	7.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	33	0.13	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	1.8
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.03	4.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	37	0.14	3.8
539	OSTEOMYELITIS WITH MCC	3	0.01	7.3
540	OSTEOMYELITIS WITH CC	5	0.02	32
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	11	0.04	6.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	18	0.07	7.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	5	0.02	3.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	11	0.04	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	7	0.03	3.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	7	0.03	1.6
549	SEPTIC ARTHRITIS WITH CC	4	0.02	14
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	5	0.02	6.2
551	MEDICAL BACK PROBLEMS WITH MCC	11	0.04	6.5
552	MEDICAL BACK PROBLEMS WITHOUT MCC	82	0.32	4.4
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.02	3.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	13	0.05	2.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.01	6.3
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	16	0.06	2.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.02	5.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	37	0.14	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	12	0.05	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	10	0.04	11
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	7	0.03	1.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	6	0.02	5.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	35	0.13	2.8
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	5	0.02	3.2
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.03	6.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	8	0.03	1.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	25
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	15	0.06	16
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.01	2.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	7.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.03	3.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.03	2.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	7	0.03	5.3
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	30	0.12	4.2
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	47	0.18	2.1
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	20	0.08	1.8
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	18	0.07	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.02	5.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	32	0.12	1.3
592	SKIN ULCERS WITH MCC	3	0.01	12
593	SKIN ULCERS WITH CC	12	0.05	8.9
594	SKIN ULCERS WITHOUT CC/MCC	2	0.01	9.0
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.01	1.7
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	46
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	4.0
602	CELLULITIS WITH MCC	29	0.11	7.2
603	CELLULITIS WITHOUT MCC	272	1.05	4.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	35	0.13	1.6
607	MINOR SKIN DISORDERS WITHOUT MCC	10	0.04	3.2
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	11	0.04	7.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	4	0.02	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.03	7.2
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	6.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	13	0.05	2.2
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	104	0.40	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	5.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.02	6.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.08	1.4
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	67	0.26	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.00	3.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	4	0.02	7.8
637	DIABETES WITH MCC	26	0.10	4.7
638	DIABETES WITH CC	57	0.22	3.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
639	DIABETES WITHOUT CC/MCC	41	0.16	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	51	0.20	5.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	177	0.68	2.7
642	INBORN ERRORS OF METABOLISM	5	0.02	2.8
643	ENDOCRINE DISORDERS WITH MCC	10	0.04	4.8
644	ENDOCRINE DISORDERS WITH CC	21	0.08	1.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	19	0.07	1.6
652	KIDNEY TRANSPLANT	5	0.02	4.2
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	42
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.03	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.00	7.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.01	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	8	0.03	4.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	20	0.08	2.6
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.02	13
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	21	0.08	3.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	23	0.09	2.2
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.03	1.0
666	PROSTATECTOMY WITH CC	2	0.01	4.5
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.02	1.6
668	TRANSURETHRAL PROCEDURES WITH MCC	5	0.02	4.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	27	0.10	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	23	0.09	1.2
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	2.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	21	0.08	6.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	10	0.04	7.2
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	5	0.02	2.4
682	RENAL FAILURE WITH MCC	43	0.17	6.9
683	RENAL FAILURE WITH CC	91	0.35	5.3
684	RENAL FAILURE WITHOUT CC/MCC	17	0.07	2.7
685	ADMIT FOR RENAL DIALYSIS	22	0.08	7.5
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	9.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	7.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	40	0.15	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	210	0.81	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.00	12
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	53	0.20	2.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.03	1.9
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	29	0.11	5.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	32	0.12	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	17	0.07	1.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.06	2.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	71	0.27	1.7
710	PENIS PROCEDURES WITHOUT CC/MCC	5	0.02	.80
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	.00
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	11	0.04	2.4
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	23	0.09	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	28
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	5.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.01	.50
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	8	0.03	3.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	3.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	7	0.03	7.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.03	2.3
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.03	4.7
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.01	1.7
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	11	0.04	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.10	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	92	0.35	2.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	372	1.43	1.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	2	0.01	1.5
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	5	0.02	1.2
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	7.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.07	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	61	0.24	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.00	11
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	19
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	2.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	5	0.02	3.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	5	0.02	1.8
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	9	0.03	1.4
765	CESAREAN SECTION WITH CC/MCC	360	1.39	5.1
766	CESAREAN SECTION WITHOUT CC/MCC	634	2.44	3.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	107	0.41	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	2	0.01	2.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	14	0.05	2.1
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	6	0.02	.83
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	264	1.02	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,034	7.84	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	44	0.17	2.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
777	ECTOPIC PREGNANCY	18	0.07	1.1
778	THREATENED ABORTION	43	0.17	3.6
779	ABORTION WITHOUT D&C	6	0.02	1.3
780	FALSE LABOR	6	0.02	.67
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	143	0.55	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	39	0.15	2.4
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	63	0.24	9.6
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	45	0.17	37
791	PREMATURITY WITH MAJOR PROBLEMS	67	0.26	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	155	0.60	9.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	246	0.95	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	727	2.80	2.6
795	NORMAL NEWBORN	2,267	8.74	2.3
800	SPLENECTOMY WITH CC	1	0.00	3.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	2.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	5.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	14	0.05	8.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	41	0.16	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.02	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	21	0.08	4.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
812	RED BLOOD CELL DISORDERS WITHOUT MCC	105	0.40	2.3
813	COAGULATION DISORDERS	16	0.06	2.3
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.02	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.03	5.9
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	6	0.02	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	4	0.02	11
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	12	0.05	7.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	2.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	6	0.02	19
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	15
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	9.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	9	0.03	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	4.8
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.7
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	14	0.05	28
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	6	0.02	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.04	5.8
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	9	0.03	14
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	20	0.08	5.8
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	17	0.07	3.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	18	0.07	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	13	0.05	5.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.02	3.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.02	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	8	0.03	4.6
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.01	4.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	7	0.03	7.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	111	0.43	3.6
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.00	5.0
849	RADIOTHERAPY	3	0.01	2.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.16	21
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	7	0.03	13
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.5
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	12	0.05	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	19	0.07	6.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	3.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	16	0.06	7.3
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	48	0.19	6.8
864	FEVER	33	0.13	3.1
865	VIRAL ILLNESS WITH MCC	5	0.02	10
866	VIRAL ILLNESS WITHOUT MCC	29	0.11	3.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	12	0.05	6.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	4	0.02	9.5
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	3.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	38	0.15	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	277	1.07	7.8
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	120	0.46	5.1
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	22	0.08	3.8
881	DEPRESSIVE NEUROSES	122	0.47	3.1
882	NEUROSES EXCEPT DEPRESSIVE	34	0.13	2.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	12	0.05	16
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	16	0.06	4.3
885	PSYCHOSES	1,028	3.96	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.00	3.0
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.02	17
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	14	0.05	3.3
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	6	0.02	24
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	41	0.16	6.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	195	0.75	3.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	6.0
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	4.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	4	0.02	5.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	7	0.03	12

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.7
906	HAND PROCEDURES FOR INJURIES	5	0.02	1.6
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.06	9.3
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	32	0.12	4.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	29	0.11	2.2
914	TRAUMATIC INJURY WITHOUT MCC	9	0.03	5.4
915	ALLERGIC REACTIONS WITH MCC	2	0.01	7.5
916	ALLERGIC REACTIONS WITHOUT MCC	8	0.03	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	69	0.27	4.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	114	0.44	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	21	0.08	7.9
920	COMPLICATIONS OF TREATMENT WITH CC	24	0.09	4.4
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	26	0.10	2.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	3	0.01	5.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	6	0.02	1.8
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	32
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	21
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	4	0.02	12
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	11
935	NON-EXTENSIVE BURNS	13	0.05	3.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	7	0.03	15

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.02	14
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	18	0.07	2.6
945	REHABILITATION WITH CC/MCC	752	2.90	13
946	REHABILITATION WITHOUT CC/MCC	314	1.21	9.3
947	SIGNS & SYMPTOMS WITH MCC	11	0.04	6.1
948	SIGNS & SYMPTOMS WITHOUT MCC	70	0.27	2.8
949	AFTERCARE WITH CC/MCC	5	0.02	21
950	AFTERCARE WITHOUT CC/MCC	4	0.02	6.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	16	0.06	4.2
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	6.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.04	9.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	11	0.04	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.05	9.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.03	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	19
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	15	0.06	7.1
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.02	3.6
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.02	22
975	HIV WITH MAJOR RELATED CONDITION WITH CC	6	0.02	6.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	5.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	3.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	18	0.07	12

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	20	0.08	6.1
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	17	0.07	2.4
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	9.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.04	24
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	17	0.07	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.03	4.3
999	UNGROUPABLE	1	0.00	1.0
All		25,935	100.0	4.6

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.02	49
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	21	0.09	57
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	20	0.08	34
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	6	0.03	42
007	LUNG TRANSPLANT	2	0.01	26
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	12	0.05	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	7.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.00	16
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	7.0
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	8.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	15	0.06	7.7
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	4	0.02	2.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	21	0.09	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	41	0.17	7.1
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	50	0.21	3.7
028	SPINAL PROCEDURES WITH MCC	8	0.03	11

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	16	0.07	5.4
030	SPINAL PROCEDURES WITHOUT CC/MCC	17	0.07	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	11
032	VENTRICULAR SHUNT PROCEDURES WITH CC	11	0.05	4.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	4	0.02	2.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.02	1.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	11	0.05	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.01	4.5
038	EXTRACRANIAL PROCEDURES WITH CC	8	0.03	4.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	27	0.11	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	8	0.03	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.05	4.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	9	0.04	2.2
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.00	50
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	10	0.04	4.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.09	3.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	6	0.03	10
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	28	0.12	4.8
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.00	5.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	4.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	11
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.02	3.8
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	60	0.25	5.3
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	139	0.59	4.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	85	0.36	2.6
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	1.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	4	0.02	1.8
069	TRANSIENT ISCHEMIA	69	0.29	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	7	0.03	4.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	12	0.05	5.6
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	7	0.03	2.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	7	0.03	2.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	32	0.14	3.3
075	VIRAL MENINGITIS WITH CC/MCC	4	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	12	0.05	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	4.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	4	0.02	3.3
080	NONTRAUMATIC STUPOR & COMA WITH MCC	4	0.02	4.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	19	0.08	3.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	7	0.03	5.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.01	1.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	5	0.02	2.2
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	10	0.04	5.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	23	0.10	4.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	20	0.08	1.9
088	CONCUSSION WITH MCC	1	0.00	4.0
089	CONCUSSION WITH CC	5	0.02	3.2
090	CONCUSSION WITHOUT CC/MCC	4	0.02	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	14	0.06	8.9
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	22	0.09	2.6
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	22	0.09	2.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	7	0.03	6.4
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	6	0.03	5.5
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.02	6.2
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.00	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	3.0
100	SEIZURES WITH MCC	36	0.15	4.1
101	SEIZURES WITHOUT MCC	82	0.35	2.9
102	HEADACHES WITH MCC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
103	HEADACHES WITHOUT MCC	35	0.15	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	2.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	5	0.02	5.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.01	3.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.01	2.0
123	NEUROLOGICAL EYE DISORDERS	4	0.02	2.3
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.01	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	10	0.04	3.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.02	5.2
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	4	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	11	0.05	3.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	27	0.11	1.2
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	12	0.05	6.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	27	0.11	1.1
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	5	0.02	4.4
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
137	MOUTH PROCEDURES WITH CC/MCC	5	0.02	2.4
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.02	1.3
139	SALIVARY GLAND PROCEDURES	6	0.03	1.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	1.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	19	0.08	2.1
151	EPISTAXIS WITHOUT MCC	5	0.02	1.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	11	0.05	7.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	54	0.23	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	5.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.02	7.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	5	0.02	2.0
157	DENTAL & ORAL DISEASES WITH MCC	1	0.00	5.0
158	DENTAL & ORAL DISEASES WITH CC	12	0.05	2.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	11	0.05	1.6
163	MAJOR CHEST PROCEDURES WITH MCC	16	0.07	14
164	MAJOR CHEST PROCEDURES WITH CC	29	0.12	7.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	16	0.07	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	24	0.10	14
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	14	0.06	4.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.02	2.2
175	PULMONARY EMBOLISM WITH MCC	12	0.05	5.4
176	PULMONARY EMBOLISM WITHOUT MCC	52	0.22	3.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	50	0.21	9.8
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	61	0.26	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	23	0.10	4.9
180	RESPIRATORY NEOPLASMS WITH MCC	25	0.11	7.0
181	RESPIRATORY NEOPLASMS WITH CC	29	0.12	5.3
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.02	2.8
183	MAJOR CHEST TRAUMA WITH MCC	7	0.03	4.4
184	MAJOR CHEST TRAUMA WITH CC	15	0.06	3.1
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	12	0.05	2.7
186	PLEURAL EFFUSION WITH MCC	7	0.03	5.1
187	PLEURAL EFFUSION WITH CC	13	0.06	3.8
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.00	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	55	0.23	5.1
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	112	0.48	6.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	82	0.35	4.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	94	0.40	3.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.43	6.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	240	1.02	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	212	0.90	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	8.7
197	INTERSTITIAL LUNG DISEASE WITH CC	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.02	3.0
199	PNEUMOTHORAX WITH MCC	3	0.01	9.0
200	PNEUMOTHORAX WITH CC	19	0.08	4.3
201	PNEUMOTHORAX WITHOUT CC/MCC	11	0.05	2.4
202	BRONCHITIS & ASTHMA WITH CC/MCC	65	0.28	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	127	0.54	2.5
204	RESPIRATORY SIGNS & SYMPTOMS	24	0.10	1.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	11	0.05	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	32	0.14	2.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	41	0.17	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	53	0.22	7.0
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	1.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	10	0.04	13
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	6	0.03	8.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	29	0.12	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	27	0.11	8.3
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	7	0.03	5.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.04	8.9
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.01	7.7
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	6.3

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.01	3.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	8	0.03	4.6
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	59	0.25	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.03	11
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.03	5.5
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.00	6.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	20
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.00	8.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	13	0.06	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	37	0.16	8.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	7	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	11	0.05	5.6
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	33	0.14	20
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	40	0.17	4.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.04	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	11	0.05	6.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	26	0.11	8.4
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	39	0.17	2.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	67	0.28	2.2
245	AICD GENERATOR PROCEDURES	2	0.01	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	42	0.18	3.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	113	0.48	2.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	37	0.16	5.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	66	0.28	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	5	0.02	2.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	64	0.27	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	18	0.08	7.3
253	OTHER VASCULAR PROCEDURES WITH CC	30	0.13	3.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	21	0.09	1.8
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	8.7
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	3.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.02	1.5
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	2	0.01	18
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.03	2.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.00	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	22	0.09	7.8
265	AICD LEAD PROCEDURES	3	0.01	2.3
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	56	0.24	8.8
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	30	0.13	4.4
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.15	3.1
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.06	3.9

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.02	2.3
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.01	.33
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.13	6.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	167	0.71	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.00	6.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	4	0.02	4.8
291	HEART FAILURE & SHOCK WITH MCC	188	0.80	6.4
292	HEART FAILURE & SHOCK WITH CC	170	0.72	4.6
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	97	0.41	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.03	11
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	22	0.09	6.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	39	0.17	4.9
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	23	0.10	3.3
302	ATHEROSCLEROSIS WITH MCC	11	0.05	4.5
303	ATHEROSCLEROSIS WITHOUT MCC	74	0.31	3.4
304	HYPERTENSION WITH MCC	1	0.00	4.0
305	HYPERTENSION WITHOUT MCC	25	0.11	1.8
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.01	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	7	0.03	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	61	0.26	3.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	96	0.41	3.9

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	147	0.62	1.6
311	ANGINA PECTORIS	44	0.19	2.2
312	SYNCOPE & COLLAPSE	129	0.55	2.4
313	CHEST PAIN	154	0.65	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	45	0.19	7.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	54	0.23	4.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.08	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	14	0.06	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	24	0.10	11
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	40	0.17	2.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	67	0.28	14
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	113	0.48	7.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	72	0.31	4.6
332	RECTAL RESECTION WITH MCC	1	0.00	11
333	RECTAL RESECTION WITH CC	6	0.03	6.8
334	RECTAL RESECTION WITHOUT CC/MCC	4	0.02	5.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	7	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.12	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	21	0.09	3.7
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.07	4.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	53	0.22	3.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.8
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	19	0.08	1.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	243	1.03	1.1
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.03	6.4
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	10	0.04	3.9
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.00	3.0
348	ANAL & STOMAL PROCEDURES WITH CC	9	0.04	2.9
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	18	0.08	1.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	5	0.02	3.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	19	0.08	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	5.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	28	0.12	4.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	37	0.16	1.8
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	13	0.06	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.08	6.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	2.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	7	0.03	5.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	8	0.03	4.6
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.03	2.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	20	0.08	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	32	0.14	5.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	21	0.09	3.4
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.04	5.0
375	DIGESTIVE MALIGNANCY WITH CC	28	0.12	5.7
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	1.3
377	G.I. HEMORRHAGE WITH MCC	56	0.24	7.4
378	G.I. HEMORRHAGE WITH CC	154	0.65	3.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	55	0.23	2.5
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.02	6.6
381	COMPLICATED PEPTIC ULCER WITH CC	9	0.04	4.4
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	5	0.02	2.2
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	10	0.04	4.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	8	0.03	8.9
386	INFLAMMATORY BOWEL DISEASE WITH CC	19	0.08	7.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	12	0.05	4.9
388	G.I. OBSTRUCTION WITH MCC	25	0.11	5.6
389	G.I. OBSTRUCTION WITH CC	58	0.25	3.8
390	G.I. OBSTRUCTION WITHOUT CC/MCC	51	0.22	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	66	0.28	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	338	1.43	3.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	30	0.13	5.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	58	0.25	3.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	26	0.11	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	14	0.06	15
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	12	0.05	9.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.03	3.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	17
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.00	10
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	3.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	6	0.03	9.7
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	1.7
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	19
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.02	3.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	50	0.21	5.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	90	0.38	2.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	275	1.17	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	21
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	15
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	46	0.20	5.9
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	16	0.07	4.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	1.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	16	0.07	7.8
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	14	0.06	5.4
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	24	0.10	9.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	47	0.20	4.1
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	66	0.28	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	41	0.17	6.2
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	41	0.17	3.8
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	18	0.08	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	19	0.08	5.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	19	0.08	4.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	40	0.17	2.8
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.01	7.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.06	11
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	11	0.05	4.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	11
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	10	0.04	9.4
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.06	6.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	9	0.04	6.7
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	111	0.47	4.7
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	9	0.04	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	11	0.05	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	16	0.07	9.6
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	4	0.02	4.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.02	9.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	20	0.08	5.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	33	0.14	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	26	0.11	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	780	3.31	3.3
471	CERVICAL SPINAL FUSION WITH MCC	4	0.02	5.8
472	CERVICAL SPINAL FUSION WITH CC	18	0.08	5.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	71	0.30	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.02	6.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	2	0.01	1.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	12
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.06	5.8
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	8	0.03	1.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.11	9.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	89	0.38	5.3
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	59	0.25	3.6
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	6	0.03	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	25	0.11	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	11
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.00	9.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.03	5.1
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.00	1.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.06	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	88	0.37	3.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	245	1.04	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	7	0.03	9.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	44	0.19	4.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	133	0.56	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.00	3.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	8	0.03	3.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	26	0.11	2.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	16
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.02	8.8
501	SOFT TISSUE PROCEDURES WITH CC	23	0.10	5.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	22	0.09	2.6
504	FOOT PROCEDURES WITH CC	8	0.03	4.5
505	FOOT PROCEDURES WITHOUT CC/MCC	15	0.06	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.02	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	2.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	8	0.03	1.6
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.02	6.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	9	0.04	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	32	0.14	1.9
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	3	0.01	6.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	4	0.02	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	4	0.02	9.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	16	0.07	7.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	33	0.14	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.03	1.8
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.03	4.7
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	37	0.16	3.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
539	OSTEOMYELITIS WITH MCC	3	0.01	7.3
540	OSTEOMYELITIS WITH CC	2	0.01	6.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	11	0.05	6.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	18	0.08	7.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	5	0.02	3.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	11	0.05	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	7	0.03	3.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	7	0.03	1.6
549	SEPTIC ARTHRITIS WITH CC	3	0.01	6.7
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	11	0.05	6.5
552	MEDICAL BACK PROBLEMS WITHOUT MCC	80	0.34	3.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.02	3.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	13	0.06	2.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.01	6.3
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	16	0.07	2.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.03	5.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	36	0.15	3.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	11	0.05	12
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	7	0.03	3.9
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	7	0.03	1.9

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	6	0.03	5.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	34	0.14	2.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	5	0.02	3.2
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	6	0.03	3.2
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	8	0.03	1.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	25
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	15	0.06	16
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.01	2.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	7.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.03	3.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.03	2.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	7	0.03	5.3
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	30	0.13	4.2
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	47	0.20	2.1
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	20	0.08	1.8
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	18	0.08	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.02	5.4
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	32	0.14	1.3
592	SKIN ULCERS WITH MCC	3	0.01	12
593	SKIN ULCERS WITH CC	8	0.03	7.8
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
595	MAJOR SKIN DISORDERS WITH MCC	3	0.01	4.7
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.01	1.7
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	46
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	4.0
602	CELLULITIS WITH MCC	28	0.12	7.2
603	CELLULITIS WITHOUT MCC	261	1.11	4.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	35	0.15	1.6
607	MINOR SKIN DISORDERS WITHOUT MCC	10	0.04	3.2
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	11	0.05	7.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	4	0.02	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.04	7.2
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	6.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	13	0.06	2.2
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	104	0.44	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	5.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.02	6.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.09	1.4
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	67	0.28	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.00	3.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	4	0.02	7.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
637	DIABETES WITH MCC	26	0.11	4.7
638	DIABETES WITH CC	56	0.24	2.7
639	DIABETES WITHOUT CC/MCC	41	0.17	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	51	0.22	5.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	177	0.75	2.7
642	INBORN ERRORS OF METABOLISM	5	0.02	2.8
643	ENDOCRINE DISORDERS WITH MCC	10	0.04	4.8
644	ENDOCRINE DISORDERS WITH CC	21	0.09	1.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	19	0.08	1.6
652	KIDNEY TRANSPLANT	5	0.02	4.2
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	42
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.03	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.00	7.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.01	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	8	0.03	4.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	20	0.08	2.6
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.02	13
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	21	0.09	3.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	23	0.10	2.2
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.03	1.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
666	PROSTATECTOMY WITH CC	2	0.01	4.5
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.02	1.6
668	TRANSURETHRAL PROCEDURES WITH MCC	5	0.02	4.4
669	TRANSURETHRAL PROCEDURES WITH CC	27	0.11	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	23	0.10	1.2
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	2.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	21	0.09	6.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	10	0.04	7.2
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	5	0.02	2.4
682	RENAL FAILURE WITH MCC	43	0.18	6.9
683	RENAL FAILURE WITH CC	91	0.39	5.3
684	RENAL FAILURE WITHOUT CC/MCC	17	0.07	2.7
685	ADMIT FOR RENAL DIALYSIS	22	0.09	7.5
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	9.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	7.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	40	0.17	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	210	0.89	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.00	12
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	53	0.22	2.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	9	0.04	1.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	29	0.12	5.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	32	0.14	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	17	0.07	1.8
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.06	2.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	71	0.30	1.7
710	PENIS PROCEDURES WITHOUT CC/MCC	5	0.02	.80
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	.00
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	11	0.05	2.4
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	23	0.10	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	28
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	5.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.01	.50
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	8	0.03	3.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	3.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	7	0.03	7.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.03	2.3
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.03	4.7
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.01	1.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	11	0.05	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	26	0.11	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	92	0.39	2.7
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	372	1.58	1.7
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	2	0.01	1.5
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	5	0.02	1.2
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	7.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.08	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	61	0.26	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.00	11
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	19
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	2.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	5	0.02	3.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	5	0.02	1.8
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	9	0.04	1.4
765	CESAREAN SECTION WITH CC/MCC	360	1.53	5.1
766	CESAREAN SECTION WITHOUT CC/MCC	634	2.69	3.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	107	0.45	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	2	0.01	2.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	14	0.06	2.1
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	6	0.03	.83
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	264	1.12	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,034	8.63	2.2
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	40	0.17	2.6
777	ECTOPIC PREGNANCY	18	0.08	1.1
778	THREATENED ABORTION	43	0.18	3.6
779	ABORTION WITHOUT D&C	6	0.03	1.3
780	FALSE LABOR	6	0.03	.67
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	142	0.60	2.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	39	0.17	2.4
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	63	0.27	9.6
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	45	0.19	37
791	PREMATURITY WITH MAJOR PROBLEMS	67	0.28	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	155	0.66	9.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	246	1.04	5.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	727	3.09	2.6
795	NORMAL NEWBORN	2,267	9.62	2.3
800	SPLENECTOMY WITH CC	1	0.00	3.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	5.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	14	0.06	8.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	41	0.17	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.03	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	21	0.09	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	105	0.45	2.3
813	COAGULATION DISORDERS	16	0.07	2.3
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.02	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.03	5.9
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	6	0.03	2.8
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	4	0.02	11
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	12	0.05	7.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	2.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	6	0.03	19
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	15
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	9.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	9	0.04	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	4.8
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.7
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	14	0.06	28
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	6	0.03	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.05	5.8
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	9	0.04	14
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	20	0.08	5.8
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	17	0.07	3.8
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	18	0.08	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	13	0.06	5.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.02	3.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.03	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	8	0.03	4.6
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.01	4.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	7	0.03	7.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	111	0.47	3.6
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.00	5.0
849	RADIOTHERAPY	3	0.01	2.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.17	21
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	7	0.03	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.5
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	12	0.05	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	19	0.08	6.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	3.9
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	15	0.06	5.1
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	42	0.18	4.9
864	FEVER	33	0.14	3.1
865	VIRAL ILLNESS WITH MCC	5	0.02	10
866	VIRAL ILLNESS WITHOUT MCC	29	0.12	3.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	12	0.05	6.3
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	4	0.02	9.5
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.01	3.7
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	38	0.16	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	273	1.16	7.5
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	119	0.51	5.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	12	0.05	3.9
881	DEPRESSIVE NEUROSES	1	0.00	1.0
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	2.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	8	0.03	16
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	12	0.05	4.7
885	PSYCHOSES	40	0.17	8.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	4.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	13	0.06	2.9
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	40	0.17	6.4
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	145	0.62	3.6
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	6.0
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	4.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	4	0.02	5.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	7	0.03	12
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.7
906	HAND PROCEDURES FOR INJURIES	5	0.02	1.6
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.06	9.3
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	32	0.14	4.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	29	0.12	2.2
914	TRAUMATIC INJURY WITHOUT MCC	8	0.03	2.4
915	ALLERGIC REACTIONS WITH MCC	2	0.01	7.5
916	ALLERGIC REACTIONS WITHOUT MCC	8	0.03	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	69	0.29	4.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	113	0.48	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	20	0.08	6.9
920	COMPLICATIONS OF TREATMENT WITH CC	24	0.10	4.4
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	26	0.11	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	3	0.01	5.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	6	0.03	1.8
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	32
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.01	21
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	4	0.02	12
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	11
935	NON-EXTENSIVE BURNS	13	0.06	3.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.02	14
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.01	7.7
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	16	0.07	1.4
945	REHABILITATION WITH CC/MCC	1	0.00	16
947	SIGNS & SYMPTOMS WITH MCC	11	0.05	6.1
948	SIGNS & SYMPTOMS WITHOUT MCC	70	0.30	2.8
949	AFTERCARE WITH CC/MCC	1	0.00	1.0
950	AFTERCARE WITHOUT CC/MCC	2	0.01	2.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	13	0.06	2.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	6.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.04	9.7
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	11	0.05	17

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.06	9.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.03	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	19
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	15	0.06	7.1
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.02	3.6
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.02	22
975	HIV WITH MAJOR RELATED CONDITION WITH CC	6	0.03	6.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	5.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	3	0.01	3.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	18	0.08	12
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	19	0.08	6.3
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	17	0.07	2.4
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	9.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.05	24
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	17	0.07	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.03	4.3
999	UNGROUPABLE	1	0.00	1.0
All		23,560	100.0	4.1

***MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	6	35.29	24
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	11	64.71	6.8
<b>All</b>		17	100.0	13

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.54	33
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.81	16
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.81	20
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.27	9.0
945	REHABILITATION WITH CC/MCC	337	91.08	14
946	REHABILITATION WITHOUT CC/MCC	24	6.49	11
All		370	100.0	14

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.08	3.0
101	SEIZURES WITHOUT MCC	1	0.08	3.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1	0.08	1.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	4	0.33	6.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.08	21
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.08	10
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	10	0.82	3.7
881	DEPRESSIVE NEUROSES	121	9.96	3.2
882	NEUROSES EXCEPT DEPRESSIVE	31	2.55	2.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.33	17
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.33	3.0
885	PSYCHOSES	988	81.32	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.08	3.0
887	OTHER MENTAL DISORDER DIAGNOSIS	3	0.25	21
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.08	8.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.08	4.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	39	3.21	3.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.08	3.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.08	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.08	2.0
All		1,215	100.0	6.9

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.13	268
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.26	6.0
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	1	0.13	8.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.13	24
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.26	21
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.13	32
304	HYPERTENSION WITH MCC	1	0.13	60
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.13	1.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	2	0.26	12
389	G.I. OBSTRUCTION WITH CC	1	0.13	13
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.13	9.0
540	OSTEOMYELITIS WITH CC	3	0.39	49
549	SEPTIC ARTHRITIS WITH CC	1	0.13	35
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.13	19
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	0.26	38
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.13	6.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.13	36
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.39	26
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.13	8.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.13	25
593	SKIN ULCERS WITH CC	4	0.52	11

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	1	0.13	15
602	CELLULITIS WITH MCC	1	0.13	7.0
603	CELLULITIS WITHOUT MCC	11	1.42	16
638	DIABETES WITH CC	1	0.13	31
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.13	41
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	6	0.78	20
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	4	0.52	26
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	0.13	10
914	TRAUMATIC INJURY WITHOUT MCC	1	0.13	30
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.13	28
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.13	15
945	REHABILITATION WITH CC/MCC	414	53.56	12
946	REHABILITATION WITHOUT CC/MCC	290	37.52	9.1
949	AFTERCARE WITH CC/MCC	4	0.52	26
950	AFTERCARE WITHOUT CC/MCC	2	0.26	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.26	12
All		773	100.0	12

**MDC by Patient County of Residence  
for 2009  
Santa Cruz County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00</b>	<b>UNGROUPABLE</b>	1	0.00	1.0
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1,177	4.54	5.1
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	36	0.14	3.1
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	245	0.94	2.9
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1,733	6.68	5.4
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	2,708	10.44	4.5
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	2,042	7.87	4.5
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	894	3.45	4.3
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	2,576	9.93	3.9
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	573	2.21	4.4
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	654	2.52	2.9
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	780	3.01	4.2
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	146	0.56	2.3
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	648	2.50	2.1
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	3,721	14.35	2.8
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	3,570	13.77	3.8
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	231	0.89	3.8
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	316	1.22	8.0
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	685	2.64	8.7
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	1,240	4.78	7.1
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	258	0.99	4.6
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	393	1.52	4.2

(Continued)

*MDC by Patient County of Residence  
for 2009  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
22	<b>BURNS</b>	23	0.09	10
23	<b>FACTORS ON HEALTH STATUS &amp; OTHER CONTACTS WITH HEALTH SERVICES</b>	1,203	4.64	11
24	<b>MULTIPLE SIGNFICANT TRAUMA</b>	66	0.25	9.7
25	<b>HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS</b>	16	0.06	11
<b>All</b>		25,935	100.0	4.6

**MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	1.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,170	4.97	4.9
02	EYE, DISEASES & DISORDERS	36	0.15	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	245	1.04	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,732	7.35	5.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,700	11.46	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,041	8.66	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	892	3.79	4.3
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2,562	10.87	3.7
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	556	2.36	4.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	653	2.77	2.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	780	3.31	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	146	0.62	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	648	2.75	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	3,716	15.77	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3,570	15.15	3.8
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	231	0.98	3.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	316	1.34	8.0
18	INFECTIOUS & PARASITIC DISEASES	673	2.86	8.5
19	MENTAL DISEASES & DISORDERS	77	0.33	7.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	199	0.84	4.2

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	390	1.66	4.1
22	BURNS	23	0.10	10
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	121	0.51	3.4
24	MULTIPLE SIGNFICANT TRAUMA	66	0.28	9.7
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.07	11
<b>All</b>		23,560	100.0	4.1

***MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	17	100.0	13
All		17	100.0	13

***MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	0.54	33
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	368	99.46	13
<b>All</b>		370	100.0	14

***MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	0.16	3.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.08	1.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	5	0.41	9.0
19	MENTAL DISEASES & DISORDERS	1,163	95.72	7.1
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	42	3.46	3.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.08	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.08	14
All		1,215	100.0	6.9

***MDC by Patient County of Residence  
and Type of Care for 2009  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3	0.39	93
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.13	8.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8	1.03	23
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.13	13
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.13	9.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	14	1.81	31
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	17	2.20	14
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.13	31
18	INFECTIOUS & PARASITIC DISEASES	12	1.55	23
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2	0.26	29
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	713	92.24	11
<b>All</b>		773	100.0	12