

**Type of Care by Patient County of Residence  
for 2010  
Santa Cruz County**

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	22,853	90.30	3.9
<b>Chemical Dependency Recovery Care</b>	21	0.08	12
<b>Physical Rehabilitation Care</b>	423	1.67	13
<b>Psychiatric Care</b>	1,262	4.99	7.8
<b>Skilled Nursing/Intermediate Care</b>	748	2.96	12
<b>All</b>	25,307	100.0	4.5

***Disposition by Patient County of Residence  
for 2010  
Santa Cruz County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	162	0.00	12
<b>01 - Routine (Home)</b>	2,964,599	74.66	3.6
<b>02 - Acute Care within the admitting hospital</b>	9,793	0.25	64
<b>03 - Other Care with the admitting hospital</b>	20,666	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32,649	0.82	8.1
<b>05 - Acute Care at another hospital</b>	83,795	2.11	10
<b>06 - Other Care (not SN/IC) at another hospital</b>	34,381	0.87	9.8
<b>07 - SN/IC at another facility</b>	305,209	7.69	8.8
<b>08 - Residential Care facility</b>	36,313	0.91	9.4
<b>09 - Prison/Jail</b>	20,022	0.50	5.3
<b>10 - Left Against Medical Advice</b>	45,467	1.14	3.2
<b>11 - Died</b>	76,630	1.93	16
<b>12 - Home Health Service</b>	330,832	8.33	7.1
<b>13 - Other</b>	10,404	0.26	11
<b>All</b>	3,970,922	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.01	10
01 - Routine (Home)	17,482	76.50	3.2
02 - Acute Care within the admitting hospital	5	0.02	2.6
03 - Other Care with the admitting hospital	387	1.69	7.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	631	2.76	6.4
05 - Acute Care at another hospital	298	1.30	6.3
06 - Other Care (not SN/IC) at another hospital	164	0.72	9.4
07 - SN/IC at another facility	1,438	6.29	6.6
08 - Residential Care facility	95	0.42	5.0
09 - Prison/Jail	22	0.10	2.6
10 - Left Against Medical Advice	152	0.67	2.4
11 - Died	354	1.55	6.6
12 - Home Health Service	1,802	7.89	5.0
13 - Other	20	0.09	6.0
All	22,853	100.0	3.9

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	19	90.48	11
10 - Left Against Medical Advice	2	9.52	23
All	21	100.0	12

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	82	19.39	12
<b>02 - Acute Care within the admitting hospital</b>	26	6.15	10
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	7	1.65	19
<b>05 - Acute Care at another hospital</b>	5	1.18	15
<b>06 - Other Care (not SN/IC) at another hospital</b>	3	0.71	24
<b>07 - SN/IC at another facility</b>	60	14.18	18
<b>10 - Left Against Medical Advice</b>	5	1.18	6.0
<b>11 - Died</b>	3	0.71	15
<b>12 - Home Health Service</b>	229	54.14	13
<b>13 - Other</b>	3	0.71	20
<b>All</b>	423	100.0	13

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.16	38
01 - Routine (Home)	811	64.26	5.6
02 - Acute Care within the admitting hospital	12	0.95	11
03 - Other Care with the admitting hospital	3	0.24	8.3
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	0.16	3.0
05 - Acute Care at another hospital	15	1.19	16
06 - Other Care (not SN/IC) at another hospital	24	1.90	22
07 - SN/IC at another facility	129	10.22	16
08 - Residential Care facility	206	16.32	8.3
09 - Prison/Jail	11	0.87	8.5
10 - Left Against Medical Advice	39	3.09	5.1
12 - Home Health Service	2	0.16	8.5
13 - Other	6	0.48	31
All	1,262	100.0	7.8

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	111	14.84	13
02 - Acute Care within the admitting hospital	49	6.55	9.1
03 - Other Care with the admitting hospital	5	0.67	8.6
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.13	3.0
05 - Acute Care at another hospital	5	0.67	71
07 - SN/IC at another facility	54	7.22	19
08 - Residential Care facility	4	0.53	7.3
10 - Left Against Medical Advice	5	0.67	3.0
11 - Died	5	0.67	3.2
12 - Home Health Service	508	67.91	11
13 - Other	1	0.13	21
All	748	100.0	12

***Gender by Patient County of Residence  
for 2010  
Santa Cruz County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	10,354	40.91	5.1
<b>2 - Female</b>	14,951	59.08	4.1
<b>4 - Unknown</b>	2	0.01	5.0
<b>All</b>	25,307	100.0	4.5

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	9,171	40.13	4.4
<b>2 - Female</b>	13,680	59.86	3.5
<b>4 - Unknown</b>	2	0.01	5.0
<b>All</b>	22,853	100.0	3.9

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	12	57.14	15
<b>2 - Female</b>	9	42.86	9.1
<b>All</b>	21	100.0	12

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	233	55.08	14
<b>2 - Female</b>	190	44.92	13
<b>All</b>	423	100.0	13

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	676	53.57	8.5
<b>2 - Female</b>	586	46.43	7.1
<b>All</b>	1,262	100.0	7.8

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	262	35.03	13
<b>2 - Female</b>	486	64.97	12
<b>All</b>	748	100.0	12

***Expected Payer by Patient County of Residence  
for 2010  
Santa Cruz County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	1	0.00	1.0
<b>01 - Medicare</b>	7,552	29.84	5.2
<b>02 - Medi-Cal</b>	6,311	24.94	4.1
<b>03 - Private Coverage</b>	9,330	36.87	3.9
<b>04 - Workers' Compensatio</b>	155	0.61	3.8
<b>05 - County Indigent Prog</b>	417	1.65	5.3
<b>06 - Other Government</b>	510	2.02	9.1
<b>07 - Other Indigent</b>	61	0.24	4.0
<b>08 - Self-Pay</b>	927	3.66	3.9
<b>09 - Other Payer</b>	43	0.17	4.5
<b>All</b>	25,307	100.0	4.5

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	1	0.00	1.0
<b>01 - Medicare</b>	6,540	28.62	4.4
<b>02 - Medi-Cal</b>	5,901	25.82	3.7
<b>03 - Private Coverage</b>	8,662	37.90	3.5
<b>04 - Workers' Compensatio</b>	141	0.62	3.3
<b>05 - County Indigent Prog</b>	362	1.58	4.6
<b>06 - Other Government</b>	289	1.26	7.5
<b>07 - Other Indigent</b>	60	0.26	3.7
<b>08 - Self-Pay</b>	855	3.74	3.5
<b>09 - Other Payer</b>	42	0.18	4.5
<b>All</b>	22,853	100.0	3.9

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	11	52.38	6.0
<b>03 - Private Coverage</b>	5	23.81	13
<b>07 - Other Indigent</b>	1	4.76	24
<b>08 - Self-Pay</b>	4	19.05	26
<b>All</b>	21	100.0	12

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	214	50.59	13
<b>02 - Medi-Cal</b>	57	13.48	14
<b>03 - Private Coverage</b>	129	30.50	14
<b>04 - Workers' Compensatio</b>	5	1.18	12
<b>05 - County Indigent Prog</b>	7	1.65	7.4
<b>06 - Other Government</b>	4	0.95	13
<b>08 - Self-Pay</b>	7	1.65	11
<b>All</b>	423	100.0	13

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	362	28.68	7.5
<b>02 - Medi-Cal</b>	290	22.98	7.8
<b>03 - Private Coverage</b>	310	24.56	6.3
<b>04 - Workers' Compensatio</b>	2	0.16	2.0
<b>05 - County Indigent Prog</b>	40	3.17	9.0
<b>06 - Other Government</b>	216	17.12	11
<b>08 - Self-Pay</b>	41	3.25	4.0
<b>09 - Other Payer</b>	1	0.08	4.0
<b>All</b>	1,262	100.0	7.8

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	425	56.82	12
02 - Medi-Cal	63	8.42	18
03 - Private Coverage	224	29.95	10
04 - Workers' Compensatio	7	0.94	9.4
05 - County Indigent Prog	8	1.07	13
06 - Other Government	1	0.13	7.0
08 - Self-Pay	20	2.67	13
All	748	100.0	12

***Race Group by Patient County of Residence  
for 2010  
Santa Cruz County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	176	0.70	6.4
<b>1 - White</b>	16,412	64.85	4.7
<b>2 - Black</b>	279	1.10	6.2
<b>3 - Hispanic</b>	7,421	29.32	3.9
<b>4 - Asian/Pacific Islander</b>	476	1.88	5.9
<b>5 - Native American/Eskimo/Ale</b>	12	0.05	6.0
<b>6 - Other</b>	531	2.10	4.2
<b>All</b>	25,307	100.0	4.5

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	149	0.65	5.8
<b>1 - White</b>	14,416	63.08	3.9
<b>2 - Black</b>	216	0.95	5.0
<b>3 - Hispanic</b>	7,141	31.25	3.7
<b>4 - Asian/Pacific Islander</b>	421	1.84	4.3
<b>5 - Native American/Eskimo/Ale</b>	8	0.04	5.6
<b>6 - Other</b>	502	2.20	3.9
<b>All</b>	22,853	100.0	3.9

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	21	100.0	12
All	21	100.0	12

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	4	0.95	16
<b>1 - White</b>	339	80.14	13
<b>2 - Black</b>	8	1.89	9.0
<b>3 - Hispanic</b>	58	13.71	14
<b>4 - Asian/Pacific Islander</b>	9	2.13	18
<b>6 - Other</b>	5	1.18	16
<b>All</b>	423	100.0	13

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	22	1.74	8.7
<b>1 - White</b>	952	75.44	7.2
<b>2 - Black</b>	48	3.80	10
<b>3 - Hispanic</b>	184	14.58	8.7
<b>4 - Asian/Pacific Islander</b>	33	2.61	18
<b>5 - Native American/Eskimo/Ale</b>	4	0.32	6.8
<b>6 - Other</b>	19	1.51	7.5
<b>All</b>	1,262	100.0	7.8

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	0.13	9.0
<b>1 - White</b>	684	91.44	12
<b>2 - Black</b>	7	0.94	11
<b>3 - Hispanic</b>	38	5.08	13
<b>4 - Asian/Pacific Islander</b>	13	1.74	20
<b>6 - Other</b>	5	0.67	10
<b>All</b>	748	100.0	12

**Source of Admission by Patient County of Residence  
for 2010  
Santa Cruz County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	2	0.01	4.5
<b>1 - Home</b>	19,164	75.73	3.9
<b>2 - Residential Care Facility</b>	325	1.28	5.2
<b>3 - Ambulatory Surgery</b>	97	0.38	3.6
<b>4 - Skilled Nursing/Intermedia</b>	420	1.66	6.4
<b>5 - Acute Inpatient Hospital C</b>	1,593	6.29	11
<b>6 - Other Inpatient Hospital C</b>	146	0.58	15
<b>7 - Newborn (born in admitting</b>	3,237	12.79	3.6
<b>8 - Prison/Jail</b>	32	0.13	6.6
<b>9 - Other</b>	291	1.15	6.0
<b>All</b>	25,307	100.0	4.5

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	2	0.01	4.5
<b>1 - Home</b>	18,066	79.05	3.7
<b>2 - Residential Care Facility</b>	282	1.23	4.6
<b>3 - Ambulatory Surgery</b>	94	0.41	3.2
<b>4 - Skilled Nursing/Intermedia</b>	358	1.57	5.5
<b>5 - Acute Inpatient Hospital C</b>	420	1.84	9.4
<b>6 - Other Inpatient Hospital C</b>	94	0.41	12
<b>7 - Newborn (born in admitting</b>	3,237	14.16	3.6
<b>8 - Prison/Jail</b>	23	0.10	3.0
<b>9 - Other</b>	277	1.21	5.9
<b>All</b>	22,853	100.0	3.9

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	21	100.0	12
All	21	100.0	12

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	16	3.78	10
2 - Residential Care Facility	1	0.24	9.0
3 - Ambulatory Surgery	1	0.24	22
4 - Skilled Nursing/Intermedia	5	1.18	14
5 - Acute Inpatient Hospital C	393	92.91	14
6 - Other Inpatient Hospital C	7	1.65	13
All	423	100.0	13

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	1,033	81.85	7.2
<b>2 - Residential Care Facility</b>	41	3.25	9.3
<b>4 - Skilled Nursing/Intermedia</b>	51	4.04	11
<b>5 - Acute Inpatient Hospital C</b>	80	6.34	6.4
<b>6 - Other Inpatient Hospital C</b>	34	2.69	23
<b>8 - Prison/Jail</b>	9	0.71	16
<b>9 - Other</b>	14	1.11	6.9
<b>All</b>	1,262	100.0	7.8

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	28	3.74	13
2 - Residential Care Facility	1	0.13	10
3 - Ambulatory Surgery	2	0.27	18
4 - Skilled Nursing/Intermedia	6	0.80	8.7
5 - Acute Inpatient Hospital C	700	93.58	12
6 - Other Inpatient Hospital C	11	1.47	21
All	748	100.0	12

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	23
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	19	0.08	48
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	13	0.05	23
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	5	0.02	18
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	3	0.01	57
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.00	4.0
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	18
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.02	23
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	40
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	6.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	13	0.05	9.4
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	5.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	32	0.13	7.6
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	40	0.16	4.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	36	0.14	3.9
028	SPINAL PROCEDURES WITH MCC	3	0.01	10
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	18	0.07	6.0
030	SPINAL PROCEDURES WITHOUT CC/MCC	17	0.07	3.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.02	7.6
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.05	4.5
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.03	2.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	8	0.03	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	9	0.04	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.01	5.3
038	EXTRACRANIAL PROCEDURES WITH CC	16	0.06	3.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.11	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.04	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	17	0.07	4.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	6	0.02	3.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.01	9.7
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	17	0.07	7.4
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	34	0.13	2.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	6.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	31	0.12	4.7
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.02	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.03	2.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	2.2
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	4	0.02	7.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	7	0.03	4.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	2.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	70	0.28	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	141	0.56	4.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	81	0.32	2.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.02	3.2
069	TRANSIENT ISCHEMIA	55	0.22	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	8	0.03	11
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	12	0.05	3.4
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	4	0.02	2.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	5	0.02	3.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	36	0.14	4.0
075	VIRAL MENINGITIS WITH CC/MCC	7	0.03	2.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	39	0.15	2.9
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	7.3
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	5	0.02	6.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	22	0.09	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	5	0.02	7.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	3.2
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	11	0.04	2.1
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	9	0.04	6.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	22	0.09	2.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	36	0.14	1.8
089	CONCUSSION WITH CC	2	0.01	3.0
090	CONCUSSION WITHOUT CC/MCC	10	0.04	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	7	0.03	6.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	30	0.12	4.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	26	0.10	1.8
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.01	15
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	9	0.04	10
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.02	3.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	6	0.02	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	8	0.03	11
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	6	0.02	3.3
100	SEIZURES WITH MCC	28	0.11	3.9
101	SEIZURES WITHOUT MCC	95	0.38	2.5
102	HEADACHES WITH MCC	3	0.01	3.7
103	HEADACHES WITHOUT MCC	33	0.13	2.2
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	12
114	ORBITAL PROCEDURES WITHOUT CC/MCC	7	0.03	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.00	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.00	.00
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	6.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	6	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	1	0.00	4.0
124	OTHER DISORDERS OF THE EYE WITH MCC	3	0.01	12
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	9	0.04	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	3	0.01	3.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	4	0.02	2.8
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.02	1.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	27	0.11	1.4
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	11	0.04	5.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	37	0.15	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	6.0
137	MOUTH PROCEDURES WITH CC/MCC	4	0.02	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.02	1.5
139	SALIVARY GLAND PROCEDURES	7	0.03	1.6
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.02	3.5
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	1.5
149	DYSEQUILIBRIUM	31	0.12	1.5
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	4	0.02	1.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.01	2.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	30	0.12	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	9	0.04	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	7	0.03	2.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	7	0.03	1.3
163	MAJOR CHEST PROCEDURES WITH MCC	20	0.08	16
164	MAJOR CHEST PROCEDURES WITH CC	17	0.07	5.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	32	0.13	3.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	13	0.05	8.2
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	12	0.05	6.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.05	2.9
175	PULMONARY EMBOLISM WITH MCC	19	0.08	7.6
176	PULMONARY EMBOLISM WITHOUT MCC	60	0.24	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	39	0.15	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	53	0.21	8.1
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	18	0.07	4.9
180	RESPIRATORY NEOPLASMS WITH MCC	18	0.07	5.3
181	RESPIRATORY NEOPLASMS WITH CC	30	0.12	5.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.00	2.0
183	MAJOR CHEST TRAUMA WITH MCC	4	0.02	5.0
184	MAJOR CHEST TRAUMA WITH CC	12	0.05	2.9
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	3	0.01	2.0
186	PLEURAL EFFUSION WITH MCC	6	0.02	4.5
187	PLEURAL EFFUSION WITH CC	6	0.02	4.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
188	PLEURAL EFFUSION WITHOUT CC/MCC	4	0.02	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	51	0.20	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	87	0.34	5.7
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	86	0.34	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	90	0.36	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.40	5.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	295	1.17	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	199	0.79	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	7.9
197	INTERSTITIAL LUNG DISEASE WITH CC	10	0.04	4.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.00	4.0
199	PNEUMOTHORAX WITH MCC	6	0.02	4.8
200	PNEUMOTHORAX WITH CC	20	0.08	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.04	2.7
202	BRONCHITIS & ASTHMA WITH CC/MCC	87	0.34	3.3
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	126	0.50	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	25	0.10	1.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	9	0.04	4.1
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	31	0.12	3.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	27	0.11	18
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	44	0.17	6.6
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	21	0.08	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	3	0.01	9.3
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	18	0.07	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	30	0.12	6.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	10	0.04	5.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	8.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.02	13
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.02	4.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	8	0.03	4.3
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	45	0.18	2.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	5	0.02	11
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	4	0.02	8.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.01	5.7
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	19	0.08	10
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	32	0.13	8.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	3	0.01	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	19	0.08	7.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	24	0.09	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	41	0.16	3.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.04	9.1
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	8.4
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	21	0.08	6.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	55	0.22	3.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	66	0.26	1.8
245	AICD GENERATOR PROCEDURES	5	0.02	3.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	35	0.14	3.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	102	0.40	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	37	0.15	5.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	87	0.34	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	8	0.03	5.1
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	54	0.21	2.2
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.09	7.2
253	OTHER VASCULAR PROCEDURES WITH CC	41	0.16	5.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	21	0.08	2.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	3	0.01	5.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	6.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	2.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.01	.33
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	3	0.01	12
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	5	0.02	6.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	1.7
263	VEIN LIGATION & STRIPPING	1	0.00	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	30	0.12	6.9

(Continued)

**MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
265	AICD LEAD PROCEDURES	4	0.02	4.3
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	47	0.19	5.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	43	0.17	3.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.14	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	11	0.04	3.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	.33
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.12	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	173	0.68	2.6
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	11	0.04	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	5	0.02	12
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	3	0.01	9.7
291	HEART FAILURE & SHOCK WITH MCC	139	0.55	5.2
292	HEART FAILURE & SHOCK WITH CC	199	0.79	3.8
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	83	0.33	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.01	21
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.5
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	20	0.08	6.5
300	PERIPHERAL VASCULAR DISORDERS WITH CC	40	0.16	4.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	32	0.13	2.8
302	ATHEROSCLEROSIS WITH MCC	11	0.04	4.7
303	ATHEROSCLEROSIS WITHOUT MCC	58	0.23	2.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
304	HYPERTENSION WITH MCC	3	0.01	1.7
305	HYPERTENSION WITHOUT MCC	30	0.12	12
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	6	0.02	9.3
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	5	0.02	2.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	70	0.28	4.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	97	0.38	2.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	171	0.68	1.6
311	ANGINA PECTORIS	26	0.10	1.5
312	SYNCOPE & COLLAPSE	124	0.49	2.1
313	CHEST PAIN	148	0.58	1.4
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	41	0.16	5.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	45	0.18	4.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.07	1.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	20	0.08	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	17	0.07	6.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	37	0.15	2.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	77	0.30	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	121	0.48	7.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	80	0.32	4.2
332	RECTAL RESECTION WITH MCC	2	0.01	8.0
333	RECTAL RESECTION WITH CC	2	0.01	6.5
334	RECTAL RESECTION WITHOUT CC/MCC	6	0.02	3.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
335	PERITONEAL ADHESIOLYSIS WITH MCC	16	0.06	17
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.11	7.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	16	0.06	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	4.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	14	0.06	6.9
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	74	0.29	3.5
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	3.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	14	0.06	2.9
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	226	0.89	1.1
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.04	3.1
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.03	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.02	6.7
348	ANAL & STOMAL PROCEDURES WITH CC	8	0.03	6.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	13	0.05	1.9
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	3	0.01	5.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	6	0.02	6.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	9	0.04	12
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	19	0.08	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	30	0.12	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	7	0.03	12

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	12	0.05	4.8
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	4.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.02	4.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	11	0.04	4.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.03	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	18	0.07	9.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	23	0.09	6.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	17	0.07	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.04	6.3
375	DIGESTIVE MALIGNANCY WITH CC	36	0.14	4.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	54	0.21	4.9
378	G.I. HEMORRHAGE WITH CC	177	0.70	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	74	0.29	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.04	4.9
381	COMPLICATED PEPTIC ULCER WITH CC	11	0.04	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	10	0.04	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	6	0.02	1.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.02	12
386	INFLAMMATORY BOWEL DISEASE WITH CC	19	0.08	6.1
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.07	4.9
388	G.I. OBSTRUCTION WITH MCC	22	0.09	5.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
389	G.I. OBSTRUCTION WITH CC	50	0.20	3.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	58	0.23	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	70	0.28	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	398	1.57	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	18	0.07	6.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	50	0.20	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	27	0.11	2.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	14
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	10	0.04	8.5
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.02	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.02	5.5
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	5.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.01	7.3
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	4.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	14
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.02	5.7
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	28	0.11	5.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	84	0.33	3.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	181	0.72	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	8.3
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	24
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	38	0.15	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	17	0.07	3.1
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	4.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	14	0.06	7.3
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	16	0.06	3.9
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	4	0.02	2.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	25	0.10	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	49	0.19	5.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	67	0.26	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	46	0.18	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	49	0.19	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	14	0.06	2.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	28	0.11	5.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	32	0.13	3.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	42	0.17	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.02	13

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	13	0.05	5.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	19	0.08	3.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.02	10
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	7	0.03	6.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	6	0.02	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.02	10
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	110	0.43	4.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	13	0.05	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	4	0.02	13
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	14	0.06	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	6	0.02	3.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.02	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	31	0.12	5.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	42	0.17	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	23	0.09	6.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	773	3.05	3.2
471	CERVICAL SPINAL FUSION WITH MCC	6	0.02	12
472	CERVICAL SPINAL FUSION WITH CC	13	0.05	2.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	76	0.30	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.02	4.5
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.01	8.7
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	9	0.04	3.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.02	3.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	21	0.08	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	89	0.35	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	56	0.22	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	12	0.05	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	23	0.09	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.02	9.8
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.00	9.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.02	7.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.03	3.3
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.06	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	63	0.25	3.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	207	0.82	1.6
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.04	8.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	40	0.16	3.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	142	0.56	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.01	9.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.05	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	18	0.07	1.7
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
500	SOFT TISSUE PROCEDURES WITH MCC	5	0.02	12
501	SOFT TISSUE PROCEDURES WITH CC	26	0.10	5.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	16	0.06	2.0
503	FOOT PROCEDURES WITH MCC	2	0.01	3.0
504	FOOT PROCEDURES WITH CC	9	0.04	2.8
505	FOOT PROCEDURES WITHOUT CC/MCC	13	0.05	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	9.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	6	0.02	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	36	0.14	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.01	2.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.02	2.0
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	6	0.02	8.8
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	14	0.06	4.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	17	0.07	2.4
533	FRACTURES OF FEMUR WITH MCC	1	0.00	45
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	3.3
535	FRACTURES OF HIP & PELVIS WITH MCC	8	0.03	4.1
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	33	0.13	3.1
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	3.0
539	OSTEOMYELITIS WITH MCC	5	0.02	17

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	2	0.01	7.0
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.00	7.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	4	0.02	8.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	22	0.09	5.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	13	0.05	5.5
545	CONNECTIVE TISSUE DISORDERS WITH MCC	11	0.04	6.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	10	0.04	4.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	6	0.02	2.3
548	SEPTIC ARTHRITIS WITH MCC	1	0.00	22
549	SEPTIC ARTHRITIS WITH CC	3	0.01	3.7
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	4.0
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.03	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	86	0.34	4.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	8.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	14	0.06	1.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.01	6.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	15	0.06	3.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.02	6.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	28	0.11	4.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.02	6.8
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.02	22
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	14	0.06	6.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.02	8.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	42	0.17	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	6.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.02	2.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.03	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	6.3
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.04	8.5
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	12	0.05	5.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.03	4.4
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	14	0.06	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	9	0.04	15
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	42	0.17	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	58	0.23	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.05	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	22	0.09	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	1.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	31	0.12	1.1
592	SKIN ULCERS WITH MCC	3	0.01	11
593	SKIN ULCERS WITH CC	3	0.01	5.3
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	2.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.02	1.3
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	.50
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	7.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.01	1.7
602	CELLULITIS WITH MCC	25	0.10	6.0
603	CELLULITIS WITHOUT MCC	247	0.98	4.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	2.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	32	0.13	2.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	.00
607	MINOR SKIN DISORDERS WITHOUT MCC	6	0.02	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	5	0.02	1.8
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	36
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	11	0.04	6.1
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	2.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	10	0.04	3.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	95	0.38	1.5
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	11
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	6.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	1.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.02	4.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	14	0.06	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	48	0.19	1.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	5	0.02	5.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.03	6.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.3
637	DIABETES WITH MCC	22	0.09	4.0
638	DIABETES WITH CC	57	0.23	3.0
639	DIABETES WITHOUT CC/MCC	79	0.31	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	45	0.18	4.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	160	0.63	3.2
642	INBORN ERRORS OF METABOLISM	2	0.01	9.5
643	ENDOCRINE DISORDERS WITH MCC	6	0.02	7.0
644	ENDOCRINE DISORDERS WITH CC	18	0.07	5.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	14	0.06	1.9
652	KIDNEY TRANSPLANT	13	0.05	4.7
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.02	7.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	4.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	7.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	12	0.05	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	13	0.05	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.02	8.8
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	23	0.09	2.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	21	0.08	2.7
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
663	MINOR BLADDER PROCEDURES WITH CC	6	0.02	1.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	16	0.06	1.8
665	PROSTATECTOMY WITH MCC	2	0.01	23
666	PROSTATECTOMY WITH CC	4	0.02	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.02	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	6	0.02	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	27	0.11	2.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	13	0.05	1.2
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.01	7.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	13	0.05	6.8
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	12	0.05	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
682	RENAL FAILURE WITH MCC	55	0.22	5.9
683	RENAL FAILURE WITH CC	70	0.28	4.2
684	RENAL FAILURE WITHOUT CC/MCC	14	0.06	2.7
685	ADMIT FOR RENAL DIALYSIS	10	0.04	.80
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	1.7
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	2.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.01	.50
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	42	0.17	4.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	230	0.91	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
691	URINARY STONES WITH ESW LITHOTRIpsy WITH CC/MCC	2	0.01	3.5
692	URINARY STONES WITH ESW LITHOTRIpsy WITHOUT CC/MCC	1	0.00	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIpsy WITH MCC	3	0.01	5.7
694	URINARY STONES WITHOUT ESW LITHOTRIpsy WITHOUT MCC	45	0.18	1.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	6	0.02	1.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	36	0.14	5.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	33	0.13	3.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.09	2.3
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	10	0.04	2.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	66	0.26	1.5
709	PENIS PROCEDURES WITH CC/MCC	1	0.00	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	8.0
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.05	2.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	35	0.14	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.01	.50
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	.00
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	2.7
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	13	0.05	3.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.01	3.7
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	11	0.04	4.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	11	0.04	2.2
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	8.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.03	7.9
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.02	4.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	19	0.08	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	67	0.26	2.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	342	1.35	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.00	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.01	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	2.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	12	0.05	1.6
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	56	0.22	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.02	3.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	1.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	12
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	4.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	5	0.02	2.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	8	0.03	3.1
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	8	0.03	1.4
765	CESAREAN SECTION WITH CC/MCC	337	1.33	4.8
766	CESAREAN SECTION WITHOUT CC/MCC	621	2.45	3.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	99	0.39	2.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	9	0.04	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	17	0.07	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	334	1.32	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,830	7.23	2.3
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	24	0.09	2.8
777	ECTOPIC PREGNANCY	20	0.08	1.0
778	THREATENED ABORTION	44	0.17	2.1
779	ABORTION WITHOUT D&C	9	0.04	1.0
780	FALSE LABOR	6	0.02	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	125	0.49	2.2
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	28	0.11	1.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	45	0.18	11
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	53	0.21	36
791	PREMATURITY WITH MAJOR PROBLEMS	86	0.34	18

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
792	PREMATURITY WITHOUT MAJOR PROBLEMS	145	0.57	7.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	234	0.92	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	519	2.05	2.8
795	NORMAL NEWBORN	2,281	9.01	2.2
799	SPLENECTOMY WITH MCC	1	0.00	6.0
800	SPLENECTOMY WITH CC	2	0.01	2.0
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	4.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	2	0.01	1.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	11	0.04	4.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	29	0.11	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	3	0.01	2.3
811	RED BLOOD CELL DISORDERS WITH MCC	27	0.11	4.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	73	0.29	2.2
813	COAGULATION DISORDERS	20	0.08	4.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	3	0.01	3.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	8	0.03	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	3	0.01	2.7
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	7.9
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.01	5.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.04	2.4
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	3	0.01	1.5
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	7	0.03	6.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.02	15
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	3	0.01	3.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	4.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	6	0.02	19
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	11	0.04	24
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	4	0.02	12
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	1.4
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	4	0.02	18
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	11	0.04	5.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	7	0.03	3.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.04	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	26	0.10	7.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	5	0.02	2.4
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	4	0.02	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.02	5.4
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	6	0.02	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	62	0.25	4.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	14	0.06	4.2
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.16	13

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	8	0.03	6.1
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	10	0.04	6.1
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	22	0.09	6.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	19	0.08	7.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	29	0.11	6.1
864	FEVER	35	0.14	3.3
865	VIRAL ILLNESS WITH MCC	2	0.01	5.0
866	VIRAL ILLNESS WITHOUT MCC	21	0.08	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	17	0.07	10
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	2.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	24	0.09	13
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	278	1.10	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	143	0.57	5.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	7.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	20	0.08	2.8
881	DEPRESSIVE NEUROSES	132	0.52	3.2
882	NEUROSES EXCEPT DEPRESSIVE	42	0.17	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	18	0.07	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	16	0.06	18
885	PSYCHOSES	1,072	4.24	8.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.01	5.5
887	OTHER MENTAL DISORDER DIAGNOSIS	8	0.03	13
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	15	0.06	5.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.01	28
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	39	0.15	7.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	205	0.81	3.9
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	3	0.01	32
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.01	1.3
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	6	0.02	10
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.02	6.0
906	HAND PROCEDURES FOR INJURIES	3	0.01	1.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	16	0.06	9.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	37	0.15	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	13	0.05	1.7
913	TRAUMATIC INJURY WITH MCC	2	0.01	4.0
914	TRAUMATIC INJURY WITHOUT MCC	6	0.02	1.5
915	ALLERGIC REACTIONS WITH MCC	2	0.01	3.0
916	ALLERGIC REACTIONS WITHOUT MCC	12	0.05	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	67	0.26	5.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	151	0.60	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	15	0.06	4.4
920	COMPLICATIONS OF TREATMENT WITH CC	29	0.11	4.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	13	0.05	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.00	1.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	9	0.04	1.9
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	39
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.01	9.0
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	3	0.01	9.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	8.0
935	NON-EXTENSIVE BURNS	11	0.04	7.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	66
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	14	0.06	16
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.02	3.0
945	REHABILITATION WITH CC/MCC	818	3.23	13
946	REHABILITATION WITHOUT CC/MCC	265	1.05	9.1
947	SIGNS & SYMPTOMS WITH MCC	14	0.06	4.4
948	SIGNS & SYMPTOMS WITHOUT MCC	81	0.32	2.7
949	AFTERCARE WITH CC/MCC	8	0.03	21
950	AFTERCARE WITHOUT CC/MCC	3	0.01	8.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	30	0.12	.97
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	6.7
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.04	14
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.02	19
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.04	10

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	4.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	3.3
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	20	0.08	4.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.02	6.2
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.01	9.3
975	HIV WITH MAJOR RELATED CONDITION WITH CC	6	0.02	18
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	5.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	4.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	17	0.07	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	24	0.09	6.4
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	18	0.07	3.5
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.04	11
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	11	0.04	9.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.04	2.2
All		25,305	100.0	4.5

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.00	23
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	19	0.08	48
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	13	0.06	23
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	5	0.02	18
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	10
009	BONE MARROW TRANSPLANT	3	0.01	57
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.00	4.0
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	18
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	7.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.02	23
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	40
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	6.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	13	0.06	9.4
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	5.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	32	0.14	7.6
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	40	0.18	4.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	36	0.16	3.9
028	SPINAL PROCEDURES WITH MCC	3	0.01	10
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	18	0.08	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	17	0.07	3.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.02	7.6
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.06	4.5
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.03	2.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	8	0.04	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	9	0.04	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.01	5.3
038	EXTRACRANIAL PROCEDURES WITH CC	16	0.07	3.3
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.13	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.04	12
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	17	0.07	4.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	6	0.03	3.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.01	9.7
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	17	0.07	7.4
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	34	0.15	2.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	0.03	6.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	28	0.12	3.1
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.02	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.03	2.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	2.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	4	0.02	7.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	7	0.03	4.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	2.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	70	0.31	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	140	0.61	4.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	81	0.35	2.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.02	3.2
069	TRANSIENT ISCHEMIA	55	0.24	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	8	0.04	11
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	12	0.05	3.4
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	4	0.02	2.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	5	0.02	3.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	35	0.15	3.9
075	VIRAL MENINGITIS WITH CC/MCC	7	0.03	2.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	38	0.17	2.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	3	0.01	7.3
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	5	0.02	6.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	22	0.10	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	5	0.02	7.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	11	0.05	2.1
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	8	0.04	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	22	0.10	2.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	36	0.16	1.8
089	CONCUSSION WITH CC	2	0.01	3.0
090	CONCUSSION WITHOUT CC/MCC	10	0.04	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	7	0.03	6.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	29	0.13	4.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	26	0.11	1.8
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.01	15
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	7	0.03	9.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.01	4.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	6	0.03	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	8	0.04	11
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	6	0.03	3.3
100	SEIZURES WITH MCC	28	0.12	3.9
101	SEIZURES WITHOUT MCC	95	0.42	2.5
102	HEADACHES WITH MCC	3	0.01	3.7
103	HEADACHES WITHOUT MCC	33	0.14	2.2
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.01	12
114	ORBITAL PROCEDURES WITHOUT CC/MCC	7	0.03	1.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.00	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.00	.00
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.00	6.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	6	0.03	2.3
123	NEUROLOGICAL EYE DISORDERS	1	0.00	4.0
124	OTHER DISORDERS OF THE EYE WITH MCC	3	0.01	12
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	9	0.04	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	3	0.01	3.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	4	0.02	2.8
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.02	1.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	27	0.12	1.4
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	11	0.05	5.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	37	0.16	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	6.0
137	MOUTH PROCEDURES WITH CC/MCC	4	0.02	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	4	0.02	1.5
139	SALIVARY GLAND PROCEDURES	7	0.03	1.6
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.02	3.5
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	1.5
149	DYSEQUILIBRIUM	31	0.14	1.5
150	EPISTAXIS WITH MCC	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
151	EPISTAXIS WITHOUT MCC	4	0.02	1.8
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.01	2.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	30	0.13	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	3.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	9	0.04	1.8
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	7	0.03	2.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	7	0.03	1.3
163	MAJOR CHEST PROCEDURES WITH MCC	20	0.09	16
164	MAJOR CHEST PROCEDURES WITH CC	17	0.07	5.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	32	0.14	3.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	13	0.06	8.2
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	12	0.05	6.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.05	2.9
175	PULMONARY EMBOLISM WITH MCC	19	0.08	7.6
176	PULMONARY EMBOLISM WITHOUT MCC	60	0.26	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	39	0.17	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	51	0.22	7.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	18	0.08	4.9
180	RESPIRATORY NEOPLASMS WITH MCC	18	0.08	5.3
181	RESPIRATORY NEOPLASMS WITH CC	30	0.13	5.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.00	2.0
183	MAJOR CHEST TRAUMA WITH MCC	4	0.02	5.0
184	MAJOR CHEST TRAUMA WITH CC	12	0.05	2.9
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	3	0.01	2.0
186	PLEURAL EFFUSION WITH MCC	6	0.03	4.5
187	PLEURAL EFFUSION WITH CC	6	0.03	4.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	4	0.02	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	51	0.22	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	86	0.38	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	86	0.38	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	90	0.39	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.44	5.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	291	1.27	3.8
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	199	0.87	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	7	0.03	7.9
197	INTERSTITIAL LUNG DISEASE WITH CC	10	0.04	4.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.00	4.0
199	PNEUMOTHORAX WITH MCC	6	0.03	4.8
200	PNEUMOTHORAX WITH CC	20	0.09	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.04	2.7
202	BRONCHITIS & ASTHMA WITH CC/MCC	87	0.38	3.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	126	0.55	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	25	0.11	1.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	9	0.04	4.1
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	31	0.14	3.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	27	0.12	18
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	44	0.19	6.6
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	21	0.09	11
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	3	0.01	9.3
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	18	0.08	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	30	0.13	6.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	10	0.04	5.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.01	8.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.02	13
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.02	4.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	8	0.04	4.3
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	45	0.20	2.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	5	0.02	11
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	4	0.02	8.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.01	5.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	19	0.08	10
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	32	0.14	8.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	3	0.01	9.3
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	19	0.08	7.2
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	24	0.11	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	41	0.18	3.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	9	0.04	9.1
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	8.4
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	21	0.09	6.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	55	0.24	3.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	66	0.29	1.8
245	AICD GENERATOR PROCEDURES	5	0.02	3.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	35	0.15	3.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	102	0.45	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	37	0.16	5.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	87	0.38	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	8	0.04	5.1
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	54	0.24	2.2
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.10	7.2
253	OTHER VASCULAR PROCEDURES WITH CC	41	0.18	5.2

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	21	0.09	2.0
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	3	0.01	5.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	6.3
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	2.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.01	.33
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	3	0.01	12
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	5	0.02	6.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	1.7
263	VEIN LIGATION & STRIPPING	1	0.00	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	30	0.13	6.9
265	AICD LEAD PROCEDURES	4	0.02	4.3
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	47	0.21	5.2
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	43	0.19	3.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.16	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	11	0.05	3.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	.33
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	30	0.13	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	173	0.76	2.6
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	11	0.05	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	4	0.02	5.8
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.01	7.5

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
291	HEART FAILURE & SHOCK WITH MCC	139	0.61	5.2
292	HEART FAILURE & SHOCK WITH CC	198	0.87	3.8
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	83	0.36	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	11
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.5
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	19	0.08	6.6
300	PERIPHERAL VASCULAR DISORDERS WITH CC	38	0.17	4.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	31	0.14	2.9
302	ATHEROSCLEROSIS WITH MCC	11	0.05	4.7
303	ATHEROSCLEROSIS WITHOUT MCC	58	0.25	2.4
304	HYPERTENSION WITH MCC	3	0.01	1.7
305	HYPERTENSION WITHOUT MCC	29	0.13	2.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	6	0.03	9.3
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	5	0.02	2.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	70	0.31	4.2
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	97	0.42	2.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	171	0.75	1.6
311	ANGINA PECTORIS	26	0.11	1.5
312	SYNCOPE & COLLAPSE	124	0.54	2.1
313	CHEST PAIN	147	0.64	1.4

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	41	0.18	5.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	44	0.19	3.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.08	1.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	20	0.09	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	17	0.07	6.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	37	0.16	2.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	77	0.34	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	121	0.53	7.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	80	0.35	4.2
332	RECTAL RESECTION WITH MCC	2	0.01	8.0
333	RECTAL RESECTION WITH CC	2	0.01	6.5
334	RECTAL RESECTION WITHOUT CC/MCC	6	0.03	3.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	16	0.07	17
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.13	7.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	16	0.07	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	4.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	14	0.06	6.9
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	74	0.32	3.5
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	3.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	14	0.06	2.9
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	226	0.99	1.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.04	3.1
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.04	4.1
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.03	6.7
348	ANAL & STOMAL PROCEDURES WITH CC	8	0.04	6.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	13	0.06	1.9
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	3	0.01	5.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	6	0.03	6.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	9	0.04	12
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	19	0.08	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	30	0.13	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	7	0.03	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	12	0.05	4.8
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.03	4.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.02	4.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	11	0.05	4.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.04	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	18	0.08	9.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	22	0.10	5.9
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	17	0.07	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.04	6.3
375	DIGESTIVE MALIGNANCY WITH CC	36	0.16	4.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	54	0.24	4.9
378	G.I. HEMORRHAGE WITH CC	177	0.77	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	74	0.32	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.04	4.9
381	COMPLICATED PEPTIC ULCER WITH CC	11	0.05	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	10	0.04	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	6	0.03	1.8
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.02	12
386	INFLAMMATORY BOWEL DISEASE WITH CC	19	0.08	6.1
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	18	0.08	4.9
388	G.I. OBSTRUCTION WITH MCC	22	0.10	5.4
389	G.I. OBSTRUCTION WITH CC	50	0.22	3.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	58	0.25	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	70	0.31	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	398	1.74	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	18	0.08	6.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	50	0.22	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	27	0.12	2.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	12	0.05	14
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	10	0.04	8.5
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.02	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.02	5.5
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	5.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.01	7.3
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	4.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	14
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.03	5.7
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	28	0.12	5.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	84	0.37	3.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	181	0.79	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	8.3
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	24
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	38	0.17	6.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	17	0.07	3.1
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	4.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	14	0.06	7.3
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	16	0.07	3.9
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	4	0.02	2.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	25	0.11	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	49	0.21	5.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	67	0.29	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	46	0.20	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	49	0.21	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	14	0.06	2.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	28	0.12	5.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	32	0.14	3.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	42	0.18	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.02	13
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	13	0.06	5.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	19	0.08	3.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.03	10
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	7	0.03	6.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	6	0.03	4.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.02	10
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	110	0.48	4.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	13	0.06	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	4	0.02	13
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	14	0.06	11
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	6	0.03	3.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.02	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	31	0.14	5.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	42	0.18	3.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	23	0.10	6.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	773	3.38	3.2
471	CERVICAL SPINAL FUSION WITH MCC	6	0.03	12
472	CERVICAL SPINAL FUSION WITH CC	13	0.06	2.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	76	0.33	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	4	0.02	4.5
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.01	8.7
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	9	0.04	3.2

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.02	3.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	21	0.09	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	89	0.39	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	56	0.25	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	12	0.05	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	23	0.10	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.02	9.8
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.00	9.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.02	7.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.03	3.3
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.07	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	63	0.28	3.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	207	0.91	1.6
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.05	8.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	40	0.18	3.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	142	0.62	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.01	9.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	12	0.05	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	18	0.08	1.7
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	5	0.02	12

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
501	SOFT TISSUE PROCEDURES WITH CC	26	0.11	5.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	16	0.07	2.0
503	FOOT PROCEDURES WITH MCC	2	0.01	3.0
504	FOOT PROCEDURES WITH CC	9	0.04	2.8
505	FOOT PROCEDURES WITHOUT CC/MCC	13	0.06	1.9
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	9.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	6	0.03	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	36	0.16	1.7
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.01	2.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.02	2.0
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	6	0.03	8.8
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	14	0.06	4.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	17	0.07	2.4
533	FRACTURES OF FEMUR WITH MCC	1	0.00	45
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.03	3.3
535	FRACTURES OF HIP & PELVIS WITH MCC	8	0.04	4.1
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	33	0.14	3.1
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	3.0
539	OSTEOMYELITIS WITH MCC	4	0.02	9.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	2	0.01	7.0
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.00	7.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	4	0.02	8.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	22	0.10	5.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	12	0.05	4.4
545	CONNECTIVE TISSUE DISORDERS WITH MCC	11	0.05	6.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	10	0.04	4.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	6	0.03	2.3
549	SEPTIC ARTHRITIS WITH CC	3	0.01	3.7
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.00	2.0
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.04	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	84	0.37	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	8.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	14	0.06	1.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.01	6.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	15	0.07	3.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.02	6.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	27	0.12	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.02	3.3
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.01	1.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	10	0.04	1.6

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	5	0.02	8.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	42	0.18	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	6.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.02	2.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.03	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	6.3
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.04	8.5
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	12	0.05	5.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.04	4.4
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	14	0.06	2.1
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	9	0.04	15
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	42	0.18	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	58	0.25	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.06	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	22	0.10	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	1.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	31	0.14	1.1
592	SKIN ULCERS WITH MCC	2	0.01	4.5
593	SKIN ULCERS WITH CC	3	0.01	5.3
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	2.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.02	1.3

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	7.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	.50
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.00	7.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.01	1.7
602	CELLULITIS WITH MCC	23	0.10	5.1
603	CELLULITIS WITHOUT MCC	235	1.03	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	2.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	32	0.14	2.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	.00
607	MINOR SKIN DISORDERS WITHOUT MCC	6	0.03	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	6	0.03	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	5	0.02	1.8
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	36
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	11	0.05	6.1
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.00	2.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	10	0.04	3.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	95	0.42	1.5
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	11
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	6.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	1.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.02	4.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	14	0.06	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	48	0.21	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	5	0.02	5.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.03	6.4
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.3
637	DIABETES WITH MCC	22	0.10	4.0
638	DIABETES WITH CC	57	0.25	3.0
639	DIABETES WITHOUT CC/MCC	79	0.35	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	45	0.20	4.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	160	0.70	3.2
642	INBORN ERRORS OF METABOLISM	2	0.01	9.5
643	ENDOCRINE DISORDERS WITH MCC	6	0.03	7.0
644	ENDOCRINE DISORDERS WITH CC	18	0.08	5.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	14	0.06	1.9
652	KIDNEY TRANSPLANT	13	0.06	4.7
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.02	7.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	4.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	7.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	12	0.05	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	13	0.06	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.02	8.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	23	0.10	2.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	21	0.09	2.7
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.00	2.0
663	MINOR BLADDER PROCEDURES WITH CC	6	0.03	1.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	16	0.07	1.8
665	PROSTATECTOMY WITH MCC	2	0.01	23
666	PROSTATECTOMY WITH CC	4	0.02	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.02	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	6	0.03	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	27	0.12	2.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	13	0.06	1.2
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.01	7.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	13	0.06	6.8
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	12	0.05	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
682	RENAL FAILURE WITH MCC	54	0.24	5.9
683	RENAL FAILURE WITH CC	70	0.31	4.2
684	RENAL FAILURE WITHOUT CC/MCC	14	0.06	2.7
685	ADMIT FOR RENAL DIALYSIS	10	0.04	.80
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	1.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	2.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.01	.50
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	42	0.18	4.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	229	1.00	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	3.5
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	3	0.01	5.7
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	45	0.20	1.5
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	6	0.03	1.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	35	0.15	5.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	33	0.14	3.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.10	2.3
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	10	0.04	2.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	66	0.29	1.5
709	PENIS PROCEDURES WITH CC/MCC	1	0.00	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	8.0
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.06	2.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	35	0.15	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.01	.50

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	.00
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	2.7
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	9.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	13	0.06	3.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.01	4.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	11	0.05	4.4
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	11	0.05	2.2
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	8.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.03	7.9
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.02	4.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	19	0.08	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	67	0.29	2.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	342	1.50	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.00	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.01	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.01	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	12	0.05	1.6
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	56	0.25	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.03	3.3
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	1.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	12
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	3.2
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	4.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	5	0.02	2.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	8	0.04	3.1
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	8	0.04	1.4
765	CESAREAN SECTION WITH CC/MCC	337	1.47	4.8
766	CESAREAN SECTION WITHOUT CC/MCC	621	2.72	3.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	99	0.43	2.7
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	9	0.04	3.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	17	0.07	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	334	1.46	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,830	8.01	2.3
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	18	0.08	2.6
777	ECTOPIC PREGNANCY	20	0.09	1.0
778	THREATENED ABORTION	44	0.19	2.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
779	ABORTION WITHOUT D&C	9	0.04	1.0
780	FALSE LABOR	6	0.03	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	119	0.52	2.1
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	28	0.12	1.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	45	0.20	11
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	53	0.23	36
791	PREMATURITY WITH MAJOR PROBLEMS	86	0.38	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	145	0.63	7.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	234	1.02	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	519	2.27	2.8
795	NORMAL NEWBORN	2,281	9.98	2.2
799	SPLENECTOMY WITH MCC	1	0.00	6.0
800	SPLENECTOMY WITH CC	2	0.01	2.0
801	SPLENECTOMY WITHOUT CC/MCC	3	0.01	4.7
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	2	0.01	1.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	11	0.05	4.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	29	0.13	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	3	0.01	2.3
811	RED BLOOD CELL DISORDERS WITH MCC	27	0.12	4.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	73	0.32	2.2
813	COAGULATION DISORDERS	20	0.09	4.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	3	0.01	3.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	8	0.04	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	3	0.01	2.7
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	79
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.01	5.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	9	0.04	2.4
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	3	0.01	15
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	7	0.03	6.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.02	15
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	3	0.01	3.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	4.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	6	0.03	19
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	11	0.05	24
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	4	0.02	12
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.02	1.4
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	4	0.02	18
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	11	0.05	5.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	7	0.03	3.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.04	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	26	0.11	7.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	5	0.02	2.4
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	4	0.02	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.02	5.4
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	6	0.03	12
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	62	0.27	4.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	14	0.06	4.2
849	RADIOTHERAPY	1	0.00	5.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.18	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	8	0.04	6.1
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	10	0.04	6.1
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	22	0.10	6.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	17	0.07	7.2
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	26	0.11	3.6
864	FEVER	35	0.15	3.3
865	VIRAL ILLNESS WITH MCC	2	0.01	5.0
866	VIRAL ILLNESS WITHOUT MCC	21	0.09	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	16	0.07	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	24	0.11	13
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	275	1.20	6.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	135	0.59	4.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	7.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	12	0.05	1.6
881	DEPRESSIVE NEUROSES	6	0.03	2.3
882	NEUROSES EXCEPT DEPRESSIVE	2	0.01	4.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	10	0.04	11
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	14	0.06	9.1
885	PSYCHOSES	53	0.23	12
887	OTHER MENTAL DISORDER DIAGNOSIS	6	0.03	10
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	12	0.05	3.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	36	0.16	8.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	158	0.69	3.5
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	3	0.01	32
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	3	0.01	1.3
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	6	0.03	10
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.02	6.0
906	HAND PROCEDURES FOR INJURIES	3	0.01	1.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	16	0.07	9.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	37	0.16	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	13	0.06	1.7
913	TRAUMATIC INJURY WITH MCC	2	0.01	4.0
914	TRAUMATIC INJURY WITHOUT MCC	6	0.03	1.5
915	ALLERGIC REACTIONS WITH MCC	2	0.01	3.0
916	ALLERGIC REACTIONS WITHOUT MCC	12	0.05	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	67	0.29	5.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	151	0.66	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	15	0.07	4.4
920	COMPLICATIONS OF TREATMENT WITH CC	28	0.12	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	13	0.06	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.00	1.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	9	0.04	1.9
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	39
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.01	9.0
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	3	0.01	9.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	8.0
935	NON-EXTENSIVE BURNS	11	0.05	7.5
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	8	0.04	9.9
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	6	0.03	17
946	REHABILITATION WITHOUT CC/MCC	1	0.00	10
947	SIGNS & SYMPTOMS WITH MCC	14	0.06	4.4
948	SIGNS & SYMPTOMS WITHOUT MCC	81	0.35	2.7
949	AFTERCARE WITH CC/MCC	1	0.00	2.0
950	AFTERCARE WITHOUT CC/MCC	1	0.00	6.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	29	0.13	.93
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	6.7
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.04	14
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.03	19
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.05	10
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	4.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	3.3
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	20	0.09	4.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.02	6.2
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.01	9.3
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.02	6.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	5.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	4.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	17	0.07	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	24	0.11	6.4

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	18	0.08	3.5
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.05	11
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	11	0.05	9.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.04	2.2
All		22,851	100.0	3.9

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	9.52	23
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	14.29	28
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	4.76	8.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	15	71.43	8.3
All		21	100.0	12

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	5	1.18	22
945	REHABILITATION WITH CC/MCC	396	93.62	14
946	REHABILITATION WITHOUT CC/MCC	22	5.20	9.9
All		423	100.0	13

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	3	0.24	19
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.08	24
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.08	1.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	6	0.48	3.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	6	0.48	4.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	8	0.63	4.6
881	DEPRESSIVE NEUROSES	126	9.98	3.2
882	NEUROSES EXCEPT DEPRESSIVE	40	3.17	2.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	8	0.63	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.16	83
885	PSYCHOSES	1,019	80.74	8.5
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.16	5.5
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.16	23
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.08	.00
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.16	2.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	32	2.54	3.4
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.08	2.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.16	41
All		1,262	100.0	7.8

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.13	1.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	0.13	5.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.13	6.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.13	1.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.27	14
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.13	3.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.27	24
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.13	10
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	4	0.53	5.5
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.13	38
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.13	14
292	HEART FAILURE & SHOCK WITH CC	1	0.13	.00
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.27	26
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.13	3.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.27	17
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.13	2.0
305	HYPERTENSION WITHOUT MCC	1	0.13	310
313	CHEST PAIN	1	0.13	3.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.13	26
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	1	0.13	12
539	OSTEOMYELITIS WITH MCC	1	0.13	49

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.13	18
548	SEPTIC ARTHRITIS WITH MCC	1	0.13	22
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.13	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	0.27	36
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.13	21
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.27	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.27	42
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.53	20
592	SKIN ULCERS WITH MCC	1	0.13	23
602	CELLULITIS WITH MCC	2	0.27	16
603	CELLULITIS WITHOUT MCC	12	1.60	21
682	RENAL FAILURE WITH MCC	1	0.13	8.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	0.13	9.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.13	12
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.13	3.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	2	0.27	12
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	3	0.40	28
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.13	4.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	3	0.40	21
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	8	1.07	13
920	COMPLICATIONS OF TREATMENT WITH CC	1	0.13	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.13	66
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.13	33
945	REHABILITATION WITH CC/MCC	416	55.61	12
946	REHABILITATION WITHOUT CC/MCC	242	32.35	9.0
949	AFTERCARE WITH CC/MCC	7	0.94	23
950	AFTERCARE WITHOUT CC/MCC	2	0.27	9.5
All		748	100.0	12

**MDC by Patient County of Residence  
for 2010  
Santa Cruz County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1,287	5.09	4.4
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	32	0.13	4.1
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	211	0.83	2.3
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1,713	6.77	4.8
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	2,675	10.57	4.0
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	2,129	8.41	4.3
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	809	3.20	4.4
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	2,474	9.78	3.7
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	565	2.23	4.1
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	635	2.51	3.3
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	791	3.13	3.7
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	160	0.63	2.0
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	594	2.35	2.1
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	3,504	13.85	2.8
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	3,363	13.29	3.8
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	186	0.73	3.7
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	220	0.87	8.3
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	657	2.60	6.9
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	1,311	5.18	8.0
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	262	1.04	4.8
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	398	1.57	4.0
<b>22</b>	<b>BURNS</b>	20	0.08	11

(Continued)

*MDC by Patient County of Residence  
for 2010  
Santa Cruz County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,238	4.89	11
24	MULTIPLE SIGNFICANT TRAUMA	60	0.24	8.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	13	0.05	12
All		25,307	100.0	4.5

**MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,276	5.58	4.4
02	EYE, DISEASES & DISORDERS	32	0.14	4.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	211	0.92	2.3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,706	7.47	4.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2,663	11.65	3.8
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,128	9.31	4.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	809	3.54	4.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2,459	10.76	3.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	549	2.40	3.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	635	2.78	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	788	3.45	3.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	159	0.70	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	594	2.60	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	3,492	15.28	2.8
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	3,363	14.72	3.8
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	186	0.81	3.7
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	220	0.96	8.3
18	INFECTIOUS & PARASITIC DISEASES	640	2.80	6.6
19	MENTAL DISEASES & DISORDERS	104	0.46	9.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	206	0.90	4.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	397	1.74	4.0

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	20	0.09	11
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	145	0.63	3.6
24	MULTIPLE SIGNFICANT TRAUMA	60	0.26	8.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	11	0.05	6.7
All		22,853	100.0	3.9

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	21	100.0	12
All		21	100.0	12

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	423	100.0	13
All		423	100.0	13

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	4	0.32	21
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.08	1.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	12	0.95	3.8
19	MENTAL DISEASES & DISORDERS	1,207	95.64	7.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	35	2.77	3.2
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.08	2.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.16	41
All		1,262	100.0	7.8

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Cruz County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7	0.94	6.3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	7	0.94	11
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	12	1.60	40
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.13	12
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	15	2.01	25
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	15	2.01	20
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	3	0.40	9.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.13	3.0
18	INFECTIOUS & PARASITIC DISEASES	17	2.27	16
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.13	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	669	89.44	11
All		748	100.0	12