

***Type of Care by Patient County of Residence
for 2009
Shasta County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| Acute Care | 20,707 | 95.64 | 4.1 |
| Chemical Dependency Recovery Care | 11 | 0.05 | 7.5 |
| Physical Rehabilitation Care | 38 | 0.18 | 21 |
| Psychiatric Care | 506 | 2.34 | 8.3 |
| Skilled Nursing/Intermediate Care | 390 | 1.80 | 23 |
| All | 21,652 | 100.0 | 4.6 |

***Disposition by Patient County of Residence
for 2009
Shasta County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 278 | 0.01 | 11 |
| 01 - Routine (Home) | 3,004,054 | 75.38 | 3.6 |
| 02 - Acute Care within the admitting hospital | 10,153 | 0.25 | 53 |
| 03 - Other Care with the admitting hospital | 20,525 | 0.52 | 9.0 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 34,806 | 0.87 | 7.9 |
| 05 - Acute Care at another hospital | 82,489 | 2.07 | 11 |
| 06 - Other Care (not SN/IC) at another hospital | 35,667 | 0.89 | 9.8 |
| 07 - SN/IC at another facility | 293,004 | 7.35 | 8.8 |
| 08 - Residential Care facility | 35,985 | 0.90 | 10 |
| 09 - Prison/Jail | 19,746 | 0.50 | 5.7 |
| 10 - Left Against Medical Advice | 43,300 | 1.09 | 3.3 |
| 11 - Died | 79,937 | 2.01 | 17 |
| 12 - Home Health Service | 313,429 | 7.86 | 7.3 |
| 13 - Other | 11,793 | 0.30 | 11 |
| All | 3,985,166 | 100.0 | 5.0 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 15,188 | 73.35 | 3.1 |
| 02 - Acute Care within the admitting hospital | 1 | 0.00 | 1.0 |
| 03 - Other Care with the admitting hospital | 23 | 0.11 | 14 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 112 | 0.54 | 14 |
| 05 - Acute Care at another hospital | 312 | 1.51 | 7.8 |
| 06 - Other Care (not SN/IC) at another hospital | 92 | 0.44 | 6.1 |
| 07 - SN/IC at another facility | 2,073 | 10.01 | 7.2 |
| 08 - Residential Care facility | 95 | 0.46 | 4.8 |
| 09 - Prison/Jail | 10 | 0.05 | 2.3 |
| 10 - Left Against Medical Advice | 163 | 0.79 | 2.7 |
| 11 - Died | 459 | 2.22 | 7.9 |
| 12 - Home Health Service | 2,150 | 10.38 | 5.8 |
| 13 - Other | 29 | 0.14 | 5.4 |
| All | 20,707 | 100.0 | 4.1 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 8 | 72.73 | 9.5 |
| 02 - Acute Care within the admitting hospital | 1 | 9.09 | 2.0 |
| 07 - SN/IC at another facility | 1 | 9.09 | 2.0 |
| 13 - Other | 1 | 9.09 | 3.0 |
| All | 11 | 100.0 | 7.5 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 22 | 57.89 | 21 |
| 02 - Acute Care within the admitting hospital | 3 | 7.89 | 15 |
| 05 - Acute Care at another hospital | 1 | 2.63 | 2.0 |
| 07 - SN/IC at another facility | 3 | 7.89 | 42 |
| 12 - Home Health Service | 9 | 23.68 | 16 |
| All | 38 | 100.0 | 21 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 440 | 86.96 | 7.6 |
| 02 - Acute Care within the admitting hospital | 2 | 0.40 | 4.0 |
| 05 - Acute Care at another hospital | 8 | 1.58 | 5.6 |
| 06 - Other Care (not SN/IC) at another hospital | 11 | 2.17 | 17 |
| 07 - SN/IC at another facility | 6 | 1.19 | 29 |
| 08 - Residential Care facility | 30 | 5.93 | 13 |
| 09 - Prison/Jail | 1 | 0.20 | 1.0 |
| 10 - Left Against Medical Advice | 5 | 0.99 | 4.6 |
| 13 - Other | 3 | 0.59 | 13 |
| All | 506 | 100.0 | 8.3 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 268 | 68.72 | 26 |
| 02 - Acute Care within the admitting hospital | 9 | 2.31 | 29 |
| 05 - Acute Care at another hospital | 25 | 6.41 | 13 |
| 06 - Other Care (not SN/IC) at another hospital | 1 | 0.26 | 7.0 |
| 07 - SN/IC at another facility | 9 | 2.31 | 19 |
| 08 - Residential Care facility | 1 | 0.26 | 21 |
| 11 - Died | 21 | 5.38 | 15 |
| 12 - Home Health Service | 30 | 7.69 | 17 |
| 13 - Other | 26 | 6.67 | 15 |
| All | 390 | 100.0 | 23 |

***Gender by Patient County of Residence
for 2009
Shasta County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|-----------------------------|----------------------------|-------------------------------|
| 1 - Male | 9,133 | 42.18 | 4.8 |
| 2 - Female | 12,519 | 57.82 | 4.4 |
| All | 21,652 | 100.0 | 4.6 |

***Gender by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 8,704 | 42.03 | 4.5 |
| 2 - Female | 12,003 | 57.97 | 3.8 |
| All | 20,707 | 100.0 | 4.1 |

***Gender by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 4 | 36.36 | 3.0 |
| 2 - Female | 7 | 63.64 | 10 |
| All | 11 | 100.0 | 7.5 |

***Gender by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 23 | 60.53 | 23 |
| 2 - Female | 15 | 39.47 | 16 |
| All | 38 | 100.0 | 21 |

***Gender by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 245 | 48.42 | 7.9 |
| 2 - Female | 261 | 51.58 | 8.7 |
| All | 506 | 100.0 | 8.3 |

***Gender by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 157 | 40.26 | 16 |
| 2 - Female | 233 | 59.74 | 27 |
| All | 390 | 100.0 | 23 |

***Expected Payer by Patient County of Residence
for 2009
Shasta County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 9,015 | 41.64 | 5.6 |
| 02 - Medi-Cal | 5,179 | 23.92 | 4.1 |
| 03 - Private Coverage | 5,352 | 24.72 | 3.4 |
| 04 - Workers' Compensatio | 211 | 0.97 | 3.5 |
| 05 - County Indigent Prog | 378 | 1.75 | 4.3 |
| 06 - Other Government | 481 | 2.22 | 6.1 |
| 07 - Other Indigent | 140 | 0.65 | 4.4 |
| 08 - Self-Pay | 835 | 3.86 | 3.7 |
| 09 - Other Payer | 61 | 0.28 | 4.0 |
| All | 21,652 | 100.0 | 4.6 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 8,539 | 41.24 | 5.1 |
| 02 - Medi-Cal | 5,087 | 24.57 | 3.4 |
| 03 - Private Coverage | 5,179 | 25.01 | 3.2 |
| 04 - Workers' Compensatio | 207 | 1.00 | 3.3 |
| 05 - County Indigent Prog | 369 | 1.78 | 4.2 |
| 06 - Other Government | 310 | 1.50 | 5.3 |
| 07 - Other Indigent | 140 | 0.68 | 4.4 |
| 08 - Self-Pay | 815 | 3.94 | 3.5 |
| 09 - Other Payer | 61 | 0.29 | 4.0 |
| All | 20,707 | 100.0 | 4.1 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 4 | 36.36 | 3.8 |
| 03 - Private Coverage | 7 | 63.64 | 9.7 |
| All | 11 | 100.0 | 7.5 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 11 | 28.95 | 15 |
| 02 - Medi-Cal | 7 | 18.42 | 18 |
| 03 - Private Coverage | 17 | 44.74 | 26 |
| 04 - Workers' Compensatio | 1 | 2.63 | 10 |
| 05 - County Indigent Prog | 1 | 2.63 | 9.0 |
| 06 - Other Government | 1 | 2.63 | 21 |
| All | 38 | 100.0 | 21 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 132 | 26.09 | 12 |
| 02 - Medi-Cal | 58 | 11.46 | 8.4 |
| 03 - Private Coverage | 133 | 26.28 | 6.1 |
| 04 - Workers' Compensatio | 1 | 0.20 | 7.0 |
| 05 - County Indigent Prog | 8 | 1.58 | 5.8 |
| 06 - Other Government | 169 | 33.40 | 7.6 |
| 08 - Self-Pay | 5 | 0.99 | 4.8 |
| All | 506 | 100.0 | 8.3 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 329 | 84.36 | 17 |
| 02 - Medi-Cal | 27 | 6.92 | 111 |
| 03 - Private Coverage | 16 | 4.10 | 15 |
| 04 - Workers' Compensatio | 2 | 0.51 | 25 |
| 06 - Other Government | 1 | 0.26 | 9.0 |
| 08 - Self-Pay | 15 | 3.85 | 12 |
| All | 390 | 100.0 | 23 |

***Race Group by Patient County of Residence
for 2009
Shasta County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 354 | 1.63 | 3.3 |
| 1 - White | 19,553 | 90.31 | 4.6 |
| 2 - Black | 211 | 0.97 | 3.9 |
| 3 - Hispanic | 706 | 3.26 | 3.4 |
| 4 - Asian/Pacific Islander | 245 | 1.13 | 3.2 |
| 5 - Native American/Eskimo/Ale | 317 | 1.46 | 3.6 |
| 6 - Other | 266 | 1.23 | 6.9 |
| All | 21,652 | 100.0 | 4.6 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 321 | 1.55 | 2.8 |
| 1 - White | 18,705 | 90.33 | 4.1 |
| 2 - Black | 202 | 0.98 | 3.6 |
| 3 - Hispanic | 675 | 3.26 | 3.2 |
| 4 - Asian/Pacific Islander | 241 | 1.16 | 3.1 |
| 5 - Native American/Eskimo/Ale | 314 | 1.52 | 3.6 |
| 6 - Other | 249 | 1.20 | 6.5 |
| All | 20,707 | 100.0 | 4.1 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------|----------------------|---------------------|------------------------|
| 1 - White | 10 | 90.91 | 7.8 |
| 6 - Other | 1 | 9.09 | 5.0 |
| All | 11 | 100.0 | 7.5 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 3 | 7.89 | 23 |
| 1 - White | 32 | 84.21 | 21 |
| 3 - Hispanic | 2 | 5.26 | 16 |
| 6 - Other | 1 | 2.63 | 18 |
| All | 38 | 100.0 | 21 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 29 | 5.73 | 6.0 |
| 1 - White | 425 | 83.99 | 8.6 |
| 2 - Black | 9 | 1.78 | 12 |
| 3 - Hispanic | 27 | 5.34 | 7.4 |
| 4 - Asian/Pacific Islander | 4 | 0.79 | 8.5 |
| 5 - Native American/Eskimo/Ale | 2 | 0.40 | 3.0 |
| 6 - Other | 10 | 1.98 | 5.1 |
| All | 506 | 100.0 | 8.3 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 1 | 0.26 | 13 |
| 1 - White | 381 | 97.69 | 23 |
| 3 - Hispanic | 2 | 0.51 | 6.5 |
| 5 - Native American/Eskimo/Ale | 1 | 0.26 | 6.0 |
| 6 - Other | 5 | 1.28 | 26 |
| All | 390 | 100.0 | 23 |

**Source of Admission by Patient County of Residence
for 2009
Shasta County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 1 | 0.00 | 3.0 |
| 1 - Home | 17,849 | 82.44 | 3.7 |
| 2 - Residential Care Facility | 184 | 0.85 | 4.4 |
| 3 - Ambulatory Surgery | 30 | 0.14 | 2.4 |
| 4 - Skilled Nursing/Intermedia | 344 | 1.59 | 5.6 |
| 5 - Acute Inpatient Hospital C | 1,045 | 4.83 | 21 |
| 6 - Other Inpatient Hospital C | 20 | 0.09 | 8.7 |
| 7 - Newborn (born in admitting | 2,052 | 9.48 | 3.1 |
| 8 - Prison/Jail | 7 | 0.03 | 2.7 |
| 9 - Other | 120 | 0.55 | 8.9 |
| All | 21,652 | 100.0 | 4.6 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|-----------------------------|----------------------------|-------------------------------|
| 0 - Invalid | 1 | 0.00 | 3.0 |
| 1 - Home | 17,368 | 83.88 | 3.6 |
| 2 - Residential Care Facility | 178 | 0.86 | 4.0 |
| 3 - Ambulatory Surgery | 30 | 0.14 | 2.4 |
| 4 - Skilled Nursing/Intermedia | 341 | 1.65 | 5.4 |
| 5 - Acute Inpatient Hospital C | 650 | 3.14 | 20 |
| 6 - Other Inpatient Hospital C | 16 | 0.08 | 7.4 |
| 7 - Newborn (born in admitting | 2,052 | 9.91 | 3.1 |
| 8 - Prison/Jail | 6 | 0.03 | 1.5 |
| 9 - Other | 65 | 0.31 | 7.9 |
| All | 20,707 | 100.0 | 4.1 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 9 | 81.82 | 7.4 |
| 6 - Other Inpatient Hospital C | 1 | 9.09 | 2.0 |
| 9 - Other | 1 | 9.09 | 14 |
| All | 11 | 100.0 | 7.5 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 1 | 2.63 | 20 |
| 5 - Acute Inpatient Hospital C | 37 | 97.37 | 21 |
| All | 38 | 100.0 | 21 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 429 | 84.78 | 7.9 |
| 2 - Residential Care Facility | 6 | 1.19 | 15 |
| 4 - Skilled Nursing/Intermedia | 3 | 0.59 | 23 |
| 5 - Acute Inpatient Hospital C | 11 | 2.17 | 6.9 |
| 6 - Other Inpatient Hospital C | 3 | 0.59 | 18 |
| 8 - Prison/Jail | 1 | 0.20 | 10 |
| 9 - Other | 53 | 10.47 | 10 |
| All | 506 | 100.0 | 8.3 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 42 | 10.77 | 17 |
| 5 - Acute Inpatient Hospital C | 347 | 88.97 | 24 |
| 9 - Other | 1 | 0.26 | 13 |
| All | 390 | 100.0 | 23 |

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 29 | 0.13 | 38 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 16 | 0.07 | 28 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 2 | 0.01 | 20 |
| 009 | BONE MARROW TRANSPLANT | 7 | 0.03 | 28 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 6 | 0.03 | 6.8 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 4 | 0.02 | 5.8 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 4 | 0.02 | 8.3 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 6 | 0.03 | 25 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 4 | 0.02 | 14 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 7 | 0.03 | 16 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 3 | 0.01 | 5.3 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 27 | 0.12 | 11 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 20 | 0.09 | 6.6 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 34 | 0.16 | 4.0 |
| 028 | SPINAL PROCEDURES WITH MCC | 4 | 0.02 | 15 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 10 | 0.05 | 3.9 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 12 | 0.06 | 3.1 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 7 | 0.03 | 18 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 7 | 0.03 | 2.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 11 | 0.05 | 3.4 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 1 | 0.00 | 11 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 3 | 0.01 | 1.0 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 9 | 0.04 | 5.7 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 24 | 0.11 | 2.9 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 70 | 0.32 | 1.4 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 8 | 0.04 | 12 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 8 | 0.04 | 3.3 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 1.0 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 7 | 0.03 | 7.6 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 4 | 0.02 | 4.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 7 | 0.03 | 5.9 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 24 | 0.11 | 5.5 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 28 | 0.13 | 12 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 80 | 0.37 | 49 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 1 | 0.00 | 11 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 2 | 0.01 | 18 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 7 | 0.03 | 7.3 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 6 | 0.03 | 6.3 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 11 | 0.05 | 4.0 |
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 5 | 0.02 | 2.2 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 79 | 0.36 | 4.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 113 | 0.52 | 3.7 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 77 | 0.36 | 2.6 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 2 | 0.01 | 2.5 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 12 | 0.06 | 12 |
| 069 | TRANSIENT ISCHEMIA | 83 | 0.38 | 2.5 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 30 | 0.14 | 5.9 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 17 | 0.08 | 2.5 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 8 | 0.04 | 2.6 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 36 | 0.17 | 4.4 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 45 | 0.21 | 3.0 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 9 | 0.04 | 3.4 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 56 | 0.26 | 2.1 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 3 | 0.01 | 3.0 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 2 | 0.01 | 2.0 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 12 | 0.06 | 2.3 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 6 | 0.03 | 5.8 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 4 | 0.02 | 2.0 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 5 | 0.02 | 3.8 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 14 | 0.06 | 7.3 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 14 | 0.06 | 3.2 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 16 | 0.07 | 2.4 |
| 088 | CONCUSSION WITH MCC | 4 | 0.02 | 3.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 089 | CONCUSSION WITH CC | 8 | 0.04 | 3.1 |
| 090 | CONCUSSION WITHOUT CC/MCC | 17 | 0.08 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 25 | 0.12 | 7.9 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 25 | 0.12 | 2.7 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 31 | 0.14 | 2.0 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 5 | 0.02 | 8.6 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 3 | 0.01 | 3.0 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 7 | 0.03 | 9.9 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.00 | 12 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 3 | 0.01 | 3.0 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 100 | SEIZURES WITH MCC | 35 | 0.16 | 2.9 |
| 101 | SEIZURES WITHOUT MCC | 114 | 0.53 | 2.6 |
| 102 | HEADACHES WITH MCC | 1 | 0.00 | 5.0 |
| 103 | HEADACHES WITHOUT MCC | 34 | 0.16 | 1.8 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 1 | 0.00 | 3.0 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 1 | 0.00 | 1.0 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 3 | 0.01 | 7.3 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 2 | 0.01 | 2.5 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 4 | 0.02 | 4.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 4 | 0.02 | 2.0 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 6 | 0.03 | 2.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 1 | 0.00 | 6.0 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 6 | 0.03 | 1.3 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 14 | 0.06 | 1.7 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 5 | 0.02 | 5.0 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 13 | 0.06 | 1.5 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 1 | 0.00 | 6.0 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 139 | SALIVARY GLAND PROCEDURES | 2 | 0.01 | 1.0 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 6 | 0.03 | 23 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 1 | 0.00 | 1.0 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 149 | DYSEQUILIBRIUM | 15 | 0.07 | 1.9 |
| 151 | EPISTAXIS WITHOUT MCC | 7 | 0.03 | 1.6 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 8 | 0.04 | 5.8 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 72 | 0.33 | 1.8 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 5 | 0.02 | 4.6 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 10 | 0.05 | 2.6 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 1.6 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 3 | 0.01 | 11 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 14 | 0.06 | 2.1 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 3 | 0.01 | 2.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 28 | 0.13 | 15 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 35 | 0.16 | 5.7 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 12 | 0.06 | 4.6 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 22 | 0.10 | 25 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 16 | 0.07 | 6.8 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 5.0 |
| 175 | PULMONARY EMBOLISM WITH MCC | 24 | 0.11 | 5.3 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 27 | 0.12 | 3.5 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 122 | 0.56 | 9.3 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 60 | 0.28 | 5.2 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 22 | 0.10 | 6.4 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 15 | 0.07 | 7.0 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 35 | 0.16 | 4.5 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 4 | 0.02 | 2.5 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 9 | 0.04 | 4.4 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 2 | 0.01 | 2.5 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 186 | PLEURAL EFFUSION WITH MCC | 11 | 0.05 | 4.3 |
| 187 | PLEURAL EFFUSION WITH CC | 12 | 0.06 | 3.2 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 319 | 1.47 | 7.2 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 136 | 0.63 | 4.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 84 | 0.39 | 3.9 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 106 | 0.49 | 3.2 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 251 | 1.16 | 5.1 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 233 | 1.08 | 3.5 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 159 | 0.73 | 2.7 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 7 | 0.03 | 9.6 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 3 | 0.01 | 6.3 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 199 | PNEUMOTHORAX WITH MCC | 11 | 0.05 | 5.2 |
| 200 | PNEUMOTHORAX WITH CC | 13 | 0.06 | 2.5 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 10 | 0.05 | 1.7 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 66 | 0.30 | 2.5 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 151 | 0.70 | 1.9 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 25 | 0.12 | 1.5 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 17 | 0.08 | 8.6 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 34 | 0.16 | 2.3 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 62 | 0.29 | 20 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 125 | 0.58 | 5.7 |
| 215 | OTHER HEART ASSIST SYSTEM IMPLANT | 1 | 0.00 | 1.0 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 24 | 0.11 | 11 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 9 | 0.04 | 6.2 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 2 | 0.01 | 6.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 17 | 0.08 | 8.6 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 17 | 0.08 | 6.9 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 4 | 0.02 | 6.0 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 2 | 0.01 | 11 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 8 | 0.04 | 4.0 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 5 | 0.02 | 6.2 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 4 | 0.02 | 2.8 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 3 | 0.01 | 5.7 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 21 | 0.10 | 2.2 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 8 | 0.04 | 26 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 7 | 0.03 | 5.6 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 7 | 0.03 | 4.0 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 7 | 0.03 | 8.4 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 1 | 0.00 | 5.0 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 18 | 0.08 | 11 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 43 | 0.20 | 6.2 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 6 | 0.03 | 8.3 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 17 | 0.08 | 5.9 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 42 | 0.19 | 11 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 57 | 0.26 | 4.3 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 8 | 0.04 | 11 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 11 | 0.05 | 3.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 27 | 0.12 | 5.7 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 21 | 0.10 | 3.5 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 31 | 0.14 | 2.0 |
| 245 | AICD GENERATOR PROCEDURES | 1 | 0.00 | 1.0 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 43 | 0.20 | 3.6 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 180 | 0.83 | 1.9 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 8 | 0.04 | 5.6 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 29 | 0.13 | 2.2 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 10 | 0.05 | 5.3 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 70 | 0.32 | 1.5 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 31 | 0.14 | 7.5 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 48 | 0.22 | 4.4 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 39 | 0.18 | 2.7 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 2 | 0.01 | 4.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.00 | 3.0 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 3 | 0.01 | 5.3 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 2 | 0.01 | 6.0 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 2 | 0.01 | 20 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 4 | 0.02 | 2.3 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 263 | VEIN LIGATION & STRIPPING | 2 | 0.01 | 2.5 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 12 | 0.06 | 6.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 265 | AICD LEAD PROCEDURES | 1 | 0.00 | 8.0 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 60 | 0.28 | 5.0 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 32 | 0.15 | 3.0 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 19 | 0.09 | 2.0 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 15 | 0.07 | 3.5 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 20 | 0.09 | 3.8 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 158 | 0.73 | 2.8 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 10 | 0.05 | 13 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 1 | 0.00 | 5.0 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 4 | 0.02 | 4.5 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 207 | 0.96 | 5.1 |
| 292 | HEART FAILURE & SHOCK WITH CC | 140 | 0.65 | 3.8 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 68 | 0.31 | 3.0 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 1 | 0.00 | 3.0 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 37 | 0.17 | 4.3 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 39 | 0.18 | 3.2 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 31 | 0.14 | 2.8 |
| 302 | ATHEROSCLEROSIS WITH MCC | 13 | 0.06 | 2.2 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 47 | 0.22 | 2.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 304 | HYPERTENSION WITH MCC | 5 | 0.02 | 2.6 |
| 305 | HYPERTENSION WITHOUT MCC | 24 | 0.11 | 2.6 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 6 | 0.03 | 4.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 2 | 0.01 | 5.5 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 58 | 0.27 | 4.1 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 63 | 0.29 | 3.2 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 86 | 0.40 | 1.7 |
| 311 | ANGINA PECTORIS | 17 | 0.08 | 1.4 |
| 312 | SYNCOPE & COLLAPSE | 100 | 0.46 | 2.0 |
| 313 | CHEST PAIN | 151 | 0.70 | 1.4 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 68 | 0.31 | 6.7 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 32 | 0.15 | 4.1 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 1.9 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 19 | 0.09 | 22 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 12 | 0.06 | 5.5 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 18 | 0.08 | 3.6 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 59 | 0.27 | 11 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 81 | 0.37 | 6.8 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 31 | 0.14 | 4.4 |
| 332 | RECTAL RESECTION WITH MCC | 3 | 0.01 | 14 |
| 333 | RECTAL RESECTION WITH CC | 8 | 0.04 | 5.3 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 2 | 0.01 | 8.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 22 | 0.10 | 11 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 21 | 0.10 | 7.0 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 24 | 0.11 | 4.0 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.01 | 8.0 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 12 | 0.06 | 6.4 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 28 | 0.13 | 2.9 |
| 341 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.01 | 4.5 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 15 | 0.07 | 3.5 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 108 | 0.50 | 1.5 |
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 2 | 0.01 | 5.5 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 6 | 0.03 | 6.5 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8 | 0.04 | 3.9 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 2 | 0.01 | 24 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 7 | 0.03 | 4.0 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 17 | 0.08 | 2.6 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 2 | 0.01 | 7.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 2 | 0.01 | 4.5 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 10 | 0.05 | 3.0 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 10 | 0.05 | 11 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 23 | 0.11 | 3.7 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 36 | 0.17 | 2.2 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 12 | 0.06 | 8.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 7 | 0.03 | 7.4 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 9 | 0.04 | 4.3 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 3 | 0.01 | 3.7 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 6 | 0.03 | 3.0 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 28 | 0.13 | 13 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 27 | 0.12 | 4.5 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 19 | 0.09 | 2.9 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 11 | 0.05 | 10 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 19 | 0.09 | 3.8 |
| 377 | G.I. HEMORRHAGE WITH MCC | 79 | 0.36 | 3.9 |
| 378 | G.I. HEMORRHAGE WITH CC | 131 | 0.61 | 3.2 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 39 | 0.18 | 2.3 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 7 | 0.03 | 6.9 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 5 | 0.02 | 3.4 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 5 | 0.02 | 3.0 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 3 | 0.01 | 2.7 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 7 | 0.03 | 2.7 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 3 | 0.01 | 10 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 9 | 0.04 | 5.3 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 6 | 0.03 | 4.3 |
| 388 | G.I. OBSTRUCTION WITH MCC | 43 | 0.20 | 5.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 389 | G.I. OBSTRUCTION WITH CC | 57 | 0.26 | 3.8 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 56 | 0.26 | 2.7 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 92 | 0.42 | 3.4 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 366 | 1.69 | 2.2 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 45 | 0.21 | 11 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 40 | 0.18 | 3.7 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.07 | 1.9 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 12 | 0.06 | 13 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 4 | 0.02 | 3.3 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 3.0 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 7.0 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 7.0 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 1 | 0.00 | 2.0 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 7 | 0.03 | 17 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 5 | 0.02 | 4.6 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 4 | 0.02 | 3.3 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 44 | 0.20 | 6.7 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 64 | 0.30 | 4.3 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 101 | 0.47 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 2 | 0.01 | 7.0 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 2 | 0.01 | 2.5 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 2 | 0.01 | 18 |
| 424 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 1 | 0.00 | 5.0 |
| 432 | CIRRHOISIS & ALCOHOLIC HEPATITIS WITH MCC | 28 | 0.13 | 7.6 |
| 433 | CIRRHOISIS & ALCOHOLIC HEPATITIS WITH CC | 16 | 0.07 | 4.1 |
| 435 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC | 18 | 0.08 | 3.8 |
| 436 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC | 9 | 0.04 | 3.9 |
| 437 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 50 | 0.23 | 6.9 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 80 | 0.37 | 4.6 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 108 | 0.50 | 3.2 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 75 | 0.35 | 5.7 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 34 | 0.16 | 3.1 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 9 | 0.04 | 3.2 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 12 | 0.06 | 5.5 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 15 | 0.07 | 2.3 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 15 | 0.07 | 2.7 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 4 | 0.02 | 13 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 15 | 0.07 | 7.3 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 21 | 0.10 | 4.8 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 1 | 0.00 | 7.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 7 | 0.03 | 8.9 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 4 | 0.02 | 3.8 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 6 | 0.03 | 14 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 166 | 0.77 | 3.3 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 8 | 0.04 | 3.8 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 17 | 0.08 | 30 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 8 | 0.04 | 15 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 4 | 0.02 | 5.3 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 8 | 0.04 | 6.0 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 33 | 0.15 | 3.9 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 36 | 0.17 | 2.7 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 42 | 0.19 | 4.7 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 698 | 3.22 | 2.8 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 10 | 0.05 | 5.3 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 18 | 0.08 | 2.5 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 144 | 0.67 | 1.5 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 4 | 0.02 | 10 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 4 | 0.02 | 4.8 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 3 | 0.01 | 4.0 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 4 | 0.02 | 3.0 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 11 | 0.05 | 4.6 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 10 | 0.05 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 44 | 0.20 | 5.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 93 | 0.43 | 4.1 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 60 | 0.28 | 3.2 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 16 | 0.07 | 3.3 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 34 | 0.16 | 2.2 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 6 | 0.03 | 8.8 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 3 | 0.01 | 6.3 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 4 | 0.02 | 6.3 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 18 | 0.08 | 1.7 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 56 | 0.26 | 2.9 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 149 | 0.69 | 1.8 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 6 | 0.03 | 6.2 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 43 | 0.20 | 4.0 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 87 | 0.40 | 2.2 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 5 | 0.02 | 5.4 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 19 | 0.09 | 4.0 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 15 | 0.07 | 1.7 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 2 | 0.01 | 6.0 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 5 | 0.02 | 2.6 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 14 | 0.06 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 25 | 0.12 | 1.5 |
| 503 | FOOT PROCEDURES WITH MCC | 2 | 0.01 | 22 |
| 504 | FOOT PROCEDURES WITH CC | 6 | 0.03 | 11 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 8 | 0.04 | 1.9 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 3 | 0.01 | 1.3 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 2 | 0.01 | 1.0 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 1.3 |
| 509 | ARTHROSCOPY | 1 | 0.00 | 1.0 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 1 | 0.00 | 3.0 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 8 | 0.04 | 1.9 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 23 | 0.11 | 1.4 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 9 | 0.04 | 5.8 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 6 | 0.03 | .83 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 5 | 0.02 | 7.2 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 13 | 0.06 | 4.9 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 16 | 0.07 | 3.4 |
| 533 | FRACTURES OF FEMUR WITH MCC | 1 | 0.00 | 5.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 6 | 0.03 | 3.8 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 13 | 0.06 | 5.5 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 42 | 0.19 | 4.5 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 2 | 0.01 | 2.5 |
| 539 | OSTEOMYELITIS WITH MCC | 9 | 0.04 | 28 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 540 | OSTEOMYELITIS WITH CC | 7 | 0.03 | 6.9 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 3 | 0.01 | 3.3 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 8 | 0.04 | 4.6 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 10 | 0.05 | 3.4 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 5 | 0.02 | 2.8 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 6 | 0.03 | 6.7 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 9 | 0.04 | 4.6 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 4 | 0.02 | 3.0 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 1 | 0.00 | 26 |
| 549 | SEPTIC ARTHRITIS WITH CC | 4 | 0.02 | 18 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 1 | 0.00 | 6.0 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 16 | 0.07 | 8.6 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 108 | 0.50 | 3.6 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 1 | 0.00 | 3.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 24 | 0.11 | 2.0 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 4 | 0.02 | 26 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 14 | 0.06 | 2.6 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 10 | 0.05 | 8.4 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 15 | 0.07 | 3.6 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 16 | 0.07 | 31 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 47 | 0.22 | 17 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 41 | 0.19 | 13 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 8 | 0.04 | 9.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 24 | 0.11 | 3.1 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 5 | 0.02 | 26 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 8 | 0.04 | 13 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | .50 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 18 | 0.08 | 30 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 19 | 0.09 | 6.2 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 6 | 0.03 | 4.2 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 3 | 0.01 | 30 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.00 | 14 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 4 | 0.02 | 13 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 23 | 0.11 | 3.1 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 26 | 0.12 | 1.6 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 12 | 0.06 | 1.5 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 15 | 0.07 | 1.5 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 1 | 0.00 | 3.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 3 | 0.01 | 2.3 |
| 592 | SKIN ULCERS WITH MCC | 15 | 0.07 | 12 |
| 593 | SKIN ULCERS WITH CC | 8 | 0.04 | 6.6 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 3 | 0.01 | 15 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 1 | 0.00 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 2 | 0.01 | 1.0 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 1 | 0.00 | 6.0 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 1 | 0.00 | .00 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 2 | 0.01 | 6.5 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 602 | CELLULITIS WITH MCC | 52 | 0.24 | 7.5 |
| 603 | CELLULITIS WITHOUT MCC | 192 | 0.89 | 3.8 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 5 | 0.02 | 4.0 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 22 | 0.10 | 2.8 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 1 | 0.00 | 3.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 15 | 0.07 | 2.7 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 5 | 0.02 | 5.8 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 2.8 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 3 | 0.01 | 6.3 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 4 | 0.02 | 7.0 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 1 | 0.00 | 8.0 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 8 | 0.04 | 4.1 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 54 | 0.25 | 2.0 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 4 | 0.02 | 28 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 3 | 0.01 | 4.0 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 1 | 0.00 | 2.0 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 7 | 0.03 | 2.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 17 | 0.08 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 5 | 0.02 | 13 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 1 | 0.00 | 6.0 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 637 | DIABETES WITH MCC | 61 | 0.28 | 3.8 |
| 638 | DIABETES WITH CC | 81 | 0.37 | 2.4 |
| 639 | DIABETES WITHOUT CC/MCC | 64 | 0.30 | 2.7 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 136 | 0.63 | 2.6 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 270 | 1.25 | 2.5 |
| 642 | INBORN ERRORS OF METABOLISM | 5 | 0.02 | 3.0 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 8 | 0.04 | 4.3 |
| 644 | ENDOCRINE DISORDERS WITH CC | 12 | 0.06 | 3.5 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 6 | 0.03 | 4.3 |
| 652 | KIDNEY TRANSPLANT | 5 | 0.02 | 6.4 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 5 | 0.02 | 12 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 3 | 0.01 | 6.3 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 3 | 0.01 | 11 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 11 | 0.05 | 3.7 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 16 | 0.07 | 2.4 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 5 | 0.02 | 10 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 24 | 0.11 | 3.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 28 | 0.13 | 2.1 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 2 | 0.01 | 8.0 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 3 | 0.01 | 2.7 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 13 | 0.06 | 1.5 |
| 666 | PROSTATECTOMY WITH CC | 4 | 0.02 | 2.3 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 7 | 0.03 | 11 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 16 | 0.07 | 2.3 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 11 | 0.05 | 1.7 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 2 | 0.01 | 4.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 7 | 0.03 | 15 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 5 | 0.02 | 13 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 682 | RENAL FAILURE WITH MCC | 117 | 0.54 | 6.3 |
| 683 | RENAL FAILURE WITH CC | 93 | 0.43 | 3.5 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 15 | 0.07 | 3.0 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 1 | 0.00 | 3.0 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.00 | 7.0 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 58 | 0.27 | 5.1 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 176 | 0.81 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 16 | 0.07 | 3.3 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 57 | 0.26 | 1.8 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 1 | 0.00 | 18 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 9 | 0.04 | 2.4 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 35 | 0.16 | 4.9 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 23 | 0.11 | 4.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 7 | 0.03 | 2.9 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 22 | 0.10 | 3.3 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 50 | 0.23 | 2.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 3 | 0.01 | 1.0 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | .25 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 13 | 0.06 | 1.8 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 71 | 0.33 | 1.5 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 2 | 0.01 | 3.5 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 1 | 0.00 | 1.0 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 3 | 0.01 | 1.3 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.00 | 2.0 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 2 | 0.01 | .50 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 1 | 0.00 | 1.0 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 1 | 0.00 | .00 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.00 | 55 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 3 | 0.01 | 2.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 3 | 0.01 | 5.3 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 4 | 0.02 | 2.5 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 5 | 0.02 | 6.0 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 4 | 0.02 | 3.5 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 9 | 0.04 | 2.6 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 19 | 0.09 | 2.1 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 73 | 0.34 | 2.9 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 360 | 1.66 | 1.5 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 2 | 0.01 | 2.0 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 3 | 0.01 | 1.7 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 9 | 0.04 | 2.4 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 33 | 0.15 | 1.6 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 69 | 0.32 | 1.3 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 6 | 0.03 | 2.7 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 2 | 0.01 | 8.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 8.0 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.00 | 4.0 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 5 | 0.02 | 3.4 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 7 | 0.03 | 2.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 5 | 0.02 | 1.0 |
| 765 | CESAREAN SECTION WITH CC/MCC | 240 | 1.11 | 4.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 406 | 1.88 | 2.9 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 9 | 0.04 | 2.3 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 14 | 0.06 | 3.1 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 2 | 0.01 | .50 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 132 | 0.61 | 2.6 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 1,239 | 5.72 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 18 | 0.08 | 1.6 |
| 777 | ECTOPIC PREGNANCY | 10 | 0.05 | 1.8 |
| 778 | THREATENED ABORTION | 45 | 0.21 | 1.9 |
| 779 | ABORTION WITHOUT D&C | 15 | 0.07 | 1.1 |
| 780 | FALSE LABOR | 5 | 0.02 | .80 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 72 | 0.33 | 2.4 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 28 | 0.13 | 1.9 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 36 | 0.17 | 5.8 |
| 790 | EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 40 | 0.18 | 31 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 63 | 0.29 | 16 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 60 | 0.28 | 5.2 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 182 | 0.84 | 5.4 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 351 | 1.62 | 2.2 |
| 795 | NORMAL NEWBORN | 1,409 | 6.51 | 1.7 |
| 799 | SPLENECTOMY WITH MCC | 6 | 0.03 | 12 |
| 800 | SPLENECTOMY WITH CC | 1 | 0.00 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 801 | SPLENECTOMY WITHOUT CC/MCC | 5 | 0.02 | 2.8 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 2 | 0.01 | 6.5 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 10 | 0.05 | 6.7 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 36 | 0.17 | 7.6 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 5 | 0.02 | 3.0 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 32 | 0.15 | 3.5 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 75 | 0.35 | 2.4 |
| 813 | COAGULATION DISORDERS | 5 | 0.02 | 3.2 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 1 | 0.00 | 2.0 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 9 | 0.04 | 3.2 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 3 | 0.01 | 1.7 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.00 | 22 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 5 | 0.02 | 5.8 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 5 | 0.02 | 2.8 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 3 | 0.01 | 6.3 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 3 | 0.01 | 6.7 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 2.0 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 2 | 0.01 | 29 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 5 | 0.02 | 9.2 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 3.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 3 | 0.01 | 8.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 7 | 0.03 | 17 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 11 | 0.05 | 15 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 3 | 0.01 | 7.0 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 10 | 0.05 | 25 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 23 | 0.11 | 5.3 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 17 | 0.08 | 4.3 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 11 | 0.05 | 12 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 13 | 0.06 | 5.9 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 5 | 0.02 | 6.0 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 2 | 0.01 | 3.5 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 1 | 0.00 | 4.0 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 8 | 0.04 | 6.1 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 138 | 0.64 | 3.5 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 30 | 0.14 | 3.6 |
| 849 | RADIOTHERAPY | 1 | 0.00 | 13 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 64 | 0.30 | 15 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 16 | 0.07 | 7.9 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 19 | 0.09 | 17 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 22 | 0.10 | 5.2 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.03 | 3.1 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 27 | 0.12 | 20 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 41 | 0.19 | 4.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 864 | FEVER | 22 | 0.10 | 2.4 |
| 865 | VIRAL ILLNESS WITH MCC | 6 | 0.03 | 1.7 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 30 | 0.14 | 2.3 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 5 | 0.02 | 16 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 2 | 0.01 | 4.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 30 | 0.14 | 15 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 465 | 2.15 | 6.3 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 138 | 0.64 | 3.9 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 27 | 0.12 | 4.4 |
| 881 | DEPRESSIVE NEUROSES | 41 | 0.19 | 5.0 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 17 | 0.08 | 4.1 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 5 | 0.02 | 8.4 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 12 | 0.06 | 8.4 |
| 885 | PSYCHOSES | 421 | 1.94 | 8.8 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 1 | 0.00 | 3.0 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 1 | 0.00 | 7.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 6 | 0.03 | 4.5 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 0.00 | 5.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 35 | 0.16 | 3.1 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 97 | 0.45 | 4.1 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 11 | 0.05 | 27 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 9 | 0.04 | 15 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 7 | 0.03 | 1.7 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 5 | 0.02 | 5.6 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 906 | HAND PROCEDURES FOR INJURIES | 5 | 0.02 | 1.4 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 15 | 0.07 | 8.5 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 20 | 0.09 | 4.5 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 32 | 0.15 | 1.8 |
| 913 | TRAUMATIC INJURY WITH MCC | 2 | 0.01 | 2.0 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 12 | 0.06 | 2.1 |
| 915 | ALLERGIC REACTIONS WITH MCC | 6 | 0.03 | 2.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 5 | 0.02 | 1.2 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 175 | 0.81 | 3.0 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 127 | 0.59 | 1.5 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 32 | 0.15 | 19 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 19 | 0.09 | 6.9 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 11 | 0.05 | 1.4 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 4 | 0.02 | 2.8 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 5 | 0.02 | 2.2 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 1 | 0.00 | 21 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 1 | 0.00 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 935 | NON-EXTENSIVE BURNS | 10 | 0.05 | 5.0 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 2 | 0.01 | 33 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 2 | 0.01 | 29 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 8 | 0.04 | 4.8 |
| 945 | REHABILITATION WITH CC/MCC | 38 | 0.18 | 18 |
| 946 | REHABILITATION WITHOUT CC/MCC | 15 | 0.07 | 8.7 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 11 | 0.05 | 3.9 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 58 | 0.27 | 3.9 |
| 949 | AFTERCARE WITH CC/MCC | 71 | 0.33 | 18 |
| 950 | AFTERCARE WITHOUT CC/MCC | 23 | 0.11 | 10 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 8 | 0.04 | 2.6 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 5 | 0.02 | 7.6 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 9 | 0.04 | 8.7 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 13 | 0.06 | 16 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 8 | 0.04 | 9.1 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 8 | 0.04 | 7.6 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 11 | 0.05 | 6.5 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 5 | 0.02 | 3.6 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 2 | 0.01 | 4.5 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 8 | 0.04 | 3.8 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 4 | 0.02 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 6 | 0.03 | 3.7 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 28 | 0.13 | 12 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 25 | 0.12 | 5.8 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 5 | 0.02 | 3.6 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 18 | 0.08 | 15 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 12 | 0.06 | 8.0 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 3.4 |
| All | | 21,652 | 100.0 | 4.6 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 29 | 0.14 | 38 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 16 | 0.08 | 28 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 2 | 0.01 | 20 |
| 009 | BONE MARROW TRANSPLANT | 7 | 0.03 | 28 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 6 | 0.03 | 6.8 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 4 | 0.02 | 5.8 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 4 | 0.02 | 8.3 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 6 | 0.03 | 25 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 4 | 0.02 | 14 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 7 | 0.03 | 16 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 3 | 0.01 | 5.3 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 27 | 0.13 | 11 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 20 | 0.10 | 6.6 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 34 | 0.16 | 4.0 |
| 028 | SPINAL PROCEDURES WITH MCC | 4 | 0.02 | 15 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 10 | 0.05 | 3.9 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 12 | 0.06 | 3.1 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 6 | 0.03 | 13 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 7 | 0.03 | 2.9 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 11 | 0.05 | 3.4 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 1 | 0.00 | 11 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 3 | 0.01 | 1.0 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 9 | 0.04 | 5.7 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 24 | 0.12 | 2.9 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 70 | 0.34 | 1.4 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 8 | 0.04 | 12 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 8 | 0.04 | 3.3 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 1.0 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 5 | 0.02 | 7.8 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 4 | 0.02 | 4.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 7 | 0.03 | 5.9 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 24 | 0.12 | 5.5 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 25 | 0.12 | 12 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 33 | 0.16 | 8.2 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 1 | 0.00 | 11 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.00 | 5.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 4 | 0.02 | 2.5 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 6 | 0.03 | 6.3 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 11 | 0.05 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 5 | 0.02 | 2.2 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 79 | 0.38 | 4.4 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 112 | 0.54 | 3.7 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 76 | 0.37 | 2.5 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 2 | 0.01 | 2.5 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 8 | 0.04 | 3.3 |
| 069 | TRANSIENT ISCHEMIA | 81 | 0.39 | 2.1 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 30 | 0.14 | 5.9 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 17 | 0.08 | 2.5 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 8 | 0.04 | 2.6 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 36 | 0.17 | 4.4 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 45 | 0.22 | 3.0 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 9 | 0.04 | 3.4 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 56 | 0.27 | 2.1 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 3 | 0.01 | 3.0 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 2 | 0.01 | 2.0 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 12 | 0.06 | 2.3 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 6 | 0.03 | 5.8 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 4 | 0.02 | 2.0 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 5 | 0.02 | 3.8 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 14 | 0.07 | 7.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 14 | 0.07 | 3.2 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 16 | 0.08 | 2.4 |
| 088 | CONCUSSION WITH MCC | 4 | 0.02 | 3.8 |
| 089 | CONCUSSION WITH CC | 8 | 0.04 | 3.1 |
| 090 | CONCUSSION WITHOUT CC/MCC | 17 | 0.08 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 25 | 0.12 | 7.9 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 25 | 0.12 | 2.7 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 30 | 0.14 | 1.8 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 5 | 0.02 | 8.6 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 3 | 0.01 | 3.0 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 7 | 0.03 | 9.9 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.00 | 12 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 3 | 0.01 | 3.0 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 100 | SEIZURES WITH MCC | 35 | 0.17 | 2.9 |
| 101 | SEIZURES WITHOUT MCC | 114 | 0.55 | 2.6 |
| 102 | HEADACHES WITH MCC | 1 | 0.00 | 5.0 |
| 103 | HEADACHES WITHOUT MCC | 34 | 0.16 | 1.8 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 1 | 0.00 | 3.0 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 1 | 0.00 | 1.0 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 3 | 0.01 | 7.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 2 | 0.01 | 2.5 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 4 | 0.02 | 4.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 4 | 0.02 | 2.0 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 6 | 0.03 | 2.7 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 1 | 0.00 | 6.0 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 6 | 0.03 | 1.3 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 14 | 0.07 | 1.7 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 5 | 0.02 | 5.0 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 13 | 0.06 | 1.5 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 1 | 0.00 | 6.0 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 139 | SALIVARY GLAND PROCEDURES | 2 | 0.01 | 1.0 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 6 | 0.03 | 23 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 1 | 0.00 | 1.0 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 149 | DYSEQUILIBRIUM | 15 | 0.07 | 1.9 |
| 151 | EPISTAXIS WITHOUT MCC | 7 | 0.03 | 1.6 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 8 | 0.04 | 5.8 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 71 | 0.34 | 1.7 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 5 | 0.02 | 4.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 10 | 0.05 | 2.6 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 1.6 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 3 | 0.01 | 11 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 14 | 0.07 | 2.1 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 3 | 0.01 | 2.7 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 28 | 0.14 | 15 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 35 | 0.17 | 5.7 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 12 | 0.06 | 4.6 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 22 | 0.11 | 25 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 16 | 0.08 | 6.8 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 5.0 |
| 175 | PULMONARY EMBOLISM WITH MCC | 24 | 0.12 | 5.3 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 27 | 0.13 | 3.5 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 120 | 0.58 | 9.1 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 59 | 0.28 | 5.2 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 20 | 0.10 | 5.8 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 15 | 0.07 | 7.0 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 33 | 0.16 | 4.6 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 3 | 0.01 | 2.3 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 9 | 0.04 | 4.4 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 2 | 0.01 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 186 | PLEURAL EFFUSION WITH MCC | 11 | 0.05 | 4.3 |
| 187 | PLEURAL EFFUSION WITH CC | 12 | 0.06 | 3.2 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 317 | 1.53 | 7.2 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 129 | 0.62 | 3.8 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 81 | 0.39 | 3.3 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 99 | 0.48 | 2.6 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 247 | 1.19 | 4.9 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 227 | 1.10 | 3.4 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 155 | 0.75 | 2.5 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 7 | 0.03 | 9.6 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 3 | 0.01 | 6.3 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 199 | PNEUMOTHORAX WITH MCC | 11 | 0.05 | 5.2 |
| 200 | PNEUMOTHORAX WITH CC | 13 | 0.06 | 2.5 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 10 | 0.05 | 1.7 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 66 | 0.32 | 2.5 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 150 | 0.72 | 1.9 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 25 | 0.12 | 1.5 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 17 | 0.08 | 8.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 34 | 0.16 | 2.3 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 62 | 0.30 | 20 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 125 | 0.60 | 5.7 |
| 215 | OTHER HEART ASSIST SYSTEM IMPLANT | 1 | 0.00 | 1.0 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 24 | 0.12 | 11 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 9 | 0.04 | 6.2 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 2 | 0.01 | 6.5 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 17 | 0.08 | 8.6 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 17 | 0.08 | 6.9 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 4 | 0.02 | 6.0 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 2 | 0.01 | 11 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 8 | 0.04 | 4.0 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 5 | 0.02 | 6.2 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 4 | 0.02 | 2.8 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 3 | 0.01 | 5.7 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 21 | 0.10 | 2.2 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 8 | 0.04 | 26 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 7 | 0.03 | 5.6 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 7 | 0.03 | 4.0 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 7 | 0.03 | 8.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 1 | 0.00 | 5.0 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 18 | 0.09 | 11 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 43 | 0.21 | 6.2 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 6 | 0.03 | 8.3 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 17 | 0.08 | 5.9 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 42 | 0.20 | 11 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 57 | 0.28 | 4.3 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 8 | 0.04 | 11 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 11 | 0.05 | 3.6 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 27 | 0.13 | 5.7 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 21 | 0.10 | 3.5 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 31 | 0.15 | 2.0 |
| 245 | AICD GENERATOR PROCEDURES | 1 | 0.00 | 1.0 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 43 | 0.21 | 3.6 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 180 | 0.87 | 1.9 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 8 | 0.04 | 5.6 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 29 | 0.14 | 2.2 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 10 | 0.05 | 5.3 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 70 | 0.34 | 1.5 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 31 | 0.15 | 7.5 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 48 | 0.23 | 4.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 39 | 0.19 | 2.7 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 2 | 0.01 | 4.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.00 | 3.0 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 3 | 0.01 | 5.3 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 2 | 0.01 | 6.0 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 2 | 0.01 | 20 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 4 | 0.02 | 2.3 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 263 | VEIN LIGATION & STRIPPING | 2 | 0.01 | 2.5 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 12 | 0.06 | 6.7 |
| 265 | AICD LEAD PROCEDURES | 1 | 0.00 | 8.0 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 59 | 0.28 | 4.9 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 32 | 0.15 | 3.0 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 19 | 0.09 | 2.0 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 15 | 0.07 | 3.5 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 20 | 0.10 | 3.8 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 158 | 0.76 | 2.8 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 9 | 0.04 | 13 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 1 | 0.00 | 5.0 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 4 | 0.02 | 4.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 291 | HEART FAILURE & SHOCK WITH MCC | 198 | 0.96 | 4.8 |
| 292 | HEART FAILURE & SHOCK WITH CC | 136 | 0.66 | 3.6 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 66 | 0.32 | 2.7 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 1 | 0.00 | 3.0 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 37 | 0.18 | 4.3 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 38 | 0.18 | 3.1 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 30 | 0.14 | 2.3 |
| 302 | ATHEROSCLEROSIS WITH MCC | 13 | 0.06 | 2.2 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 42 | 0.20 | 1.4 |
| 304 | HYPERTENSION WITH MCC | 5 | 0.02 | 2.6 |
| 305 | HYPERTENSION WITHOUT MCC | 23 | 0.11 | 1.7 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 6 | 0.03 | 4.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 2 | 0.01 | 5.5 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 58 | 0.28 | 4.1 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 61 | 0.29 | 2.8 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 85 | 0.41 | 1.6 |
| 311 | ANGINA PECTORIS | 17 | 0.08 | 1.4 |
| 312 | SYNCOPE & COLLAPSE | 99 | 0.48 | 1.9 |
| 313 | CHEST PAIN | 151 | 0.73 | 1.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 68 | 0.33 | 6.7 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 30 | 0.14 | 3.9 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 1.9 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 19 | 0.09 | 22 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 12 | 0.06 | 5.5 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 18 | 0.09 | 3.6 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 59 | 0.28 | 11 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 81 | 0.39 | 6.8 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 31 | 0.15 | 4.4 |
| 332 | RECTAL RESECTION WITH MCC | 3 | 0.01 | 14 |
| 333 | RECTAL RESECTION WITH CC | 8 | 0.04 | 5.3 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 2 | 0.01 | 8.0 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 22 | 0.11 | 11 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 21 | 0.10 | 7.0 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 24 | 0.12 | 4.0 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.01 | 8.0 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 12 | 0.06 | 6.4 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 28 | 0.14 | 2.9 |
| 341 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.01 | 4.5 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 15 | 0.07 | 3.5 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 108 | 0.52 | 1.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 2 | 0.01 | 5.5 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 6 | 0.03 | 6.5 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8 | 0.04 | 3.9 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 2 | 0.01 | 24 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 7 | 0.03 | 4.0 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 17 | 0.08 | 2.6 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 2 | 0.01 | 7.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 2 | 0.01 | 4.5 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 10 | 0.05 | 3.0 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 10 | 0.05 | 11 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 23 | 0.11 | 3.7 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 36 | 0.17 | 2.2 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 12 | 0.06 | 8.4 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 7 | 0.03 | 7.4 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 9 | 0.04 | 4.3 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 3 | 0.01 | 3.7 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 6 | 0.03 | 3.0 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 27 | 0.13 | 14 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 26 | 0.13 | 4.1 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 19 | 0.09 | 2.9 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 11 | 0.05 | 10 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 18 | 0.09 | 3.9 |
| 377 | G.I. HEMORRHAGE WITH MCC | 78 | 0.38 | 3.8 |
| 378 | G.I. HEMORRHAGE WITH CC | 131 | 0.63 | 3.2 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 39 | 0.19 | 2.3 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 7 | 0.03 | 6.9 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 5 | 0.02 | 3.4 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 5 | 0.02 | 3.0 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 3 | 0.01 | 2.7 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 7 | 0.03 | 2.7 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 3 | 0.01 | 10 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 9 | 0.04 | 5.3 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 6 | 0.03 | 4.3 |
| 388 | G.I. OBSTRUCTION WITH MCC | 43 | 0.21 | 5.1 |
| 389 | G.I. OBSTRUCTION WITH CC | 57 | 0.28 | 3.8 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 56 | 0.27 | 2.7 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 92 | 0.44 | 3.4 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 366 | 1.77 | 2.2 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 44 | 0.21 | 11 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 40 | 0.19 | 3.7 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.08 | 1.9 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 12 | 0.06 | 13 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 4 | 0.02 | 3.3 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 3.0 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 7.0 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 7.0 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 1 | 0.00 | 2.0 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 7 | 0.03 | 17 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 5 | 0.02 | 4.6 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 4 | 0.02 | 3.3 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 44 | 0.21 | 6.7 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 64 | 0.31 | 4.3 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 101 | 0.49 | 2.5 |
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 2 | 0.01 | 7.0 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 2 | 0.01 | 2.5 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 2 | 0.01 | 18 |
| 424 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 1 | 0.00 | 5.0 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 28 | 0.14 | 7.6 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 16 | 0.08 | 4.1 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 18 | 0.09 | 3.8 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 9 | 0.04 | 3.9 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 50 | 0.24 | 6.9 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 79 | 0.38 | 4.5 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 108 | 0.52 | 3.2 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 73 | 0.35 | 5.6 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 34 | 0.16 | 3.1 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 8 | 0.04 | 2.6 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 12 | 0.06 | 5.5 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 15 | 0.07 | 2.3 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 15 | 0.07 | 2.7 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 4 | 0.02 | 13 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 15 | 0.07 | 7.3 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 21 | 0.10 | 4.8 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 1 | 0.00 | 7.0 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 7 | 0.03 | 8.9 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 4 | 0.02 | 3.8 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 6 | 0.03 | 14 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 166 | 0.80 | 3.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 8 | 0.04 | 3.8 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 16 | 0.08 | 31 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 8 | 0.04 | 15 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 4 | 0.02 | 5.3 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 8 | 0.04 | 6.0 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 33 | 0.16 | 3.9 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 36 | 0.17 | 2.7 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 42 | 0.20 | 4.7 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 698 | 3.37 | 2.8 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 10 | 0.05 | 5.3 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 18 | 0.09 | 2.5 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 144 | 0.70 | 1.5 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 4 | 0.02 | 10 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 4 | 0.02 | 4.8 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 3 | 0.01 | 4.0 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 4 | 0.02 | 3.0 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 11 | 0.05 | 4.6 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 10 | 0.05 | 2.5 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 44 | 0.21 | 5.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 93 | 0.45 | 4.1 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 60 | 0.29 | 3.2 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 16 | 0.08 | 3.3 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 34 | 0.16 | 2.2 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 6 | 0.03 | 8.8 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 3 | 0.01 | 6.3 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 4 | 0.02 | 6.3 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 18 | 0.09 | 1.7 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 56 | 0.27 | 2.9 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 149 | 0.72 | 1.8 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 6 | 0.03 | 6.2 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 43 | 0.21 | 4.0 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 87 | 0.42 | 2.2 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 5 | 0.02 | 5.4 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 19 | 0.09 | 4.0 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 15 | 0.07 | 1.7 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 2 | 0.01 | 6.0 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 5 | 0.02 | 2.6 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 14 | 0.07 | 3.0 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 25 | 0.12 | 1.5 |
| 503 | FOOT PROCEDURES WITH MCC | 2 | 0.01 | 22 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 504 | FOOT PROCEDURES WITH CC | 6 | 0.03 | 11 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 8 | 0.04 | 1.9 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 3 | 0.01 | 1.3 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 2 | 0.01 | 1.0 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 1.3 |
| 509 | ARTHROSCOPY | 1 | 0.00 | 1.0 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 1 | 0.00 | 3.0 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 8 | 0.04 | 1.9 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 23 | 0.11 | 1.4 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 9 | 0.04 | 5.8 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 6 | 0.03 | .83 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 5 | 0.02 | 7.2 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 13 | 0.06 | 4.9 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 16 | 0.08 | 3.4 |
| 533 | FRACTURES OF FEMUR WITH MCC | 1 | 0.00 | 5.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 6 | 0.03 | 3.8 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 13 | 0.06 | 5.5 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 37 | 0.18 | 3.7 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 2 | 0.01 | 2.5 |
| 539 | OSTEOMYELITIS WITH MCC | 8 | 0.04 | 29 |
| 540 | OSTEOMYELITIS WITH CC | 7 | 0.03 | 6.9 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 3 | 0.01 | 3.3 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 8 | 0.04 | 4.6 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 10 | 0.05 | 3.4 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 5 | 0.02 | 2.8 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 5 | 0.02 | 6.8 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 9 | 0.04 | 4.6 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 4 | 0.02 | 3.0 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 1 | 0.00 | 26 |
| 549 | SEPTIC ARTHRITIS WITH CC | 4 | 0.02 | 18 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 1 | 0.00 | 6.0 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 16 | 0.08 | 8.6 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 99 | 0.48 | 2.6 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 1 | 0.00 | 3.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 22 | 0.11 | 1.2 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 3 | 0.01 | 9.3 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 11 | 0.05 | 2.5 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 9 | 0.04 | 4.7 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 14 | 0.07 | 1.9 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 9 | 0.04 | 26 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 14 | 0.07 | 12 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 6 | 0.03 | 3.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 8 | 0.04 | 9.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 23 | 0.11 | 2.8 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 5 | 0.02 | 26 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 7 | 0.03 | 10 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | .50 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 18 | 0.09 | 30 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 19 | 0.09 | 6.2 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 6 | 0.03 | 4.2 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 3 | 0.01 | 30 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.00 | 14 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 4 | 0.02 | 13 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 23 | 0.11 | 3.1 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 26 | 0.13 | 1.6 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 12 | 0.06 | 1.5 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 15 | 0.07 | 1.5 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 1 | 0.00 | 3.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 3 | 0.01 | 2.3 |
| 592 | SKIN ULCERS WITH MCC | 15 | 0.07 | 12 |
| 593 | SKIN ULCERS WITH CC | 8 | 0.04 | 6.6 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 2 | 0.01 | 19 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 595 | MAJOR SKIN DISORDERS WITH MCC | 1 | 0.00 | 3.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 2 | 0.01 | 1.0 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 1 | 0.00 | 6.0 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 1 | 0.00 | .00 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 2 | 0.01 | 6.5 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 602 | CELLULITIS WITH MCC | 51 | 0.25 | 5.8 |
| 603 | CELLULITIS WITHOUT MCC | 188 | 0.91 | 3.4 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 5 | 0.02 | 4.0 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 20 | 0.10 | 2.6 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 1 | 0.00 | 3.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 15 | 0.07 | 2.7 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 5 | 0.02 | 5.8 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | 2.8 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 3 | 0.01 | 6.3 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 4 | 0.02 | 7.0 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 1 | 0.00 | 8.0 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 8 | 0.04 | 4.1 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 54 | 0.26 | 2.0 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 4 | 0.02 | 28 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 3 | 0.01 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 1 | 0.00 | 2.0 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 7 | 0.03 | 2.6 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 17 | 0.08 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 5 | 0.02 | 13 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 1 | 0.00 | 6.0 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 637 | DIABETES WITH MCC | 60 | 0.29 | 3.8 |
| 638 | DIABETES WITH CC | 81 | 0.39 | 2.4 |
| 639 | DIABETES WITHOUT CC/MCC | 63 | 0.30 | 2.5 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 136 | 0.66 | 2.6 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 268 | 1.29 | 2.4 |
| 642 | INBORN ERRORS OF METABOLISM | 5 | 0.02 | 3.0 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 8 | 0.04 | 4.3 |
| 644 | ENDOCRINE DISORDERS WITH CC | 12 | 0.06 | 3.5 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 6 | 0.03 | 4.3 |
| 652 | KIDNEY TRANSPLANT | 5 | 0.02 | 6.4 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 5 | 0.02 | 12 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 3 | 0.01 | 6.3 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 3 | 0.01 | 11 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 11 | 0.05 | 3.7 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 16 | 0.08 | 2.4 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 5 | 0.02 | 10 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 24 | 0.12 | 3.2 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 28 | 0.14 | 2.1 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 2 | 0.01 | 8.0 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 3 | 0.01 | 2.7 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 13 | 0.06 | 1.5 |
| 666 | PROSTATECTOMY WITH CC | 4 | 0.02 | 2.3 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 7 | 0.03 | 11 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 16 | 0.08 | 2.3 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 11 | 0.05 | 1.7 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 2 | 0.01 | 4.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 7 | 0.03 | 15 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 4 | 0.02 | 5.3 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 682 | RENAL FAILURE WITH MCC | 114 | 0.55 | 6.0 |
| 683 | RENAL FAILURE WITH CC | 92 | 0.44 | 3.3 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 14 | 0.07 | 2.4 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 1 | 0.00 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 56 | 0.27 | 3.6 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 173 | 0.84 | 2.8 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 16 | 0.08 | 3.3 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 57 | 0.28 | 1.8 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 1 | 0.00 | 18 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 9 | 0.04 | 2.4 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 35 | 0.17 | 4.9 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 21 | 0.10 | 3.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 6 | 0.03 | 3.0 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 22 | 0.11 | 3.3 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 50 | 0.24 | 2.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 3 | 0.01 | 1.0 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 4 | 0.02 | .25 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 13 | 0.06 | 1.8 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 71 | 0.34 | 1.5 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 2 | 0.01 | 3.5 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 1 | 0.00 | 1.0 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 3 | 0.01 | 1.3 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.00 | 2.0 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.00 | .00 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 1 | 0.00 | 1.0 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 1 | 0.00 | .00 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.00 | 55 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 3 | 0.01 | 2.7 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 3 | 0.01 | 5.3 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 4 | 0.02 | 2.5 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 5 | 0.02 | 6.0 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 4 | 0.02 | 3.5 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 9 | 0.04 | 2.6 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 19 | 0.09 | 2.1 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 73 | 0.35 | 2.9 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 360 | 1.74 | 1.5 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 2 | 0.01 | 2.0 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 3 | 0.01 | 1.7 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 9 | 0.04 | 2.4 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 33 | 0.16 | 1.6 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 69 | 0.33 | 1.3 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 6 | 0.03 | 2.7 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 2 | 0.01 | 8.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 8.0 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.00 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 5 | 0.02 | 3.4 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 3 | 0.01 | 2.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 7 | 0.03 | 2.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 5 | 0.02 | 1.0 |
| 765 | CESAREAN SECTION WITH CC/MCC | 240 | 1.16 | 4.2 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 406 | 1.96 | 2.9 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 9 | 0.04 | 2.3 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 14 | 0.07 | 3.1 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 2 | 0.01 | .50 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 132 | 0.64 | 2.6 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 1,239 | 5.98 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 18 | 0.09 | 1.6 |
| 777 | ECTOPIC PREGNANCY | 10 | 0.05 | 1.8 |
| 778 | THREATENED ABORTION | 45 | 0.22 | 1.9 |
| 779 | ABORTION WITHOUT D&C | 15 | 0.07 | 1.1 |
| 780 | FALSE LABOR | 5 | 0.02 | .80 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 70 | 0.34 | 2.0 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 28 | 0.14 | 1.9 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 36 | 0.17 | 5.8 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 40 | 0.19 | 31 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 63 | 0.30 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 60 | 0.29 | 5.2 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 182 | 0.88 | 5.4 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 351 | 1.70 | 2.2 |
| 795 | NORMAL NEWBORN | 1,409 | 6.80 | 1.7 |
| 799 | SPLENECTOMY WITH MCC | 6 | 0.03 | 12 |
| 800 | SPLENECTOMY WITH CC | 1 | 0.00 | 4.0 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 5 | 0.02 | 2.8 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 2 | 0.01 | 6.5 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 10 | 0.05 | 6.7 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 36 | 0.17 | 7.6 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 5 | 0.02 | 3.0 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 32 | 0.15 | 3.5 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 73 | 0.35 | 2.2 |
| 813 | COAGULATION DISORDERS | 5 | 0.02 | 3.2 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 1 | 0.00 | 2.0 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 9 | 0.04 | 3.2 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 3 | 0.01 | 1.7 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.00 | 22 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 5 | 0.02 | 5.8 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 5 | 0.02 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 3 | 0.01 | 6.3 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 3 | 0.01 | 6.7 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 2.0 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 2 | 0.01 | 29 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 5 | 0.02 | 9.2 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 4 | 0.02 | 3.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 3 | 0.01 | 8.3 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 7 | 0.03 | 17 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 11 | 0.05 | 15 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 3 | 0.01 | 7.0 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 10 | 0.05 | 25 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 23 | 0.11 | 5.3 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 17 | 0.08 | 4.3 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 11 | 0.05 | 12 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 13 | 0.06 | 5.9 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 5 | 0.02 | 6.0 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 2 | 0.01 | 3.5 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 1 | 0.00 | 4.0 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 8 | 0.04 | 6.1 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 138 | 0.67 | 3.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 30 | 0.14 | 3.6 |
| 849 | RADIOTHERAPY | 1 | 0.00 | 13 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 64 | 0.31 | 15 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 16 | 0.08 | 7.9 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 19 | 0.09 | 17 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 22 | 0.11 | 5.2 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.03 | 3.1 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 27 | 0.13 | 20 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 41 | 0.20 | 4.9 |
| 864 | FEVER | 22 | 0.11 | 2.4 |
| 865 | VIRAL ILLNESS WITH MCC | 6 | 0.03 | 1.7 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 30 | 0.14 | 2.3 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 5 | 0.02 | 16 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 2 | 0.01 | 4.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 30 | 0.14 | 15 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 463 | 2.24 | 6.2 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 138 | 0.67 | 3.9 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 16 | 0.08 | 1.8 |
| 881 | DEPRESSIVE NEUROSES | 1 | 0.00 | 2.0 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 2 | 0.01 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 1 | 0.00 | 19 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 5 | 0.02 | 3.6 |
| 885 | PSYCHOSES | 20 | 0.10 | 5.4 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 1 | 0.00 | 3.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 6 | 0.03 | 4.5 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 35 | 0.17 | 3.1 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 59 | 0.28 | 3.1 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 11 | 0.05 | 27 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 9 | 0.04 | 15 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 7 | 0.03 | 1.7 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 5 | 0.02 | 5.6 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 906 | HAND PROCEDURES FOR INJURIES | 5 | 0.02 | 1.4 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 15 | 0.07 | 8.5 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 20 | 0.10 | 4.5 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 32 | 0.15 | 1.8 |
| 913 | TRAUMATIC INJURY WITH MCC | 2 | 0.01 | 2.0 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 12 | 0.06 | 2.1 |
| 915 | ALLERGIC REACTIONS WITH MCC | 6 | 0.03 | 2.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 5 | 0.02 | 1.2 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 175 | 0.85 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 127 | 0.61 | 1.5 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 32 | 0.15 | 19 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 18 | 0.09 | 6.8 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 11 | 0.05 | 1.4 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 4 | 0.02 | 2.8 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 5 | 0.02 | 2.2 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 1 | 0.00 | 21 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 2 | 0.01 | 3.5 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 1 | 0.00 | 2.0 |
| 935 | NON-EXTENSIVE BURNS | 10 | 0.05 | 5.0 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 2 | 0.01 | 33 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 1 | 0.00 | 6.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 7 | 0.03 | 2.9 |
| 945 | REHABILITATION WITH CC/MCC | 3 | 0.01 | 9.0 |
| 946 | REHABILITATION WITHOUT CC/MCC | 1 | 0.00 | 16 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 11 | 0.05 | 3.9 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 55 | 0.27 | 3.4 |
| 949 | AFTERCARE WITH CC/MCC | 6 | 0.03 | 13 |
| 950 | AFTERCARE WITHOUT CC/MCC | 2 | 0.01 | 3.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 7 | 0.03 | 2.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 5 | 0.02 | 7.6 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 9 | 0.04 | 8.7 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 13 | 0.06 | 16 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 8 | 0.04 | 9.1 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 8 | 0.04 | 7.6 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 11 | 0.05 | 6.5 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 5 | 0.02 | 3.6 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 2 | 0.01 | 4.5 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 8 | 0.04 | 3.8 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 4 | 0.02 | 2.5 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 6 | 0.03 | 3.7 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 28 | 0.14 | 12 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 25 | 0.12 | 5.8 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 5 | 0.02 | 3.6 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 18 | 0.09 | 15 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 12 | 0.06 | 8.0 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 9 | 0.04 | 3.4 |
| All | | 20,707 | 100.0 | 4.1 |

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-----------------------------|----------------------------|-------------------------------|
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 9.09 | 5.0 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 10 | 90.91 | 7.8 |
| All | | 11 | 100.0 | 7.5 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 1 | 2.63 | 45 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 1 | 2.63 | 52 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1 | 2.63 | 18 |
| 945 | REHABILITATION WITH CC/MCC | 28 | 73.68 | 21 |
| 946 | REHABILITATION WITHOUT CC/MCC | 7 | 18.42 | 11 |
| All | | 38 | 100.0 | 21 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 1 | 0.20 | 14 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 1 | 0.20 | 7.0 |
| 683 | RENAL FAILURE WITH CC | 1 | 0.20 | 18 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 2 | 0.40 | 18 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 11 | 2.17 | 8.1 |
| 881 | DEPRESSIVE NEUROSES | 40 | 7.91 | 5.1 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 15 | 2.96 | 4.4 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 4 | 0.79 | 5.8 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 1 | 0.20 | 9.0 |
| 885 | PSYCHOSES | 401 | 79.25 | 9.0 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 1 | 0.20 | 7.0 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 28 | 5.53 | 4.7 |
| All | | 506 | 100.0 | 8.3 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 2 | 0.51 | 7.0 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 3 | 0.77 | 16 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 46 | 11.79 | 79 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.26 | 30 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 3 | 0.77 | 14 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 1 | 0.26 | 2.0 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 1 | 0.26 | 7.0 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 4 | 1.03 | 30 |
| 069 | TRANSIENT ISCHEMIA | 2 | 0.51 | 18 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.26 | 7.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 1 | 0.26 | 8.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 2 | 0.51 | 22 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 1 | 0.26 | 5.0 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 2 | 0.51 | 12 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 2 | 0.51 | 2.0 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 1 | 0.26 | 3.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 2 | 0.51 | 9.0 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 7 | 1.79 | 17 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 3 | 0.77 | 18 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 7 | 1.79 | 12 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 4 | 1.03 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 6 | 1.54 | 7.5 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 4 | 1.03 | 8.5 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 1 | 0.26 | 5.0 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 1 | 0.26 | 10 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 1 | 0.26 | 7.0 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 9 | 2.31 | 10 |
| 292 | HEART FAILURE & SHOCK WITH CC | 4 | 1.03 | 11 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 2 | 0.51 | 13 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 1 | 0.26 | 6.0 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 1 | 0.26 | 19 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 5 | 1.28 | 11 |
| 305 | HYPERTENSION WITHOUT MCC | 1 | 0.26 | 23 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 2 | 0.51 | 17 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 1 | 0.26 | 7.0 |
| 312 | SYNCOPE & COLLAPSE | 1 | 0.26 | 7.0 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 2 | 0.51 | 7.5 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 1 | 0.26 | 8.0 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 1 | 0.26 | 15 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 1 | 0.26 | 1.0 |
| 377 | G.I. HEMORRHAGE WITH MCC | 1 | 0.26 | 7.0 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 1 | 0.26 | 9.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 1 | 0.26 | 13 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 2 | 0.51 | 8.0 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 1 | 0.26 | 8.0 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 1 | 0.26 | 19 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 4 | 1.03 | 11 |
| 539 | OSTEOMYELITIS WITH MCC | 1 | 0.26 | 20 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 1 | 0.26 | 6.0 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 9 | 2.31 | 15 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 2 | 0.51 | 11 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.26 | 76 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 3 | 0.77 | 2.7 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1 | 0.26 | 42 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 1 | 0.26 | 28 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 7 | 1.79 | 38 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 33 | 8.46 | 19 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 35 | 8.97 | 14 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 1 | 0.26 | 10 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 1 | 0.26 | 30 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 1 | 0.26 | 8.0 |
| 602 | CELLULITIS WITH MCC | 1 | 0.26 | 91 |
| 603 | CELLULITIS WITHOUT MCC | 4 | 1.03 | 24 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 2 | 0.51 | 4.5 |
| 637 | DIABETES WITH MCC | 1 | 0.26 | 6.0 |
| 639 | DIABETES WITHOUT CC/MCC | 1 | 0.26 | 15 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 2 | 0.51 | 8.0 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 1 | 0.26 | 46 |
| 682 | RENAL FAILURE WITH MCC | 3 | 0.77 | 15 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 1 | 0.26 | 11 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.26 | 7.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 2 | 0.51 | 47 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 3 | 0.77 | 12 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 2 | 0.51 | 15 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 1 | 0.26 | 2.0 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.26 | 1.0 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 2 | 0.51 | 12 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 2 | 0.51 | 19 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 6 | 1.54 | 12 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 1 | 0.26 | 10 |
| 945 | REHABILITATION WITH CC/MCC | 7 | 1.79 | 8.9 |
| 946 | REHABILITATION WITHOUT CC/MCC | 7 | 1.79 | 5.3 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 3 | 0.77 | 13 |
| 949 | AFTERCARE WITH CC/MCC | 65 | 16.67 | 18 |

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|----------------------|---------------------|------------------------|
| 950 | AFTERCARE WITHOUT CC/MCC | 21 | 5.38 | 11 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 1 | 0.26 | 4.0 |
| All | | 390 | 100.0 | 23 |

**MDC by Patient County of Residence
for 2009
Shasta County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1,439 | 6.65 | 6.9 |
| 02 | EYE, DISEASES & DISORDERS | 22 | 0.10 | 4.0 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 212 | 0.98 | 3.3 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 2,309 | 10.66 | 5.6 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 2,462 | 11.37 | 4.0 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1,759 | 8.12 | 4.5 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 734 | 3.39 | 4.8 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 2,583 | 11.93 | 4.3 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 469 | 2.17 | 5.7 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 767 | 3.54 | 3.0 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 793 | 3.66 | 4.2 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 179 | 0.83 | 2.4 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 624 | 2.88 | 1.9 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 2,235 | 10.32 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 2,141 | 9.89 | 3.2 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 194 | 0.90 | 4.3 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 323 | 1.49 | 6.7 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 907 | 4.19 | 7.5 |
| 19 | MENTAL DISEASES & DISORDERS | 525 | 2.42 | 8.1 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 140 | 0.65 | 4.0 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 505 | 2.33 | 4.6 |
| 22 | BURNS | 14 | 0.06 | 5.7 |

(Continued)

*MDC by Patient County of Residence
for 2009
Shasta County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|----------------------|---------------------|------------------------|
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 236 | 1.09 | 12 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 60 | 0.28 | 9.2 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 20 | 0.09 | 3.6 |
| All | | 21,652 | 100.0 | 4.6 |

**MDC by Patient County of Residence
and Type of Care for 2009
Shasta County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1,373 | 6.63 | 4.3 |
| 02 | EYE, DISEASES & DISORDERS | 22 | 0.11 | 4.0 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 211 | 1.02 | 3.2 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 2,267 | 10.95 | 5.5 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 2,431 | 11.74 | 3.9 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1,754 | 8.47 | 4.5 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 730 | 3.53 | 4.8 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 2,481 | 11.98 | 3.8 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 461 | 2.23 | 5.3 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 763 | 3.68 | 2.9 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 778 | 3.76 | 3.9 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 178 | 0.86 | 2.4 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 624 | 3.01 | 1.9 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 2,233 | 10.78 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 2,141 | 10.34 | 3.2 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 192 | 0.93 | 4.2 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 323 | 1.56 | 6.7 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 905 | 4.37 | 7.5 |
| 19 | MENTAL DISEASES & DISORDERS | 46 | 0.22 | 4.0 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 101 | 0.49 | 3.4 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 504 | 2.43 | 4.6 |

(Continued)

*MDC by Patient County of Residence
and Type of Care for 2009
Shasta County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 22 | BURNS | 14 | 0.07 | 5.7 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 95 | 0.46 | 4.9 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 60 | 0.29 | 9.2 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 20 | 0.10 | 3.6 |
| All | | 20,707 | 100.0 | 4.1 |

***MDC by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 11 | 100.0 | 7.5 |
| All | | 11 | 100.0 | 7.5 |

***MDC by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1 | 2.63 | 45 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 37 | 97.37 | 20 |
| All | | 38 | 100.0 | 21 |

***MDC by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1 | 0.20 | 14 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1 | 0.20 | 7.0 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 1 | 0.20 | 18 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 2 | 0.40 | 18 |
| 19 | MENTAL DISEASES & DISORDERS | 473 | 93.48 | 8.5 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 28 | 5.53 | 4.7 |
| All | | 506 | 100.0 | 8.3 |

***MDC by Patient County of Residence
and Type of Care for 2009
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 64 | 16.41 | 62 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 1 | 0.26 | 8.0 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 42 | 10.77 | 12 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 31 | 7.95 | 11 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 5 | 1.28 | 8.0 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 4 | 1.03 | 9.3 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 101 | 25.90 | 18 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 8 | 2.05 | 26 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 4 | 1.03 | 9.3 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 14 | 3.59 | 19 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.26 | 1.0 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 2 | 0.51 | 12 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 2 | 0.51 | 19 |
| 19 | MENTAL DISEASES & DISORDERS | 6 | 1.54 | 12 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 1 | 0.26 | 10 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 104 | 26.67 | 15 |
| All | | 390 | 100.0 | 23 |