

***Type of Care by Patient County of Residence  
for 2010  
Shasta County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	23,543	95.78	4.1
<b>Chemical Dependency Recovery Care</b>	6	0.02	11
<b>Physical Rehabilitation Care</b>	25	0.10	14
<b>Psychiatric Care</b>	450	1.83	9.6
<b>Skilled Nursing/Intermediate Care</b>	556	2.26	17
<b>All</b>	24,580	100.0	4.5

***Disposition by Patient County of Residence  
for 2010  
Shasta County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	162	0.00	12
<b>01 - Routine (Home)</b>	2,964,599	74.66	3.6
<b>02 - Acute Care within the admitting hospital</b>	9,793	0.25	64
<b>03 - Other Care with the admitting hospital</b>	20,666	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32,649	0.82	8.1
<b>05 - Acute Care at another hospital</b>	83,795	2.11	10
<b>06 - Other Care (not SN/IC) at another hospital</b>	34,381	0.87	9.8
<b>07 - SN/IC at another facility</b>	305,209	7.69	8.8
<b>08 - Residential Care facility</b>	36,313	0.91	9.4
<b>09 - Prison/Jail</b>	20,022	0.50	5.3
<b>10 - Left Against Medical Advice</b>	45,467	1.14	3.2
<b>11 - Died</b>	76,630	1.93	16
<b>12 - Home Health Service</b>	330,832	8.33	7.1
<b>13 - Other</b>	10,404	0.26	11
<b>All</b>	3,970,922	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	17,305	73.50	3.1
<b>03 - Other Care with the admitting hospital</b>	16	0.07	7.2
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	75	0.32	16
<b>05 - Acute Care at another hospital</b>	447	1.90	9.4
<b>06 - Other Care (not SN/IC) at another hospital</b>	58	0.25	5.3
<b>07 - SN/IC at another facility</b>	2,556	10.86	6.7
<b>08 - Residential Care facility</b>	102	0.43	6.3
<b>09 - Prison/Jail</b>	13	0.06	3.7
<b>10 - Left Against Medical Advice</b>	255	1.08	1.9
<b>11 - Died</b>	521	2.21	7.3
<b>12 - Home Health Service</b>	2,174	9.23	6.7
<b>13 - Other</b>	21	0.09	5.8
<b>All</b>	23,543	100.0	4.1

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	4	66.67	14
03 - Other Care with the admitting hospital	1	16.67	11
10 - Left Against Medical Advice	1	16.67	2.0
All	6	100.0	11

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	13	52.00	14
<b>02 - Acute Care within the admitting hospital</b>	1	4.00	4.0
<b>12 - Home Health Service</b>	11	44.00	16
<b>All</b>	25	100.0	14

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	402	89.33	8.9
02 - Acute Care within the admitting hospital	4	0.89	3.0
03 - Other Care with the admitting hospital	1	0.22	16
05 - Acute Care at another hospital	2	0.44	8.0
06 - Other Care (not SN/IC) at another hospital	11	2.44	31
07 - SN/IC at another facility	1	0.22	17
08 - Residential Care facility	16	3.56	18
10 - Left Against Medical Advice	9	2.00	2.7
12 - Home Health Service	1	0.22	6.0
13 - Other	3	0.67	13
All	450	100.0	9.6

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	214	38.49	14
02 - Acute Care within the admitting hospital	10	1.80	11
05 - Acute Care at another hospital	51	9.17	11
06 - Other Care (not SN/IC) at another hospital	1	0.18	11
07 - SN/IC at another facility	22	3.96	26
08 - Residential Care facility	10	1.80	31
10 - Left Against Medical Advice	3	0.54	1.3
11 - Died	31	5.58	14
12 - Home Health Service	207	37.23	20
13 - Other	7	1.26	17
All	556	100.0	17

***Gender by Patient County of Residence  
for 2010  
Shasta County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	10,451	42.52	4.7
<b>2 - Female</b>	14,129	57.48	4.3
<b>All</b>	24,580	100.0	4.5

***Gender by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	9,996	42.46	4.4
<b>2 - Female</b>	13,547	57.54	3.9
<b>All</b>	23,543	100.0	4.1

***Gender by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2	33.33	15
2 - Female	4	66.67	9.3
All	6	100.0	11

***Gender by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	15	60.00	14
2 - Female	10	40.00	15
All	25	100.0	14

***Gender by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	222	49.33	9.9
<b>2 - Female</b>	228	50.67	9.4
<b>All</b>	450	100.0	9.6

***Gender by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	216	38.85	16
<b>2 - Female</b>	340	61.15	17
<b>All</b>	556	100.0	17

***Expected Payer by Patient County of Residence  
for 2010  
Shasta County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	1	0.00	3.0
<b>01 - Medicare</b>	11,522	46.88	5.3
<b>02 - Medi-Cal</b>	5,621	22.87	3.6
<b>03 - Private Coverage</b>	5,248	21.35	3.6
<b>04 - Workers' Compensatio</b>	284	1.16	3.5
<b>05 - County Indigent Prog</b>	301	1.22	4.6
<b>06 - Other Government</b>	337	1.37	7.3
<b>07 - Other Indigent</b>	193	0.79	3.8
<b>08 - Self-Pay</b>	1,059	4.31	3.5
<b>09 - Other Payer</b>	14	0.06	13
<b>All</b>	24,580	100.0	4.5

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	1	0.00	3.0
<b>01 - Medicare</b>	10,936	46.45	4.8
<b>02 - Medi-Cal</b>	5,510	23.40	3.5
<b>03 - Private Coverage</b>	5,110	21.70	3.5
<b>04 - Workers' Compensatio</b>	277	1.18	3.1
<b>05 - County Indigent Prog</b>	270	1.15	4.1
<b>06 - Other Government</b>	199	0.85	5.7
<b>07 - Other Indigent</b>	193	0.82	3.8
<b>08 - Self-Pay</b>	1,036	4.40	3.2
<b>09 - Other Payer</b>	11	0.05	2.5
<b>All</b>	23,543	100.0	4.1

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1	16.67	11
03 - Private Coverage	2	33.33	8.0
08 - Self-Pay	3	50.00	13
All	6	100.0	11

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	10	40.00	12
<b>02 - Medi-Cal</b>	6	24.00	18
<b>03 - Private Coverage</b>	3	12.00	16
<b>04 - Workers' Compensatio</b>	1	4.00	4.0
<b>05 - County Indigent Prog</b>	4	16.00	16
<b>06 - Other Government</b>	1	4.00	14
<b>All</b>	25	100.0	14

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	106	23.56	12
<b>02 - Medi-Cal</b>	76	16.89	10
<b>03 - Private Coverage</b>	96	21.33	6.0
<b>05 - County Indigent Prog</b>	27	6.00	8.2
<b>06 - Other Government</b>	137	30.44	9.7
<b>08 - Self-Pay</b>	5	1.11	6.8
<b>09 - Other Payer</b>	3	0.67	53
<b>All</b>	450	100.0	9.6

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	469	84.35	17
<b>02 - Medi-Cal</b>	29	5.22	17
<b>03 - Private Coverage</b>	37	6.65	14
<b>04 - Workers' Compensatio</b>	6	1.08	22
<b>08 - Self-Pay</b>	15	2.70	19
<b>All</b>	556	100.0	17

***Race Group by Patient County of Residence  
for 2010  
Shasta County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	277	1.13	3.4
<b>1 - White</b>	22,316	90.79	4.5
<b>2 - Black</b>	292	1.19	4.4
<b>3 - Hispanic</b>	692	2.82	3.9
<b>4 - Asian/Pacific Islander</b>	247	1.00	3.8
<b>5 - Native American/Eskimo/Ale</b>	289	1.18	3.2
<b>6 - Other</b>	467	1.90	4.0
<b>All</b>	24,580	100.0	4.5

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	255	1.08	3.2
<b>1 - White</b>	21,370	90.77	4.1
<b>2 - Black</b>	279	1.19	4.2
<b>3 - Hispanic</b>	668	2.84	3.5
<b>4 - Asian/Pacific Islander</b>	235	1.00	3.4
<b>5 - Native American/Eskimo/Ale</b>	283	1.20	3.1
<b>6 - Other</b>	453	1.92	3.6
<b>All</b>	23,543	100.0	4.1

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	16.67	11
<b>1 - White</b>	5	83.33	11
<b>All</b>	6	100.0	11

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	4.00	13
<b>1 - White</b>	24	96.00	14
<b>All</b>	25	100.0	14

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	20	4.44	5.4
<b>1 - White</b>	368	81.78	9.4
<b>2 - Black</b>	12	2.67	8.3
<b>3 - Hispanic</b>	22	4.89	14
<b>4 - Asian/Pacific Islander</b>	11	2.44	12
<b>5 - Native American/Eskimo/Ale</b>	4	0.89	7.8
<b>6 - Other</b>	13	2.89	14
<b>All</b>	450	100.0	9.6

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - White</b>	549	98.74	17
<b>2 - Black</b>	1	0.18	17
<b>3 - Hispanic</b>	2	0.36	9.5
<b>4 - Asian/Pacific Islander</b>	1	0.18	21
<b>5 - Native American/Eskimo/Ale</b>	2	0.36	4.0
<b>6 - Other</b>	1	0.18	14
<b>All</b>	556	100.0	17

***Source of Admission by Patient County of Residence  
for 2010  
Shasta County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Home</b>	20,577	83.71	3.7
<b>2 - Residential Care Facility</b>	197	0.80	4.9
<b>3 - Ambulatory Surgery</b>	23	0.09	1.7
<b>4 - Skilled Nursing/Intermedia</b>	355	1.44	5.4
<b>5 - Acute Inpatient Hospital C</b>	1,193	4.85	19
<b>6 - Other Inpatient Hospital C</b>	19	0.08	9.5
<b>7 - Newborn (born in admitting</b>	2,099	8.54	3.1
<b>8 - Prison/Jail</b>	8	0.03	6.1
<b>9 - Other</b>	109	0.44	15
<b>All</b>	24,580	100.0	4.5

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	20,155	85.61	3.6
2 - Residential Care Facility	193	0.82	4.5
3 - Ambulatory Surgery	23	0.10	1.7
4 - Skilled Nursing/Intermedia	352	1.50	5.3
5 - Acute Inpatient Hospital C	645	2.74	20
6 - Other Inpatient Hospital C	16	0.07	7.0
7 - Newborn (born in admitting	2,099	8.92	3.1
8 - Prison/Jail	6	0.03	4.0
9 - Other	54	0.23	17
All	23,543	100.0	4.1

*Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	6	100.0	11
All	6	100.0	11

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	24	96.00	14
6 - Other Inpatient Hospital C	1	4.00	9.0
<b>All</b>	25	100.0	14

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	372	82.67	9.0
2 - Residential Care Facility	4	0.89	25
4 - Skilled Nursing/Intermedia	1	0.22	2.0
5 - Acute Inpatient Hospital C	14	3.11	6.4
6 - Other Inpatient Hospital C	2	0.44	30
8 - Prison/Jail	2	0.44	13
9 - Other	55	12.22	13
All	450	100.0	9.6

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	44	7.91	19
<b>4 - Skilled Nursing/Intermedia</b>	2	0.36	17
<b>5 - Acute Inpatient Hospital C</b>	510	91.73	17
<b>All</b>	556	100.0	17

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	26	0.11	59
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	19	0.08	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	3	0.01	43
007	LUNG TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	10	0.04	34
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.02	17
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	5	0.02	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	2	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.00	10
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	5	0.02	24
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	7.2
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	30	0.12	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	35	0.14	7.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	37	0.15	4.2
028	SPINAL PROCEDURES WITH MCC	5	0.02	7.8
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	17	0.07	5.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	16	0.07	3.8
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	25

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.05	3.6
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.04	4.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	2	0.01	4.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	7	0.03	.86
037	EXTRACRANIAL PROCEDURES WITH MCC	12	0.05	5.2
038	EXTRACRANIAL PROCEDURES WITH CC	25	0.10	2.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	79	0.32	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.04	9.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.04	3.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.06	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.02	25
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.07	3.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	24	0.10	4.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	23	0.09	15
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	71	0.29	15
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	6	0.02	16
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	10	0.04	7.5
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.01	7.3
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.03	4.7
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	17	0.07	3.6
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	8	0.03	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	111	0.45	4.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	147	0.60	4.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	75	0.31	2.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	5	0.02	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.04	14
069	TRANSIENT ISCHEMIA	89	0.36	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	86	0.35	5.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	29	0.12	4.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	14	0.06	2.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	60	0.24	3.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	69	0.28	2.4
075	VIRAL MENINGITIS WITH CC/MCC	1	0.00	2.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	13	0.05	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	27
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	3.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	10	0.04	1.7
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	3.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	2.6
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.01	4.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	13	0.05	4.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	14	0.06	3.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	31	0.13	2.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>088</b>	<b>CONCUSSION WITH MCC</b>	6	0.02	1.8
<b>089</b>	<b>CONCUSSION WITH CC</b>	7	0.03	2.0
<b>090</b>	<b>CONCUSSION WITHOUT CC/MCC</b>	9	0.04	1.7
<b>091</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC</b>	48	0.20	8.2
<b>092</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH CC</b>	39	0.16	3.3
<b>093</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC</b>	25	0.10	3.4
<b>094</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC</b>	7	0.03	12
<b>096</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC</b>	5	0.02	6.2
<b>097</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC</b>	1	0.00	4.0
<b>098</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC</b>	1	0.00	11
<b>099</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC</b>	2	0.01	3.0
<b>100</b>	<b>SEIZURES WITH MCC</b>	41	0.17	3.7
<b>101</b>	<b>SEIZURES WITHOUT MCC</b>	116	0.47	2.5
<b>102</b>	<b>HEADACHES WITH MCC</b>	6	0.02	2.2
<b>103</b>	<b>HEADACHES WITHOUT MCC</b>	25	0.10	2.0
<b>114</b>	<b>ORBITAL PROCEDURES WITHOUT CC/MCC</b>	6	0.02	2.2
<b>121</b>	<b>ACUTE MAJOR EYE INFECTIONS WITH CC/MCC</b>	3	0.01	4.7
<b>122</b>	<b>ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC</b>	3	0.01	3.7
<b>123</b>	<b>NEUROLOGICAL EYE DISORDERS</b>	4	0.02	2.8
<b>124</b>	<b>OTHER DISORDERS OF THE EYE WITH MCC</b>	2	0.01	5.5
<b>125</b>	<b>OTHER DISORDERS OF THE EYE WITHOUT MCC</b>	8	0.03	4.5
<b>129</b>	<b>MAJOR HEAD &amp; NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE</b>	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	5	0.02	2.6
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.02	9.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	4	0.02	2.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.06	1.4
137	MOUTH PROCEDURES WITH CC/MCC	2	0.01	1.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
139	SALIVARY GLAND PROCEDURES	4	0.02	1.8
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	8.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	5.7
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	26	0.11	2.6
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	3	0.01	1.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	5	0.02	2.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	44	0.18	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.02	5.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	2.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	7	0.03	.86
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	3.7
158	DENTAL & ORAL DISEASES WITH CC	9	0.04	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	4	0.02	.75

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
163	MAJOR CHEST PROCEDURES WITH MCC	42	0.17	10
164	MAJOR CHEST PROCEDURES WITH CC	40	0.16	6.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	19	0.08	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	30	0.12	23
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	23	0.09	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	4.8
175	PULMONARY EMBOLISM WITH MCC	26	0.11	4.7
176	PULMONARY EMBOLISM WITHOUT MCC	43	0.17	3.7
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	175	0.71	9.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	45	0.18	6.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	11	0.04	5.5
180	RESPIRATORY NEOPLASMS WITH MCC	39	0.16	9.4
181	RESPIRATORY NEOPLASMS WITH CC	26	0.11	3.2
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.01	14
183	MAJOR CHEST TRAUMA WITH MCC	2	0.01	2.0
184	MAJOR CHEST TRAUMA WITH CC	11	0.04	4.4
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.00	1.0
186	PLEURAL EFFUSION WITH MCC	22	0.09	5.5
187	PLEURAL EFFUSION WITH CC	13	0.05	3.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	5	0.02	2.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	464	1.89	7.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	193	0.79	4.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	141	0.57	4.2
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	105	0.43	2.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	381	1.55	4.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	249	1.01	3.7
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	147	0.60	2.6
196	INTERSTITIAL LUNG DISEASE WITH MCC	9	0.04	3.7
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.02	3.0
199	PNEUMOTHORAX WITH MCC	15	0.06	5.1
200	PNEUMOTHORAX WITH CC	20	0.08	3.3
201	PNEUMOTHORAX WITHOUT CC/MCC	9	0.04	2.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	70	0.28	2.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	213	0.87	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	35	0.14	3.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	14	0.06	3.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	38	0.15	2.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	52	0.21	29
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	135	0.55	5.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	25	0.10	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.08	8.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	10	0.04	8.5
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	27	0.11	6.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	6	0.02	9.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	11	0.04	3.4
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	6.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	5	0.02	1.6
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	11	0.04	9.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	24	0.10	2.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.01	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.01	17
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	6	0.02	4.0
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.01	6.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	6.5
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	40	0.16	8.5
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	32	0.13	6.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	6	0.02	8.8
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	14	0.06	5.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	45	0.18	9.2
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	49	0.20	3.4
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	14	0.06	11
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	4.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	31	0.13	4.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	48	0.20	2.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	45	0.18	1.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	79	0.32	3.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	234	0.95	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	12	0.05	5.6
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	30	0.12	1.8
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	8	0.03	3.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	90	0.37	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	34	0.14	6.2
253	OTHER VASCULAR PROCEDURES WITH CC	63	0.26	3.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	57	0.23	2.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.00	7.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	2.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	7	0.03	1.1
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	8	0.03	2.8
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.01	1.0
263	VEIN LIGATION & STRIPPING	3	0.01	4.7
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	12	0.05	11
265	AICD LEAD PROCEDURES	3	0.01	5.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	76	0.31	5.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	34	0.14	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	21	0.09	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	10	0.04	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	62	0.25	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	178	0.72	2.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	6	0.02	22
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	3.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	1.0
291	HEART FAILURE & SHOCK WITH MCC	309	1.26	5.0
292	HEART FAILURE & SHOCK WITH CC	148	0.60	3.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	57	0.23	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	7.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	1.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	3	0.01	2.3
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	51	0.21	3.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	52	0.21	4.3
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	40	0.16	2.3
302	ATHEROSCLEROSIS WITH MCC	21	0.09	2.3
303	ATHEROSCLEROSIS WITHOUT MCC	99	0.40	2.1
304	HYPERTENSION WITH MCC	6	0.02	5.0
305	HYPERTENSION WITHOUT MCC	28	0.11	3.5
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	4	0.02	2.8
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.02	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	99	0.40	3.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	104	0.42	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	79	0.32	1.4
311	ANGINA PECTORIS	34	0.14	1.2
312	SYNCOPE & COLLAPSE	76	0.31	1.8
313	CHEST PAIN	165	0.67	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	80	0.33	5.8
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	30	0.12	3.5
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	11	0.04	1.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	25	0.10	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	16	0.07	5.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	19	0.08	2.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	89	0.36	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	102	0.42	6.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	65	0.26	3.8
332	RECTAL RESECTION WITH MCC	2	0.01	16
333	RECTAL RESECTION WITH CC	10	0.04	5.5
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.01	3.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	23	0.09	9.9
336	PERITONEAL ADHESIOLYSIS WITH CC	19	0.08	7.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	21	0.09	3.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	6.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.05	4.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	30	0.12	2.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	9.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	18	0.07	2.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	118	0.48	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	5	0.02	9.2
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.02	5.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	4	0.02	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.02	12
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.02	3.2
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	8	0.03	1.4
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.02	6.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	4	0.02	2.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	22	0.09	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.02	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	19	0.08	3.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	41	0.17	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	20	0.08	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	9	0.04	9.9
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	2.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	7	0.03	6.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	3	0.01	3.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	60	0.24	6.2
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	25	0.10	5.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	19	0.08	2.6
374	DIGESTIVE MALIGNANCY WITH MCC	8	0.03	4.9
375	DIGESTIVE MALIGNANCY WITH CC	9	0.04	5.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
377	G.I. HEMORRHAGE WITH MCC	129	0.52	4.5
378	G.I. HEMORRHAGE WITH CC	151	0.61	3.1
379	G.I. HEMORRHAGE WITHOUT CC/MCC	51	0.21	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.02	3.8
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.02	3.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	2.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	3.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	9	0.04	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	9	0.04	6.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	12	0.05	3.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	4	0.02	4.3
388	G.I. OBSTRUCTION WITH MCC	66	0.27	5.2
389	G.I. OBSTRUCTION WITH CC	78	0.32	3.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	49	0.20	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	135	0.55	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	472	1.92	2.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	38	0.15	5.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	49	0.20	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	31	0.13	2.9
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	7	0.03	19
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.03	6.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	4	0.02	4.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	6.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.02	7.5
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	4.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	5.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	2.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	5.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	2.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	2.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	65	0.26	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	61	0.25	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	116	0.47	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	6.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
423	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	4.0
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	4.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	42	0.17	5.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	8	0.03	2.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	1.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	26	0.11	5.1
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	9	0.04	4.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	.50
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	72	0.29	6.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	89	0.36	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	79	0.32	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	81	0.33	5.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	34	0.14	3.8
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	9	0.04	2.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	22	0.09	4.6
445	DISORDERS OF THE BILIARY TRACT WITH CC	21	0.09	2.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	12	0.05	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	10	0.04	7.9
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.06	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	19	0.08	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	12
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.02	9.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	4	0.02	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	19	0.08	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	156	0.63	3.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.02	3.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	26	0.11	23
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	14	0.06	8.2
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	5	0.02	3.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.02	5.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	54	0.22	3.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	38	0.15	3.1
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	60	0.24	5.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	782	3.18	2.8
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	9.5
472	CERVICAL SPINAL FUSION WITH CC	29	0.12	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	164	0.67	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.02	25
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	1.7
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.03	8.8
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	12	0.05	3.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	7.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	68	0.28	5.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	78	0.32	3.9
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	51	0.21	2.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	20	0.08	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	44	0.18	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.02	7.4
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.01	8.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	2.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.03	4.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	24	0.10	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	45	0.18	2.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	152	0.62	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	25	0.10	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	50	0.20	3.2
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	92	0.37	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.02	15
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	9	0.04	2.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	17	0.07	1.8
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	3	0.01	.67
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	8	0.03	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	7	0.03	15
501	SOFT TISSUE PROCEDURES WITH CC	12	0.05	1.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	25	0.10	1.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
503	FOOT PROCEDURES WITH MCC	4	0.02	9.5
504	FOOT PROCEDURES WITH CC	5	0.02	2.4
505	FOOT PROCEDURES WITHOUT CC/MCC	17	0.07	1.4
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.01	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.01	3.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.02	1.5
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.01	3.7
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	4	0.02	3.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	29	0.12	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	6	0.02	.83
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	8	0.03	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	8	0.03	13
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	8	0.03	3.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	20	0.08	2.0
533	FRACTURES OF FEMUR WITH MCC	2	0.01	2.5
534	FRACTURES OF FEMUR WITHOUT MCC	5	0.02	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	19	0.08	4.3
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	34	0.14	3.1
539	OSTEOMYELITIS WITH MCC	14	0.06	12
540	OSTEOMYELITIS WITH CC	3	0.01	14
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	17	0.07	5.7
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	20	0.08	4.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.02	2.5
545	CONNECTIVE TISSUE DISORDERS WITH MCC	8	0.03	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.02	5.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.01	2.5
548	SEPTIC ARTHRITIS WITH MCC	4	0.02	20
549	SEPTIC ARTHRITIS WITH CC	3	0.01	32
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	23	0.09	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	100	0.41	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	4.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	29	0.12	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.02	5.2
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	11	0.04	4.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	28	0.11	6.2
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	13	0.05	3.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	29	0.12	22
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	105	0.43	18
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	61	0.25	11
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.03	3.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	33	0.13	2.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	6	0.02	3.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	5	0.02	3.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	5	0.02	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	20	0.08	29
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	15	0.06	21
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.02	3.8
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	36
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	15
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.04	1.3
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	9	0.04	6.8
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	30	0.12	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	33	0.13	1.7
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	1.2
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	14	0.06	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.01	6.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.03	2.6
592	SKIN ULCERS WITH MCC	5	0.02	4.2
593	SKIN ULCERS WITH CC	5	0.02	6.2
594	SKIN ULCERS WITHOUT CC/MCC	1	0.00	16
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	9.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.00	6.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	2.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.02	4.5
602	CELLULITIS WITH MCC	102	0.42	6.9
603	CELLULITIS WITHOUT MCC	213	0.87	3.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	5	0.02	4.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	25	0.10	2.0
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	11	0.04	2.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.01	5.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.02	6.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	6	0.02	7.2
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.01	8.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	40	0.16	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.01	23
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	19
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	2.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.02	1.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	35	0.14	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.03	6.6
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.01	1.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
637	DIABETES WITH MCC	67	0.27	4.6
638	DIABETES WITH CC	68	0.28	3.9
639	DIABETES WITHOUT CC/MCC	60	0.24	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	174	0.71	3.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	281	1.14	2.4
642	INBORN ERRORS OF METABOLISM	7	0.03	5.6
643	ENDOCRINE DISORDERS WITH MCC	11	0.04	4.3
644	ENDOCRINE DISORDERS WITH CC	15	0.06	3.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.05	2.2
652	KIDNEY TRANSPLANT	4	0.02	8.0
653	MAJOR BLADDER PROCEDURES WITH MCC	4	0.02	13
654	MAJOR BLADDER PROCEDURES WITH CC	10	0.04	6.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.02	4.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	14	0.06	5.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	9	0.04	2.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	9	0.04	8.4
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	14	0.06	2.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	18	0.07	2.0
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	4.5
663	MINOR BLADDER PROCEDURES WITH CC	8	0.03	1.9
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	28	0.11	1.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
666	PROSTATECTOMY WITH CC	4	0.02	3.5
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.01	1.3
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	3.7
669	TRANSURETHRAL PROCEDURES WITH CC	25	0.10	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	15	0.06	1.4
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	7.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.01	3.7
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	16	0.07	14
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.01	9.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	5	0.02	1.6
682	RENAL FAILURE WITH MCC	167	0.68	5.9
683	RENAL FAILURE WITH CC	114	0.46	4.7
684	RENAL FAILURE WITHOUT CC/MCC	23	0.09	2.7
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.02	4.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	6	0.02	3.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.01	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	96	0.39	5.4
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	177	0.72	3.8
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	15
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	21	0.09	2.3
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	65	0.26	1.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	2	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	4	0.02	2.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	36	0.15	7.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.08	4.4
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	8	0.03	1.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	9	0.04	2.8
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	30	0.12	2.1
709	PENIS PROCEDURES WITH CC/MCC	5	0.02	2.6
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	3.5
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.02	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	32	0.13	2.1
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	80	0.33	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.01	15
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.01	.00
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	6.8
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	4	0.02	5.8
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	6.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.02	1.8
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.02	10
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	2	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	4.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.00	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	1.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	3.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	19	0.08	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	75	0.31	2.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	371	1.51	1.5
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	10	0.04	5.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.03	1.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	9	0.04	2.8
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	41	0.17	1.6
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	73	0.30	1.1
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.01	1.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.02	9.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.02	3.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	14
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	2.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	8	0.03	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	9	0.04	2.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	11	0.04	1.7
765	CESAREAN SECTION WITH CC/MCC	230	0.94	3.8
766	CESAREAN SECTION WITHOUT CC/MCC	403	1.64	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.04	1.9
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	11	0.04	1.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	15	0.06	.73
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	132	0.54	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,301	5.29	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	17	0.07	2.5
777	ECTOPIC PREGNANCY	22	0.09	1.4
778	THREATENED ABORTION	34	0.14	1.6
779	ABORTION WITHOUT D&C	8	0.03	1.5
780	FALSE LABOR	6	0.02	.33
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	90	0.37	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	24	0.10	.96
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	36	0.15	14
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	42	0.17	35
791	PREMATURITY WITH MAJOR PROBLEMS	50	0.20	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	45	0.18	5.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	157	0.64	6.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	295	1.20	2.0
795	NORMAL NEWBORN	1,562	6.36	1.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
799	SPLENECTOMY WITH MCC	1	0.00	7.0
800	SPLENECTOMY WITH CC	2	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	5.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	3.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.00	7.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.02	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	12	0.05	20
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	16	0.07	6.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	4	0.02	3.3
811	RED BLOOD CELL DISORDERS WITH MCC	42	0.17	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	78	0.32	2.3
813	COAGULATION DISORDERS	20	0.08	3.4
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.00	2.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	8	0.03	2.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.02	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	74
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.03	6.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	10	0.04	1.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	3	0.01	6.3
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	4	0.02	5.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	2.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	17

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	6.4
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	15	0.06	17
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	8	0.03	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	8.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.01	16
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	11	0.04	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	16	0.07	3.8
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	20	0.08	9.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	10	0.04	6.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.03	5.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	8	0.03	10
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	4	0.02	5.8
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.01	.00
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	12	0.05	7.9
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	116	0.47	3.6
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	32	0.13	3.5
849	RADIOTHERAPY	1	0.00	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	100	0.41	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.02	2.7
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	8.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	19	0.08	18
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	18	0.07	4.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	22	0.09	7.6
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	30	0.12	3.4
864	FEVER	24	0.10	2.0
865	VIRAL ILLNESS WITH MCC	4	0.02	6.3
866	VIRAL ILLNESS WITHOUT MCC	37	0.15	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.04	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	5	0.02	3.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	51	0.21	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	582	2.37	5.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	135	0.55	3.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	24	0.10	1.8
881	DEPRESSIVE NEUROSES	25	0.10	4.8
882	NEUROSES EXCEPT DEPRESSIVE	13	0.05	4.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.03	9.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	18	0.07	11
885	PSYCHOSES	399	1.62	10
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	8.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	14	0.06	1.7
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.01	14
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	36	0.15	3.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	84	0.34	3.8
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	15	0.06	29
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	7	0.03	13
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	15
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	7	0.03	16
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	12	0.05	1.7
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.06	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.09	4.8
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	18	0.07	2.3
913	TRAUMATIC INJURY WITH MCC	2	0.01	2.0
914	TRAUMATIC INJURY WITHOUT MCC	9	0.04	4.7
915	ALLERGIC REACTIONS WITH MCC	1	0.00	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	15	0.06	1.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	192	0.78	3.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	118	0.48	1.7
919	COMPLICATIONS OF TREATMENT WITH MCC	30	0.12	13
920	COMPLICATIONS OF TREATMENT WITH CC	30	0.12	4.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.07	3.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	4	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	4	0.02	2.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.00	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	3.0
935	NON-EXTENSIVE BURNS	16	0.07	1.7
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.01	12
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.02	25
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	7	0.03	1.3
945	REHABILITATION WITH CC/MCC	68	0.28	16
946	REHABILITATION WITHOUT CC/MCC	14	0.06	9.1
947	SIGNS & SYMPTOMS WITH MCC	18	0.07	3.6
948	SIGNS & SYMPTOMS WITHOUT MCC	62	0.25	2.9
949	AFTERCARE WITH CC/MCC	56	0.23	12
950	AFTERCARE WITHOUT CC/MCC	9	0.04	15
951	OTHER FACTORS INFLUENCING HEALTH STATUS	15	0.06	3.2
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	11
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.04	9.2
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	12	0.05	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	8	0.03	13
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.04	7.9
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	10	0.04	5.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.3
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.02	8.6
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.01	3.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	45	0.18	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.09	4.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.03	2.9
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	7.3
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	12	0.05	6.9
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	14	0.06	2.5
All		24,576	100.0	4.5

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	26	0.11	59
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	19	0.08	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	3	0.01	43
007	LUNG TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	10	0.04	34
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.02	17
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	5	0.02	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	2	0.01	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.00	10
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	5	0.02	24
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.02	7.2
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	30	0.13	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	35	0.15	7.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	37	0.16	4.2
028	SPINAL PROCEDURES WITH MCC	5	0.02	7.8
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	17	0.07	5.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	16	0.07	3.8

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	3	0.01	25
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.06	3.6
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	11	0.05	4.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	2	0.01	4.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	7	0.03	.86
037	EXTRACRANIAL PROCEDURES WITH MCC	12	0.05	5.2
038	EXTRACRANIAL PROCEDURES WITH CC	25	0.11	2.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	79	0.34	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	9	0.04	9.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.05	3.6
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.06	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.02	22
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.07	3.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	24	0.10	4.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	16	0.07	14
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	29	0.12	5.7
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	5	0.02	5.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	10	0.04	7.5
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.01	9.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	7	0.03	4.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	17	0.07	3.6
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	8	0.03	2.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	110	0.47	4.4
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	143	0.61	3.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	75	0.32	2.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	5	0.02	2.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	6	0.03	1.2
069	TRANSIENT ISCHEMIA	89	0.38	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	84	0.36	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	29	0.12	4.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	14	0.06	2.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	60	0.25	3.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	69	0.29	2.4
075	VIRAL MENINGITIS WITH CC/MCC	1	0.00	2.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	13	0.06	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	27
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	3.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	10	0.04	1.7
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	3.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	2.6
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	13	0.06	4.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	14	0.06	3.6
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	30	0.13	2.4
088	CONCUSSION WITH MCC	6	0.03	1.8
089	CONCUSSION WITH CC	7	0.03	2.0
090	CONCUSSION WITHOUT CC/MCC	9	0.04	1.7
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	44	0.19	6.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	37	0.16	3.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	24	0.10	2.5
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.03	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	4	0.02	4.3
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.00	4.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.00	11
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	3.0
100	SEIZURES WITH MCC	41	0.17	3.7
101	SEIZURES WITHOUT MCC	116	0.49	2.5
102	HEADACHES WITH MCC	6	0.03	2.2
103	HEADACHES WITHOUT MCC	25	0.11	2.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	6	0.03	2.2
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	3	0.01	4.7
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	3	0.01	3.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	4	0.02	2.8
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.01	5.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	8	0.03	4.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	3	0.01	3.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	5	0.02	2.6
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.02	9.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	14	0.06	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	4	0.02	2.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.06	1.4
137	MOUTH PROCEDURES WITH CC/MCC	2	0.01	1.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
139	SALIVARY GLAND PROCEDURES	4	0.02	1.8
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	8.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	5.7
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	26	0.11	2.6
150	EPISTAXIS WITH MCC	1	0.00	1.0
151	EPISTAXIS WITHOUT MCC	3	0.01	1.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	5	0.02	2.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	44	0.19	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.02	5.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.03	2.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	7	0.03	.86
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	3.7
158	DENTAL & ORAL DISEASES WITH CC	9	0.04	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	4	0.02	.75
163	MAJOR CHEST PROCEDURES WITH MCC	42	0.18	10
164	MAJOR CHEST PROCEDURES WITH CC	40	0.17	6.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	19	0.08	3.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	30	0.13	23
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	23	0.10	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.03	4.8
175	PULMONARY EMBOLISM WITH MCC	26	0.11	4.7
176	PULMONARY EMBOLISM WITHOUT MCC	42	0.18	3.7
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	172	0.73	9.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	40	0.17	6.0
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	11	0.05	5.5
180	RESPIRATORY NEOPLASMS WITH MCC	38	0.16	8.1
181	RESPIRATORY NEOPLASMS WITH CC	26	0.11	3.2
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.00	2.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.01	2.0
184	MAJOR CHEST TRAUMA WITH CC	11	0.05	4.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.00	1.0
186	PLEURAL EFFUSION WITH MCC	21	0.09	5.3
187	PLEURAL EFFUSION WITH CC	13	0.06	3.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	5	0.02	2.8
189	PULMONARY EDEMA & RESPIRATORY FAILURE	457	1.94	7.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	188	0.80	4.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	128	0.54	3.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	101	0.43	2.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	372	1.58	4.6
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	240	1.02	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	144	0.61	2.6
196	INTERSTITIAL LUNG DISEASE WITH MCC	8	0.03	3.5
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.02	3.0
199	PNEUMOTHORAX WITH MCC	15	0.06	5.1
200	PNEUMOTHORAX WITH CC	19	0.08	2.7
201	PNEUMOTHORAX WITHOUT CC/MCC	9	0.04	2.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	70	0.30	2.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	213	0.90	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	34	0.14	2.9
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	14	0.06	3.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	38	0.16	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	52	0.22	29
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	134	0.57	5.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	25	0.11	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.08	8.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	10	0.04	8.5
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	27	0.11	6.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	6	0.03	9.7
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	11	0.05	3.4
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	6.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	5	0.02	1.6
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	11	0.05	9.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	24	0.10	2.2
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.01	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.01	17
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	6	0.03	4.0
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.01	6.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	6.5
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	40	0.17	8.5
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	32	0.14	6.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	6	0.03	8.8
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	14	0.06	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	45	0.19	9.2
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	49	0.21	3.4
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	14	0.06	11
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.04	4.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	31	0.13	4.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	48	0.20	2.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	45	0.19	1.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	79	0.34	3.7
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	234	0.99	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	12	0.05	5.6
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	30	0.13	1.8
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	8	0.03	3.4
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	90	0.38	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	34	0.14	6.2
253	OTHER VASCULAR PROCEDURES WITH CC	63	0.27	3.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	57	0.24	2.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.00	7.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	2.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	7	0.03	1.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	8	0.03	2.8
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	2	0.01	1.0
263	VEIN LIGATION & STRIPPING	3	0.01	4.7
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	12	0.05	11
265	AICD LEAD PROCEDURES	3	0.01	5.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	76	0.32	5.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	34	0.14	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	21	0.09	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	10	0.04	3.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	62	0.26	5.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	178	0.76	2.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	6	0.03	22
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.00	3.0
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	1.0
291	HEART FAILURE & SHOCK WITH MCC	307	1.30	4.8
292	HEART FAILURE & SHOCK WITH CC	143	0.61	3.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	54	0.23	2.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	7.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	1.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	3	0.01	2.3
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	.00

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	51	0.22	3.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	50	0.21	3.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	40	0.17	2.3
302	ATHEROSCLEROSIS WITH MCC	21	0.09	2.3
303	ATHEROSCLEROSIS WITHOUT MCC	95	0.40	1.7
304	HYPERTENSION WITH MCC	5	0.02	3.6
305	HYPERTENSION WITHOUT MCC	26	0.11	1.7
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	4	0.02	2.8
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.02	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	99	0.42	3.6
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	98	0.42	2.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	78	0.33	1.4
311	ANGINA PECTORIS	34	0.14	1.2
312	SYNCOPE & COLLAPSE	75	0.32	1.8
313	CHEST PAIN	165	0.70	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	79	0.34	5.8
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	28	0.12	2.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	11	0.05	1.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	25	0.11	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	16	0.07	5.4
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	19	0.08	2.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	89	0.38	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	102	0.43	6.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	65	0.28	3.8
332	RECTAL RESECTION WITH MCC	2	0.01	16
333	RECTAL RESECTION WITH CC	10	0.04	5.5
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.01	3.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	23	0.10	9.9
336	PERITONEAL ADHESIOLYSIS WITH CC	19	0.08	7.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	21	0.09	3.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	6.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.05	4.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	30	0.13	2.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	9.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	18	0.08	2.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	118	0.50	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	5	0.02	9.2
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.02	5.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	4	0.02	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.03	12
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.03	3.2
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	8	0.03	1.4

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	4	0.02	6.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	4	0.02	2.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	22	0.09	1.8
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.03	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	19	0.08	3.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	41	0.17	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	20	0.08	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	9	0.04	9.9
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.02	2.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	7	0.03	6.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	3	0.01	3.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.01	2.5
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	58	0.25	5.9
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	23	0.10	4.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	19	0.08	2.6
374	DIGESTIVE MALIGNANCY WITH MCC	8	0.03	4.9
375	DIGESTIVE MALIGNANCY WITH CC	9	0.04	5.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
377	G.I. HEMORRHAGE WITH MCC	127	0.54	4.4
378	G.I. HEMORRHAGE WITH CC	148	0.63	2.9
379	G.I. HEMORRHAGE WITHOUT CC/MCC	50	0.21	1.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.03	3.8
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.03	3.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	2.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	3.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	9	0.04	2.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	9	0.04	6.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	12	0.05	3.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	4	0.02	4.3
388	G.I. OBSTRUCTION WITH MCC	66	0.28	5.2
389	G.I. OBSTRUCTION WITH CC	78	0.33	3.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	49	0.21	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	133	0.57	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	469	1.99	2.4
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	36	0.15	5.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	47	0.20	3.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	30	0.13	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	7	0.03	19
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.03	6.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	4	0.02	4.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.00	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.02	7.5
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	4.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	5.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	2.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.02	5.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.01	2.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	2.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	65	0.28	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	61	0.26	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	116	0.49	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	6.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.01	3.3
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	4.0
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	4.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	42	0.18	5.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	8	0.03	2.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.00	1.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	26	0.11	5.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	9	0.04	4.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	.50
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	70	0.30	6.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	89	0.38	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	79	0.34	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	81	0.34	5.9
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	33	0.14	3.8
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	9	0.04	2.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	22	0.09	4.6
445	DISORDERS OF THE BILIARY TRACT WITH CC	21	0.09	2.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	12	0.05	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	10	0.04	7.9
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.06	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	19	0.08	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	12
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.03	9.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	4	0.02	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	19	0.08	8.1
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	156	0.66	3.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.02	3.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	26	0.11	23
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	14	0.06	8.2
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	5	0.02	3.6
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.02	5.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	54	0.23	3.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	38	0.16	3.1
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	60	0.25	5.3
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	782	3.32	2.8
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	9.5
472	CERVICAL SPINAL FUSION WITH CC	29	0.12	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	164	0.70	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.02	25
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	1.7
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.03	8.8
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	12	0.05	3.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	7.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	68	0.29	5.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	78	0.33	3.9
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	51	0.22	2.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	20	0.08	2.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	44	0.19	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.02	7.4
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.01	8.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.01	2.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.03	4.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	24	0.10	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	45	0.19	2.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	152	0.65	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	25	0.11	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	50	0.21	3.2
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	92	0.39	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	3	0.01	8.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	9	0.04	2.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	17	0.07	1.8
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	3	0.01	.67
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	8	0.03	2.3
500	SOFT TISSUE PROCEDURES WITH MCC	7	0.03	15
501	SOFT TISSUE PROCEDURES WITH CC	12	0.05	1.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	25	0.11	1.6
503	FOOT PROCEDURES WITH MCC	4	0.02	9.5
504	FOOT PROCEDURES WITH CC	5	0.02	2.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
505	FOOT PROCEDURES WITHOUT CC/MCC	17	0.07	1.4
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.01	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.01	3.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.02	1.5
509	ARTHROSCOPY	1	0.00	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.01	3.7
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	4	0.02	3.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	29	0.12	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	6	0.03	.83
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	8	0.03	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	8	0.03	13
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	8	0.03	3.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	20	0.08	2.0
533	FRACTURES OF FEMUR WITH MCC	2	0.01	2.5
534	FRACTURES OF FEMUR WITHOUT MCC	5	0.02	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	19	0.08	4.3
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	34	0.14	3.1
539	OSTEOMYELITIS WITH MCC	13	0.06	13
540	OSTEOMYELITIS WITH CC	3	0.01	14
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.01	3.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	17	0.07	5.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	20	0.08	4.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.02	2.5
545	CONNECTIVE TISSUE DISORDERS WITH MCC	8	0.03	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.01	5.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.01	2.5
548	SEPTIC ARTHRITIS WITH MCC	3	0.01	26
549	SEPTIC ARTHRITIS WITH CC	3	0.01	32
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	23	0.10	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	98	0.42	2.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	4.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	27	0.11	1.1
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	4	0.02	2.8
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	10	0.04	3.2
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	25	0.11	4.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	13	0.06	3.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	11	0.05	19
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	7	0.03	6.1
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.03	1.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.03	3.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	32	0.14	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	6	0.03	3.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	5	0.02	3.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	5	0.02	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	18	0.08	29
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.04	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.02	3.8
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	36
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	15
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.04	1.3
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	9	0.04	6.8
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	30	0.13	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	33	0.14	1.7
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	1.2
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	14	0.06	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.01	6.5
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.03	2.6
592	SKIN ULCERS WITH MCC	4	0.02	3.5
593	SKIN ULCERS WITH CC	5	0.02	6.2
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	9.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.00	6.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.00	2.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	4	0.02	4.5
602	CELLULITIS WITH MCC	102	0.43	6.9
603	CELLULITIS WITHOUT MCC	210	0.89	3.2
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	5	0.02	4.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	25	0.11	2.0
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	11	0.05	2.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.01	5.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	2	0.01	2.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.02	6.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	6	0.03	7.2
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.01	8.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	40	0.17	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.01	23
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.02	19
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	2.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.03	1.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	35	0.15	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.03	6.6
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.01	1.5

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
637	DIABETES WITH MCC	66	0.28	3.6
638	DIABETES WITH CC	68	0.29	3.9
639	DIABETES WITHOUT CC/MCC	60	0.25	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	173	0.73	3.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	277	1.18	2.4
642	INBORN ERRORS OF METABOLISM	7	0.03	5.6
643	ENDOCRINE DISORDERS WITH MCC	11	0.05	4.3
644	ENDOCRINE DISORDERS WITH CC	15	0.06	3.1
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	13	0.06	2.2
652	KIDNEY TRANSPLANT	4	0.02	8.0
653	MAJOR BLADDER PROCEDURES WITH MCC	4	0.02	13
654	MAJOR BLADDER PROCEDURES WITH CC	10	0.04	6.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.02	4.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	5	0.02	5.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	14	0.06	5.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	9	0.04	2.2
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	9	0.04	8.4
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	14	0.06	2.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	18	0.08	2.0
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	4.5
663	MINOR BLADDER PROCEDURES WITH CC	8	0.03	1.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	28	0.12	1.0
666	PROSTATECTOMY WITH CC	4	0.02	3.5
667	PROSTATECTOMY WITHOUT CC/MCC	3	0.01	1.3
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	3.7
669	TRANSURETHRAL PROCEDURES WITH CC	25	0.11	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	15	0.06	1.4
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	7.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.01	3.7
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	16	0.07	14
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.01	9.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	5	0.02	1.6
682	RENAL FAILURE WITH MCC	165	0.70	5.7
683	RENAL FAILURE WITH CC	105	0.45	3.8
684	RENAL FAILURE WITHOUT CC/MCC	21	0.09	2.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.02	4.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	6	0.03	3.0
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	2	0.01	5.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	91	0.39	4.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	169	0.72	3.0
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	15
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	21	0.09	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	65	0.28	1.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	2	0.01	2.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	4	0.02	2.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	36	0.15	7.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.08	4.4
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	8	0.03	1.5
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	9	0.04	2.8
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	30	0.13	2.1
709	PENIS PROCEDURES WITH CC/MCC	5	0.02	2.6
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	3.5
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.02	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	32	0.14	2.1
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	80	0.34	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.01	15
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.01	.00
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	4.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	6.8
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	4	0.02	5.8
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.02	1.8
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.02	10
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	2	0.01	2.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.03	4.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.00	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	1.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	3.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	19	0.08	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	75	0.32	2.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	371	1.58	1.5
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	10	0.04	5.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.03	1.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	9	0.04	2.8
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	41	0.17	1.6
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	73	0.31	1.1
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.01	1.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.02	9.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	6	0.03	3.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	9.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.02	2.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	8	0.03	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	9	0.04	2.7
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	11	0.05	1.7
765	CESAREAN SECTION WITH CC/MCC	230	0.98	3.8
766	CESAREAN SECTION WITHOUT CC/MCC	403	1.71	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.04	1.9
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	11	0.05	1.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	15	0.06	.73
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	132	0.56	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,301	5.53	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	16	0.07	2.1
777	ECTOPIC PREGNANCY	22	0.09	1.4
778	THREATENED ABORTION	34	0.14	1.6
779	ABORTION WITHOUT D&C	8	0.03	1.5
780	FALSE LABOR	6	0.03	.33
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	90	0.38	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	24	0.10	.96
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	36	0.15	14
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	42	0.18	35

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
791	PREMATURITY WITH MAJOR PROBLEMS	50	0.21	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	45	0.19	5.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	157	0.67	6.6
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	295	1.25	2.0
795	NORMAL NEWBORN	1,562	6.64	1.7
799	SPLENECTOMY WITH MCC	1	0.00	7.0
800	SPLENECTOMY WITH CC	2	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	5.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	3.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.00	7.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.02	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	12	0.05	20
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	16	0.07	6.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	4	0.02	3.3
811	RED BLOOD CELL DISORDERS WITH MCC	42	0.18	4.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	77	0.33	2.2
813	COAGULATION DISORDERS	19	0.08	2.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.00	2.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	8	0.03	2.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.02	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	74

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.03	6.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	10	0.04	1.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	3	0.01	6.3
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	4	0.02	5.8
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.03	2.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	17
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	5	0.02	6.4
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	15	0.06	17
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	8	0.03	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	8.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.01	16
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	11	0.05	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	16	0.07	3.8
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	20	0.08	9.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	10	0.04	6.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	8	0.03	5.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	7	0.03	9.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	4	0.02	5.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.01	.00
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	12	0.05	7.9
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	116	0.49	3.6
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	32	0.14	3.5
849	RADIOTHERAPY	1	0.00	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	100	0.42	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.03	2.7
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	19	0.08	18
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	18	0.08	4.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	22	0.09	7.6
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	30	0.13	3.4
864	FEVER	24	0.10	2.0
865	VIRAL ILLNESS WITH MCC	4	0.02	6.3
866	VIRAL ILLNESS WITHOUT MCC	37	0.16	2.2
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.04	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	5	0.02	3.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	51	0.22	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	579	2.46	5.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	133	0.57	3.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	23	0.10	1.5
881	DEPRESSIVE NEUROSES	3	0.01	2.0
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	2.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.01	5.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	10	0.04	3.0
885	PSYCHOSES	13	0.06	3.9
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	8.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	13	0.06	1.7
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	36	0.15	3.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	61	0.26	3.0
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	14	0.06	25
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	6	0.03	13
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	15
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	7	0.03	16
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	12	0.05	1.7
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.06	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.10	4.8
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	18	0.08	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
913	TRAUMATIC INJURY WITH MCC	2	0.01	2.0
914	TRAUMATIC INJURY WITHOUT MCC	8	0.03	2.0
915	ALLERGIC REACTIONS WITH MCC	1	0.00	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	15	0.06	1.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	192	0.82	3.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	118	0.50	1.7
919	COMPLICATIONS OF TREATMENT WITH MCC	30	0.13	13
920	COMPLICATIONS OF TREATMENT WITH CC	30	0.13	4.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.07	3.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	4	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	4	0.02	2.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.00	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	3.0
935	NON-EXTENSIVE BURNS	16	0.07	1.7
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	10
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.01	16
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	7	0.03	1.3
945	REHABILITATION WITH CC/MCC	9	0.04	10
946	REHABILITATION WITHOUT CC/MCC	3	0.01	3.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	18	0.08	3.6
948	SIGNS & SYMPTOMS WITHOUT MCC	60	0.25	2.5
949	AFTERCARE WITH CC/MCC	6	0.03	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.05	1.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	11
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.04	9.2
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	12	0.05	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	8	0.03	13
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.01	4.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.04	7.9
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	10	0.04	5.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.03	5.3
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.02	8.6
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.01	3.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	45	0.19	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	22	0.09	4.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.03	2.9
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	8	0.03	7.3

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>988</b>	<b>NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC</b>	12	0.05	6.9
<b>989</b>	<b>NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC</b>	14	0.06	2.5
<b>All</b>		23,539	100.0	4.1

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	16.67	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	50.00	14
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	33.33	12
All		6	100.0	11

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	19	76.00	16
946	REHABILITATION WITHOUT CC/MCC	6	24.00	8.7
<b>All</b>		25	100.0	14

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Psychiatric Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.22	8.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.22	9.0
881	DEPRESSIVE NEUROSES	22	4.89	5.1
882	NEUROSES EXCEPT DEPRESSIVE	10	2.22	5.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	1.11	10
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.22	2.0
885	PSYCHOSES	386	85.78	10
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.67	4.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	21	4.67	5.5
<b>All</b>		450	100.0	9.6

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.18	35
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	7	1.26	17
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	42	7.55	21
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.18	71
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.18	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.18	16
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	4	0.72	19
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.90	29
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.36	20
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.18	7.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	4	0.72	24
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.36	8.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.18	25
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.18	19
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.18	14
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.18	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	3	0.54	14
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	5	0.90	13
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.18	58
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.18	26
186	PLEURAL EFFUSION WITH MCC	1	0.18	10

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
189	PULMONARY EDEMA & RESPIRATORY FAILURE	7	1.26	14
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5	0.90	11
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	13	2.34	17
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	4	0.72	5.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	9	1.62	15
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	9	1.62	16
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	3	0.54	5.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.18	5.0
200	PNEUMOTHORAX WITH CC	1	0.18	15
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.18	15
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.18	.00
291	HEART FAILURE & SHOCK WITH MCC	2	0.36	34
292	HEART FAILURE & SHOCK WITH CC	5	0.90	12
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	3	0.54	18
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.36	22
303	ATHEROSCLEROSIS WITHOUT MCC	4	0.72	11
304	HYPERTENSION WITH MCC	1	0.18	12
305	HYPERTENSION WITHOUT MCC	2	0.36	27
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	6	1.08	13
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.18	1.0
312	SYNCOPE & COLLAPSE	1	0.18	4.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.18	6.0
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	2	0.36	14
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	2	0.36	16
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	2	0.36	22
377	G.I. HEMORRHAGE WITH MCC	2	0.36	6.5
378	G.I. HEMORRHAGE WITH CC	3	0.54	9.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	1	0.18	22
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	2	0.36	3.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	3	0.54	8.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.36	6.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.36	8.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.18	14
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	2	0.36	6.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.18	5.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.18	35
539	OSTEOMYELITIS WITH MCC	1	0.18	2.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.18	5.0
548	SEPTIC ARTHRITIS WITH MCC	1	0.18	3.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	0.36	19
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	2	0.36	26
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.18	15

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Skilled Nursing/Intermediate Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.18	19
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	3	0.54	21
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	18	3.24	24
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	98	17.63	19
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	55	9.89	12
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.18	3.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.36	28
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	5	0.90	42
592	SKIN ULCERS WITH MCC	1	0.18	7.0
594	SKIN ULCERS WITHOUT CC/MCC	1	0.18	16
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.18	12
603	CELLULITIS WITHOUT MCC	3	0.54	12
637	DIABETES WITH MCC	1	0.18	70
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.18	13
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	4	0.72	7.8
682	RENAL FAILURE WITH MCC	2	0.36	21
683	RENAL FAILURE WITH CC	9	1.62	15
684	RENAL FAILURE WITHOUT CC/MCC	2	0.36	6.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	5	0.90	21
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	8	1.44	21
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.18	23

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.18	13
813	COAGULATION DISORDERS	1	0.18	19
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.18	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	3	0.54	9.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	0.36	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	7	1.26	24
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.18	88
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.18	11
914	TRAUMATIC INJURY WITHOUT MCC	1	0.18	26
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.36	14
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.36	35
945	REHABILITATION WITH CC/MCC	40	7.19	18
946	REHABILITATION WITHOUT CC/MCC	5	0.90	13
948	SIGNS & SYMPTOMS WITHOUT MCC	2	0.36	15
949	AFTERCARE WITH CC/MCC	50	8.99	12
950	AFTERCARE WITHOUT CC/MCC	9	1.62	15
951	OTHER FACTORS INFLUENCING HEALTH STATUS	4	0.72	6.8
All		556	100.0	17

**MDC by Patient County of Residence  
for 2010  
Shasta County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1,678	6.83	4.9
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	26	0.11	3.7
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	187	0.76	3.1
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	2,908	11.83	5.8
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	3,043	12.38	3.8
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	2,194	8.93	4.2
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	805	3.28	4.5
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	2,935	11.94	4.5
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	548	2.23	5.5
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	826	3.36	3.2
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	963	3.92	4.5
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	187	0.76	2.2
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	681	2.77	1.9
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	2,303	9.37	2.3
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	2,189	8.91	3.4
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	202	0.82	5.0
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	328	1.33	7.3
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	1,070	4.35	7.1
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	492	2.00	9.3
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	137	0.56	3.9
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	529	2.15	4.8
<b>22</b>	<b>BURNS</b>	21	0.09	26

(Continued)

*MDC by Patient County of Residence  
for 2010  
Shasta County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	256	1.04	9.6
24	MULTIPLE SIGNFICANT TRAUMA	62	0.25	9.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	10	0.04	5.4
<b>All</b>		24,580	100.0	4.5

**MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,604	6.81	4.1
02	EYE, DISEASES & DISORDERS	26	0.11	3.7
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	187	0.79	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,842	12.07	5.6
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,013	12.80	3.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,174	9.23	4.2
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	802	3.41	4.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2,750	11.68	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	535	2.27	5.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	820	3.48	3.1
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	937	3.98	4.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	187	0.79	2.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	680	2.89	1.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,302	9.78	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,189	9.30	3.4
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	200	0.85	4.9
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	327	1.39	7.3
18	INFECTIOUS & PARASITIC DISEASES	1,065	4.52	7.0
19	MENTAL DISEASES & DISORDERS	57	0.24	3.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	110	0.47	3.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	526	2.23	4.6

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	21	0.09	26
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	117	0.50	3.9
24	MULTIPLE SIGNFICANT TRAUMA	62	0.26	9.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	10	0.04	5.4
All		23,543	100.0	4.1

***MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	6	100.0	11
All		6	100.0	11

***MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	25	100.0	14
All		25	100.0	14

***MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Psychiatric Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	1	0.22	8.0
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	428	95.11	9.8
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	21	4.67	5.5
<b>All</b>		450	100.0	9.6

***MDC by Patient County of Residence  
and Type of Care for 2010  
Shasta County***

typcare1=Skilled Nursing/Intermediate Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
01	NERVOUS SYSTEM, DISEASES & DISORDERS	74	13.31	21
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	66	11.87	14
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	30	5.40	15
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	20	3.60	11
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	3	0.54	5.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	185	33.27	17
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	13	2.34	26
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	6	1.08	19
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	26	4.68	18
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.18	23
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	2	0.36	16
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	0.18	16
18	INFECTIOUS & PARASITIC DISEASES	5	0.90	10
19	MENTAL DISEASES & DISORDERS	7	1.26	24
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	3	0.54	42
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	114	20.50	15
<b>All</b>		556	100.0	17