

**Type of Care by Patient County of Residence
for 2009
Stanislaus County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	59,019	93.35	4.3
Chemical Dependency Recovery Care	27	0.04	10
Physical Rehabilitation Care	131	0.21	18
Psychiatric Care	3,144	4.97	4.7
Skilled Nursing/Intermediate Care	899	1.42	78
All	63,220	100.0	5.4

**Disposition by Patient County of Residence
for 2009
Stanislaus County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	7.0
01 - Routine (Home)	45,987	77.92	3.4
02 - Acute Care within the admitting hospital	17	0.03	5.1
03 - Other Care with the admitting hospital	82	0.14	5.4
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	608	1.03	7.4
05 - Acute Care at another hospital	1,470	2.49	5.1
06 - Other Care (not SN/IC) at another hospital	583	0.99	8.9
07 - SN/IC at another facility	4,054	6.87	8.3
08 - Residential Care facility	170	0.29	6.8
09 - Prison/Jail	46	0.08	5.0
10 - Left Against Medical Advice	492	0.83	2.9
11 - Died	1,122	1.90	9.0
12 - Home Health Service	4,264	7.22	7.3
13 - Other	123	0.21	9.1
All	59,019	100.0	4.3

***Disposition by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	24	88.89	11
03 - Other Care with the admitting hospital	1	3.70	7.0
08 - Residential Care facility	1	3.70	4.0
10 - Left Against Medical Advice	1	3.70	6.0
All	27	100.0	10

***Disposition by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	73	55.73	19
02 - Acute Care within the admitting hospital	7	5.34	11
05 - Acute Care at another hospital	8	6.11	15
07 - SN/IC at another facility	9	6.87	18
12 - Home Health Service	34	25.95	19
All	131	100.0	18

***Disposition by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,933	93.29	4.2
02 - Acute Care within the admitting hospital	10	0.32	8.2
05 - Acute Care at another hospital	18	0.57	4.3
06 - Other Care (not SN/IC) at another hospital	17	0.54	6.7
07 - SN/IC at another facility	34	1.08	15
08 - Residential Care facility	92	2.93	11
09 - Prison/Jail	10	0.32	18
10 - Left Against Medical Advice	24	0.76	2.8
11 - Died	1	0.03	.00
13 - Other	5	0.16	20
All	3,144	100.0	4.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	140	15.57	23
02 - Acute Care within the admitting hospital	150	16.69	165
05 - Acute Care at another hospital	27	3.00	110
06 - Other Care (not SN/IC) at another hospital	18	2.00	30
07 - SN/IC at another facility	28	3.11	265
08 - Residential Care facility	15	1.67	90
10 - Left Against Medical Advice	10	1.11	7.6
11 - Died	91	10.12	202
12 - Home Health Service	413	45.94	25
13 - Other	7	0.78	98
All	899	100.0	78

***Gender by Patient County of Residence
for 2009
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	25,487	40.31	5.5
2 - Female	37,727	59.68	5.4
4 - Unknown	6	0.01	1.7
All	63,220	100.0	5.4

***Gender by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	23,464	39.76	4.8
2 - Female	35,549	60.23	4.0
4 - Unknown	6	0.01	1.7
All	59,019	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	17	62.96	9.8
2 - Female	10	37.04	11
All	27	100.0	10

***Gender by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	72	54.96	19
2 - Female	59	45.04	17
All	131	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,567	49.84	4.6
2 - Female	1,577	50.16	4.7
All	3,144	100.0	4.7

***Gender by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	367	40.82	51
2 - Female	532	59.18	96
All	899	100.0	78

***Expected Payer by Patient County of Residence
for 2009
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	20,608	32.60	6.6
02 - Medi-Cal	17,792	28.14	6.1
03 - Private Coverage	19,944	31.55	3.6
04 - Workers' Compensatio	297	0.47	4.6
05 - County Indigent Prog	1,364	2.16	4.3
06 - Other Government	1,103	1.74	4.9
07 - Other Indigent	129	0.20	4.1
08 - Self-Pay	1,592	2.52	6.8
09 - Other Payer	391	0.62	4.8
All	63,220	100.0	5.4

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	19,851	33.63	5.3
02 - Medi-Cal	16,115	27.30	4.1
03 - Private Coverage	19,107	32.37	3.4
04 - Workers' Compensatio	287	0.49	3.7
05 - County Indigent Prog	594	1.01	4.3
06 - Other Government	1,054	1.79	4.8
07 - Other Indigent	129	0.22	4.1
08 - Self-Pay	1,502	2.54	3.9
09 - Other Payer	380	0.64	4.8
All	59,019	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1	3.70	7.0
02 - Medi-Cal	2	7.41	3.5
03 - Private Coverage	17	62.96	11
05 - County Indigent Prog	2	7.41	1.5
06 - Other Government	1	3.70	27
08 - Self-Pay	4	14.81	13
All	27	100.0	10

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	39	29.77	16
02 - Medi-Cal	33	25.19	17
03 - Private Coverage	52	39.69	19
04 - Workers' Compensatio	4	3.05	29
06 - Other Government	3	2.29	25
All	131	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	88	2.80	9.6
02 - Medi-Cal	1,498	47.65	4.6
03 - Private Coverage	695	22.11	4.4
05 - County Indigent Prog	768	24.43	4.3
06 - Other Government	45	1.43	6.3
08 - Self-Pay	39	1.24	3.4
09 - Other Payer	11	0.35	6.6
All	3,144	100.0	4.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	629	69.97	45
02 - Medi-Cal	144	16.02	237
03 - Private Coverage	73	8.12	29
04 - Workers' Compensatio	6	0.67	29
08 - Self-Pay	47	5.23	102
All	899	100.0	78

***Race Group by Patient County of Residence
for 2009
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	594	0.94	10
1 - White	39,136	61.90	5.6
2 - Black	1,847	2.92	5.5
3 - Hispanic	17,309	27.38	4.6
4 - Asian/Pacific Islander	1,669	2.64	5.6
5 - Native American/Eskimo/Ale	113	0.18	4.4
6 - Other	2,552	4.04	6.8
All	63,220	100.0	5.4

***Race Group by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	508	0.86	5.5
1 - White	35,991	60.98	4.5
2 - Black	1,664	2.82	4.7
3 - Hispanic	16,700	28.30	3.8
4 - Asian/Pacific Islander	1,617	2.74	4.2
5 - Native American/Eskimo/Ale	104	0.18	3.8
6 - Other	2,435	4.13	5.1
All	59,019	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	3.70	7.0
1 - White	21	77.78	10
3 - Hispanic	4	14.81	11
4 - Asian/Pacific Islander	1	3.70	10
All	27	100.0	10

***Race Group by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6	4.58	32
1 - White	78	59.54	17
2 - Black	5	3.82	19
3 - Hispanic	30	22.90	18
4 - Asian/Pacific Islander	8	6.11	13
5 - Native American/Eskimo/Ale	2	1.53	21
6 - Other	2	1.53	36
All	131	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	76	2.42	3.9
1 - White	2,356	74.94	4.6
2 - Black	162	5.15	5.4
3 - Hispanic	461	14.66	4.5
4 - Asian/Pacific Islander	31	0.99	6.1
5 - Native American/Eskimo/Ale	5	0.16	7.8
6 - Other	53	1.69	4.9
All	3,144	100.0	4.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3	0.33	953
1 - White	690	76.75	65
2 - Black	16	1.78	87
3 - Hispanic	114	12.68	119
4 - Asian/Pacific Islander	12	1.33	194
5 - Native American/Eskimo/Ale	2	0.22	7.5
6 - Other	62	6.90	74
All	899	100.0	78

**Source of Admission by Patient County of Residence
for 2009
Stanislaus County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	49,910	78.95	4.3
2 - Residential Care Facility	202	0.32	7.8
3 - Ambulatory Surgery	362	0.57	2.4
4 - Skilled Nursing/Intermedia	1,008	1.59	7.8
5 - Acute Inpatient Hospital C	2,321	3.67	34
6 - Other Inpatient Hospital C	275	0.43	13
7 - Newborn (born in admitting	7,948	12.57	3.2
8 - Prison/Jail	296	0.47	5.3
9 - Other	898	1.42	5.6
All	63,220	100.0	5.4

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	47,324	80.18	4.3
2 - Residential Care Facility	188	0.32	6.6
3 - Ambulatory Surgery	361	0.61	2.4
4 - Skilled Nursing/Intermedia	982	1.66	7.3
5 - Acute Inpatient Hospital C	1,211	2.05	9.8
6 - Other Inpatient Hospital C	248	0.42	5.9
7 - Newborn (born in admitting	7,948	13.47	3.2
8 - Prison/Jail	42	0.07	4.5
9 - Other	715	1.21	5.7
All	59,019	100.0	4.3

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	27	100.0	10
All	27	100.0	10

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	2.29	13
4 - Skilled Nursing/Intermedia	1	0.76	13
5 - Acute Inpatient Hospital C	124	94.66	18
6 - Other Inpatient Hospital C	3	2.29	32
All	131	100.0	18

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,542	80.85	4.3
2 - Residential Care Facility	13	0.41	20
4 - Skilled Nursing/Intermedia	22	0.70	28
5 - Acute Inpatient Hospital C	123	3.91	4.5
6 - Other Inpatient Hospital C	10	0.32	13
8 - Prison/Jail	254	8.08	5.4
9 - Other	180	5.73	4.2
All	3,144	100.0	4.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	14	1.56	138
2 - Residential Care Facility	1	0.11	79
3 - Ambulatory Surgery	1	0.11	23
4 - Skilled Nursing/Intermedia	3	0.33	18
5 - Acute Inpatient Hospital C	863	96.00	76
6 - Other Inpatient Hospital C	14	1.56	141
9 - Other	3	0.33	66
All	899	100.0	78

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	3	0.00	80
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	113
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	46	0.07	67
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	61	0.10	49
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	7	0.01	21
006	LIVER TRANSPLANT WITHOUT MCC	3	0.00	12
007	LUNG TRANSPLANT	3	0.00	9.7
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	19
009	BONE MARROW TRANSPLANT	24	0.04	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	4	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.00	5.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.01	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	25
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	14	0.02	17
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	19
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	43	0.07	15
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	66	0.10	7.8
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	80	0.13	4.0
028	SPINAL PROCEDURES WITH MCC	5	0.01	7.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	20	0.03	12
030	SPINAL PROCEDURES WITHOUT CC/MCC	11	0.02	2.5
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.01	7.0
032	VENTRICULAR SHUNT PROCEDURES WITH CC	25	0.04	6.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	5.0
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	4.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.00	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	3	0.00	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	28	0.04	8.9
038	EXTRACRANIAL PROCEDURES WITH CC	58	0.09	3.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	169	0.27	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	17	0.03	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	23	0.04	8.1
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	26	0.04	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.01	17
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	8	0.01	2.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	22	0.03	5.7
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	57	0.09	4.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	18	0.03	19
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	115	0.18	33
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.01	5.8
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	9	0.01	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	14	0.02	4.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.00	6.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.01	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	182	0.29	11
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	271	0.43	5.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	165	0.26	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.00	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	22	0.03	6.4
069	TRANSIENT ISCHEMIA	310	0.49	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	23	0.04	8.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	13	0.02	4.7
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	9	0.01	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	27	0.04	5.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	66	0.10	3.8
075	VIRAL MENINGITIS WITH CC/MCC	20	0.03	4.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	73	0.12	3.1
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	7	0.01	17
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	6	0.01	2.8
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	5	0.01	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	36	0.06	4.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	70	0.11	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	18	0.03	9.4
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	7	0.01	6.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	13	0.02	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	29	0.05	33
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	50	0.08	4.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	100	0.16	2.3
088	CONCUSSION WITH MCC	7	0.01	3.7
089	CONCUSSION WITH CC	19	0.03	2.2
090	CONCUSSION WITHOUT CC/MCC	29	0.05	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	38	0.06	7.2
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	48	0.08	3.9
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	40	0.06	3.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	11	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	11	0.02	7.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	11	0.02	5.3
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	10	0.02	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	12	0.02	9.2
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	17	0.03	4.9
100	SEIZURES WITH MCC	63	0.10	5.5
101	SEIZURES WITHOUT MCC	251	0.40	10
102	HEADACHES WITH MCC	8	0.01	2.8
103	HEADACHES WITHOUT MCC	81	0.13	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
113	ORBITAL PROCEDURES WITH CC/MCC	5	0.01	2.4
114	ORBITAL PROCEDURES WITHOUT CC/MCC	6	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	2.8
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.02	3.5
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	2.3
123	NEUROLOGICAL EYE DISORDERS	4	0.01	3.3
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.00	3.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	21	0.03	2.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.01	2.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.00	4.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	12	0.02	4.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	43	0.07	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	22	0.03	4.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	88	0.14	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.00	2.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.0
137	MOUTH PROCEDURES WITH CC/MCC	9	0.01	4.3
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.00	3.0
139	SALIVARY GLAND PROCEDURES	5	0.01	3.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	6.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.00	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	53	0.08	2.5
150	EPISTAXIS WITH MCC	4	0.01	3.8
151	EPISTAXIS WITHOUT MCC	13	0.02	1.9
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	25	0.04	116
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	179	0.28	2.7
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	10	0.02	6.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	19	0.03	4.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	28	0.04	1.6
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	4.4
158	DENTAL & ORAL DISEASES WITH CC	28	0.04	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	38	0.06	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	43	0.07	16
164	MAJOR CHEST PROCEDURES WITH CC	71	0.11	7.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	31	0.05	5.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	69	0.11	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	52	0.08	5.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.02	4.5
175	PULMONARY EMBOLISM WITH MCC	72	0.11	7.3
176	PULMONARY EMBOLISM WITHOUT MCC	119	0.19	7.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	141	0.22	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	129	0.20	9.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	45	0.07	7.1
180	RESPIRATORY NEOPLASMS WITH MCC	71	0.11	7.2
181	RESPIRATORY NEOPLASMS WITH CC	56	0.09	6.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	12	0.02	3.8
183	MAJOR CHEST TRAUMA WITH MCC	11	0.02	4.7
184	MAJOR CHEST TRAUMA WITH CC	17	0.03	3.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	13	0.02	2.2
186	PLEURAL EFFUSION WITH MCC	44	0.07	7.0
187	PLEURAL EFFUSION WITH CC	27	0.04	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	10	0.02	4.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	191	0.30	39
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	535	0.85	5.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	387	0.61	6.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	434	0.69	3.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	417	0.66	5.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	856	1.35	5.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	524	0.83	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	11	0.02	7.9
197	INTERSTITIAL LUNG DISEASE WITH CC	9	0.01	7.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.01	5.6
199	PNEUMOTHORAX WITH MCC	18	0.03	11
200	PNEUMOTHORAX WITH CC	39	0.06	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	28	0.04	2.6
202	BRONCHITIS & ASTHMA WITH CC/MCC	271	0.43	7.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	587	0.93	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	100	0.16	2.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	35	0.06	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	78	0.12	2.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	153	0.24	21
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	282	0.45	6.7
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	25	0.04	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	35	0.06	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	7	0.01	9.4
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	27	0.04	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	68	0.11	7.4
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	19	0.03	6.2
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	8	0.01	16
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	9	0.01	5.2
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	7	0.01	5.4
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	10	0.02	5.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	16	0.03	5.9
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	51	0.08	2.9
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	15	0.02	21
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	19	0.03	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	8	0.01	5.4
231	CORONARY BYPASS WITH PTCA WITH MCC	12	0.02	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	12	0.02	12
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	69	0.11	18
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	175	0.28	9.5
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	20	0.03	16
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	63	0.10	6.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	75	0.12	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	82	0.13	4.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	32	0.05	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	23	0.04	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	4	0.01	11
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	54	0.09	7.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	89	0.14	4.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	98	0.16	2.7
245	AICD GENERATOR PROCEDURES	6	0.01	6.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	130	0.21	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	606	0.96	2.3
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	41	0.06	5.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	139	0.22	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	25	0.04	9.7
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	114	0.18	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
252	OTHER VASCULAR PROCEDURES WITH MCC	106	0.17	10
253	OTHER VASCULAR PROCEDURES WITH CC	116	0.18	6.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	121	0.19	2.3
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	10	0.02	10
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	13	0.02	8.8
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	2	0.00	6.5
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	19	0.03	1.4
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	7.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	4.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	6	0.01	2.7
263	VEIN LIGATION & STRIPPING	2	0.00	1.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	34	0.05	12
265	AICD LEAD PROCEDURES	3	0.00	9.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	207	0.33	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	111	0.18	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	138	0.22	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	29	0.05	7.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.00	.00
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.00	2.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	104	0.16	7.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	393	0.62	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	15	0.02	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	7	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	3.0
291	HEART FAILURE & SHOCK WITH MCC	604	0.96	5.6
292	HEART FAILURE & SHOCK WITH CC	396	0.63	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	257	0.41	14
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	5	0.01	8.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.00	2.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.00	2.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	.50
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	70	0.11	6.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	110	0.17	4.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	82	0.13	3.3
302	ATHEROSCLEROSIS WITH MCC	42	0.07	4.8
303	ATHEROSCLEROSIS WITHOUT MCC	208	0.33	2.4
304	HYPERTENSION WITH MCC	14	0.02	2.4
305	HYPERTENSION WITHOUT MCC	78	0.12	30
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	6	0.01	16
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	17	0.03	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	189	0.30	4.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	251	0.40	3.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	397	0.63	2.2
311	ANGINA PECTORIS	131	0.21	1.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
312	SYNCOPE & COLLAPSE	438	0.69	2.7
313	CHEST PAIN	1,175	1.86	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	159	0.25	7.3
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	85	0.13	4.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	43	0.07	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	54	0.09	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	49	0.08	7.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	81	0.13	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	152	0.24	19
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	258	0.41	8.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	94	0.15	5.2
332	RECTAL RESECTION WITH MCC	3	0.00	6.3
333	RECTAL RESECTION WITH CC	28	0.04	8.3
334	RECTAL RESECTION WITHOUT CC/MCC	12	0.02	5.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	21	0.03	11
336	PERITONEAL ADHESIOLYSIS WITH CC	67	0.11	7.9
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	40	0.06	4.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	15	0.02	9.9
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	60	0.09	5.7
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	108	0.17	3.7
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	12	0.02	7.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	59	0.09	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	413	0.65	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	26	0.04	6.5
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	16	0.03	3.3
347	ANAL & STOMAL PROCEDURES WITH MCC	9	0.01	8.7
348	ANAL & STOMAL PROCEDURES WITH CC	25	0.04	4.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	32	0.05	2.6
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	14	0.02	6.4
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	8	0.01	4.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	29	0.05	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	11	0.02	6.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	60	0.09	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	77	0.12	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	28	0.04	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.03	9.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	3.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	10	0.02	4.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	23	0.04	7.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.01	1.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	112	0.18	9.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	112	0.18	6.3
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	51	0.08	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
374	DIGESTIVE MALIGNANCY WITH MCC	15	0.02	8.3
375	DIGESTIVE MALIGNANCY WITH CC	28	0.04	5.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	5	0.01	4.0
377	G.I. HEMORRHAGE WITH MCC	182	0.29	14
378	G.I. HEMORRHAGE WITH CC	328	0.52	3.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	167	0.26	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	14	0.02	9.7
381	COMPLICATED PEPTIC ULCER WITH CC	21	0.03	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	12	0.02	2.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.00	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	24	0.04	3.4
385	INFLAMMATORY BOWEL DISEASE WITH MCC	17	0.03	7.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	59	0.09	8.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	47	0.07	4.3
388	G.I. OBSTRUCTION WITH MCC	95	0.15	5.2
389	G.I. OBSTRUCTION WITH CC	148	0.23	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	157	0.25	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	199	0.31	4.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,014	1.60	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	86	0.14	10
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	151	0.24	4.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	103	0.16	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	34	0.05	16
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	27	0.04	7.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	7	0.01	4.1
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.01	15
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.01	8.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	7.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.00	12
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.00	14
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	13	0.02	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	31	0.05	6.4
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.03	4.2
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	109	0.17	6.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	164	0.26	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	312	0.49	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.00	29
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.00	16
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	10
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	8	0.01	18
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	3	0.00	32

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	91	0.14	6.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	44	0.07	4.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	4.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	43	0.07	6.5
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	32	0.05	6.9
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.00	6.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	107	0.17	7.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	147	0.23	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	181	0.29	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	125	0.20	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	96	0.15	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	46	0.07	2.6
444	DISORDERS OF THE BILIARY TRACT WITH MCC	43	0.07	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	39	0.06	4.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	54	0.09	2.4
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.01	9.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	19	0.03	7.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	29	0.05	4.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.01	13
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	12	0.02	9.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.02	5.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	6	0.01	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	151	0.24	4.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	21	0.03	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	18	0.03	32
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	36	0.06	15
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	12	0.02	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	9	0.01	13
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	42	0.07	6.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	48	0.08	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	82	0.13	6.9
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,266	2.00	3.5
471	CERVICAL SPINAL FUSION WITH MCC	6	0.01	11
472	CERVICAL SPINAL FUSION WITH CC	28	0.04	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	90	0.14	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	7	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	17	0.03	15
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	6	0.01	8.2
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.02	19
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	17	0.03	8.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	9	0.01	6.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	80	0.13	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	178	0.28	5.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	96	0.15	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	25	0.04	4.5
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	61	0.10	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	3	0.00	11
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	10	0.02	7.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.02	4.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	32	0.05	2.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	63	0.10	3.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	198	0.31	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	24	0.04	9.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	73	0.12	4.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	207	0.33	2.4
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.00	6.5
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	15	0.02	5.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	43	0.07	2.1
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	9	0.01	6.1
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	6	0.01	4.5
500	SOFT TISSUE PROCEDURES WITH MCC	6	0.01	12
501	SOFT TISSUE PROCEDURES WITH CC	42	0.07	5.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	46	0.07	2.2
503	FOOT PROCEDURES WITH MCC	3	0.00	9.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
504	FOOT PROCEDURES WITH CC	14	0.02	5.7
505	FOOT PROCEDURES WITHOUT CC/MCC	20	0.03	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	4.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	10	0.02	4.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	19	0.03	1.5
509	ARTHROSCOPY	4	0.01	8.5
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.00	7.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	15	0.02	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	61	0.10	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	12	0.02	2.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	16	0.03	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	23	0.04	9.9
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	52	0.08	4.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	46	0.07	2.6
533	FRACTURES OF FEMUR WITH MCC	2	0.00	15
534	FRACTURES OF FEMUR WITHOUT MCC	13	0.02	5.5
535	FRACTURES OF HIP & PELVIS WITH MCC	20	0.03	5.7
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	64	0.10	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	4	0.01	2.0
539	OSTEOMYELITIS WITH MCC	8	0.01	126
540	OSTEOMYELITIS WITH CC	21	0.03	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
541	OSTEOMYELITIS WITHOUT CC/MCC	6	0.01	9.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	10	0.02	16
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	28	0.04	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	14	0.02	4.6
545	CONNECTIVE TISSUE DISORDERS WITH MCC	15	0.02	7.1
546	CONNECTIVE TISSUE DISORDERS WITH CC	19	0.03	3.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	26	0.04	3.7
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	5.5
549	SEPTIC ARTHRITIS WITH CC	5	0.01	13
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.01	1.8
551	MEDICAL BACK PROBLEMS WITH MCC	38	0.06	5.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	184	0.29	3.6
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.01	4.3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	49	0.08	49
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	17	0.03	36
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	62	0.10	19
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	19	0.03	6.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	55	0.09	6.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	9	0.01	25
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	28	0.04	50
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	29	0.05	14
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	29	0.05	6.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	80	0.13	3.0
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.01	6.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	17	0.03	7.8
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	9	0.01	2.1
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	20	0.03	12
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	32	0.05	9.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	21	0.03	5.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.00	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.01	5.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.02	5.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	18	0.03	9.6
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	47	0.07	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	99	0.16	2.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	25	0.04	1.9
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	54	0.09	1.6
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	36	0.06	2.2
592	SKIN ULCERS WITH MCC	16	0.03	54
593	SKIN ULCERS WITH CC	35	0.06	9.3
594	SKIN ULCERS WITHOUT CC/MCC	4	0.01	4.5
595	MAJOR SKIN DISORDERS WITH MCC	5	0.01	10
596	MAJOR SKIN DISORDERS WITHOUT MCC	17	0.03	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	14
598	MALIGNANT BREAST DISORDERS WITH CC	4	0.01	3.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.00	1.3
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	8	0.01	2.6
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	7	0.01	4.9
602	CELLULITIS WITH MCC	124	0.20	19
603	CELLULITIS WITHOUT MCC	740	1.17	4.0
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	7	0.01	2.9
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	70	0.11	3.3
606	MINOR SKIN DISORDERS WITH MCC	8	0.01	3.3
607	MINOR SKIN DISORDERS WITHOUT MCC	31	0.05	4.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	12	0.02	4.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	16	0.03	2.4
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	7	0.01	25
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	25	0.04	8.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	3	0.00	3.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	41	0.06	3.2
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	453	0.72	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	3	0.00	24
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	7	0.01	6.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	5.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	19	0.03	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	105	0.17	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	5	0.01	6.2
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	22	0.03	7.2
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
637	DIABETES WITH MCC	124	0.20	4.8
638	DIABETES WITH CC	202	0.32	4.0
639	DIABETES WITHOUT CC/MCC	214	0.34	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	201	0.32	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	561	0.89	3.2
642	INBORN ERRORS OF METABOLISM	8	0.01	6.4
643	ENDOCRINE DISORDERS WITH MCC	23	0.04	7.1
644	ENDOCRINE DISORDERS WITH CC	45	0.07	9.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	41	0.06	3.2
652	KIDNEY TRANSPLANT	39	0.06	6.4
654	MAJOR BLADDER PROCEDURES WITH CC	8	0.01	10
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.01	4.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	13	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	25	0.04	6.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	40	0.06	3.3
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	18	0.03	8.6
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	55	0.09	5.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	54	0.09	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
662	MINOR BLADDER PROCEDURES WITH MCC	5	0.01	11
663	MINOR BLADDER PROCEDURES WITH CC	9	0.01	3.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	14	0.02	1.8
665	PROSTATECTOMY WITH MCC	3	0.00	15
666	PROSTATECTOMY WITH CC	3	0.00	2.0
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.01	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	14	0.02	7.6
669	TRANSURETHRAL PROCEDURES WITH CC	63	0.10	3.2
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	31	0.05	2.1
671	URETHRAL PROCEDURES WITH CC/MCC	5	0.01	3.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	35	0.06	17
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	31	0.05	11
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	10	0.02	2.7
682	RENAL FAILURE WITH MCC	204	0.32	7.9
683	RENAL FAILURE WITH CC	355	0.56	4.4
684	RENAL FAILURE WITHOUT CC/MCC	87	0.14	7.7
685	ADMIT FOR RENAL DIALYSIS	7	0.01	3.9
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	5	0.01	11
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	4	0.01	13
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	6	0.01	1.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	209	0.33	6.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	632	1.00	5.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.00	5.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.00	1.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	16	0.03	3.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	76	0.12	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	26	0.04	2.3
697	URETHRAL STRICTURE	2	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	99	0.16	6.5
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	101	0.16	14
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	39	0.06	2.3
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	14	0.02	4.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	55	0.09	2.2
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	3.4
711	TESTES PROCEDURES WITH CC/MCC	3	0.00	4.0
712	TESTES PROCEDURES WITHOUT CC/MCC	6	0.01	1.8
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	31	0.05	6.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	90	0.14	1.8
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	7.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.00	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	2.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	4.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	13
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	6	0.01	2.8
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	6.2
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	26	0.04	3.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.00	2.3
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	11	0.02	5.2
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	3	0.00	2.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	18	0.03	5.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	3.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.00	11
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	22	0.03	4.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	31	0.05	2.4
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	174	0.28	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	903	1.43	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	12	0.02	3.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	21	0.03	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	11	0.02	3.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	33	0.05	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	164	0.26	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.01	6.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	11	0.02	1.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	5.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	8	0.01	2.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.5
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.01	6.6
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	12	0.02	3.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	14	0.02	3.6
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	16	0.03	2.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	24	0.04	2.0
765	CESAREAN SECTION WITH CC/MCC	693	1.10	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	1,876	2.97	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	321	0.51	2.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	2.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	32	0.05	3.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	23	0.04	.96
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	386	0.61	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,548	7.19	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	65	0.10	3.3
777	ECTOPIC PREGNANCY	45	0.07	1.7
778	THREATENED ABORTION	80	0.13	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
779	ABORTION WITHOUT D&C	28	0.04	1.5
780	FALSE LABOR	16	0.03	.13
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	364	0.58	3.1
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	69	0.11	3.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	117	0.19	4.9
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	156	0.25	29
791	PREMATURITY WITH MAJOR PROBLEMS	122	0.19	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	326	0.52	7.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	316	0.50	8.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,004	1.59	2.5
795	NORMAL NEWBORN	6,275	9.93	2.0
799	SPLENECTOMY WITH MCC	2	0.00	6.0
800	SPLENECTOMY WITH CC	5	0.01	5.2
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	5	0.01	3.8
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.01	2.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	28	0.04	8.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	65	0.10	4.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.02	3.7
811	RED BLOOD CELL DISORDERS WITH MCC	74	0.12	3.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	225	0.36	3.2
813	COAGULATION DISORDERS	47	0.07	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	9	0.01	4.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	13	0.02	4.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	18	0.03	2.5
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	5	0.01	26
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	6	0.01	10
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	13	0.02	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	14	0.02	6.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	10	0.02	4.3
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.01	13
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.01	6.6
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	3.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	9	0.01	12
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	19	0.03	16
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	14	0.02	8.7
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	12	0.02	9.9
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	8	0.01	27
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	21	0.03	15
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	30	0.05	4.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	28	0.04	15
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	30	0.05	7.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	15	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	8.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.01	4.2
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	3.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	11	0.02	9.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	167	0.26	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	5	0.01	5.0
849	RADIOTHERAPY	2	0.00	8.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	161	0.25	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	23	0.04	9.9
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	28	0.04	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	64	0.10	7.4
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	16	0.03	5.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	36	0.06	7.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	125	0.20	5.2
864	FEVER	106	0.17	3.2
865	VIRAL ILLNESS WITH MCC	15	0.02	9.1
866	VIRAL ILLNESS WITHOUT MCC	76	0.12	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	30	0.05	12
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	9	0.01	12
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	4	0.01	4.8
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	93	0.15	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	934	1.48	9.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	273	0.43	5.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	48	0.08	2.8
881	DEPRESSIVE NEUROSES	252	0.40	2.4
882	NEUROSES EXCEPT DEPRESSIVE	154	0.24	2.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	45	0.07	8.2
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	46	0.07	34
885	PSYCHOSES	2,535	4.01	5.1
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	20	0.03	5.1
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.01	5.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	21	0.03	2.8
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	7	0.01	9.4
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	45	0.07	4.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	300	0.47	3.8
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	5	0.01	18
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	17	0.03	7.9
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	5	0.01	7.2
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.01	16
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.00	5.3
906	HAND PROCEDURES FOR INJURIES	16	0.03	3.8
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	31	0.05	8.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	46	0.07	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	50	0.08	2.2
913	TRAUMATIC INJURY WITH MCC	3	0.00	8.0
914	TRAUMATIC INJURY WITHOUT MCC	32	0.05	2.2
915	ALLERGIC REACTIONS WITH MCC	8	0.01	5.1
916	ALLERGIC REACTIONS WITHOUT MCC	25	0.04	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	172	0.27	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	319	0.50	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	30	0.05	6.5
920	COMPLICATIONS OF TREATMENT WITH CC	50	0.08	6.3
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	43	0.07	2.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	8	0.01	4.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	12	0.02	1.7
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	4	0.01	21
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	2.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.01	3.6
935	NON-EXTENSIVE BURNS	21	0.03	5.9
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.00	32
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	14	0.02	2.8
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	16	0.03	2.6
945	REHABILITATION WITH CC/MCC	513	0.81	41
946	REHABILITATION WITHOUT CC/MCC	273	0.43	22
947	SIGNS & SYMPTOMS WITH MCC	32	0.05	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	175	0.28	3.6
949	AFTERCARE WITH CC/MCC	22	0.03	14
950	AFTERCARE WITHOUT CC/MCC	6	0.01	15
951	OTHER FACTORS INFLUENCING HEALTH STATUS	30	0.05	21
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.01	41
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	28	0.04	17
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	25	0.04	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	34	0.05	7.5
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.01	3.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	17	0.03	10
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	44	0.07	6.2
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.02	2.7
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.00	34
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	18	0.03	10
975	HIV WITH MAJOR RELATED CONDITION WITH CC	23	0.04	6.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	6	0.01	3.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	12	0.02	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	105	0.17	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	70	0.11	7.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	34	0.05	3.4
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	3.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	14

(Continued)

***MS-DRG by Patient County of Residence
for 2009
Stanislaus County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	22	0.03	19
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	44	0.07	7.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	21	0.03	2.1
All		63,220	100.0	5.4

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	3	0.01	80
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	113
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	46	0.08	67
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	61	0.10	49
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	7	0.01	21
006	LIVER TRANSPLANT WITHOUT MCC	3	0.01	12
007	LUNG TRANSPLANT	3	0.01	9.7
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	19
009	BONE MARROW TRANSPLANT	24	0.04	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	8	0.01	16
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	4	0.01	11
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	5.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.01	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	25
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	14	0.02	17
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	19
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	43	0.07	15
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	66	0.11	7.8
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	80	0.14	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	5	0.01	7.6
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	20	0.03	12
030	SPINAL PROCEDURES WITHOUT CC/MCC	11	0.02	2.5
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.01	7.0
032	VENTRICULAR SHUNT PROCEDURES WITH CC	25	0.04	6.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	5.0
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	4.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.00	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	3	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	28	0.05	8.9
038	EXTRACRANIAL PROCEDURES WITH CC	58	0.10	3.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	169	0.29	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	17	0.03	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	23	0.04	8.1
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	26	0.04	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.01	11
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	8	0.01	2.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	22	0.04	5.7
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	56	0.09	4.2
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	16	0.03	13
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	93	0.16	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.01	5.8
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	9	0.02	3.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	14	0.02	4.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	6.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.01	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	181	0.31	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	270	0.46	5.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	163	0.28	2.9
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.00	5.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	19	0.03	3.1
069	TRANSIENT ISCHEMIA	310	0.53	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	23	0.04	8.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	13	0.02	4.7
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	9	0.02	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	27	0.05	5.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	66	0.11	3.8
075	VIRAL MENINGITIS WITH CC/MCC	20	0.03	4.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	73	0.12	3.1
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	7	0.01	17
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	6	0.01	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	5	0.01	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	36	0.06	4.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	70	0.12	3.2
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	18	0.03	9.4
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	7	0.01	6.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	13	0.02	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	28	0.05	8.6
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	50	0.08	4.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	100	0.17	2.3
088	CONCUSSION WITH MCC	7	0.01	3.7
089	CONCUSSION WITH CC	19	0.03	2.2
090	CONCUSSION WITHOUT CC/MCC	29	0.05	1.1
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	38	0.06	7.2
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	47	0.08	3.8
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	40	0.07	3.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	11	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	11	0.02	7.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	11	0.02	5.3
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	10	0.02	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	12	0.02	9.2
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	17	0.03	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	62	0.11	5.3
101	SEIZURES WITHOUT MCC	244	0.41	2.7
102	HEADACHES WITH MCC	8	0.01	2.8
103	HEADACHES WITHOUT MCC	81	0.14	3.7
113	ORBITAL PROCEDURES WITH CC/MCC	5	0.01	2.4
114	ORBITAL PROCEDURES WITHOUT CC/MCC	6	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	2.8
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.02	3.5
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	2.3
123	NEUROLOGICAL EYE DISORDERS	4	0.01	3.3
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.00	3.5
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	20	0.03	2.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.01	2.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.01	4.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	12	0.02	4.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	43	0.07	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	22	0.04	4.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	88	0.15	1.5
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.01	2.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
137	MOUTH PROCEDURES WITH CC/MCC	9	0.02	4.3
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.00	3.0
139	SALIVARY GLAND PROCEDURES	5	0.01	3.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	6.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	7.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
149	DYSEQUILIBRIUM	53	0.09	2.5
150	EPISTAXIS WITH MCC	4	0.01	3.8
151	EPISTAXIS WITHOUT MCC	13	0.02	1.9
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	24	0.04	4.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	179	0.30	2.7
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	10	0.02	6.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	19	0.03	4.6
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	28	0.05	1.6
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	4.4
158	DENTAL & ORAL DISEASES WITH CC	28	0.05	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	38	0.06	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	43	0.07	16
164	MAJOR CHEST PROCEDURES WITH CC	71	0.12	7.3
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	31	0.05	5.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	69	0.12	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	52	0.09	5.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.02	4.5
175	PULMONARY EMBOLISM WITH MCC	72	0.12	7.3
176	PULMONARY EMBOLISM WITHOUT MCC	118	0.20	4.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	141	0.24	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	128	0.22	7.9
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	44	0.07	5.7
180	RESPIRATORY NEOPLASMS WITH MCC	71	0.12	7.2
181	RESPIRATORY NEOPLASMS WITH CC	55	0.09	6.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	12	0.02	3.8
183	MAJOR CHEST TRAUMA WITH MCC	11	0.02	4.7
184	MAJOR CHEST TRAUMA WITH CC	17	0.03	3.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	13	0.02	2.2
186	PLEURAL EFFUSION WITH MCC	43	0.07	6.6
187	PLEURAL EFFUSION WITH CC	27	0.05	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	10	0.02	4.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	184	0.31	6.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	534	0.90	5.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	384	0.65	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	433	0.73	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	412	0.70	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	849	1.44	4.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	520	0.88	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	11	0.02	7.9
197	INTERSTITIAL LUNG DISEASE WITH CC	9	0.02	7.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.01	5.6
199	PNEUMOTHORAX WITH MCC	18	0.03	11
200	PNEUMOTHORAX WITH CC	39	0.07	3.2
201	PNEUMOTHORAX WITHOUT CC/MCC	28	0.05	2.6
202	BRONCHITIS & ASTHMA WITH CC/MCC	269	0.46	3.2
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	587	0.99	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	100	0.17	2.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	35	0.06	5.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	77	0.13	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	144	0.24	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	282	0.48	6.7
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	25	0.04	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	35	0.06	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	7	0.01	9.4
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	27	0.05	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	68	0.12	7.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	19	0.03	6.2
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	8	0.01	16
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	9	0.02	5.2
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	7	0.01	5.4
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	10	0.02	5.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	16	0.03	5.9
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	51	0.09	2.9
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	15	0.03	21
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	19	0.03	12
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	8	0.01	5.4
231	CORONARY BYPASS WITH PTCA WITH MCC	12	0.02	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	12	0.02	12
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	69	0.12	18
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	175	0.30	9.5
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	20	0.03	16
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	63	0.11	6.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	75	0.13	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	82	0.14	4.9
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	32	0.05	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	23	0.04	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	4	0.01	11
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	54	0.09	7.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	89	0.15	4.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	98	0.17	2.7
245	AICD GENERATOR PROCEDURES	6	0.01	6.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	130	0.22	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	606	1.03	2.3
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	41	0.07	5.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	139	0.24	2.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	25	0.04	9.7
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	114	0.19	2.5
252	OTHER VASCULAR PROCEDURES WITH MCC	106	0.18	10
253	OTHER VASCULAR PROCEDURES WITH CC	116	0.20	6.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	121	0.21	2.3
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	10	0.02	10
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	13	0.02	8.8
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	2	0.00	6.5
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	19	0.03	1.4
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	7.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	4.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	6	0.01	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
263	VEIN LIGATION & STRIPPING	2	0.00	1.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	34	0.06	12
265	AICD LEAD PROCEDURES	3	0.01	9.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	207	0.35	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	111	0.19	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	138	0.23	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	29	0.05	7.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	3	0.01	.00
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.01	2.7
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	104	0.18	7.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	393	0.67	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	14	0.02	15
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	7	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	3.0
291	HEART FAILURE & SHOCK WITH MCC	602	1.02	5.6
292	HEART FAILURE & SHOCK WITH CC	396	0.67	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	255	0.43	3.0
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	5	0.01	8.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.00	2.5
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.00	2.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	.50

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	70	0.12	6.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	110	0.19	4.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	82	0.14	3.3
302	ATHEROSCLEROSIS WITH MCC	41	0.07	3.6
303	ATHEROSCLEROSIS WITHOUT MCC	205	0.35	2.3
304	HYPERTENSION WITH MCC	14	0.02	2.4
305	HYPERTENSION WITHOUT MCC	76	0.13	2.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	6	0.01	16
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	17	0.03	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	188	0.32	4.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	251	0.43	3.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	397	0.67	2.2
311	ANGINA PECTORIS	131	0.22	1.5
312	SYNCOPE & COLLAPSE	437	0.74	2.7
313	CHEST PAIN	1,175	1.99	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	159	0.27	7.3
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	84	0.14	3.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	43	0.07	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	54	0.09	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	49	0.08	7.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	81	0.14	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	152	0.26	19
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	258	0.44	8.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	94	0.16	5.2
332	RECTAL RESECTION WITH MCC	3	0.01	6.3
333	RECTAL RESECTION WITH CC	28	0.05	8.3
334	RECTAL RESECTION WITHOUT CC/MCC	12	0.02	5.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	21	0.04	11
336	PERITONEAL ADHESIOLYSIS WITH CC	67	0.11	7.9
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	40	0.07	4.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	15	0.03	9.9
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	60	0.10	5.7
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	108	0.18	3.7
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	12	0.02	7.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	59	0.10	3.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	413	0.70	1.5
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	6.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	26	0.04	6.5
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	16	0.03	3.3
347	ANAL & STOMAL PROCEDURES WITH MCC	9	0.02	8.7
348	ANAL & STOMAL PROCEDURES WITH CC	25	0.04	4.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	32	0.05	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	14	0.02	6.4
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	8	0.01	4.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	29	0.05	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	11	0.02	6.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	60	0.10	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	77	0.13	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	28	0.05	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	18	0.03	9.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	3.1
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	10	0.02	4.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	23	0.04	7.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	6	0.01	1.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	111	0.19	9.5
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	112	0.19	6.3
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	50	0.08	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	15	0.03	8.3
375	DIGESTIVE MALIGNANCY WITH CC	28	0.05	5.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	5	0.01	4.0
377	G.I. HEMORRHAGE WITH MCC	180	0.30	5.4
378	G.I. HEMORRHAGE WITH CC	328	0.56	3.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	167	0.28	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	14	0.02	9.7
381	COMPLICATED PEPTIC ULCER WITH CC	21	0.04	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	12	0.02	2.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.01	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	24	0.04	3.4
385	INFLAMMATORY BOWEL DISEASE WITH MCC	17	0.03	7.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	58	0.10	7.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	47	0.08	4.3
388	G.I. OBSTRUCTION WITH MCC	95	0.16	5.2
389	G.I. OBSTRUCTION WITH CC	148	0.25	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	157	0.27	2.7
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	197	0.33	4.2
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,014	1.72	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	84	0.14	9.1
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	149	0.25	4.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	102	0.17	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	34	0.06	16
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	27	0.05	7.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	7	0.01	4.1
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.02	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.02	8.7
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	8.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.01	12
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	14
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.00	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	13	0.02	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	31	0.05	6.4
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.04	4.2
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	109	0.18	6.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	164	0.28	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	312	0.53	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.00	29
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.00	16
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	10
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	8	0.01	18
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	3	0.01	32
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	91	0.15	6.0
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	44	0.07	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	4.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	43	0.07	6.5
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	32	0.05	6.9
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.01	6.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	106	0.18	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	147	0.25	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	181	0.31	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	125	0.21	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	95	0.16	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	46	0.08	2.6
444	DISORDERS OF THE BILIARY TRACT WITH MCC	43	0.07	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	39	0.07	4.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	54	0.09	2.4
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.01	9.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	19	0.03	7.9
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	29	0.05	4.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	6	0.01	13
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	12	0.02	9.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.02	5.7
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	6	0.01	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	151	0.26	4.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	21	0.04	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	18	0.03	32
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	36	0.06	15
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	12	0.02	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	9	0.02	13
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	42	0.07	6.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	48	0.08	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	82	0.14	6.9
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,266	2.15	3.5
471	CERVICAL SPINAL FUSION WITH MCC	6	0.01	11
472	CERVICAL SPINAL FUSION WITH CC	28	0.05	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	90	0.15	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	7	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	17	0.03	15
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	6	0.01	8.2
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.02	19
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	17	0.03	8.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	9	0.02	6.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	80	0.14	9.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	178	0.30	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	96	0.16	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	25	0.04	4.5
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	61	0.10	2.3
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	3	0.01	11
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	10	0.02	7.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.03	4.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	32	0.05	2.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	63	0.11	3.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	198	0.34	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	24	0.04	9.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	73	0.12	4.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	207	0.35	2.4
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.00	6.5
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	15	0.03	5.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	43	0.07	2.1
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	9	0.02	6.1
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	6	0.01	4.5
500	SOFT TISSUE PROCEDURES WITH MCC	6	0.01	12
501	SOFT TISSUE PROCEDURES WITH CC	42	0.07	5.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	46	0.08	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
503	FOOT PROCEDURES WITH MCC	3	0.01	9.3
504	FOOT PROCEDURES WITH CC	14	0.02	5.7
505	FOOT PROCEDURES WITHOUT CC/MCC	20	0.03	2.8
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	4.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	10	0.02	4.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	19	0.03	1.5
509	ARTHROSCOPY	4	0.01	8.5
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.00	7.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	15	0.03	2.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	61	0.10	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	12	0.02	2.1
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	16	0.03	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	23	0.04	9.9
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	52	0.09	4.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	46	0.08	2.6
533	FRACTURES OF FEMUR WITH MCC	2	0.00	15
534	FRACTURES OF FEMUR WITHOUT MCC	13	0.02	5.5
535	FRACTURES OF HIP & PELVIS WITH MCC	20	0.03	5.7
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	64	0.11	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	4	0.01	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
539	OSTEOMYELITIS WITH MCC	7	0.01	6.7
540	OSTEOMYELITIS WITH CC	20	0.03	8.8
541	OSTEOMYELITIS WITHOUT CC/MCC	6	0.01	9.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	10	0.02	16
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	28	0.05	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	13	0.02	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	15	0.03	7.1
546	CONNECTIVE TISSUE DISORDERS WITH CC	19	0.03	3.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	26	0.04	3.7
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	5.5
549	SEPTIC ARTHRITIS WITH CC	4	0.01	6.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.01	1.8
551	MEDICAL BACK PROBLEMS WITH MCC	38	0.06	5.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	183	0.31	3.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.01	4.3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	44	0.07	2.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	9	0.02	3.6
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	52	0.09	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	18	0.03	5.8
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	54	0.09	3.7
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	11	0.02	8.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	13	0.02	2.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	28	0.05	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	80	0.14	3.0
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	7	0.01	6.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	16	0.03	4.7
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	9	0.02	2.1
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	20	0.03	12
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	32	0.05	9.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	21	0.04	5.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.01	5.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.03	5.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	18	0.03	9.6
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	47	0.08	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	99	0.17	2.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	25	0.04	1.9
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	54	0.09	1.6
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	5	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	36	0.06	2.2
592	SKIN ULCERS WITH MCC	13	0.02	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
593	SKIN ULCERS WITH CC	33	0.06	6.3
594	SKIN ULCERS WITHOUT CC/MCC	3	0.01	3.3
595	MAJOR SKIN DISORDERS WITH MCC	5	0.01	10
596	MAJOR SKIN DISORDERS WITHOUT MCC	16	0.03	4.1
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	14
598	MALIGNANT BREAST DISORDERS WITH CC	4	0.01	3.0
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.01	1.3
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	8	0.01	2.6
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	7	0.01	4.9
602	CELLULITIS WITH MCC	121	0.21	7.2
603	CELLULITIS WITHOUT MCC	737	1.25	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	7	0.01	2.9
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	70	0.12	3.3
606	MINOR SKIN DISORDERS WITH MCC	8	0.01	3.3
607	MINOR SKIN DISORDERS WITHOUT MCC	31	0.05	4.1
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	12	0.02	4.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	16	0.03	2.4
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	7	0.01	25
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	25	0.04	8.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	3	0.01	3.3
620	O.R. PROCEDURES FOR OBESITY WITH CC	41	0.07	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	453	0.77	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	3	0.01	24
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	7	0.01	6.3
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	5.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	19	0.03	2.2
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	105	0.18	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	5	0.01	6.2
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	22	0.04	7.2
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
637	DIABETES WITH MCC	123	0.21	4.5
638	DIABETES WITH CC	200	0.34	3.8
639	DIABETES WITHOUT CC/MCC	213	0.36	2.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	200	0.34	4.2
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	557	0.94	3.1
642	INBORN ERRORS OF METABOLISM	8	0.01	6.4
643	ENDOCRINE DISORDERS WITH MCC	23	0.04	7.1
644	ENDOCRINE DISORDERS WITH CC	43	0.07	4.9
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	41	0.07	3.2
652	KIDNEY TRANSPLANT	39	0.07	6.4
654	MAJOR BLADDER PROCEDURES WITH CC	8	0.01	10
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	8	0.01	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	13	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	25	0.04	6.1
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	40	0.07	3.3
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	18	0.03	8.6
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	55	0.09	5.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	54	0.09	3.1
662	MINOR BLADDER PROCEDURES WITH MCC	5	0.01	11
663	MINOR BLADDER PROCEDURES WITH CC	9	0.02	3.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	14	0.02	1.8
665	PROSTATECTOMY WITH MCC	3	0.01	15
666	PROSTATECTOMY WITH CC	3	0.01	2.0
667	PROSTATECTOMY WITHOUT CC/MCC	5	0.01	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	14	0.02	7.6
669	TRANSURETHRAL PROCEDURES WITH CC	63	0.11	3.2
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	31	0.05	2.1
671	URETHRAL PROCEDURES WITH CC/MCC	5	0.01	3.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	35	0.06	17
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	31	0.05	11
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	10	0.02	2.7
682	RENAL FAILURE WITH MCC	204	0.35	7.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
683	RENAL FAILURE WITH CC	353	0.60	4.4
684	RENAL FAILURE WITHOUT CC/MCC	85	0.14	3.4
685	ADMIT FOR RENAL DIALYSIS	7	0.01	3.9
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	5	0.01	11
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	4	0.01	13
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	6	0.01	1.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	207	0.35	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	622	1.05	3.6
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.01	5.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.00	1.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	16	0.03	3.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	76	0.13	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	26	0.04	2.3
697	URETHRAL STRICTURE	2	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	99	0.17	6.5
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	100	0.17	4.6
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	38	0.06	2.1
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	14	0.02	4.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	55	0.09	2.2
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	1.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.02	3.4
711	TESTES PROCEDURES WITH CC/MCC	3	0.01	4.0
712	TESTES PROCEDURES WITHOUT CC/MCC	6	0.01	1.8
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	31	0.05	6.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	90	0.15	1.8
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	7.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	2.5
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.00	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	2.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	4.7
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	13
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	6	0.01	2.8
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	6.2
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	25	0.04	3.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.01	2.3
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	11	0.02	5.2
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	3	0.01	2.3
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	18	0.03	5.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	3.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.00	11
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	22	0.04	4.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	31	0.05	2.4
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	174	0.29	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	903	1.53	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	12	0.02	3.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	21	0.04	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	11	0.02	3.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	33	0.06	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	164	0.28	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.01	6.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	11	0.02	1.9
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	5.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	8	0.01	2.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.5
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.01	6.6
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	12	0.02	3.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	14	0.02	3.6
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	16	0.03	2.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	24	0.04	2.0
765	CESAREAN SECTION WITH CC/MCC	693	1.17	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
766	CESAREAN SECTION WITHOUT CC/MCC	1,876	3.18	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	321	0.54	2.0
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	2.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	32	0.05	3.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	23	0.04	.96
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	386	0.65	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,547	7.70	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	58	0.10	3.2
777	ECTOPIC PREGNANCY	45	0.08	1.7
778	THREATENED ABORTION	80	0.14	1.9
779	ABORTION WITHOUT D&C	28	0.05	1.5
780	FALSE LABOR	16	0.03	.13
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	349	0.59	3.1
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	69	0.12	3.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	117	0.20	4.9
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	156	0.26	29
791	PREMATURITY WITH MAJOR PROBLEMS	122	0.21	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	326	0.55	7.1
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	316	0.54	8.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,004	1.70	2.5
795	NORMAL NEWBORN	6,275	10.63	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
799	SPLENECTOMY WITH MCC	2	0.00	6.0
800	SPLENECTOMY WITH CC	5	0.01	5.2
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	5	0.01	3.8
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.01	2.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	28	0.05	8.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	65	0.11	4.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.02	3.7
811	RED BLOOD CELL DISORDERS WITH MCC	74	0.13	3.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	224	0.38	2.9
813	COAGULATION DISORDERS	47	0.08	4.1
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	9	0.02	4.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	13	0.02	4.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	18	0.03	2.5
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	5	0.01	26
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	6	0.01	10
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	13	0.02	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	14	0.02	6.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	10	0.02	4.3
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	4	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.01	6.6
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	3.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	9	0.02	12
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	19	0.03	16
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	14	0.02	8.7
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	12	0.02	9.9
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	8	0.01	27
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	21	0.04	15
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	30	0.05	4.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	28	0.05	15
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	30	0.05	7.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	15	0.03	3.2
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	8.8
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.01	4.2
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	3.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	11	0.02	9.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	167	0.28	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	5	0.01	5.0
849	RADIOTHERAPY	2	0.00	8.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	161	0.27	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	23	0.04	9.9
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	28	0.05	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	64	0.11	7.4
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	16	0.03	5.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	36	0.06	7.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	124	0.21	4.8
864	FEVER	106	0.18	3.2
865	VIRAL ILLNESS WITH MCC	15	0.03	9.1
866	VIRAL ILLNESS WITHOUT MCC	76	0.13	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	29	0.05	12
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	8	0.01	7.1
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	4	0.01	4.8
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	93	0.16	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	929	1.57	7.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	271	0.46	5.3
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	36	0.06	2.9
881	DEPRESSIVE NEUROSES	9	0.02	3.0
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	1.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	11	0.02	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	38	0.06	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	43	0.07	4.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.00	27
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	11
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	19	0.03	2.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	45	0.08	4.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	138	0.23	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	5	0.01	18
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	17	0.03	7.9
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	5	0.01	7.2
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.02	16
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.01	5.3
906	HAND PROCEDURES FOR INJURIES	16	0.03	3.8
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	31	0.05	8.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	46	0.08	6.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	50	0.08	2.2
913	TRAUMATIC INJURY WITH MCC	2	0.00	6.0
914	TRAUMATIC INJURY WITHOUT MCC	32	0.05	2.2
915	ALLERGIC REACTIONS WITH MCC	8	0.01	5.1
916	ALLERGIC REACTIONS WITHOUT MCC	25	0.04	1.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	172	0.29	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	315	0.53	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	30	0.05	6.5
920	COMPLICATIONS OF TREATMENT WITH CC	47	0.08	3.6
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	43	0.07	2.7
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	8	0.01	4.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	12	0.02	1.7
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	4	0.01	21
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.00	2.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.01	3.6
935	NON-EXTENSIVE BURNS	21	0.04	5.9
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	11
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	13	0.02	2.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	16	0.03	2.6
945	REHABILITATION WITH CC/MCC	11	0.02	20
946	REHABILITATION WITHOUT CC/MCC	9	0.02	12
947	SIGNS & SYMPTOMS WITH MCC	32	0.05	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	173	0.29	3.5
949	AFTERCARE WITH CC/MCC	10	0.02	3.6
950	AFTERCARE WITHOUT CC/MCC	2	0.00	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	25	0.04	7.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.01	41

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	28	0.05	17
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	25	0.04	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	34	0.06	7.5
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.02	3.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	17	0.03	10
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	43	0.07	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.03	2.7
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.00	34
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	18	0.03	10
975	HIV WITH MAJOR RELATED CONDITION WITH CC	23	0.04	6.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	6	0.01	3.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	12	0.02	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	105	0.18	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	70	0.12	7.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	34	0.06	3.4
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	3.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.01	14
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	22	0.04	19
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	44	0.07	7.3

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	21	0.04	2.1
All		59,019	100.0	4.3

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	2	7.41	3.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	3.70	6.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	5	18.52	11
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	19	70.37	11
All		27	100.0	10

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.76	46
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.76	4.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.76	7.0
945	REHABILITATION WITH CC/MCC	115	87.79	19
946	REHABILITATION WITHOUT CC/MCC	13	9.92	8.2
All		131	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	13	0.41	8.8
101	SEIZURES WITHOUT MCC	1	0.03	6.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.03	10
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	0.03	2.0
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.03	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	7	0.22	4.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	15	0.48	3.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	12	0.38	2.6
881	DEPRESSIVE NEUROSES	243	7.73	2.4
882	NEUROSES EXCEPT DEPRESSIVE	151	4.80	2.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	34	1.08	6.7
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	5	0.16	5.6
885	PSYCHOSES	2,488	79.13	5.1
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	19	0.60	3.9
887	OTHER MENTAL DISORDER DIAGNOSIS	3	0.10	4.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.03	5.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.06	4.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	143	4.55	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	4	0.13	1.8
All		3,144	100.0	4.7

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.11	29
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	2	0.22	64
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	9	1.00	365
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.11	552
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.11	15
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	2	0.22	17
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	3	0.33	27
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.11	726
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.11	9.0
100	SEIZURES WITH MCC	1	0.11	17
101	SEIZURES WITHOUT MCC	6	0.67	306
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.11	7.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.11	3E3
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.11	310
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.11	212
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	1	0.11	72
181	RESPIRATORY NEOPLASMS WITH CC	1	0.11	4.0
186	PLEURAL EFFUSION WITH MCC	1	0.11	26
189	PULMONARY EDEMA & RESPIRATORY FAILURE	7	0.78	908
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.11	6.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	3	0.33	275

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	0.11	178
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	5	0.56	24
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	7	0.78	138
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	4	0.44	19
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.22	565
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.11	11
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	9	1.00	39
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.11	27
291	HEART FAILURE & SHOCK WITH MCC	2	0.22	11
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	2	0.22	1E3
302	ATHEROSCLEROSIS WITH MCC	1	0.11	53
303	ATHEROSCLEROSIS WITHOUT MCC	3	0.33	9.3
305	HYPERTENSION WITHOUT MCC	2	0.22	1E3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.11	7.0
312	SYNCOPE & COLLAPSE	1	0.11	15
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.11	28
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.11	36
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	1	0.11	7.0
377	G.I. HEMORRHAGE WITH MCC	2	0.22	775
386	INFLAMMATORY BOWEL DISEASE WITH CC	1	0.11	55
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	2	0.22	32

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.22	47
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.22	9.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.11	22
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.11	43
539	OSTEOMYELITIS WITH MCC	1	0.11	964
540	OSTEOMYELITIS WITH CC	1	0.11	38
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.11	22
549	SEPTIC ARTHRITIS WITH CC	1	0.11	43
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.11	15
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	5	0.56	461
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	8	0.89	73
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	10	1.11	102
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.11	23
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.11	150
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.67	32
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	17	1.89	77
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	16	1.78	23
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	1	0.11	55
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.11	57
592	SKIN ULCERS WITH MCC	3	0.33	253
593	SKIN ULCERS WITH CC	2	0.22	59

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	1	0.11	8.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.11	1.0
602	CELLULITIS WITH MCC	3	0.33	508
603	CELLULITIS WITHOUT MCC	3	0.33	35
637	DIABETES WITH MCC	1	0.11	43
638	DIABETES WITH CC	2	0.22	22
639	DIABETES WITHOUT CC/MCC	1	0.11	4.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.11	8.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	4	0.44	21
644	ENDOCRINE DISORDERS WITH CC	2	0.22	118
683	RENAL FAILURE WITH CC	2	0.22	4.5
684	RENAL FAILURE WITHOUT CC/MCC	2	0.22	190
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	2	0.22	186
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	9	1.00	141
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.11	908
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.11	13
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.11	10
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.11	66
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.11	56
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.11	6.0
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.11	50

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	5	0.56	444
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	0.22	24
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.33	449
885	PSYCHOSES	2	0.22	86
913	TRAUMATIC INJURY WITH MCC	1	0.11	12
920	COMPLICATIONS OF TREATMENT WITH CC	3	0.33	49
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.22	43
945	REHABILITATION WITH CC/MCC	387	43.05	48
946	REHABILITATION WITHOUT CC/MCC	251	27.92	23
948	SIGNS & SYMPTOMS WITHOUT MCC	2	0.22	12
949	AFTERCARE WITH CC/MCC	12	1.33	22
950	AFTERCARE WITHOUT CC/MCC	4	0.44	21
951	OTHER FACTORS INFLUENCING HEALTH STATUS	5	0.56	88
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.11	17
All		899	100.0	78

**MDC by Patient County of Residence
for 2009
Stanislaus County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,140	4.97	7.4
02	EYE, DISEASES & DISORDERS	66	0.10	2.7
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	624	0.99	7.7
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,107	9.66	7.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8,463	13.39	5.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	5,116	8.09	5.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,838	2.91	5.3
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	4,431	7.01	5.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,487	2.35	6.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,166	3.43	3.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,386	3.77	6.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	272	0.43	3.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,518	2.40	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	8,556	13.53	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,319	13.16	3.3
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	521	0.82	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	466	0.74	8.7
18	INFECTIOUS & PARASITIC DISEASES	2,012	3.18	10
19	MENTAL DISEASES & DISORDERS	3,105	4.91	5.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	374	0.59	4.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	899	1.42	3.9
22	BURNS	31	0.05	7.3

(Continued)

*MDC by Patient County of Residence
for 2009
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,084	1.71	27
24	MULTIPLE SIGNFICANT TRAUMA	178	0.28	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	61	0.10	8.0
All		63,220	100.0	5.4

**MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,097	5.25	5.2
02	EYE, DISEASES & DISORDERS	65	0.11	2.6
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	623	1.06	3.3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,062	10.27	5.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8,449	14.32	4.4
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	5,104	8.65	5.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,835	3.11	5.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	4,360	7.39	4.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,474	2.50	4.4
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,155	3.65	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,368	4.01	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	271	0.46	3.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,518	2.57	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	8,533	14.46	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,319	14.10	3.3
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	520	0.88	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	466	0.79	8.7
18	INFECTIOUS & PARASITIC DISEASES	2,002	3.39	9.0
19	MENTAL DISEASES & DISORDERS	143	0.24	4.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	203	0.34	3.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	891	1.51	3.8

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	31	0.05	7.3
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	292	0.49	4.7
24	MULTIPLE SIGNFICANT TRAUMA	177	0.30	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	61	0.10	8.0
All		59,019	100.0	4.3

***MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	2	7.41	3.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	25	92.59	11
All		27	100.0	10

***MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.76	46
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.76	4.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	129	98.47	18
All		131	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	14	0.45	8.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.03	10
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.03	2.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	23	0.73	3.8
19	MENTAL DISEASES & DISORDERS	2,955	93.99	4.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	146	4.64	3.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	4	0.13	1.8
All		3,144	100.0	4.7

**MDC by Patient County of Residence
and Type of Care for 2009
Stanislaus County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	28	3.11	240
02	EYE, DISEASES & DISORDERS	1	0.11	7.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.11	3E3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	45	5.01	236
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	14	1.56	369
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	12	1.33	154
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.11	43
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	71	7.90	100
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	13	1.45	193
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	11	1.22	38
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	17	1.89	174
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.11	10
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.11	66
18	INFECTIOUS & PARASITIC DISEASES	10	1.11	238
19	MENTAL DISEASES & DISORDERS	5	0.56	303
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	4	0.44	40
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	663	73.75	38
24	MULTIPLE SIGNFICANT TRAUMA	1	0.11	17
All		899	100.0	78