

**Type of Care by Patient County of Residence
for 2010
Stanislaus County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	57,085	93.16	4.4
Chemical Dependency Recovery Care	32	0.05	5.1
Physical Rehabilitation Care	143	0.23	19
Psychiatric Care	3,197	5.22	4.5
Skilled Nursing/Intermediate Care	818	1.33	91
All	61,275	100.0	5.5

***Disposition by Patient County of Residence
for 2010
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	3	0.01	6.3
01 - Routine (Home)	43,869	76.85	3.4
02 - Acute Care within the admitting hospital	5	0.01	3.6
03 - Other Care with the admitting hospital	82	0.14	5.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	639	1.12	7.6
05 - Acute Care at another hospital	1,472	2.58	5.7
06 - Other Care (not SN/IC) at another hospital	563	0.99	8.7
07 - SN/IC at another facility	4,025	7.05	8.0
08 - Residential Care facility	228	0.40	6.8
09 - Prison/Jail	48	0.08	3.5
10 - Left Against Medical Advice	474	0.83	3.4
11 - Died	1,117	1.96	9.9
12 - Home Health Service	4,432	7.76	7.1
13 - Other	128	0.22	9.7
All	57,085	100.0	4.4

***Disposition by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	28	87.50	5.3
02 - Acute Care within the admitting hospital	2	6.25	3.5
03 - Other Care with the admitting hospital	1	3.13	6.0
06 - Other Care (not SN/IC) at another hospital	1	3.13	3.0
All	32	100.0	5.1

***Disposition by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	80	55.94	19
02 - Acute Care within the admitting hospital	8	5.59	7.9
05 - Acute Care at another hospital	7	4.90	15
06 - Other Care (not SN/IC) at another hospital	1	0.70	7.0
07 - SN/IC at another facility	11	7.69	23
12 - Home Health Service	36	25.17	19
All	143	100.0	19

***Disposition by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,941	91.99	4.0
02 - Acute Care within the admitting hospital	12	0.38	12
05 - Acute Care at another hospital	14	0.44	13
06 - Other Care (not SN/IC) at another hospital	21	0.66	13
07 - SN/IC at another facility	36	1.13	14
08 - Residential Care facility	141	4.41	8.2
09 - Prison/Jail	7	0.22	23
10 - Left Against Medical Advice	15	0.47	4.9
12 - Home Health Service	2	0.06	1.0
13 - Other	8	0.25	12
All	3,197	100.0	4.5

***Disposition by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	117	14.30	24
02 - Acute Care within the admitting hospital	183	22.37	190
03 - Other Care with the admitting hospital	3	0.37	12
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.12	2E3
05 - Acute Care at another hospital	22	2.69	148
06 - Other Care (not SN/IC) at another hospital	18	2.20	40
07 - SN/IC at another facility	29	3.55	207
08 - Residential Care facility	40	4.89	46
10 - Left Against Medical Advice	6	0.73	16
11 - Died	55	6.72	300
12 - Home Health Service	340	41.56	19
13 - Other	4	0.49	13
All	818	100.0	91

***Gender by Patient County of Residence
for 2010
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	25,002	40.80	5.7
2 - Female	36,270	59.19	5.5
4 - Unknown	3	0.00	.67
All	61,275	100.0	5.5

***Gender by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	22,966	40.23	4.8
2 - Female	34,116	59.76	4.0
4 - Unknown	3	0.01	.67
All	57,085	100.0	4.4

***Gender by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	21	65.63	4.8
2 - Female	11	34.38	5.8
All	32	100.0	5.1

***Gender by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	66	46.15	19
2 - Female	77	53.85	18
All	143	100.0	19

***Gender by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,634	51.11	4.4
2 - Female	1,563	48.89	4.6
All	3,197	100.0	4.5

***Gender by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	315	38.51	71
2 - Female	503	61.49	103
All	818	100.0	91

***Expected Payer by Patient County of Residence
for 2010
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	3.0
01 - Medicare	19,785	32.29	6.6
02 - Medi-Cal	17,869	29.16	6.4
03 - Private Coverage	18,594	30.35	3.7
04 - Workers' Compensatio	321	0.52	3.7
05 - County Indigent Prog	1,468	2.40	4.2
06 - Other Government	1,101	1.80	4.5
07 - Other Indigent	127	0.21	3.6
08 - Self-Pay	1,572	2.57	6.6
09 - Other Payer	437	0.71	5.9
All	61,275	100.0	5.5

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	3.0
01 - Medicare	19,087	33.44	5.5
02 - Medi-Cal	16,060	28.13	4.1
03 - Private Coverage	17,886	31.33	3.4
04 - Workers' Compensatio	314	0.55	3.4
05 - County Indigent Prog	655	1.15	5.1
06 - Other Government	1,058	1.85	4.5
07 - Other Indigent	126	0.22	3.5
08 - Self-Pay	1,471	2.58	3.7
09 - Other Payer	427	0.75	5.8
All	57,085	100.0	4.4

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1	3.13	28
02 - Medi-Cal	5	15.63	2.6
03 - Private Coverage	8	25.00	4.4
05 - County Indigent Prog	12	37.50	1.7
06 - Other Government	3	9.38	11
08 - Self-Pay	3	9.38	12
All	32	100.0	5.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	46	32.17	16
02 - Medi-Cal	44	30.77	20
03 - Private Coverage	47	32.87	21
04 - Workers' Compensatio	2	1.40	17
06 - Other Government	3	2.10	10
08 - Self-Pay	1	0.70	7.0
All	143	100.0	19

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	104	3.25	11
02 - Medi-Cal	1,600	50.05	4.7
03 - Private Coverage	605	18.92	4.3
04 - Workers' Compensatio	1	0.03	2.0
05 - County Indigent Prog	801	25.05	3.5
06 - Other Government	37	1.16	3.5
08 - Self-Pay	41	1.28	3.3
09 - Other Payer	8	0.25	4.3
All	3,197	100.0	4.5

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	547	66.87	45
02 - Medi-Cal	160	19.56	248
03 - Private Coverage	48	5.87	104
04 - Workers' Compensatio	4	0.49	16
07 - Other Indigent	1	0.12	6.0
08 - Self-Pay	56	6.85	82
09 - Other Payer	2	0.24	15
All	818	100.0	91

***Race Group by Patient County of Residence
for 2010
Stanislaus County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	672	1.10	13
1 - White	37,079	60.51	6.1
2 - Black	1,874	3.06	5.0
3 - Hispanic	17,280	28.20	4.3
4 - Asian/Pacific Islander	1,823	2.98	4.3
5 - Native American/Eskimo/Ale	85	0.14	5.3
6 - Other	2,462	4.02	6.1
All	61,275	100.0	5.5

***Race Group by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	524	0.92	5.4
1 - White	34,055	59.66	4.5
2 - Black	1,697	2.97	4.7
3 - Hispanic	16,652	29.17	3.9
4 - Asian/Pacific Islander	1,767	3.10	4.1
5 - Native American/Eskimo/Ale	72	0.13	4.8
6 - Other	2,318	4.06	4.8
All	57,085	100.0	4.4

***Race Group by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3	9.38	1.7
1 - White	23	71.88	6.3
3 - Hispanic	6	18.75	2.3
All	32	100.0	5.1

***Race Group by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	8	5.59	18
1 - White	83	58.04	18
2 - Black	7	4.90	23
3 - Hispanic	34	23.78	19
4 - Asian/Pacific Islander	9	6.29	21
6 - Other	2	1.40	19
All	143	100.0	19

***Race Group by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	133	4.16	3.9
1 - White	2,273	71.10	4.4
2 - Black	160	5.00	5.9
3 - Hispanic	503	15.73	4.3
4 - Asian/Pacific Islander	39	1.22	4.8
5 - Native American/Eskimo/Ale	13	0.41	7.7
6 - Other	76	2.38	5.9
All	3,197	100.0	4.5

***Race Group by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4	0.49	1E3
1 - White	645	78.85	91
2 - Black	10	1.22	30
3 - Hispanic	85	10.39	76
4 - Asian/Pacific Islander	8	0.98	18
6 - Other	66	8.07	50
All	818	100.0	91

**Source of Admission by Patient County of Residence
for 2010
Stanislaus County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	47,701	77.85	4.4
2 - Residential Care Facility	284	0.46	7.8
3 - Ambulatory Surgery	237	0.39	2.5
4 - Skilled Nursing/Intermedia	1,284	2.10	9.3
5 - Acute Inpatient Hospital C	2,306	3.76	34
6 - Other Inpatient Hospital C	126	0.21	24
7 - Newborn (born in admitting	7,745	12.64	3.0
8 - Prison/Jail	561	0.92	4.5
9 - Other	1,031	1.68	5.6
All	61,275	100.0	5.5

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	45,397	79.53	4.3
2 - Residential Care Facility	226	0.40	6.9
3 - Ambulatory Surgery	236	0.41	2.5
4 - Skilled Nursing/Intermedia	1,265	2.22	7.7
5 - Acute Inpatient Hospital C	1,277	2.24	9.6
6 - Other Inpatient Hospital C	98	0.17	5.8
7 - Newborn (born in admitting	7,745	13.57	3.0
8 - Prison/Jail	36	0.06	4.9
9 - Other	805	1.41	6.0
All	57,085	100.0	4.4

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	27	84.38	5.6
5 - Acute Inpatient Hospital C	1	3.13	7.0
8 - Prison/Jail	4	12.50	1.3
All	32	100.0	5.1

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	6	4.20	11
4 - Skilled Nursing/Intermedia	3	2.10	32
5 - Acute Inpatient Hospital C	125	87.41	19
6 - Other Inpatient Hospital C	8	5.59	21
9 - Other	1	0.70	9.0
All	143	100.0	19

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,239	70.03	4.3
2 - Residential Care Facility	56	1.75	11
4 - Skilled Nursing/Intermedia	12	0.38	15
5 - Acute Inpatient Hospital C	141	4.41	5.1
6 - Other Inpatient Hospital C	5	0.16	4.8
8 - Prison/Jail	521	16.30	4.5
9 - Other	223	6.98	4.0
All	3,197	100.0	4.5

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	32	3.91	212
2 - Residential Care Facility	2	0.24	18
3 - Ambulatory Surgery	1	0.12	8.0
4 - Skilled Nursing/Intermedia	4	0.49	490
5 - Acute Inpatient Hospital C	762	93.15	83
6 - Other Inpatient Hospital C	15	1.83	147
9 - Other	2	0.24	11
All	818	100.0	91

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.00	19
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	20
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	60	0.10	70
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	51	0.08	59
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	8	0.01	28
006	LIVER TRANSPLANT WITHOUT MCC	1	0.00	8.0
007	LUNG TRANSPLANT	1	0.00	10
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.00	8.0
009	BONE MARROW TRANSPLANT	13	0.02	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	12	0.02	21
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.00	22
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.00	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	9	0.01	16
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	5	0.01	13
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	10	0.02	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	20
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	58	0.09	10
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	59	0.10	7.1
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	60	0.10	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	6	0.01	6.3
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	22	0.04	6.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	23	0.04	3.8
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	9	0.01	12
032	VENTRICULAR SHUNT PROCEDURES WITH CC	10	0.02	3.9
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	3.9
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.01	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	4	0.01	1.3
037	EXTRACRANIAL PROCEDURES WITH MCC	19	0.03	8.0
038	EXTRACRANIAL PROCEDURES WITH CC	44	0.07	4.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	146	0.24	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	22	0.04	9.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	33	0.05	8.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.02	3.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	10	0.02	14
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	5	0.01	2.2
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	30	0.05	4.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	44	0.07	4.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	27	0.04	9.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	111	0.18	50
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.00	19
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	9	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	14	0.02	3.2
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	5	0.01	5.4
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.01	6.2
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	6.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	203	0.33	17
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	319	0.52	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	167	0.27	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.01	4.5
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	26	0.04	3.9
069	TRANSIENT ISCHEMIA	258	0.42	2.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	24	0.04	10
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	15	0.02	6.9
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	11	0.02	3.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	22	0.04	9.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	79	0.13	4.1
075	VIRAL MENINGITIS WITH CC/MCC	32	0.05	5.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	71	0.12	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	5	0.01	6.6
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	4	0.01	4.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	41	0.07	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	64	0.10	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.01	18
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.01	5.2
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	12	0.02	2.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	22	0.04	8.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	59	0.10	4.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	91	0.15	2.6
088	CONCUSSION WITH MCC	1	0.00	3.0
089	CONCUSSION WITH CC	18	0.03	3.7
090	CONCUSSION WITHOUT CC/MCC	14	0.02	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	38	0.06	5.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	52	0.08	11
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	50	0.08	2.4
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	9	0.01	58
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	18	0.03	9.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.01	4.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.01	5.3
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.02	9.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	5	0.01	6.2
100	SEIZURES WITH MCC	73	0.12	5.4
101	SEIZURES WITHOUT MCC	278	0.45	2.9
102	HEADACHES WITH MCC	12	0.02	4.6
103	HEADACHES WITHOUT MCC	97	0.16	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.00	2.5
114	ORBITAL PROCEDURES WITHOUT CC/MCC	8	0.01	2.9
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.00	8.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	1.8
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	6	0.01	3.8
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	3.1
123	NEUROLOGICAL EYE DISORDERS	10	0.02	2.1
124	OTHER DISORDERS OF THE EYE WITH MCC	7	0.01	4.1
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	23	0.04	34
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.01	5.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	13	0.02	6.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.06	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	19	0.03	2.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	73	0.12	2.1
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.00	1.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.00	2.7
137	MOUTH PROCEDURES WITH CC/MCC	7	0.01	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	11	0.02	1.8
139	SALIVARY GLAND PROCEDURES	3	0.00	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.00	12
149	DYSEQUILIBRIUM	48	0.08	2.5
150	EPISTAXIS WITH MCC	6	0.01	3.8
151	EPISTAXIS WITHOUT MCC	16	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	14	0.02	2.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	121	0.20	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	7.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	27	0.04	3.8
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	32	0.05	2.2
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	5.0
158	DENTAL & ORAL DISEASES WITH CC	27	0.04	4.7
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	30	0.05	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	46	0.08	16
164	MAJOR CHEST PROCEDURES WITH CC	68	0.11	6.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	51	0.08	5.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	50	0.08	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	42	0.07	6.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.02	4.7
175	PULMONARY EMBOLISM WITH MCC	70	0.11	6.5
176	PULMONARY EMBOLISM WITHOUT MCC	116	0.19	4.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	130	0.21	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	104	0.17	7.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	40	0.07	14
180	RESPIRATORY NEOPLASMS WITH MCC	45	0.07	8.7
181	RESPIRATORY NEOPLASMS WITH CC	77	0.13	13
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	7	0.01	5.6
183	MAJOR CHEST TRAUMA WITH MCC	11	0.02	3.4
184	MAJOR CHEST TRAUMA WITH CC	24	0.04	3.2
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.01	1.7
186	PLEURAL EFFUSION WITH MCC	33	0.05	8.9
187	PLEURAL EFFUSION WITH CC	37	0.06	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	10	0.02	3.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	202	0.33	6.3
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	480	0.78	4.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	409	0.67	5.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	359	0.59	4.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	381	0.62	6.6
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	767	1.25	6.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	422	0.69	4.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	14	0.02	11
197	INTERSTITIAL LUNG DISEASE WITH CC	16	0.03	5.6
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	4	0.01	4.0
199	PNEUMOTHORAX WITH MCC	14	0.02	8.7
200	PNEUMOTHORAX WITH CC	36	0.06	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	35	0.06	3.9
202	BRONCHITIS & ASTHMA WITH CC/MCC	249	0.41	3.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	602	0.98	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	71	0.12	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	17	0.03	3.2
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	76	0.12	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	126	0.21	49
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	244	0.40	8.2
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	10
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	33	0.05	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	26	0.04	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	12
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	41	0.07	16
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	65	0.11	7.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	14	0.02	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	13	0.02	19
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.01	9.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	8	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	20	0.03	4.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	12	0.02	17
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	50	0.08	3.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	18	0.03	20

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	13	0.02	13
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.00	7.0
231	CORONARY BYPASS WITH PTCA WITH MCC	7	0.01	8.3
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	10	0.02	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	50	0.08	17
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	141	0.23	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	20	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	85	0.14	7.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	58	0.09	9.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	95	0.16	5.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	19	0.03	22
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	27	0.04	8.7
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	10
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	52	0.08	9.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	83	0.14	5.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	83	0.14	3.7
245	AICD GENERATOR PROCEDURES	1	0.00	3.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	129	0.21	5.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	447	0.73	2.6
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	35	0.06	7.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	103	0.17	3.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	26	0.04	6.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	102	0.17	3.3
252	OTHER VASCULAR PROCEDURES WITH MCC	112	0.18	9.1
253	OTHER VASCULAR PROCEDURES WITH CC	113	0.18	6.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	106	0.17	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	11	0.02	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	10	0.02	11
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	6.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.01	.75
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	9.3
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	6.8
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	5	0.01	3.0
263	VEIN LIGATION & STRIPPING	6	0.01	4.3
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	47	0.08	9.4
265	AICD LEAD PROCEDURES	3	0.00	4.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	165	0.27	5.6
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	118	0.19	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	118	0.19	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	27	0.04	5.5
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.00	4.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	104	0.17	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	484	0.79	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	3	0.00	9.7
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.00	8.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	8.0
291	HEART FAILURE & SHOCK WITH MCC	567	0.93	6.5
292	HEART FAILURE & SHOCK WITH CC	426	0.70	4.6
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	227	0.37	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.00	4.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	5.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	3	0.00	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	49	0.08	6.6
300	PERIPHERAL VASCULAR DISORDERS WITH CC	123	0.20	4.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	84	0.14	3.2
302	ATHEROSCLEROSIS WITH MCC	36	0.06	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	138	0.23	15
304	HYPERTENSION WITH MCC	6	0.01	2.3
305	HYPERTENSION WITHOUT MCC	84	0.14	68
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.01	5.6
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	20	0.03	3.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	164	0.27	4.6
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	250	0.41	12
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	327	0.53	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
311	ANGINA PECTORIS	125	0.20	1.8
312	SYNCOPE & COLLAPSE	369	0.60	2.8
313	CHEST PAIN	1,137	1.86	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	147	0.24	6.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	96	0.16	4.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	36	0.06	3.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	63	0.10	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	51	0.08	9.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	69	0.11	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	149	0.24	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	258	0.42	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	105	0.17	5.3
332	RECTAL RESECTION WITH MCC	3	0.00	17
333	RECTAL RESECTION WITH CC	25	0.04	9.4
334	RECTAL RESECTION WITHOUT CC/MCC	15	0.02	5.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	23	0.04	15
336	PERITONEAL ADHESIOLYSIS WITH CC	57	0.09	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	38	0.06	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	9.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	56	0.09	6.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	106	0.17	3.4
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	6	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	41	0.07	3.3
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	418	0.68	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	7	0.01	8.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	22	0.04	9.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	23	0.04	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	8	0.01	9.9
348	ANAL & STOMAL PROCEDURES WITH CC	27	0.04	5.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	55	0.09	2.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	6.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	14	0.02	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	42	0.07	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	17	0.03	12
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	50	0.08	4.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	76	0.12	2.3
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	32	0.05	15
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.03	7.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	16	0.03	3.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	11	0.02	6.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	23	0.04	4.7
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	10	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	104	0.17	7.7
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	105	0.17	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	41	0.07	4.1
374	DIGESTIVE MALIGNANCY WITH MCC	27	0.04	8.7
375	DIGESTIVE MALIGNANCY WITH CC	36	0.06	5.5
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	10	0.02	1.7
377	G.I. HEMORRHAGE WITH MCC	145	0.24	5.5
378	G.I. HEMORRHAGE WITH CC	323	0.53	4.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	168	0.27	2.7
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.01	6.1
381	COMPLICATED PEPTIC ULCER WITH CC	32	0.05	5.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	13	0.02	3.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.00	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	28	0.05	4.3
385	INFLAMMATORY BOWEL DISEASE WITH MCC	10	0.02	6.1
386	INFLAMMATORY BOWEL DISEASE WITH CC	32	0.05	5.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	49	0.08	5.1
388	G.I. OBSTRUCTION WITH MCC	67	0.11	6.6
389	G.I. OBSTRUCTION WITH CC	132	0.22	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	137	0.22	3.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	201	0.33	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	985	1.61	3.3
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	56	0.09	7.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	144	0.24	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	111	0.18	3.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	21	0.03	25
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	24	0.04	8.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.01	6.5
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.01	8.6
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.00	7.7
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	26
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.00	9.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.00	5.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	16	0.03	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	40	0.07	5.3
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	18	0.03	3.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	100	0.16	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	240	0.39	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	313	0.51	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.00	8.3
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	4	0.01	5.0
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	6.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	8	0.01	7.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	3.8
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	90	0.15	5.8
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	45	0.07	4.8
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	3	0.00	2.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	37	0.06	7.6
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	21	0.03	6.5
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	8	0.01	4.6
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	94	0.15	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	174	0.28	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	187	0.31	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	166	0.27	8.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	108	0.18	6.0
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	43	0.07	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	50	0.08	5.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	44	0.07	4.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	46	0.08	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	7	0.01	16
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	23	0.04	6.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	20	0.03	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	8.8
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	13	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	12	0.02	5.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	10	0.02	7.7
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	133	0.22	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	3.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	19	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	20	0.03	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	32	0.05	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	23	0.04	4.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	11	0.02	6.1
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	45	0.07	4.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	53	0.09	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	71	0.12	7.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,285	2.10	3.4
471	CERVICAL SPINAL FUSION WITH MCC	7	0.01	9.6
472	CERVICAL SPINAL FUSION WITH CC	35	0.06	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	94	0.15	2.1
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	8	0.01	18
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	16	0.03	9.4
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	10	0.02	4.5
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	11	0.02	15
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	20	0.03	9.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	9	0.01	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	73	0.12	8.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	184	0.30	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	111	0.18	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	33	0.05	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	70	0.11	1.7
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	22
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.01	9.7
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	6.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	12	0.02	6.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	43	0.07	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	68	0.11	4.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	173	0.28	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	30	0.05	8.7
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	99	0.16	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	205	0.33	2.4
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	6	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	21	0.03	5.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	34	0.06	2.6
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	5	0.01	7.6
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	5	0.01	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	10	0.02	13
501	SOFT TISSUE PROCEDURES WITH CC	37	0.06	5.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	47	0.08	2.9
503	FOOT PROCEDURES WITH MCC	1	0.00	10
504	FOOT PROCEDURES WITH CC	11	0.02	9.7
505	FOOT PROCEDURES WITHOUT CC/MCC	16	0.03	2.3
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	3.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	5	0.01	5.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	13	0.02	1.9
509	ARTHROSCOPY	2	0.00	.50
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	14	0.02	2.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	42	0.07	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.01	2.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	19	0.03	2.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	24	0.04	6.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	42	0.07	4.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	35	0.06	2.5
533	FRACTURES OF FEMUR WITH MCC	4	0.01	11
534	FRACTURES OF FEMUR WITHOUT MCC	13	0.02	3.2
535	FRACTURES OF HIP & PELVIS WITH MCC	15	0.02	6.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	45	0.07	3.6
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	3	0.00	3.3
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.00	1.7
539	OSTEOMYELITIS WITH MCC	6	0.01	23

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	14	0.02	8.6
541	OSTEOMYELITIS WITHOUT CC/MCC	5	0.01	3.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	15	0.02	7.9
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	32	0.05	5.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.01	4.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	17	0.03	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	18	0.03	5.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	24	0.04	2.2
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	9.5
549	SEPTIC ARTHRITIS WITH CC	11	0.02	12
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.01	9.0
551	MEDICAL BACK PROBLEMS WITH MCC	40	0.07	5.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	181	0.30	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	12	0.02	4.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	40	0.07	67
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	15	0.02	49
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	73	0.12	22
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.01	6.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	37	0.06	3.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.01	8.4
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	17	0.03	7.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	18	0.03	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	22	0.04	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	105	0.17	2.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	10	0.02	5.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	15	0.02	14
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	15	0.02	28
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	24	0.04	9.9
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	10	0.02	8.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	39
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.02	8.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	28	0.05	3.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	18	0.03	12
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	56	0.09	5.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	91	0.15	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	21	0.03	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	51	0.08	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.00	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	36	0.06	2.0
592	SKIN ULCERS WITH MCC	8	0.01	7.3
593	SKIN ULCERS WITH CC	36	0.06	6.5
594	SKIN ULCERS WITHOUT CC/MCC	5	0.01	4.4
595	MAJOR SKIN DISORDERS WITH MCC	2	0.00	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
596	MAJOR SKIN DISORDERS WITHOUT MCC	18	0.03	3.4
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.00	4.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	5	0.01	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	18	0.03	3.3
602	CELLULITIS WITH MCC	124	0.20	7.1
603	CELLULITIS WITHOUT MCC	698	1.14	4.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	12	0.02	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	70	0.11	2.5
606	MINOR SKIN DISORDERS WITH MCC	9	0.01	2.6
607	MINOR SKIN DISORDERS WITHOUT MCC	28	0.05	3.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	10	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	24	0.04	2.8
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	9	0.01	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	27	0.04	9.1
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.00	10
620	O.R. PROCEDURES FOR OBESITY WITH CC	40	0.07	2.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	385	0.63	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	12
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	8	0.01	12
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	5.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.01	12
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.04	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	86	0.14	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.01	24
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	16	0.03	9.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	2.3
637	DIABETES WITH MCC	117	0.19	5.4
638	DIABETES WITH CC	252	0.41	12
639	DIABETES WITHOUT CC/MCC	196	0.32	2.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	201	0.33	14
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	504	0.82	5.5
642	INBORN ERRORS OF METABOLISM	16	0.03	3.1
643	ENDOCRINE DISORDERS WITH MCC	20	0.03	5.7
644	ENDOCRINE DISORDERS WITH CC	54	0.09	4.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	40	0.07	3.3
652	KIDNEY TRANSPLANT	30	0.05	5.7
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.00	14
654	MAJOR BLADDER PROCEDURES WITH CC	11	0.02	8.6
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	6.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.02	9.8
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	28	0.05	4.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	24	0.04	4.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	22	0.04	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	59	0.10	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	35	0.06	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.01	19
663	MINOR BLADDER PROCEDURES WITH CC	8	0.01	7.6
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	11	0.02	2.5
666	PROSTATECTOMY WITH CC	2	0.00	16
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.01	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	10	0.02	14
669	TRANSURETHRAL PROCEDURES WITH CC	39	0.06	3.5
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	32	0.05	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	6	0.01	4.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.00	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	40	0.07	14
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	36	0.06	12
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	6	0.01	2.3
682	RENAL FAILURE WITH MCC	249	0.41	6.7
683	RENAL FAILURE WITH CC	324	0.53	4.7
684	RENAL FAILURE WITHOUT CC/MCC	74	0.12	2.8
685	ADMIT FOR RENAL DIALYSIS	10	0.02	6.1
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.00	12
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	9	0.01	3.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	170	0.28	9.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	619	1.01	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	4	0.01	3.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	10	0.02	3.8
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	76	0.12	2.2
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	3	0.00	12
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	40	0.07	2.8
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	90	0.15	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	84	0.14	4.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	35	0.06	3.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.02	3.3
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	32	0.05	2.4
709	PENIS PROCEDURES WITH CC/MCC	2	0.00	26
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	1.6
711	TESTES PROCEDURES WITH CC/MCC	4	0.01	12
712	TESTES PROCEDURES WITHOUT CC/MCC	7	0.01	2.9
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	32	0.05	3.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	79	0.13	1.9
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	27
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	4	0.01	2.5
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	6.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	5.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	5.6
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	6	0.01	3.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	5.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	26	0.04	3.1
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	4	0.01	4.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	8	0.01	5.6
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	10	0.02	3.1
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.00	13
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	14	0.02	4.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.01	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.00	14
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	23	0.04	3.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	39	0.06	1.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	150	0.24	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	709	1.16	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	10	0.02	3.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	15	0.02	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	4.6
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	37	0.06	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	131	0.21	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	8.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	10	0.02	1.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	23
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.00	8.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.01	9.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	16	0.03	6.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	23	0.04	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	13	0.02	2.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	28	0.05	1.8
765	CESAREAN SECTION WITH CC/MCC	667	1.09	4.3
766	CESAREAN SECTION WITHOUT CC/MCC	1,882	3.07	3.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	321	0.52	2.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	2	0.00	2.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	25	0.04	3.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	27	0.04	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	399	0.65	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,417	7.21	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	86	0.14	3.1
777	ECTOPIC PREGNANCY	39	0.06	1.6
778	THREATENED ABORTION	87	0.14	1.9
779	ABORTION WITHOUT D&C	36	0.06	1.3
780	FALSE LABOR	17	0.03	.59

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	387	0.63	3.2
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	82	0.13	2.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	126	0.21	4.0
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	110	0.18	37
791	PREMATURITY WITH MAJOR PROBLEMS	102	0.17	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	339	0.55	6.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	292	0.48	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,007	1.64	2.4
795	NORMAL NEWBORN	6,088	9.94	2.0
799	SPLENECTOMY WITH MCC	2	0.00	7.5
800	SPLENECTOMY WITH CC	2	0.00	9.5
801	SPLENECTOMY WITHOUT CC/MCC	4	0.01	5.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	7.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	6.8
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	7	0.01	4.9
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	26	0.04	10
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	62	0.10	5.5
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.02	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	78	0.13	6.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	239	0.39	2.8
813	COAGULATION DISORDERS	57	0.09	4.1
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	8	0.01	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	18	0.03	4.4
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	16	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.00	8.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	7	0.01	6.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	1.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	9	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.01	11
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	4.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	15
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.01	9.4
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.01	15
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	3.8
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	13	0.02	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	17	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.8
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	5	0.01	24
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	17	0.03	16
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	24	0.04	4.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	25	0.04	7.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	29	0.05	9.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	6	0.01	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	13
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	14	0.02	5.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	9	0.01	7.9
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	144	0.24	3.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	12	0.02	3.8
849	RADIOTHERAPY	2	0.00	4.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	203	0.33	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	30	0.05	11
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	4.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	16	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	48	0.08	8.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	10	0.02	6.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	39	0.06	9.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	108	0.18	5.2
864	FEVER	92	0.15	2.8
865	VIRAL ILLNESS WITH MCC	10	0.02	3.9
866	VIRAL ILLNESS WITHOUT MCC	78	0.13	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	16	0.03	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	8	0.01	11
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	6	0.01	5.2
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	91	0.15	16

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,163	1.90	8.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	346	0.56	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	3	0.00	2.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	51	0.08	4.6
881	DEPRESSIVE NEUROSES	258	0.42	2.0
882	NEUROSES EXCEPT DEPRESSIVE	230	0.38	1.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	49	0.08	8.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	57	0.09	59
885	PSYCHOSES	2,596	4.24	5.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	19	0.03	5.2
887	OTHER MENTAL DISORDER DIAGNOSIS	7	0.01	4.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	10	0.02	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	9	0.01	12
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	56	0.09	5.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	220	0.36	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	3	0.00	13
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	7.6
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	10	0.02	4.2
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	11	0.02	13
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.00	11
906	HAND PROCEDURES FOR INJURIES	21	0.03	3.7
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	40	0.07	17

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	57	0.09	6.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	28	0.05	2.8
913	TRAUMATIC INJURY WITH MCC	4	0.01	3.0
914	TRAUMATIC INJURY WITHOUT MCC	25	0.04	2.9
915	ALLERGIC REACTIONS WITH MCC	5	0.01	4.0
916	ALLERGIC REACTIONS WITHOUT MCC	19	0.03	1.9
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	165	0.27	5.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	301	0.49	2.2
919	COMPLICATIONS OF TREATMENT WITH MCC	44	0.07	7.5
920	COMPLICATIONS OF TREATMENT WITH CC	48	0.08	5.2
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	38	0.06	2.6
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.01	3.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	23	0.04	2.4
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.00	32
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	4	0.01	20
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	7	0.01	15
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	4.3
935	NON-EXTENSIVE BURNS	23	0.04	2.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	7	0.01	9.6
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	10	0.02	9.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	22	0.04	1.7
945	REHABILITATION WITH CC/MCC	522	0.85	44

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
946	REHABILITATION WITHOUT CC/MCC	279	0.46	35
947	SIGNS & SYMPTOMS WITH MCC	33	0.05	6.6
948	SIGNS & SYMPTOMS WITHOUT MCC	132	0.22	3.5
949	AFTERCARE WITH CC/MCC	13	0.02	12
950	AFTERCARE WITHOUT CC/MCC	6	0.01	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	21	0.03	1.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.00	14
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	20	0.03	16
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	21	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	33	0.05	7.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.01	5.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.02	6.1
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	36	0.06	6.2
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.01	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	23	0.04	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	11	0.02	9.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	5	0.01	7.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	7	0.01	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	113	0.18	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	82	0.13	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	68	0.11	2.4
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.00	12

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Stanislaus County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.00	14
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.00	6.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	19	0.03	14
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	29	0.05	6.5
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.04	3.2
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	2	0.00	2.0
All		61,269	100.0	5.5

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.00	19
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.00	20
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	60	0.11	70
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	51	0.09	59
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	8	0.01	28
006	LIVER TRANSPLANT WITHOUT MCC	1	0.00	8.0
007	LUNG TRANSPLANT	1	0.00	10
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.00	8.0
009	BONE MARROW TRANSPLANT	13	0.02	26
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	12	0.02	21
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.01	22
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	9	0.02	16
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	5	0.01	13
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	10	0.02	13
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	20
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	58	0.10	10
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	59	0.10	7.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	60	0.11	3.9
028	SPINAL PROCEDURES WITH MCC	6	0.01	6.3
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	22	0.04	6.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	23	0.04	3.8
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	9	0.02	12
032	VENTRICULAR SHUNT PROCEDURES WITH CC	10	0.02	3.9
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	3.9
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.01	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	4	0.01	1.3
037	EXTRACRANIAL PROCEDURES WITH MCC	19	0.03	8.0
038	EXTRACRANIAL PROCEDURES WITH CC	44	0.08	4.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	146	0.26	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	22	0.04	9.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	33	0.06	8.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	14	0.02	3.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	8	0.01	7.6
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	5	0.01	2.2
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	30	0.05	4.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	44	0.08	4.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	26	0.05	8.8
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	91	0.16	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.00	19
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	9	0.02	4.7
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	14	0.02	3.2
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	5	0.01	5.4
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.01	6.2
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	6.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	202	0.35	7.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	319	0.56	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	167	0.29	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	6	0.01	4.5
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	26	0.05	3.9
069	TRANSIENT ISCHEMIA	258	0.45	2.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	24	0.04	10
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	15	0.03	6.9
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	11	0.02	3.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	22	0.04	9.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	79	0.14	4.1
075	VIRAL MENINGITIS WITH CC/MCC	32	0.06	5.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	71	0.12	2.7
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	5	0.01	6.6
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	4	0.01	4.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	41	0.07	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	63	0.11	3.6
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.01	18
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.01	5.2
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	12	0.02	2.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	22	0.04	8.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	59	0.10	4.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	91	0.16	2.6
088	CONCUSSION WITH MCC	1	0.00	3.0
089	CONCUSSION WITH CC	18	0.03	3.7
090	CONCUSSION WITHOUT CC/MCC	14	0.02	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	37	0.06	5.7
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	51	0.09	5.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	50	0.09	2.4
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	9	0.02	58
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	18	0.03	9.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.01	4.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.01	5.3
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.02	9.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	5	0.01	6.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	73	0.13	5.4
101	SEIZURES WITHOUT MCC	277	0.49	2.9
102	HEADACHES WITH MCC	12	0.02	4.6
103	HEADACHES WITHOUT MCC	97	0.17	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.00	2.5
114	ORBITAL PROCEDURES WITHOUT CC/MCC	8	0.01	2.9
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.01	8.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	4	0.01	1.8
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	6	0.01	3.8
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	3.1
123	NEUROLOGICAL EYE DISORDERS	10	0.02	2.1
124	OTHER DISORDERS OF THE EYE WITH MCC	7	0.01	4.1
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	22	0.04	2.5
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.01	5.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	13	0.02	6.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.07	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	19	0.03	2.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	73	0.13	2.1
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	3	0.01	1.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.01	2.7
137	MOUTH PROCEDURES WITH CC/MCC	7	0.01	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	11	0.02	1.8
139	SALIVARY GLAND PROCEDURES	3	0.01	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.00	4.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.00	12
149	DYSEQUILIBRIUM	48	0.08	2.5
150	EPISTAXIS WITH MCC	6	0.01	3.8
151	EPISTAXIS WITHOUT MCC	16	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	14	0.02	2.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	121	0.21	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	7.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	27	0.05	3.8
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	32	0.06	2.2
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	5.0
158	DENTAL & ORAL DISEASES WITH CC	27	0.05	4.7
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	30	0.05	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	46	0.08	16
164	MAJOR CHEST PROCEDURES WITH CC	68	0.12	6.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	51	0.09	5.4
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	50	0.09	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	42	0.07	6.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.02	4.7
175	PULMONARY EMBOLISM WITH MCC	70	0.12	6.5
176	PULMONARY EMBOLISM WITHOUT MCC	116	0.20	4.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	130	0.23	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	104	0.18	7.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	39	0.07	6.6
180	RESPIRATORY NEOPLASMS WITH MCC	45	0.08	8.7
181	RESPIRATORY NEOPLASMS WITH CC	76	0.13	5.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	7	0.01	5.6
183	MAJOR CHEST TRAUMA WITH MCC	11	0.02	3.4
184	MAJOR CHEST TRAUMA WITH CC	24	0.04	3.2
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.01	1.7
186	PLEURAL EFFUSION WITH MCC	33	0.06	8.9
187	PLEURAL EFFUSION WITH CC	37	0.06	4.4
188	PLEURAL EFFUSION WITHOUT CC/MCC	10	0.02	3.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	199	0.35	6.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	480	0.84	4.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	407	0.71	4.0
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	357	0.63	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	377	0.66	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	759	1.33	4.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	420	0.74	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	14	0.02	11
197	INTERSTITIAL LUNG DISEASE WITH CC	16	0.03	5.6
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	4	0.01	4.0
199	PNEUMOTHORAX WITH MCC	14	0.02	8.7
200	PNEUMOTHORAX WITH CC	36	0.06	3.6
201	PNEUMOTHORAX WITHOUT CC/MCC	35	0.06	3.9
202	BRONCHITIS & ASTHMA WITH CC/MCC	249	0.44	3.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	602	1.05	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	71	0.12	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	17	0.03	3.2
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	76	0.13	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	107	0.19	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	242	0.42	7.1
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	10
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	33	0.06	19
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	26	0.05	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	12
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	41	0.07	16
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	65	0.11	7.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	14	0.02	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	13	0.02	19
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.01	9.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	8	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	20	0.04	4.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	12	0.02	17
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	50	0.09	3.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	18	0.03	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	13	0.02	13
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.01	7.0
231	CORONARY BYPASS WITH PTCA WITH MCC	7	0.01	8.3
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	10	0.02	8.3
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	50	0.09	17
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	141	0.25	8.8
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	20	0.04	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	85	0.15	7.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	58	0.10	9.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	95	0.17	5.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	19	0.03	22
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	27	0.05	8.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	10
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	52	0.09	9.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	83	0.15	5.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	83	0.15	3.7
245	AICD GENERATOR PROCEDURES	1	0.00	3.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	129	0.23	5.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	447	0.78	2.6
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	35	0.06	7.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	103	0.18	3.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	26	0.05	6.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	102	0.18	3.3
252	OTHER VASCULAR PROCEDURES WITH MCC	112	0.20	9.1
253	OTHER VASCULAR PROCEDURES WITH CC	113	0.20	6.7
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	106	0.19	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	11	0.02	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	10	0.02	11
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	6.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	4	0.01	.75
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	9.3
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	6	0.01	6.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	5	0.01	3.0
263	VEIN LIGATION & STRIPPING	6	0.01	4.3
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	47	0.08	9.4
265	AICD LEAD PROCEDURES	3	0.01	4.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	165	0.29	5.6
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	118	0.21	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	118	0.21	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	27	0.05	5.5
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.00	4.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	104	0.18	6.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	484	0.85	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	3	0.01	9.7
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.00	8.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.00	8.0
291	HEART FAILURE & SHOCK WITH MCC	567	0.99	6.5
292	HEART FAILURE & SHOCK WITH CC	424	0.74	4.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	226	0.40	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.01	4.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	5.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	3	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	49	0.09	6.6
300	PERIPHERAL VASCULAR DISORDERS WITH CC	123	0.22	4.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	84	0.15	3.2
302	ATHEROSCLEROSIS WITH MCC	36	0.06	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	136	0.24	2.3
304	HYPERTENSION WITH MCC	6	0.01	2.3
305	HYPERTENSION WITHOUT MCC	79	0.14	2.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.02	5.6
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	19	0.03	2.1
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	164	0.29	4.6
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	248	0.43	3.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	327	0.57	2.2
311	ANGINA PECTORIS	125	0.22	1.8
312	SYNCOPE & COLLAPSE	369	0.65	2.8
313	CHEST PAIN	1,137	1.99	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	147	0.26	6.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	96	0.17	4.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	36	0.06	3.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	63	0.11	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	51	0.09	9.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	69	0.12	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	149	0.26	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	258	0.45	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	105	0.18	5.3
332	RECTAL RESECTION WITH MCC	3	0.01	17
333	RECTAL RESECTION WITH CC	25	0.04	9.4
334	RECTAL RESECTION WITHOUT CC/MCC	15	0.03	5.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	23	0.04	15
336	PERITONEAL ADHESIOLYSIS WITH CC	57	0.10	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	38	0.07	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	9.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	56	0.10	6.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	106	0.19	3.4
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	6	0.01	3.5
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	41	0.07	3.3
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	418	0.73	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	7	0.01	8.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	22	0.04	9.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	23	0.04	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	8	0.01	9.9
348	ANAL & STOMAL PROCEDURES WITH CC	27	0.05	5.1
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	55	0.10	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	6.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	14	0.02	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	42	0.07	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	17	0.03	12
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	50	0.09	4.3
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	76	0.13	2.3
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	32	0.06	15
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.04	7.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	16	0.03	3.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	11	0.02	6.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	23	0.04	4.7
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	10	0.02	2.8
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	104	0.18	7.7
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	105	0.18	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	41	0.07	4.1
374	DIGESTIVE MALIGNANCY WITH MCC	27	0.05	8.7
375	DIGESTIVE MALIGNANCY WITH CC	36	0.06	5.5
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	10	0.02	1.7
377	G.I. HEMORRHAGE WITH MCC	145	0.25	5.5
378	G.I. HEMORRHAGE WITH CC	322	0.56	4.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	168	0.29	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.02	6.1
381	COMPLICATED PEPTIC ULCER WITH CC	32	0.06	5.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	13	0.02	3.8
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.01	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	28	0.05	4.3
385	INFLAMMATORY BOWEL DISEASE WITH MCC	10	0.02	6.1
386	INFLAMMATORY BOWEL DISEASE WITH CC	32	0.06	5.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	49	0.09	5.1
388	G.I. OBSTRUCTION WITH MCC	67	0.12	6.6
389	G.I. OBSTRUCTION WITH CC	132	0.23	4.3
390	G.I. OBSTRUCTION WITHOUT CC/MCC	135	0.24	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	200	0.35	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	983	1.72	3.2
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	55	0.10	6.1
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	144	0.25	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	108	0.19	3.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	21	0.04	25
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	24	0.04	8.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.01	6.5
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	9	0.02	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.01	8.6
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	7.7
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	26
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.01	9.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	5.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	16	0.03	11
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	40	0.07	5.3
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	18	0.03	3.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	100	0.18	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	240	0.42	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	313	0.55	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	8.3
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	4	0.01	5.0
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.00	6.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	8	0.01	7.6
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	3.8
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
432	CIRRHOISIS & ALCOHOLIC HEPATITIS WITH MCC	90	0.16	5.8
433	CIRRHOISIS & ALCOHOLIC HEPATITIS WITH CC	45	0.08	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	3	0.01	2.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	37	0.06	7.6
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	21	0.04	6.5
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	8	0.01	4.6
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	94	0.16	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	174	0.30	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	187	0.33	3.5
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	166	0.29	8.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	108	0.19	6.0
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	43	0.08	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	50	0.09	5.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	44	0.08	4.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	46	0.08	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	7	0.01	16
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	23	0.04	6.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	20	0.04	3.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	8.8
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	13	0.02	10
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	12	0.02	5.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	10	0.02	7.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	133	0.23	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	3.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	19	0.03	4.1
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	20	0.04	16
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	32	0.06	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	23	0.04	4.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	11	0.02	6.1
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	45	0.08	4.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	53	0.09	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	71	0.12	7.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,285	2.25	3.4
471	CERVICAL SPINAL FUSION WITH MCC	7	0.01	9.6
472	CERVICAL SPINAL FUSION WITH CC	35	0.06	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	94	0.16	2.1
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	8	0.01	18
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	16	0.03	9.4
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	10	0.02	4.5
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	11	0.02	15
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	20	0.04	9.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	9	0.02	5.1
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	73	0.13	8.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	184	0.32	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	111	0.19	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	33	0.06	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	70	0.12	1.7
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	22
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.01	9.7
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	6.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	12	0.02	6.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	43	0.08	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	68	0.12	4.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	173	0.30	1.7
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	30	0.05	8.7
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	99	0.17	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	205	0.36	2.4
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	6	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	21	0.04	5.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	34	0.06	2.6
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	5	0.01	7.6
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	5	0.01	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	10	0.02	13
501	SOFT TISSUE PROCEDURES WITH CC	37	0.06	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	47	0.08	2.9
503	FOOT PROCEDURES WITH MCC	1	0.00	10
504	FOOT PROCEDURES WITH CC	11	0.02	9.7
505	FOOT PROCEDURES WITHOUT CC/MCC	16	0.03	2.3
506	MAJOR THUMB OR JOINT PROCEDURES	6	0.01	3.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	5	0.01	5.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	13	0.02	1.9
509	ARTHROSCOPY	2	0.00	.50
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	14	0.02	2.9
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	42	0.07	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.01	2.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	19	0.03	2.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	24	0.04	6.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	42	0.07	4.9
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	35	0.06	2.5
533	FRACTURES OF FEMUR WITH MCC	4	0.01	11
534	FRACTURES OF FEMUR WITHOUT MCC	13	0.02	3.2
535	FRACTURES OF HIP & PELVIS WITH MCC	15	0.03	6.8
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	45	0.08	3.6
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	3	0.01	3.3
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.01	1.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
539	OSTEOMYELITIS WITH MCC	6	0.01	23
540	OSTEOMYELITIS WITH CC	14	0.02	8.6
541	OSTEOMYELITIS WITHOUT CC/MCC	5	0.01	3.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	15	0.03	7.9
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	32	0.06	5.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	9	0.02	4.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	17	0.03	13
546	CONNECTIVE TISSUE DISORDERS WITH CC	18	0.03	5.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	24	0.04	2.2
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	9.5
549	SEPTIC ARTHRITIS WITH CC	11	0.02	12
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.00	1.5
551	MEDICAL BACK PROBLEMS WITH MCC	40	0.07	5.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	181	0.32	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	12	0.02	4.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	38	0.07	2.2
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	8	0.01	5.9
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	60	0.11	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.01	6.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	36	0.06	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.01	8.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	15	0.03	5.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	15	0.03	3.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	22	0.04	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	105	0.18	2.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	10	0.02	5.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	14	0.02	3.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	15	0.03	28
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	24	0.04	9.9
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	10	0.02	8.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	39
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.02	8.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	28	0.05	3.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	18	0.03	12
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	56	0.10	5.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	91	0.16	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	21	0.04	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	51	0.09	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	36	0.06	2.0
592	SKIN ULCERS WITH MCC	8	0.01	7.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
593	SKIN ULCERS WITH CC	35	0.06	6.3
594	SKIN ULCERS WITHOUT CC/MCC	5	0.01	4.4
595	MAJOR SKIN DISORDERS WITH MCC	2	0.00	4.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	18	0.03	3.4
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.00	4.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	5	0.01	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	18	0.03	3.3
602	CELLULITIS WITH MCC	122	0.21	6.7
603	CELLULITIS WITHOUT MCC	689	1.21	4.0
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	12	0.02	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	70	0.12	2.5
606	MINOR SKIN DISORDERS WITH MCC	9	0.02	2.6
607	MINOR SKIN DISORDERS WITHOUT MCC	28	0.05	3.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	10	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	24	0.04	2.8
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	9	0.02	17
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	27	0.05	9.1
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.00	10
620	O.R. PROCEDURES FOR OBESITY WITH CC	40	0.07	2.6
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	385	0.67	2.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	8	0.01	12
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	5.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.01	12
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.04	1.4
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	86	0.15	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	8	0.01	24
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	16	0.03	9.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.3
637	DIABETES WITH MCC	116	0.20	5.4
638	DIABETES WITH CC	251	0.44	3.7
639	DIABETES WITHOUT CC/MCC	194	0.34	2.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	200	0.35	3.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	502	0.88	3.0
642	INBORN ERRORS OF METABOLISM	16	0.03	3.1
643	ENDOCRINE DISORDERS WITH MCC	20	0.04	5.7
644	ENDOCRINE DISORDERS WITH CC	54	0.09	4.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	40	0.07	3.3
652	KIDNEY TRANSPLANT	30	0.05	5.7
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.00	14
654	MAJOR BLADDER PROCEDURES WITH CC	11	0.02	8.6
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.02	9.8
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	28	0.05	4.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	24	0.04	4.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	22	0.04	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	59	0.10	4.5
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	35	0.06	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	7	0.01	19
663	MINOR BLADDER PROCEDURES WITH CC	8	0.01	7.6
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	11	0.02	2.5
666	PROSTATECTOMY WITH CC	2	0.00	16
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.01	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	10	0.02	14
669	TRANSURETHRAL PROCEDURES WITH CC	39	0.07	3.5
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	32	0.06	1.9
671	URETHRAL PROCEDURES WITH CC/MCC	6	0.01	4.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	40	0.07	14
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	36	0.06	12
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	6	0.01	2.3
682	RENAL FAILURE WITH MCC	249	0.44	6.7
683	RENAL FAILURE WITH CC	323	0.57	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
684	RENAL FAILURE WITHOUT CC/MCC	74	0.13	2.8
685	ADMIT FOR RENAL DIALYSIS	10	0.02	6.1
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	3	0.01	12
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	9	0.02	3.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	169	0.30	5.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	618	1.08	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	4	0.01	3.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	10	0.02	3.8
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	76	0.13	2.2
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	3	0.01	12
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	40	0.07	2.8
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	90	0.16	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	84	0.15	4.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	35	0.06	3.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.03	3.3
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	32	0.06	2.4
709	PENIS PROCEDURES WITH CC/MCC	2	0.00	26
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.02	1.6
711	TESTES PROCEDURES WITH CC/MCC	4	0.01	12
712	TESTES PROCEDURES WITHOUT CC/MCC	7	0.01	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	32	0.06	3.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	79	0.14	1.9
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	27
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	4	0.01	2.5
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	6.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	9.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	5.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	5.6
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	6	0.01	3.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	5.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	26	0.05	3.1
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	4	0.01	4.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	8	0.01	5.6
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	10	0.02	3.1
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.01	13
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	14	0.02	4.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.01	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.01	14
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	23	0.04	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	39	0.07	1.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	150	0.26	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	709	1.24	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	10	0.02	3.1
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	15	0.03	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	4.6
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	37	0.06	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	131	0.23	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	8.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	10	0.02	1.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	23
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	8.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	4	0.01	9.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	16	0.03	6.2
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	23	0.04	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	13	0.02	2.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	28	0.05	1.8
765	CESAREAN SECTION WITH CC/MCC	667	1.17	4.3
766	CESAREAN SECTION WITHOUT CC/MCC	1,882	3.30	3.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	321	0.56	2.2
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	25	0.04	3.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	27	0.05	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	399	0.70	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,417	7.74	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	80	0.14	3.1
777	ECTOPIC PREGNANCY	39	0.07	1.6
778	THREATENED ABORTION	87	0.15	1.9
779	ABORTION WITHOUT D&C	36	0.06	1.3
780	FALSE LABOR	17	0.03	.59
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	375	0.66	3.0
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	82	0.14	2.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	126	0.22	4.0
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	110	0.19	37
791	PREMATURITY WITH MAJOR PROBLEMS	102	0.18	18
792	PREMATURITY WITHOUT MAJOR PROBLEMS	339	0.59	6.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	292	0.51	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,007	1.76	2.4
795	NORMAL NEWBORN	6,088	10.67	2.0
799	SPLENECTOMY WITH MCC	2	0.00	7.5
800	SPLENECTOMY WITH CC	2	0.00	9.5
801	SPLENECTOMY WITHOUT CC/MCC	4	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	7.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	6.8
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	7	0.01	4.9
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	26	0.05	10
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	62	0.11	5.5
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.02	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	78	0.14	6.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	239	0.42	2.8
813	COAGULATION DISORDERS	57	0.10	4.1
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	8	0.01	6.5
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	18	0.03	4.4
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	16	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.01	8.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	7	0.01	6.1
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	1.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	9	0.02	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.02	11
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	4.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	15
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.01	9.4
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.01	15
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	3.8
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	13	0.02	25
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	17	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.8
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	5	0.01	24
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	17	0.03	16
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	24	0.04	4.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	25	0.04	7.8
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	29	0.05	9.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	6	0.01	6.5
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	6	0.01	13
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	14	0.02	5.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.00	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	9	0.02	7.9
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	144	0.25	3.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	12	0.02	3.8
849	RADIOTHERAPY	2	0.00	4.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	203	0.36	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	30	0.05	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	4.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	16	0.03	16
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	48	0.08	8.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	10	0.02	6.5
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	38	0.07	9.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	107	0.19	4.5
864	FEVER	92	0.16	2.8
865	VIRAL ILLNESS WITH MCC	10	0.02	3.9
866	VIRAL ILLNESS WITHOUT MCC	78	0.14	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	15	0.03	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	6	0.01	4.2
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	5	0.01	4.8
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	91	0.16	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,161	2.03	7.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	344	0.60	4.8
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	3	0.01	2.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	34	0.06	2.9
881	DEPRESSIVE NEUROSES	4	0.01	5.3
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	1.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	16	0.03	9.6
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	49	0.09	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	33	0.06	3.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.00	2.0
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.01	4.2
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	10	0.02	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.00	4.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	54	0.09	5.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	148	0.26	3.6
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	3	0.01	13
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	7.6
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	10	0.02	4.2
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	11	0.02	13
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.00	11
906	HAND PROCEDURES FOR INJURIES	21	0.04	3.7
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	40	0.07	17
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	57	0.10	6.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	28	0.05	2.8
913	TRAUMATIC INJURY WITH MCC	4	0.01	3.0
914	TRAUMATIC INJURY WITHOUT MCC	25	0.04	2.9
915	ALLERGIC REACTIONS WITH MCC	5	0.01	4.0
916	ALLERGIC REACTIONS WITHOUT MCC	19	0.03	1.9
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	165	0.29	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	299	0.52	2.2
919	COMPLICATIONS OF TREATMENT WITH MCC	44	0.08	7.5
920	COMPLICATIONS OF TREATMENT WITH CC	48	0.08	5.2
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	38	0.07	2.6
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.01	3.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	23	0.04	2.4
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.00	32
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	4	0.01	20
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	7	0.01	15
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	4.3
935	NON-EXTENSIVE BURNS	23	0.04	2.5
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	5	0.01	5.6
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	9	0.02	4.6
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	22	0.04	1.7
945	REHABILITATION WITH CC/MCC	6	0.01	19
946	REHABILITATION WITHOUT CC/MCC	2	0.00	9.0
947	SIGNS & SYMPTOMS WITH MCC	33	0.06	6.6
948	SIGNS & SYMPTOMS WITHOUT MCC	131	0.23	3.5
949	AFTERCARE WITH CC/MCC	8	0.01	3.3
950	AFTERCARE WITHOUT CC/MCC	2	0.00	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	21	0.04	1.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.01	14
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	20	0.04	16
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	21	0.04	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	33	0.06	7.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.02	5.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	10	0.02	6.1
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	36	0.06	6.2
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	9	0.02	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	23	0.04	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	11	0.02	9.3
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	5	0.01	7.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	7	0.01	6.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	112	0.20	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	82	0.14	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	68	0.12	2.4
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.00	12
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.00	14
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.01	6.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	19	0.03	14
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	29	0.05	6.5

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.04	3.2
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	2	0.00	2.0
All		57,079	100.0	4.4

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
882	NEUROSES EXCEPT DEPRESSIVE	1	3.13	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	7	21.88	14
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	3.13	.00
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	23	71.88	2.7
All		32	100.0	5.1

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.70	7.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.70	5.0
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.70	22
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	1	0.70	2.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.70	10
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	1.40	20
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.70	49
945	REHABILITATION WITH CC/MCC	125	87.41	19
946	REHABILITATION WITHOUT CC/MCC	10	6.99	12
All		143	100.0	19

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	12	0.38	9.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.03	.00
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.03	3.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	6	0.19	4.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	12	0.38	6.8
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	16	0.50	2.3
881	DEPRESSIVE NEUROSES	254	7.94	2.0
882	NEUROSES EXCEPT DEPRESSIVE	226	7.07	1.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	33	1.03	8.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.13	11
885	PSYCHOSES	2,560	80.08	4.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	18	0.56	5.4
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.06	3.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.03	14
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	49	1.53	3.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	2	0.06	2.0
All		3,197	100.0	4.5

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.24	38
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.12	24
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	8	0.98	607
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.12	2E3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.12	324
101	SEIZURES WITHOUT MCC	1	0.12	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.12	736
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	1	0.12	294
181	RESPIRATORY NEOPLASMS WITH CC	1	0.12	607
189	PULMONARY EDEMA & RESPIRATORY FAILURE	3	0.37	29
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	2	0.24	296
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	2	0.24	186
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	4	0.49	93
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	7	0.86	225
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	2	0.24	204
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	19	2.32	204
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.12	255
292	HEART FAILURE & SHOCK WITH CC	2	0.24	134
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.12	25
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.24	894
305	HYPERTENSION WITHOUT MCC	5	0.61	1E3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.12	36
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	2	0.24	1E3
378	G.I. HEMORRHAGE WITH CC	1	0.12	6.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	2	0.24	31
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2	0.24	35
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	1	0.12	57
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.37	7.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.24	17
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	2	0.24	1E3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	7	0.86	98
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	13	1.59	109
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.12	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.24	22
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.37	12
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.12	167
593	SKIN ULCERS WITH CC	1	0.12	12
602	CELLULITIS WITH MCC	2	0.24	36
603	CELLULITIS WITHOUT MCC	9	1.10	55
637	DIABETES WITH MCC	1	0.12	2.0
638	DIABETES WITH CC	1	0.12	2E3
639	DIABETES WITHOUT CC/MCC	2	0.24	15

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.12	2E3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2	0.24	631
683	RENAL FAILURE WITH CC	1	0.12	.00
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	0.12	582
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	0.12	34
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.12	31
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.12	88
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.24	33
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.12	7.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2	0.24	231
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	2	0.24	11
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.12	96
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.49	770
885	PSYCHOSES	3	0.37	643
945	REHABILITATION WITH CC/MCC	391	47.80	53
946	REHABILITATION WITHOUT CC/MCC	267	32.64	36
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.12	7.0
949	AFTERCARE WITH CC/MCC	5	0.61	26
950	AFTERCARE WITHOUT CC/MCC	4	0.49	15
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.12	161
All		818	100.0	91

**MDC by Patient County of Residence
for 2010
Stanislaus County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,137	5.12	7.6
02	EYE, DISEASES & DISORDERS	79	0.13	13
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	535	0.87	3.6
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	5,604	9.15	6.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	7,842	12.80	5.8
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	4,947	8.07	5.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,965	3.21	5.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	4,382	7.15	5.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,423	2.32	5.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,102	3.43	6.1
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,264	3.69	5.4
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	236	0.39	3.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,279	2.09	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	8,482	13.84	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,066	13.16	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	542	0.88	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	397	0.65	8.2
18	INFECTIOUS & PARASITIC DISEASES	2,285	3.73	8.8
19	MENTAL DISEASES & DISORDERS	3,270	5.34	6.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	297	0.48	4.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	868	1.42	4.8
22	BURNS	41	0.07	9.7

(Continued)

*MDC by Patient County of Residence
for 2010
Stanislaus County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,045	1.71	33
24	MULTIPLE SIGNFICANT TRAUMA	141	0.23	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	46	0.08	11
All		61,275	100.0	5.5

**MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,109	5.45	5.3
02	EYE, DISEASES & DISORDERS	78	0.14	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	535	0.94	3.6
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	5,559	9.74	5.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	7,829	13.71	4.6
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	4,937	8.65	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,965	3.44	5.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	4,351	7.62	4.2
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,411	2.47	4.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,095	3.67	3.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,261	3.96	5.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	236	0.41	3.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,279	2.24	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	8,463	14.83	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,066	14.13	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	542	0.95	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	397	0.70	8.2
18	INFECTIOUS & PARASITIC DISEASES	2,275	3.99	8.6
19	MENTAL DISEASES & DISORDERS	148	0.26	4.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	216	0.38	4.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	866	1.52	4.8

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	41	0.07	9.7
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	239	0.42	4.1
24	MULTIPLE SIGNFICANT TRAUMA	141	0.25	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	46	0.08	11
All		57,085	100.0	4.4

***MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	1	3.13	2.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	31	96.88	5.2
All		32	100.0	5.1

***MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.70	7.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2	1.40	14
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.70	2.0
18	INFECTIOUS & PARASITIC DISEASES	1	0.70	10
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	138	96.50	19
All		143	100.0	19

***MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	13	0.41	9.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	19	0.59	5.8
19	MENTAL DISEASES & DISORDERS	3,113	97.37	4.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	50	1.56	3.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2	0.06	2.0
All		3,197	100.0	4.5

***MDC by Patient County of Residence
and Type of Care for 2010
Stanislaus County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	14	1.71	509
02	EYE, DISEASES & DISORDERS	1	0.12	736
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	43	5.26	200
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	13	1.59	750
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	9	1.10	24
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	31	3.79	162
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	12	1.47	48
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	7	0.86	770
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	3	0.37	205
18	INFECTIOUS & PARASITIC DISEASES	9	1.10	75
19	MENTAL DISEASES & DISORDERS	8	0.98	638
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	668	81.66	45
All		818	100.0	91