

**Type of Care by Patient County of Residence
for 2010
Yolo County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	14,742	94.59	3.7
Chemical Dependency Recovery Care	14	0.09	13
Physical Rehabilitation Care	72	0.46	16
Psychiatric Care	677	4.34	7.7
Skilled Nursing/Intermediate Care	80	0.51	32
All	15,585	100.0	4.1

***Disposition by Patient County of Residence
for 2010
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	6.0
01 - Routine (Home)	11,393	77.28	2.9
02 - Acute Care within the admitting hospital	1	0.01	12
03 - Other Care with the admitting hospital	40	0.27	12
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	74	0.50	9.4
05 - Acute Care at another hospital	304	2.06	3.7
06 - Other Care (not SN/IC) at another hospital	81	0.55	13
07 - SN/IC at another facility	1,183	8.02	6.1
08 - Residential Care facility	95	0.64	3.8
09 - Prison/Jail	9	0.06	4.1
10 - Left Against Medical Advice	77	0.52	2.8
11 - Died	318	2.16	8.6
12 - Home Health Service	1,150	7.80	6.1
13 - Other	16	0.11	8.6
All	14,742	100.0	3.7

***Disposition by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	14	100.0	13
All	14	100.0	13

***Disposition by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	34	47.22	15
02 - Acute Care within the admitting hospital	4	5.56	8.8
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	1.39	8.0
07 - SN/IC at another facility	6	8.33	19
08 - Residential Care facility	1	1.39	14
12 - Home Health Service	26	36.11	17
All	72	100.0	16

***Disposition by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	603	89.07	7.6
02 - Acute Care within the admitting hospital	1	0.15	3.0
03 - Other Care with the admitting hospital	1	0.15	3.0
05 - Acute Care at another hospital	1	0.15	1.0
06 - Other Care (not SN/IC) at another hospital	8	1.18	15
07 - SN/IC at another facility	13	1.92	8.2
08 - Residential Care facility	37	5.47	9.5
10 - Left Against Medical Advice	9	1.33	3.2
12 - Home Health Service	1	0.15	7.0
13 - Other	3	0.44	8.3
All	677	100.0	7.7

***Disposition by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	11	13.75	20
02 - Acute Care within the admitting hospital	21	26.25	72
03 - Other Care with the admitting hospital	1	1.25	21
07 - SN/IC at another facility	2	2.50	6.5
08 - Residential Care facility	1	1.25	133
10 - Left Against Medical Advice	1	1.25	1.0
11 - Died	5	6.25	9.6
12 - Home Health Service	38	47.50	16
All	80	100.0	32

***Gender by Patient County of Residence
for 2010
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	6,212	39.86	4.7
2 - Female	9,371	60.13	3.6
4 - Unknown	2	0.01	2.0
All	15,585	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,837	39.59	4.2
2 - Female	8,903	60.39	3.3
4 - Unknown	2	0.01	2.0
All	14,742	100.0	3.7

***Gender by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	9	64.29	14
2 - Female	5	35.71	9.4
All	14	100.0	13

***Gender by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	35	48.61	18
2 - Female	37	51.39	14
All	72	100.0	16

***Gender by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	293	43.28	7.4
2 - Female	384	56.72	7.9
All	677	100.0	7.7

***Gender by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	38	47.50	48
2 - Female	42	52.50	18
All	80	100.0	32

***Expected Payer by Patient County of Residence
for 2010
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	4.0
01 - Medicare	4,560	29.26	4.7
02 - Medi-Cal	3,576	22.95	3.9
03 - Private Coverage	6,344	40.71	3.5
04 - Workers' Compensatio	87	0.56	3.6
05 - County Indigent Prog	222	1.42	5.1
06 - Other Government	244	1.57	6.7
07 - Other Indigent	115	0.74	4.4
08 - Self-Pay	422	2.71	4.2
09 - Other Payer	14	0.09	5.6
All	15,585	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	4.0
01 - Medicare	4,362	29.59	4.3
02 - Medi-Cal	3,463	23.49	3.4
03 - Private Coverage	6,010	40.77	3.2
04 - Workers' Compensatio	77	0.52	3.1
05 - County Indigent Prog	187	1.27	4.9
06 - Other Government	124	0.84	5.5
07 - Other Indigent	107	0.73	4.2
08 - Self-Pay	409	2.77	3.9
09 - Other Payer	2	0.01	2.0
All	14,742	100.0	3.7

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	3	21.43	6.3
03 - Private Coverage	9	64.29	15
08 - Self-Pay	2	14.29	13
All	14	100.0	13

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	37	51.39	15
02 - Medi-Cal	5	6.94	18
03 - Private Coverage	24	33.33	16
04 - Workers' Compensatio	2	2.78	20
05 - County Indigent Prog	1	1.39	12
06 - Other Government	2	2.78	13
07 - Other Indigent	1	1.39	21
All	72	100.0	16

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	101	14.92	9.8
02 - Medi-Cal	98	14.48	7.3
03 - Private Coverage	292	43.13	7.4
04 - Workers' Compensatio	6	0.89	4.8
05 - County Indigent Prog	34	5.02	6.3
06 - Other Government	118	17.43	7.8
07 - Other Indigent	7	1.03	5.3
08 - Self-Pay	9	1.33	6.2
09 - Other Payer	12	1.77	6.2
All	677	100.0	7.7

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	57	71.25	14
02 - Medi-Cal	10	12.50	145
03 - Private Coverage	9	11.25	21
04 - Workers' Compensatio	2	2.50	4.0
08 - Self-Pay	2	2.50	54
All	80	100.0	32

***Race Group by Patient County of Residence
for 2010
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	71	0.46	3.2
1 - White	9,688	62.16	4.2
2 - Black	591	3.79	4.9
3 - Hispanic	4,073	26.13	3.7
4 - Asian/Pacific Islander	920	5.90	4.0
5 - Native American/Eskimo/Ale	70	0.45	5.3
6 - Other	172	1.10	3.0
All	15,585	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	64	0.43	2.8
1 - White	9,112	61.81	3.7
2 - Black	548	3.72	4.5
3 - Hispanic	3,917	26.57	3.5
4 - Asian/Pacific Islander	878	5.96	3.8
5 - Native American/Eskimo/Ale	65	0.44	5.3
6 - Other	158	1.07	2.6
All	14,742	100.0	3.7

***Race Group by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	7.14	4.0
1 - White	11	78.57	6.4
2 - Black	1	7.14	28
3 - Hispanic	1	7.14	75
All	14	100.0	13

***Race Group by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	1.39	18
1 - White	48	66.67	16
2 - Black	2	2.78	11
3 - Hispanic	16	22.22	18
4 - Asian/Pacific Islander	4	5.56	14
6 - Other	1	1.39	21
All	72	100.0	16

***Race Group by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	5	0.74	5.4
1 - White	458	67.65	8.3
2 - Black	36	5.32	6.5
3 - Hispanic	126	18.61	6.3
4 - Asian/Pacific Islander	34	5.02	6.4
5 - Native American/Eskimo/Ale	5	0.74	4.8
6 - Other	13	1.92	7.1
All	677	100.0	7.7

***Race Group by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	59	73.75	37
2 - Black	4	5.00	36
3 - Hispanic	13	16.25	11
4 - Asian/Pacific Islander	4	5.00	18
All	80	100.0	32

**Source of Admission by Patient County of Residence
for 2010
Yolo County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11,766	75.50	3.8
2 - Residential Care Facility	71	0.46	3.7
3 - Ambulatory Surgery	94	0.60	3.1
4 - Skilled Nursing/Intermedia	423	2.71	4.9
5 - Acute Inpatient Hospital C	564	3.62	13
6 - Other Inpatient Hospital C	38	0.24	8.7
7 - Newborn (born in admitting	2,414	15.49	2.8
8 - Prison/Jail	10	0.06	7.6
9 - Other	205	1.32	5.4
All	15,585	100.0	4.1

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11,158	75.69	3.6
2 - Residential Care Facility	67	0.45	3.6
3 - Ambulatory Surgery	93	0.63	3.0
4 - Skilled Nursing/Intermedia	417	2.83	4.8
5 - Acute Inpatient Hospital C	395	2.68	8.8
6 - Other Inpatient Hospital C	30	0.20	8.0
7 - Newborn (born in admitting	2,414	16.37	2.8
8 - Prison/Jail	8	0.05	9.1
9 - Other	160	1.09	4.6
All	14,742	100.0	3.7

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	14	100.0	13
All	14	100.0	13

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	4.17	10
4 - Skilled Nursing/Intermedia	2	2.78	27
5 - Acute Inpatient Hospital C	67	93.06	16
All	72	100.0	16

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	591	87.30	7.7
2 - Residential Care Facility	4	0.59	6.5
4 - Skilled Nursing/Intermedia	4	0.59	4.3
5 - Acute Inpatient Hospital C	24	3.55	5.8
6 - Other Inpatient Hospital C	7	1.03	9.9
8 - Prison/Jail	2	0.30	1.5
9 - Other	45	6.65	8.2
All	677	100.0	7.7

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
3 - Ambulatory Surgery	1	1.25	7.0
5 - Acute Inpatient Hospital C	78	97.50	32
6 - Other Inpatient Hospital C	1	1.25	21
All	80	100.0	32

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.01	34
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	23	0.15	69
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	19	0.12	56
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	16
007	LUNG TRANSPLANT	1	0.01	19
009	BONE MARROW TRANSPLANT	6	0.04	25
010	PANCREAS TRANSPLANT	1	0.01	7.0
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	33
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.02	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	5.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.04	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	12
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	8.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	3	0.02	12
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.01	4.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	14	0.09	9.2
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	15	0.10	5.1
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.19	3.1
028	SPINAL PROCEDURES WITH MCC	1	0.01	21
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	7	0.04	5.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	12	0.08	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.03	25
032	VENTRICULAR SHUNT PROCEDURES WITH CC	2	0.01	11
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.04	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.03	4.8
038	EXTRACRANIAL PROCEDURES WITH CC	11	0.07	1.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	22	0.14	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	4	0.03	5.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	14	0.09	5.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.03	1.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.01	1.0
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.02	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	5	0.03	3.4
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	12	0.08	2.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	5	0.03	7.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	13	0.08	4.2
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	12
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	4	0.03	3.3
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.01	3.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.04	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.01	6.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	65	0.42	5.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	70	0.45	4.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	52	0.33	2.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	3.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.03	1.6
069	TRANSIENT ISCHEMIA	28	0.18	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	6	0.04	3.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.01	1.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.01	1.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	9	0.06	4.7
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	18	0.12	4.3
075	VIRAL MENINGITIS WITH CC/MCC	4	0.03	3.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	7	0.04	1.7
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.01	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.01	1.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.01	1.5
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.02	4.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.03	7.8
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	9	0.06	5.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	8	0.05	8.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	13	0.08	2.2

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	30	0.19	1.9
088	CONCUSSION WITH MCC	1	0.01	6.0
089	CONCUSSION WITH CC	11	0.07	2.2
090	CONCUSSION WITHOUT CC/MCC	18	0.12	1.5
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	4	0.03	2.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	9	0.06	3.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	9	0.06	2.3
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.02	227
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.02	5.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.02	12
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.02	7.3
100	SEIZURES WITH MCC	21	0.13	3.9
101	SEIZURES WITHOUT MCC	62	0.40	2.5
103	HEADACHES WITHOUT MCC	24	0.15	2.6
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	3.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.01	3.0
123	NEUROLOGICAL EYE DISORDERS	3	0.02	3.3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	1.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.01	27

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	7	0.04	2.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	15	0.10	1.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	6	0.04	2.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.10	1.1
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
139	SALIVARY GLAND PROCEDURES	4	0.03	1.3
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.01	4.5
149	DYSEQUILIBRIUM	10	0.06	1.4
151	EPISTAXIS WITHOUT MCC	2	0.01	1.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.01	6.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	21	0.13	1.7
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	4.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.03	3.2
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	7	0.04	2.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.01	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.01	6.0
163	MAJOR CHEST PROCEDURES WITH MCC	19	0.12	15
164	MAJOR CHEST PROCEDURES WITH CC	13	0.08	5.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	18	0.12	3.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	14	0.09	9.5
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	7	0.04	14

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
175	PULMONARY EMBOLISM WITH MCC	15	0.10	4.6
176	PULMONARY EMBOLISM WITHOUT MCC	23	0.15	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	42	0.27	7.5
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	27	0.17	5.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.06	6.3
180	RESPIRATORY NEOPLASMS WITH MCC	13	0.08	4.1
181	RESPIRATORY NEOPLASMS WITH CC	21	0.13	3.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.01	7.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.01	7.0
184	MAJOR CHEST TRAUMA WITH CC	9	0.06	5.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	8	0.05	1.9
186	PLEURAL EFFUSION WITH MCC	11	0.07	2.8
187	PLEURAL EFFUSION WITH CC	12	0.08	3.6
188	PLEURAL EFFUSION WITHOUT CC/MCC	5	0.03	3.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	170	1.09	5.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	67	0.43	3.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	41	0.26	2.7
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	41	0.26	2.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	117	0.75	4.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	134	0.86	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	73	0.47	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
196	INTERSTITIAL LUNG DISEASE WITH MCC	2	0.01	11
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.03	6.4
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	2	0.01	3.0
199	PNEUMOTHORAX WITH MCC	4	0.03	5.0
200	PNEUMOTHORAX WITH CC	10	0.06	3.1
201	PNEUMOTHORAX WITHOUT CC/MCC	4	0.03	3.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	29	0.19	1.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	73	0.47	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	15	0.10	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.03	2.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	20	0.13	1.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	27	0.17	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	70	0.45	5.8
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	14	0.09	16
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.03	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	10
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	17	0.11	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	24	0.15	7.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	2	0.01	5.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.01	3.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	10

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.02	6.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	5	0.03	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	15	0.10	1.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.04	27
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	7	0.04	5.3
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.03	3.8
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	12	0.08	11
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	15	0.10	7.6
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.06	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	28	0.18	7.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	11	0.07	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	18	0.12	2.6
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	7	0.04	9.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.06	5.1
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	15	0.10	6.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	21	0.13	2.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	29	0.19	1.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	17	0.11	3.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	114	0.73	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	3	0.02	4.3
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	22	0.14	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.01	7.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	24	0.15	3.4
252	OTHER VASCULAR PROCEDURES WITH MCC	7	0.04	9.1
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.15	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	16	0.10	2.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	12
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.01	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.01	1.0
263	VEIN LIGATION & STRIPPING	1	0.01	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	4	0.03	2.8
265	AICD LEAD PROCEDURES	1	0.01	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	44	0.28	3.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	36	0.23	2.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	39	0.25	1.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	5	0.03	1.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	11	0.07	5.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	68	0.44	2.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	6	0.04	7.0
291	HEART FAILURE & SHOCK WITH MCC	101	0.65	4.2
292	HEART FAILURE & SHOCK WITH CC	82	0.53	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	38	0.24	2.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.01	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.01	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	7	0.04	3.9
300	PERIPHERAL VASCULAR DISORDERS WITH CC	18	0.12	2.9
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	7	0.04	2.6
302	ATHEROSCLEROSIS WITH MCC	6	0.04	3.5
303	ATHEROSCLEROSIS WITHOUT MCC	11	0.07	1.9
304	HYPERTENSION WITH MCC	2	0.01	2.5
305	HYPERTENSION WITHOUT MCC	9	0.06	1.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.02	10
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.03	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	47	0.30	3.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	52	0.33	2.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	73	0.47	1.3
311	ANGINA PECTORIS	9	0.06	1.0
312	SYNCOPE & COLLAPSE	38	0.24	1.9
313	CHEST PAIN	72	0.46	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	41	0.26	11
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	24	0.15	4.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	12	0.08	1.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	10	0.06	12

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.06	7.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	24	0.15	2.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	32	0.21	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	63	0.40	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	26	0.17	4.5
333	RECTAL RESECTION WITH CC	3	0.02	5.3
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.03	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.01	14
336	PERITONEAL ADHESIOLYSIS WITH CC	13	0.08	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	6	0.04	5.7
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	16
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.08	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	33	0.21	3.0
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	.00
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.05	1.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	80	0.51	1.2
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	6	0.04	6.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.05	4.9
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	58
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.04	3.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	6	0.04	1.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.01	3.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	3	0.02	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.01	9.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	10	0.06	2.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	24	0.15	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	7	0.04	20
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	7	0.04	6.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	5.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	2	0.01	9.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	4	0.03	2.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.02	5.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	14	0.09	7.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	28	0.18	4.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	13	0.08	2.5
374	DIGESTIVE MALIGNANCY WITH MCC	9	0.06	6.2
375	DIGESTIVE MALIGNANCY WITH CC	11	0.07	4.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	4	0.03	5.3
377	G.I. HEMORRHAGE WITH MCC	44	0.28	3.6
378	G.I. HEMORRHAGE WITH CC	89	0.57	2.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	29	0.19	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.03	2.8
381	COMPLICATED PEPTIC ULCER WITH CC	7	0.04	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	4	0.03	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.03	3.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.04	4.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.04	3.1
388	G.I. OBSTRUCTION WITH MCC	19	0.12	3.6
389	G.I. OBSTRUCTION WITH CC	49	0.31	4.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	45	0.29	2.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	45	0.29	3.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	200	1.28	2.5
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	16	0.10	5.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	30	0.19	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	21	0.13	3.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.01	9.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	6	0.04	11
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.05	4.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.03	6.8
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	2.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	4.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.04	6.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	6.8
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.06	4.1
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.15	5.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	51	0.33	3.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	79	0.51	2.1
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.01	4.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	3.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.02	9.3
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.01	7.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	16	0.10	4.2
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	9	0.06	3.1
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	2.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	13	0.08	4.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	9	0.06	5.4
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	5.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	27	0.17	3.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	44	0.28	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	41	0.26	2.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	24	0.15	3.3
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	25	0.16	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	5	0.03	4.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	10	0.06	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	21	0.13	3.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	13	0.08	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.01	7.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.03	5.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	9	0.06	5.3
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.01	7.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.04	6.5
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.01	4.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	52	0.33	3.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.03	5.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.05	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	12	0.08	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.02	4.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.04	8.3
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	9	0.06	3.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	12	0.08	3.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	21	0.13	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	437	2.80	3.2
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	10

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
472	CERVICAL SPINAL FUSION WITH CC	18	0.12	3.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	41	0.26	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	14
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.02	6.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.02	3.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.03	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.16	7.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	91	0.58	4.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	26	0.17	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	13	0.08	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	23	0.15	2.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.03	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.02	3.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.02	6.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	10	0.06	1.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	26	0.17	4.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	58	0.37	1.5
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	4	0.03	6.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	32	0.21	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	69	0.44	1.8
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	8	0.05	2.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	12	0.08	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.01	.50
501	SOFT TISSUE PROCEDURES WITH CC	9	0.06	3.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	14	0.09	1.6
503	FOOT PROCEDURES WITH MCC	1	0.01	6.0
504	FOOT PROCEDURES WITH CC	5	0.03	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	10	0.06	1.5
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.01	1.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
509	ARTHROSCOPY	1	0.01	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	4	0.03	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	18	0.12	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.03	2.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.03	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.03	2.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	16	0.10	2.1
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.04	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.06	6.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	15	0.10	2.6
539	OSTEOMYELITIS WITH MCC	2	0.01	2.5
540	OSTEOMYELITIS WITH CC	3	0.02	20

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.02	14
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.02	7.7
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	10	0.06	4.9
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	3	0.02	9.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.02	2.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	5	0.03	1.4
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	20
551	MEDICAL BACK PROBLEMS WITH MCC	4	0.03	1.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	39	0.25	2.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	8	0.05	1.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.01	1.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	6	0.04	1.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.01	11
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.10	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	3.5
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.03	2.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.03	1.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	1	0.01	4.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	25	0.16	1.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.01	30
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.02	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.06	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.02	4.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	7.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.07	2.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.01	3.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	19	0.12	4.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	29	0.19	1.7
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	7	0.04	1.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	20	0.13	1.3
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.04	2.1
593	SKIN ULCERS WITH CC	3	0.02	3.0
595	MAJOR SKIN DISORDERS WITH MCC	1	0.01	4.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.03	2.0
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	3.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.02	2.0
602	CELLULITIS WITH MCC	13	0.08	3.2
603	CELLULITIS WITHOUT MCC	113	0.73	3.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	22	0.14	1.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	7	0.04	2.7
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	5	0.03	3.4
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	5	0.03	1.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.02	7.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	10	0.06	3.9
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.01	50
620	O.R. PROCEDURES FOR OBESITY WITH CC	6	0.04	2.2
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	62	0.40	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.01	2.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.04	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	51	0.33	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.02	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	6	0.04	4.5
637	DIABETES WITH MCC	20	0.13	3.1
638	DIABETES WITH CC	47	0.30	3.2
639	DIABETES WITHOUT CC/MCC	38	0.24	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	54	0.35	2.7
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	72	0.46	2.0
642	INBORN ERRORS OF METABOLISM	10	0.06	.20
643	ENDOCRINE DISORDERS WITH MCC	5	0.03	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	9	0.06	4.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	5	0.03	2.4
652	KIDNEY TRANSPLANT	5	0.03	11
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.03	7.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	5	0.03	4.4
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	8	0.05	4.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	5	0.03	4.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	12	0.08	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	12	0.08	2.3
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	6.5
663	MINOR BLADDER PROCEDURES WITH CC	1	0.01	4.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.03	1.8
666	PROSTATECTOMY WITH CC	2	0.01	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.03	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	2.0
669	TRANSURETHRAL PROCEDURES WITH CC	7	0.04	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	13	0.08	1.1
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.01	3.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	9.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.01	4.0
682	RENAL FAILURE WITH MCC	64	0.41	6.2
683	RENAL FAILURE WITH CC	78	0.50	4.2
684	RENAL FAILURE WITHOUT CC/MCC	19	0.12	2.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.01	2.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.01	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	44	0.28	9.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	122	0.78	3.1
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	.00
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.01	3.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	19	0.12	1.3
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.01	7.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	3	0.02	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	30	0.19	6.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.12	3.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	6	0.04	2.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	9	0.06	2.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	26	0.17	1.5
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.02	.67
711	TESTES PROCEDURES WITH CC/MCC	1	0.01	13
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.02	.67

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.08	1.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	28	0.18	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	1.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	2.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	9	0.06	8.1
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	.00
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.01	12
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	2.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	11
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.04	4.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	5.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.01	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	9	0.06	2.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	16	0.10	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	59	0.38	2.0
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	237	1.52	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	3.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.02	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.02	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	9	0.06	1.2

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	26	0.17	1.2
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	3	0.02	5.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	1.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	1.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	4.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	.50
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	5.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.03	2.3
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.01	1.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	6	0.04	.83
765	CESAREAN SECTION WITH CC/MCC	236	1.51	4.0
766	CESAREAN SECTION WITHOUT CC/MCC	321	2.06	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	61	0.39	1.9
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	7	0.04	1.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	6	0.04	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	345	2.21	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,412	9.06	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	24	0.15	3.0
777	ECTOPIC PREGNANCY	6	0.04	1.0
778	THREATENED ABORTION	36	0.23	2.0
779	ABORTION WITHOUT D&C	5	0.03	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
780	FALSE LABOR	9	0.06	.44
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	77	0.49	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	30	0.19	1.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	26	0.17	1.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	30	0.19	41
791	PREMATURITY WITH MAJOR PROBLEMS	29	0.19	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	109	0.70	4.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	62	0.40	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	340	2.18	2.3
795	NORMAL NEWBORN	1,895	12.16	1.9
800	SPLENECTOMY WITH CC	3	0.02	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	5.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	1	0.01	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	6	0.04	2.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	21	0.13	4.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	8	0.05	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	27	0.17	3.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	49	0.31	1.7
813	COAGULATION DISORDERS	14	0.09	2.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	1.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	9.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.06	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.02	41
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.05	4.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.05	4.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	11
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	1.5
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	2.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	3	0.02	9.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	6.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.03	7.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.03	51
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.04	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	14
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	19
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.03	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	9	0.06	5.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.06	7.9
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	7	0.04	3.6
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	9	0.06	4.4
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	2	0.01	4.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	3	0.02	2.7
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	10	0.06	11
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	39	0.25	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	9	0.06	3.2
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	54	0.35	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	13	0.08	5.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.5
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	4	0.03	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	9	0.06	4.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.03	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	6	0.04	27
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	32	0.21	4.3
864	FEVER	19	0.12	2.7
865	VIRAL ILLNESS WITH MCC	4	0.03	6.3
866	VIRAL ILLNESS WITHOUT MCC	16	0.10	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.02	8.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.01	5.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	35	0.22	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	421	2.70	5.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	123	0.79	4.1
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.01	21
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	8	0.05	3.1
881	DEPRESSIVE NEUROSES	46	0.30	3.5
882	NEUROSES EXCEPT DEPRESSIVE	20	0.13	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.04	14

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.03	2.3
885	PSYCHOSES	591	3.79	7.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.03	30
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.01	11
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	0.02	4.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	4	0.03	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	14	0.09	6.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	94	0.60	4.8
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	2	0.01	2.5
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	6.5
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.01	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	2	0.01	1.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.10	10
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	12	0.08	3.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	13	0.08	2.8
913	TRAUMATIC INJURY WITH MCC	1	0.01	6.0
914	TRAUMATIC INJURY WITHOUT MCC	9	0.06	1.4
915	ALLERGIC REACTIONS WITH MCC	1	0.01	6.0
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.01	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	47	0.30	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	67	0.43	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	9	0.06	2.1
920	COMPLICATIONS OF TREATMENT WITH CC	10	0.06	3.6
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	8	0.05	2.8
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.01	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	7	0.04	1.3
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.01	56
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.0
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.01	14
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.01	3.0
935	NON-EXTENSIVE BURNS	7	0.04	3.1
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.01	6.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	3	0.02	1.0
945	REHABILITATION WITH CC/MCC	99	0.64	16
946	REHABILITATION WITHOUT CC/MCC	28	0.18	11
947	SIGNS & SYMPTOMS WITH MCC	9	0.06	5.1
948	SIGNS & SYMPTOMS WITHOUT MCC	34	0.22	3.0
949	AFTERCARE WITH CC/MCC	2	0.01	53
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.07	1.3
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.04	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.04	12
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	6	0.04	8.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.02	8.3

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.01	10
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	9	0.06	4.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	2.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.03	9.2
975	HIV WITH MAJOR RELATED CONDITION WITH CC	5	0.03	3.4
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.02	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	25	0.16	8.6
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	16	0.10	9.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	10	0.06	3.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.03	29
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	10	0.06	3.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.0
All		15,582	100.0	4.1

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.01	34
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	23	0.16	69
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	19	0.13	56
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	16
007	LUNG TRANSPLANT	1	0.01	19
009	BONE MARROW TRANSPLANT	6	0.04	25
010	PANCREAS TRANSPLANT	1	0.01	7.0
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	33
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.02	14
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.01	5.5
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	7	0.05	18
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	12
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	8.5
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	3	0.02	12
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.01	4.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	14	0.09	9.2
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	15	0.10	5.1
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.20	3.1
028	SPINAL PROCEDURES WITH MCC	1	0.01	21

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	7	0.05	5.7
030	SPINAL PROCEDURES WITHOUT CC/MCC	12	0.08	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.03	25
032	VENTRICULAR SHUNT PROCEDURES WITH CC	2	0.01	11
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.05	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	4	0.03	4.8
038	EXTRACRANIAL PROCEDURES WITH CC	11	0.07	1.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	22	0.15	1.5
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	4	0.03	5.8
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	14	0.09	5.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.03	1.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.01	1.0
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.02	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	5	0.03	3.4
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	12	0.08	2.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	5	0.03	7.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	13	0.09	4.2
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	12
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	4	0.03	3.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.01	3.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	6	0.04	3.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.01	6.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	65	0.44	5.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	70	0.47	4.0
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	52	0.35	2.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	3.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.03	1.6
069	TRANSIENT ISCHEMIA	28	0.19	1.8
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	6	0.04	3.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.01	1.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.01	1.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	9	0.06	4.7
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	18	0.12	4.3
075	VIRAL MENINGITIS WITH CC/MCC	4	0.03	3.8
076	VIRAL MENINGITIS WITHOUT CC/MCC	7	0.05	1.7
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.01	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.01	1.5
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.01	1.5
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.02	4.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.03	7.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	9	0.06	5.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	8	0.05	8.5
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	13	0.09	2.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	30	0.20	1.9
088	CONCUSSION WITH MCC	1	0.01	6.0
089	CONCUSSION WITH CC	11	0.07	2.2
090	CONCUSSION WITHOUT CC/MCC	18	0.12	1.5
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	4	0.03	2.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	9	0.06	3.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	9	0.06	2.3
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.01	4.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.02	5.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.02	12
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.02	7.3
100	SEIZURES WITH MCC	21	0.14	3.9
101	SEIZURES WITHOUT MCC	62	0.42	2.5
103	HEADACHES WITHOUT MCC	24	0.16	2.6
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.01	3.0
123	NEUROLOGICAL EYE DISORDERS	3	0.02	3.3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	1.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.01	27
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	7	0.05	2.9
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	15	0.10	1.1
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	6	0.04	2.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.10	1.1
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
139	SALIVARY GLAND PROCEDURES	4	0.03	1.3
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.01	4.5
149	DYSEQUILIBRIUM	10	0.07	1.4
151	EPISTAXIS WITHOUT MCC	2	0.01	1.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.01	6.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	21	0.14	1.7
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	4.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.03	3.2
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	7	0.05	2.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.01	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
163	MAJOR CHEST PROCEDURES WITH MCC	19	0.13	15
164	MAJOR CHEST PROCEDURES WITH CC	13	0.09	5.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	18	0.12	3.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	14	0.09	9.5
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	7	0.05	14
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
175	PULMONARY EMBOLISM WITH MCC	15	0.10	4.6
176	PULMONARY EMBOLISM WITHOUT MCC	23	0.16	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	42	0.28	7.5
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	27	0.18	5.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.06	6.3
180	RESPIRATORY NEOPLASMS WITH MCC	13	0.09	4.1
181	RESPIRATORY NEOPLASMS WITH CC	21	0.14	3.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.01	7.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.01	7.0
184	MAJOR CHEST TRAUMA WITH CC	9	0.06	5.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	8	0.05	1.9
186	PLEURAL EFFUSION WITH MCC	11	0.07	2.8
187	PLEURAL EFFUSION WITH CC	12	0.08	3.6
188	PLEURAL EFFUSION WITHOUT CC/MCC	5	0.03	3.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	169	1.15	5.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	67	0.45	3.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	41	0.28	2.7
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	41	0.28	2.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	116	0.79	4.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	133	0.90	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	73	0.50	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	2	0.01	11
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.03	6.4
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	2	0.01	3.0
199	PNEUMOTHORAX WITH MCC	4	0.03	5.0
200	PNEUMOTHORAX WITH CC	10	0.07	3.1
201	PNEUMOTHORAX WITHOUT CC/MCC	4	0.03	3.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	29	0.20	1.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	73	0.50	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	15	0.10	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.03	2.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	20	0.14	1.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	27	0.18	22
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	70	0.47	5.8
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	14	0.09	16
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.03	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	10
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	17	0.12	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	24	0.16	7.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	2	0.01	5.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.01	12
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.01	3.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.02	6.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	5	0.03	10
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	15	0.10	1.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.04	27
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	7	0.05	5.3
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.03	3.8
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	12	0.08	11
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	15	0.10	7.6
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.06	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	28	0.19	7.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	11	0.07	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	18	0.12	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	7	0.05	9.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	9	0.06	5.1
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	15	0.10	6.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	21	0.14	2.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	29	0.20	1.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	17	0.12	3.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	114	0.77	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	3	0.02	4.3
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	22	0.15	2.1
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.01	7.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	24	0.16	3.4
252	OTHER VASCULAR PROCEDURES WITH MCC	7	0.05	9.1
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.16	5.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	16	0.11	2.8
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	12
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.01	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.01	1.0
263	VEIN LIGATION & STRIPPING	1	0.01	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	4	0.03	2.8
265	AICD LEAD PROCEDURES	1	0.01	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	44	0.30	3.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	36	0.24	2.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	39	0.26	1.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	5	0.03	1.2
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	11	0.07	5.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	68	0.46	2.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.03	3.8
291	HEART FAILURE & SHOCK WITH MCC	101	0.69	4.2
292	HEART FAILURE & SHOCK WITH CC	82	0.56	2.8
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	38	0.26	2.4
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.01	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.01	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	7	0.05	3.9
300	PERIPHERAL VASCULAR DISORDERS WITH CC	18	0.12	2.9
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	7	0.05	2.6
302	ATHEROSCLEROSIS WITH MCC	6	0.04	3.5
303	ATHEROSCLEROSIS WITHOUT MCC	11	0.07	1.9
304	HYPERTENSION WITH MCC	2	0.01	2.5
305	HYPERTENSION WITHOUT MCC	9	0.06	1.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.02	10

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.03	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	47	0.32	3.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	52	0.35	2.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	73	0.50	1.3
311	ANGINA PECTORIS	9	0.06	1.0
312	SYNCOPE & COLLAPSE	38	0.26	1.9
313	CHEST PAIN	72	0.49	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	40	0.27	6.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	24	0.16	4.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	12	0.08	1.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	10	0.07	12
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.07	7.8
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	24	0.16	2.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	32	0.22	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	63	0.43	7.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	26	0.18	4.5
333	RECTAL RESECTION WITH CC	3	0.02	5.3
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.03	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.01	14
336	PERITONEAL ADHESIOLYSIS WITH CC	13	0.09	8.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	6	0.04	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	16
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.09	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	33	0.22	3.0
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	.00
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.05	1.1
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	80	0.54	1.2
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	6	0.04	6.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	8	0.05	4.9
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	58
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.04	3.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	6	0.04	1.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	8.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.01	3.5
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	3	0.02	1.7
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.01	9.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	10	0.07	2.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	24	0.16	2.2
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	7	0.05	20
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	7	0.05	6.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	5.3
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	2	0.01	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	4	0.03	2.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.02	5.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	14	0.09	7.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	28	0.19	4.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	13	0.09	2.5
374	DIGESTIVE MALIGNANCY WITH MCC	9	0.06	6.2
375	DIGESTIVE MALIGNANCY WITH CC	11	0.07	4.3
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	4	0.03	5.3
377	G.I. HEMORRHAGE WITH MCC	44	0.30	3.6
378	G.I. HEMORRHAGE WITH CC	89	0.60	2.3
379	G.I. HEMORRHAGE WITHOUT CC/MCC	29	0.20	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.03	2.8
381	COMPLICATED PEPTIC ULCER WITH CC	7	0.05	2.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	4	0.03	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.03	3.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.05	4.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.05	3.1
388	G.I. OBSTRUCTION WITH MCC	19	0.13	3.6
389	G.I. OBSTRUCTION WITH CC	49	0.33	4.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	45	0.31	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	45	0.31	3.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	199	1.35	2.4
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	16	0.11	5.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	30	0.20	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	21	0.14	3.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.01	9.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	6	0.04	11
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.05	4.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.03	6.8
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	2.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.01	7.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	4.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.04	6.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	6.8
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.07	4.1
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	24	0.16	5.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	51	0.35	3.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	79	0.54	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.01	4.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	3.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.02	9.3
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.01	7.0
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	16	0.11	4.2
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	9	0.06	3.1
434	CIRRHOIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	2.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	13	0.09	4.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	9	0.06	5.4
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.01	5.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	27	0.18	3.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	44	0.30	3.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	41	0.28	2.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	24	0.16	3.3
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	25	0.17	2.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	5	0.03	4.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	10	0.07	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	21	0.14	3.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	13	0.09	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.01	7.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.03	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	9	0.06	5.3
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.01	7.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.04	6.5
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.01	4.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	52	0.35	3.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	4	0.03	5.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	8	0.05	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	12	0.08	12
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.02	4.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.04	8.3
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	9	0.06	3.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	12	0.08	3.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	21	0.14	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	437	2.96	3.2
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	10
472	CERVICAL SPINAL FUSION WITH CC	18	0.12	3.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	41	0.28	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.01	14
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.02	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.02	3.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.03	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.17	7.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	91	0.62	4.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	26	0.18	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	13	0.09	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	23	0.16	2.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.03	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.02	3.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.02	6.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	10	0.07	1.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	26	0.18	4.9
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	58	0.39	1.5
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	4	0.03	6.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	32	0.22	4.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	69	0.47	1.8
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	8	0.05	2.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	12	0.08	3.8
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.01	.50
501	SOFT TISSUE PROCEDURES WITH CC	9	0.06	3.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	14	0.09	1.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
503	FOOT PROCEDURES WITH MCC	1	0.01	6.0
504	FOOT PROCEDURES WITH CC	5	0.03	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	10	0.07	1.5
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.01	1.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
509	ARTHROSCOPY	1	0.01	1.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	4	0.03	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	18	0.12	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.03	2.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.03	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.03	2.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	16	0.11	2.1
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.05	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.07	6.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	15	0.10	2.6
539	OSTEOMYELITIS WITH MCC	2	0.01	2.5
540	OSTEOMYELITIS WITH CC	2	0.01	8.0
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	5.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.02	7.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	10	0.07	4.9
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	3	0.02	9.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.02	2.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	5	0.03	1.4
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	20
551	MEDICAL BACK PROBLEMS WITH MCC	4	0.03	1.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	39	0.26	2.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	8	0.05	1.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.01	1.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	6	0.04	1.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.01	11
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.10	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	3.5
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.03	3.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.03	1.5
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	1	0.01	4.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	25	0.17	1.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.01	30
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.02	7.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.07	13
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.02	4.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	6.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	7.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	11	0.07	2.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.01	3.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	19	0.13	4.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	29	0.20	1.7
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	7	0.05	1.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	20	0.14	1.3
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.05	2.1
593	SKIN ULCERS WITH CC	3	0.02	3.0
595	MAJOR SKIN DISORDERS WITH MCC	1	0.01	4.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.03	2.0
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	3.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.02	2.0
602	CELLULITIS WITH MCC	13	0.09	3.2
603	CELLULITIS WITHOUT MCC	110	0.75	3.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	22	0.15	1.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	7	0.05	2.7
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	5	0.03	3.4
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	5	0.03	1.6
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.02	7.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	10	0.07	3.9
619	O.R. PROCEDURES FOR OBESITY WITH MCC	1	0.01	50
620	O.R. PROCEDURES FOR OBESITY WITH CC	6	0.04	2.2
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	62	0.42	1.6
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.01	2.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	6	0.04	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	51	0.35	1.2
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.02	12
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	6	0.04	4.5
637	DIABETES WITH MCC	20	0.14	3.1
638	DIABETES WITH CC	46	0.31	2.6
639	DIABETES WITHOUT CC/MCC	38	0.26	1.9
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	54	0.37	2.7
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	72	0.49	2.0
642	INBORN ERRORS OF METABOLISM	10	0.07	.20

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
643	ENDOCRINE DISORDERS WITH MCC	5	0.03	3.4
644	ENDOCRINE DISORDERS WITH CC	9	0.06	4.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	5	0.03	2.4
652	KIDNEY TRANSPLANT	5	0.03	11
653	MAJOR BLADDER PROCEDURES WITH MCC	2	0.01	20
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.03	7.8
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.02	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	5	0.03	4.4
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	8	0.05	4.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	5	0.03	4.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	12	0.08	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	12	0.08	2.3
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	6.5
663	MINOR BLADDER PROCEDURES WITH CC	1	0.01	4.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.03	1.8
666	PROSTATECTOMY WITH CC	2	0.01	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	4	0.03	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	2.0
669	TRANSURETHRAL PROCEDURES WITH CC	7	0.05	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	13	0.09	1.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.01	3.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	9.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.01	4.0
682	RENAL FAILURE WITH MCC	63	0.43	5.0
683	RENAL FAILURE WITH CC	78	0.53	4.2
684	RENAL FAILURE WITHOUT CC/MCC	18	0.12	2.1
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.01	2.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.01	2.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	43	0.29	3.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	122	0.83	3.1
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	.00
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.01	3.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	19	0.13	1.3
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.01	7.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	3	0.02	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	29	0.20	4.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	19	0.13	3.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	6	0.04	2.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	9	0.06	2.6
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	26	0.18	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.02	.67
711	TESTES PROCEDURES WITH CC/MCC	1	0.01	13
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.02	.67
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	13	0.09	1.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	28	0.19	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	1.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	2.5
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	8	0.05	3.8
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	.00
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.01	12
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	2.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	11
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	7	0.05	4.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	5.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.01	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	9	0.06	2.7
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	16	0.11	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	59	0.40	2.0
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	237	1.61	1.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	3.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.02	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.02	4.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	9	0.06	1.2
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	26	0.18	1.2
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	3	0.02	5.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	1.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	1.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	4.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	.50
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	5.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.03	2.3
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.01	1.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	6	0.04	.83
765	CESAREAN SECTION WITH CC/MCC	236	1.60	4.0
766	CESAREAN SECTION WITHOUT CC/MCC	321	2.18	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	61	0.41	1.9
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	7	0.05	1.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	6	0.04	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	345	2.34	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,412	9.58	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	24	0.16	3.0
777	ECTOPIC PREGNANCY	6	0.04	1.0
778	THREATENED ABORTION	36	0.24	2.0
779	ABORTION WITHOUT D&C	5	0.03	1.4
780	FALSE LABOR	9	0.06	.44
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	77	0.52	2.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	30	0.20	1.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	26	0.18	1.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	30	0.20	41
791	PREMATURITY WITH MAJOR PROBLEMS	29	0.20	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	109	0.74	4.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	62	0.42	6.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	340	2.31	2.3
795	NORMAL NEWBORN	1,895	12.86	1.9
800	SPLENECTOMY WITH CC	3	0.02	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	5.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	1	0.01	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	6	0.04	2.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	21	0.14	4.4
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	8	0.05	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	27	0.18	3.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	49	0.33	1.7
813	COAGULATION DISORDERS	14	0.09	2.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	1.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	9.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.06	2.9
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.02	41
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.05	4.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	8	0.05	4.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	11
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	1.5
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	2.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	3	0.02	9.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	6.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	4	0.03	7.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.03	51
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.05	13
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	14
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	19
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.03	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	9	0.06	5.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.06	7.9
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	7	0.05	3.6
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	9	0.06	4.4
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	2	0.01	4.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	3	0.02	2.7
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	10	0.07	11
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	39	0.26	4.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	9	0.06	3.2
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	54	0.37	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	13	0.09	5.4
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.5
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	4	0.03	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	9	0.06	4.2
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	5	0.03	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	5	0.03	5.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	31	0.21	4.2
864	FEVER	19	0.13	2.7
865	VIRAL ILLNESS WITH MCC	4	0.03	6.3
866	VIRAL ILLNESS WITHOUT MCC	16	0.11	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.02	8.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.01	5.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	35	0.24	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	420	2.85	5.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	123	0.83	4.1
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	5	0.03	3.2
881	DEPRESSIVE NEUROSES	2	0.01	1.5
882	NEUROSES EXCEPT DEPRESSIVE	1	0.01	16
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	3	0.02	6.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.03	2.3
885	PSYCHOSES	16	0.11	2.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.01	11
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	0.01	5.5
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.01	3.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	14	0.09	6.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	59	0.40	2.9
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	2	0.01	2.5
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	2	0.01	6.5
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.01	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	2	0.01	1.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	15	0.10	10

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	12	0.08	3.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	13	0.09	2.8
913	TRAUMATIC INJURY WITH MCC	1	0.01	6.0
914	TRAUMATIC INJURY WITHOUT MCC	9	0.06	1.4
915	ALLERGIC REACTIONS WITH MCC	1	0.01	6.0
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.01	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	47	0.32	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	66	0.45	1.7
919	COMPLICATIONS OF TREATMENT WITH MCC	9	0.06	2.1
920	COMPLICATIONS OF TREATMENT WITH CC	10	0.07	3.6
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	7	0.05	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.01	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	7	0.05	1.3
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.01	56
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	7.0
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.01	14
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.01	3.0
935	NON-EXTENSIVE BURNS	7	0.05	3.1
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.01	6.5
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	3	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	9	0.06	5.1
948	SIGNS & SYMPTOMS WITHOUT MCC	34	0.23	3.0
949	AFTERCARE WITH CC/MCC	1	0.01	7.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.07	1.3
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.04	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.04	12
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	6	0.04	8.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.02	8.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.01	10
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	9	0.06	4.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	2.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.03	9.2
975	HIV WITH MAJOR RELATED CONDITION WITH CC	5	0.03	3.4
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.02	2.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	25	0.17	8.6
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	16	0.11	9.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	10	0.07	3.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.03	29
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	10	0.07	3.3

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.01	1.0
All		14,739	100.0	3.7

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	21.43	19
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	11	78.57	11
All		14	100.0	13

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	65	90.28	16
946	REHABILITATION WITHOUT CC/MCC	7	9.72	13
All		72	100.0	16

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.15	21
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	3	0.44	3.0
881	DEPRESSIVE NEUROSES	44	6.50	3.6
882	NEUROSES EXCEPT DEPRESSIVE	19	2.81	3.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.59	20
885	PSYCHOSES	575	84.93	7.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.74	30
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.15	1.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	24	3.55	6.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.15	3.0
All		677	100.0	7.7

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	1.25	674
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	1.25	1.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	1.25	36
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	1.25	5.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	2.50	14
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	1.25	210
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	1.25	28
540	OSTEOMYELITIS WITH CC	1	1.25	43
541	OSTEOMYELITIS WITHOUT CC/MCC	1	1.25	31
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	1.25	.00
603	CELLULITIS WITHOUT MCC	3	3.75	10
638	DIABETES WITH CC	1	1.25	30
682	RENAL FAILURE WITH MCC	1	1.25	82
684	RENAL FAILURE WITHOUT CC/MCC	1	1.25	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	1.25	273
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	1.25	70
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	1.25	43
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	1.25	133
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	1.25	9.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1	1.25	1.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	1.25	7.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	34	42.50	15
946	REHABILITATION WITHOUT CC/MCC	21	26.25	10
949	AFTERCARE WITH CC/MCC	1	1.25	98
All		80	100.0	32

**MDC by Patient County of Residence
for 2010
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	749	4.81	5.7
02	EYE, DISEASES & DISORDERS	14	0.09	2.2
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	112	0.72	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,205	7.73	5.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,403	9.00	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,134	7.28	4.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	472	3.03	3.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,361	8.73	3.7
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	286	1.84	3.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	424	2.72	2.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	518	3.32	4.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	101	0.65	2.2
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	404	2.59	1.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,577	16.54	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,491	15.98	2.9
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	149	0.96	3.2
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	160	1.03	8.7
18	INFECTIOUS & PARASITIC DISEASES	762	4.89	7.6
19	MENTAL DISEASES & DISORDERS	683	4.38	7.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	115	0.74	5.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	215	1.38	3.4
22	BURNS	15	0.10	13

(Continued)

***MDC by Patient County of Residence
for 2010
Yolo County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	188	1.21	11
24	MULTIPLE SIGNFICANT TRAUMA	33	0.21	8.2
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.09	5.0
All		15,585	100.0	4.1

**MDC by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	748	5.07	4.8
02	EYE, DISEASES & DISORDERS	14	0.09	2.2
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	112	0.76	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,202	8.15	5.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,400	9.50	3.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,133	7.69	4.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	472	3.20	3.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,358	9.21	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	283	1.92	3.2
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	423	2.87	2.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	514	3.49	3.9
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	100	0.68	1.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	404	2.74	1.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,577	17.48	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,491	16.90	2.9
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	149	1.01	3.2
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	160	1.09	8.7
18	INFECTIOUS & PARASITIC DISEASES	759	5.15	7.5
19	MENTAL DISEASES & DISORDERS	32	0.22	3.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	76	0.52	3.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	213	1.44	3.4

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	15	0.10	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	60	0.41	3.1
24	MULTIPLE SIGNFICANT TRAUMA	33	0.22	8.2
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.09	5.0
All		14,742	100.0	3.7

***MDC by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	14	100.0	13
All		14	100.0	13

***MDC by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	72	100.0	16
All		72	100.0	16

***MDC by Patient County of Residence
and Type of Care for 2010
Yolo County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	651	96.16	7.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	25	3.69	6.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.15	3.0
All		677	100.0	7.7

**MDC by Patient County of Residence
and Type of Care for 2010
Yolo County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	1.25	674
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3	3.75	14
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3	3.75	79
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	1.25	28
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3	3.75	25
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3	3.75	10
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	1.25	30
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	4	5.00	107
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	1.25	43
18	INFECTIOUS & PARASITIC DISEASES	3	3.75	48
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	1.25	7.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	56	70.00	15
All		80	100.0	32