

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Alameda	Alameda Hospital	124	16	10.28		109	18	16.56	
	Alta Bates Summit Medical Center – Alta Bates Campus	346	15	4.77	Better	325	29	9.02	
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	490	49	11.44		449	57	11.39	
	Eden Medical Center	459	54	10.96		422	53	12.27	
	Highland Hospital	201	13	14.94		182	26	15.36	
	Kaiser Foundation Hospital – Hayward	282	42	11.34		264	31	10.21	
	Kaiser Foundation Hospital – Oakland Campus	415	42	9.01		393	55	11.82	
	Kaiser Foundation Hospital – Oakland/Richmond	176	13	7.66		142	25	15.04	
	Kaiser Foundation Hospital – San Leandro	71	8	8.59		57	8	12.35	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Alameda (continued)	Saint Rose Hospital	99	8	10.61		94	21	21.77	Worse
	San Leandro Hospital	72	10	13.50		63	5	7.13	
	Valleycare Medical Center	124	11	9.67		120	6	5.41	
	Washington Hospital – Fremont	343	30	8.12		316	33	10.31	
Amador	Sutter Amador Hospital	117	15	12.52		102	13	14.47	
Butte	Enloe Medical Center – Esplanade	489	63	11.12		454	47	11.73	
	Feather River Hospital	137	13	9.11		131	13	10.70	
	Oroville Hospital	228	14	7.56		212	40	18.55	Worse
Calaveras	Mark Twain Medical Center	44	5	11.49		41	6	17.70	
Contra Costa	Contra Costa Regional Medical Center	114	6	13.86		102	16	17.16	
	Doctors Medical Center – San Pablo	221	20	9.04		209	28	12.14	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Contra Costa (continued)	John Muir Medical Center – Concord Campus	326	28	8.13		300	35	10.94	
	John Muir Medical Center – Walnut Creek Campus	484	64	9.41		439	48	10.74	
	Kaiser Foundation Hospital – Antioch	302	39	10.00		278	43	13.28	
	Kaiser Foundation Hospital – Walnut Creek	356	36	7.69		335	40	10.95	
	San Ramon Regional Medical Center	197	23	9.27		177	14	8.31	
	Sutter Delta Medical Center	151	9	6.67		143	15	9.26	
Del Norte	Sutter Coast Hospital	109	10	8.07		100	8	9.21	
El Dorado	Marshall Medical Center	189	22	9.20		178	13	7.70	
Fresno	Clovis Community Medical Center	313	37	12.72		291	29	10.29	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Fresno (continued)	Community Regional Medical Center – Fresno	801	76	14.57	Worse	727	93	12.79	
	Kaiser Foundation Hospital – Fresno	305	41	12.28		281	27	8.95	
	Saint Agnes Medical Center	716	87	11.90		657	88	12.96	
Humboldt	Mad River Community Hospital	60	7	11.79		54	3	6.87	
	Redwood Memorial Hospital§	33	6	19.17					
	Saint Joseph Hospital – Eureka	198	18	9.07		179	9	4.93	Better
Imperial	El Centro Regional Medical Center	226	12	6.14		213	27	11.77	
	Pioneers Memorial Healthcare District	164	9	7.35		155	22	13.71	
Kern	Bakersfield Heart Hospital	90	9	12.31		85	11	13.87	
	Bakersfield Memorial Hospital	361	36	12.27		330	41	12.77	
	Kern Medical Center	50	0	0.00		50	5	9.60	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Kern (continued)	Mercy Hospital – Bakersfield	251	22	9.33		231	33	15.45	
	Ridgecrest Regional Hospital§	34	8	17.88					
	San Joaquin Community Hospital	606	70	14.08	Worse	560	67	12.32	
Kings	Adventist Medical Center	248	22	12.58		229	21	9.59	
Lake	Sutter Lakeside Hospital	63	7	9.93		58	4	7.22	
Los Angeles	Alhambra Hospital	110	7	6.85		104	13	11.20	
	Antelope Valley Hospital†	438	56	15.80	Worse	400	60	15.25	
	Beverly Hospital	154	14	9.88		143	20	12.64	
	California Hospital Medical Center – Los Angeles	345	24	13.03		318	44	13.53	
	Cedars Sinai Medical Center	782	60	6.84	Better	718	110	14.55	
	Centinela Hospital Medical Center	428	14	5.82		410	76	14.76	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

† Hospitals submitted statements regarding this report. [Click here for their statements.](#)

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Citrus Valley Medical Center – Inter-Community Campus	146	10	8.43		137	20	14.44	
	Citrus Valley Medical Center – Queen of the Valley Campus	370	25	8.25		353	46	13.87	
	College Medical Center	37	2	3.89		35	3	6.37	
	Community and Mission Hospital of Huntington Park – Slauson	38	2	8.55		35	4	11.34	
	Community Hospital of Long Beach	54	5	9.43		48	3	5.96	
	Encino Hospital Medical Center§	34	2	3.32					
	Foothill Presbyterian Hospital – Johnston Memorial	101	10	13.04		91	12	15.50	
	Garfield Medical Center	316	25	6.70	Better	293	48	15.06	
	Glendale Adventist Medical Center – Wilson Terrace	409	34	6.31	Better	382	50	12.17	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Glendale Memorial Hospital and Medical Center	144	6	4.98		136	20	13.82	
	Good Samaritan Hospital – Los Angeles	198	13	7.39		187	28	14.27	
	Henry Mayo Newhall Memorial Hospital	296	22	7.58		275	38	14.11	
	Hollywood Presbyterian Medical Center	252	21	8.53		229	38	16.83	
	Huntington Memorial Hospital	559	49	8.14		522	59	11.19	
	Kaiser Foundation Hospital – Baldwin Park	474	42	12.40		450	60	12.60	
	Kaiser Foundation Hospital – Downey	431	25	9.47		399	41	9.81	
	Kaiser Foundation Hospital – Panorama City	252	34	17.85	Worse	236	26	10.71	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Kaiser Foundation Hospital – South Bay	316	31	10.58		283	47	14.16	
	Kaiser Foundation Hospital – Sunset	413	38	10.84		375	46	11.39	
	Kaiser Foundation Hospital – West Los Angeles	454	25	9.10		429	60	12.75	
	Kaiser Foundation Hospital – Woodland Hills	322	38	10.28		293	28	8.81	
	Keck Hospital of University of Southern California	40	1	2.48		38	4	10.59	
	Lakewood Regional Medical Center	368	30	12.01		343	55	15.41	
	Long Beach Memorial Medical Center	688	52	9.71		643	79	12.20	
	Los Angeles Community Hospital	31	1	6.17		31	4	11.82	
	Los Angeles County/Harbor – UCLA Medical Center	284	17	12.85		265	33	13.27	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Los Angeles County/Olive View – UCLA Medical Center	149	1	2.18		147	12	9.60	
	Los Angeles County/University of Southern California Medical Center	232	23	18.97	Worse	199	19	10.30	
	Marina Del Rey Hospital	69	7	11.06		65	6	8.97	
	Memorial Hospital of Gardena	97	5	9.24		89	14	13.77	
	Methodist Hospital of Southern California	545	52	8.21		511	67	12.48	
	Mission Community Hospital – Panorama Campus	48	3	5.34		47	7	12.51	
	Monterey Park Hospital	55	2	4.36		49	6	11.95	
	Northridge Hospital Medical Center	342	43	11.73		314	38	12.00	
	Olympia Medical Center	62	3	3.82		57	11	15.89	
	Pacific Alliance Medical Center, Inc.	116	4	5.11		112	7	5.83	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Pacifica Hospital of the Valley	34	1	6.30		32	6	22.20	
	Palmdale Regional Medical Center	181	12	11.09		170	24	13.98	
	PIH Hospital – Downey	206	20	12.04		193	18	9.35	
	Pomona Valley Hospital Medical Center	576	54	9.45		533	54	10.42	
	Presbyterian Intercommunity Hospital	628	65	8.94		583	73	12.16	
	Providence Holy Cross Medical Center	375	43	11.38		355	52	13.41	
	Providence Little Company of Mary Medical Center – San Pedro	155	16	9.55		145	22	15.34	
	Providence Little Company of Mary Medical Center – Torrance	587	48	10.26		537	74	13.31	
	Providence Saint Joseph Medical Center	553	67	9.84		498	56	11.48	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Providence Tarzana Medical Center	232	19	6.80		215	28	12.53	
	Ronald Reagan UCLA Medical Center	461	49	6.81	Better	413	65	14.73	
	Saint Francis Medical Center	262	16	8.03		240	31	11.63	
	Saint John's Health Center	162	8	4.46	Better	156	16	10.30	
	Saint Mary Medical Center	197	17	9.29		178	31	14.24	
	Saint Vincent Medical Center	158	6	4.82		148	19	12.97	
	San Dimas Community Hospital	55	3	7.59		55	7	13.71	
	San Gabriel Valley Medical Center	129	12	7.37		120	14	10.70	
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	200	9	4.69	Better	183	25	13.93	
	Sherman Oaks Hospital	57	1	1.51	Better	55	8	13.75	
Southern California Hospital at Culver City	101	2	2.51	Better	96	18	16.57		

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **"Better"** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **"Worse"** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital's performance is classified as **"As Expected"** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Los Angeles (continued)	Temple Community Hospital	45	1	2.31		44	4	8.51	
	Torrance Memorial Medical Center	614	67	10.19		552	79	14.58	
	University of Southern California Verdugo Hills Hospital	126	18	14.76		119	17	16.42	
	Valley Presbyterian Hospital	238	23	9.56		207	30	13.29	
	West Hills Hospital and Medical Center	241	32	11.75		211	25	13.12	
	White Memorial Medical Center	350	21	6.39	Better	330	58	15.33	
	Whittier Hospital Medical Center	91	5	7.58		87	12	12.90	
Madera	Madera Community Hospital	66	11	28.68	Worse	57	6	10.87	
Marin	Kaiser Foundation Hospital – San Rafael	199	18	7.16		189	15	8.06	
	Marin General Hospital	268	28	7.98		240	23	10.48	
	Novato Community Hospital	60	4	8.00		54	7	14.04	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Mendocino	Frank R. Howard Memorial Hospital	43	4	8.86		40	2	5.47	
	Mendocino Coast District Hospital§	30	6	16.97					
	Ukiah Valley Medical Center	118	25	15.94	Worse	100	12	12.15	
Merced	Mercy Medical Center – Merced	292	26	7.94		267	30	10.52	
Monterey	Community Hospital Monterey Peninsula	396	35	9.56		357	35	10.86	
	Natividad Medical Center	55	0	0.00		54	4	8.99	
	Salinas Valley Memorial Hospital	333	31	9.20		306	31	10.23	
Napa	Queen of the Valley Hospital – Napa	209	35	13.18		181	16	8.48	
	Saint Helena Hospital	46	5	7.84		45	7	16.01	
Nevada	Sierra Nevada Memorial Hospital	174	23	11.39		156	11	8.23	
Orange	AHMC Anaheim Regional Medical Center	221	15	9.52		208	24	11.97	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Orange (continued)	Fountain Valley Regional Hospital and Medical Center – Euclid	480	47	8.40		429	49	10.45	
	Garden Grove Hospital and Medical Center	68	5	8.60		66	5	6.89	
	Hoag Memorial Hospital Presbyterian	869	91	9.33		799	92	12.53	
	Huntington Beach Hospital	64	2	3.48		60	8	12.88	
	Kaiser Foundation Hospital – Anaheim	575	51	9.91		537	64	11.86	
	La Palma Intercommunity Hospital	66	4	8.02		64	6	8.78	
	Los Alamitos Medical Center	412	51	10.84		384	45	12.34	
	Mission Hospital Regional Medical Center	482	44	7.32	Better	445	47	11.01	
	Orange Coast Memorial Medical Center	193	19	10.95		180	26	15.00	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Orange (continued)	Placentia Linda Hospital	74	13	18.81	Worse	70	9	14.69	
	Saddleback Memorial Medical Center	503	84	11.46		452	46	10.92	
	Saint Joseph Hospital – Orange	468	55	10.65		425	60	15.06	
	Saint Jude Medical Center	592	75	8.90		535	51	9.30	
	UC Irvine Medical Center	417	45	9.29		376	50	12.77	
	West Anaheim Medical Center	114	10	8.67		104	12	11.12	
	Western Medical Center – Santa Ana	228	33	12.78		201	24	12.82	
Placer	Kaiser Foundation Hospital – Roseville	531	57	8.31		500	48	9.06	
	Sutter Auburn Faith Hospital	163	17	11.40		160	8	5.75	
	Sutter Roseville Medical Center	528	65	11.38		478	43	9.12	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Riverside	Corona Regional Medical Center – Main	126	4	4.61		122	18	15.59	
	Desert Regional Medical Center	616	90	14.21	Worse	551	68	13.43	
	Eisenhower Medical Center	843	75	8.80		786	86	12.16	
	Hemet Valley Medical Center	304	48	12.46		278	30	10.38	
	John F. Kennedy Memorial Hospital	83	7	10.27		77	10	13.34	
	Kaiser Foundation Hospital – Moreno Valley	134	17	14.84		125	19	13.93	
	Kaiser Foundation Hospital – Riverside	245	25	13.66		226	25	10.96	
	Loma Linda University Medical Center – Murrieta	144	6	5.60		136	24	20.32	Worse
	Menifee Valley Medical Center	83	15	15.77		75	12	15.81	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Riverside (continued)	Parkview Community Hospital Medical Center	173	14	10.53		163	25	15.35	
	Riverside Community Hospital	550	46	10.05		515	58	11.62	
	Riverside County Regional Medical Center	325	21	9.33		298	27	9.71	
	San Geronio Memorial Hospital	63	6	10.19		61	9	15.88	
	Southwest Healthcare System – Murrieta	380	37	11.25		356	41	12.72	
	Temecula Valley Hospital	78	5	6.83		71	9	13.84	
Sacramento	Kaiser Foundation Hospital – Sacramento	439	68	12.22		389	46	11.20	
	Kaiser Foundation Hospital – South Sacramento	502	42	8.38		470	52	9.40	
	Mercy General Hospital	370	27	7.31		341	40	11.15	
	Mercy Hospital – Folsom	149	11	9.16		138	18	14.98	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Sacramento (continued)	Mercy San Juan Hospital	771	99	11.02		689	80	11.95	
	Methodist Hospital of Sacramento	404	44	12.53		374	57	14.40	
	Sutter General Hospital <sup>‡</sup>	445	38	10.73		417	30	7.64	Better
	Sutter Memorial Hospital <sup>‡</sup>	158	16	10.49		141	17	11.76	
	UC Davis Medical Center	509	41	10.17		462	52	11.85	
San Benito	Hazel Hawkins Memorial Hospital	40	5	13.30		36	4	13.60	
San Bernardino	Arrowhead Regional Medical Center	447	25	10.01		427	51	13.08	
	Barstow Community Hospital	97	12	17.04		93	10	10.14	
	Chino Valley Medical Center	70	4	6.68		65	7	9.85	
	Community Hospital of San Bernardino	38	2	6.74		31	5	17.00	
	Desert Valley Hospital	230	9	4.76	Better	226	33	11.90	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

‡ Hospitals submitted statements regarding this report. [Click here for their statements.](#)

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
San Bernardino (continued)	Hi-Desert Medical Center	48	4	9.30		44	7	16.49	
	Kaiser Foundation Hospital – Fontana	554	56	11.43		506	59	10.94	
	Loma Linda University Medical Center	580	70	13.54	Worse	514	45	9.22	
	Redlands Community Hospital	316	40	11.02		294	29	9.88	
	Saint Bernadine Medical Center	269	26	11.57		249	33	13.35	
	Saint Mary Regional Medical Center	361	24	8.78		336	54	15.18	
	San Antonio Community Hospital	511	57	11.68		462	53	12.37	
	Victor Valley Global Medical Center	92	7	12.45		84	13	16.24	
San Diego	Alvarado Hospital	149	19	10.94		132	21	14.72	
	Grossmont Hospital	969	100	9.26		879	125	13.85	
	Kaiser Foundation Hospital – San Diego	548	57	10.89		499	50	10.14	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
San Diego (continued)	Palomar Health Downtown Campus	818	79	9.07		751	72	10.76	
	Paradise Valley Hospital	98	5	7.49		97	14	12.42	
	Pomerado Hospital	190	25	11.10		170	12	8.43	
	Scripps Green Hospital	188	17	7.15		173	19	11.15	
	Scripps Memorial Hospital – Encinitas	356	40	7.40		322	30	9.93	
	Scripps Memorial Hospital – La Jolla	417	57	9.31		364	54	15.63	
	Scripps Mercy Hospital	781	65	8.97		716	85	12.54	
	Sharp Chula Vista Medical Center	481	38	8.74		446	64	14.06	
	Sharp Coronado Hospital and Healthcare Center	41	6	12.38		40	6	15.52	
	Sharp Memorial Hospital	645	69	10.93		569	53	9.86	
Tri-City Medical Center – Oceanside	534	50	8.18		489	57	12.54		

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
San Diego (continued)	UC San Diego Medical Center	370	29	8.05		343	50	15.50	
San Francisco	California Pacific Medical Center – Davies Campus	271	22	6.03	Better	245	29	11.59	
	California Pacific Medical Center – Pacific Campus	352	31	7.57		322	37	11.12	
	California Pacific Medical Center – St. Luke’s Campus	50	4	13.07		48	3	6.26	
	Chinese Hospital	81	4	6.93		78	11	13.63	
	Kaiser Foundation Hospital – San Francisco	320	28	9.48		292	38	12.48	
	Saint Francis Memorial Hospital	176	19	9.63		159	21	13.02	
	Saint Mary’s Medical Center – San Francisco	145	17	10.03		132	13	9.66	
	San Francisco General Hospital	307	38	19.67	Worse	274	26	9.81	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
San Francisco (continued)	UC San Francisco Medical Center	357	42	10.72		323	42	13.91	
San Joaquin	Dameron Hospital	179	15	9.66		167	24	13.49	
	Doctors Hospital of Manteca	100	7	7.73		88	16	18.12	
	Kaiser Foundation Hospital – Manteca	147	19	10.52		134	12	7.61	
	Lodi Memorial Hospital	123	20	13.12		110	11	11.42	
	Saint Joseph’s Medical Center of Stockton	419	46	12.10		378	43	11.79	
	San Joaquin General Hospital	174	22	23.84	Worse	160	20	13.58	
	Sutter Tracy Community Hospital	90	6	8.00		81	13	17.09	
San Luis Obispo	French Hospital Medical Center	103	13	11.35		89	7	8.64	
	Marian Regional Medical Center – Arroyo Grande	116	14	12.95		102	3	3.45	Better

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
San Luis Obispo (continued)	Sierra Vista Regional Medical Center	136	20	15.23		124	13	12.14	
	Twin Cities Community Hospital	185	23	14.69		173	26	17.46	
San Mateo	Kaiser Foundation Hospital – Redwood City	346	38	9.22		312	38	11.79	
	Kaiser Foundation Hospital – South San Francisco	211	23	10.55		196	27	12.23	
	Mills-Peninsula Medical Center	397	42	7.40	Better	366	42	10.95	
	San Mateo Medical Center	47	0	0.00		45	2	5.32	
	Sequoia Hospital	137	14	9.53		124	18	15.92	
	Seton Medical Center	264	26	9.32		239	30	12.63	
Santa Barbara	Lompoc Valley Medical Center	65	7	11.39		60	6	10.60	
	Marian Region Medical Center	280	39	15.28	Worse	249	21	9.24	
	Santa Barbara Cottage Hospital	579	77	10.88		522	39	8.47	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Santa Clara	El Camino Hospital	413	48	9.58		367	29	8.74	
	Good Samaritan Hospital – San Jose	528	56	11.00		482	53	12.36	
	Kaiser Foundation Hospital – San Jose	350	42	9.75		313	39	11.24	
	Kaiser Foundation Hospital – Santa Clara	465	53	8.78		416	48	10.53	
	O’Connor Hospital	241	30	10.68		218	24	11.78	
	Regional Medical of San Jose	503	49	10.82		458	55	11.81	
	Saint Louise Regional Hospital	100	10	13.40		89	4	4.63	
	Santa Clara Valley Medical Center	407	18	10.82		384	55	15.27	
	Stanford Hospital	375	38	8.31		341	32	10.41	
Santa Cruz	Dominican Hospital	307	32	9.50		278	28	11.68	
	Watsonville Community Hospital	96	12	12.73		90	7	7.81	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Shasta	Mercy Medical Center – Redding	367	54	13.19		327	37	11.73	
	Shasta Regional Medical Center	256	17	8.81		235	21	9.96	
Siskiyou	Fairchild Medical Center	60	6	9.32		58	2	4.22	
	Mercy Medical Center Mt. Shasta <sup>§</sup>	30	7	28.40	Worse				
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	361	22	5.33	Better	338	42	10.29	
	Kaiser Foundation Hospital – Vacaville	202	15	6.43		181	17	8.70	
	North Bay Medical Center	284	32	10.09		260	27	9.64	
	Sutter Solano Medical Center	148	7	6.59		140	15	10.11	
Sonoma	Healdsburg District Hospital	36	2	5.22		34	4	14.62	
	Kaiser Foundation Hospital – Santa Rosa	286	51	12.73		251	21	8.07	
	Palm Drive Hospital	36	4	6.39		36	1	2.90	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

<sup>§</sup> Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Sonoma (continued)	Petaluma Valley Hospital	75	5	7.36		71	7	10.53	
	Santa Rosa Memorial Hospital – Montgomery	344	49	11.23		310	22	7.47	Better
	Sonoma Valley Hospital	60	8	9.05		57	2	4.04	
	Sutter Medical Center of Santa Rosa	107	9	9.92		103	10	10.98	
Stanislaus	Doctors Medical Center	538	56	13.85	Worse	490	55	11.85	
	Emanuel Medical Center, Inc.	138	13	9.35		130	10	7.94	
	Memorial Hospital Medical Center – Modesto	518	48	9.25		484	75	15.67	Worse
	Oak Valley District Hospital	33	1	3.12		31	1	3.62	
Tehama	Saint Elizabeth Community Hospital	93	12	10.58		85	11	13.80	
Tulare	Kaweah Delta Medical Center <sup>‡</sup>	567	66	13.31	Worse	507	48	9.92	
	Sierra View District Hospital	184	20	12.56		167	23	13.03	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

† Hospitals submitted statements regarding this report. [Click here for their statements.](#)

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Tulare (continued)	Tulare Regional Medical Center	47	10	14.65		42	7	16.27	
Tuolumne	Sonora Regional Medical Center – Greenley	144	22	14.03		131	13	10.63	
Ventura	Community Memorial Hospital – San Buenaventura	354	32	7.51		329	30	9.40	
	Los Robles Hospital and Medical Center	297	34	11.28		270	36	14.60	
	Saint John’s Pleasant Valley Hospital	133	19	12.90		118	9	7.96	
	Saint John’s Regional Medical Center	267	28	10.29		240	16	6.63	Better
	Simi Valley Hospital and Healthcare Services – Sycamore	157	16	10.21		139	19	13.21	
	Ventura County Medical Center	151	13	10.99		138	14	10.54	
Yolo	Sutter Davis Hospital	67	4	5.00		62	5	6.80	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

### Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2013-2014

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RAMR)	Performance Rating*
<b>Statewide</b>		<b>73,982</b>	<b>7,364</b>	<b>9.95</b>		<b>67,888</b>	<b>8,055</b>	<b>11.87</b>	
Yolo (continued)	Woodland Memorial Hospital	91	19	20.72	Worse	76	6	9.00	
Yuba	Rideout Memorial Hospital	344	36	11.97		315	35	10.85	

Source: OSHPD hospital patient discharge data, 2013 & 2014; California death certificate records (Death Statistical Master File), 2013 & 2014. See Technical Note for details on methodology  
 \*A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (9.95% for RAMR, 11.87% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.