

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Alameda	Alameda County Medical Center – Highland Campus	205	9	14.63		199	20	11.05	
	Alameda Hospital	95	12	12.22		92	18	18.67	
	Alta Bates Summit Medical Center – Alta Bates Campus	287	24	9.83		281	34	11.91	
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	462	44	9.25		441	54	10.17	
	Eden Medical Center	399	53	12.36		376	51	13.40	
	Kaiser Foundation Hospital – Hayward	384	49	10.72		369	49	12.27	
	Kaiser Foundation Hospital – Oakland Campus	563	44	7.45	Better	542	75	12.12	
	Saint Rose Hospital	108	12	11.73		102	18	17.48	
	San Leandro Hospital	76	8	10.22		71	8	8.93	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Alameda (continued)	Valleycare Medical Center	119	10	9.36		115	19	18.09	
	Washington Hospital – Fremont	357	42	9.42		342	51	14.18	
Amador	Sutter Amador Hospital	105	14	11.34		100	5	5.43	
Butte	Enloe Medical Center – Esplanade Campus	435	41	8.03		411	36	9.88	
	Feather River Hospital	139	12	7.11		137	12	9.72	
	Oroville Hospital	176	10	8.13		174	24	15.30	
Calaveras	Mark Twain Saint Joseph’s Hospital	56	9	12.82		51	7	15.31	
Contra Costa	Contra Costa Regional Medical Center	111	7	13.94		105	12	12.39	
	Doctors Medical Center – San Pablo	251	27	10.43		238	34	12.93	
	John Muir Medical Center – Concord Campus	300	32	9.33		282	42	13.57	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Contra Costa (continued)	John Muir Medical Center – Walnut Creek Campus	408	55	8.69		368	37	10.67	
	Kaiser Foundation Hospital – Antioch	208	28	10.25		197	19	8.79	
	Kaiser Foundation Hospital – Walnut Creek	344	45	9.16		324	39	11.01	
	San Ramon Regional Medical Center	123	12	9.55		114	13	12.11	
	Sutter Delta Medical Center	180	17	7.73		172	27	13.93	
Del Norte	Sutter Coast Hospital	87	6	6.39		83	8	10.63	
El Dorado	Barton Memorial Hospital	39	5	14.26		36	2	6.09	
	Marshall Medical Center	177	31	11.50		160	15	9.36	
Fresno	Clovis Community Medical Center	169	13	10.29		166	20	12.61	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Fresno (continued)	Community Regional Medical Center – Fresno	677	62	12.48		639	94	14.26	
	Kaiser Foundation Hospital – Fresno	319	42	12.29		300	36	11.08	
	Saint Agnes Medical Center	793	101	12.60		749	104	13.74	
Humboldt	Mad River Community Hospital	51	8	17.79		51	9	22.39	
	Redwood Memorial Hospital	41	10	15.82		37	4	11.57	
	Saint Joseph Hospital – Eureka	192	29	12.74		173	15	8.56	
Imperial	El Centro Regional Medical Center	204	23	12.92		191	29	14.43	
	Pioneers Memorial Healthcare District	152	8	7.13		147	17	12.45	
Kern	Bakersfield Heart Hospital	100	4	5.30		97	10	10.79	
	Bakersfield Memorial Hospital	298	34	14.09		282	36	12.29	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Kern (continued)	Delano Regional Medical Center	34	6	16.07		30	6	19.71	
	Kern Medical Center	51	1	10.42		51	3	6.76	
	Mercy Hospital - Bakersfield	180	27	15.48		166	25	16.03	
	Ridgecrest Regional Hospital †	36	9	24.57	Worse	32	2	7.19	
	San Joaquin Community Hospital	672	76	14.77	Worse	643	81	13.32	
Kings	Adventist Medical Center	216	24	11.08		198	28	13.27	
Lake	Sutter Lakeside Hospital	57	10	12.24		56	2	3.27	Better
Los Angeles	Alhambra Hospital	100	5	4.63		96	12	10.40	
	Antelope Valley Hospital	431	41	12.33		414	61	14.61	
	Beverly Hospital	159	19	13.65		146	20	12.60	
	Brotman Medical Center	142	8	7.07		136	30	18.84	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

† Hospitals submitted statements regarding this report. [Click here for their statements.](#)

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	California Hospital Medical Center – Los Angeles	188	9	7.91		182	27	14.06	
	Cedars Sinai Medical Center	773	56	6.11	Better	741	124	15.80	Worse
	Centinela Hospital Medical Center	503	20	7.28		488	102	16.59	Worse
	Citrus Valley Medical Center – Inter-Community Campus	177	13	7.48		174	26	15.10	
	Citrus Valley Medical Center – Queen of the Valley Campus	234	22	11.33		223	27	12.32	
	Community and Mission Hospital of Huntington Park – Slauson	49	0	0.00		49	4	8.43	
	Community Hospital of Long Beach	64	11	13.63		58	8	14.29	
	Downey Regional Medical Center	255	26	10.68		244	39	15.11	
	East Los Angeles Doctors Hospital	38	0	0.00		38	4	8.81	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Encino Hospital Medical Center	39	2	2.67	Better	38	8	16.22	
	Foothill Presbyterian Hospital – Johnston Memorial	128	15	12.12		123	20	17.20	
	Garfield Medical Center	315	14	4.35	Better	304	54	15.64	
	Glendale Adventist Medical Center – Wilson Terrace ‡	359	48	10.03		330	51	14.17	
	Glendale Memorial Hospital and Medical Center	210	17	9.57		201	36	18.17	
	Good Samaritan Hospital – Los Angeles	202	14	8.44		191	30	14.69	
	Greater El Monte Community Hospital	43	2	4.84		42	12	24.27	
	Henry Mayo Newhall Memorial Hospital	234	21	8.41		220	35	15.93	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

‡ Hospitals submitted statements regarding this report. [Click here for their statements.](#)

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% , RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% , RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Hollywood Presbyterian Medical Center	256	22	8.42		247	54	20.08	Worse
	Huntington Memorial Hospital	514	56	10.23		503	58	11.42	
	Kaiser Foundation Hospital – Baldwin Park	323	30	12.00		316	46	14.27	
	Kaiser Foundation Hospital – Downey	367	22	9.87		353	52	13.83	
	Kaiser Foundation Hospital – Panorama City	269	30	13.04		260	35	13.50	
	Kaiser Foundation Hospital – South Bay	268	26	12.79		256	46	15.98	
	Kaiser Foundation Hospital – Sunset	443	33	10.64		418	45	10.75	
	Kaiser Foundation Hospital – West Los Angeles	319	26	12.56		309	52	15.19	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Kaiser Foundation Hospital – Woodland Hills	281	31	8.55		272	30	10.38	
	Keck Hospital of University of Southern California	68	11	15.70		60	5	9.05	
	Lakewood Regional Medical Center	323	30	11.46		307	49	15.09	
	Long Beach Memorial Medical Center†	651	66	13.65		611	103	17.48	Worse
	Los Angeles Community Hospital	59	2	3.37		57	14	18.38	
	Los Angeles County/Harbor – UCLA Medical Center	297	9	10.39		286	35	13.62	
	Los Angeles County/Olive View – UCLA Medical Center	171	3	8.22		168	15	10.32	
	Los Angeles County/University of Southern California Medical Center	211	18	21.86	Worse	192	31	18.05	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

† Hospitals submitted statements regarding this report. [Click here for their statements.](#)

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Marina Del Rey Hospital	93	6	6.44		93	14	14.08	
	Memorial Hospital of Gardena	108	4	6.77		103	14	11.45	
	Methodist Hospital of Southern California	582	68	10.93		560	88	15.28	
	Mission Community Hospital – Panorama Campus	45	3	6.15		43	8	14.42	
	Monterey Park Hospital	60	4	8.23		56	7	11.98	
	Northridge Hospital Medical Center	353	39	9.08		337	38	11.58	
	Olympia Medical Center	102	10	9.50		99	19	16.23	
	Pacific Alliance Medical Center, Inc.	88	2	2.60	Better	88	13	12.35	
	Pacific Hospital of Long Beach	45	5	11.65		44	9	15.71	
	Pacifica Hospital of the Valley	33	2	5.01		31	8	24.98	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Palmdale Regional Medical Center	181	19	12.52		172	19	11.71	
	Pomona Valley Hospital Medical Center	580	54	9.23		556	73	13.36	
	Presbyterian Intercommunity Hospital	538	63	9.89		517	72	13.07	
	Providence Holy Cross Medical Center	371	34	9.31		352	46	12.17	
	Providence Little Company of Mary Medical Center – San Pedro	189	29	12.99		179	31	18.00	
	Providence Little Company of Mary Medical Center – Torrance	550	59	11.70		519	68	13.39	
	Providence Saint Joseph Medical Center	588	69	9.77		556	79	14.61	
	Providence Tarzana Medical Center	310	25	6.68	Better	296	35	11.88	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Ronald Reagan UCLA Medical Center	482	53	8.53		451	61	13.73	
	Saint Francis Medical Center	223	15	7.36		211	39	15.61	
	Saint John's Health Center	170	20	9.06		160	20	12.45	
	Saint Mary Medical Center	198	18	10.12		189	26	11.55	
	Saint Vincent Medical Center	174	6	4.43	Better	171	25	13.84	
	San Dimas Community Hospital	78	11	12.54		74	12	15.61	
	San Gabriel Valley Medical Center	160	11	6.00		155	24	14.67	
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	199	16	6.49	Better	193	32	17.64	
	Sherman Oaks Hospital	66	9	8.37		64	9	12.33	
	Temple Community Hospital	53	3	6.14		51	12	19.21	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Los Angeles (continued)	Torrance Memorial Medical Center	596	61	9.38		571	68	12.09	
	Valley Presbyterian Hospital	209	26	11.31		193	32	15.04	
	Verdugo Hills Hospital	116	11	10.34		115	20	19.63	
	West Hills Hospital and Medical Center	209	28	12.38		188	25	15.09	
	White Memorial Medical Center	432	29	6.80	Better	416	77	15.07	
	Whittier Hospital Medical Center	110	5	4.60		107	14	11.90	
Madera	Madera Community Hospital	67	10	18.00		61	8	13.15	
Marin	Kaiser Foundation Hospital – San Rafael	208	21	8.88		198	15	7.82	
	Marin General Hospital	255	33	9.25		245	31	12.82	
	Novato Community Hospital	42	10	14.69		39	1	2.42	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Mendocino	Frank R. Howard Memorial Hospital	31	4	8.52		31	0	0.00	
	Mendocino Coast District Hospital	49	5	10.04		47	10	25.28	
	Ukiah Valley Medical Center	104	14	13.14		98	9	10.22	
Merced	Mercy Medical Center – Merced	273	38	10.92		251	31	11.34	
Monterey	Community Hospital Monterey Peninsula	312	32	10.39		294	38	14.04	
	Natividad Medical Center	53	2	12.35		52	4	8.77	
	Salinas Valley Memorial Hospital	294	19	7.13		288	36	12.37	
Napa	Queen of the Valley Hospital – Napa	189	35	14.22		172	28	15.40	
	Saint Helena Hospital	87	7	8.39		81	10	12.08	
Nevada	Sierra Nevada Memorial Hospital	198	26	9.75		187	21	12.75	
Orange	AHMC Anaheim Regional Medical Center	255	22	10.58		248	49	20.20	Worse

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Orange (continued)	Coastal Communities Hospital [§]	30	4	14.73					
	Fountain Valley Regional Hospital and Medical Center – Euclid	464	39	8.00		440	60	12.79	
	Garden Grove Hospital and Medical Center	91	6	6.83		87	12	13.56	
	Hoag Memorial Hospital Presbyterian	812	84	9.53		777	92	13.01	
	Huntington Beach Hospital	65	6	8.20		62	10	14.33	
	Kaiser Foundation Hospital – Anaheim	370	28	10.10		361	32	8.71	Better
	La Palma Intercommunity Hospital	81	3	5.37		80	8	10.30	
	Los Alamitos Medical Center	454	57	11.22		438	42	10.27	
	Mission Hospital Regional Medical Center	508	60	10.15		471	59	13.68	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

[§] Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Orange (continued)	Orange Coast Memorial Medical Center	208	20	9.77		201	28	14.67	
	Placentia Linda Hospital	78	7	10.82		76	10	14.84	
	Saddleback Memorial Medical Center	440	66	10.46		425	63	15.19	
	Saint Joseph Hospital – Orange	454	42	9.28		440	51	12.07	
	Saint Jude Medical Center	519	51	8.11		500	70	14.11	
	UC Irvine Medical Center	354	47	14.52	Worse	319	39	12.64	
	West Anaheim Medical Center	148	12	8.21		145	19	11.89	
	Western Medical Center – Santa Ana	172	23	14.77		158	15	9.46	
Placer	Kaiser Foundation Hospital – Roseville	476	57	9.33		448	51	11.12	
	Sutter Auburn Faith Hospital	180	23	10.40		175	14	7.91	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Placer (continued)	Sutter Roseville Medical Center	466	66	12.38		438	59	13.16	
Riverside	Corona Regional Medical Center – Main	154	22	14.97		146	21	14.21	
	Desert Regional Medical Center	453	46	10.95		432	49	12.39	
	Eisenhower Medical Center	826	98	12.95		796	78	10.82	
	Hemet Valley Medical Center	412	73	12.85		385	58	14.40	
	John F. Kennedy Memorial Hospital	120	14	13.24		115	15	12.90	
	Kaiser Foundation Hospital – Moreno Valley	93	9	11.49		91	14	13.55	
	Kaiser Foundation Hospital – Riverside	225	16	9.58		217	14	6.28	Better
	Menifee Valley Medical Center	122	24	15.08		117	24	19.84	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (%), RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (%), RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Riverside (continued)	Parkview Community Hospital Medical Center	154	20	13.88		146	27	18.42	
	Riverside Community Hospital	458	43	10.67		438	70	15.43	
	Riverside County Regional Medical Center	289	21	13.18		270	35	13.82	
	San Geronio Memorial Hospital	113	18	13.47		106	12	11.14	
	Southwest Healthcare System – Murrieta	426	50	13.30		407	62	16.14	
Sacramento	Kaiser Foundation Hospital – Sacramento	451	64	12.16		415	39	8.87	Better
	Kaiser Foundation Hospital – South Sacramento	448	44	9.37		425	39	8.07	Better
	Mercy General Hospital	339	44	12.78		310	27	8.81	
	Mercy Hospital – Folsom	120	9	9.12		116	13	12.88	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Sacramento (continued)	Mercy San Juan Hospital	642	84	10.41		597	74	12.51	
	Methodist Hospital of Sacramento	323	22	7.99		312	49	14.47	
	Sutter General Hospital	387	47	12.89		363	45	12.19	
	Sutter Memorial Hospital	172	14	9.15		163	18	10.96	
	UC Davis Medical Center	397	37	13.22		372	45	12.99	
San Benito	Hazel Hawkins Memorial Hospital	48	9	22.12		45	5	12.84	
San Bernardino	Arrowhead Regional Medical Center	433	25	15.65		418	57	15.43	
	Barstow Community Hospital	59	3	9.40		59	13	23.86	
	Chino Valley Medical Center	107	5	7.61		104	13	11.30	
	Community Hospital of San Bernardino	68	7	15.43		65	8	12.11	
	Desert Valley Hospital	223	17	8.29		219	42	16.42	

* A Hospital is classified as **“Better”** if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as **“Worse”** if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as **“As Expected”** (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Bernardino (continued)	Hi-Desert Medical Center	111	18	18.50	Worse	106	18	18.77	
	Kaiser Foundation Hospital – Fontana	476	37	9.27		457	68	14.13	
	Loma Linda University Medical Center	534	61	11.47		502	62	12.60	
	Montclair Hospital Medical Center	36	0	0.00	Better	36	9	26.14	
	Redlands Community Hospital	271	29	9.55		259	26	10.41	
	Saint Bernardine Medical Center	293	27	12.54		280	28	9.93	
	Saint Mary Regional Medical Center	416	23	8.48		408	51	12.92	
	San Antonio Community Hospital	462	42	12.19		438	47	12.06	
	Victor Valley Community Hospital	87	2	3.95		85	9	11.09	
San Diego	Alvarado Hospital	184	14	6.91		177	18	9.85	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Diego (continued)	Grossmont Hospital †	865	105	11.66		798	138	17.52	Worse
	Kaiser Foundation Hospital – San Diego	531	50	10.77		507	67	13.88	
	Palomar Health Downtown Campus	574	89	12.90		532	67	13.90	
	Paradise Valley Hospital	145	9	9.24		143	27	15.23	
	Pomerado Hospital	239	41	13.74		218	21	10.85	
	Scripps Green Hospital	205	16	7.83		196	26	14.32	
	Scripps Memorial Hospital – Encinitas	301	41	8.60		291	22	8.53	
	Scripps Memorial Hospital – La Jolla	383	49	9.11		348	37	11.02	
	Scripps Mercy Hospital	786	80	11.01		734	113	15.16	
	Sharp Chula Vista Medical Center	356	30	9.29		339	45	12.74	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

† Hospitals submitted statements regarding this report. [Click here for their statements.](#)

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Diego (continued)	Sharp Coronado Hospital and Healthcare Center	39	4	8.36		38	4	11.33	
	Sharp Memorial Hospital	556	54	10.45		526	68	13.84	
	Tri-City Medical Center – Oceanside	571	92	14.36	Worse	528	47	10.06	
	UC San Diego Medical Center	363	28	9.81		341	55	16.78	
San Francisco	California Pacific Medical Center – Davies Campus	131	15	9.34		118	12	10.07	
	California Pacific Medical Center – Pacific Campus	375	33	7.68		352	48	13.56	
	California Pacific Medical Center – St. Luke’s Campus	40	5	13.87		38	4	8.59	
	Chinese Hospital	98	5	6.16		95	10	10.62	
	Kaiser Foundation Hospital – San Francisco	311	26	8.96		296	22	7.10	Better

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Francisco (continued)	Saint Francis Memorial Hospital	179	21	10.01		163	24	13.53	
	Saint Mary's Medical Center – San Francisco	144	14	8.22		139	15	11.11	
	San Francisco General Hospital	359	28	13.77		332	40	13.01	
	UC San Francisco Medical Center	358	37	11.12		332	38	11.70	
San Joaquin	Dameron Hospital	167	15	16.02		162	19	11.40	
	Doctors Hospital of Manteca	89	10	11.18		85	12	14.09	
	Kaiser Foundation Hospital – Manteca	128	17	13.11		123	9	6.58	
	Lodi Memorial Hospital	165	21	11.07		160	16	10.93	
	Saint Joseph's Medical Center of Stockton	435	51	11.78		404	56	13.94	
	San Joaquin General Hospital	137	13	22.90	Worse	131	15	12.47	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Joaquin (continued)	Sutter Tracy Community Hospital	103	14	12.09		97	16	14.78	
San Luis Obispo	Arroyo Grande Community Hospital	102	9	9.64		98	8	9.39	
	French Hospital Medical Center	105	14	11.68		101	5	5.42	
	Sierra Vista Regional Medical Center	153	18	10.94		147	16	13.51	
	Twin Cities Community Hospital	160	26	14.46		150	12	9.53	
San Mateo	Kaiser Foundation Hospital – Redwood City	280	32	8.90		254	23	8.88	
	Kaiser Foundation Hospital – South San Francisco	217	19	9.50		206	31	14.00	
	Peninsula Medical Center	371	50	9.98		347	38	11.06	
	San Mateo Medical Center	47	3	12.71		46	4	9.61	
	Sequoia Hospital	132	23	13.14		118	9	8.13	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
San Mateo (continued)	Seton Medical Center	311	45	12.76		290	30	9.34	
Santa Barbara	Lompoc Valley Medical Center	80	12	13.75		72	4	6.61	
	Marian Region Medical Center	250	36	13.56		234	21	8.89	
	Santa Barbara Cottage Hospital	514	64	11.66		482	36	8.78	Better
Santa Clara	El Camino Hospital	394	37	7.68		373	39	10.80	
	Good Samaritan Hospital – San Jose	463	55	10.24		430	36	9.23	
	Kaiser Foundation Hospital – San Jose	345	27	8.99		335	44	12.48	
	Kaiser Foundation Hospital – Santa Clara	415	36	8.85		396	62	15.57	
	O’Connor Hospital – San Jose	226	30	11.81		215	29	14.19	
	Regional Medical of San Jose	396	38	9.77		377	58	13.96	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Santa Clara (continued)	Saint Louise Regional Hospital	102	16	11.40		96	6	5.78	
	Santa Clara Valley Medical Center	371	19	12.33		358	42	13.50	
	Stanford Hospital	387	46	10.65		366	35	10.76	
Santa Cruz	Dominican Hospital – Santa Cruz/Soquel	301	32	9.04		284	18	7.04	Better
	Watsonville Community Hospital	103	10	9.83		97	12	12.60	
Shasta	Mercy Medical Center – Redding	415	72	14.30	Worse	376	38	11.03	
	Shasta Regional Medical Center	263	27	12.63		248	32	14.84	
Siskiyou	Fairchild Medical Center	39	6	17.63		37	1	3.17	
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	310	29	7.93		302	25	7.21	Better
	Kaiser Foundation Hospital – Vacaville	191	12	7.21		187	17	9.15	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Solano (continued)	North Bay Medical Center	147	12	9.93		140	16	11.43	
	North Bay VacaValley Hospital [§]	30	2	6.96					
	Sutter Solano Medical Center	133	13	9.36		129	12	8.41	
Sonoma	Healdsburg District Hospital	54	12	17.02		51	5	11.10	
	Kaiser Foundation Hospital – Santa Rosa	283	41	11.20		270	14	5.18	Better
	Palm Drive Hospital	44	3	5.33		43	5	11.93	
	Petaluma Valley Hospital	83	12	11.16		76	4	5.73	
	Santa Rosa Memorial Hospital – Montgomery	279	43	14.63		255	25	10.26	
	Sonoma Valley Hospital	56	8	7.67		54	1	1.93	Better
	Sutter Medical Center of Santa Rosa	77	8	11.25		73	9	13.87	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Stanislaus	Doctors Medical Center	459	45	10.97		437	33	7.69	Better
	Emanuel Medical Center, Inc.	162	19	14.66		157	15	10.95	
	Memorial Hospital Medical Center – Modesto	417	49	11.43		397	48	12.26	
	Oak Valley District Hospital	40	3	8.76		39	3	9.87	
Tehama	Saint Elizabeth Community Hospital	84	10	10.79		79	7	10.34	
Tulare	Kaweah Delta Medical Center	493	62	14.18	Worse	454	57	13.23	
	Sierra View District Hospital	237	35	14.55		220	27	12.48	
	Tulare Regional Medical Center	104	12	14.57		100	20	22.37	Worse
Tuolumne	Sonora Regional Medical Center – Greenley	146	18	9.09		136	12	8.78	
Ventura	Community Memorial Hospital – San Buenaventura	333	34	9.78		322	34	11.97	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.

Hospital Risk-Adjusted 30-Day Mortality and 30-Day Readmission Results by County, 2011-2012

County	Hospital	30-Day Mortality				30-Day Readmission			
		Ischemic Stroke Cases	Ischemic Stroke Deaths	Risk-Adjusted Mortality Rate (% RAMR)	Performance Rating*	Ischemic Stroke Cases	Ischemic Stroke Readmissions	Risk-Adjusted Readmission Rate (% RARR)	Performance Rating*
State		70,213	7,406	10.55		66,612	8,527	12.80	
Ventura (continued)	Los Robles Hospital and Medical Center	297	37	10.02		280	33	13.00	
	Saint John's Pleasant Valley Hospital	151	25	13.17		146	16	11.84	
	Saint John's Regional Medical Center	305	34	12.33		286	37	12.39	
	Simi Valley Hospital and Healthcare Services – Sycamore	123	15	11.41		115	18	15.84	
	Ventura County Medical Center	140	10	8.56		131	15	11.46	
Yolo	Sutter Davis Hospital	87	12	12.08		82	6	7.14	
	Woodland Memorial Hospital	118	24	17.96	Worse	112	8	8.05	
Yuba	Rideout Memorial Hospital	331	36	11.00		315	37	11.66	

* A Hospital is classified as “**Better**” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the California observed rate (10.55% for RAMR, 12.80% for RARR). A hospital is classified as “**Worse**” if the lower 98% CI of the risk-adjusted rate is higher than the California observed rate. A hospital’s performance is classified as “**As Expected**” (rating is blank) if the California observed rate falls within the 98% CI of the hospital risk-adjusted rate.

§ Hospitals are not included in readmission cohort.