

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Alameda	Alameda Hospital	6.8% (2;17)	<b>17.3%</b> <b>(9;65)</b> Worse	29.8% (3;9)	<b>12.1%</b> <b>(6;56)</b> Worse		3.0% (3;66)	0.9% (1;109)	0.0% (0;23)	2.2% (3;110)
	Alta Bates Summit Medical Center – Alta Bates Campus	10.2% (5;22)	<b>6.0%</b> <b>(19;264)</b> Better	15.2% (12;84)	3.2% (7;180)		1.5% (3;205)	3.0% (11;216)	0.0% (0;79)	4.2% (6;124)
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	4.8% (18;373)	6.7% (17;298)	22.5% (5;19)	3.3% (11;277)		1.5% (6;278)	<b>1.2%</b> <b>(9;526)</b> Better	1.8% (2;98)	4.4% (15;242)
	Eden Medical Center	1.4% (1;29)	<b>7.1%</b> <b>(60;508)</b> Better	17.8% (36;156)	3.8% (13;288)	15.1% (11;64)	0.9% (2;121)	1.4% (5;229)	0.9% (1;108)	2.8% (5;141)
	Highland Hospital*	11.0% (8;104)	7.1% (12;160)	14.6% (5;31)	4.5% (6;126)	21.9% (1;3)	<b>7.0%</b> <b>(6;141)</b> Worse	1.3% (3;364)	7.9% (2;21)	1.9% (2;156)
	Kaiser Foundation Hospital – Fremont	3.5% (2;30)	2.2% (1;35)	0.0% (0;8)	2.4% (1;27)		0.0% (0;39)	2.1% (3;70)	0.0% (0;20)	5.3% (3;38)
	Kaiser Foundation Hospital – Hayward	5.7% (5;57)	6.0% (12;121)	<b>5.7%</b> <b>(2;27)</b> Better	4.6% (9;93)		0.8% (1;77)	1.6% (6;196)	1.0% (1;62)	2.0% (4;122)
	Kaiser Foundation Hospital – Oakland Campus	3.5% (7;86)	5.7% (10;171)	11.7% (3;16)	3.3% (6;152)	19.3% (1;3)	0.6% (1;138)	<b>1.4%</b> <b>(8;289)</b> Better	1.9% (1;60)	1.7% (2;71)
	Kaiser Foundation Hospital – Oakland/Richmond	3.3% (5;57)	<b>5.4%</b> <b>(16;231)</b> Better	13.4% (7;38)	3.0% (9;192)		<b>0.0%</b> <b>(0;120)</b> Better	<b>0.9%</b> <b>(4;250)</b> Better	3.8% (2;73)	0.0% (0;46)
	Kaiser Foundation Hospital – San Leandro	4.0% (3;31)	<b>4.7%</b> <b>(9;102)</b> Better	<b>9.7%</b> <b>(4;23)</b> Better	2.7% (4;77)		2.1% (3;76)	1.8% (5;123)	1.8% (1;54)	1.5% (2;75)
	Saint Rose Hospital	<b>11.2%</b> <b>(13;166)</b> Worse	5.6% (2;53)		3.3% (2;51)		0.5% (1;115)	0.9% (2;168)	0.0% (0;32)	1.3% (1;107)
	San Leandro Hospital	0.0% (0;16)	5.6% (1;36)		3.2% (1;35)		1.8% (2;113)	1.6% (3;191)	0.0% (0;11)	3.7% (3;86)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Alameda (continued)	Valleycare Medical Center	4.2% (7;122)	1.9% (1;61)		1.2% (1;59)		2.1% (2;111)	1.8% (10;260)	2.5% (2;64)	<b>0.9% (3;238) Better</b>
	Washington Hospital – Fremont	4.7% (11;221)	10.6% (29;266)	28.3% (18;66)	5.5% (9;186)	16.8% (2;14)	<b>4.2% (15;294) Worse</b>	3.3% (12;370)	6.5% (3;96)	3.6% (10;289)
Amador	Sutter Amador Hospital	11.5% (3;11)	15.0% (10;72)	37.1% (4;11)	8.2% (6;61)		7.0% (3;49)	2.8% (3;65)	<b>12.6% (3;48) Worse</b>	<b>9.1% (7;89) Worse</b>
Butte	Biggs Gridley Memorial Hospital	0.0% (0;3)					0.0% (0;13)	0.0% (0;22)		2.1% (1;128)
	Enloe Medical Center – Esplanade*	<b>8.9% (30;346) Worse</b>	11.3% (33;315)	20.0% (14;70)	<b>9.1% (19;243) Worse</b>		1.6% (6;325)	2.5% (10;280)	2.1% (4;186)	5.4% (23;452)
	Feather River Hospital	1.9% (2;44)	2.1% (1;73)	0.0% (0;3)	1.5% (1;69)		1.2% (3;124)	<b>1.0% (4;163) Better</b>	0.0% (0;69)	<b>0.6% (2;165) Better</b>
	Oroville Hospital	<b>1.6% (3;70) Better</b>	<b>2.7% (4;146) Better</b>	20.4% (2;5)	<b>0.9% (2;141) Better</b>		<b>0.0% (0;124) Better</b>	<b>0.4% (2;290) Better</b>	0.0% (0;69)	0.0% (0;30)
Calaveras	Mark Twain Medical Center		0.0% (0;22)		0.0% (0;22)		0.0% (0;8)	5.0% (2;36)	0.0% (0;24)	8.9% (3;48)
Colusa	Colusa Regional Medical Center		27.5% (1;8)		25.0% (1;7)		0.0% (0;4)	0.0% (0;18)		0.0% (0;40)
Contra Costa	Contra Costa Regional Medical Center	2.0% (1;47)	5.4% (1;68)		3.3% (1;66)		1.0% (1;96)	<b>0.5% (1;277) Better</b>	0.0% (0;16)	0.0% (0;152)
	Doctors Medical Center – San Pablo	<b>2.0% (4;141) Better</b>	8.4% (8;106)	25.0% (2;4)	4.4% (6;101)		2.6% (2;68)	2.5% (9;328)	0.0% (0;26)	5.0% (8;150)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Contra Costa (continued)	John Muir Medical Center – Concord Campus	5.3% (20;328)	9.7% (14;186)	<b>42.3% (6;7) Worse</b>	4.0% (8;179)		1.5% (4;234)	3.1% (21;419)	0.0% (0;84)	2.9% (4;141)
	John Muir Medical Center – Walnut Creek Campus	3.5% (7;101)	9.8% (73;443)	23.0% (42;132)	5.6% (22;264)	25.6% (9;47)	<b>0.3% (1;316) Better</b>	2.6% (18;356)	<b>4.3% (10;225) Worse</b>	3.6% (9;200)
	Kaiser Foundation Hospital – Antioch	<b>2.2% (4;78) Better</b>	<b>5.1% (16;195) Better</b>	<b>8.6% (6;32) Better</b>	4.5% (10;158)	0.0% (0;5)	2.0% (3;139)	1.5% (7;222)	7.3% (3;63)	2.4% (5;129)
	Kaiser Foundation Hospital – Walnut Creek	4.0% (10;218)	<b>3.4% (10;236) Better</b>	<b>9.9% (5;35) Better</b>	<b>1.4% (4;195) Better</b>	16.1% (1;6)	1.9% (7;250)	<b>1.6% (12;364) Better</b>	1.7% (3;188)	2.6% (9;196)
	San Ramon Regional Medical Center	11.7% (6;57)	13.1% (16;114)	39.3% (6;11)	6.5% (8;101)		2.9% (2;75)	2.0% (3;90)	0.0% (0;41)	3.5% (4;114)
	Sutter Delta Medical Center	7.6% (15;155)	3.3% (2;65)		2.1% (2;63)		2.6% (4;135)	1.7% (9;370)	0.0% (0;65)	<b>1.4% (4;211) Better</b>
Del Norte	Sutter Coast Hospital	2.1% (1;17)	7.9% (4;52)		3.3% (2;50)		1.8% (3;75)	3.7% (5;65)	0.0% (0;6)	<b>0.9% (2;160) Better</b>
El Dorado	Barton Memorial Hospital		<b>68.6% (2;11) Worse</b>		68.5% (1;10)		1.5% (1;38)	2.5% (2;52)	7.6% (2;30)	0.0% (0;74)
	Marshall Medical Center	3.8% (2;23)	4.6% (5;100)	17.0% (3;11)	1.7% (2;89)		<b>0.4% (1;128) Better</b>	2.7% (8;159)	0.0% (0;32)	<b>1.7% (5;234) Better</b>
Fresno	Adventist Medical Center – Reedley	0.0% (0;12)	11.6% (1;15)		6.3% (1;15)			5.4% (1;14)		3.2% (1;43)
	Clovis Community Medical Center	5.5% (11;144)	5.3% (6;201)	16.2% (2;14)	2.8% (4;185)		2.8% (8;245)	2.4% (9;277)	2.3% (4;138)	2.0% (6;298)
	Coalinga Regional Medical Center		0.0% (0;3)		0.0% (0;3)			<b>23.4% (2;12) Worse</b>		0.0% (0;19)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Fresno (continued)	Community Regional Medical Center – Fresno	5.5% (31;634)	8.7% (122;929)	19.4% (62;317)	4.8% (34;512)	24.7% (26;100)	2.4% (13;504)	<b>1.7%</b> <b>(15;979)</b> <b>Better</b>	1.7% (2;125)	5.4% (31;689)
	Fresno Heart and Surgical Hospital	3.5% (2;54)	0.0% (0;3)		0.0% (0;3)		0.0% (0;30)	4.5% (5;136)		0.0% (0;12)
	Kaiser Foundation Hospital – Fresno	3.2% (6;95)	<b>5.7%</b> <b>(17;208)</b> <b>Better</b>	<b>13.7%</b> <b>(9;37)</b> <b>Better</b>	3.2% (7;167)	21.8% (1;4)	1.9% (2;80)	2.2% (10;281)	4.5% (5;123)	3.2% (6;123)
	Saint Agnes Medical Center	6.3% (32;437)	9.4% (41;442)	23.1% (20;51)	5.4% (19;385)	15.5% (2;6)	<b>1.1%</b> <b>(11;505)</b> <b>Better</b>	2.9% (37;787)	2.2% (4;243)	4.4% (30;629)
Glenn	Glenn Medical Center							0.0% (0;16)		0.0% (0;7)
Humboldt	Jerold Phelps Community Hospital									0.0% (0;3)
	Mad River Community Hospital	11.5% (1;3)	13.7% (2;34)		7.9% (2;33)		2.5% (1;29)	0.0% (0;48)	0.0% (0;10)	3.8% (2;71)
	Redwood Memorial Hospital	8.2% (2;5)	<b>23.0%</b> <b>(7;26)</b> <b>Worse</b>	<b>63.0%</b> <b>(3;3)</b> <b>Worse</b>	17.7% (3;21)		0.0% (0;10)	0.0% (0;34)	0.0% (0;7)	<b>13.2%</b> <b>(5;35)</b> <b>Worse</b>
	Saint Joseph Hospital – Eureka	6.1% (16;233)	5.0% (6;125)	41.9% (1;7)	2.4% (5;118)		2.2% (4;112)	2.9% (9;222)	3.4% (4;84)	3.5% (3;95)
Imperial	El Centro Regional Medical Center	6.4% (8;43)	5.9% (4;110)	60.1% (2;7)	1.8% (2;103)		2.0% (5;145)	2.5% (10;194)	0.0% (0;62)	2.9% (11;189)
	Pioneers Memorial Healthcare District	2.9% (2;42)	<b>2.8%</b> <b>(3;112)</b> <b>Better</b>	10.5% (1;15)	<b>1.5%</b> <b>(2;94)</b> <b>Better</b>	0.0% (0;3)	0.0% (0;110)	0.6% (1;133)	0.0% (0;26)	1.5% (3;176)
Inyo	Northern Inyo Hospital	0.0% (0;9)	0.0% (0;17)	0.0% (0;5)	0.0% (0;12)		0.0% (0;15)	10.7% (2;18)	0.0% (0;18)	2.6% (1;33)
	Southern Inyo Hospital									<b>100.0%</b> <b>(1;4)</b> <b>Worse</b>

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Kern	Bakersfield Heart Hospital	6.4% (18;263)	10.5% (5;53)	30.6% (1;3)	5.3% (3;48)		1.0% (2;101)	<b>1.4% (8;356) Better</b>		4.1% (8;132)
	Bakersfield Memorial Hospital	5.1% (19;345)	10.0% (27;268)	26.7% (12;47)	4.7% (11;202)	26.4% (4;19)	<b>0.0% (0;171) Better</b>	2.8% (14;380)	3.2% (4;136)	4.3% (12;300)
	Delano Regional Medical Center	8.0% (3;11)	8.4% (1;14)		0.0% (0;11)		3.2% (1;39)	1.0% (1;63)	0.0% (0;17)	4.9% (6;107)
	Good Samaritan Hospital – Bakersfield							6.5% (1;32)		0.0% (0;59)
	Kern Medical Center	0.0% (0;4)	8.1% (4;44)	31.3% (3;10)	0.0% (0;30)	22.3% (1;4)	3.5% (2;61)	5.4% (2;93)	0.0% (0;25)	4.7% (2;66)
	Kern Valley Healthcare District	0.0% (0;3)	0.0% (0;8)		0.0% (0;8)		0.0% (0;11)	0.0% (0;38)		2.3% (1;72)
	Mercy Hospital – Bakersfield	2.8% (1;17)	8.9% (17;167)	21.7% (8;23)	4.0% (6;137)	38.9% (3;7)	1.7% (3;163)	<b>0.5% (1;165) Better</b>	2.1% (2;138)	2.0% (5;272)
	Ridgecrest Regional Hospital	13.2% (1;7)	16.3% (2;17)		9.1% (2;17)		0.0% (0;30)	7.1% (3;73)	0.0% (0;9)	7.1% (3;94)
	San Joaquin Community Hospital	4.1% (18;387)	8.0% (50;517)	21.7% (29;114)	3.9% (17;390)	14.3% (4;13)	0.9% (3;290)	<b>0.8% (6;541) Better</b>	0.7% (1;145)	3.3% (14;413)
	Tehachapi Hospital							52.2% (1;5)		0.0% (0;14)
Kings	Adventist Medical Center	3.8% (8;109)	9.7% (9;164)	0.0% (0;8)	6.2% (7;154)		2.5% (5;207)	2.7% (10;365)	1.5% (1;96)	<b>8.5% (23;355) Worse</b>
Lake	Saint Helena Hospital – Clearlake		0.0% (0;4)		0.0% (0;3)		0.0% (0;28)	0.0% (0;22)		2.5% (2;103)
	Sutter Lakeside Hospital	0.0% (0;3)	9.3% (2;26)		5.1% (2;26)		3.0% (1;30)	3.8% (3;60)	0.0% (0;30)	0.0% (0;83)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Lassen	Banner Lassen Medical Center	<b>52.3%</b> <b>(2;3)</b> <b>Worse</b>					8.0% (1;14)	6.4% (1;19)	0.0% (0;3)	8.3% (3;57)
Los Angeles	Alhambra Hospital Medical Center*	2.7% (1;17)	<b>3.5%</b> <b>(3;101)</b> <b>Better</b>	<b>4.9%</b> <b>(1;22)</b> <b>Better</b>	3.1% (2;79)		1.4% (1;93)	2.2% (4;132)	0.0% (0;48)	<b>0.9%</b> <b>(2;205)</b> <b>Better</b>
	Antelope Valley Hospital	7.1% (24;400)	11.1% (28;290)	25.9% (11;57)	6.3% (14;225)	23.4% (3;8)	3.4% (14;312)	4.7% (14;360)	<b>8.0%</b> <b>(8;174)</b> <b>Worse</b>	<b>9.4%</b> <b>(39;422)</b> <b>Worse</b>
	Beverly Hospital	4.6% (11;160)	10.3% (11;99)	30.5% (5;20)	6.9% (6;74)	0.0% (0;5)	1.9% (4;151)	2.1% (8;277)	0.0% (0;50)	1.7% (4;228)
	California Hospital Medical Center – Los Angeles	4.0% (6;126)	11.3% (41;303)	<b>29.4%</b> <b>(27;68)</b> <b>Worse</b>	6.1% (13;231)	12.6% (1;4)	3.1% (6;169)	<b>0.4%</b> <b>(1;372)</b> <b>Better</b>	0.0% (0;26)	4.9% (5;174)
	Cedars Sinai Medical Center	4.5% (28;542)	<b>6.5%</b> <b>(59;728)</b> <b>Better</b>	<b>14.2%</b> <b>(22;156)</b> <b>Better</b>	4.6% (28;481)	<b>9.8%</b> <b>(9;91)</b> <b>Better</b>	1.4% (12;632)	3.3% (63;1,297)	1.9% (5;259)	4.4% (30;558)
	Centinela Hospital Medical Center	<b>3.1%</b> <b>(20;308)</b> <b>Better</b>	<b>3.8%</b> <b>(20;321)</b> <b>Better</b>	<b>13.1%</b> <b>(13;70)</b> <b>Better</b>	<b>1.3%</b> <b>(6;245)</b> <b>Better</b>	11.3% (1;6)	1.6% (10;305)	<b>0.4%</b> <b>(6;1,122)</b> <b>Better</b>	3.4% (3;53)	<b>0.8%</b> <b>(3;255)</b> <b>Better</b>
	Citrus Valley Medical Center – Inter Community Campus	8.0% (25;422)	9.2% (10;97)	19.4% (4;21)	6.6% (5;73)	12.7% (1;3)	1.1% (2;143)	<b>1.2%</b> <b>(5;332)</b> <b>Better</b>	0.0% (0;67)	3.1% (8;195)
	Citrus Valley Medical Center – Queen of the Valley Campus	5.4% (4;33)	7.4% (22;295)	18.5% (12;48)	2.2% (4;238)	33.2% (6;9)	1.6% (4;215)	<b>1.3%</b> <b>(5;329)</b> <b>Better</b>	0.0% (0;70)	5.7% (12;224)
	City of Hope Helford Clinical Research Hospital	16.3% (1;3)	0.0% (0;10)	0.0% (0;6)	0.0% (0;3)		0.0% (0;21)	0.0% (0;7)		<b>14.7%</b> <b>(17;135)</b> <b>Worse</b>
	Coast Plaza Hospital	6.1% (3;22)	11.8% (3;15)		5.4% (1;13)		0.0% (0;46)	2.6% (3;113)	0.0% (0;7)	5.2% (6;95)
	College Medical Center*	7.1% (2;13)	4.3% (1;20)		2.3% (1;20)		0.0% (0;42)	1.5% (1;72)	0.0% (0;13)	4.9% (3;45)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Community Hospital Long Beach*	7.6% (6;36)	11.1% (5;35)		5.9% (3;32)		1.6% (2;68)	4.7% (5;93)	6.4% (1;36)	4.7% (5;109)
	Community and Mission Hospital of Huntington Park – Slauson	2.8% (2;46)	14.8% (2;27)		8.6% (2;26)		1.6% (1;84)	0.7% (1;168)	0.0% (0;8)	4.6% (5;108)
	East Los Angeles Doctors Hospital	5.4% (3;41)	18.2% (2;15)		10.4% (2;14)		0.0% (0;55)	1.8% (1;63)	0.0% (0;4)	2.0% (2;68)
	Encino Hospital Medical Center	<b>0.0%</b> <b>(0;30)</b> <b>Better</b>	0.0% (0;25)		0.0% (0;24)		0.7% (1;48)	<b>1.0%</b> <b>(3;92)</b> <b>Better</b>	0.0% (0;12)	0.0% (0;19)
	Foothill Presbyterian Hospital – Johnston Memorial	6.0% (3;24)	5.9% (5;80)	5.3% (1;24)	6.2% (3;53)	20.2% (1;3)	<b>6.3%</b> <b>(6;126)</b> <b>Worse</b>	2.8% (6;162)	7.0% (2;58)	2.8% (4;144)
	Gardens Regional Hospital and Medical Center*	0.0% (0;18)	0.0% (0;12)		0.0% (0;11)		2.0% (2;60)	2.9% (4;113)	0.0% (0;7)	2.9% (3;101)
	Garfield Medical Center	5.2% (14;262)	7.9% (18;256)	14.2% (6;43)	5.3% (9;203)	19.3% (3;10)	2.3% (6;212)	<b>1.2%</b> <b>(7;427)</b> <b>Better</b>	2.8% (1;70)	<b>2.1%</b> <b>(10;299)</b> <b>Better</b>
	Glendale Adventist Medical Center*	5.7% (22;320)	7.9% (37;327)	22.4% (17;65)	3.6% (12;227)	17.9% (8;35)	1.0% (4;208)	<b>0.9%</b> <b>(8;457)</b> <b>Better</b>	1.9% (2;115)	2.8% (21;440)
	Glendale Memorial Hospital and Medical Center	6.3% (14;211)	<b>2.4%</b> <b>(2;99)</b> <b>Better</b>	0.0% (0;13)	2.1% (2;85)		0.8% (2;170)	1.9% (13;445)	4.8% (3;82)	3.8% (16;290)
	Glendora Community Hospital*	0.0% (0;12)	0.0% (0;15)	0.0% (0;3)	0.0% (0;12)		0.0% (0;19)	0.0% (0;12)	0.0% (0;3)	1.8% (3;120)
	Good Samaritan Hospital – Los Angeles	8.1% (28;281)	7.3% (12;154)	23.8% (6;33)	4.0% (6;116)	0.0% (0;5)	2.6% (6;200)	3.3% (14;396)	1.2% (1;78)	2.6% (6;170)
	Greater El Monte Community Hospital	5.8% (2;16)	0.0% (0;12)		0.0% (0;12)		0.0% (0;37)	2.7% (2;65)		2.7% (6;101)
	Henry Mayo Newhall Hospital*	4.2% (14;279)	9.0% (16;183)	24.7% (9;42)	4.3% (5;133)	20.5% (2;8)	1.0% (3;228)	<b>1.3%</b> <b>(7;344)</b> <b>Better</b>	0.0% (0;87)	<b>1.9%</b> <b>(9;328)</b> <b>Better</b>

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Hollywood Presbyterian Medical Center	7.7% (22;209)	7.1% (16;202)	20.0% (10;47)	2.4% (3;146)	20.7% (3;9)	3.3% (7;170)	1.7% (6;258)	2.3% (1;63)	5.1% (14;219)
	Huntington Memorial Hospital	5.5% (15;264)	7.0% (33;420)	21.9% (20;83)	<b>2.3%</b> <b>(8;309)</b> <b>Better</b>	19.3% (5;28)	2.2% (6;300)	2.4% (16;455)	2.3% (4;201)	2.8% (10;353)
	Kaiser Foundation Hospital – Baldwin Park	<b>1.3%</b> <b>(2;96)</b> <b>Better</b>	<b>3.8%</b> <b>(7;276)</b> <b>Better</b>	5.3% (1;25)	<b>2.4%</b> <b>(6;250)</b> <b>Better</b>		1.0% (3;251)	1.5% (7;430)	4.7% (3;112)	<b>1.5%</b> <b>(5;265)</b> <b>Better</b>
	Kaiser Foundation Hospital – Downey	<b>2.8%</b> <b>(6;162)</b> <b>Better</b>	<b>3.7%</b> <b>(8;348)</b> <b>Better</b>	4.7% (1;38)	<b>2.4%</b> <b>(7;306)</b> <b>Better</b>	0.0% (0;4)	1.9% (5;316)	2.3% (13;440)	0.0% (0;80)	3.4% (15;375)
	Kaiser Foundation Hospital – Panorama City	<b>0.7%</b> <b>(1;104)</b> <b>Better</b>	7.5% (10;148)	24.7% (2;8)	2.7% (5;137)	<b>63.0%</b> <b>(3;3)</b> <b>Worse</b>	1.6% (4;132)	2.7% (11;241)	2.4% (3;137)	4.3% (13;246)
	Kaiser Foundation Hospital – South Bay	4.4% (6;103)	9.8% (20;232)	24.1% (6;20)	5.4% (14;212)		3.2% (8;207)	<b>1.6%</b> <b>(9;363)</b> <b>Better</b>	6.5% (2;36)	3.5% (5;135)
	Kaiser Foundation Hospital – Sunset	<b>2.7%</b> <b>(29;1,032)</b> <b>Better</b>	<b>7.1%</b> <b>(69;633)</b> <b>Better</b>	<b>15.8%</b> <b>(37;258)</b> <b>Better</b>	5.3% (23;284)	13.3% (9;91)	1.0% (4;238)	1.8% (13;582)	3.1% (1;42)	1.8% (2;88)
	Kaiser Foundation Hospital – West Los Angeles	4.5% (9;126)	<b>3.7%</b> <b>(11;371)</b> <b>Better</b>	15.2% (5;34)	<b>1.5%</b> <b>(6;337)</b> <b>Better</b>		1.0% (4;337)	<b>0.8%</b> <b>(4;354)</b> <b>Better</b>	1.9% (1;47)	2.4% (5;149)
	Kaiser Foundation Hospital – Woodland Hills	5.1% (8;113)	<b>4.0%</b> <b>(10;248)</b> <b>Better</b>	13.2% (4;27)	<b>2.0%</b> <b>(6;219)</b> <b>Better</b>		1.9% (6;260)	<b>1.3%</b> <b>(10;439)</b> <b>Better</b>	1.3% (2;133)	<b>1.4%</b> <b>(6;254)</b> <b>Better</b>
	Keck Hospital of University of Southern California	5.8% (8;98)	8.5% (60;328)	17.7% (24;108)	6.5% (17;123)	17.6% (19;97)	0.6% (1;77)	<b>6.6%</b> <b>(18;201)</b> <b>Worse</b>	0.0% (0;12)	0.0% (0;56)
	Lakewood Regional Medical Center	<b>8.9%</b> <b>(30;290)</b> <b>Worse</b>	8.9% (27;286)	19.6% (13;69)	4.3% (8;210)	29.8% (6;7)	3.6% (7;174)	2.7% (10;385)	<b>6.9%</b> <b>(4;85)</b> <b>Worse</b>	4.4% (9;184)
	Long Beach Memorial Medical Center	5.4% (15;343)	7.7% (40;538)	21.0% (21;109)	4.0% (15;386)	14.0% (4;43)	3.6% (13;327)	2.5% (14;533)	0.0% (0;127)	4.3% (16;332)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Los Angeles Community Hospital	1.4% (1;45)	15.5% (1;42)		9.9% (1;41)		3.0% (2;72)	<b>0.5%</b> <b>(1;170)</b> <b>Better</b>	0.0% (0;13)	1.8% (3;144)
	Los Angeles County/Harbor – UCLA Medical Center	6.6% (12;258)	10.2% (26;239)	24.5% (11;49)	5.7% (10;176)	23.7% (5;14)	0.5% (1;196)	1.5% (5;398)	1.3% (1;36)	2.9% (4;140)
	Los Angeles County/Olive View – UCLA Medical Center	4.2% (3;102)	3.8% (1;101)	74.8% (1;3)	0.0% (0;98)		0.8% (1;131)	1.7% (3;292)		2.7% (2;149)
	Los Angeles County/University of Southern California Medical Center	5.2% (9;215)	10.0% (34;322)	21.6% (15;106)	6.2% (13;178)	22.9% (6;38)	1.5% (6;356)	2.5% (11;724)	2.1% (2;58)	4.6% (11;467)
	Marina Del Rey Hospital	5.3% (2;20)	5.1% (1;35)		3.1% (1;34)		1.1% (2;114)	1.1% (2;112)	0.0% (0;58)	1.5% (2;104)
	Memorial Hospital of Gardena	<b>0.0%</b> <b>(0;32)</b> <b>Better</b>	8.3% (4;59)		4.8% (4;57)		1.3% (3;145)	2.6% (6;259)	0.0% (0;15)	3.0% (5;159)
	Methodist Hospital of Southern California	4.7% (15;256)	<b>5.9%</b> <b>(26;372)</b> <b>Better</b>	16.4% (15;79)	<b>2.1%</b> <b>(7;285)</b> <b>Better</b>	26.5% (4;8)	<b>0.7%</b> <b>(4;304)</b> <b>Better</b>	<b>0.4%</b> <b>(3;387)</b> <b>Better</b>	1.5% (3;176)	4.1% (20;279)
	Mission Community Hospital – Panorama Campus	2.0% (2;34)	2.1% (1;34)	0.0% (0;8)	0.0% (0;24)		1.2% (2;85)	<b>0.8%</b> <b>(3;172)</b> <b>Better</b>	0.0% (0;19)	<b>1.0%</b> <b>(2;116)</b> <b>Better</b>
	Monterey Park Hospital	0.0% (0;24)	9.4% (2;43)	35.6% (1;5)	3.8% (1;38)		3.1% (2;55)	1.2% (1;109)	0.0% (0;12)	7.4% (7;106)
	Northridge Hospital Medical Center	<b>2.7%</b> <b>(13;327)</b> <b>Better</b>	8.2% (29;251)	19.0% (12;61)	4.8% (15;181)	18.1% (2;9)	0.7% (2;201)	<b>1.4%</b> <b>(11;378)</b> <b>Better</b>	1.8% (1;88)	<b>1.0%</b> <b>(3;195)</b> <b>Better</b>
	Norwalk Community Hospital	2.1% (1;30)	0.0% (0;18)	0.0% (0;3)	0.0% (0;15)		0.6% (1;56)	0.9% (2;95)	0.0% (0;8)	1.4% (2;92)
	Olympia Medical Center	4.4% (3;24)	7.2% (2;43)		4.7% (2;41)		1.0% (1;59)	<b>0.5%</b> <b>(1;134)</b> <b>Better</b>	1.9% (1;36)	1.2% (1;49)
	PIH Hospital – Downey*	<b>3.2%</b> <b>(10;253)</b> <b>Better</b>	<b>5.1%</b> <b>(9;165)</b> <b>Better</b>	17.0% (6;38)	2.0% (3;120)	0.0% (0;7)	2.6% (8;210)	2.0% (12;394)	0.0% (0;99)	2.0% (6;196)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Pacific Alliance Medical Center	6.1% (1;10)	<b>1.2%</b> <b>(1;86)</b> <b>Better</b>	8.7% (1;14)	<b>0.0%</b> <b>(0;69)</b> <b>Better</b>	0.0% (0;3)	0.6% (1;124)	0.6% (1;172)	0.0% (0;29)	2.8% (3;129)
	Pacifica Hospital of the Valley	13.3% (3;10)	17.2% (2;26)		12.1% (1;25)		0.0% (0;46)	6.4% (3;71)	0.0% (0;12)	5.5% (7;69)
	Palmdale Regional Medical Center	5.7% (10;222)	8.0% (12;155)	25.3% (7;34)	2.9% (4;119)		1.1% (3;225)	1.9% (7;417)	3.1% (1;65)	<b>6.7%</b> <b>(19;282)</b> <b>Worse</b>
	Pomona Valley Hospital Medical Center	6.1% (27;382)	8.3% (42;407)	23.0% (20;84)	3.3% (13;299)	25.9% (9;24)	1.9% (7;271)	2.9% (20;516)	2.6% (3;140)	2.9% (10;264)
	Presbyterian Intercommunity Hospital	<b>3.2%</b> <b>(25;513)</b> <b>Better</b>	<b>5.7%</b> <b>(36;491)</b> <b>Better</b>	<b>14.8%</b> <b>(19;97)</b> <b>Better</b>	<b>2.9%</b> <b>(14;370)</b> <b>Better</b>	13.9% (3;24)	0.9% (3;280)	<b>1.1%</b> <b>(11;594)</b> <b>Better</b>	1.3% (3;200)	<b>1.8%</b> <b>(7;342)</b> <b>Better</b>
	Providence Holy Cross Medical Center	4.5% (10;209)	10.0% (32;280)	24.9% (19;69)	5.6% (12;203)	15.5% (1;8)	1.3% (6;303)	<b>1.4%</b> <b>(16;497)</b> <b>Better</b>	2.0% (3;157)	2.4% (11;318)
	Providence Little Company of Mary Medical Center – San Pedro	3.7% (2;29)	5.2% (7;119)	11.5% (3;24)	2.6% (3;94)		3.0% (4;121)	3.4% (5;123)	3.6% (2;71)	2.9% (4;116)
	Providence Little Company of Mary Medical Center – Torrance	5.6% (22;391)	<b>6.4%</b> <b>(40;454)</b> <b>Better</b>	19.2% (26;110)	<b>2.7%</b> <b>(12;335)</b> <b>Better</b>	10.1% (2;9)	2.6% (14;368)	<b>1.5%</b> <b>(13;549)</b> <b>Better</b>	1.1% (2;162)	2.3% (10;348)
	Providence Saint Joseph Medical Center	7.7% (19;254)	7.7% (43;471)	22.6% (27;100)	3.3% (12;335)	12.9% (4;36)	2.0% (8;300)	<b>1.6%</b> <b>(10;403)</b> <b>Better</b>	1.8% (2;177)	3.6% (22;350)
	Providence Tarzana Medical Center	7.0% (10;147)	8.2% (15;165)	17.2% (4;29)	4.4% (8;131)	26.5% (3;5)	2.2% (5;197)	<b>1.6%</b> <b>(11;346)</b> <b>Better</b>	1.5% (1;109)	4.5% (18;250)
	Ronald Reagan UCLA Medical Center	<b>10.0%</b> <b>(22;206)</b> <b>Worse</b>	<b>6.3%</b> <b>(53;392)</b> <b>Better</b>	<b>14.9%</b> <b>(26;114)</b> <b>Better</b>	4.2% (23;240)	<b>7.4%</b> <b>(4;38)</b> <b>Better</b>	1.2% (2;153)	<b>4.7%</b> <b>(26;344)</b> <b>Worse</b>	10.2% (2;22)	2.0% (3;129)
	Saint Francis Medical Center	4.5% (13;209)	7.1% (23;264)	17.8% (11;41)	3.9% (11;218)	16.2% (1;5)	1.9% (5;198)	<b>1.0%</b> <b>(5;456)</b> <b>Better</b>	0.0% (0;52)	3.4% (10;246)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Saint John’s Health Center	6.4% (11;156)	<b>3.8%</b> <b>(5;125)</b> <b>Better</b>	19.7% (5;33)	<b>0.0%</b> <b>(0;86)</b> <b>Better</b>	0.0% (0;6)	1.8% (3;185)	2.3% (8;218)	5.8% (4;124)	3.2% (9;212)
	Saint Mary Medical Center – Long Beach*	5.1% (8;139)	9.0% (22;167)	28.1% (15;41)	2.6% (4;119)	23.5% (3;7)	3.2% (4;120)	2.7% (8;244)	0.0% (0;52)	4.6% (9;187)
	Saint Vincent Medical Center	3.5% (8;163)	<b>2.5%</b> <b>(2;130)</b> <b>Better</b>	0.0% (0;23)	2.2% (2;103)	0.0% (0;4)	1.7% (3;139)	1.8% (7;311)	0.0% (0;45)	<b>1.5%</b> <b>(5;227)</b> <b>Better</b>
	San Dimas Community Hospital	8.4% (2;9)	0.0% (0;28)	0.0% (0;6)	0.0% (0;21)		1.3% (1;52)	3.4% (5;71)	0.0% (0;42)	0.0% (0;48)
	San Gabriel Valley Medical Center	2.0% (2;54)	<b>3.0%</b> <b>(4;119)</b> <b>Better</b>	15.7% (4;24)	<b>0.0%</b> <b>(0;91)</b> <b>Better</b>	0.0% (0;4)	2.8% (6;132)	2.4% (9;210)	0.0% (0;44)	3.5% (11;208)
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	4.4% (7;143)	<b>2.6%</b> <b>(3;115)</b> <b>Better</b>	12.8% (2;9)	<b>0.7%</b> <b>(1;106)</b> <b>Better</b>		<b>0.8%</b> <b>(3;210)</b> <b>Better</b>	<b>0.9%</b> <b>(5;334)</b> <b>Better</b>	1.0% (2;166)	2.4% (10;298)
	Sherman Oaks Hospital	<b>0.2%</b> <b>(1;190)</b> <b>Better</b>	<b>0.0%</b> <b>(0;44)</b> <b>Better</b>	<b>0.0%</b> <b>(0;5)</b> <b>Better</b>	0.0% (0;39)		0.9% (3;117)	<b>0.4%</b> <b>(2;188)</b> <b>Better</b>	0.0% (0;52)	<b>0.4%</b> <b>(1;108)</b> <b>Better</b>
	Silver Lake Medical Center – Downtown Campus	0.0% (0;6)	6.6% (1;10)		7.6% (1;9)		0.0% (0;25)	2.2% (1;43)	0.0% (0;6)	4.3% (3;61)
	Southern California Hospital at Culver City	5.9% (8;86)	<b>0.0%</b> <b>(0;114)</b> <b>Better</b>		<b>0.0%</b> <b>(0;113)</b> <b>Better</b>		1.0% (3;167)	<b>0.5%</b> <b>(2;269)</b> <b>Better</b>	0.0% (0;29)	<b>1.3%</b> <b>(5;257)</b> <b>Better</b>
	Southern California Hospital at Hollywood	1.6% (1;26)	0.0% (0;9)		0.0% (0;8)		0.5% (1;85)	0.9% (1;92)	0.0% (0;4)	<b>0.0%</b> <b>(0;84)</b> <b>Better</b>
Temple Community Hospital		0.0% (0;18)		0.0% (0;17)		0.0% (0;12)	0.0% (0;15)		2.7% (1;27)	
Torrance Memorial Medical Center	4.3% (25;430)	9.3% (48;485)	20.7% (23;101)	5.6% (22;378)	24.4% (3;6)	2.1% (10;394)	<b>1.8%</b> <b>(18;587)</b> <b>Better</b>	3.1% (4;227)	2.5% (16;434)	
University of Southern California Verdugo Hills Hospital	5.1% (4;31)	8.4% (5;74)	27.6% (4;9)	2.6% (1;64)		2.3% (2;86)	2.4% (4;143)	2.6% (1;80)	5.6% (7;173)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Los Angeles (continued)	Valley Presbyterian Hospital	4.9% (12;241)	9.4% (19;173)	30.3% (11;23)	3.3% (6;147)	38.7% (2;3)	2.2% (6;168)	<b>1.6%</b> <b>(12;414)</b> <b>Better</b>	1.6% (2;77)	4.1% (10;156)
	West Hills Hospital and Medical Center	6.1% (8;170)	10.2% (17;158)	26.4% (9;28)	4.9% (7;128)		2.7% (6;179)	3.6% (18;243)	3.0% (4;124)	3.7% (10;174)
	White Memorial Medical Center	3.8% (10;244)	7.2% (22;272)	16.0% (13;72)	4.4% (7;193)	22.5% (2;7)	1.1% (4;266)	<b>0.9%</b> <b>(3;279)</b> <b>Better</b>	0.0% (0;48)	<b>0.8%</b> <b>(2;239)</b> <b>Better</b>
	Whittier Hospital Medical Center	4.6% (8;48)	5.4% (3;67)	23.6% (3;4)	0.0% (0;63)		0.7% (1;126)	1.9% (3;114)	0.0% (0;37)	3.1% (4;151)
Madera	Madera Community Hospital	3.4% (2;48)	12.4% (2;37)		6.9% (1;35)		4.0% (3;56)	5.3% (4;108)	0.0% (0;10)	6.0% (4;140)
Marin	Kaiser Foundation Hospital – San Rafael	4.9% (3;71)	<b>4.3%</b> <b>(8;115)</b> <b>Better</b>	<b>12.2%</b> <b>(6;25)</b> <b>Better</b>	1.8% (2;89)		2.2% (2;79)	3.1% (11;160)	0.8% (1;92)	0.0% (0;59)
	Marin General Hospital	5.3% (8;189)	9.7% (20;206)	21.9% (10;45)	5.9% (10;161)		1.3% (3;168)	1.3% (4;173)	3.2% (2;106)	3.3% (8;198)
	Novato Community Hospital	0.0% (0;4)	10.0% (2;27)		4.8% (1;25)		0.0% (0;37)	0.0% (0;64)	0.0% (0;38)	0.0% (0;51)
Mariposa	John C. Fremont Healthcare District						0.0% (0;3)	12.3% (1;21)		20.2% (1;17)
Mendocino	Frank R. Howard Memorial Hospital		0.0% (0;21)		0.0% (0;20)		0.0% (0;16)	3.4% (1;23)	2.7% (1;61)	7.3% (1;36)
	Mendocino Coast District Hospital		17.4% (2;18)		13.9% (1;17)		0.0% (0;24)	9.2% (4;35)	0.0% (0;8)	9.1% (3;57)
	Ukiah Valley Medical Center	12.8% (4;10)	8.6% (6;63)		4.4% (5;62)		0.0% (0;67)	2.7% (6;121)	3.2% (1;33)	2.3% (4;141)
Merced	Memorial Hospital Los Banos	8.0% (1;7)	0.0% (0;5)		0.0% (0;4)		3.0% (4;63)		1.8% (1;37)	

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Merced (continued)	Mercy Medical Center – Merced	8.9% (8;51)	6.4% (8;158)	11.2% (1;3)	3.5% (6;154)		1.2% (4;184)	2.1% (12;295)	5.1% (2;109)	<b>2.2% (12;413) Better</b>
Modoc	Modoc Medical Center							0.0% (0;11)		41.6% (1;11)
Mono	Mammoth Hospital						0.0% (0;4)	0.0% (0;5)	0.0% (0;11)	0.0% (0;12)
Monterey	Community Hospital of The Monterey Peninsula	5.8% (7;140)	9.0% (26;261)	22.6% (14;42)	4.3% (8;215)	25.4% (4;4)	2.0% (6;218)	1.7% (5;234)	4.3% (3;141)	4.9% (13;295)
	George L. Mee Memorial Hospital						26.1% (1;3)	0.0% (0;17)	0.0% (0;3)	0.0% (0;26)
	Natividad Medical Center	3.1% (1;16)	0.0% (0;33)		0.0% (0;32)		3.3% (2;45)	3.8% (3;85)	4.5% (1;19)	5.9% (4;82)
	Salinas Valley Memorial Hospital	3.3% (7;229)	8.3% (23;230)	18.0% (11;47)	5.3% (11;180)	20.4% (1;3)	1.6% (4;171)	2.3% (12;289)	1.8% (1;79)	5.3% (15;177)
Napa	Queen of the Valley Hospital – Napa	<b>11.8% (16;109) Worse</b>	12.5% (18;142)	26.4% (6;25)	7.3% (11;115)		0.8% (1;112)	4.2% (12;228)	1.8% (2;85)	3.8% (6;131)
	Saint Helena Hospital	6.5% (10;140)	18.5% (3;19)		8.5% (1;17)		0.0% (0;52)	1.2% (3;126)	1.4% (1;33)	2.1% (2;57)
Nevada	Sierra Nevada Memorial Hospital	3.2% (3;33)	14.6% (9;102)	32.5% (2;6)	8.3% (7;96)		3.3% (6;118)	0.9% (2;137)	2.8% (2;93)	<b>0.8% (2;199) Better</b>
	Tahoe Forest Hospital		0.0% (0;8)		0.0% (0;8)		0.0% (0;11)	0.0% (0;24)	0.0% (0;22)	6.7% (2;36)
Orange	AHMC Anaheim Regional Medical Center	<b>2.9% (10;282) Better</b>	5.8% (6;152)	12.1% (2;19)	3.6% (4;132)		3.7% (9;228)	1.6% (8;417)	0.0% (0;73)	3.1% (8;281)
	Chapman Medical Center		0.0% (0;12)		0.0% (0;10)		0.0% (0;21)	3.9% (1;41)	0.0% (0;9)	0.0% (0;41)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Orange (continued)	Coastal Communities Hospital	30.3% (1;10)	0.0% (0;21)	0.0% (0;3)	0.0% (0;17)		2.9% (1;44)	2.4% (2;54)	10.9% (1;10)	2.1% (1;67)
	College Hospital Costa Mesa									0.0% (0;4)
	Fountain Valley Regional Hospital and Medical Center – Euclid	6.8% (32;363)	7.7% (36;349)	18.9% (19;83)	4.3% (16;262)	13.6% (1;4)	2.2% (8;251)	2.1% (12;377)	0.0% (0;94)	5.1% (25;395)
	Garden Grove Hospital and Medical Center	5.8% (7;34)	5.7% (3;48)	22.7% (1;4)	1.8% (1;41)	19.4% (1;3)	1.5% (2;79)	<b>0.0% (0;92) Better</b>	0.0% (0;28)	2.1% (2;76)
	Hoag Memorial Hospital Presbyterian	5.9% (20;348)	<b>5.0% (40;609) Better</b>	<b>14.0% (24;115) Better</b>	<b>2.3% (13;470) Better</b>	11.6% (3;24)	1.3% (10;505)	<b>1.5% (12;376) Better</b>	<b>0.0% (0;123) Better</b>	<b>1.2% (5;333) Better</b>
	Hoag Orthopedic Institute								1.2% (1;213)	
	Huntington Beach Hospital	2.8% (2;26)	0.0% (0;37)		0.0% (0;37)		1.4% (2;58)	1.6% (3;97)	0.0% (0;16)	1.1% (1;60)
	Kaiser Foundation Hospital – Orange County – Anaheim	3.4% (9;171)	<b>5.1% (29;559) Better</b>	<b>7.9% (8;124) Better</b>	4.0% (16;388)	11.6% (5;47)	0.9% (4;379)	<b>1.6% (13;557) Better</b>	3.0% (7;236)	4.6% (18;381)
	La Palma Intercommunity Hospital	1.7% (1;30)	0.0% (0;23)		0.0% (0;22)		2.5% (2;42)	<b>0.5% (1;110) Better</b>	0.0% (0;22)	2.8% (5;88)
	Los Alamitos Medical Center	5.6% (11;161)	<b>4.9% (16;296) Better</b>	14.2% (9;54)	<b>1.9% (5;233) Better</b>	16.2% (2;9)	3.4% (9;193)	3.2% (11;270)	1.4% (2;167)	6.3% (14;258)
	Mission Hospital Laguna Beach						2.5% (1;34)	0.0% (0;37)	0.0% (0;42)	0.0% (0;52)
	Mission Hospital Regional Medical Center	4.4% (16;279)	<b>6.8% (33;376) Better</b>	18.7% (16;76)	3.1% (13;273)	22.4% (4;27)	<b>0.6% (3;261) Better</b>	<b>1.6% (11;345) Better</b>	3.5% (5;142)	2.2% (8;309)
	Orange Coast Memorial Medical Center	<b>2.6% (6;153) Better</b>	5.5% (7;150)	21.3% (5;27)	1.7% (2;119)	0.0% (0;4)	2.1% (6;210)	2.4% (12;324)	3.4% (3;124)	2.9% (7;205)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Orange (continued)	Placentia Linda Hospital	0.0% (0;26)	12.4% (2;35)		6.8% (2;35)		4.6% (1;51)	0.8% (1;123)	0.0% (0;58)	7.0% (4;111)
	Saddleback Memorial Medical Center	5.9% (26;282)	7.8% (33;342)	22.6% (17;56)	3.9% (14;272)	10.2% (2;14)	<b>0.6%</b> <b>(2;237)</b> <b>Better</b>	<b>1.5%</b> <b>(15;510)</b> <b>Better</b>	1.2% (2;240)	<b>2.0%</b> <b>(11;336)</b> <b>Better</b>
	Saint Joseph Hospital – Orange	4.5% (14;271)	<b>5.5%</b> <b>(19;331)</b> <b>Better</b>	<b>11.8%</b> <b>(7;61)</b> <b>Better</b>	3.5% (11;261)	9.9% (1;9)	1.8% (6;261)	2.5% (17;441)	0.0% (0;180)	<b>6.7%</b> <b>(30;375)</b> <b>Worse</b>
	Saint Jude Medical Center	5.2% (23;318)	<b>5.5%</b> <b>(44;456)</b> <b>Better</b>	<b>10.3%</b> <b>(18;117)</b> <b>Better</b>	3.6% (17;305)	17.1% (9;34)	<b>0.4%</b> <b>(2;247)</b> <b>Better</b>	2.5% (19;366)	0.7% (1;197)	3.0% (13;259)
	UC Irvine Medical Center	<b>12.4%</b> <b>(16;142)</b> <b>Worse</b>	8.6% (73;510)	19.5% (30;115)	4.6% (24;329)	22.0% (19;66)	1.0% (4;222)	<b>0.9%</b> <b>(3;257)</b> <b>Better</b>	0.0% (0;49)	1.9% (2;103)
	West Anaheim Medical Center	5.3% (14;166)	<b>2.7%</b> <b>(2;81)</b> <b>Better</b>	15.4% (1;4)	<b>1.0%</b> <b>(1;76)</b> <b>Better</b>		<b>0.0%</b> <b>(0;116)</b> <b>Better</b>	<b>0.8%</b> <b>(4;290)</b> <b>Better</b>	0.0% (0;46)	3.2% (8;138)
	Western Medical Center Anaheim	14.5% (4;47)	9.1% (1;13)	24.3% (1;3)	0.0% (0;10)		0.0% (0;28)	4.6% (2;30)	0.0% (0;14)	11.3% (3;47)
	Western Medical Center – Santa Ana	7.3% (8;181)	<b>11.9%</b> <b>(34;206)</b> <b>Worse</b>	26.2% (17;55)	7.3% (13;137)	29.1% (4;14)	5.3% (3;93)	6.1% (6;95)	0.0% (0;38)	1.6% (1;100)
Placer	Kaiser Foundation Hospital – Roseville	4.2% (12;269)	<b>4.8%</b> <b>(15;309)</b> <b>Better</b>	15.7% (6;22)	<b>2.3%</b> <b>(9;287)</b> <b>Better</b>		2.8% (9;212)	<b>1.0%</b> <b>(6;329)</b> <b>Better</b>	2.5% (6;206)	3.9% (8;126)
	Sutter Auburn Faith Hospital	3.6% (3;29)	2.4% (1;87)	13.0% (1;5)	0.0% (0;82)		0.0% (0;97)	3.5% (4;82)	3.6% (2;67)	4.5% (6;123)
	Sutter Roseville Medical Center	4.2% (16;327)	7.5% (35;406)	19.9% (19;98)	4.1% (14;289)	11.6% (2;19)	2.4% (9;317)	<b>1.5%</b> <b>(11;367)</b> <b>Better</b>	1.8% (5;216)	2.0% (7;323)
Plumas	Eastern Plumas Hospital – Portola Campus						<b>93.6%</b> <b>(1;3)</b> <b>Worse</b>	0.0% (0;6)		9.5% (1;26)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Plumas (continued)	Plumas District Hospital		36.1% (1;3)					0.0% (0;15)		0.0% (0;31)
	Seneca Healthcare District						0.0% (0;5)	0.0% (0;20)		0.0% (0;18)
Riverside	Corona Regional Medical Center – Main	5.7% (6;38)	<b>2.4%</b> <b>(2;75)</b> <b>Better</b>	11.1% (2;11)	<b>0.0%</b> <b>(0;64)</b> <b>Better</b>		1.0% (3;173)	<b>1.4%</b> <b>(8;258)</b> <b>Better</b>	2.2% (2;88)	<b>0.5%</b> <b>(2;222)</b> <b>Better</b>
	Desert Regional Medical Center	<b>10.7%</b> <b>(45;478)</b> <b>Worse</b>	10.5% (67;575)	21.8% (23;112)	6.3% (32;404)	26.8% (12;59)	<b>0.2%</b> <b>(1;378)</b> <b>Better</b>	1.5% (5;386)	2.0% (4;185)	6.2% (18;369)
	Eisenhower Medical Center	<b>3.5%</b> <b>(12;356)</b> <b>Better</b>	<b>6.8%</b> <b>(38;550)</b> <b>Better</b>	17.2% (19;96)	3.8% (17;443)	9.5% (2;11)	2.5% (11;405)	2.3% (19;529)	1.5% (3;301)	3.1% (21;557)
	Hemet Valley Medical Center	5.6% (16;115)	11.2% (14;155)	34.9% (3;8)	6.0% (11;145)		2.6% (9;284)	<b>1.6%</b> <b>(10;431)</b> <b>Better</b>	2.3% (3;169)	4.3% (17;295)
	John F. Kennedy Memorial Hospital	8.1% (12;132)	8.3% (1;48)		4.6% (1;48)		4.1% (2;39)	2.3% (3;155)	0.0% (0;67)	4.2% (6;187)
	Kaiser Foundation Hospital – Moreno Valley	2.7% (3;59)	4.8% (3;82)	0.0% (0;4)	3.4% (3;76)		2.2% (3;91)	1.3% (3;140)	0.0% (0;16)	3.3% (3;77)
	Kaiser Foundation Hospital – Riverside	4.4% (8;102)	8.0% (13;154)	16.2% (5;24)	4.6% (6;128)		1.5% (3;124)	<b>0.7%</b> <b>(3;287)</b> <b>Better</b>	3.6% (2;71)	2.9% (5;124)
	Loma Linda University Medical Center – Murrieta	4.5% (10;322)	13.0% (6;83)	44.6% (4;17)	4.6% (2;66)		1.5% (2;129)	2.5% (8;311)	4.0% (1;40)	2.5% (5;161)
	Menifee Valley Medical Center	5.4% (5;44)	19.1% (5;43)		8.6% (4;42)		0.0% (0;73)	2.7% (3;137)	2.0% (1;54)	1.4% (2;123)
	Palo Verde Hospital	10.2% (1;7)	0.0% (0;8)		0.0% (0;8)		<b>22.2%</b> <b>(2;29)</b> <b>Worse</b>	0.0% (0;17)		<b>25.9%</b> <b>(3;34)</b> <b>Worse</b>
	Parkview Community Hospital Medical Center	<b>0.0%</b> <b>(0;27)</b> <b>Better</b>	10.5% (4;92)		5.9% (4;91)		2.9% (4;142)	2.3% (6;269)	0.0% (0;44)	3.2% (9;252)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Riverside (continued)	Riverside Community Hospital	7.2% (44;735)	<b>5.6%</b> <b>(30;423)</b> <b>Better</b>	<b>12.5%</b> <b>(17;106)</b> <b>Better</b>	3.7% (12;313)	16.2% (1;4)	1.4% (7;388)	2.1% (16;661)	2.0% (3;157)	3.6% (18;436)
	Riverside County Regional Medical Center	4.3% (3;45)	11.1% (25;252)	29.1% (13;48)	5.8% (12;204)		1.4% (2;142)	2.0% (6;341)	1.9% (2;64)	4.2% (7;171)
	San Geronio Memorial Hospital	5.2% (9;67)	4.1% (1;25)		0.0% (0;22)		1.0% (1;89)	1.3% (2;185)	0.0% (0;14)	4.0% (6;183)
	Southwest Healthcare System – Murrieta	2.4% (3;50)	7.0% (22;271)	13.2% (8;58)	4.4% (11;205)	22.2% (3;8)	0.9% (2;177)	<b>1.2%</b> <b>(5;327)</b> <b>Better</b>	3.7% (4;151)	5.2% (18;317)
	Temecula Valley Hospital	2.6% (4;148)	5.3% (5;100)	15.9% (3;17)	2.7% (2;82)		1.1% (1;92)	3.5% (6;145)	3.5% (2;65)	3.7% (6;146)
Sacramento	Kaiser Foundation Hospital – Sacramento	5.3% (11;100)	<b>4.6%</b> <b>(78;523)</b> <b>Better</b>	<b>9.4%</b> <b>(42;187)</b> <b>Better</b>	5.0% (26;255)	<b>7.2%</b> <b>(10;81)</b> <b>Better</b>	3.1% (10;183)	2.8% (9;205)	3.8% (4;144)	2.3% (4;90)
	Kaiser Foundation Hospital – South Sacramento	6.5% (19;224)	9.5% (23;299)	24.5% (7;28)	4.9% (13;267)	25.4% (3;4)	2.0% (6;173)	1.9% (15;478)	5.2% (4;111)	3.2% (6;124)
	Mercy General Hospital	4.7% (39;1,192)	<b>5.1%</b> <b>(17;294)</b> <b>Better</b>	<b>9.8%</b> <b>(7;60)</b> <b>Better</b>	3.9% (10;224)	0.0% (0;10)	1.4% (5;255)	2.2% (19;575)	2.6% (3;85)	4.8% (10;185)
	Mercy Hospital – Folsom	1.9% (1;20)	12.0% (5;89)	21.7% (1;3)	5.7% (3;85)		1.5% (3;142)	1.8% (5;164)	1.9% (1;74)	4.1% (6;96)
	Mercy San Juan Hospital	4.6% (25;379)	8.5% (112;770)	20.9% (61;214)	4.6% (36;498)	19.3% (15;58)	1.1% (7;375)	2.1% (26;743)	2.0% (4;171)	<b>1.3%</b> <b>(5;327)</b> <b>Better</b>
	Methodist Hospital of Sacramento	4.0% (5;54)	6.1% (12;243)	23.9% (6;13)	<b>2.2%</b> <b>(5;228)</b> <b>Better</b>		1.0% (3;222)	2.0% (9;288)	1.9% (1;68)	1.6% (3;203)
	Sutter General Hospital	3.7% (7;69)	<b>6.4%</b> <b>(25;326)</b> <b>Better</b>	18.6% (16;70)	<b>2.3%</b> <b>(6;235)</b> <b>Better</b>	20.8% (3;21)	2.4% (7;232)	1.9% (5;239)	2.5% (5;195)	3.6% (7;228)
	Sutter Memorial Hospital	<b>3.3%</b> <b>(21;582)</b> <b>Better</b>	5.7% (8;117)	12.4% (4;23)	3.7% (4;93)		1.1% (2;104)	2.4% (11;361)		4.6% (5;94)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Sacramento (continued)	UC Davis Medical Center	<b>2.7%</b> <b>(11;423)</b> <b>Better</b>	8.4% (45;456)	17.8% (19;99)	5.1% (17;317)	22.7% (9;40)	2.0% (10;325)	1.8% (12;615)	2.8% (4;114)	3.1% (8;301)
San Benito	Hazel Hawkins Memorial Hospital	7.0% (1;17)	9.5% (2;26)		5.5% (1;24)		4.6% (1;44)	2.2% (1;71)	6.5% (1;25)	<b>11.9%</b> <b>(8;86)</b> <b>Worse</b>
San Bernardino	Arrowhead Regional Medical Center	4.4% (3;86)	10.6% (45;402)	25.3% (27;120)	4.7% (11;258)	<b>43.4%</b> <b>(7;24)</b> <b>Worse</b>	3.9% (7;204)	1.9% (5;500)	7.7% (2;47)	<b>7.2%</b> <b>(12;239)</b> <b>Worse</b>
	Barstow Community Hospital	3.0% (2;33)	3.5% (1;36)		1.9% (1;36)		0.0% (0;42)	1.8% (3;121)	0.0% (0;13)	0.9% (1;79)
	Bear Valley Community Hospital							0.0% (0;9)		0.0% (0;29)
	Chino Valley Medical Center	4.2% (4;31)	2.0% (1;28)		1.3% (1;27)		0.8% (2;67)	<b>0.0%</b> <b>(0;86)</b> <b>Better</b>	0.0% (0;13)	3.0% (2;49)
	Colorado River Medical Center						0.0% (0;8)	0.0% (0;7)		23.8% (2;38)
	Community Hospital of San Bernardino	6.9% (2;20)	11.3% (1;23)		7.2% (1;22)		0.0% (0;80)	2.9% (3;126)	5.6% (1;20)	4.2% (5;136)
	Desert Valley Hospital	4.8% (13;176)	<b>1.9%</b> <b>(2;123)</b> <b>Better</b>	0.0% (0;8)	<b>1.2%</b> <b>(2;115)</b> <b>Better</b>		0.9% (2;138)	<b>0.9%</b> <b>(5;373)</b> <b>Better</b>	0.0% (0;47)	<b>1.2%</b> <b>(4;220)</b> <b>Better</b>
	Hi-Desert Medical Center	11.4% (2;6)	0.0% (0;13)		0.0% (0;13)		0.0% (0;25)	4.1% (4;128)	0.0% (0;44)	4.4% (4;128)
	Kaiser Foundation Hospital – Fontana	5.0% (23;285)	7.9% (65;565)	20.3% (38;185)	4.4% (22;353)	12.3% (5;27)	3.2% (13;387)	2.3% (32;697)	1.6% (2;167)	<b>2.4%</b> <b>(21;494)</b> <b>Better</b>
	Loma Linda University Medical Center	6.6% (31;465)	9.9% (72;511)	23.8% (38;130)	6.8% (29;338)	11.0% (5;43)	2.1% (8;246)	3.8% (25;586)	2.8% (3;97)	4.3% (8;179)
	Montclair Hospital Medical Center	2.9% (1;11)	0.0% (0;9)		0.0% (0;9)		0.0% (0;41)	0.0% (0;42)	32.5% (1;10)	0.0% (0;61)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
San Bernardino (continued)	Mountains Community Hospital							0.0% (0;4)		<b>21.3%</b> <b>(3;28)</b> <b>Worse</b>
	Redlands Community Hospital	4.7% (8;85)	<b>4.5%</b> <b>(9;205)</b> <b>Better</b>	14.3% (6;35)	<b>1.8%</b> <b>(3;169)</b> <b>Better</b>		1.4% (2;185)	2.1% (5;176)	2.3% (4;181)	3.3% (15;320)
	Saint Bernardine Medical Center	7.1% (40;860)	8.8% (22;247)	20.7% (10;52)	3.8% (7;181)	37.8% (5;14)	1.1% (3;191)	2.3% (11;427)	1.7% (1;83)	4.1% (20;355)
	Saint Mary Medical Center – Apple Valley	4.5% (17;403)	<b>3.7%</b> <b>(4;199)</b> <b>Better</b>	13.4% (1;3)	1.9% (3;195)		1.3% (4;251)	<b>1.5%</b> <b>(12;644)</b> <b>Better</b>	1.5% (1;116)	2.2% (10;390)
	San Antonio Community Hospital	4.1% (23;505)	9.4% (46;375)	23.3% (22;84)	5.0% (21;284)	33.1% (3;7)	2.4% (7;258)	1.9% (14;463)	2.9% (4;157)	2.5% (12;392)
	Victor Valley Global Medical Center	5.5% (4;29)	4.8% (2;47)	0.0% (0;3)	3.3% (2;44)		2.4% (1;61)	0.9% (2;259)	0.0% (0;51)	2.8% (4;139)
San Diego	Alvarado Hospital	7.3% (12;132)	12.5% (14;104)	31.4% (5;9)	6.5% (8;92)	55.1% (1;3)	4.0% (5;100)	3.2% (8;205)	0.0% (0;43)	<b>0.4%</b> <b>(1;178)</b> <b>Better</b>
	Fallbrook Hospital District	7.0% (1;9)					7.0% (2;28)	6.0% (3;44)	0.0% (0;38)	3.5% (1;57)
	Grossmont Hospital	7.9% (25;358)	10.1% (69;629)	<b>28.5%</b> <b>(35;93)</b> <b>Worse</b>	4.4% (27;517)	34.4% (7;19)	2.1% (12;458)	2.6% (30;936)	2.3% (4;218)	4.8% (25;569)
	Kaiser Foundation Hospital – San Diego	4.8% (14;193)	7.2% (37;437)	<b>14.1%</b> <b>(13;95)</b> <b>Better</b>	5.1% (22;320)	8.7% (2;22)	2.8% (11;322)	3.8% (36;728)	<b>4.5%</b> <b>(14;359)</b> <b>Worse</b>	4.2% (19;414)
	Palomar Health Downtown Campus	8.0% (32;365)	10.4% (81;659)	25.4% (37;129)	5.8% (31;491)	21.4% (13;39)	1.5% (5;377)	3.0% (27;671)	0.6% (1;225)	3.2% (19;507)
	Paradise Valley Hospital	<b>0.8%</b> <b>(1;39)</b> <b>Better</b>	0.0% (0;46)		0.0% (0;45)		0.0% (0;55)	<b>0.0%</b> <b>(0;152)</b> <b>Better</b>	0.0% (0;19)	0.0% (0;68)
	Pomerado Hospital	3.1% (2;21)	<b>16.8%</b> <b>(14;97)</b> <b>Worse</b>	38.8% (4;7)	8.9% (9;89)		3.9% (6;137)	2.1% (7;152)	<b>11.1%</b> <b>(4;95)</b> <b>Worse</b>	3.1% (8;185)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
San Diego (continued)	Scripps Green Hospital	<b>2.0%</b> (3;173) <b>Better</b>	<b>4.6%</b> (17;203) <b>Better</b>	<b>9.0%</b> (5;56) <b>Better</b>	<b>2.4%</b> (6;118) <b>Better</b>	13.3% (6;29)	0.7% (1;113)	<b>1.3%</b> (7;313) <b>Better</b>	1.8% (2;68)	<b>0.0%</b> (0;85) <b>Better</b>
	Scripps Memorial Hospital – Encinitas	<b>1.6%</b> (4;216) <b>Better</b>	7.4% (20;228)	13.1% (6;32)	4.5% (11;191)	26.2% (3;5)	<b>0.4%</b> (1;161) <b>Better</b>	1.7% (10;333)	0.7% (1;150)	4.2% (10;147)
	Scripps Memorial Hospital – La Jolla ( <a href="#">View comment letter</a> )	6.8% (20;338)	9.4% (52;371)	20.1% (15;59)	6.2% (27;253)	17.1% (10;59)	1.4% (3;172)	2.9% (19;270)	<b>5.5%</b> (10;186) <b>Worse</b>	<b>1.2%</b> (4;178) <b>Better</b>
	Scripps Mercy Hospital	5.3% (28;398)	<b>7.0%</b> (43;507) <b>Better</b>	19.4% (24;90)	3.2% (16;406)	17.3% (3;11)	<b>1.0%</b> (8;433) <b>Better</b>	<b>1.3%</b> (19;949) <b>Better</b>	2.6% (5;201)	<b>1.6%</b> (11;551) <b>Better</b>
	Sharp Chula Vista Medical Center	7.8% (21;203)	7.4% (22;310)	23.2% (13;46)	2.8% (7;251)	22.6% (2;13)	2.0% (9;246)	<b>1.5%</b> (17;690) <b>Better</b>	2.1% (3;96)	2.8% (12;311)
	Sharp Coronado Hospital and Healthcare Center	0.0% (0;4)	4.5% (1;26)		2.5% (1;25)		0.0% (0;26)	5.6% (4;38)	6.2% (2;29)	0.0% (0;19)
	Sharp Memorial Hospital	<b>9.6%</b> (23;277) <b>Worse</b>	10.8% (54;458)	24.9% (27;97)	<b>7.5%</b> (27;343) <b>Worse</b>	0.0% (0;18)	2.0% (7;279)	3.5% (25;597)	1.3% (3;264)	4.9% (26;464)
	Tri-City Medical Center – Oceanside	7.1% (21;304)	8.5% (32;352)	22.7% (17;57)	3.7% (10;282)	24.6% (5;13)	2.3% (8;263)	2.9% (16;417)	1.3% (2;204)	5.6% (14;277)
	UC San Diego Health System – Hillcrest Medical Center	5.7% (15;302)	<b>5.3%</b> (40;408) <b>Better</b>	<b>9.0%</b> (14;103) <b>Better</b>	3.3% (13;246)	18.9% (13;59)	1.1% (5;301)	2.6% (21;772)	0.0% (0;104)	2.7% (8;297)
San Francisco	California Pacific Medical Center – Davies Campus	0.0% (0;6)	9.4% (49;373)	17.1% (16;82)	6.9% (25;253)	18.1% (8;38)	0.0% (0;34)	1.3% (1;54)	5.2% (1;13)	1.4% (1;74)
	California Pacific Medical Center – Pacific Campus	<b>2.9%</b> (8;246) <b>Better</b>	8.4% (29;271)	20.4% (15;60)	5.0% (13;207)	11.1% (1;4)	<b>0.7%</b> (4;296) <b>Better</b>	3.2% (22;370)	0.5% (1;134)	2.5% (8;251)
	California Pacific Medical Center – St. Luke’s Campus	0.0% (0;11)	4.9% (1;31)		0.0% (0;29)		0.0% (0;73)	1.6% (3;129)	0.0% (0;19)	3.0% (4;86)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
San Francisco (continued)	Chinese Hospital	6.7% (3;18)	<b>0.0%</b> <b>(0;52)</b> <b>Better</b>	0.0% (0;7)	0.0% (0;45)		0.0% (0;71)	<b>0.8%</b> <b>(2;106)</b> <b>Better</b>	2.8% (1;20)	4.1% (7;134)
	Kaiser Foundation Hospital – San Francisco	3.9% (17;502)	<b>3.6%</b> <b>(10;220)</b> <b>Better</b>	<b>2.3%</b> <b>(1;24)</b> <b>Better</b>	2.5% (6;189)	18.1% (3;7)	0.8% (2;170)	<b>1.3%</b> <b>(10;366)</b> <b>Better</b>	0.0% (0;74)	1.6% (2;62)
	Laguna Honda Hospital and Rehabilitation Center									0.0% (0;17)
	Saint Francis Memorial Hospital	5.8% (4;23)	9.1% (15;108)	26.9% (8;22)	4.7% (7;85)		0.0% (0;94)	0.8% (1;125)	4.8% (1;47)	2.9% (5;151)
	Saint Mary’s Medical Center, San Francisco	7.4% (8;109)	6.6% (9;88)	10.5% (2;14)	3.8% (5;71)	25.2% (2;3)	1.5% (3;119)	2.6% (10;212)	0.0% (0;67)	1.4% (2;81)
	San Francisco General Hospital	3.7% (7;162)	9.5% (34;237)	24.1% (22;72)	4.9% (9;151)	20.3% (3;14)	2.6% (6;188)	2.3% (9;484)	0.0% (0;56)	2.6% (4;270)
	UC San Francisco Medical Center	6.8% (12;138)	<b>7.2%</b> <b>(54;421)</b> <b>Better</b>	18.0% (22;103)	3.6% (15;203)	16.2% (17;115)	1.0% (4;233)	2.2% (11;345)	0.0% (0;80)	2.5% (7;257)
San Joaquin	Dameron Hospital	8.5% (18;284)	5.7% (4;104)	15.1% (1;7)	3.1% (3;97)		1.5% (3;150)	2.3% (7;254)	0.0% (0;55)	3.5% (8;176)
	Doctors Hospital of Manteca	4.1% (1;13)	5.2% (2;57)	19.0% (2;4)	0.0% (0;52)		0.0% (0;90)	3.5% (3;109)	5.3% (3;47)	4.3% (5;124)
	Kaiser Foundation Hospital – Manteca	4.1% (7;95)	6.3% (8;93)	<b>4.7%</b> <b>(1;13)</b> <b>Better</b>	5.9% (7;78)		1.6% (5;144)	2.3% (11;264)	1.6% (2;104)	2.5% (4;91)
	Lodi Memorial Hospital	<b>0.5%</b> <b>(1;92)</b> <b>Better</b>	11.9% (8;71)	27.7% (2;3)	6.7% (6;68)		1.2% (2;160)	3.5% (12;358)	0.0% (0;87)	2.4% (6;343)
	Saint Joseph’s Medical Center of Stockton	5.9% (27;439)	9.6% (39;281)	24.5% (25;60)	4.1% (8;212)	29.2% (6;9)	2.4% (9;290)	2.6% (18;469)	4.3% (5;122)	4.2% (17;292)
	San Joaquin General Hospital	3.6% (2;32)	10.8% (8;112)	29.0% (4;15)	5.6% (4;96)		1.9% (3;121)	<b>0.6%</b> <b>(2;257)</b> <b>Better</b>	0.0% (0;20)	1.7% (2;96)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
San Joaquin (continued)	Sutter Tracy Community Hospital	3.8% (1;25)	7.9% (3;60)	21.3% (1;3)	4.4% (2;56)		2.6% (3;78)	2.0% (3;109)	0.0% (0;28)	2.5% (2;93)
San Luis Obispo	French Hospital Medical Center	6.1% (11;238)	11.2% (7;57)		5.2% (5;55)		1.7% (2;96)	<b>0.5% (1;128) Better</b>	0.0% (0;56)	3.3% (4;69)
	Marian Regional Medical Center – Arroyo Grande	5.5% (2;12)	9.0% (3;71)		4.8% (2;69)		0.0% (0;73)	3.1% (3;94)	<b>9.5% (4;54) Worse</b>	3.2% (2;66)
	Sierra Vista Regional Medical Center	0.0% (0;4)	6.5% (8;127)	11.6% (4;53)	6.5% (4;72)		5.1% (2;64)	1.2% (1;56)	0.0% (0;57)	3.9% (2;74)
	Twin Cities Community Hospital	9.2% (2;8)	5.2% (2;95)	59.3% (1;4)	0.0% (0;89)		3.1% (3;104)	4.4% (4;97)	7.3% (3;91)	3.9% (5;145)
San Mateo	Kaiser Foundation Hospital – Redwood City	3.6% (3;56)	<b>4.5% (58;446) Better</b>	<b>9.1% (34;172) Better</b>	4.5% (16;184)	<b>9.8% (8;90) Better</b>	5.0% (6;68)	1.6% (6;156)	3.7% (2;65)	6.0% (10;85)
	Kaiser Foundation Hospital – South San Francisco	2.4% (2;51)	<b>4.4% (11;153) Better</b>	<b>8.7% (4;30) Better</b>	3.3% (7;119)	0.0% (0;4)	<b>0.4% (1;127) Better</b>	<b>1.3% (8;258) Better</b>	1.9% (2;83)	3.7% (7;102)
	Peninsula Medical Center	6.4% (18;232)	<b>5.9% (22;265) Better</b>	16.0% (13;51)	2.9% (9;211)	0.0% (0;3)	0.9% (3;235)	<b>1.6% (13;345) Better</b>	0.7% (2;160)	<b>1.6% (5;217) Better</b>
	San Mateo Medical Center	10.5% (2;9)	0.0% (0;47)	0.0% (0;5)	0.0% (0;41)		0.0% (0;75)	4.1% (3;99)	0.0% (0;7)	5.2% (4;116)
	Sequoia Hospital	5.2% (3;59)	15.6% (6;64)	0.0% (0;3)	9.6% (6;61)		0.9% (1;76)	1.6% (6;227)	0.0% (0;65)	3.9% (5;110)
	Seton Medical Center	7.7% (14;157)	7.3% (19;193)	21.9% (12;43)	3.4% (7;147)	0.0% (0;3)	2.3% (6;183)	<b>1.6% (12;390) Better</b>	1.3% (1;77)	4.5% (12;210)
Santa Barbara	Goleta Valley Cottage Hospital		0.0% (0;4)		0.0% (0;3)			0.0% (0;20)	0.0% (0;67)	0.0% (0;25)
	Lompoc Valley Medical Center	0.0% (0;8)	0.0% (0;27)		0.0% (0;27)		0.0% (0;79)	6.7% (3;81)	0.0% (0;29)	3.3% (3;84)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Santa Barbara (continued)	Marian Regional Medical Center	9.8% (9;155)	6.4% (15;207)	<b>8.6%</b> <b>(5;47)</b> <b>Better</b>	6.8% (10;159)		0.8% (3;224)	2.2% (8;216)	<b>5.8%</b> <b>(5;95)</b> <b>Worse</b>	3.8% (9;147)
	Santa Barbara Cottage Hospital	3.2% (4;219)	10.8% (65;497)	24.8% (24;96)	6.5% (29;343)	21.8% (12;58)	0.8% (3;316)	<b>0.8%</b> <b>(5;351)</b> <b>Better</b>	<b>6.4%</b> <b>(9;176)</b> <b>Worse</b>	2.8% (9;287)
	Santa Ynez Valley Cottage Hospital		37.2% (1;7)		20.5% (1;7)			13.0% (1;15)		9.0% (2;23)
Santa Clara	El Camino Hospital	5.2% (14;251)	10.1% (41;328)	20.2% (19;71)	7.2% (21;248)	13.9% (1;9)	1.9% (5;309)	2.5% (13;340)	3.0% (3;203)	4.5% (14;329)
	Good Samaritan Hospital – San Jose	8.0% (17;211)	7.6% (34;363)	<b>14.7%</b> <b>(13;63)</b> <b>Better</b>	5.5% (17;276)	14.3% (4;24)	1.6% (5;242)	<b>4.5%</b> <b>(26;366)</b> <b>Worse</b>	3.2% (3;140)	5.1% (15;240)
	Kaiser Foundation Hospital – San Jose	8.4% (25;152)	<b>4.5%</b> <b>(12;242)</b> <b>Better</b>	<b>4.8%</b> <b>(2;29)</b> <b>Better</b>	3.3% (10;213)		1.2% (4;219)	<b>1.3%</b> <b>(8;331)</b> <b>Better</b>	2.0% (4;97)	4.7% (7;103)
	Kaiser Foundation Hospital – Santa Clara	<b>4.2%</b> <b>(30;999)</b> <b>Better</b>	7.8% (38;317)	14.6% (10;56)	5.1% (25;250)	13.4% (3;11)	1.3% (5;257)	<b>2.0%</b> <b>(26;677)</b> <b>Better</b>	<b>0.0%</b> <b>(0;153)</b> <b>Better</b>	<b>1.7%</b> <b>(5;144)</b> <b>Better</b>
	O'Connor Hospital*	5.5% (15;186)	7.5% (12;161)	17.5% (5;39)	4.5% (7;120)		0.9% (2;179)	2.7% (14;293)	2.5% (3;117)	5.7% (16;214)
	Regional Medical of San Jose	7.5% (21;245)	7.8% (53;436)	20.0% (28;121)	4.0% (16;285)	18.0% (9;30)	1.5% (4;264)	1.8% (13;456)	1.8% (1;83)	2.3% (10;373)
	Saint Louise Regional Hospital	<b>0.0%</b> <b>(0;18)</b> <b>Better</b>	13.8% (6;55)	30.8% (2;8)	7.8% (3;46)		0.0% (0;46)	0.8% (1;99)	0.0% (0;32)	3.3% (5;115)
	Santa Clara Valley Medical Center	3.4% (5;184)	7.3% (19;345)	15.3% (8;54)	5.0% (10;283)	10.5% (1;8)	2.1% (7;313)	1.7% (8;674)	6.9% (3;46)	1.9% (4;242)
	Stanford Hospital	4.9% (12;211)	<b>6.4%</b> <b>(42;452)</b> <b>Better</b>	<b>11.6%</b> <b>(15;105)</b> <b>Better</b>	5.5% (19;270)	12.1% (8;77)	1.0% (4;254)	3.1% (21;417)	0.0% (0;152)	2.0% (5;297)
Santa Cruz	Dominican Hospital*	7.0% (16;252)	9.2% (20;241)	20.7% (11;52)	5.7% (8;186)	24.6% (1;3)	2.1% (4;233)	3.1% (10;333)	3.7% (3;121)	2.8% (6;234)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Santa Cruz (continued)	Watsonville Community Hospital	5.1% (1;9)	3.3% (2;56)	10.8% (1;8)	1.7% (1;46)		1.7% (2;122)	3.9% (6;112)	0.0% (0;46)	3.5% (4;128)
Shasta	Mayers Memorial Hospital						0.0% (0;5)	0.0% (0;16)		0.0% (0;17)
	Mercy Medical Center – Redding	6.9% (16;262)	8.4% (31;259)	19.4% (14;63)	4.6% (14;192)	27.3% (3;4)	2.3% (10;216)	3.1% (23;398)	1.5% (4;191)	4.3% (18;299)
	Shasta Regional Medical Center	4.8% (9;178)	7.4% (10;151)	25.3% (3;4)	3.4% (6;145)		1.4% (5;178)	<b>1.1% (7;329) Better</b>	1.2% (2;91)	2.3% (6;207)
Siskiyou	Fairchild Medical Center	0.0% (0;4)	13.7% (1;26)		7.6% (1;26)		4.9% (1;26)	0.0% (0;20)	<b>14.0% (2;27) Worse</b>	6.5% (3;111)
	Mercy Medical Center Mt. Shasta	7.2% (1;3)	11.6% (2;13)		6.9% (2;12)		0.0% (0;15)	7.3% (1;29)	<b>95.0% (1;9) Worse</b>	8.1% (2;55)
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	5.6% (9;151)	<b>5.6% (14;221) Better</b>	21.9% (6;18)	<b>2.4% (8;202) Better</b>		1.6% (5;185)	<b>1.4% (10;351) Better</b>	3.0% (2;108)	2.7% (6;108)
	Kaiser Foundation Hospital – Vacaville	3.8% (3;45)	<b>4.7% (16;184) Better</b>	<b>9.0% (7;54) Better</b>	3.8% (8;125)	6.7% (1;5)	1.1% (2;105)	1.8% (6;152)	0.0% (0;64)	1.7% (3;122)
	North Bay Medical Center	4.2% (12;196)	9.1% (23;188)	22.5% (14;44)	4.7% (8;143)		0.8% (3;204)	1.8% (10;386)	4.4% (3;72)	3.4% (11;276)
	Sutter Solano Medical Center	5.2% (3;23)	3.5% (2;75)	28.9% (2;3)	<b>0.0% (0;72) Better</b>		0.8% (1;76)	2.7% (5;162)	5.0% (1;26)	4.2% (4;102)
Sonoma	Healdsburg District Hospital		14.9% (1;18)		0.0% (0;17)		46.4% (1;3)	3.0% (1;23)	3.4% (1;25)	6.7% (2;36)
	Kaiser Foundation Hospital – Santa Rosa	4.7% (4;68)	8.6% (21;189)	19.3% (7;25)	5.0% (14;164)		0.8% (2;183)	1.3% (5;181)	2.1% (3;115)	2.8% (6;117)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Sonoma (continued)	Palm Drive Hospital		10.1% (1;9)		0.0% (0;6)		0.0% (0;7)	0.0% (0;4)	0.0% (0;5)	5.9% (1;15)
	Petaluma Valley Hospital	0.0% (0;18)	12.9% (2;42)		0.0% (0;40)		3.0% (2;49)	2.2% (3;82)	3.2% (1;47)	2.8% (3;88)
	Santa Rosa Memorial Hospital – Montgomery	6.6% (24;330)	9.8% (39;289)	22.9% (23;75)	5.9% (15;211)	21.1% (1;3)	3.5% (11;246)	3.5% (18;318)	3.2% (4;150)	3.3% (9;231)
	Sonoma Valley Hospital	0.0% (0;8)	7.9% (2;26)		3.2% (1;25)		0.0% (0;32)	0.0% (0;34)	0.0% (0;35)	0.0% (0;22)
	Sutter Medical Center of Santa Rosa	4.1% (4;115)	8.3% (4;67)	28.4% (3;5)	2.5% (1;62)		1.1% (1;85)	1.9% (3;124)	2.1% (1;53)	2.9% (3;75)
	Sutter Santa Rosa Regional Hospital	8.4% (2;25)	0.0% (0;11)		0.0% (0;11)		5.4% (2;20)	2.0% (1;28)	0.0% (0;12)	4.1% (1;17)
Stanislaus	Doctors Medical Center	7.4% (21;397)	9.1% (47;447)	23.4% (31;122)	4.6% (13;319)	18.5% (3;6)	3.5% (7;271)	<b>4.9%</b> <b>(18;506)</b> <b>Worse</b>	2.8% (3;171)	4.2% (18;592)
	Emanuel Medical Center	4.4% (18;328)	9.4% (6;87)	38.2% (2;6)	3.8% (3;80)		0.0% (0;74)	<b>1.1%</b> <b>(4;295)</b> <b>Better</b>	<b>6.7%</b> <b>(5;53)</b> <b>Worse</b>	2.3% (7;327)
	Memorial Hospital Medical Center – Modesto	4.6% (23;428)	<b>6.4%</b> <b>(26;367)</b> <b>Better</b>	20.5% (14;67)	<b>2.6%</b> <b>(10;295)</b> <b>Better</b>	21.2% (2;5)	2.2% (12;363)	<b>1.8%</b> <b>(17;523)</b> <b>Better</b>	1.3% (3;211)	<b>1.4%</b> <b>(7;389)</b> <b>Better</b>
	Oak Valley District Hospital	8.6% (1;6)	0.0% (0;18)		0.0% (0;18)		0.0% (0;24)	0.0% (0;35)	8.0% (1;12)	<b>16.2%</b> <b>(5;53)</b> <b>Worse</b>
Tehama	Saint Elizabeth Community Hospital	5.0% (1;6)	10.2% (3;55)		5.2% (2;53)		2.4% (2;64)	<b>0.0%</b> <b>(0;104)</b> <b>Better</b>	<b>46.5%</b> <b>(2;18)</b> <b>Worse</b>	6.9% (7;114)
Trinity	Trinity Hospital	8.6% (2;11)	0.0% (0;4)		0.0% (0;3)		0.0% (0;8)	0.0% (0;27)		12.2% (2;43)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.								
STATEWIDE		5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Tulare	Kaweah Delta Medical Center	4.4% (19;497)	11.5% (30;358)	29.0% (10;23)	6.5% (19;330)	15.7% (1;5)	1.9% (7;357)	3.2% (26;636)	3.6% (5;180)	<b>1.3%</b> <b>(10;595)</b> <b>Better</b>
	Sierra View Medical Center*	6.7% (5;49)	8.3% (5;115)	12.0% (1;5)	5.6% (4;110)		0.0% (0;130)	<b>5.9%</b> <b>(12;204)</b> <b>Worse</b>	0.0% (0;60)	<b>14.9%</b> <b>(28;284)</b> <b>Worse</b>
	Tulare Regional Medical Center	9.0% (5;22)	15.8% (4;22)		10.4% (3;20)		1.4% (2;83)	2.7% (3;83)	6.3% (1;29)	<b>8.1%</b> <b>(17;163)</b> <b>Worse</b>
Tuolumne	Sonora Regional Medical Center – Greenley	0.0% (0;22)	10.6% (5;66)		5.5% (3;63)		3.3% (3;99)	2.0% (5;156)	1.6% (1;69)	1.5% (3;165)
Ventura	Community Memorial Hospital – San Buenaventura	7.4% (12;226)	6.3% (14;236)	21.3% (6;33)	2.6% (6;199)	15.5% (2;4)	0.8% (2;199)	2.2% (10;295)	4.4% (3;150)	4.9% (12;236)
	Los Robles Hospital and Medical Center	4.1% (11;348)	8.8% (22;231)	21.3% (11;52)	4.8% (9;170)	23.8% (2;9)	1.4% (4;216)	3.4% (18;297)	2.2% (3;177)	3.5% (11;268)
	Ojai Valley Community Hospital	4.3% (1;5)	19.5% (3;17)		5.7% (1;14)		3.1% (1;13)	1.4% (1;27)	4.5% (2;27)	3.2% (1;26)
	Saint John’s Pleasant Valley Hospital	7.0% (2;16)	15.7% (4;66)		10.4% (3;64)		1.0% (1;74)	<b>5.9%</b> <b>(10;116)</b> <b>Worse</b>	0.0% (0;70)	4.7% (6;123)
	Saint John’s Regional Medical Center	<b>3.5%</b> <b>(15;275)</b> <b>Better</b>	9.7% (33;225)	21.5% (20;76)	6.7% (11;145)	25.2% (2;4)	1.1% (4;152)	2.4% (16;387)	1.6% (1;82)	4.8% (18;259)
	Simi Valley Hospital and Healthcare Services – Sycamore	1.3% (1;31)	10.8% (10;97)	40.6% (5;9)	4.5% (5;88)		0.7% (1;110)	1.7% (4;108)	3.4% (1;45)	1.7% (3;128)
	Ventura County Medical Center	1.8% (1;50)	8.2% (7;106)	6.8% (1;20)	7.3% (6;83)	0.0% (0;3)	0.8% (1;121)	1.9% (2;128)	4.5% (2;43)	2.9% (2;115)
Yolo	Sutter Davis Hospital	0.0% (0;5)	0.0% (0;36)		0.0% (0;33)		2.5% (2;76)	5.2% (2;31)	2.4% (1;46)	1.6% (1;66)
	Woodland Memorial Hospital	3.2% (2;17)	10.1% (4;49)	27.7% (2;4)	5.1% (2;45)		1.4% (1;51)	4.0% (3;45)	0.0% (0;35)	4.0% (4;83)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Conditions), 2014**

County	Hospital Name	Acute Myocardial Infarction	Acute Stroke				Gastro-Intestinal Hemorrhage	Heart Failure	Hip Fracture	Pneumonia
			Acute Stroke	Acute Stroke (Hemorrhagic)	Acute Stroke (Ischemic)	Acute Stroke (Subarachnoid)				
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	5.9% (2,734;46,376)	9.0% (5,000;55,766)	21.9% (2,357;10,773)	5.0% (2,098;42,327)	20.4% (545;2,666)	2.2% (1,032;47,358)	2.9% (2,412;82,314)	1.9% (456;24,036)	3.8% (2,209;57,609)
Yuba	Rideout Memorial Hospital	6.7% (14;261)	10.8% (25;205)	28.5% (13;35)	5.5% (10;166)	23.8% (2;4)	1.6% (4;238)	3.7% (22;430)	2.0% (1;122)	4.2% (20;407)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three conditions were treated.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients with this medical condition in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.