

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Alameda	Alameda County Medical Center*			6.1% (2;45)		0.0% (0;4)		0.0% (0;3)	7.1% (4;51)
	Alameda Hospital		0.0% (0;5)						
	Alta Bates Summit Medical Center – Alta Bates Campus		0.0% (0;7)	7.9% (8;59)					
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	0.0% (0;7)	0.0% (0;18)			0.0% (0;4)	0.0% (0;4)		2.4% (11;627)
	Eden Medical Center		0.0% (0;3)	8.1% (22;145)		0.0% (0;3)		0.0% (0;3)	
	Kaiser Foundation Hospital – Hayward	2.3% (1;29)	0.0% (0;26)		43.6% (1;4)	0.0% (0;13)	0.0% (0;7)	0.0% (0;6)	5.6% (2;29)
	Kaiser Foundation Hospital – Oakland Campus	0.0% (0;15)	0.0% (0;17)	0.0% (0;7)	0.0% (0;3)	0.0% (0;26)	0.0% (0;14)	0.0% (0;12)	
	Saint Rose Hospital		0.0% (0;4)						3.4% (7;165)
	San Leandro Hospital	0.0% (0;14)	0.0% (0;11)						
	Valleycare Medical Center	0.0% (0;3)	0.0% (0;14)		64.2% (1;3)				2.7% (4;133)
	Washington Hospital – Fremont	0.0% (0;3)	3.1% (1;36)	5.0% (4;65)					4.3% (10;254)
Amador	Sutter Amador Hospital								
Butte	Biggs Gridley Memorial Hospital								
	Enloe Medical Center – Esplanade Campus	0.0% (0;25)	0.0% (0;88)	8.8% (2;35)					2.1% (5;282)
	Feather River Hospital		0.0% (0;17)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Butte (continued)	Oroville Hospital		0.0% (0;20)						
Calaveras	Mark Twain Saint Joseph's Hospital								
Colusa	Colusa Regional Medical Center								
Contra Costa	Contra Costa Regional Medical Center								
	Doctors Medical Center – San Pablo		0.0% (0;3)						3.7% (2;107)
	John Muir Medical Center – Concord Campus	4.3% (1;42)	0.0% (0;49)		15.3% (1;4)	0.0% (0;3)			3.6% (11;299)
	John Muir Medical Center – Walnut Creek Campus		0.0% (0;26)	7.8% (20;145)		0.0% (0;5)		0.0% (0;4)	2.4% (2;69)
	Kaiser Foundation Hospital – Antioch					0.0% (0;17)	0.0% (0;10)	0.0% (0;7)	
	Kaiser Foundation Hospital – Walnut Creek	0.0% (0;29)	2.2% (1;48)		0.0% (0;5)	0.0% (0;20)	0.0% (0;10)	0.0% (0;10)	2.2% (4;265)
	San Ramon Regional Medical Center		0.0% (0;9)						0.0% (0;54)
	Sutter Delta Medical Center		0.0% (0;3)						4.9% (7;99)
Del Norte	Sutter Coast Hospital								
El Dorado	Barton Memorial Hospital								
	Marshall Medical Center		0.0% (0;4)						
Fresno	Adventist Medical Center – Reedley*								
	Clovis Community Medical Center					28.0% (1;5)		42.4% (1;4)	3.8% (3;79)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Fresno (continued)	Coalinga Regional Medical Center								
	Community Regional Medical Center – Fresno	0.0% (0;13)	3.1% (1;29)	10.7% (37;245) Worse	0.0% (0;3)	5.7% (2;38)	0.0% (0;19)	13.5% (2;19)	1.7% (8;487)
	Fresno Heart and Surgical Hospital	0.0% (0;27)	0.0% (0;127)			0.0% (0;5)		0.0% (0;4)	0.0% (0;163)
	Kaiser Foundation Hospital – Fresno	0.0% (0;6)	0.0% (0;6)	5.9% (2;36)					
	Saint Agnes Medical Center	0.0% (0;14)	0.0% (0;54)	3.4% (3;72)					2.5% (12;579)
Glenn	Glenn Medical Center								
Humboldt	Jerold Phelps Community Hospital								
	Mad River Community Hospital		0.0% (0;3)						
	Redwood Memorial Hospital								
	Saint Joseph Hospital – Eureka	0.0% (0;11)	1.7% (1;80)	8.6% (1;11)	0.0% (0;3)	0.0% (0;5)	0.0% (0;3)		1.3% (4;177)
Imperial	El Centro Regional Medical Center		0.0% (0;3)	0.0% (0;6)					
	Pioneers Memorial Healthcare District*			11.6% (1;13)					
Inyo	Northern Inyo Hospital								
	Southern Inyo Hospital								
Kern	Bakersfield Heart Hospital	0.0% (0;3)	0.0% (0;5)						2.5% (10;438)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Kern (continued)	Bakersfield Memorial Hospital	0.0% (0;42)	3.7% (2;82)	4.3% (4;86)					2.3% (8;317)
	Delano Regional Medical Center (View Comment Letter)								
	Good Samaritan Hospital – Bakersfield								
	Kern Medical Center		0.0% (0;4)	7.9% (2;41)		35.4% (4;10) Worse	19.8% (1;3)	35.6% (3;7) Worse	
	Kern Valley Healthcare District								
	Mercy Hospital – Bakersfield		0.0% (0;20)	12.1% (7;36)					
	Ridgecrest Regional Hospital								
	San Joaquin Community Hospital		0.0% (0;31)	11.1% (13;69)					2.2% (6;287)
	Tehachapi Hospital								
Kings	Adventist Medical Center								
	Corcoran District Hospital								
Lake	Saint Helena Hospital – Clearlake								
	Sutter Lakeside Hospital								
Lassen	Banner Lassen Medical Center								
Los Angeles	Alhambra Hospital			0.0% (0;5)		57.0% (1;3)		68.4% (1;3)	
	Antelope Valley Hospital	0.0% (0;10)	0.0% (0;26)	9.7% (8;75)		0.0% (0;6)		0.0% (0;4)	3.6% (9;287)
	Bellflower Medical Center								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Los Angeles (continued)	Beverly Hospital		0.0% (0;9)	13.1% (3;7)					3.6% (4;91)
	Brotman Medical Center	0.0% (0;5)	0.0% (0;15)						0.0% (0;42)
	California Hospital Medical Center – Los Angeles		0.0% (0;5)	10.5% (4;26)		35.0% (2;8) Worse	0.0% (0;5)	78.7% (2;3) Worse	4.8% (2;41)
	Catalina Island Medical Center								
	Cedars Sinai Medical Center	0.0% (0;43)	0.0% (0;78)	4.0% (21;658) Better	3.4% (1;17)	0.0% (0;67)	0.0% (0;41)	0.0% (0;26)	1.9% (14;695)
	Centinela Hospital Medical Center	0.0% (0;7)	0.0% (0;15)	10.2% (9;35)					0.9% (2;216)
	Citrus Valley Medical Center – Inter Community Campus	0.0% (0;3)	0.0% (0;51)	3.2% (1;15)					2.3% (7;304)
	Citrus Valley Medical Center – Queen of the Valley Campus	0.0% (0;9)	0.0% (0;10)	9.9% (4;37)					
	City of Hope Helford Clinical Research Hospital			2.6% (2;89)	0.0% (0;6)	0.0% (0;32)	0.0% (0;15)	0.0% (0;17)	
	Coast Plaza Doctors Hospital								
	Community Hospital of Long Beach								
	Community and Mission Hospital of Huntington Park – Slauson								
	Downey Regional Medical Center	0.0% (0;6)	0.0% (0;7)	18.1% (5;48)					0.5% (1;159)
	East Los Angeles Doctors Hospital								
	East Valley Hospital Medical Center								
	Encino Hospital Medical Center								
	Foothill Presbyterian Hospital – Johnston Memorial		0.0% (0;3)	0.0% (0;9)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Los Angeles (continued)	Garfield Medical Center		0.0% (0;12)	9.5% (12;79)					2.0% (5;211)
	Glendale Adventist Medical Center – Wilson Terrace	8.9% (1;11)	0.0% (0;22)	3.0% (4;84) Better		10.3% (1;11)	12.2% (1;8)	0.0% (0;3)	1.5% (9;508)
	Glendale Memorial Hospital and Medical Center	0.0% (0;11)	0.0% (0;26)	5.5% (1;17)					2.1% (5;181)
	Good Samaritan Hospital – Los Angeles	0.0% (0;5)	0.0% (0;12)	16.5% (6;30) Worse		7.0% (1;13)	0.0% (0;4)	11.1% (1;9)	3.3% (14;320)
	Greater El Monte Community Hospital								
	Henry Mayo Newhall Memorial Hospital		0.0% (0;16)	13.6% (7;31)					0.0% (0;52)
	Hollywood Community Hospital								
	Hollywood Presbyterian Medical Center	0.0% (0;5)	0.0% (0;11)	5.7% (6;70)					3.8% (8;156)
	Huntington Memorial Hospital	0.0% (0;14)	0.0% (0;35)	3.3% (5;166)		5.2% (1;22)	11.3% (1;11)	0.0% (0;11)	1.9% (5;270)
	Kaiser Foundation Hospital – Baldwin Park	0.0% (0;19)	0.0% (0;42)						
	Kaiser Foundation Hospital – Downey	0.0% (0;22)	0.0% (0;28)			0.0% (0;16)	0.0% (0;9)	0.0% (0;7)	
	Kaiser Foundation Hospital – Panorama City	35.8% (1;3)	0.0% (0;18)		50.8% (1;3)	8.2% (1;12)	0.0% (0;5)	11.8% (1;7)	
	Kaiser Foundation Hospital – South Bay	0.0% (0;25)	0.0% (0;44)			11.4% (1;9)	18.5% (1;5)	0.0% (0;4)	
	Kaiser Foundation Hospital – Sunset	1.7% (1;43)	2.1% (1;21)	7.9% (30;453)	9.6% (1;9)	2.4% (1;52)	5.1% (1;29)	0.0% (0;23)	1.9% (10;845)
	Kaiser Foundation Hospital – West Los Angeles	0.0% (0;16)	0.0% (0;17)			7.1% (1;14)	16.1% (1;7)	0.0% (0;7)	
	Kaiser Foundation Hospital – Woodland Hills	0.0% (0;17)	0.0% (0;59)	8.1% (1;31)		0.0% (0;3)			

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Los Angeles (continued)	Keck Hospital of University of Southern California	0.0% (0;33)	0.0% (0;12)	6.8% (13;319)	7.7% (3;46)	2.2% (2;92)	1.8% (1;56)	3.1% (1;36)	4.9% (12;81) Worse
	Lakewood Regional Medical Center	0.0% (0;7)	0.0% (0;25)	14.6% (7;30)					1.6% (5;230)
	Long Beach Memorial Medical Center	0.0% (0;28)	0.0% (0;68)	9.1% (17;168)		0.0% (0;3)			2.2% (8;389)
	Los Angeles Community Hospital	0.0% (0;4)							
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (0;14)	0.0% (0;16)	8.6% (9;126)		12.9% (2;17)	0.0% (0;8)	19.5% (2;9)	0.9% (2;302)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;6)			0.0% (0;8)	0.0% (0;4)	0.0% (0;4)	2.4% (3;155)
	Los Angeles County/University of Southern California Medical Center	18.5% (1;7)	0.0% (0;23)	17.0% (27;275) Worse		0.0% (0;34)	0.0% (0;15)	0.0% (0;19)	3.3% (7;358)
	Los Angeles Metropolitan Medical Center								
	Marina Del Rey Hospital								
	Memorial Hospital of Gardena		0.0% (0;4)						
	Methodist Hospital of Southern California	0.0% (0;19)	0.0% (0;38)	10.9% (3;33)		39.3% (1;4)			1.3% (4;243)
	Mission Community Hospital – Panorama Campus			0.0% (0;6)					
	Monterey Park Hospital		0.0% (0;3)	0.0% (0;3)					
	Motion Picture and Television Hospital								
	Northridge Hospital Medical Center	0.0% (0;9)	0.0% (0;18)	10.3% (6;44)		0.0% (0;8)	0.0% (0;3)	0.0% (0;5)	1.9% (8;248)
	Norwalk Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Los Angeles (continued)	Olympia Medical Center								
	Pacific Alliance Medical Center, Inc.			0.0% (0;14)					
	Pacific Hospital of Long Beach								
	Pacifica Hospital of the Valley								
	Palmdale Regional Medical Center	0.0% (0;11)	0.0% (0;7)	8.6% (3;26)					3.1% (6;231)
	Pomona Valley Hospital Medical Center	0.0% (0;11)	0.0% (0;9)	12.5% (6;67)					1.8% (4;184)
	Presbyterian Intercommunity Hospital	0.0% (0;12)	0.0% (0;29)	5.9% (4;46)		0.0% (0;3)			2.3% (6;214)
	Providence Holy Cross Medical Center	0.0% (0;6)	0.0% (0;23)	14.0% (8;41)	50.8% (1;3)	0.0% (0;5)	0.0% (0;3)		2.0% (7;328)
	Providence Little Company of Mary Medical Center – San Pedro		0.0% (0;4)	4.0% (1;10)					
	Providence Little Company of Mary Medical Center – Torrance	0.0% (0;4)	0.0% (0;24)	10.4% (4;20)		0.0% (0;11)	0.0% (0;3)	0.0% (0;8)	2.0% (11;391)
	Providence Saint Joseph Medical Center	0.0% (0;23)	0.0% (0;58)	7.2% (10;129)	0.0% (0;3)	0.0% (0;7)	0.0% (0;5)		2.3% (6;312)
	Providence Tarzana Medical Center	4.4% (1;31)	0.0% (0;125)	8.1% (1;11)					1.1% (2;209)
	Ronald Reagan UCLA Medical Center	1.8% (1;58)	4.1% (1;55)	7.6% (45;681)	10.4% (1;9)	0.0% (0;107)	0.0% (0;61)	0.0% (0;46)	4.8% (19;232) Worse
	Saint Francis Medical Center	0.0% (0;5)	0.0% (0;20)	8.4% (3;23)					0.0% (0;85)
	Saint John’s Health Center	0.0% (0;10)	0.0% (0;40)	0.0% (0;114) Better	9.5% (1;5)	0.0% (0;14)	0.0% (0;8)	0.0% (0;6)	1.0% (2;144)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Los Angeles (continued)	Saint Mary Medical Center		0.0% (0;7)	3.5% (1;17)					3.0% (5;128)
	Saint Vincent Medical Center	0.0% (0;9)	6.1% (1;20)	4.8% (3;211)		0.0% (0;7)	0.0% (0;6)		2.2% (2;161)
	San Dimas Community Hospital								
	San Gabriel Valley Medical Center		0.0% (0;3)	15.3% (2;17)					
	Santa Monica – UCLA Medical Center and Orthopedic Hospital			9.1% (1;13)		0.0% (0;5)		0.0% (0;5)	2.6% (6;127)
	Sherman Oaks Hospital								
	Silver Lake Medical Center – Downtown Campus								
	Temple Community Hospital								
	Torrance Memorial Medical Center	0.0% (0;19)	0.0% (0;74)	7.8% (4;42)	0.0% (0;3)				2.1% (15;596)
	Tri-City Regional Medical Center – Hawaiian Gardens								
	Valley Presbyterian Hospital	0.0% (0;7)	0.0% (0;18)	10.1% (2;12)		0.0% (0;3)			2.5% (7;196)
	Verdugo Hills Hospital		0.0% (0;7)	0.0% (0;6)					
	West Hills Hospital and Medical Center		0.0% (0;23)	2.8% (1;23)					2.9% (5;147)
	White Memorial Medical Center	0.0% (0;6)	0.0% (0;17)	4.4% (3;35)					2.5% (9;296)
	Whittier Hospital Medical Center		0.0% (0;6)						
Madera	Madera Community Hospital								
Marin	Kaiser Foundation Hospital – San Rafael		0.0% (0;23)						6.5% (2;26)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Marin (continued)	Marin General Hospital	6.4% (1;18)	0.0% (0;36)	4.6% (3;41)		0.0% (0;5)	0.0% (0;4)		1.1% (2;180)
	Novato Community Hospital								
Mariposa	John C. Fremont Healthcare District								
Mendocino	Frank R. Howard Memorial Hospital								
	Mendocino Coast District Hospital								
	Ukiah Valley Medical Center		0.0% (0;17)						
Merced	Memorial Hospital Los Banos								
	Mercy Medical Center – Merced								
Modoc	Modoc Medical Center								
Mono	Mammoth Hospital								
Monterey	Community Hospital Monterey Peninsula		0.0% (0;30)	3.1% (1;29)		0.0% (0;8)	0.0% (0;4)	0.0% (0;4)	2.3% (3;171)
	George L. Mee Memorial Hospital								
	Natividad Medical Center								
	Salinas Valley Memorial Hospital	0.0% (0;11)	0.0% (0;31)	14.0% (5;41)		0.0% (0;5)	0.0% (0;3)		1.7% (3;170)
Napa	Queen of the Valley Hospital – Napa		0.0% (0;20)	13.6% (1;20)					3.8% (5;102)
	Saint Helena Hospital	0.0% (0;6)	0.0% (0;51)						2.7% (5;280)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Nevada	Sierra Nevada Memorial Hospital								
	Tahoe Forest Hospital (View Comment Letter)								
Orange	AHMC Anaheim Regional Medical Center	0.0% (0;15)	2.0% (1;51)	8.7% (2;30)					2.1% (5;213)
	Anaheim General Hospital								
	Chapman Medical Center								
	Coastal Communities Hospital								
	Fountain Valley Regional Hospital and Medical Center – Euclid	0.0% (0;18)	0.0% (0;23)	11.2% (11;60)		0.0% (0;7)	0.0% (0;5)		2.3% (6;239)
	Garden Grove Hospital and Medical Center		0.0% (0;3)	6.1% (1;12)					
	Hoag Memorial Hospital Presbyterian	0.0% (0;38)	0.0% (0;86)	3.3% (14;357) Better	0.0% (0;7)	0.0% (0;16)	0.0% (0;5)	0.0% (0;11)	2.6% (11;291)
	Hoag Orthopedic Institute								
	Huntington Beach Hospital								
	Kaiser Foundation Hospital – Anaheim	0.0% (0;23)	0.0% (0;29)	6.2% (5;168)		0.0% (0;15)	0.0% (0;7)	0.0% (0;8)	2.0% (1;20)
	La Palma Intercommunity Hospital								
	Los Alamitos Medical Center	0.0% (0;7)	0.0% (0;40)	6.2% (2;17)					0.0% (0;117)
	Mission Hospital Laguna Beach		0.0% (0;3)						
	Mission Hospital Regional Medical Center	0.0% (0;7)	0.0% (0;14)	3.9% (7;150)		0.0% (0;4)	0.0% (0;3)		2.1% (7;294)
	Orange Coast Memorial Medical Center	0.0% (0;4)	0.0% (0;15)	0.0% (0;62)		3.8% (1;19)	0.0% (0;10)	7.6% (1;9)	2.1% (2;115)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Orange (continued)	Placentia Linda Hospital								
	Saddleback Memorial Medical Center	0.0% (0;16)	0.0% (0;55)	2.4% (1;45)					1.6% (6;313)
	Saint Joseph Hospital – Orange	1.3% (1;40)	3.7% (2;101)	2.7% (4;149) Better	0.0% (0;3)	0.0% (0;13)	0.0% (0;10)	0.0% (0;3)	1.6% (6;242)
	Saint Jude Medical Center	0.0% (0;29)	0.0% (0;49)	7.0% (12;120)					3.2% (9;240)
	UC Irvine Medical Center	0.0% (0;11)	0.0% (0;34)	8.8% (25;318)	0.0% (0;22)	1.5% (1;70)	2.5% (1;44)	0.0% (0;26)	2.8% (6;146)
	West Anaheim Medical Center								4.2% (5;92)
	Western Medical Center – Anaheim		0.0% (0;3)						1.3% (1;59)
	Western Medical Center – Santa Ana (View Comment Letter)		0.0% (0;6)	14.1% (13;48) Worse					1.6% (4;190)
Placer	Kaiser Foundation Hospital – Roseville	0.0% (0;24)	1.9% (1;58)		0.0% (0;8)	0.0% (0;3)	0.0% (0;3)		2.7% (4;118)
	Sutter Auburn Faith Hospital		0.0% (0;13)						
	Sutter Roseville Medical Center	0.0% (0;7)	0.0% (0;22)	4.0% (5;90)		35.1% (1;3)			1.8% (4;195)
Plumas	Eastern Plumas Hospital – Portola Campus								
	Plumas District Hospital								
	Seneca Healthcare District								
Riverside	Corona Regional Medical Center – Main	0.0% (0;4)	0.0% (0;8)	21.9% (3;8)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Riverside (continued)	Desert Regional Medical Center	0.0% (0;21)	0.0% (0;44)	7.7% (10;96)					1.5% (6;466)
	Eisenhower Medical Center	0.0% (0;22)	0.0% (0;102)	14.0% (7;52)					3.5% (14;528)
	Hemet Valley Medical Center	0.0% (0;6)	0.0% (0;51)						
	John F. Kennedy Memorial Hospital		0.0% (0;13)						6.6% (5;52)
	Kaiser Foundation Hospital – Moreno Valley								
	Kaiser Foundation Hospital – Riverside	0.0% (0;19)	0.0% (0;46)		0.0% (0;12)	0.0% (0;22)	0.0% (0;10)	0.0% (0;12)	
	Menifee Valley Medical Center	0.0% (0;17)	4.3% (1;55)						
	Palo Verde Hospital								
	Parkview Community Hospital Medical Center		0.0% (0;16)						
	Riverside Community Hospital	0.0% (0;22)	0.0% (0;50)	9.5% (5;61)		0.0% (0;5)	0.0% (0;3)		3.9% (44;906) Worse
	Riverside County Regional Medical Center		0.0% (0;8)	5.9% (2;47)	0.0% (0;3)	0.0% (0;7)	0.0% (0;6)		
	San Geronio Memorial Hospital								
	Southwest Healthcare System – Murrieta	0.0% (0;8)	0.0% (0;37)	7.0% (5;59)					
Sacramento	Kaiser Foundation Hospital – Sacramento	13.3% (1;10)	2.2% (1;41)	4.3% (22;393) Better		0.0% (0;21)	0.0% (0;10)	0.0% (0;11)	
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;12)	0.0% (0;21)	0.0% (0;4)		0.0% (0;5)	0.0% (0;3)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Sacramento (continued)	Mercy General Hospital	0.0% (0;19)	0.0% (0;74)	10.9% (19;139) Worse					2.4% (29;1,718)
	Mercy Hospital – Folsom								
	Mercy San Juan Hospital	0.0% (0;31)	2.8% (4;104) Worse	8.3% (20;101)	0.0% (0;5)	0.0% (0;3)			2.9% (8;234)
	Methodist Hospital of Sacramento								
	Sutter General Hospital	4.8% (1;12)	0.0% (0;50)	6.7% (14;182)	0.0% (0;6)	0.0% (0;21)	0.0% (0;14)	0.0% (0;7)	
	Sutter Memorial Hospital	0.0% (0;38)	0.8% (1;117)	0.0% (0;84)					2.0% (7;427)
	UC Davis Medical Center	5.6% (1;24)	0.0% (0;21)	6.4% (14;267)	0.0% (0;8)	0.0% (0;32)	0.0% (0;18)	0.0% (0;14)	3.3% (17;403)
San Benito	Hazel Hawkins Memorial Hospital*								
San Bernardino	Arrowhead Regional Medical Center	0.0% (0;4)	19.9% (1;9) Worse	5.8% (5;112)		4.3% (1;10)	5.5% (1;6)	0.0% (0;4)	0.0% (0;52)
	Barstow Community Hospital								
	Barstow Community Hospital								
	Bear Valley Community Hospital								
	Chino Valley Medical Center								
	Colorado River Medical Center								
	Community Hospital of San Bernardino		0.0% (0;8)						
	Desert Valley Hospital	0.0% (0;5)		0.0% (0;3)					2.3% (4;128)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
San Bernardino (continued)	Hi-Desert Medical Center								
	Kaiser Foundation Hospital – Fontana	4.0% (1;33)	3.0% (1;36)	10.6% (11;169)	0.0% (0;7)	0.0% (0;16)	0.0% (0;8)	0.0% (0;8)	
	Loma Linda University Medical Center	0.0% (0;17)	0.0% (0;40)	10.1% (34;341) Worse	13.8% (1;8)	6.5% (1;16)	0.0% (0;6)	7.2% (1;10)	3.1% (7;233)
	Montclair Hospital Medical Center								
	Mountains Community Hospital								
	Redlands Community Hospital	0.0% (0;23)	0.0% (0;35)						
	Saint Bernadine Medical Center	0.0% (0;13)	0.0% (0;28)	8.3% (2;40)					2.9% (19;1,294)
	Saint Mary Regional Medical Center	0.0% (0;12)	1.4% (1;60)						3.3% (12;420)
	San Antonio Community Hospital (View Comment Letter)	0.0% (0;7)	0.0% (0;39)	7.7% (5;43)		0.0% (0;3)			3.2% (9;250)
	Victor Valley Community Hospital		13.7% (1;3)						
San Diego	Alvarado Hospital	16.6% (1;4)	0.0% (0;24)	0.0% (0;9)					2.9% (8;203)
	Fallbrook Hospital District								
	Grossmont Hospital (View Comment Letter)	12.7% (1;16)	1.4% (1;89)	8.6% (10;116)		0.0% (0;4)		0.0% (0;4)	2.6% (13;467)
	Kaiser Foundation Hospital – San Diego	0.0% (0;60)	2.3% (1;68)	6.8% (7;177)	10.0% (1;9)	0.0% (0;17)	0.0% (0;9)	0.0% (0;8)	
	Palomar Health Downtown Campus*	3.3% (1;26)	0.0% (0;35)	14.7% (14;71) Worse					4.4% (20;370) Worse

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
San Diego (continued)	Paradise Valley Hospital			0.0% (0;3)					3.8% (1;7)
	Pomerado Hospital								0.0% (0;10)
	Scripps Green Hospital	0.0% (0;18)	0.0% (0;34)	6.3% (6;162)		0.0% (0;13)	0.0% (0;8)	0.0% (0;5)	1.3% (7;764) Better
	Scripps Memorial Hospital – Encinitas	0.0% (0;6)	0.0% (0;24)	12.5% (1;16)					1.3% (2;168)
	Scripps Memorial Hospital – La Jolla	0.0% (0;9)	0.0% (0;34)	6.0% (10;139)		13.1% (1;9)	0.0% (0;5)	20.4% (1;4)	3.1% (12;908)
	Scripps Mercy Hospital	0.0% (0;19)	0.0% (0;56)	14.7% (5;46)		7.8% (1;6)	0.0% (0;3)	8.7% (1;3)	2.2% (9;433)
	Sharp Chula Vista Medical Center	0.0% (0;10)	0.0% (0;39)	3.5% (2;49)					3.4% (11;298)
	Sharp Coronado Hospital and Healthcare Center								
	Sharp Memorial Hospital (View Comment Letter)	0.0% (0;20)	0.0% (0;43)	15.8% (11;73) Worse		0.0% (0;12)	0.0% (0;6)	0.0% (0;6)	3.2% (10;259)
	Tri-City Medical Center – Oceanside (View Comment Letter)	6.6% (1;16)	2.7% (1;44)	11.9% (8;66)					2.2% (3;232)
	UC San Diego Medical Center	0.0% (0;13)	0.0% (0;16)	4.0% (17;313) Better	0.0% (0;11)	0.0% (0;49)	0.0% (0;31)	0.0% (0;18)	1.4% (6;469)
San Francisco	California Pacific Medical Center – Davies Campus			5.8% (14;178)					
	California Pacific Medical Center – Pacific Campus	0.0% (0;10)	0.0% (0;42)	6.3% (7;76)	0.0% (0;13)	2.6% (2;73)	2.0% (1;47)	4.4% (1;26)	1.4% (6;218)
	California Pacific Medical Center – St. Luke’s Campus		22.8% (1;4) Worse						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
San Francisco (continued)	Chinese Hospital					23.3% (1;3)	22.7% (1;3)		
	Kaiser Foundation Hospital – San Francisco	0.0% (0;60)	1.2% (1;47)		0.0% (0;3)	2.1% (1;45)	5.3% (1;15)	0.0% (0;30)	1.7% (13;609)
	Laguna Honda Hospital and Rehabilitation Center								
	Saint Francis Memorial Hospital		0.0% (0;7)	7.3% (3;15)					
	Saint Mary’s Medical Center, San Francisco	0.0% (0;8)	0.0% (0;14)						2.0% (3;123)
	San Francisco General Hospital			9.3% (10;68)		0.0% (0;5)	0.0% (0;3)		8.1% (8;88) Worse
	UC San Francisco Medical Center	0.0% (0;39)	0.0% (0;30)	6.2% (45;1,122)	5.6% (1;20)	1.4% (1;79)	0.0% (0;49)	4.1% (1;30)	2.9% (6;132)
San Joaquin	Dameron Hospital (View Comment Letter)		0.0% (0;5)						3.1% (3;180)
	Doctors Hospital of Manteca								
	Kaiser Foundation Hospital – Manteca	0.0% (0;22)	0.0% (0;46)		0.0% (0;3)				
	Lodi Memorial Hospital	0.0% (0;7)	0.0% (0;15)						
	Saint Joseph’s Medical Center of Stockton	0.0% (0;32)	0.0% (0;103)	6.0% (4;49)					2.6% (8;326)
	San Joaquin General Hospital		0.0% (0;7)	80.9% (2;7) Worse					
	Sutter Tracy Community Hospital								
San Luis Obispo	Arroyo Grande Community Hospital		0.0% (0;16)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
San Luis Obispo (continued)	French Hospital Medical Center		0.0% (0;48)						3.9% (11;397)
	Sierra Vista Regional Medical Center	0.0% (0;18)	0.0% (0;13)	14.2% (8;76)					
	Twin Cities Community Hospital		0.0% (0;9)						
San Mateo	Kaiser Foundation Hospital – Redwood City			4.0% (24;639) Better		41.1% (1;4)	38.7% (1;4)		6.8% (1;24)
	Kaiser Foundation Hospital – South San Francisco		0.0% (0;3)		12.2% (1;6)	0.0% (0;14)	0.0% (0;8)	0.0% (0;6)	
	Peninsula Medical Center	0.0% (0;24)	0.0% (0;35)	15.3% (4;13)	0.0% (0;5)	7.1% (1;13)	10.0% (1;8)	0.0% (0;5)	1.6% (4;215)
	San Mateo Medical Center		0.0% (0;3)	8.2% (1;8)		0.0% (0;4)	0.0% (0;3)		
	Sequoia Hospital	0.0% (0;6)	0.0% (0;58)						3.2% (2;101)
	Seton Medical Center	0.0% (0;4)	0.0% (0;20)	8.4% (3;15)					1.4% (5;236)
Santa Barbara	Goleta Valley Cottage Hospital								
	Lompoc Valley Medical Center								
	Marian Regional Medical Center*	0.0% (0;9)	0.0% (0;50)	2.6% (1;25)					4.1% (6;145)
	Santa Barbara Cottage Hospital	0.0% (0;19)	0.0% (0;57)	9.4% (22;234)	0.0% (0;4)	7.8% (1;13)	14.5% (1;7)	0.0% (0;6)	4.7% (11;281) Worse
	Santa Ynez Valley Cottage Hospital								
Santa Clara	El Camino Hospital	0.0% (0;41)	0.0% (0;29)	2.1% (1;47)		0.0% (0;8)	0.0% (0;6)		1.6% (4;167)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Santa Clara (continued)	Good Samaritan Hospital – San Jose	0.0% (0;4)	11.7% (1;20)	10.2% (9;102)		0.0% (0;4)			4.6% (10;236)
	Kaiser Foundation Hospital – San Jose	0.0% (0;3)	0.0% (0;37)			0.0% (0;16)	0.0% (0;9)	0.0% (0;7)	4.2% (5;68)
	Kaiser Foundation Hospital – Santa Clara	6.1% (2;19)	0.0% (0;31)		0.0% (0;6)	0.0% (0;3)			1.9% (21;1,461)
	O’Connor Hospital – San Jose	0.0% (0;20)	0.0% (0;15)	3.1% (1;31)		0.0% (0;9)	0.0% (0;7)		3.1% (8;196)
	Regional Medical of San Jose		0.0% (0;3)	10.5% (12;70)		0.0% (0;3)			3.0% (12;210)
	Saint Louise Regional Hospital								
	Santa Clara Valley Medical Center	0.0% (0;4)	0.0% (0;9)	11.6% (9;91)					2.8% (4;149)
	Stanford Hospital	0.0% (0;63)	0.0% (0;58)	5.8% (30;827)	0.0% (0;15)	0.7% (1;129)	0.0% (0;67)	1.4% (1;62)	0.7% (2;298) Better
Santa Cruz	Dominican Hospital – Santa Cruz/Soquel	43.5% (1;4)	0.0% (0;21)	4.5% (4;84)					3.2% (9;302)
	Watsonville Community Hospital		0.0% (0;3)						
Shasta	Mayers Memorial Hospital								
	Mercy Medical Center – Redding	0.0% (0;28)	0.0% (0;125)	5.7% (8;81)		0.0% (0;4)	0.0% (0;3)		3.3% (10;259)
	Shasta Regional Medical Center		0.0% (0;61)						0.6% (1;166)
Siskiyou	Fairchild Medical Center		0.0% (0;4)						
	Mercy Medical Center Mt. Shasta								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	0.0% (0;17)	0.0% (0;19)		0.0% (0;5)				2.6% (1;40)
	Kaiser Foundation Hospital – Vacaville								
	North Bay Medical Center	0.0% (0;5)	0.0% (0;13)						1.2% (2;176)
	Sutter Solano Medical Center		0.0% (0;3)						
Sonoma	Healdsburg District Hospital								
	Kaiser Foundation Hospital – Santa Rosa	21.8% (1;8)	0.0% (0;42)			0.0% (0;3)			
	Palm Drive Hospital								
	Petaluma Valley Hospital								
	Santa Rosa Memorial Hospital – Montgomery (View Comment Letter)	5.2% (1;27)	3.2% (1;46)	7.0% (5;47)					3.0% (8;221)
	Sonoma Valley Hospital								
	Sutter Medical Center of Santa Rosa	0.0% (0;3)	0.0% (0;11)						0.0% (0;177)
Stanislaus	Doctors Medical Center	0.0% (0;15)	0.0% (0;140)	3.8% (2;58)		0.0% (0;5)	0.0% (0;3)		2.8% (11;409)
	Emanuel Medical Center, Inc.	40.3% (1;11) Worse	0.0% (0;17)						3.1% (4;182)
	Memorial Hospital Medical Center – Modesto	0.0% (0;27)	0.0% (0;111)	7.6% (4;31)		7.4% (1;8)	13.0% (1;5)	0.0% (0;3)	1.9% (10;462)
	Oak Valley District Hospital								
Tehama	Saint Elizabeth Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Trinity	Trinity Hospital								
Tulare	Kaweah Delta Medical Center (View Comment Letter)	0.0% (0;21)	0.0% (0;64)						3.0% (22;546)
	Sierra View District Hospital								
	Tulare Regional Medical Center								
Tuolumne	Sonora Regional Medical Center – Greenley		0.0% (0;28)						
Ventura	Community Memorial Hospital – San Buenaventura	0.0% (0;18)	0.0% (0;52)	8.1% (1;19)		0.0% (0;3)			1.4% (3;250)
	Los Robles Hospital and Medical Center	0.0% (0;14)	0.0% (0;20)	4.3% (1;32)		0.0% (0;6)	0.0% (0;4)		2.6% (9;441)
	Ojai Valley Community Hospital								
	Saint John’s Pleasant Valley Hospital								
	Saint John’s Regional Medical Center	2.3% (1;22)	0.0% (0;45)	0.0% (0;19)					2.5% (7;242)
	Simi Valley Hospital and Healthcare Services – Sycamore		0.0% (0;4)	0.0% (0;4)					
	Thousand Oaks Surgical Hospital, A Campus of Los Robles Hospital and Medical Center*			12.3% (1;42)					
	Ventura County Medical Center			9.8% (5;31)		0.0% (0;6)		0.0% (0;4)	
Yolo	Sutter Davis Hospital								
	Woodland Memorial Hospital		0.0% (0;5)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2012

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
		NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.							
	STATEWIDE	1.1% (26;2,437)	0.5% (31;6,407)	7.1% (1,065;15,030)	5.7% (22;387)	2.4% (41;1,724)	2.0% (19;930)	2.8% (22;794)	2.5% (1,015;40,790)
Yuba	Rideout Memorial Hospital	0.0% (0;8)	0.0% (0;53)	10.0% (2;21)		0.0% (0;3)		0.0% (0;3)	3.0% (9;213)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2012. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2011 to 2012, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.