

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Alameda	Alameda County Medical Center			11.0% (4;39)		0.0% (0;5)		0.0% (0;3)	10.1% (9;102) Worse
	Alameda Hospital		0.0% (0;4)						
	Alta Bates Summit Medical Center – Alta Bates Campus			9.7% (8;55)					
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne		0.0% (0;25)			6.2% (1;10)	7.3% (1;9)		3.9% (17;543)
	Eden Medical Center		0.0% (0;6)	8.7% (18;131)					
	Kaiser Foundation Hospital – Hayward	0.0% (0;19)	0.0% (0;37)			0.0% (0;12)	0.0% (0;7)	0.0% (0;5)	5.2% (1;30)
	Kaiser Foundation Hospital – Oakland Campus	0.0% (0;19)	4.4% (1;25)	0.0% (0;4)	0.0% (0;14)	0.0% (0;27)	0.0% (0;12)	0.0% (0;15)	
	Saint Rose Hospital		0.0% (0;3)						4.0% (8;164)
	San Leandro Hospital	0.0% (0;13)	0.0% (0;15)						
	Valleycare Medical Center	0.0% (0;3)	0.0% (0;21)		0.0% (0;3)				2.6% (3;116)
	Washington Hospital – Fremont	7.2% (1;4)	0.0% (0;20)	5.5% (4;54)					1.8% (4;212)
Amador	Sutter Amador Hospital								
Butte	Biggs Gridley Memorial Hospital								
	Enloe Medical Center – Esplanade Campus	0.0% (0;19)	0.0% (0;67)	18.9% (3;26)					2.6% (6;267)
	Feather River Hospital		0.0% (0;12)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Butte (continued)	Oroville Hospital		0.0% (0;23)						
Calaveras	Mark Twain Medical Center*								
Colusa	Colusa Regional Medical Center								
Contra Costa	Contra Costa Regional Medical Center								
	Doctors Medical Center – San Pablo		59.8% (1;3) Worse						4.2% (4;83)
	John Muir Medical Center – Concord Campus	0.0% (0;42)	0.0% (0;72)		19.9% (1;8)				2.0% (5;273)
	John Muir Medical Center – Walnut Creek Campus		0.0% (0;8)	7.5% (20;145)		12.2% (1;10)		0.0% (0;8)	0.0% (0;36)
	Kaiser Foundation Hospital – Antioch					0.0% (0;30)	0.0% (0;15)	0.0% (0;15)	
	Kaiser Foundation Hospital – Walnut Creek	3.4% (1;32)	4.0% (1;34)		0.0% (0;5)	0.0% (0;6)		0.0% (0;5)	2.9% (6;193)
	San Ramon Regional Medical Center		0.0% (0;12)						5.9% (3;45)
	Sutter Delta Medical Center								2.1% (4;106)
Del Norte	Sutter Coast Hospital								
El Dorado	Barton Memorial Hospital								
	Marshall Medical Center		0.0% (0;6)						
Fresno	Adventist Medical Center – Reedley								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Fresno (continued)	Clovis Community Medical Center				0.0% (0;3)	14.0% (1;8)	32.9% (1;4)	0.0% (0;4)	1.3% (1;69)
	Coalinga Regional Medical Center								
	Community Regional Medical Center – Fresno	0.0% (0;14)	0.0% (0;21)	16.1% (40;223) Worse		5.1% (2;39)	0.0% (0;23)	9.8% (2;16)	2.5% (12;419)
	Fresno Heart and Surgical Hospital	0.0% (0;29)	0.0% (0;126)			0.0% (0;4)			0.0% (0;93)
	Kaiser Foundation Hospital – Fresno		0.0% (0;8)	5.9% (2;27)					0.0% (0;3)
	Saint Agnes Medical Center	0.0% (0;7)	2.5% (1;33)	0.0% (0;32)					3.0% (11;426)
Glenn	Glenn Medical Center								
Humboldt	Jerold Phelps Community Hospital								
	Mad River Community Hospital								
	Redwood Memorial Hospital								
	Saint Joseph Hospital – Eureka	0.0% (0;20)	0.0% (0;64)	16.2% (1;9)					1.7% (4;155)
Imperial	El Centro Regional Medical Center		0.0% (0;6)	0.0% (0;3)					
	Pioneers Memorial Healthcare District			27.7% (1;7)					
Inyo	Northern Inyo Hospital								
	Southern Inyo Hospital								
Kern	Bakersfield Heart Hospital	0.0% (0;6)	0.0% (0;7)						3.3% (10;378)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Kern (continued)	Bakersfield Memorial Hospital	2.1% (1;34)	0.0% (0;81)	9.6% (8;80)					1.1% (3;265)
	Delano Regional Medical Center								
	Good Samaritan Hospital – Bakersfield								
	Kern Medical Center			14.2% (2;24)		16.3% (1;8)		15.7% (1;7)	0.0% (0;3)
	Kern Valley Healthcare District								
	Mercy Hospital – Bakersfield	0.0% (0;7)	0.0% (0;23)	16.4% (7;28) Worse					
	Ridgecrest Regional Hospital								
	San Joaquin Community Hospital		0.0% (0;33)	6.3% (10;87)		33.4% (1;3)	32.4% (1;3)		2.0% (8;279)
	Tehachapi Hospital								
Kings	Adventist Medical Center		0.0% (0;5)						
	Corcoran District Hospital								
Lake	Saint Helena Hospital – Clearlake								
	Sutter Lakeside Hospital								
Lassen	Banner Lassen Medical Center								
Los Angeles	Alhambra Hospital			0.0% (0;5)					
	Antelope Valley Hospital	0.0% (0;8)	0.0% (0;27)	15.9% (16;74) Worse		23.0% (1;4)		0.0% (0;3)	3.3% (8;270)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	Bellflower Medical Center								
	Beverly Hospital	0.0% (0;3)	0.0% (0;10)	8.9% (1;14)					2.8% (3;107)
	California Hospital Medical Center – Los Angeles			10.6% (6;32)		0.0% (0;4)			2.0% (2;112)
	Cedars Sinai Medical Center	1.5% (1;45)	0.0% (0;83)	3.3% (15;602) Better	5.3% (1;22)	1.3% (1;82)	2.0% (1;52)	0.0% (0;30)	3.2% (22;631)
	Centinela Hospital Medical Center		5.3% (2;12) Worse	12.1% (11;33)					3.3% (5;205)
	Citrus Valley Medical Center – Inter Community Campus		2.0% (1;48)	4.0% (1;12)					4.4% (11;275)
	Citrus Valley Medical Center – Queen of the Valley Campus	5.2% (1;26)	0.0% (0;9)	5.1% (2;33)					
	City of Hope Helford Clinical Research Hospital			2.4% (1;75)	0.0% (0;14)	3.2% (1;29)	7.4% (1;12)	0.0% (0;17)	
	Coast Plaza Hospital*								
	Community Hospital of Long Beach								
	Community and Mission Hospital of Huntington Park – Slauson								
	Downey Regional Medical Center			3.9% (1;53)					2.0% (3;142)
	East Los Angeles Doctors Hospital								
	East Valley Hospital Medical Center								
	Encino Hospital Medical Center								
	Foothill Presbyterian Hospital – Johnston Memorial		0.0% (0;3)	9.8% (1;12)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	Garfield Medical Center		0.0% (0;3)	4.4% (4;48)					1.3% (3;226)
	Glendale Adventist Medical Center – Wilson Terrace	7.7% (1;16)	0.0% (0;18)	3.6% (6;93) Better		18.8% (2;6)	13.3% (1;4)		1.7% (7;475)
	Glendale Memorial Hospital and Medical Center	0.0% (0;12)	0.0% (0;20)	9.3% (1;13)					1.5% (3;156)
	Good Samaritan Hospital – Los Angeles	0.0% (0;8)	0.0% (0;17)	10.6% (2;27)		0.0% (0;9)	0.0% (0;9)		2.0% (9;310)
	Greater El Monte Community Hospital								
	Henry Mayo Newhall Memorial Hospital		3.1% (1;7)	17.4% (3;18)					2.5% (2;136)
	Hollywood Presbyterian Medical Center	0.0% (0;5)	0.0% (0;11)	11.8% (2;20)					4.9% (9;129)
	Huntington Memorial Hospital	0.0% (0;15)	0.0% (0;31)	7.6% (11;166)		0.0% (0;27)	0.0% (0;18)	0.0% (0;9)	2.2% (7;224)
	Kaiser Foundation Hospital – Baldwin Park	0.0% (0;24)	0.0% (0;32)			0.0% (0;4)		0.0% (0;3)	
	Kaiser Foundation Hospital – Downey	0.0% (0;28)	0.0% (0;33)			9.3% (1;13)	0.0% (0;5)	11.7% (1;8)	
	Kaiser Foundation Hospital – Panorama City		0.0% (0;24)		11.7% (1;4)	0.0% (0;11)	0.0% (0;5)	0.0% (0;6)	
	Kaiser Foundation Hospital – South Bay	4.6% (1;29)	2.9% (1;40)			0.0% (0;17)	0.0% (0;11)	0.0% (0;6)	
	Kaiser Foundation Hospital – Sunset	0.0% (0;23)	2.2% (1;26)	4.4% (16;496) Better		3.7% (2;56)	7.5% (2;29)	0.0% (0;27)	1.2% (7;775) Better
	Kaiser Foundation Hospital – West Los Angeles	0.0% (0;7)	0.0% (0;15)			5.6% (1;20)	8.7% (1;13)	0.0% (0;7)	
	Kaiser Foundation Hospital – Woodland Hills	0.0% (0;24)	0.0% (0;52)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	Keck Hospital of University of Southern California	2.5% (1;43)	0.0% (0;23)	4.7% (12;349)	3.6% (2;45)	1.2% (1;78)	0.0% (0;41)	2.7% (1;37)	4.0% (11;107)
	Lakewood Regional Medical Center	0.0% (0;7)	2.8% (1;25)	9.1% (4;25)					2.8% (8;200)
	Long Beach Memorial Medical Center	0.0% (0;21)	0.0% (0;71)	13.2% (22;163) Worse		0.0% (0;3)			1.7% (4;325)
	Los Angeles Community Hospital								
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (0;10)	0.0% (0;5)	9.2% (7;103)		10.5% (1;15)	0.0% (0;5)	15.7% (1;10)	2.9% (7;270)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;8)			0.0% (0;13)		0.0% (0;11)	2.0% (1;164)
	Los Angeles County/University of Southern California Medical Center	0.0% (0;7)	0.0% (0;23)	13.7% (35;320) Worse		9.4% (2;31)	0.0% (0;21)	23.9% (2;10)	3.4% (11;324)
	Los Angeles Metropolitan Medical Center								
	Marina Del Rey Hospital		0.0% (0;9)						
	Memorial Hospital of Gardena								
	Methodist Hospital of Southern California	0.0% (0;19)	0.0% (0;41)	3.9% (2;38)		0.0% (0;4)		0.0% (0;3)	4.4% (8;182)
	Mission Community Hospital – Panorama Campus			0.0% (0;8)					
	Monterey Park Hospital		13.4% (1;4)	21.4% (3;5)					
	Motion Picture and Television Hospital								
	Northridge Hospital Medical Center	0.0% (0;5)	0.0% (0;21)	9.6% (3;26)		0.0% (0;6)	0.0% (0;4)		2.5% (8;199)
	Norwalk Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	Olympia Medical Center								
	Pacific Alliance Medical Center, Inc.			0.0% (0;15)					
	Pacific Hospital of Long Beach								
	Pacifica Hospital of the Valley								
	Palmdale Regional Medical Center	0.0% (0;6)	0.0% (0;5)	14.5% (3;17)					6.4% (7;205) Worse
	Pomona Valley Hospital Medical Center	25.4% (1;6)	0.0% (0;9)	13.5% (8;64)					3.0% (8;224)
	Presbyterian Intercommunity Hospital	0.0% (0;14)	0.0% (0;22)	6.3% (5;56)		0.0% (0;6)	0.0% (0;3)	0.0% (0;3)	2.9% (10;250)
	Providence Holy Cross Medical Center	0.0% (0;14)	0.0% (0;18)	8.6% (4;46)		0.0% (0;8)	0.0% (0;4)	0.0% (0;4)	2.3% (11;325)
	Providence Little Company of Mary Medical Center – San Pedro		0.0% (0;4)	9.1% (2;9)					
	Providence Little Company of Mary Medical Center – Torrance	0.0% (0;6)	0.0% (0;15)	12.9% (7;30)		0.0% (0;9)	0.0% (0;6)	0.0% (0;3)	4.1% (22;312) Worse
	Providence Saint Joseph Medical Center	0.0% (0;19)	0.0% (0;58)	9.0% (13;113)					2.4% (6;288)
	Providence Tarzana Medical Center	0.0% (0;20)	0.0% (0;103)	11.9% (2;13)					4.3% (7;147)
	Ronald Reagan UCLA Medical Center	3.8% (1;47)	0.0% (0;29)	6.5% (34;572)	0.0% (0;13)	0.0% (0;92)	0.0% (0;47)	0.0% (0;45)	3.5% (12;266)
	Saint Francis Medical Center	0.0% (0;7)	0.0% (0;17)	13.5% (3;20)					2.9% (1;57)
	Saint John’s Health Center	0.0% (0;19)	0.0% (0;26)	2.0% (2;111) Better		0.0% (0;11)	0.0% (0;7)	0.0% (0;4)	2.2% (4;135)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	Saint Mary Medical Center		0.0% (0;7)	0.0% (0;20)					1.5% (2;128)
	Saint Vincent Medical Center	0.0% (0;9)	0.0% (0;16)	1.7% (1;222)		0.0% (0;9)	0.0% (0;7)		3.5% (4;175)
	San Dimas Community Hospital								
	San Gabriel Valley Medical Center		32.8% (1;4) Worse	0.0% (0;27)					
	Santa Monica – UCLA Medical Center and Orthopedic Hospital			0.0% (0;7)		0.0% (0;3)			3.8% (6;181)
	Sherman Oaks Hospital								
	Silver Lake Medical Center – Downtown Campus								
	Southern California Hospital at Culver City*	0.0% (0;10)	0.0% (0;9)						0.0% (0;47)
	Southern California Hospital at Hollywood*								
	Temple Community Hospital								
	Torrance Memorial Medical Center	7.6% (1;33)	0.0% (0;85)	5.7% (3;36)	17.9% (2;12)				1.3% (9;543) Better
	Tri-City Regional Medical Center – Hawaiian Gardens								
	University of Southern California Verdugo Hills Hospital*		0.0% (0;6)	0.0% (0;3)					
	Valley Presbyterian Hospital	0.0% (0;4)	0.0% (0;8)	18.4% (4;16)		0.0% (0;5)	0.0% (0;3)		2.0% (4;156)
	West Hills Hospital and Medical Center		0.0% (0;29)	0.0% (0;25)					5.4% (7;149)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Los Angeles (continued)	White Memorial Medical Center	0.0% (0;5)	0.0% (0;23)	4.2% (4;46)					2.6% (9;254)
	Whittier Hospital Medical Center		0.0% (0;4)						
Madera	Madera Community Hospital								
Marin	Kaiser Foundation Hospital – San Rafael	0.0% (0;3)	0.0% (0;20)						5.5% (5;28)
	Marin General Hospital	0.0% (0;24)	0.0% (0;46)	14.6% (8;43)		0.0% (0;3)		0.0% (0;3)	1.7% (3;174)
	Novato Community Hospital								
Mariposa	John C. Fremont Healthcare District								
Mendocino	Frank R. Howard Memorial Hospital								
	Mendocino Coast District Hospital								
	Ukiah Valley Medical Center		0.0% (0;13)						
Merced	Memorial Hospital Los Banos								
	Mercy Medical Center – Merced								
Modoc	Modoc Medical Center								
Mono	Mammoth Hospital								
Monterey	Community Hospital of The Monterey Peninsula*		1.7% (1;39)	2.9% (1;34)		0.0% (0;6)	0.0% (0;3)	0.0% (0;3)	2.9% (2;125)
	George L. Mee Memorial Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Monterey (continued)	Natividad Medical Center								
	Salinas Valley Memorial Hospital	0.0% (0;7)	0.0% (0;35)	6.6% (3;41)					1.4% (2;143)
Napa	Queen of the Valley Hospital – Napa	0.0% (0;12)	0.0% (0;24)	12.3% (2;21)					5.1% (4;75)
	Saint Helena Hospital	0.0% (0;16)	0.0% (0;46)		0.0% (0;3)				3.3% (7;215)
Nevada	Sierra Nevada Memorial Hospital								
	Tahoe Forest Hospital								
Orange	AHMC Anaheim Regional Medical Center	0.0% (0;14)	0.0% (0;40)	11.9% (3;23)					2.6% (6;205)
	Anaheim General Hospital								
	Chapman Medical Center								
	Coastal Communities Hospital								
	Fountain Valley Regional Hospital and Medical Center – Euclid	0.0% (0;16)	0.0% (0;33)	9.3% (7;61)		6.3% (1;7)	0.0% (0;5)		2.1% (6;238)
	Garden Grove Hospital and Medical Center			21.3% (2;12)					
	Hoag Memorial Hospital Presbyterian	0.0% (0;27)	1.2% (1;87)	5.0% (16;331)	0.0% (0;7)	2.3% (1;39)	3.8% (1;22)	0.0% (0;17)	2.6% (8;264)
	Hoag Orthopedic Institute								
	Huntington Beach Hospital								
	Kaiser Foundation Hospital – Orange County – Anaheim	0.0% (0;32)	0.0% (0;43)	6.5% (8;200)	0.0% (0;3)	0.0% (0;17)	0.0% (0;9)	0.0% (0;8)	0.0% (0;28)
	La Palma Intercommunity Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Orange (continued)	Los Alamitos Medical Center	0.0% (0;5)	0.0% (0;48)	13.0% (5;21)					4.1% (4;126)
	Mission Hospital Laguna Beach		0.0% (0;6)						
	Mission Hospital Regional Medical Center	17.0% (1;6)	0.0% (0;24)	4.3% (8;128)					2.2% (8;299)
	Orange Coast Memorial Medical Center	0.0% (0;7)	0.0% (0;24)	5.8% (2;64)		0.0% (0;22)	0.0% (0;13)	0.0% (0;9)	3.7% (4;126)
	Placentia Linda Hospital								
	Saddleback Memorial Medical Center	0.0% (0;18)	0.0% (0;59)	7.7% (4;44)					2.4% (6;241)
	Saint Joseph Hospital – Orange	3.7% (2;31)	0.0% (0;89)	7.0% (10;121)		8.0% (1;14)	0.0% (0;8)	26.0% (1;6)	3.1% (11;256)
	Saint Jude Medical Center	2.4% (1;19)	0.0% (0;57)	6.0% (15;144)		0.0% (0;3)			1.1% (5;239) Better
	UC Irvine Medical Center	12.1% (1;11)	3.7% (2;19) Worse	6.8% (30;455)	9.7% (2;12)	1.6% (1;63)	0.0% (0;50)	7.1% (1;13)	3.2% (5;149)
	West Anaheim Medical Center		0.0% (0;4)						2.3% (3;88)
	Western Medical Center – Anaheim		0.0% (0;4)						0.0% (0;47)
	Western Medical Center – Santa Ana		0.0% (0;11)	10.4% (11;72)					2.4% (4;174)
Placer	Kaiser Foundation Hospital – Roseville	0.0% (0;35)	0.0% (0;33)		0.0% (0;10)				3.9% (5;122)
	Sutter Auburn Faith Hospital	0.0% (0;4)	0.0% (0;13)						
	Sutter Roseville Medical Center	0.0% (0;14)	0.0% (0;36)	10.4% (10;74)		0.0% (0;6)	0.0% (0;4)		2.9% (7;224)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention	
						Total	Cancer	Other		
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.										
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)	
Plumas	Eastern Plumas Hospital – Portola Campus									
	Plumas District Hospital									
	Seneca Healthcare District									
Riverside	Corona Regional Medical Center – Main	0.0% (0;4)	0.0% (0;6)							
	Desert Regional Medical Center	0.0% (0;24)	0.0% (0;77)	11.0% (22;144) Worse		67.1% (2;5) Worse		64.4% (1;3)	2.3% (8;420)	
	Eisenhower Medical Center	0.0% (0;30)	1.3% (1;72)	4.9% (3;56)		0.0% (0;6)	0.0% (0;5)		1.4% (5;450)	
	Hemet Valley Medical Center	0.0% (0;10)	0.0% (0;84)							
	John F. Kennedy Memorial Hospital		0.0% (0;7)						5.1% (4;68)	
	Kaiser Foundation Hospital – Moreno Valley									
	Kaiser Foundation Hospital – Riverside	7.7% (1;16)	0.0% (0;35)			0.0% (0;6)	7.5% (1;17)	0.0% (0;4)	8.4% (1;13)	
	Loma Linda University Medical Center – Murrieta	0.0% (0;10)	0.0% (0;43)	9.7% (2;27)						4.2% (9;373)
	Menifee Valley Medical Center	4.3% (1;10)	0.0% (0;35)							
	Palo Verde Hospital									
	Parkview Community Hospital Medical Center		0.0% (0;4)							
	Riverside Community Hospital	8.1% (1;25)	0.0% (0;40)	5.3% (2;72)		13.8% (1;4)	0.0% (0;3)			3.6% (30;813)
Riverside County Regional Medical Center	0.0% (0;4)	0.0% (0;9)	15.9% (5;45)							

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Riverside (continued)	San Geronio Memorial Hospital								
	Southwest Healthcare System – Murrieta	0.0% (0;14)	0.0% (0;28)	3.7% (2;40)					
	Temecula Valley Hospital								
Sacramento	Kaiser Foundation Hospital – Sacramento	0.0% (0;4)	0.0% (0;38)	4.4% (20;425) Better		0.0% (0;19)	0.0% (0;15)	0.0% (0;4)	
	Kaiser Foundation Hospital – South Sacramento	12.9% (2;23)	0.0% (0;13)	0.0% (0;10)		0.0% (0;7)	0.0% (0;4)	0.0% (0;3)	0.0% (0;56)
	Mercy General Hospital	0.0% (0;27)	0.0% (0;93)	3.9% (7;131)					2.7% (32;1,631)
	Mercy Hospital – Folsom								
	Mercy San Juan Hospital	1.2% (1;43)	0.8% (1;117)	8.4% (42;212)	0.0% (0;5)	0.0% (0;4)		0.0% (0;4)	2.7% (7;231)
	Methodist Hospital of Sacramento								
	Sutter General Hospital	0.0% (0;9)	0.0% (0;33)	7.3% (9;131)	0.0% (0;5)	3.9% (1;21)	5.9% (1;14)	0.0% (0;7)	
	Sutter Memorial Hospital	0.0% (0;39)	1.1% (1;95)	6.6% (3;71)					1.9% (5;399)
	UC Davis Medical Center	0.0% (0;27)	0.0% (0;29)	9.3% (20;284)	0.0% (0;13)	2.8% (1;31)	3.4% (1;25)	0.0% (0;6)	3.1% (16;340)
San Benito	Hazel Hawkins Memorial Hospital								
San Bernardino	Arrowhead Regional Medical Center		0.0% (0;3)	8.0% (5;76)		61.3% (2;5) Worse	66.5% (2;4) Worse		6.5% (1;58)
	Barstow Community Hospital								
	Bear Valley Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
San Bernardino (continued)	Chino Valley Medical Center								
	Colorado River Medical Center								
	Community Hospital of San Bernardino		0.0% (0;3)						
	Desert Valley Hospital	0.0% (0;4)							2.6% (9;178)
	Hi-Desert Medical Center								
	Kaiser Foundation Hospital – Fontana	0.0% (0;30)	0.0% (0;43)	9.7% (11;185)	0.0% (0;11)	0.0% (0;8)		0.0% (0;6)	
	Loma Linda University Medical Center	0.0% (0;22)	0.0% (0;31)	8.4% (24;292)	0.0% (0;3)	0.0% (0;28)	0.0% (0;17)	0.0% (0;11)	3.2% (10;315)
	Montclair Hospital Medical Center								
	Mountains Community Hospital								
	Redlands Community Hospital	5.1% (1;13)	0.0% (0;27)	0.0% (0;8)					
	Saint Bernardine Medical Center	0.0% (0;23)	0.0% (0;17)	15.9% (5;40)					2.3% (12;1,288)
	Saint Mary Regional Medical Center	0.0% (0;15)	0.8% (1;52)						3.3% (9;342)
	San Antonio Community Hospital	0.0% (0;12)	0.0% (0;30)	9.6% (7;44)					2.8% (8;324)
	Victor Valley Global Medical Center*	25.1% (1;4)	5.0% (1;17)						
San Diego	Alvarado Hospital	0.0% (0;3)	0.0% (0;14)	21.7% (4;10)					3.6% (6;198)
	Fallbrook Hospital District								
	Grossmont Hospital	0.0% (0;21)	0.0% (0;98)	6.5% (12;150)	0.0% (0;4)				2.2% (10;414)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
San Diego (continued)	Kaiser Foundation Hospital – San Diego	0.0% (0;63)	0.0% (0;79)	5.1% (5;205)	0.0% (0;4)	0.0% (0;20)	0.0% (0;11)	0.0% (0;9)	
	Palomar Health Downtown Campus	0.0% (0;39)	0.0% (0;27)	17.9% (21;76) Worse					3.9% (16;402)
	Paradise Valley Hospital								
	Pomerado Hospital		0.0% (0;4)						
	Scripps Green Hospital	0.0% (0;27)	0.0% (0;21)	9.6% (12;157)		0.0% (0;13)	0.0% (0;6)	0.0% (0;7)	1.3% (5;524)
	Scripps Memorial Hospital – Encinitas (View comment letter)	0.0% (0;9)	0.0% (0;23)	19.8% (6;26) Worse					1.2% (2;175)
	Scripps Memorial Hospital – La Jolla	0.0% (0;9)	1.7% (1;31)	9.1% (16;152)		27.9% (1;3)		30.8% (1;3)	2.4% (8;314)
	Scripps Mercy Hospital	0.0% (0;26)	1.6% (1;65)	6.2% (3;42)		0.0% (0;8)	0.0% (0;5)	0.0% (0;3)	3.3% (12;327)
	Sharp Chula Vista Medical Center	0.0% (0;6)	0.0% (0;21)	11.1% (7;49)					2.4% (6;234)
	Sharp Coronado Hospital and Healthcare Center								
	Sharp Memorial Hospital	0.0% (0;26)	0.0% (0;42)	7.5% (10;103)	0.0% (0;4)	0.0% (0;17)	0.0% (0;6)	0.0% (0;11)	1.7% (5;263)
	Tri-City Medical Center – Oceanside	0.0% (0;16)	0.0% (0;34)	10.6% (4;45)					0.6% (1;208)
	UC San Diego Health System – Hillcrest Medical Center*	0.0% (0;13)	0.0% (0;18)	4.9% (19;340)	0.0% (0;10)	3.7% (2;61)	6.4% (2;34)	0.0% (0;27)	2.1% (7;396)
San Francisco	California Pacific Medical Center – Davies Campus			3.6% (8;182) Better					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
San Francisco (continued)	California Pacific Medical Center – Pacific Campus	0.0% (0;22)	0.0% (0;50)	0.0% (0;51) Better	35.1% (1;5)	2.7% (2;62)	3.9% (2;37)	0.0% (0;25)	1.6% (4;256)
	California Pacific Medical Center – St. Luke’s Campus								
	Chinese Hospital								
	Kaiser Foundation Hospital – San Francisco	1.3% (1;61)	0.7% (1;62)		0.0% (0;5)	0.0% (0;46)	0.0% (0;33)	0.0% (0;13)	3.1% (21;479)
	Laguna Honda Hospital and Rehabilitation Center								
	Saint Francis Memorial Hospital		0.0% (0;3)	0.0% (0;7)					
	Saint Mary’s Medical Center, San Francisco	0.0% (0;9)	0.0% (0;18)	12.5% (1;5)					2.0% (2;122)
	San Francisco General Hospital		0.0% (0;9)	18.4% (20;82) Worse		0.0% (0;11)		0.0% (0;9)	3.9% (4;78)
	UC San Francisco Medical Center	0.0% (0;30)	0.0% (0;27)	7.0% (55;1,216)	0.0% (0;15)	4.0% (4;77)	2.7% (1;33)	4.6% (3;44)	5.2% (10;139) Worse
San Joaquin	Dameron Hospital		0.0% (0;3)						3.0% (4;190)
	Doctors Hospital of Manteca								
	Kaiser Foundation Hospital – Manteca	0.0% (0;25)	0.0% (0;42)		12.9% (1;3)				
	Lodi Memorial Hospital	0.0% (0;3)	0.0% (0;13)						
	Saint Joseph’s Medical Center of Stockton	3.9% (1;32)	0.0% (0;86)	3.9% (2;48)		0.0% (0;5)		0.0% (0;3)	2.6% (8;334)
	San Joaquin General Hospital		0.0% (0;11)	8.8% (1;9)		45.8% (1;3)	38.1% (1;3)		0.0% (0;5)
	Sutter Tracy Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
San Luis Obispo	French Hospital Medical Center		0.0% (0;34)						4.0% (10;344)
	Marian Regional Medical Center – Arroyo Grande*		0.0% (0;17)						
	Sierra Vista Regional Medical Center	0.0% (0;10)	0.0% (0;13)	2.0% (1;70)	0.0% (0;3)	0.0% (0;3)		0.0% (0;3)	
	Twin Cities Community Hospital		0.0% (0;7)						
San Mateo	Kaiser Foundation Hospital – Redwood City			3.9% (22;637) Better					5.0% (1;35)
	Kaiser Foundation Hospital – South San Francisco		0.0% (0;4)			7.8% (1;9)	0.0% (0;8)		
	Peninsula Medical Center	3.0% (1;19)	0.0% (0;56)	6.9% (2;19)	0.0% (0;3)	8.2% (1;13)	20.4% (1;6)	0.0% (0;7)	1.8% (5;270)
	San Mateo Medical Center		0.0% (0;5)	0.0% (0;4)		0.0% (0;5)	0.0% (0;4)		
	Sequoia Hospital	0.0% (0;6)	0.0% (0;43)						0.0% (0;82)
	Seton Medical Center	0.0% (0;8)	0.0% (0;14)	9.4% (3;16)					2.4% (10;245)
Santa Barbara	Goleta Valley Cottage Hospital								
	Lompoc Valley Medical Center								
	Marian Regional Medical Center	0.0% (0;9)	0.0% (0;42)	0.0% (0;21)					3.3% (6;157)
	Santa Barbara Cottage Hospital	0.0% (0;29)	0.0% (0;58)	6.6% (20;260)		11.8% (1;11)	0.0% (0;6)	20.8% (1;5)	1.6% (4;279)
	Santa Ynez Valley Cottage Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see [Technical Note](#) for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Santa Clara	El Camino Hospital	2.6% (1;37)	0.0% (0;30)	1.2% (1;60) Better		6.2% (2;29)	5.1% (1;18)	8.2% (1;11)	0.5% (1;195)
	Good Samaritan Hospital – San Jose		0.0% (0;23)	6.9% (9;124)					4.5% (13;274)
	Kaiser Foundation Hospital – San Jose	11.0% (1;8)	0.0% (0;20)			0.0% (0;8)	0.0% (0;4)	0.0% (0;4)	8.2% (9;68) Worse
	Kaiser Foundation Hospital – Santa Clara	1.6% (1;40)	0.0% (0;22)		13.9% (1;4)	0.0% (0;6)	0.0% (0;3)	0.0% (0;3)	1.7% (14;1,233)
	O’Connor Hospital – San Jose	0.0% (0;14)	0.0% (0;14)	9.3% (4;26)		5.8% (1;12)	8.6% (1;6)	0.0% (0;6)	7.1% (13;191) Worse
	Regional Medical of San Jose		0.0% (0;4)	8.3% (18;115)		0.0% (0;3)			2.5% (11;254)
	Saint Louise Regional Hospital								
	Santa Clara Valley Medical Center		0.0% (0;13)	9.6% (6;82)		0.0% (0;5)	0.0% (0;4)		0.9% (1;143)
	Stanford Hospital	0.6% (1;74)	0.0% (0;55)	4.1% (24;776) Better	0.0% (0;16)	1.3% (2;170)	0.0% (0;87)	2.3% (2;83)	3.7% (9;214)
Santa Cruz	Dominican Hospital – Santa Cruz/Soquel		0.0% (0;14)	2.3% (2;76)					3.1% (7;323)
	Watsonville Community Hospital		0.0% (0;4)						
Shasta	Mayers Memorial Hospital								
	Mercy Medical Center – Redding	0.0% (0;31)	0.0% (0;112)	4.0% (4;71)					2.0% (4;223)
	Shasta Regional Medical Center (View comment letter)		0.0% (0;42)						1.2% (2;163)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Siskiyou	Fairchild Medical Center		0.0% (0;7)						
	Mercy Medical Center Mt. Shasta		0.0% (0;4)						
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	0.0% (0;20)	0.0% (0;34)		0.0% (0;4)				2.3% (3;85)
	Kaiser Foundation Hospital – Vacaville			0.0% (0;5)					
	North Bay Medical Center	0.0% (0;8)	0.0% (0;11)	10.2% (2;17)					2.5% (7;198)
	Sutter Solano Medical Center								
Sonoma	Healdsburg District Hospital								
	Kaiser Foundation Hospital – Santa Rosa	0.0% (0;4)	4.4% (1;32)						
	Palm Drive Hospital								
	Petaluma Valley Hospital								
	Santa Rosa Memorial Hospital – Montgomery	0.0% (0;18)	0.0% (0;44)	2.7% (1;30)					3.0% (4;187)
	Sonoma Valley Hospital								
	Sutter Medical Center of Santa Rosa		0.0% (0;4)						1.5% (2;159)
Stanislaus	Central Valley Specialty Hospital								
	Doctors Medical Center	0.0% (0;28)	1.4% (2;162)	4.2% (2;71)		36.6% (1;4)	63.6% (1;3)		3.5% (9;338)
	Emanuel Medical Center, Inc.	0.0% (0;4)	0.0% (0;15)						2.4% (6;254)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Stanislaus (continued)	Memorial Hospital Medical Center – Modesto	0.0% (0;28)	0.0% (0;88)	6.0% (3;31)		25.3% (2;9)	43.9% (2;4) Worse	0.0% (0;5)	2.4% (14;424)
	Oak Valley District Hospital		0.0% (0;4)						
Tehama	Saint Elizabeth Community Hospital								
Trinity	Trinity Hospital								
Tulare	Kaweah Delta Medical Center (View comment letter)	0.0% (0;14)	0.0% (0;52)						2.2% (13;530)
	Sierra View District Hospital								
	Tulare Regional Medical Center								
Tuolumne	Sonora Regional Medical Center – Greenley	0.0% (0;4)	0.0% (0;19)						
Ventura	Community Memorial Hospital – San Buenaventura	0.0% (0;14)	2.5% (1;42)	13.7% (3;22)					1.7% (4;205)
	Los Robles Hospital and Medical Center	23.3% (1;6)	0.0% (0;26)	6.3% (2;96)		0.0% (0;10)	0.0% (0;8)		4.6% (15;439) Worse
	Ojai Valley Community Hospital								
	Saint John’s Pleasant Valley Hospital								
	Saint John’s Regional Medical Center	0.0% (0;23)	0.0% (0;38)	6.8% (2;25)					0.9% (3;188) Better
	Simi Valley Hospital and Healthcare Services – Sycamore		0.0% (0;9)	15.8% (4;10)					
	Ventura County Medical Center		0.0% (0;3)	13.7% (6;24)		35.2% (1;5)	49.2% (1;4)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2013

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.4% (36;2,560)	0.5% (29;6,139)	7.2% (1,094;15,187)	4.8% (18;377)	3.5% (62;1,763)	3.3% (32;966)	3.8% (30;797)	2.7% (1,013;37,885)
Yolo	Sutter Davis Hospital		0.0% (0;9)						
	Woodland Memorial Hospital		0.0% (0;5)						
Yuba	Rideout Memorial Hospital	19.1% (2;16) Worse	0.0% (0;69)	5.7% (2;31)					2.6% (5;200)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 4.5, and OSHPD hospital patient discharge data, 2013. See [Technical Note](#) for details about methodology.

*Hospital name changed from 2012 to 2013, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.