

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	8,120	8,357,959	97.2	97.8	1,446	6,339,207	22.8	22.6	11,758	9,252,424	127.1	127.4
2006	STATEWIDE	7,870	8,325,530	94.5	95.4	1,489	6,320,202	23.6	23.3	11,260	9,214,327	122.2	122.7
2007	STATEWIDE	7,105	8,296,033	85.6	86.4	1,458	6,288,928	23.2	22.8	9,893	9,187,043	107.7	107.8
2008	STATEWIDE	7,060	8,307,805	85.0	85.6	1,436	6,286,480	22.8	22.5	7,581	9,204,176	82.4	82.2
2009	STATEWIDE	8,608	8,312,380	103.6	104.2	1,366	6,292,454	21.7	21.5	7,128	9,203,032	77.5	77.4
2010	STATEWIDE	7,994	8,335,724	95.9	96.4	1,296	6,313,556	20.5	20.4	4,966	9,221,974	53.8	53.9
2011	STATEWIDE	7,443	8,279,544	89.9	89.9	1,370	6,252,287	21.9	21.8	5,416	9,168,119	59.1	58.9
2012	STATEWIDE	8,309	8,305,414	100.0	101.1	1,451	6,289,403	23.1	22.6	4,553	9,202,474	49.5	49.4
2013	STATEWIDE	7,259	8,301,394	87.4	88.5	1,416	6,286,079	22.5	22.0	5,247	9,200,285	57.0	56.9
2005	Alameda	682	299,880	227.4	223.5	63	223,087	28.2	28.1	482	334,527	144.1	139.0
2006	Alameda	626	298,616	209.6	206.7	53	222,633	23.8	23.6	383	332,780	115.1	111.5
2007	Alameda	594	298,633	198.9	196.1	40	222,473	18.0	17.8	396	332,853	119.0	115.1
2008	Alameda	512	301,417	169.9	167.1	45	224,396	20.1	19.9	239	338,869	71.2	68.8
2009	Alameda	574	304,063	188.8	185.6	49	226,709	21.6	21.6	194	338,353	57.3	55.7
2010	Alameda	567	305,024	185.9	182.6	51	227,553	22.4	22.5	127	339,165	37.4	36.5
2011	Alameda	504	303,804	165.9	161.8	33	225,834	14.6	14.8	148	338,157	43.8	42.4
2012	Alameda	614	297,747	206.2	203.0	41	221,528	18.5	18.3	145	331,883	43.7	42.2
2013	Alameda	541	296,523	182.4	179.8	47	220,547	21.3	21.1	169	330,606	51.1	49.3
2005	Alpine	0	214	0.0	0.0	0	165	0.0	0.0	2	237	844.6	863.8
2006	Alpine	0	247	0.0	0.0	0	191	0.0	0.0	0	272	0.0	0.0
2007	Alpine	0	238	0.0	0.0	0	182	0.0	0.0	0	262	0.0	0.0
2008	Alpine	0	223	0.0	0.0	0	174	0.0	0.0	0	242	0.0	0.0
2009	Alpine	0	223	0.0	0.0	0	167	0.0	0.0	0	247	0.0	0.0
2010	Alpine	0	237	0.0	0.0	0	176	0.0	0.0	0	264	0.0	0.0
2011	Alpine	0	193	0.0	0.0	0	148	0.0	0.0	0	211	0.0	0.0
2012	Alpine	0	215	0.0	0.0	0	160	0.0	0.0	0	238	0.0	0.0
2013	Alpine	0	211	0.0	0.0	0	155	0.0	0.0	0	234	0.0	0.0
2005	Amador	5	6,378	78.4	88.9	1	5,180	19.3	18.6	1	6,869	14.6	17.1
2006	Amador	1	6,316	15.8	17.8	3	5,103	58.8	56.4	6	6,821	88.0	101.9
2007	Amador	1	6,269	16.0	17.7	4	5,020	79.7	76.4	9	6,798	132.4	149.9
2008	Amador	2	6,035	33.1	36.4	1	4,803	20.8	20.1	6	6,555	91.5	102.4
2009	Amador	3	5,877	51.0	55.7	2	4,652	43.0	41.8	3	6,395	46.9	51.9
2010	Amador	2	5,751	34.8	38.0	0	4,567	0.0	0.0	0	6,251	0.0	0.0
2011	Amador	3	5,632	53.3	58.2	2	4,464	44.8	43.6	1	6,123	16.3	18.1
2012	Amador	3	5,675	52.9	57.7	1	4,487	22.3	21.5	3	6,179	48.6	53.5
2013	Amador	6	5,593	107.3	116.6	2	4,409	45.4	43.8	3	6,096	49.2	53.9
2005	Butte	20	44,813	44.6	48.5	22	35,424	62.1	59.0	67	48,863	137.1	149.8
2006	Butte	24	44,729	53.7	58.0	14	35,198	39.8	37.7	65	48,880	133.0	143.6
2007	Butte	34	44,430	76.5	82.1	14	34,759	40.3	38.3	70	48,657	143.9	153.4
2008	Butte	31	44,277	70.0	74.3	20	34,391	58.2	55.4	45	48,620	92.6	97.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Butte	27	44,056	61.3	64.6	15	34,089	44.0	42.1	50	48,427	103.2	107.7
2010	Butte	57	43,554	130.9	137.5	13	33,658	38.6	37.1	55	47,878	114.9	119.6
2011	Butte	28	42,777	65.5	68.8	18	33,062	54.4	52.3	38	47,017	80.8	84.1
2012	Butte	31	43,008	72.1	75.8	15	33,120	45.3	43.2	36	47,385	76.0	78.4
2013	Butte	36	42,731	84.2	88.4	13	32,801	39.6	37.7	34	47,145	72.1	73.9
2005	Calaveras	1	8,622	11.6	12.8	3	6,991	42.9	41.8	4	9,287	43.1	50.4
2006	Calaveras	3	8,650	34.7	37.9	6	6,956	86.3	84.2	6	9,347	64.2	73.6
2007	Calaveras	5	8,514	58.7	64.1	4	6,814	58.7	57.1	2	9,223	21.7	24.6
2008	Calaveras	3	8,376	35.8	38.9	5	6,699	74.6	72.8	2	9,073	22.0	24.9
2009	Calaveras	1	8,219	12.2	13.2	1	6,544	15.3	14.9	4	8,924	44.8	50.1
2010	Calaveras	2	7,897	25.3	27.3	2	6,264	31.9	31.1	2	8,590	23.3	25.8
2011	Calaveras	5	7,631	65.5	70.7	1	6,054	16.5	16.0	2	8,304	24.1	26.6
2012	Calaveras	2	8,021	24.9	26.9	6	6,351	94.5	91.4	3	8,735	34.3	37.8
2013	Calaveras	6	7,969	75.3	81.0	4	6,293	63.6	61.4	2	8,689	23.0	25.2
2005	Colusa	1	5,412	18.5	18.5	0	4,087	0.0	0.0	5	6,000	83.3	82.8
2006	Colusa	3	5,507	54.5	53.8	0	4,120	0.0	0.0	5	6,125	81.6	79.8
2007	Colusa	4	5,525	72.4	70.9	1	4,122	24.3	24.3	8	6,149	130.1	126.2
2008	Colusa	4	5,521	72.5	70.4	1	4,107	24.3	24.4	7	6,153	113.8	109.6
2009	Colusa	4	5,560	71.9	69.7	1	4,127	24.2	24.4	16	6,199	258.1	248.0
2010	Colusa	2	5,623	35.6	34.4	1	4,175	23.9	24.2	2	6,265	31.9	30.7
2011	Colusa	1	5,616	17.8	17.3	0	4,175	0.0	0.0	4	6,252	64.0	61.9
2012	Colusa	2	5,670	35.3	33.8	0	4,182	0.0	0.0	8	6,335	126.3	119.9
2013	Colusa	3	5,702	52.6	50.2	0	4,193	0.0	0.0	6	6,377	94.1	88.8
2005	Contra Costa	248	227,471	109.0	110.2	43	173,721	24.8	24.7	279	250,840	111.2	113.4
2006	Contra Costa	284	226,653	125.3	127.2	42	173,364	24.2	24.2	258	249,783	103.3	105.7
2007	Contra Costa	217	226,833	95.7	97.0	33	173,306	19.0	19.0	230	250,079	92.0	93.9
2008	Contra Costa	234	228,823	102.3	103.4	32	174,548	18.3	18.3	194	252,368	76.9	78.2
2009	Contra Costa	244	230,044	106.1	107.2	27	175,549	15.4	15.4	122	253,561	48.1	49.1
2010	Contra Costa	234	232,002	100.9	101.8	33	177,185	18.6	18.7	91	255,509	35.6	36.4
2011	Contra Costa	215	231,387	92.9	93.8	28	176,891	15.8	15.9	123	254,710	48.3	49.5
2012	Contra Costa	256	231,526	110.6	112.5	42	177,223	23.7	23.6	92	255,000	36.1	37.0
2013	Contra Costa	214	232,060	92.2	94.0	29	177,723	16.3	16.2	124	255,559	48.5	49.8
2005	Del Norte	7	5,621	124.5	132.4	12	4,415	271.8	265.5	8	6,140	130.3	140.9
2006	Del Norte	5	5,535	90.3	94.4	6	4,292	139.8	136.7	6	6,078	98.7	103.6
2007	Del Norte	7	5,478	127.8	132.7	7	4,229	165.5	161.9	5	6,022	83.0	86.4
2008	Del Norte	3	5,432	55.2	56.3	3	4,134	72.6	70.6	11	6,015	182.9	183.9
2009	Del Norte	4	5,393	74.2	74.6	0	4,065	0.0	0.0	4	5,989	66.8	66.1
2010	Del Norte	4	5,447	73.4	73.9	1	4,116	24.3	23.9	5	6,040	82.8	82.3
2011	Del Norte	1	5,373	18.6	18.6	2	4,038	49.5	49.2	5	5,968	83.8	82.6
2012	Del Norte	4	5,216	76.7	76.0	0	3,887	0.0	0.0	2	5,820	34.4	33.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Del Norte	2	5,152	38.8	38.1	0	3,812	0.0	0.0	2	5,765	34.7	33.1
2005	El Dorado	11	38,326	28.7	30.4	13	30,182	43.1	42.4	30	41,772	71.8	78.3
2006	El Dorado	19	38,302	49.6	52.4	16	30,069	53.2	52.2	25	41,813	59.8	64.6
2007	El Dorado	15	37,840	39.6	41.8	16	29,633	54.0	53.0	25	41,342	60.5	65.0
2008	El Dorado	20	37,634	53.1	55.9	12	29,451	40.7	40.1	17	41,118	41.3	44.4
2009	El Dorado	20	37,243	53.7	56.5	13	29,204	44.5	44.0	22	40,634	54.1	58.5
2010	El Dorado	17	36,800	46.2	48.5	11	28,879	38.1	37.8	13	40,122	32.4	35.1
2011	El Dorado	11	35,881	30.7	32.4	7	28,297	24.7	24.5	24	39,028	61.5	67.5
2012	El Dorado	24	37,075	64.7	68.2	11	29,021	37.9	37.3	6	40,496	14.8	15.9
2013	El Dorado	13	37,018	35.1	37.0	8	28,947	27.6	27.2	19	40,452	47.0	50.4
2005	Fresno	279	237,618	117.4	117.6	34	179,497	18.9	18.8	317	263,476	120.3	119.6
2006	Fresno	300	238,936	125.6	125.6	32	180,153	17.8	17.6	319	265,151	120.3	119.1
2007	Fresno	326	240,914	135.3	134.7	30	180,905	16.6	16.4	283	267,765	105.7	103.8
2008	Fresno	287	243,587	117.8	116.7	42	182,148	23.1	22.8	294	271,100	108.4	105.7
2009	Fresno	394	245,527	160.5	158.7	35	183,505	19.1	19.0	206	273,146	75.4	73.5
2010	Fresno	440	247,442	177.8	175.5	38	184,971	20.5	20.5	161	275,094	58.5	57.2
2011	Fresno	352	246,283	142.9	139.7	45	183,210	24.6	24.8	225	274,170	82.1	79.5
2012	Fresno	483	249,815	193.3	190.5	32	185,879	17.2	17.1	160	278,559	57.4	55.5
2013	Fresno	368	251,527	146.3	143.9	31	186,819	16.6	16.4	214	280,699	76.2	73.3
2005	Glenn	3	6,983	43.0	43.2	2	5,289	37.8	37.6	10	7,733	129.3	129.5
2006	Glenn	6	7,036	85.3	85.0	1	5,292	18.9	18.8	9	7,812	115.2	113.7
2007	Glenn	3	7,040	42.6	42.1	1	5,275	19.0	19.0	3	7,821	38.4	37.6
2008	Glenn	0	7,042	0.0	0.0	2	5,260	38.0	37.9	9	7,838	114.8	111.7
2009	Glenn	2	7,044	28.4	28.0	1	5,273	19.0	19.0	7	7,832	89.4	87.4
2010	Glenn	2	6,952	28.8	28.6	1	5,233	19.1	19.2	3	7,708	38.9	38.6
2011	Glenn	2	6,866	29.1	28.7	1	5,148	19.4	19.6	6	7,620	78.7	77.4
2012	Glenn	3	6,912	43.4	42.5	5	5,131	97.4	97.7	4	7,708	51.9	50.0
2013	Glenn	3	6,895	43.5	42.4	3	5,101	58.8	59.0	2	7,699	26.0	24.9
2005	Humboldt	19	25,795	73.7	77.7	12	20,018	59.9	57.4	25	28,326	88.3	92.5
2006	Humboldt	15	25,541	58.7	61.3	3	19,696	15.2	14.6	12	28,114	42.7	44.1
2007	Humboldt	20	25,228	79.3	82.2	9	19,367	46.5	44.7	18	27,811	64.7	66.3
2008	Humboldt	14	25,072	55.8	57.4	3	19,125	15.7	15.1	8	27,710	28.9	29.2
2009	Humboldt	13	25,196	51.6	52.8	5	19,151	26.1	25.3	8	27,882	28.7	28.8
2010	Humboldt	18	24,990	72.0	73.0	5	18,894	26.5	25.8	12	27,691	43.3	43.1
2011	Humboldt	23	24,734	93.0	94.8	5	18,773	26.6	25.9	8	27,371	29.2	29.3
2012	Humboldt	12	24,354	49.3	49.7	6	18,314	32.8	31.7	6	27,057	22.2	21.8
2013	Humboldt	15	24,122	62.2	62.4	6	18,056	33.2	32.2	9	26,847	33.5	32.7
2005	Imperial	137	41,472	330.3	337.1	10	31,543	31.7	30.7	219	45,990	476.2	477.1
2006	Imperial	141	42,342	333.0	339.3	7	32,158	21.8	21.1	196	46,966	417.3	417.2
2007	Imperial	105	43,263	242.7	246.7	7	32,831	21.3	20.7	112	47,978	233.4	233.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Imperial	85	43,921	193.5	195.4	8	33,268	24.0	23.6	115	48,686	236.2	235.6
2009	Imperial	127	44,993	282.3	284.7	5	34,143	14.6	14.5	97	49,773	194.9	195.7
2010	Imperial	134	45,764	292.8	295.8	10	34,860	28.7	28.6	87	50,502	172.3	174.8
2011	Imperial	135	45,491	296.8	296.7	14	34,356	40.8	40.7	75	50,374	148.9	148.5
2012	Imperial	129	46,303	278.6	279.5	6	34,885	17.2	16.9	53	51,415	103.1	101.9
2013	Imperial	92	46,909	196.1	196.4	4	35,276	11.3	11.2	67	52,128	128.5	126.5
2005	Inyo	0	3,571	0.0	0.0	0	2,839	0.0	0.0	6	3,884	154.5	171.1
2006	Inyo	0	3,532	0.0	0.0	2	2,772	72.1	69.5	1	3,866	25.9	27.7
2007	Inyo	0	3,522	0.0	0.0	3	2,738	109.6	105.5	0	3,871	0.0	0.0
2008	Inyo	0	3,428	0.0	0.0	1	2,635	38.0	36.7	0	3,782	0.0	0.0
2009	Inyo	3	3,460	86.7	86.6	3	2,616	114.7	112.6	3	3,839	78.1	77.5
2010	Inyo	5	3,419	146.2	146.1	0	2,588	0.0	0.0	0	3,790	0.0	0.0
2011	Inyo	2	3,406	58.7	58.2	0	2,557	0.0	0.0	0	3,784	0.0	0.0
2012	Inyo	0	3,306	0.0	0.0	0	2,478	0.0	0.0	1	3,685	27.1	26.4
2013	Inyo	1	3,258	30.7	30.2	2	2,425	82.5	80.2	2	3,642	54.9	52.6
2005	Kern	135	208,137	64.9	64.5	37	156,659	23.6	23.5	259	231,057	112.1	110.7
2006	Kern	168	213,191	78.8	78.2	43	159,903	26.9	26.8	294	237,023	124.0	121.7
2007	Kern	162	217,188	74.6	73.6	36	162,018	22.2	22.1	232	241,949	95.9	93.1
2008	Kern	145	220,691	65.7	64.6	47	164,124	28.6	28.5	219	246,067	89.0	86.0
2009	Kern	181	222,990	81.2	79.7	36	165,883	21.7	21.7	181	248,456	72.8	70.5
2010	Kern	200	225,270	88.8	87.1	37	167,654	22.1	22.2	116	250,826	46.2	44.8
2011	Kern	176	224,842	78.3	76.4	58	166,914	34.7	35.1	155	250,482	61.9	59.8
2012	Kern	211	233,503	90.4	88.5	54	172,891	31.2	31.1	84	260,787	32.2	30.9
2013	Kern	169	237,336	71.2	69.6	56	175,405	31.9	31.8	121	265,283	45.6	43.5
2005	Kings	29	35,703	81.2	79.4	7	26,527	26.4	26.5	47	39,815	118.0	113.8
2006	Kings	28	35,977	77.8	75.7	4	26,606	15.0	15.1	35	40,193	87.1	83.2
2007	Kings	29	36,480	79.5	77.0	6	26,860	22.3	22.4	30	40,827	73.5	69.7
2008	Kings	23	36,830	62.4	60.2	4	26,996	14.8	14.9	23	41,280	55.7	52.4
2009	Kings	45	37,181	121.0	116.1	3	27,157	11.0	11.1	23	41,717	55.1	51.6
2010	Kings	47	37,508	125.3	120.3	5	27,491	18.2	18.4	18	42,000	42.9	40.4
2011	Kings	35	37,301	93.8	89.5	3	27,249	11.0	11.2	18	41,800	43.1	40.4
2012	Kings	55	38,159	144.1	137.7	5	27,778	18.0	18.1	16	42,877	37.3	34.7
2013	Kings	26	38,526	67.5	64.3	3	27,977	10.7	10.8	20	43,331	46.2	42.7
2005	Lake	8	12,918	61.9	65.5	6	10,148	59.1	57.7	22	14,111	155.9	168.3
2006	Lake	6	12,835	46.7	49.2	10	10,039	99.6	97.3	12	14,044	85.4	91.4
2007	Lake	4	12,533	31.9	33.3	6	9,704	61.8	60.4	10	13,770	72.6	75.9
2008	Lake	3	12,450	24.1	24.9	1	9,587	10.4	10.2	10	13,707	73.0	75.4
2009	Lake	16	12,240	130.7	133.3	4	9,362	42.7	42.0	7	13,511	51.8	52.8
2010	Lake	18	12,169	147.9	149.9	3	9,276	32.3	32.0	8	13,439	59.5	60.3
2011	Lake	5	11,819	42.3	42.5	3	8,974	33.4	33.3	11	13,061	84.2	84.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	Lake	7	12,060	58.0	58.8	3	9,133	32.8	32.1	12	13,367	89.8	89.5
2013	Lake	5	11,973	41.8	42.1	2	9,025	22.2	21.6	7	13,298	52.6	52.0
2005	Lassen	3	6,171	48.6	52.4	3	4,920	61.0	59.7	6	6,692	89.7	100.5
2006	Lassen	1	6,063	16.5	17.6	0	4,783	0.0	0.0	12	6,608	181.6	198.1
2007	Lassen	5	5,963	83.9	89.3	1	4,692	21.3	20.7	10	6,507	153.7	166.5
2008	Lassen	3	5,939	50.5	53.7	0	4,672	0.0	0.0	13	6,485	200.5	216.7
2009	Lassen	4	5,802	68.9	71.7	0	4,489	0.0	0.0	25	6,381	391.8	407.3
2010	Lassen	8	5,681	140.8	146.7	1	4,406	22.7	22.1	4	6,240	64.1	67.1
2011	Lassen	3	5,390	55.7	57.3	1	4,140	24.2	23.6	2	5,942	33.7	34.6
2012	Lassen	5	5,427	92.1	96.1	1	4,192	23.9	23.0	11	5,976	184.1	190.6
2013	Lassen	2	5,324	37.6	39.1	5	4,100	122.0	117.3	5	5,872	85.2	87.5
2005	Los Angeles	2,599	2,304,650	112.8	113.7	318	1,751,544	18.2	18.0	3,466	2,548,956	136.0	136.9
2006	Los Angeles	2,455	2,258,927	108.7	110.4	359	1,722,880	20.8	20.6	3,755	2,495,450	150.5	152.5
2007	Los Angeles	2,149	2,212,127	97.1	98.9	342	1,687,649	20.3	19.9	3,138	2,444,107	128.4	130.1
2008	Los Angeles	2,048	2,189,680	93.5	95.1	335	1,667,244	20.1	19.7	2,493	2,421,026	103.0	103.9
2009	Los Angeles	2,561	2,172,130	117.9	119.8	332	1,653,881	20.1	19.7	2,498	2,400,818	104.0	105.1
2010	Los Angeles	2,187	2,155,850	101.4	103.0	277	1,641,965	16.9	16.6	1,697	2,381,545	71.3	72.1
2011	Los Angeles	2,346	2,125,690	110.4	111.2	305	1,610,744	18.9	18.7	1,808	2,352,563	76.9	77.0
2012	Los Angeles	2,437	2,099,530	116.1	119.6	303	1,606,635	18.9	18.2	1,609	2,319,449	69.4	70.5
2013	Los Angeles	2,261	2,072,926	109.1	112.9	335	1,588,805	21.1	20.3	1,700	2,289,664	74.2	75.7
2005	Madera	21	35,669	58.9	58.2	3	26,694	11.2	11.2	50	39,691	126.0	123.0
2006	Madera	46	36,550	125.9	124.5	6	27,316	22.0	21.9	49	40,687	120.4	117.4
2007	Madera	37	37,022	99.9	98.8	7	27,619	25.3	25.2	49	41,238	118.8	115.5
2008	Madera	38	37,564	101.2	99.8	6	28,006	21.4	21.4	52	41,839	124.3	120.7
2009	Madera	49	37,724	129.9	128.4	10	28,198	35.5	35.5	27	41,956	64.4	62.9
2010	Madera	52	38,221	136.1	134.6	10	28,653	34.9	35.1	21	42,423	49.5	48.7
2011	Madera	53	38,224	138.7	136.6	9	28,632	31.4	31.8	28	42,423	66.0	64.9
2012	Madera	51	39,480	129.2	127.2	0	29,382	0.0	0.0	18	43,990	40.9	39.6
2013	Madera	27	40,048	67.4	66.3	5	29,766	16.8	16.8	19	44,648	42.6	41.1
2005	Marin	37	43,827	84.4	83.1	4	32,825	12.2	12.3	60	48,684	123.2	121.0
2006	Marin	29	44,071	65.8	64.7	4	33,014	12.1	12.3	70	48,930	143.1	140.5
2007	Marin	18	44,333	40.6	39.7	3	33,103	9.1	9.2	45	49,251	91.4	89.3
2008	Marin	19	44,806	42.4	41.3	5	33,426	15.0	15.3	24	49,761	48.2	47.1
2009	Marin	22	45,338	48.5	47.2	2	33,890	5.9	6.1	23	50,255	45.8	45.0
2010	Marin	22	45,798	48.0	46.8	5	34,340	14.6	15.1	14	50,673	27.6	27.4
2011	Marin	20	46,385	43.1	42.5	5	35,071	14.3	14.7	16	51,167	31.3	31.5
2012	Marin	19	45,787	41.5	40.5	3	34,285	8.8	9.0	19	50,724	37.5	36.9
2013	Marin	27	45,975	58.7	57.2	7	34,409	20.3	21.0	18	50,930	35.3	34.8
2005	Mariposa	1	3,198	31.3	34.8	0	2,572	0.0	0.0	2	3,468	57.7	65.5
2006	Mariposa	2	3,185	62.8	69.5	1	2,556	39.1	37.2	1	3,453	29.0	32.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2007	Mariposa	2	3,154	63.4	70.1	1	2,526	39.6	37.6	2	3,424	58.4	65.8
2008	Mariposa	1	3,106	32.2	35.3	2	2,478	80.7	77.1	1	3,377	29.6	33.0
2009	Mariposa	1	2,972	33.6	36.0	1	2,337	42.8	41.2	1	3,248	30.8	33.3
2010	Mariposa	3	2,914	103.0	109.1	0	2,281	0.0	0.0	0	3,187	0.0	0.0
2011	Mariposa	4	2,852	140.3	147.2	0	2,225	0.0	0.0	1	3,120	32.1	34.2
2012	Mariposa	2	2,861	69.9	74.1	0	2,233	0.0	0.0	4	3,138	127.5	135.2
2013	Mariposa	1	2,813	35.6	37.5	0	2,186	0.0	0.0	0	3,090	0.0	0.0
2005	Mendocino	5	18,204	27.5	28.5	5	14,037	35.6	34.9	9	20,028	44.9	46.6
2006	Mendocino	7	17,792	39.3	40.5	6	13,647	44.0	43.0	5	19,616	25.5	26.1
2007	Mendocino	4	17,397	23.0	23.4	13	13,249	98.1	96.3	19	19,228	98.8	99.8
2008	Mendocino	3	17,312	17.3	17.4	2	13,095	15.3	15.1	8	19,177	41.7	41.6
2009	Mendocino	13	17,157	75.8	75.7	5	12,929	38.7	38.3	2	19,033	10.5	10.4
2010	Mendocino	15	17,190	87.3	86.8	3	12,959	23.2	23.2	9	19,046	47.3	46.9
2011	Mendocino	15	17,089	87.8	87.0	2	12,840	15.6	15.7	2	18,951	10.6	10.4
2012	Mendocino	15	16,438	91.3	89.8	1	12,235	8.2	8.1	10	18,314	54.6	52.8
2013	Mendocino	7	16,169	43.3	42.3	1	11,966	8.4	8.3	3	18,052	16.6	15.9
2005	Merced	50	71,081	70.3	70.9	16	53,942	29.7	29.4	131	78,674	166.5	167.1
2006	Merced	69	71,509	96.5	97.3	17	54,185	31.4	31.0	110	79,227	138.8	138.8
2007	Merced	35	71,846	48.7	48.8	9	54,234	16.6	16.4	90	79,695	112.9	112.0
2008	Merced	67	71,860	93.2	93.4	13	54,222	24.0	23.7	69	79,684	86.6	85.9
2009	Merced	79	71,619	110.3	110.3	8	54,018	14.8	14.7	57	79,384	71.8	71.3
2010	Merced	76	72,635	104.6	104.4	14	54,810	25.5	25.5	37	80,432	46.0	45.8
2011	Merced	83	72,257	114.9	114.3	7	54,489	12.8	12.9	70	80,008	87.5	87.1
2012	Merced	70	74,151	94.4	94.3	13	55,765	23.3	23.0	39	82,339	47.4	46.7
2013	Merced	62	74,761	82.9	82.8	21	56,153	37.4	36.9	53	83,070	63.8	62.7
2005	Modoc	2	1,964	101.8	107.8	1	1,555	64.3	63.9	1	2,134	46.9	51.9
2006	Modoc	1	1,958	51.1	54.1	0	1,549	0.0	0.0	0	2,131	0.0	0.0
2007	Modoc	2	1,890	105.8	109.6	0	1,468	0.0	0.0	2	2,070	96.6	102.1
2008	Modoc	0	1,885	0.0	0.0	1	1,478	67.6	67.0	1	2,057	48.6	52.5
2009	Modoc	0	1,862	0.0	0.0	0	1,417	0.0	0.0	4	2,054	194.8	197.5
2010	Modoc	1	1,867	53.6	54.2	0	1,425	0.0	0.0	0	2,059	0.0	0.0
2011	Modoc	0	1,800	0.0	0.0	0	1,392	0.0	0.0	0	1,975	0.0	0.0
2012	Modoc	0	1,784	0.0	0.0	0	1,362	0.0	0.0	0	1,968	0.0	0.0
2013	Modoc	1	1,755	57.0	57.6	0	1,334	0.0	0.0	1	1,940	51.6	52.0
2005	Mono	4	2,652	150.8	156.6	3	2,039	147.2	144.5	1	2,922	34.2	35.3
2006	Mono	1	2,649	37.8	37.7	1	1,978	50.6	49.7	13	2,953	440.3	428.1
2007	Mono	4	2,615	153.0	151.2	2	1,948	102.7	101.9	0	2,916	0.0	0.0
2008	Mono	0	2,607	0.0	0.0	1	1,914	52.2	51.8	6	2,925	205.2	193.3
2009	Mono	2	2,583	77.4	74.3	1	1,875	53.3	53.2	1	2,907	34.4	31.8
2010	Mono	3	2,652	113.1	109.4	1	1,949	51.3	51.9	1	2,965	33.7	32.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Mono	3	2,666	112.5	109.4	2	1,971	101.5	103.4	1	2,971	33.7	32.4
2012	Mono	0	2,594	0.0	0.0	0	1,873	0.0	0.0	0	2,924	0.0	0.0
2013	Mono	0	2,581	0.0	0.0	0	1,849	0.0	0.0	1	2,917	34.3	31.0
2005	Monterey	90	97,505	92.3	91.1	21	72,569	28.9	28.5	193	108,880	177.3	170.7
2006	Monterey	78	96,139	81.1	80.1	15	71,501	21.0	20.6	197	107,392	183.4	176.3
2007	Monterey	81	95,762	84.6	83.1	23	70,968	32.4	31.9	190	107,076	177.4	169.5
2008	Monterey	79	96,766	81.6	79.8	18	71,505	25.2	24.9	148	108,229	136.7	130.2
2009	Monterey	90	97,735	92.1	89.8	12	72,309	16.6	16.6	119	109,133	109.0	104.3
2010	Monterey	90	99,268	90.7	88.2	10	73,517	13.6	13.7	91	110,698	82.2	78.9
2011	Monterey	75	100,396	74.7	72.0	7	73,881	9.5	9.6	98	112,161	87.4	83.0
2012	Monterey	93	96,666	96.2	93.3	9	70,991	12.7	12.6	65	108,338	60.0	56.5
2013	Monterey	65	96,268	67.5	65.3	6	70,535	8.5	8.4	69	108,000	63.9	59.9
2005	Napa	10	27,602	36.2	37.2	7	21,263	32.9	32.5	17	30,359	56.0	58.0
2006	Napa	17	27,693	61.4	63.1	6	21,323	28.1	27.7	18	30,474	59.1	61.1
2007	Napa	12	27,688	43.3	44.5	11	21,289	51.7	50.8	18	30,483	59.0	60.9
2008	Napa	12	27,893	43.0	44.0	6	21,406	28.0	27.6	10	30,730	32.5	33.4
2009	Napa	16	28,118	56.9	58.1	4	21,561	18.6	18.4	11	30,964	35.5	36.5
2010	Napa	17	28,303	60.1	61.1	3	21,703	13.8	13.7	8	31,149	25.7	26.4
2011	Napa	15	28,362	52.9	53.9	3	21,772	13.8	13.7	10	31,195	32.1	33.1
2012	Napa	10	28,368	35.3	36.1	3	21,765	13.8	13.6	8	31,247	25.6	26.3
2013	Napa	15	28,455	52.7	53.9	5	21,827	22.9	22.5	6	31,350	19.1	19.6
2005	Nevada	10	18,434	54.2	59.6	9	14,827	60.7	59.0	13	19,926	65.2	74.8
2006	Nevada	10	18,109	55.2	60.3	5	14,518	34.4	33.4	16	19,607	81.6	92.6
2007	Nevada	12	17,857	67.2	72.6	8	14,209	56.3	54.7	17	19,395	87.7	97.6
2008	Nevada	9	17,660	51.0	54.8	10	14,039	71.2	69.4	8	19,180	41.7	46.4
2009	Nevada	9	17,300	52.0	55.3	9	13,630	66.0	64.4	9	18,863	47.7	51.9
2010	Nevada	16	16,961	94.3	100.3	5	13,372	37.4	36.6	3	18,480	16.2	17.7
2011	Nevada	11	16,518	66.6	70.7	4	12,998	30.8	30.1	4	18,010	22.2	24.1
2012	Nevada	13	16,575	78.4	83.4	4	13,019	30.7	29.8	5	18,100	27.6	29.8
2013	Nevada	8	16,339	49.0	51.9	8	12,795	62.5	60.7	9	17,865	50.4	54.0
2005	Orange	503	676,540	74.3	74.4	95	512,088	18.6	18.5	830	749,076	110.8	110.8
2006	Orange	477	667,002	71.5	72.2	76	507,508	15.0	14.9	868	737,123	117.8	118.9
2007	Orange	433	658,439	65.8	66.8	55	502,303	10.9	10.8	692	727,086	95.2	96.6
2008	Orange	387	659,103	58.7	59.6	77	502,642	15.3	15.1	520	727,868	71.4	72.4
2009	Orange	516	660,769	78.1	79.6	68	505,457	13.5	13.3	493	728,475	67.7	69.1
2010	Orange	455	662,990	68.6	70.0	42	507,945	8.3	8.2	352	730,153	48.2	49.5
2011	Orange	440	658,879	66.8	67.7	75	503,106	14.9	14.8	341	726,482	46.9	47.8
2012	Orange	374	652,057	57.4	59.4	88	502,624	17.5	17.1	339	717,610	47.2	48.9
2013	Orange	386	648,823	59.5	62.0	78	501,582	15.6	15.1	377	713,484	52.8	55.0
2005	Placer	22	70,913	31.0	31.7	22	54,704	40.2	40.4	43	77,810	55.3	57.7

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2006	Placer	22	72,200	30.5	31.3	12	55,824	21.5	21.5	44	79,177	55.6	58.3
2007	Placer	21	73,122	28.7	29.4	13	56,435	23.0	23.0	38	80,255	47.3	49.4
2008	Placer	28	74,471	37.6	38.5	16	57,352	27.9	27.9	30	81,794	36.7	38.1
2009	Placer	25	75,151	33.3	34.0	15	57,864	25.9	26.0	24	82,526	29.1	30.2
2010	Placer	38	75,902	50.1	51.2	17	58,615	29.0	29.1	27	83,222	32.4	34.0
2011	Placer	33	76,209	43.3	44.4	20	58,980	33.9	34.1	26	83,476	31.1	32.8
2012	Placer	35	80,098	43.7	44.8	15	61,805	24.3	24.2	25	87,905	28.4	29.7
2013	Placer	26	81,678	31.8	32.7	18	63,021	28.6	28.5	30	89,648	33.5	34.9
2005	Plumas	1	3,887	25.7	28.6	0	3,129	0.0	0.0	11	4,203	261.7	300.3
2006	Plumas	2	3,794	52.7	57.6	0	3,018	0.0	0.0	6	4,124	145.5	161.9
2007	Plumas	3	3,676	81.6	87.5	2	2,886	69.3	66.7	6	4,017	149.4	161.1
2008	Plumas	0	3,514	0.0	0.0	1	2,753	36.3	34.9	1	3,842	26.0	27.9
2009	Plumas	1	3,417	29.3	31.0	0	2,670	0.0	0.0	3	3,739	80.2	85.5
2010	Plumas	1	3,290	30.4	32.3	0	2,576	0.0	0.0	0	3,595	0.0	0.0
2011	Plumas	2	3,165	63.2	65.4	0	2,440	0.0	0.0	0	3,481	0.0	0.0
2012	Plumas	0	3,122	0.0	0.0	0	2,397	0.0	0.0	0	3,441	0.0	0.0
2013	Plumas	1	3,018	33.1	34.2	0	2,300	0.0	0.0	0	3,337	0.0	0.0
2005	Riverside	480	506,276	94.8	95.9	111	386,085	28.8	28.6	818	559,024	146.3	148.5
2006	Riverside	437	526,030	83.1	84.0	104	400,477	26.0	25.7	707	581,388	121.6	122.9
2007	Riverside	404	541,068	74.7	75.5	124	411,465	30.1	29.8	633	598,270	105.8	106.7
2008	Riverside	431	546,633	78.8	79.9	90	416,367	21.6	21.4	488	603,860	80.8	81.8
2009	Riverside	492	549,352	89.6	91.0	84	419,439	20.0	19.8	448	606,042	73.9	75.3
2010	Riverside	456	558,338	81.7	83.0	91	426,748	21.3	21.2	319	615,456	51.8	52.9
2011	Riverside	415	556,193	74.6	75.6	99	424,559	23.3	23.2	331	613,227	54.0	55.0
2012	Riverside	387	591,654	65.4	66.7	130	451,571	28.8	28.3	306	653,279	46.8	47.6
2013	Riverside	377	605,136	62.3	63.6	109	461,907	23.6	23.2	295	668,250	44.1	44.8
2005	Sacramento	271	320,091	84.7	84.9	85	242,592	35.0	34.9	439	354,246	123.9	124.2
2006	Sacramento	290	319,718	90.7	90.9	74	241,845	30.6	30.4	308	354,207	87.0	86.8
2007	Sacramento	216	320,467	67.4	67.4	70	241,883	28.9	28.7	312	355,329	87.8	87.2
2008	Sacramento	244	321,387	75.9	75.6	90	241,656	37.2	37.0	250	356,832	70.1	69.1
2009	Sacramento	299	321,891	92.9	92.3	93	241,736	38.5	38.3	212	357,430	59.3	58.4
2010	Sacramento	311	322,983	96.3	95.6	89	242,618	36.7	36.7	134	358,384	37.4	36.9
2011	Sacramento	281	320,309	87.7	86.6	89	240,117	37.1	37.3	151	355,494	42.5	41.8
2012	Sacramento	295	326,594	90.3	89.8	99	244,857	40.4	40.0	137	363,095	37.7	37.0
2013	Sacramento	295	327,981	89.9	89.4	92	245,617	37.5	37.0	198	364,868	54.3	53.0
2005	San Benito	3	14,702	20.4	20.5	3	11,213	26.8	26.9	28	16,218	172.6	175.6
2006	San Benito	8	14,442	55.4	55.7	2	10,979	18.2	18.2	19	15,961	119.0	120.2
2007	San Benito	6	14,386	41.7	42.1	1	10,949	9.1	9.1	13	15,895	81.8	82.7
2008	San Benito	5	14,333	34.9	35.5	2	10,971	18.2	18.1	8	15,796	50.6	51.9
2009	San Benito	10	14,145	70.7	72.2	2	10,860	18.4	18.3	12	15,568	77.1	79.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	San Benito	13	14,307	90.9	92.3	3	10,963	27.4	27.4	10	15,750	63.5	65.3
2011	San Benito	11	14,199	77.5	79.1	1	10,920	9.2	9.1	10	15,606	64.1	66.4
2012	San Benito	7	13,903	50.3	52.2	2	10,745	18.6	18.3	11	15,275	72.0	75.2
2013	San Benito	12	13,783	87.1	90.8	5	10,684	46.8	45.9	10	15,131	66.1	69.4
2005	San Bernardino	724	534,179	135.5	138.1	98	409,478	23.9	23.7	946	588,724	160.7	164.8
2006	San Bernardino	655	537,174	121.9	124.3	132	411,035	32.1	31.7	821	592,693	138.5	141.4
2007	San Bernardino	554	536,805	103.2	105.0	120	409,271	29.3	28.9	816	593,249	137.5	139.3
2008	San Bernardino	628	534,050	117.6	119.3	118	406,413	29.0	28.6	568	590,482	96.2	97.0
2009	San Bernardino	725	529,432	136.9	138.8	146	403,065	36.2	35.7	662	585,041	113.2	114.3
2010	San Bernardino	603	531,616	113.4	114.7	133	404,528	32.9	32.6	319	587,297	54.3	54.9
2011	San Bernardino	490	527,740	92.8	93.4	140	400,421	35.0	34.8	407	583,391	69.8	70.2
2012	San Bernardino	629	543,494	115.7	117.7	159	413,333	38.5	37.6	340	601,382	56.5	56.9
2013	San Bernardino	541	546,567	99.0	100.7	141	415,414	33.9	33.1	427	605,089	70.6	70.9
2005	San Diego	419	643,613	65.1	65.6	79	486,765	16.2	16.0	524	713,804	73.4	73.0
2006	San Diego	419	638,298	65.6	66.3	101	483,218	20.9	20.5	470	707,760	66.4	66.2
2007	San Diego	443	638,276	69.4	69.9	99	481,864	20.5	20.1	385	708,477	54.3	53.9
2008	San Diego	567	644,062	88.0	88.4	100	485,074	20.6	20.2	340	715,320	47.5	46.9
2009	San Diego	637	647,342	98.4	98.6	108	487,326	22.2	21.9	352	718,609	49.0	48.4
2010	San Diego	492	652,273	75.4	75.4	92	491,073	18.7	18.6	221	723,572	30.5	30.2
2011	San Diego	502	649,511	77.3	76.6	103	486,405	21.2	21.1	254	721,784	35.2	34.5
2012	San Diego	621	642,969	96.6	97.0	110	483,378	22.8	22.2	278	714,843	38.9	38.2
2013	San Diego	559	642,039	87.1	87.5	89	482,388	18.4	18.0	272	714,150	38.1	37.4
2005	San Francisco	123	93,980	130.9	127.1	11	68,349	16.1	15.5	73	106,068	68.8	63.3
2006	San Francisco	101	93,788	107.7	104.8	15	68,394	21.9	21.2	81	105,659	76.7	70.9
2007	San Francisco	99	94,283	105.0	101.7	9	68,417	13.2	12.7	67	106,390	63.0	57.8
2008	San Francisco	76	95,132	79.9	76.9	12	68,822	17.4	17.0	58	107,393	54.0	49.4
2009	San Francisco	122	96,316	126.7	121.5	10	69,592	14.4	14.1	34	108,672	31.3	28.6
2010	San Francisco	106	96,615	109.7	105.0	10	69,876	14.3	14.1	38	108,893	34.9	32.0
2011	San Francisco	102	96,981	105.2	98.9	10	69,373	14.4	14.4	42	109,690	38.3	34.5
2012	San Francisco	169	94,194	179.4	169.7	7	67,076	10.4	10.2	38	106,929	35.5	31.7
2013	San Francisco	133	93,829	141.7	133.5	10	66,531	15.0	14.6	61	106,686	57.2	50.6
2005	San Joaquin	155	176,340	87.9	88.0	49	133,320	36.8	36.6	443	195,403	226.7	225.9
2006	San Joaquin	173	177,285	97.6	97.5	26	133,834	19.4	19.3	371	196,539	188.8	187.6
2007	San Joaquin	140	177,873	78.7	78.6	33	134,117	24.6	24.5	381	197,254	193.2	191.6
2008	San Joaquin	150	177,854	84.3	84.2	24	134,154	17.9	17.8	201	197,160	101.9	101.2
2009	San Joaquin	189	177,872	106.3	106.2	26	134,398	19.3	19.3	208	196,955	105.6	105.3
2010	San Joaquin	168	179,301	93.7	93.7	36	135,668	26.5	26.6	160	198,325	80.7	80.8
2011	San Joaquin	104	178,840	58.2	57.9	34	135,196	25.1	25.3	136	197,822	68.7	68.8
2012	San Joaquin	134	184,783	72.5	72.3	35	139,197	25.1	25.0	84	204,938	41.0	40.6
2013	San Joaquin	142	186,604	76.1	75.9	32	140,455	22.8	22.6	109	207,042	52.6	52.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	San Luis Obispo	22	50,014	44.0	49.3	9	40,051	22.5	21.0	35	54,309	64.4	72.4
2006	San Luis Obispo	25	49,533	50.5	56.3	5	39,466	12.7	11.8	34	53,914	63.1	70.0
2007	San Luis Obispo	22	49,317	44.6	49.1	6	38,962	15.4	14.4	35	53,870	65.0	70.6
2008	San Luis Obispo	26	49,516	52.5	57.2	13	38,852	33.5	31.3	28	54,227	51.6	55.3
2009	San Luis Obispo	26	49,397	52.6	56.8	8	38,642	20.7	19.5	20	54,109	37.0	39.4
2010	San Luis Obispo	33	49,217	67.0	71.9	13	38,450	33.8	32.2	13	53,888	24.1	25.7
2011	San Luis Obispo	26	49,756	52.3	57.0	16	39,094	40.9	38.4	21	54,397	38.6	41.5
2012	San Luis Obispo	38	48,648	78.1	84.5	6	37,911	15.8	14.8	9	53,416	16.8	17.8
2013	San Luis Obispo	24	48,395	49.6	53.5	9	37,592	23.9	22.3	15	53,215	28.2	29.5
2005	San Mateo	94	135,599	69.3	67.1	15	99,726	15.0	15.1	96	151,913	63.2	59.7
2006	San Mateo	81	135,127	59.9	58.2	16	99,597	16.1	16.1	110	151,193	72.8	69.1
2007	San Mateo	68	135,056	50.3	48.8	8	99,452	8.0	8.1	81	151,106	53.6	50.9
2008	San Mateo	49	136,973	35.8	34.5	9	100,770	8.9	9.0	57	153,182	37.2	35.3
2009	San Mateo	79	138,720	56.9	54.8	14	102,142	13.7	13.9	53	154,955	34.2	32.5
2010	San Mateo	71	139,980	50.7	48.8	8	103,258	7.7	7.9	36	156,177	23.1	22.0
2011	San Mateo	75	140,762	53.3	51.2	14	103,861	13.5	13.8	38	156,978	24.2	23.2
2012	San Mateo	100	137,401	72.8	70.0	16	100,914	15.9	16.1	34	153,706	22.1	20.9
2013	San Mateo	76	137,288	55.4	53.2	9	100,745	8.9	9.1	35	153,623	22.8	21.5
2005	Santa Barbara	61	90,903	67.1	70.9	9	70,278	12.8	12.1	92	100,152	91.9	95.1
2006	Santa Barbara	50	90,124	55.5	58.6	18	69,589	25.9	24.5	93	99,347	93.6	96.7
2007	Santa Barbara	52	90,237	57.6	60.5	26	69,402	37.5	35.4	68	99,621	68.3	69.9
2008	Santa Barbara	38	90,878	41.8	43.7	20	69,565	28.8	27.2	56	100,481	55.7	56.6
2009	Santa Barbara	38	91,638	41.5	43.2	17	70,129	24.2	23.1	45	101,249	44.4	45.2
2010	Santa Barbara	33	92,441	35.7	37.0	14	70,774	19.8	19.0	33	102,000	32.4	33.0
2011	Santa Barbara	33	92,543	35.7	37.1	8	70,824	11.3	10.8	28	102,160	27.4	27.9
2012	Santa Barbara	62	91,045	68.1	71.2	13	69,552	18.7	17.6	30	100,781	29.8	30.1
2013	Santa Barbara	35	90,921	38.5	40.3	20	69,352	28.8	27.1	40	100,732	39.7	39.9
2005	Santa Clara	247	358,057	69.0	66.1	41	261,584	15.7	15.7	572	402,022	142.3	132.9
2006	Santa Clara	249	361,053	69.0	66.4	58	264,788	21.9	22.0	543	404,588	134.2	126.3
2007	Santa Clara	235	364,712	64.4	62.0	51	267,662	19.1	19.2	496	408,371	121.5	114.6
2008	Santa Clara	250	371,171	67.4	64.7	40	272,570	14.7	14.9	314	415,259	75.6	71.5
2009	Santa Clara	299	375,719	79.6	76.7	44	276,988	15.9	16.2	233	419,406	55.6	53.0
2010	Santa Clara	282	380,445	74.1	71.5	47	281,198	16.7	17.1	180	424,057	42.4	40.7
2011	Santa Clara	260	382,389	68.0	65.7	40	283,201	14.1	14.5	189	425,821	44.4	42.8
2012	Santa Clara	288	378,041	76.2	73.4	45	278,356	16.2	16.4	165	422,350	39.1	37.2
2013	Santa Clara	206	379,783	54.2	52.3	37	279,646	13.2	13.4	188	424,268	44.3	42.1
2005	Santa Cruz	44	52,228	84.2	89.4	8	40,486	19.8	18.7	50	57,481	87.0	90.5
2006	Santa Cruz	34	51,793	65.6	69.7	17	40,169	42.3	40.0	49	56,974	86.0	89.7
2007	Santa Cruz	26	51,797	50.2	53.1	6	40,077	15.0	14.2	53	57,011	93.0	96.5
2008	Santa Cruz	29	52,094	55.7	58.6	7	40,190	17.4	16.5	36	57,389	62.7	64.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Santa Cruz	24	52,534	45.7	48.0	5	40,563	12.3	11.8	25	57,806	43.2	44.8
2010	Santa Cruz	28	52,799	53.0	55.4	11	40,727	27.0	26.0	22	58,074	37.9	39.2
2011	Santa Cruz	22	52,814	41.7	43.7	3	40,740	7.4	7.0	29	58,112	49.9	51.6
2012	Santa Cruz	40	51,089	78.3	82.5	6	39,348	15.2	14.4	16	56,318	28.4	29.2
2013	Santa Cruz	25	50,724	49.3	51.9	4	39,026	10.2	9.7	17	55,946	30.4	31.2
2005	Shasta	24	37,988	63.2	66.5	11	29,742	37.0	36.2	93	41,514	224.0	240.5
2006	Shasta	25	37,418	66.8	70.1	11	29,199	37.7	36.8	94	40,958	229.5	244.3
2007	Shasta	22	37,084	59.3	61.9	19	28,868	65.8	64.4	87	40,632	214.1	226.6
2008	Shasta	32	36,698	87.2	90.0	21	28,290	74.2	72.7	72	40,368	178.4	184.8
2009	Shasta	33	36,059	91.5	94.2	21	27,742	75.7	74.3	63	39,694	158.7	163.8
2010	Shasta	43	35,445	121.3	124.1	9	27,204	33.1	32.7	56	39,025	143.5	147.6
2011	Shasta	37	34,827	106.2	107.7	22	26,606	82.7	82.2	69	38,399	179.7	183.2
2012	Shasta	36	35,098	102.6	104.4	14	26,763	52.3	51.4	38	38,771	98.0	99.3
2013	Shasta	28	34,748	80.6	81.6	19	26,394	72.0	70.7	72	38,446	187.3	188.2
2005	Sierra	0	592	0.0	0.0	0	467	0.0	0.0	1	646	154.8	169.0
2006	Sierra	1	582	171.9	181.9	1	451	221.5	213.2	0	641	0.0	0.0
2007	Sierra	0	550	0.0	0.0	0	424	0.0	0.0	0	609	0.0	0.0
2008	Sierra	0	515	0.0	0.0	0	395	0.0	0.0	0	570	0.0	0.0
2009	Sierra	0	501	0.0	0.0	0	385	0.0	0.0	0	554	0.0	0.0
2010	Sierra	1	487	205.4	214.3	0	374	0.0	0.0	0	537	0.0	0.0
2011	Sierra	0	452	0.0	0.0	0	355	0.0	0.0	0	494	0.0	0.0
2012	Sierra	0	422	0.0	0.0	0	312	0.0	0.0	0	474	0.0	0.0
2013	Sierra	0	396	0.0	0.0	0	289	0.0	0.0	0	447	0.0	0.0
2005	Siskiyou	4	8,605	46.5	49.6	3	6,777	44.3	43.0	13	9,386	138.5	150.7
2006	Siskiyou	4	8,509	47.0	50.1	5	6,682	74.8	72.7	12	9,295	129.1	139.5
2007	Siskiyou	5	8,357	59.8	63.2	4	6,520	61.3	59.7	9	9,156	98.3	104.6
2008	Siskiyou	6	8,283	72.4	75.0	4	6,382	62.7	61.3	14	9,120	153.5	158.8
2009	Siskiyou	3	8,286	36.2	37.0	4	6,329	63.2	62.0	9	9,153	98.3	99.8
2010	Siskiyou	5	8,231	60.7	61.7	3	6,282	47.8	47.3	4	9,088	44.0	44.7
2011	Siskiyou	5	8,090	61.8	62.7	1	6,172	16.2	16.1	3	8,928	33.6	34.2
2012	Siskiyou	6	7,880	76.1	76.4	3	5,942	50.5	50.0	5	8,745	57.2	56.6
2013	Siskiyou	4	7,767	51.5	51.2	2	5,814	34.4	34.1	7	8,642	81.0	79.1
2005	Solano	58	95,390	60.8	62.2	23	73,194	31.4	31.0	79	105,114	75.2	77.2
2006	Solano	61	94,150	64.8	66.2	25	72,138	34.7	34.1	65	103,808	62.6	64.1
2007	Solano	50	93,006	53.8	54.8	18	71,163	25.3	24.9	42	102,587	40.9	41.8
2008	Solano	44	91,975	47.8	48.7	24	70,320	34.1	33.7	35	101,451	34.5	35.2
2009	Solano	40	90,924	44.0	44.7	17	69,400	24.5	24.2	31	100,314	30.9	31.4
2010	Solano	60	90,423	66.4	67.1	18	68,877	26.1	26.0	27	99,800	27.1	27.4
2011	Solano	56	89,073	62.9	63.2	18	67,652	26.6	26.6	34	98,404	34.6	34.8
2012	Solano	42	87,760	47.9	48.7	14	66,892	20.9	20.5	30	96,957	30.9	31.3

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Solano	50	86,618	57.7	58.7	21	65,981	31.8	31.2	29	95,736	30.3	30.6
2005	Sonoma	66	96,690	68.3	70.4	21	74,481	28.2	27.6	62	106,431	58.3	60.2
2006	Sonoma	59	95,516	61.8	63.5	19	73,420	25.9	25.4	67	105,192	63.7	65.6
2007	Sonoma	49	95,018	51.6	52.9	14	72,863	19.2	18.8	59	104,744	56.3	57.7
2008	Sonoma	40	95,397	41.9	42.9	16	72,970	21.9	21.6	59	105,217	56.1	57.2
2009	Sonoma	51	95,852	53.2	54.2	10	73,237	13.7	13.5	45	105,699	42.6	43.4
2010	Sonoma	54	96,097	56.2	56.9	13	73,269	17.7	17.6	47	105,985	44.3	45.1
2011	Sonoma	44	95,103	46.3	46.6	9	72,377	12.4	12.4	34	104,943	32.4	32.8
2012	Sonoma	56	93,606	59.8	60.6	8	71,131	11.2	11.1	43	103,487	41.6	41.8
2013	Sonoma	37	93,022	39.8	40.2	10	70,547	14.2	13.9	34	102,923	33.0	33.1
2005	Stanislaus	120	132,462	90.6	91.3	25	100,718	24.8	24.7	214	146,439	146.1	147.4
2006	Stanislaus	140	132,516	105.6	106.2	38	100,426	37.8	37.5	183	146,730	124.7	124.8
2007	Stanislaus	149	132,574	112.4	112.8	30	100,210	29.9	29.6	180	146,942	122.5	122.0
2008	Stanislaus	131	131,928	99.3	99.3	45	99,599	45.2	44.9	102	146,214	69.8	69.4
2009	Stanislaus	156	131,445	118.7	118.8	24	99,321	24.2	24.1	94	145,569	64.6	64.4
2010	Stanislaus	181	131,011	138.2	138.3	39	99,193	39.3	39.3	103	144,896	71.1	71.2
2011	Stanislaus	140	129,799	107.9	107.3	31	97,930	31.7	31.8	118	143,692	82.1	81.8
2012	Stanislaus	138	132,853	103.9	103.7	38	100,029	38.0	37.7	52	147,412	35.3	34.9
2013	Stanislaus	111	133,186	83.3	83.2	30	100,144	30.0	29.7	74	147,878	50.0	49.3
2005	Sutter	22	22,010	100.0	99.8	6	16,624	36.1	35.9	74	24,413	303.1	301.0
2006	Sutter	15	22,500	66.7	66.4	7	16,930	41.3	41.1	56	24,985	224.1	221.3
2007	Sutter	30	22,917	130.9	129.7	2	17,163	11.7	11.6	53	25,491	207.9	203.4
2008	Sutter	26	23,014	113.0	111.5	5	17,207	29.1	29.1	36	25,601	140.6	137.3
2009	Sutter	16	23,076	69.3	68.6	7	17,310	40.4	40.6	45	25,614	175.7	173.0
2010	Sutter	18	23,145	77.8	77.0	7	17,407	40.2	40.6	42	25,642	163.8	162.4
2011	Sutter	2	22,797	8.8	8.6	10	17,116	58.4	59.4	17	25,262	67.3	66.5
2012	Sutter	14	23,832	58.7	57.7	5	17,756	28.2	28.3	12	26,532	45.2	43.9
2013	Sutter	12	24,122	49.7	48.8	7	17,934	39.0	39.2	20	26,876	74.4	72.0
2005	Tehama	14	14,077	99.5	102.4	4	10,840	36.9	36.2	12	15,503	77.4	79.9
2006	Tehama	9	14,342	62.8	64.4	4	11,007	36.3	35.6	12	15,814	75.9	77.7
2007	Tehama	10	14,357	69.7	71.1	6	10,968	54.7	53.7	19	15,855	119.8	121.7
2008	Tehama	7	14,363	48.7	49.1	5	10,885	45.9	45.4	8	15,905	50.3	50.3
2009	Tehama	9	14,291	63.0	62.8	4	10,762	37.2	37.0	12	15,852	75.7	74.9
2010	Tehama	18	14,235	126.5	125.8	10	10,714	93.3	93.2	32	15,784	202.7	200.6
2011	Tehama	10	14,002	71.4	71.2	10	10,563	94.7	94.6	25	15,510	161.2	160.3
2012	Tehama	16	14,366	111.4	110.2	10	10,735	93.2	92.1	8	15,996	50.0	48.6
2013	Tehama	13	14,407	90.2	88.8	4	10,718	37.3	36.9	8	16,070	49.8	48.0
2005	Trinity	2	2,477	80.7	89.1	0	1,998	0.0	0.0	2	2,681	74.6	85.5
2006	Trinity	0	2,438	0.0	0.0	0	1,961	0.0	0.0	1	2,641	37.9	43.0
2007	Trinity	1	2,386	41.9	45.8	0	1,898	0.0	0.0	3	2,599	115.4	127.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Trinity	0	2,313	0.0	0.0	0	1,819	0.0	0.0	0	2,531	0.0	0.0
2009	Trinity	1	2,288	43.7	45.5	2	1,770	113.0	109.2	1	2,517	39.7	41.2
2010	Trinity	1	2,233	44.8	46.5	1	1,729	57.8	56.3	1	2,452	40.8	42.6
2011	Trinity	1	2,203	45.4	46.7	1	1,707	58.6	58.4	5	2,409	207.5	219.3
2012	Trinity	1	2,169	46.1	47.5	1	1,665	60.1	57.9	0	2,394	0.0	0.0
2013	Trinity	0	2,132	0.0	0.0	0	1,623	0.0	0.0	1	2,361	42.3	42.5
2005	Tulare	72	118,360	60.8	60.1	15	88,377	17.0	16.9	206	131,852	156.2	151.9
2006	Tulare	81	120,160	67.4	66.5	13	89,703	14.5	14.5	124	133,815	92.7	90.1
2007	Tulare	73	121,866	59.9	59.0	29	90,800	31.9	31.9	147	135,801	108.2	104.9
2008	Tulare	93	123,687	75.2	73.6	18	91,918	19.6	19.6	111	137,895	80.5	77.7
2009	Tulare	119	125,735	94.6	92.3	18	93,334	19.3	19.4	105	140,131	74.9	72.3
2010	Tulare	123	127,460	96.5	94.0	12	94,763	12.7	12.8	59	141,850	41.6	40.3
2011	Tulare	104	128,075	81.2	78.8	22	95,026	23.2	23.6	72	142,613	50.5	48.8
2012	Tulare	99	130,475	75.9	73.7	20	96,412	20.7	20.9	44	145,722	30.2	28.9
2013	Tulare	75	132,212	56.7	55.0	21	97,521	21.5	21.7	95	147,768	64.3	61.2
2005	Tuolumne	3	9,813	30.6	33.1	1	7,843	12.8	12.4	3	10,634	28.2	31.8
2006	Tuolumne	1	9,575	10.4	11.3	1	7,640	13.1	12.7	3	10,386	28.9	32.4
2007	Tuolumne	5	9,319	53.7	57.8	6	7,405	81.0	78.4	3	10,128	29.6	32.8
2008	Tuolumne	2	9,171	21.8	23.1	3	7,181	41.8	40.4	4	10,035	39.9	42.6
2009	Tuolumne	1	8,926	11.2	11.8	3	6,954	43.1	41.8	1	9,784	10.2	10.8
2010	Tuolumne	5	8,641	57.9	61.2	3	6,770	44.3	43.2	4	9,446	42.3	45.5
2011	Tuolumne	8	8,417	95.0	99.4	2	6,559	30.5	30.0	5	9,213	54.3	57.7
2012	Tuolumne	6	8,426	71.2	74.8	0	6,560	0.0	0.0	0	9,237	0.0	0.0
2013	Tuolumne	11	8,256	133.2	139.4	1	6,405	15.6	15.1	7	9,065	77.2	81.0
2005	Ventura	120	192,095	62.5	63.8	31	147,296	21.0	20.8	191	211,712	90.2	92.6
2006	Ventura	77	190,862	40.3	41.3	31	146,375	21.2	20.9	177	210,407	84.1	86.3
2007	Ventura	82	189,445	43.3	44.3	49	144,954	33.8	33.2	142	209,048	67.9	69.3
2008	Ventura	95	189,033	50.3	51.3	28	144,442	19.4	19.1	104	208,649	49.8	50.7
2009	Ventura	157	189,158	83.0	84.7	20	144,665	13.8	13.6	127	208,594	60.9	62.2
2010	Ventura	114	190,015	60.0	61.1	19	145,316	13.1	13.0	95	209,412	45.4	46.4
2011	Ventura	95	188,083	50.5	51.2	16	143,533	11.1	11.1	119	207,370	57.4	58.5
2012	Ventura	132	188,047	70.2	72.1	23	144,040	16.0	15.6	69	207,441	33.3	34.0
2013	Ventura	81	187,527	43.2	44.5	31	143,683	21.6	21.0	114	206,897	55.1	56.3
2005	Yolo	9	42,840	21.0	22.6	10	33,500	29.9	27.9	39	46,981	83.0	88.0
2006	Yolo	20	43,024	46.5	49.9	11	33,502	32.8	30.7	37	47,274	78.3	82.2
2007	Yolo	7	43,670	16.0	17.2	13	33,914	38.3	35.7	34	48,048	70.8	73.8
2008	Yolo	17	43,878	38.7	41.2	13	33,979	38.3	35.8	24	48,300	49.7	51.6
2009	Yolo	19	44,157	43.0	45.7	3	34,180	8.8	8.3	15	48,576	30.9	32.1
2010	Yolo	25	44,109	56.7	60.0	10	34,130	29.3	27.8	22	48,501	45.4	47.2
2011	Yolo	11	43,320	25.4	27.1	7	33,650	20.8	19.6	17	47,556	35.7	37.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	Yolo	25	44,228	56.5	60.0	14	34,151	41.0	38.4	14	48,740	28.7	29.6
2013	Yolo	18	44,375	40.6	43.0	11	34,211	32.2	30.1	10	48,939	20.4	21.0
2005	Yuba	20	17,348	115.3	113.3	6	12,943	46.4	46.2	37	19,327	191.4	185.7
2006	Yuba	9	17,985	50.0	48.2	5	13,227	37.8	37.9	27	20,141	134.1	126.6
2007	Yuba	13	18,390	70.7	67.5	8	13,440	59.5	60.0	26	20,635	126.0	117.7
2008	Yuba	14	18,547	75.5	72.4	9	13,605	66.2	66.7	25	20,778	120.3	113.2
2009	Yuba	17	18,336	92.7	88.8	9	13,464	66.8	67.7	32	20,520	155.9	147.3
2010	Yuba	17	18,504	91.9	87.7	6	13,591	44.1	45.1	25	20,681	120.9	114.5
2011	Yuba	8	18,347	43.6	41.6	4	13,503	29.6	30.4	12	20,482	58.6	55.7
2012	Yuba	8	18,933	42.3	39.9	6	13,764	43.6	44.3	7	21,267	32.9	30.5
2013	Yuba	5	19,137	26.1	24.6	3	13,869	21.6	22.0	17	21,521	79.0	72.8
2005	Unassigned												
2006	Unassigned												
2007	Unassigned												
2008	Unassigned												
2009	Unassigned												
2010	Unassigned												
2011	Unassigned												
2012	Unassigned												
2013	Unassigned												

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	4,181	12,521	333.9	324.6	3,508	9,252,424	37.9	38.2	30,022	542,079	55.4	55.4
2006	STATEWIDE	4,067	12,574	323.4	316.4	3,070	9,214,327	33.3	33.5	30,722	554,385	55.4	55.4
2007	STATEWIDE	4,064	12,905	314.9	308.5	3,093	9,187,043	33.7	33.7	30,919	558,242	55.4	55.4
2008	STATEWIDE	4,294	13,574	316.3	310.3	3,343	9,204,176	36.3	36.2	30,066	542,796	55.4	55.4
2009	STATEWIDE	4,162	13,817	301.2	294.6	3,388	9,203,032	36.8	36.7	29,062	518,146	56.1	56.1
2010	STATEWIDE	4,186	13,856	302.1	295.4	3,098	9,221,974	33.6	33.5	28,358	501,136	56.6	56.6
2011	STATEWIDE	4,235	13,767	307.6	298.6	2,946	9,168,119	32.1	32.0	28,365	493,750	57.4	57.4
2012	STATEWIDE	4,213	13,659	308.4	300.4	2,758	9,202,474	30.0	29.7	28,101	495,838	56.7	56.7
2013	STATEWIDE	4,112	12,556	327.5	314.1	2,534	9,200,285	27.5	27.3	28,460	482,989	58.9	58.9
2005	Alameda	135	342	394.7	379.1	170	334,527	50.8	49.7	1,313	20,963	62.6	62.6
2006	Alameda	104	359	289.7	287.6	148	332,780	44.5	43.5	1,318	21,158	62.3	62.3
2007	Alameda	126	346	364.2	369.2	145	332,853	43.6	42.5	1,270	21,569	58.9	58.9
2008	Alameda	150	385	389.6	370.4	127	335,869	37.8	36.9	1,272	20,994	60.6	60.6
2009	Alameda	133	378	351.9	350.9	119	338,353	35.2	34.4	1,251	20,351	61.5	61.5
2010	Alameda	105	364	288.5	286.3	110	339,165	32.4	31.8	1,121	19,253	58.2	58.2
2011	Alameda	139	386	360.1	360.6	104	338,157	30.8	30.1	1,272	18,921	67.2	67.3
2012	Alameda	131	356	368.0	353.4	95	331,883	28.6	27.8	1,324	19,448	68.1	68.1
2013	Alameda	150	364	412.1	392.1	94	330,606	28.4	27.6	1,271	19,145	66.4	66.4
2005	Alpine					0	237	0.0	0.0	0	15	0.0	0.0
2006	Alpine					0	272	0.0	0.0	1	14	71.4	73.3
2007	Alpine					0	262	0.0	0.0	0	11	0.0	0.0
2008	Alpine					0	242	0.0	0.0	2	12	166.7	165.2
2009	Alpine					0	247	0.0	0.0	0	4	0.0	0.0
2010	Alpine					0	264	0.0	0.0	0	3	0.0	0.0
2011	Alpine					0	211	0.0	0.0	0	3	0.0	0.0
2012	Alpine					0	238	0.0	0.0	0	6	0.0	0.0
2013	Alpine					0	234	0.0	0.0	1	5	200.0	201.6
2005	Amador	1	11	90.9	98.5	4	6,869	58.2	65.9	11	298	36.9	36.8
2006	Amador	0	10	0.0	0.0	4	6,821	58.6	65.7	13	296	43.9	44.0
2007	Amador	1	9	111.1	104.3	5	6,798	73.6	80.0	15	305	49.2	49.2
2008	Amador	2	12	166.7	189.5	2	6,555	30.5	32.8	9	297	30.3	30.2
2009	Amador	0	7	0.0	0.0	3	6,395	46.9	49.6	10	304	32.9	32.9
2010	Amador	1	10	100.0	102.6	0	6,251	0.0	0.0	9	283	31.8	32.0
2011	Amador	1	3	333.3	329.9	2	6,123	32.7	34.5	13	276	47.1	47.3
2012	Amador	2	6	333.3	351.5	1	6,179	16.2	16.8	14	292	47.9	48.2
2013	Amador	0	2	0.0		1	6,096	16.4	16.8	16	267	59.9	60.1
2005	Butte	12	61	196.7	202.6	16	48,863	32.7	34.0	135	2,416	55.9	55.9
2006	Butte	15	77	194.8	203.9	16	48,880	32.7	33.6	136	2,599	52.3	52.4
2007	Butte	17	84	202.4	212.7	11	48,657	22.6	22.9	139	2,507	55.4	55.4
2008	Butte	16	62	258.1	257.0	12	48,620	24.7	24.7	106	2,506	42.3	42.3

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2009	Butte	24	72	333.3	358.5	21	48,427	43.4	43.3	116	2,411	48.1	48.0
2010	Butte	17	74	229.7	229.1	14	47,878	29.2	29.2	124	2,429	51.0	51.1
2011	Butte	14	60	233.3	243.9	19	47,017	40.4	40.2	116	2,356	49.2	49.4
2012	Butte	15	62	241.9	241.1	22	47,385	46.4	45.7	122	2,383	51.2	51.1
2013	Butte	12	66	181.8	184.1	18	47,145	38.2	37.3	133	2,365	56.2	56.2
2005	Calaveras	4	18	222.2	233.4	2	9,287	21.5	24.5	25	372	67.2	66.9
2006	Calaveras	0	7	0.0	0.0	0	9,347	0.0	0.0	20	386	51.8	51.8
2007	Calaveras	3	17	176.5	198.3	3	9,223	32.5	35.5	13	391	33.2	33.2
2008	Calaveras	4	8	500.0	520.8	3	9,073	33.1	36.2	20	371	53.9	54.0
2009	Calaveras	1	12	83.3	87.4	1	8,924	11.2	12.1	19	340	55.9	55.9
2010	Calaveras	3	9	333.3	382.4	1	8,590	11.6	12.6	10	345	29.0	29.1
2011	Calaveras	6	15	400.0	462.7	2	8,304	24.1	26.0	10	320	31.3	31.3
2012	Calaveras	3	8	375.0	451.6	3	8,735	34.3	36.6	14	338	41.4	41.2
2013	Calaveras	3	7	428.6	395.7	2	8,689	23.0	24.4	10	326	30.7	30.6
2005	Colusa	4	10	400.0	404.7	0	6,000	0.0	0.0	14	379	36.9	36.9
2006	Colusa	1	5	200.0	261.8	1	6,125	16.3	16.4	9	387	23.3	23.3
2007	Colusa	2	8	250.0	223.1	3	6,149	48.8	49.4	21	389	54.0	54.1
2008	Colusa	7	10	700.0	608.7	5	6,153	81.3	82.5	27	374	72.2	72.4
2009	Colusa	4	6	666.7	611.7	5	6,199	80.7	81.6	21	374	56.1	56.3
2010	Colusa	5	12	416.7	433.8	8	6,265	127.7	128.4	17	343	49.6	49.5
2011	Colusa	5	11	454.5	406.9	6	6,252	96.0	96.2	20	304	65.8	65.6
2012	Colusa	4	11	363.6	367.3	4	6,335	63.1	63.8	18	318	56.6	56.4
2013	Colusa	3	11	272.7	251.0	6	6,377	94.1	95.0	12	309	38.8	38.8
2005	Contra Costa	100	312	320.5	320.8	79	250,840	31.5	32.2	727	12,810	56.8	56.7
2006	Contra Costa	85	314	270.7	274.4	71	249,783	28.4	29.0	827	13,407	61.7	61.7
2007	Contra Costa	79	309	255.7	263.4	64	250,079	25.6	26.0	710	13,293	53.4	53.4
2008	Contra Costa	101	347	291.1	296.4	92	252,368	36.5	37.0	703	13,010	54.0	54.0
2009	Contra Costa	91	315	288.9	292.9	67	253,561	26.4	26.9	738	12,534	58.9	58.9
2010	Contra Costa	97	292	332.2	323.3	78	255,509	30.5	31.1	730	12,202	59.8	59.8
2011	Contra Costa	101	306	330.1	325.2	60	254,710	23.6	24.1	700	11,930	58.7	58.6
2012	Contra Costa	77	293	262.8	271.3	53	255,000	20.8	21.1	726	11,874	61.1	61.1
2013	Contra Costa	88	277	317.7	313.3	51	255,559	20.0	20.3	741	11,971	61.9	61.9
2005	Del Norte	2	3	666.7	659.9	1	6,140	16.3	17.2	9	315	28.6	28.5
2006	Del Norte	1	7	142.9	148.7	3	6,078	49.4	51.2	10	346	28.9	28.9
2007	Del Norte	2	8	250.0	269.9	2	6,022	33.2	34.0	6	345	17.4	17.4
2008	Del Norte	3	9	333.3	375.0	5	6,015	83.1	83.7	10	303	33.0	33.0
2009	Del Norte	4	10	400.0	375.6	3	5,989	50.1	49.4	11	304	36.2	36.2
2010	Del Norte	4	10	400.0	393.6	3	6,040	49.7	49.4	5	358	14.0	14.0
2011	Del Norte	2	9	222.2	212.4	4	5,968	67.0	66.3	7	320	21.9	21.8
2012	Del Norte	3	5	600.0	683.1	4	5,820	68.7	67.0	8	294	27.2	27.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2013	Del Norte	1	7	142.9	147.7	2	5,765	34.7	33.5	6	300	20.0	20.1
2005	El Dorado	13	49	265.3	269.0	3	41,772	7.2	7.6	93	1,870	49.7	49.7
2006	El Dorado	12	49	244.9	259.9	8	41,813	19.1	20.2	95	1,977	48.1	48.1
2007	El Dorado	10	52	192.3	196.5	6	41,342	14.5	15.2	77	1,792	43.0	42.9
2008	El Dorado	17	59	288.1	306.2	3	41,118	7.3	7.7	101	1,742	58.0	58.0
2009	El Dorado	8	34	235.3	264.8	6	40,634	14.8	15.6	81	1,656	48.9	48.9
2010	El Dorado	11	31	354.8	407.1	6	40,122	15.0	15.9	84	1,533	54.8	54.6
2011	El Dorado	8	52	153.8	165.6	11	39,028	28.2	30.3	88	1,554	56.6	56.6
2012	El Dorado	7	27	259.3	267.8	4	40,496	9.9	10.4	64	1,430	44.8	44.7
2013	El Dorado	9	44	204.5	186.3	7	40,452	17.3	18.1	82	1,449	56.6	56.7
2005	Fresno	174	375	464.0	434.7	120	263,476	45.5	45.5	1,061	16,063	66.1	66.1
2006	Fresno	143	347	412.1	395.7	83	265,151	31.3	31.2	1,116	17,027	65.5	65.6
2007	Fresno	156	384	406.3	371.5	106	267,765	39.6	39.1	1,077	17,548	61.4	61.4
2008	Fresno	160	400	400.0	376.7	119	271,100	43.9	43.1	1,159	16,996	68.2	68.2
2009	Fresno	138	394	350.3	324.4	111	273,146	40.6	39.9	966	16,471	58.6	58.6
2010	Fresno	182	435	418.4	389.3	127	275,094	46.2	45.4	1,124	16,524	68.0	67.9
2011	Fresno	157	418	375.6	355.2	97	274,170	35.4	34.7	1,111	16,460	67.5	67.5
2012	Fresno	171	482	354.8	331.5	103	278,559	37.0	36.0	1,087	16,239	66.9	66.9
2013	Fresno	142	419	338.9	314.0	108	280,699	38.5	37.3	1,041	15,956	65.2	65.2
2005	Glenn	3	17	176.5	168.9	1	7,733	12.9	12.9	20	431	46.4	46.5
2006	Glenn	3	11	272.7	262.0	4	7,812	51.2	50.7	19	448	42.4	42.5
2007	Glenn	5	17	294.1	282.5	4	7,821	51.1	50.6	17	429	39.6	39.7
2008	Glenn	4	10	400.0	421.9	2	7,838	25.5	25.2	14	467	30.0	29.9
2009	Glenn	6	15	400.0	320.5	0	7,832	0.0	0.0	19	424	44.8	44.8
2010	Glenn	4	11	363.6	339.1	2	7,708	25.9	25.9	21	437	48.1	48.1
2011	Glenn	2	6	333.3	378.7	0	7,620	0.0	0.0	21	386	54.4	54.6
2012	Glenn	1	9	111.1	106.1	3	7,708	38.9	37.9	18	366	49.2	49.3
2013	Glenn	5	9	555.6	553.9	3	7,699	39.0	37.7	41	390	105.1	105.2
2005	Humboldt	4	35	114.3	124.0	4	28,326	14.1	14.3	89	1,547	57.5	57.5
2006	Humboldt	9	30	300.0	310.0	5	28,114	17.8	17.9	87	1,622	53.6	53.7
2007	Humboldt	11	37	297.3	285.5	7	27,811	25.2	25.1	93	1,570	59.2	59.2
2008	Humboldt	12	35	342.9	341.0	7	27,710	25.3	24.9	80	1,551	51.6	51.6
2009	Humboldt	12	41	292.7	303.2	12	27,882	43.0	42.3	74	1,495	49.5	49.5
2010	Humboldt	6	30	200.0	218.9	4	27,691	14.4	14.1	56	1,477	37.9	38.0
2011	Humboldt	8	31	258.1	292.0	3	27,371	11.0	10.8	55	1,398	39.3	39.3
2012	Humboldt	9	25	360.0	313.7	8	27,057	29.6	28.6	57	1,462	39.0	38.9
2013	Humboldt	6	21	285.7	293.4	5	26,847	18.6	17.9	66	1,479	44.6	44.6
2005	Imperial	28	59	474.6	487.2	53	45,990	115.2	115.7	109	3,038	35.9	35.9
2006	Imperial	31	75	413.3	412.7	36	46,966	76.7	76.5	156	3,127	49.9	49.8
2007	Imperial	22	70	314.3	310.0	45	47,978	93.8	93.6	162	3,222	50.3	50.3

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2008	Imperial	32	92	347.8	341.5	33	48,686	67.8	67.6	182	3,243	56.1	56.1
2009	Imperial	24	78	307.7	304.7	47	49,773	94.4	94.6	147	3,137	46.9	46.9
2010	Imperial	26	107	243.0	242.5	47	50,502	93.1	93.9	137	3,052	44.9	44.9
2011	Imperial	30	90	333.3	314.2	40	50,374	79.4	79.0	100	3,064	32.6	32.6
2012	Imperial	18	78	230.8	210.8	49	51,415	95.3	94.0	110	2,994	36.7	36.8
2013	Imperial	25	83	301.2	276.7	33	52,128	63.3	62.2	121	2,952	41.0	41.0
2005	Inyo	2	8	250.0	272.2	1	3,884	25.7	28.2	12	205	58.5	58.7
2006	Inyo	0	8	0.0	0.0	2	3,866	51.7	55.4	14	255	54.9	54.8
2007	Inyo	0	4	0.0	0.0	2	3,871	51.7	54.1	11	211	52.1	52.2
2008	Inyo	1	5	200.0	174.3	0	3,782	0.0	0.0	14	227	61.7	61.5
2009	Inyo	3	8	375.0	250.5	2	3,839	52.1	52.7	14	240	58.3	58.3
2010	Inyo	2	6	333.3	339.0	2	3,790	52.8	53.5	9	183	49.2	49.2
2011	Inyo	0	1	0.0		1	3,784	26.4	26.3	12	205	58.5	58.5
2012	Inyo	3	6	500.0	472.6	0	3,685	0.0	0.0	8	154	51.9	52.2
2013	Inyo	0	3	0.0	0.0	1	3,642	27.5	27.1	11	148	74.3	74.3
2005	Kern	120	363	330.6	316.8	76	231,057	32.9	32.9	693	13,780	50.3	50.3
2006	Kern	104	340	305.9	300.2	71	237,023	30.0	29.7	737	14,862	49.6	49.6
2007	Kern	104	340	305.9	293.9	77	241,949	31.8	31.2	767	14,995	51.2	51.2
2008	Kern	117	393	297.7	291.7	102	246,067	41.5	40.4	731	14,722	49.7	49.7
2009	Kern	119	453	262.7	261.4	78	248,456	31.4	30.6	738	14,482	51.0	50.9
2010	Kern	123	463	265.7	255.8	107	250,826	42.7	41.7	679	13,963	48.6	48.6
2011	Kern	103	422	244.1	229.2	104	250,482	41.5	40.6	734	13,770	53.3	53.3
2012	Kern	139	466	298.3	283.3	92	260,787	35.3	34.1	683	13,947	49.0	49.0
2013	Kern	133	378	351.9	336.8	83	265,283	31.3	30.1	745	13,967	53.3	53.3
2005	Kings	19	50	380.0	355.7	16	39,815	40.2	39.7	142	2,164	65.6	65.6
2006	Kings	24	52	461.5	418.1	13	40,193	32.3	31.7	140	2,300	60.9	60.9
2007	Kings	20	50	400.0	361.6	11	40,827	26.9	26.2	166	2,385	69.6	69.6
2008	Kings	20	62	322.6	289.2	13	41,280	31.5	30.3	176	2,391	73.6	73.5
2009	Kings	25	67	373.1	349.0	8	41,717	19.2	18.3	166	2,343	70.8	70.9
2010	Kings	18	68	264.7	259.0	8	42,000	19.0	18.3	139	2,130	65.3	65.3
2011	Kings	19	61	311.5	329.2	12	41,800	28.7	27.6	156	2,195	71.1	71.0
2012	Kings	26	69	376.8	361.4	9	42,877	21.0	20.0	128	2,068	61.9	61.9
2013	Kings	23	63	365.1	358.8	8	43,331	18.5	17.5	138	2,072	66.6	66.6
2005	Lake	7	24	291.7	301.1	4	14,111	28.3	30.1	35	705	49.6	49.7
2006	Lake	4	18	222.2	226.3	3	14,044	21.4	22.4	35	687	50.9	51.1
2007	Lake	6	19	315.8	321.5	3	13,770	21.8	22.4	32	739	43.3	43.4
2008	Lake	11	24	458.3	486.6	5	13,707	36.5	37.3	27	684	39.5	39.5
2009	Lake	11	23	478.3	532.6	4	13,511	29.6	30.2	40	720	55.6	55.7
2010	Lake	12	27	444.4	493.6	4	13,439	29.8	30.2	36	693	51.9	52.1
2011	Lake	13	19	684.2	672.0	3	13,061	23.0	23.3	37	704	52.6	52.6

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2012	Lake	12	26	461.5	524.3	5	13,367	37.4	37.2	42	717	58.6	58.6
2013	Lake	10	15	666.7	539.3	4	13,298	30.1	29.7	52	756	68.8	68.6
2005	Lassen	2	9	222.2	243.0	6	6,692	89.7	99.7	6	241	24.9	24.9
2006	Lassen	3	10	300.0	313.6	2	6,608	30.3	32.9	5	234	21.4	21.5
2007	Lassen	1	11	90.9	100.3	0	6,507	0.0	0.0	2	239	8.4	8.3
2008	Lassen	3	13	230.8	263.7	4	6,485	61.7	67.1	9	273	33.0	32.9
2009	Lassen	1	11	90.9	109.8	3	6,381	47.0	49.9	9	306	29.4	29.4
2010	Lassen	2	8	250.0	278.5	4	6,240	64.1	68.1	13	277	46.9	47.0
2011	Lassen	4	9	444.4	462.3	1	5,942	16.8	17.5	21	268	78.4	78.4
2012	Lassen	2	8	250.0	271.4	0	5,976	0.0	0.0	12	255	47.1	47.1
2013	Lassen	2	6	333.3	405.7	2	5,872	34.1	35.4	19	261	72.8	72.7
2005	Los Angeles	1,357	3,776	359.4	342.6	1,171	2,548,956	45.9	46.4	8,221	149,781	54.9	54.9
2006	Los Angeles	1,337	3,667	364.6	354.5	1,066	2,495,450	42.7	43.2	8,455	150,870	56.0	56.0
2007	Los Angeles	1,244	3,624	343.3	335.5	940	2,444,107	38.5	38.7	8,474	151,242	56.0	56.0
2008	Los Angeles	1,284	3,719	345.3	334.2	1,106	2,421,026	45.7	45.8	8,098	146,646	55.2	55.2
2009	Los Angeles	1,231	3,971	310.0	301.1	1,135	2,400,818	47.3	47.3	7,660	138,622	55.3	55.3
2010	Los Angeles	1,236	3,890	317.7	311.3	938	2,381,545	39.4	39.4	7,470	132,369	56.4	56.4
2011	Los Angeles	1,218	3,902	312.1	304.1	951	2,352,563	40.4	40.3	7,193	129,600	55.5	55.5
2012	Los Angeles	1,164	3,938	295.6	289.7	895	2,319,449	38.6	38.6	7,155	131,215	54.5	54.5
2013	Los Angeles	1,174	3,470	338.3	324.3	801	2,289,664	35.0	35.0	7,162	125,370	57.1	57.1
2005	Madera	27	61	442.6	434.5	19	39,691	47.9	47.6	150	2,443	61.4	61.3
2006	Madera	36	77	467.5	423.1	10	40,687	24.6	24.2	135	2,749	49.1	49.0
2007	Madera	26	77	337.7	319.9	7	41,238	17.0	16.6	152	2,737	55.5	55.5
2008	Madera	25	70	357.1	346.5	17	41,839	40.6	39.7	162	2,656	61.0	61.0
2009	Madera	23	75	306.7	286.4	16	41,956	38.1	37.6	151	2,496	60.5	60.5
2010	Madera	39	85	458.8	411.7	8	42,423	18.9	18.7	174	2,528	68.8	68.9
2011	Madera	32	82	390.2	364.5	16	42,423	37.7	37.4	171	2,554	67.0	66.9
2012	Madera	36	90	400.0	363.6	10	43,990	22.7	22.2	145	2,341	61.9	61.9
2013	Madera	36	92	391.3	349.2	13	44,648	29.1	28.3	107	2,341	45.7	45.7
2005	Marin	13	65	200.0	214.9	14	48,684	28.8	28.7	157	2,737	57.4	57.4
2006	Marin	20	74	270.3	278.6	7	48,930	14.3	14.3	134	2,679	50.0	50.0
2007	Marin	11	46	239.1	239.3	13	49,251	26.4	26.3	145	2,793	51.9	51.9
2008	Marin	16	64	250.0	259.6	4	49,761	8.0	8.0	166	2,655	62.5	62.5
2009	Marin	17	72	236.1	232.9	12	50,255	23.9	23.9	132	2,466	53.5	53.5
2010	Marin	11	72	152.8	153.1	10	50,673	19.7	19.9	129	2,312	55.8	55.8
2011	Marin	12	70	171.4	189.6	5	51,167	9.8	10.0	118	2,150	54.9	54.8
2012	Marin	19	79	240.5	244.7	8	50,724	15.8	15.8	111	1,990	55.8	55.8
2013	Marin	23	82	280.5	265.1	12	50,930	23.6	23.6	147	1,985	74.1	73.9
2005	Mariposa	1	5	200.0	248.1	0	3,468	0.0	0.0	4	126	31.7	31.7
2006	Mariposa	2	4	500.0	514.0	2	3,453	57.9	62.2	6	157	38.2	38.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2007	Mariposa	1	1	1,000.0		1	3,424	29.2	31.2	10	140	71.4	71.2
2008	Mariposa	0	2	0.0		0	3,377	0.0	0.0	6	141	42.6	42.5
2009	Mariposa	0	1	0.0		0	3,248	0.0	0.0	9	142	63.4	63.2
2010	Mariposa	4	8	500.0	520.9	0	3,187	0.0	0.0	8	135	59.3	59.4
2011	Mariposa	1	3	333.3	406.2	0	3,120	0.0	0.0	4	128	31.3	31.2
2012	Mariposa	5	10	500.0	428.1	0	3,138	0.0	0.0	17	155	109.7	110.2
2013	Mariposa	1	1	1,000.0		3	3,090	97.1	98.3	5	112	44.6	44.6
2005	Mendocino	13	32	406.3	408.3	2	20,028	10.0	10.2	77	1,107	69.6	69.6
2006	Mendocino	7	24	291.7	299.3	2	19,616	10.2	10.3	72	1,078	66.8	66.8
2007	Mendocino	12	30	400.0	382.9	4	19,228	20.8	20.9	57	1,099	51.9	51.9
2008	Mendocino	7	20	350.0	348.2	3	19,177	15.6	15.7	60	1,128	53.2	53.2
2009	Mendocino	2	21	95.2	96.3	5	19,033	26.3	26.3	62	1,078	57.5	57.5
2010	Mendocino	13	32	406.3	376.9	2	19,046	10.5	10.6	51	1,045	48.8	48.8
2011	Mendocino	19	49	387.8	377.1	7	18,951	36.9	37.0	48	1,028	46.7	46.7
2012	Mendocino	19	39	487.2	484.9	4	18,314	21.8	21.4	51	1,092	46.7	46.7
2013	Mendocino	19	30	633.3	645.0	5	18,052	27.7	27.0	58	979	59.2	59.2
2005	Merced	51	142	359.2	331.7	25	78,674	31.8	32.1	282	4,547	62.0	62.0
2006	Merced	41	172	238.4	232.8	22	79,227	27.8	27.9	268	4,765	56.2	56.3
2007	Merced	45	145	310.3	310.9	23	79,695	28.9	28.8	247	4,663	53.0	53.0
2008	Merced	39	125	312.0	308.1	30	79,684	37.6	37.5	245	4,459	54.9	55.0
2009	Merced	28	120	233.3	225.1	33	79,384	41.6	41.4	297	4,468	66.5	66.5
2010	Merced	36	148	243.2	227.7	35	80,432	43.5	43.4	291	4,364	66.7	66.7
2011	Merced	50	150	333.3	308.8	29	80,008	36.2	36.2	303	4,402	68.8	68.8
2012	Merced	35	100	350.0	315.8	34	82,339	41.3	40.9	327	4,398	74.4	74.3
2013	Merced	56	113	495.6	435.2	29	83,070	34.9	34.4	271	3,838	70.6	70.6
2005	Modoc	1	1	1,000.0		0	2,134	0.0	0.0	2	62	32.3	32.4
2006	Modoc	1	2	500.0		0	2,131	0.0	0.0	1	56	17.9	17.9
2007	Modoc	1	3	333.3	308.5	1	2,070	48.3	51.2	2	45	44.4	44.3
2008	Modoc					0	2,057	0.0	0.0	1	46	21.7	21.9
2009	Modoc					0	2,054	0.0	0.0	2	48	41.7	41.1
2010	Modoc	0	1	0.0		2	2,059	97.2	98.4	5	59	84.7	85.0
2011	Modoc	1	2	500.0		0	1,975	0.0	0.0	4	29	137.9	138.0
2012	Modoc	0	1	0.0		0	1,968	0.0	0.0	0	28	0.0	0.0
2013	Modoc					1	1,940	51.6	51.4	0	26	0.0	0.0
2005	Mono	1	3	333.3	354.2	0	2,922	0.0	0.0	3	144	20.8	20.9
2006	Mono	1	1	1,000.0		0	2,953	0.0	0.0	9	175	51.4	51.4
2007	Mono	1	3	333.3	466.9	2	2,916	68.6	67.1	11	151	72.8	73.1
2008	Mono	0	1	0.0		1	2,925	34.2	32.6	10	159	62.9	62.8
2009	Mono					0	2,907	0.0	0.0	6	136	44.1	43.9
2010	Mono					3	2,965	101.2	96.2	9	133	67.7	67.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2011	Mono	1	3	333.3	300.9	2	2,971	67.3	64.3	7	149	47.0	46.8
2012	Mono	1	2	500.0		0	2,924	0.0	0.0	7	120	58.3	58.4
2013	Mono	2	4	500.0	581.0	2	2,917	68.6	62.7	9	123	73.2	73.1
2005	Monterey	49	176	278.4	272.2	76	108,880	69.8	68.4	391	7,216	54.2	54.2
2006	Monterey	51	183	278.7	274.3	52	107,392	48.4	47.2	291	7,283	40.0	39.9
2007	Monterey	52	144	361.1	328.5	45	107,076	42.0	40.8	308	7,362	41.8	41.8
2008	Monterey	63	188	335.1	299.2	65	108,229	60.1	58.0	335	7,265	46.1	46.1
2009	Monterey	63	178	353.9	333.4	57	109,133	52.2	50.7	332	6,846	48.5	48.5
2010	Monterey	58	179	324.0	294.8	63	110,698	56.9	55.4	305	6,456	47.2	47.2
2011	Monterey	55	211	260.7	245.7	53	112,161	47.3	45.7	344	6,679	51.5	51.5
2012	Monterey	57	205	278.0	258.5	41	108,338	37.8	36.2	325	6,485	50.1	50.1
2013	Monterey	51	193	264.2	247.8	43	108,000	39.8	37.9	313	6,360	49.2	49.2
2005	Napa	5	46	108.7	113.5	5	30,359	16.5	17.0	72	1,646	43.7	43.8
2006	Napa	5	31	161.3	151.9	7	30,474	23.0	23.6	103	1,743	59.1	59.2
2007	Napa	9	31	290.3	291.1	2	30,483	6.6	6.7	71	1,643	43.2	43.2
2008	Napa	7	44	159.1	165.6	5	30,730	16.3	16.7	83	1,646	50.4	50.4
2009	Napa	17	50	340.0	329.5	6	30,964	19.4	19.8	90	1,632	55.1	55.1
2010	Napa	10	27	370.4	380.3	8	31,149	25.7	26.3	81	1,505	53.8	53.9
2011	Napa	13	30	433.3	424.1	7	31,195	22.4	22.9	72	1,541	46.7	46.8
2012	Napa	15	36	416.7	373.7	8	31,247	25.6	26.1	70	1,429	49.0	49.0
2013	Napa	3	24	125.0	139.7	2	31,350	6.4	6.5	88	1,405	62.6	62.5
2005	Nevada	8	27	296.3	305.3	0	19,926	0.0	0.0	41	766	53.5	53.6
2006	Nevada	5	20	250.0	237.1	5	19,607	25.5	28.0	42	774	54.3	54.2
2007	Nevada	6	27	222.2	225.2	2	19,395	10.3	11.2	41	783	52.4	52.5
2008	Nevada	13	35	371.4	390.6	3	19,180	15.6	17.0	33	806	40.9	41.0
2009	Nevada	4	22	181.8	203.1	4	18,863	21.2	22.6	34	701	48.5	48.6
2010	Nevada	7	27	259.3	299.2	3	18,480	16.2	17.3	27	734	36.8	36.8
2011	Nevada	7	25	280.0	323.2	2	18,010	11.1	11.8	27	681	39.6	39.6
2012	Nevada	3	24	125.0	134.1	5	18,100	27.6	29.0	37	722	51.2	51.5
2013	Nevada	6	18	333.3	330.5	1	17,865	5.6	5.8	37	731	50.6	50.7
2005	Orange	357	1,022	349.3	338.5	273	749,076	36.4	36.8	2,428	44,440	54.6	54.6
2006	Orange	342	1,021	335.0	326.1	248	737,123	33.6	34.0	2,432	44,489	54.7	54.7
2007	Orange	311	1,072	290.1	285.9	230	727,086	31.6	32.0	2,429	44,397	54.7	54.7
2008	Orange	325	1,100	295.5	295.5	247	727,868	33.9	34.3	2,352	41,928	56.1	56.1
2009	Orange	338	1,090	310.1	300.8	245	728,475	33.6	34.1	2,397	39,939	60.0	60.0
2010	Orange	302	1,076	280.7	273.9	253	730,153	34.7	35.2	2,243	38,410	58.4	58.4
2011	Orange	316	1,078	293.1	280.8	235	726,482	32.3	32.8	2,307	37,906	60.9	60.9
2012	Orange	351	1,101	318.8	305.7	222	717,610	30.9	31.5	2,113	38,297	55.2	55.2
2013	Orange	289	1,066	271.1	259.4	204	713,484	28.6	29.2	2,227	37,307	59.7	59.7
2005	Placer	18	94	191.5	188.8	17	77,810	21.8	22.8	173	3,775	45.8	45.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2006	Placer	19	80	237.5	240.4	14	79,177	17.7	18.5	162	3,824	42.4	42.4
2007	Placer	25	102	245.1	256.9	14	80,255	17.4	18.1	204	4,011	50.9	50.8
2008	Placer	28	92	304.3	315.7	7	81,794	8.6	8.8	210	3,977	52.8	52.8
2009	Placer	20	109	183.5	197.2	11	82,526	13.3	13.7	150	3,720	40.3	40.3
2010	Placer	24	107	224.3	239.4	15	83,222	18.0	18.7	165	3,793	43.5	43.5
2011	Placer	30	108	277.8	289.6	18	83,476	21.6	22.4	194	3,749	51.7	51.8
2012	Placer	20	88	227.3	239.6	19	87,905	21.6	22.3	189	3,602	52.5	52.4
2013	Placer	21	74	283.8	308.1	9	89,648	10.0	10.4	165	3,601	45.8	45.8
2005	Plumas	0	2	0.0		0	4,203	0.0	0.0	4	141	28.4	28.2
2006	Plumas	2	5	400.0	502.4	2	4,124	48.5	51.3	2	149	13.4	13.5
2007	Plumas	1	2	500.0		2	4,017	49.8	51.5	0	163	0.0	0.0
2008	Plumas	1	4	250.0	202.2	2	3,842	52.1	53.6	5	144	34.7	34.8
2009	Plumas	0	2	0.0		0	3,739	0.0	0.0	2	145	13.8	13.8
2010	Plumas					1	3,595	27.8	28.8	8	146	54.8	54.9
2011	Plumas	0	2	0.0		0	3,481	0.0	0.0	9	132	68.2	68.4
2012	Plumas					0	3,441	0.0	0.0	3	126	23.8	23.9
2013	Plumas	0	3	0.0	0.0	0	3,337	0.0	0.0	10	126	79.4	79.3
2005	Riverside	237	785	301.9	293.9	218	559,024	39.0	39.7	1,611	31,036	51.9	51.9
2006	Riverside	237	777	305.0	296.1	193	581,388	33.2	33.6	1,700	33,315	51.0	51.0
2007	Riverside	259	866	299.1	291.2	203	598,270	33.9	34.2	1,795	34,208	52.5	52.5
2008	Riverside	241	867	278.0	270.9	210	603,860	34.8	35.0	1,715	32,442	52.9	52.9
2009	Riverside	259	926	279.7	271.1	261	606,042	43.1	43.5	1,626	31,051	52.4	52.3
2010	Riverside	264	927	284.8	274.3	219	615,456	35.6	36.0	1,684	30,007	56.1	56.1
2011	Riverside	303	967	313.3	297.3	196	613,227	32.0	32.3	1,529	29,798	51.3	51.3
2012	Riverside	313	920	340.2	335.8	172	653,279	26.3	26.5	1,593	29,497	54.0	54.0
2013	Riverside	280	907	308.7	295.0	136	668,250	20.4	20.4	1,721	29,525	58.3	58.3
2005	Sacramento	155	414	374.4	365.0	111	354,246	31.3	31.6	1,175	21,001	55.9	56.0
2006	Sacramento	137	410	334.1	333.9	104	354,207	29.4	29.4	1,239	21,642	57.2	57.2
2007	Sacramento	129	422	305.7	298.7	102	355,329	28.7	28.6	1,174	21,823	53.8	53.8
2008	Sacramento	106	409	259.2	266.1	108	356,832	30.3	30.0	1,129	21,067	53.6	53.6
2009	Sacramento	132	437	302.1	296.7	79	357,430	22.1	21.8	1,182	20,155	58.6	58.6
2010	Sacramento	127	435	292.0	301.4	85	358,384	23.7	23.5	1,217	19,755	61.6	61.6
2011	Sacramento	121	402	301.0	291.9	78	355,494	21.9	21.8	1,185	19,719	60.1	60.1
2012	Sacramento	133	412	322.8	324.4	82	363,095	22.6	22.2	1,145	19,371	59.1	59.1
2013	Sacramento	130	369	352.3	344.6	86	364,868	23.6	23.1	1,091	19,104	57.1	57.1
2005	San Benito	4	27	148.1	142.5	3	16,218	18.5	19.0	47	883	53.2	53.1
2006	San Benito	6	25	240.0	209.5	2	15,961	12.5	12.7	44	893	49.3	49.3
2007	San Benito	3	29	103.4	111.2	5	15,895	31.5	31.9	48	886	54.2	54.2
2008	San Benito	3	25	120.0	117.7	2	15,796	12.7	12.9	54	804	67.2	67.0
2009	San Benito	7	36	194.4	198.1	4	15,568	25.7	26.3	35	740	47.3	47.3

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2010	San Benito	2	36	55.6	57.8	7	15,750	44.4	45.5	38	737	51.6	51.7
2011	San Benito	6	40	150.0	146.9	5	15,606	32.0	32.8	47	762	61.7	61.6
2012	San Benito	7	33	212.1	226.9	4	15,275	26.2	26.8	30	681	44.1	44.0
2013	San Benito	7	24	291.7	266.4	4	15,131	26.4	27.1	53	732	72.4	72.4
2005	San Bernardino	236	748	315.5	308.3	286	588,724	48.6	49.9	1,675	31,507	53.2	53.2
2006	San Bernardino	271	794	341.3	331.4	213	592,693	35.9	36.6	1,704	31,922	53.4	53.4
2007	San Bernardino	295	881	334.8	326.1	264	593,249	44.5	44.9	1,745	32,264	54.1	54.1
2008	San Bernardino	313	939	333.3	323.8	247	590,482	41.8	42.1	1,738	32,210	54.0	54.0
2009	San Bernardino	285	954	298.7	293.8	258	585,041	44.1	44.4	1,717	30,142	57.0	57.0
2010	San Bernardino	286	902	317.1	308.8	212	587,297	36.1	36.3	1,710	29,707	57.6	57.6
2011	San Bernardino	288	943	305.4	294.7	208	583,391	35.7	35.8	1,675	29,131	57.5	57.5
2012	San Bernardino	276	850	324.7	316.8	184	601,382	30.6	30.6	1,748	29,306	59.6	59.6
2013	San Bernardino	273	808	337.9	326.2	167	605,089	27.6	27.5	1,735	28,759	60.3	60.3
2005	San Diego	284	769	369.3	367.5	137	713,804	19.2	19.2	2,349	41,076	57.2	57.2
2006	San Diego	244	792	308.1	301.6	105	707,760	14.8	14.8	2,422	42,001	57.7	57.6
2007	San Diego	268	822	326.0	318.5	120	708,477	16.9	16.8	2,548	42,627	59.8	59.8
2008	San Diego	328	912	359.6	357.5	120	715,320	16.8	16.6	2,431	42,316	57.4	57.4
2009	San Diego	312	917	340.2	330.2	139	718,609	19.3	19.1	2,304	40,238	57.3	57.3
2010	San Diego	329	958	343.4	338.4	121	723,572	16.7	16.6	2,260	39,665	57.0	57.0
2011	San Diego	308	910	338.5	333.0	117	721,784	16.2	16.0	2,430	39,092	62.2	62.2
2012	San Diego	292	890	328.1	318.3	111	714,843	15.5	15.2	2,433	39,723	61.2	61.3
2013	San Diego	315	912	345.4	336.3	144	714,150	20.2	19.7	2,449	38,917	62.9	62.9
2005	San Francisco	38	109	348.6	335.2	34	106,068	32.1	29.8	522	8,492	61.5	61.4
2006	San Francisco	30	114	263.2	251.3	26	105,659	24.6	22.9	565	8,705	64.9	64.9
2007	San Francisco	33	123	268.3	266.9	29	106,390	27.3	25.1	629	9,147	68.8	68.8
2008	San Francisco	33	96	343.8	340.0	23	107,393	21.4	19.6	603	9,003	67.0	67.0
2009	San Francisco	35	98	357.1	356.9	29	108,672	26.7	24.5	546	8,736	62.5	62.5
2010	San Francisco	28	103	271.8	267.9	24	108,893	22.0	20.3	568	8,712	65.2	65.2
2011	San Francisco	47	105	447.6	434.1	21	109,690	19.1	17.6	584	8,801	66.4	66.4
2012	San Francisco	31	109	284.4	283.2	24	106,929	22.4	20.2	582	8,978	64.8	64.8
2013	San Francisco	27	96	281.3	277.2	30	106,686	28.1	25.1	586	8,675	67.6	67.6
2005	San Joaquin	57	245	232.7	235.5	90	195,403	46.1	46.4	623	11,323	55.0	55.0
2006	San Joaquin	73	270	270.4	267.5	75	196,539	38.2	38.2	701	11,714	59.8	59.9
2007	San Joaquin	84	280	300.0	290.4	94	197,254	47.7	47.6	693	11,511	60.2	60.2
2008	San Joaquin	82	313	262.0	259.0	104	197,160	52.7	52.7	716	11,044	64.8	64.9
2009	San Joaquin	86	279	308.2	301.8	103	196,955	52.3	52.4	621	10,834	57.3	57.3
2010	San Joaquin	106	337	314.5	306.3	79	198,325	39.8	40.0	609	10,554	57.7	57.7
2011	San Joaquin	78	277	281.6	272.8	81	197,822	40.9	41.2	631	10,357	60.9	60.9
2012	San Joaquin	74	272	272.1	265.2	68	204,938	33.2	33.0	558	10,102	55.2	55.3
2013	San Joaquin	69	241	286.3	270.0	74	207,042	35.7	35.5	604	9,752	61.9	61.9

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2005	San Luis Obispo	15	53	283.0	279.3	17	54,309	31.3	32.9	150	2,628	57.1	57.0
2006	San Luis Obispo	14	60	233.3	245.4	14	53,914	26.0	27.0	133	2,751	48.3	48.4
2007	San Luis Obispo	17	68	250.0	262.1	11	53,870	20.4	20.9	154	2,847	54.1	54.0
2008	San Luis Obispo	15	55	272.7	270.7	15	54,227	27.7	28.0	144	2,579	55.8	55.8
2009	San Luis Obispo	12	65	184.6	198.9	11	54,109	20.3	20.6	125	2,548	49.1	49.1
2010	San Luis Obispo	14	65	215.4	209.4	13	53,888	24.1	24.5	114	2,651	43.0	43.0
2011	San Luis Obispo	17	77	220.8	226.5	6	54,397	11.0	11.1	130	2,600	50.0	50.0
2012	San Luis Obispo	18	74	243.2	245.8	13	53,416	24.3	24.2	112	2,516	44.5	44.4
2013	San Luis Obispo	29	78	371.8	367.1	7	53,215	13.2	13.0	147	2,600	56.5	56.5
2005	San Mateo	41	135	303.7	317.6	32	151,913	21.1	20.4	559	9,227	60.6	60.5
2006	San Mateo	33	149	221.5	229.4	33	151,193	21.8	21.1	569	9,078	62.7	62.7
2007	San Mateo	39	146	267.1	276.1	24	151,106	15.9	15.4	570	9,205	61.9	62.0
2008	San Mateo	47	164	286.6	295.3	22	153,182	14.4	13.9	531	9,016	58.9	58.9
2009	San Mateo	41	137	299.3	308.9	25	154,955	16.1	15.7	559	8,830	63.3	63.3
2010	San Mateo	46	177	259.9	251.1	21	156,177	13.4	13.1	583	8,610	67.7	67.7
2011	San Mateo	47	141	333.3	336.6	22	156,978	14.0	13.7	581	8,327	69.8	69.8
2012	San Mateo	40	142	281.7	287.0	16	153,706	10.4	10.0	552	8,552	64.5	64.6
2013	San Mateo	47	125	376.0	348.1	25	153,623	16.3	15.7	514	8,270	62.2	62.1
2005	Santa Barbara	52	155	335.5	321.9	20	100,152	20.0	20.0	319	6,196	51.5	51.5
2006	Santa Barbara	41	137	299.3	282.4	22	99,347	22.1	22.0	285	6,111	46.6	46.6
2007	Santa Barbara	42	148	283.8	278.9	19	99,621	19.1	18.9	274	6,219	44.1	44.0
2008	Santa Barbara	38	144	263.9	265.5	25	100,481	24.9	24.4	257	6,195	41.5	41.5
2009	Santa Barbara	47	156	301.3	293.4	24	101,249	23.7	23.2	277	6,003	46.1	46.2
2010	Santa Barbara	38	162	234.6	235.9	24	102,000	23.5	23.2	240	5,647	42.5	42.5
2011	Santa Barbara	57	204	279.4	269.8	33	102,160	32.3	31.5	264	5,693	46.4	46.4
2012	Santa Barbara	37	152	243.4	225.4	16	100,781	15.9	15.4	218	5,539	39.4	39.3
2013	Santa Barbara	42	168	250.0	241.3	22	100,732	21.8	21.0	255	5,612	45.4	45.4
2005	Santa Clara	135	508	265.7	258.0	120	402,022	29.8	28.7	1,456	27,058	53.8	53.8
2006	Santa Clara	140	512	273.4	263.6	104	404,588	25.7	24.8	1,496	27,528	54.3	54.4
2007	Santa Clara	134	542	247.2	237.6	111	408,371	27.2	26.3	1,531	27,881	54.9	54.9
2008	Santa Clara	156	621	251.2	248.2	125	415,259	30.1	29.1	1,411	27,170	51.9	51.9
2009	Santa Clara	128	545	234.9	236.1	115	419,406	27.4	26.7	1,480	25,705	57.6	57.6
2010	Santa Clara	138	524	263.4	256.1	105	424,057	24.8	24.2	1,390	24,391	57.0	57.0
2011	Santa Clara	164	490	334.7	315.8	79	425,821	18.6	18.2	1,362	24,056	56.6	56.7
2012	Santa Clara	161	532	302.6	289.8	85	422,350	20.1	19.5	1,439	24,837	57.9	57.9
2013	Santa Clara	159	461	344.9	326.0	64	424,268	15.1	14.6	1,440	23,674	60.8	60.8
2005	Santa Cruz	22	108	203.7	202.1	15	57,481	26.1	26.1	193	3,546	54.4	54.4
2006	Santa Cruz	21	83	253.0	246.5	13	56,974	22.8	22.8	177	3,716	47.6	47.7
2007	Santa Cruz	25	102	245.1	243.8	18	57,011	31.6	31.5	187	3,697	50.6	50.6
2008	Santa Cruz	28	124	225.8	235.3	18	57,389	31.4	31.2	175	3,612	48.4	48.4

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2009	Santa Cruz	22	113	194.7	189.7	19	57,806	32.9	32.8	190	3,438	55.3	55.3
2010	Santa Cruz	30	114	263.2	254.5	14	58,074	24.1	24.0	178	3,252	54.7	54.7
2011	Santa Cruz	21	85	247.1	217.8	18	58,112	31.0	30.6	163	3,286	49.6	49.6
2012	Santa Cruz	24	99	242.4	239.6	19	56,318	33.7	33.2	160	3,151	50.8	50.8
2013	Santa Cruz	40	105	381.0	363.2	8	55,946	14.3	14.0	149	2,970	50.2	50.2
2005	Shasta	16	52	307.7	323.2	15	41,514	36.1	38.2	133	2,094	63.5	63.5
2006	Shasta	14	54	259.3	264.7	21	40,958	51.3	53.6	108	2,163	49.9	50.0
2007	Shasta	16	49	326.5	333.2	22	40,632	54.1	56.7	122	2,190	55.7	55.7
2008	Shasta	17	45	377.8	376.6	15	40,368	37.2	38.2	102	2,180	46.8	46.8
2009	Shasta	13	49	265.3	251.9	18	39,694	45.3	46.4	108	2,051	52.7	52.7
2010	Shasta	18	54	333.3	318.1	9	39,025	23.1	23.5	91	2,101	43.3	43.2
2011	Shasta	11	53	207.5	214.1	31	38,399	80.7	82.2	102	1,983	51.4	51.5
2012	Shasta	17	53	320.8	336.1	18	38,771	46.4	46.8	92	2,052	44.8	44.9
2013	Shasta	13	42	309.5	299.4	17	38,446	44.2	44.3	103	2,073	49.7	49.7
2005	Sierra	1	3	333.3	476.2	0	646	0.0	0.0	0	26	0.0	0.0
2006	Sierra					0	641	0.0	0.0	1	15	66.7	67.6
2007	Sierra					0	609	0.0	0.0	0	17	0.0	0.0
2008	Sierra					0	570	0.0	0.0	0	19	0.0	0.0
2009	Sierra					0	554	0.0	0.0	2	18	111.1	111.0
2010	Sierra	0	1	0.0		0	537	0.0	0.0	0	14	0.0	0.0
2011	Sierra					0	494	0.0	0.0	2	17	117.6	117.2
2012	Sierra					0	474	0.0	0.0	0	13	0.0	0.0
2013	Sierra	1	1	1,000.0		0	447	0.0	0.0	0	14	0.0	0.0
2005	Siskiyou	2	12	166.7	163.7	5	9,386	53.3	56.1	6	371	16.2	16.1
2006	Siskiyou	5	11	454.5	455.3	5	9,295	53.8	56.1	16	391	40.9	40.8
2007	Siskiyou	0	15	0.0	0.0	0	9,156	0.0	0.0	19	411	46.2	46.5
2008	Siskiyou	2	7	285.7	253.0	2	9,120	21.9	22.4	25	382	65.4	65.4
2009	Siskiyou	6	15	400.0	417.6	0	9,153	0.0	0.0	14	369	37.9	37.9
2010	Siskiyou	0	8	0.0	0.0	5	9,088	55.0	56.5	17	350	48.6	48.6
2011	Siskiyou	4	12	333.3	327.0	1	8,928	11.2	11.5	24	377	63.7	63.5
2012	Siskiyou	5	12	416.7	386.9	3	8,745	34.3	34.3	22	407	54.1	53.9
2013	Siskiyou	3	7	428.6	496.4	3	8,642	34.7	34.4	13	354	36.7	36.8
2005	Solano	29	88	329.5	319.5	21	105,114	20.0	20.5	328	5,232	62.7	62.7
2006	Solano	37	104	355.8	343.6	22	103,808	21.2	21.7	353	5,309	66.5	66.5
2007	Solano	26	90	288.9	298.7	24	102,587	23.4	23.8	334	5,425	61.6	61.6
2008	Solano	28	112	250.0	262.4	18	101,451	17.7	18.0	306	5,126	59.7	59.7
2009	Solano	33	88	375.0	335.6	18	100,314	17.9	18.2	284	4,936	57.5	57.5
2010	Solano	33	100	330.0	320.3	11	99,800	11.0	11.1	247	4,581	53.9	53.9
2011	Solano	36	94	383.0	348.7	16	98,404	16.3	16.4	252	4,699	53.6	53.6
2012	Solano	40	106	377.4	361.7	14	96,957	14.4	14.5	279	4,594	60.7	60.7

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2013	Solano	31	79	392.4	362.2	14	95,736	14.6	14.7	304	4,792	63.4	63.5
2005	Sonoma	34	122	278.7	274.5	19	106,431	17.9	18.3	319	5,488	58.1	58.1
2006	Sonoma	47	160	293.8	294.2	11	105,192	10.5	10.7	272	5,707	47.7	47.7
2007	Sonoma	54	175	308.6	311.0	24	104,744	22.9	23.3	275	5,588	49.2	49.2
2008	Sonoma	47	179	262.6	259.2	27	105,217	25.7	25.9	282	5,537	50.9	50.9
2009	Sonoma	43	194	221.6	222.1	21	105,699	19.9	20.1	294	5,474	53.7	53.7
2010	Sonoma	34	150	226.7	229.5	20	105,985	18.9	19.0	269	5,188	51.9	51.9
2011	Sonoma	38	132	287.9	278.2	21	104,943	20.0	20.2	258	4,990	51.7	51.7
2012	Sonoma	43	158	272.2	273.1	14	103,487	13.5	13.5	275	4,852	56.7	56.7
2013	Sonoma	38	131	290.1	303.8	21	102,923	20.4	20.3	260	4,732	54.9	54.9
2005	Stanislaus	63	239	263.6	254.1	55	146,439	37.6	38.0	399	8,452	47.2	47.2
2006	Stanislaus	57	208	274.0	268.1	51	146,730	34.8	34.9	424	8,721	48.6	48.6
2007	Stanislaus	74	240	308.3	300.0	84	146,942	57.2	57.0	432	8,873	48.7	48.7
2008	Stanislaus	64	265	241.5	239.5	87	146,214	59.5	59.4	426	8,543	49.9	49.8
2009	Stanislaus	88	254	346.5	337.7	59	145,569	40.5	40.5	412	7,973	51.7	51.7
2010	Stanislaus	81	260	311.5	306.9	79	144,896	54.5	54.8	386	7,773	49.7	49.7
2011	Stanislaus	68	243	279.8	278.7	58	143,692	40.4	40.5	347	7,746	44.8	44.8
2012	Stanislaus	62	232	267.2	262.1	43	147,412	29.2	28.9	403	7,562	53.3	53.3
2013	Stanislaus	58	221	262.4	255.6	45	147,878	30.4	30.1	363	7,515	48.3	48.3
2005	Sutter	19	49	387.8	352.3	16	24,413	65.5	66.4	75	1,473	50.9	50.9
2006	Sutter	14	47	297.9	306.9	9	24,985	36.0	36.0	80	1,579	50.7	50.7
2007	Sutter	4	27	148.1	159.7	16	25,491	62.8	62.2	62	1,478	41.9	42.0
2008	Sutter	9	39	230.8	224.9	12	25,601	46.9	46.4	80	1,459	54.8	54.8
2009	Sutter	9	41	219.5	208.6	16	25,614	62.5	62.0	73	1,436	50.8	50.8
2010	Sutter	5	31	161.3	151.1	23	25,642	89.7	89.6	74	1,352	54.7	54.8
2011	Sutter	14	44	318.2	310.4	9	25,262	35.6	35.7	63	1,323	47.6	47.6
2012	Sutter	12	39	307.7	297.2	13	26,532	49.0	48.2	61	1,262	48.3	48.3
2013	Sutter	17	38	447.4	423.1	4	26,876	14.9	14.6	57	1,264	45.1	45.1
2005	Tehama	7	24	291.7	272.7	7	15,503	45.2	46.6	39	826	47.2	47.2
2006	Tehama	9	17	529.4	558.5	7	15,814	44.3	45.4	25	783	31.9	32.0
2007	Tehama	6	16	375.0	359.3	4	15,855	25.2	25.5	34	734	46.3	46.2
2008	Tehama	2	12	166.7	169.3	2	15,905	12.6	12.6	33	765	43.1	43.1
2009	Tehama	10	14	714.3	551.3	9	15,852	56.8	56.4	32	771	41.5	41.6
2010	Tehama	5	11	454.5	411.8	8	15,784	50.7	50.5	42	738	56.9	56.9
2011	Tehama	6	14	428.6	386.4	24	15,510	154.7	154.7	35	696	50.3	50.5
2012	Tehama	7	15	466.7	472.6	13	15,996	81.3	79.9	50	746	67.0	66.9
2013	Tehama	4	11	363.6	338.1	6	16,070	37.3	36.5	38	711	53.4	53.5
2005	Trinity	0	4	0.0	0.0	1	2,681	37.3	41.7	7	109	64.2	65.0
2006	Trinity	3	4	750.0	672.6	1	2,641	37.9	41.8	0	106	0.0	0.0
2007	Trinity	1	1	1,000.0		0	2,599	0.0	0.0	5	106	47.2	47.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2008	Trinity	1	4	250.0	246.8	0	2,531	0.0	0.0	6	119	50.4	50.4
2009	Trinity	1	3	333.3	385.6	2	2,517	79.5	82.4	2	105	19.0	18.8
2010	Trinity	1	5	200.0	209.9	2	2,452	81.6	84.4	5	98	51.0	50.9
2011	Trinity	0	3	0.0	0.0	1	2,409	41.5	43.3	1	100	10.0	10.0
2012	Trinity	1	3	333.3	259.8	1	2,394	41.8	42.5	2	110	18.2	18.1
2013	Trinity	0	1	0.0		2	2,361	84.7	85.2	7	101	69.3	69.6
2005	Tulare	73	190	384.2	355.6	57	131,852	43.2	42.6	465	8,211	56.6	56.7
2006	Tulare	96	244	393.4	367.0	65	133,815	48.6	47.8	430	8,330	51.6	51.6
2007	Tulare	89	250	356.0	344.7	63	135,801	46.4	45.5	457	8,529	53.6	53.6
2008	Tulare	98	253	387.4	375.2	78	137,895	56.6	55.4	461	8,538	54.0	54.0
2009	Tulare	104	273	381.0	370.3	62	140,131	44.2	43.3	483	8,397	57.5	57.5
2010	Tulare	87	299	291.0	277.6	72	141,850	50.8	49.9	441	8,165	54.0	54.0
2011	Tulare	99	320	309.4	291.2	63	142,613	44.2	43.4	438	8,005	54.7	54.7
2012	Tulare	100	301	332.2	313.6	68	145,722	46.7	45.4	383	8,013	47.8	47.8
2013	Tulare	100	262	381.7	354.6	42	147,768	28.4	27.6	471	7,669	61.4	61.5
2005	Tuolumne	3	20	150.0	169.5	4	10,634	37.6	41.3	24	436	55.0	55.2
2006	Tuolumne	2	19	105.3	116.0	1	10,386	9.6	10.5	27	496	54.4	54.5
2007	Tuolumne	4	15	266.7	332.8	4	10,128	39.5	42.9	22	480	45.8	45.9
2008	Tuolumne	4	15	266.7	276.6	2	10,035	19.9	21.0	26	477	54.5	54.6
2009	Tuolumne	5	18	277.8	300.2	0	9,784	0.0	0.0	13	418	31.1	31.1
2010	Tuolumne	3	15	200.0	198.3	1	9,446	10.6	11.2	13	477	27.3	27.1
2011	Tuolumne	2	13	153.8	161.6	1	9,213	10.9	11.4	17	421	40.4	40.3
2012	Tuolumne	3	11	272.7	226.9	4	9,237	43.3	45.0	21	446	47.1	47.1
2013	Tuolumne	2	8	250.0	266.1	2	9,065	22.1	22.7	20	458	43.7	43.6
2005	Ventura	77	308	250.0	258.1	49	211,712	23.1	23.7	635	12,002	52.9	52.9
2006	Ventura	68	308	220.8	222.1	46	210,407	21.9	22.3	670	12,319	54.4	54.4
2007	Ventura	93	340	273.5	263.5	47	209,048	22.5	22.8	639	12,038	53.1	53.0
2008	Ventura	104	375	277.3	266.8	36	208,649	17.3	17.4	620	11,897	52.1	52.1
2009	Ventura	84	377	222.8	217.9	67	208,594	32.1	32.5	561	11,158	50.3	50.3
2010	Ventura	95	395	240.5	239.2	58	209,412	27.7	28.1	538	11,032	48.8	48.8
2011	Ventura	79	385	205.2	205.5	52	207,370	25.1	25.3	533	10,525	50.6	50.6
2012	Ventura	101	373	270.8	264.2	59	207,441	28.4	28.6	523	10,518	49.7	49.7
2013	Ventura	80	331	241.7	234.9	42	206,897	20.3	20.4	522	9,963	52.4	52.4
2005	Yolo	12	28	428.6	440.8	8	46,981	17.0	17.0	111	2,427	45.7	45.8
2006	Yolo	10	37	270.3	252.1	9	47,274	19.0	18.8	128	2,645	48.4	48.4
2007	Yolo	13	43	302.3	289.2	13	48,048	27.1	26.6	105	2,522	41.6	41.7
2008	Yolo	14	52	269.2	254.3	11	48,300	22.8	22.3	128	2,619	48.9	48.9
2009	Yolo	10	31	322.6	307.3	17	48,576	35.0	34.3	104	2,479	42.0	41.9
2010	Yolo	17	47	361.7	334.7	10	48,501	20.6	20.2	101	2,418	41.8	41.8
2011	Yolo	13	61	213.1	217.7	4	47,556	8.4	8.3	136	2,346	58.0	58.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2012	Yolo	23	57	403.5	385.4	5	48,740	10.3	10.0	121	2,463	49.1	49.1
2013	Yolo	17	52	326.9	300.2	7	48,939	14.3	13.9	143	2,488	57.5	57.5
2005	Yuba	8	32	250.0	256.3	10	19,327	51.7	51.4	77	1,240	62.1	62.1
2006	Yuba	9	24	375.0	369.0	11	20,141	54.6	53.4	59	1,308	45.1	45.1
2007	Yuba	13	32	406.3	354.5	12	20,635	58.2	56.4	73	1,341	54.4	54.4
2008	Yuba	6	27	222.2	225.7	10	20,778	48.1	46.9	62	1,241	50.0	50.0
2009	Yuba	5	40	125.0	128.2	18	20,520	87.7	85.5	63	1,227	51.3	51.3
2010	Yuba	8	30	266.7	266.0	10	20,681	48.4	47.2	62	1,223	50.7	50.7
2011	Yuba	11	34	323.5	311.6	7	20,482	34.2	33.5	66	1,251	52.8	52.9
2012	Yuba	8	32	250.0	250.0	8	21,267	37.6	36.3	67	1,208	55.5	55.5
2013	Yuba	5	25	200.0	178.9	9	21,521	41.8	40.2	79	1,182	66.8	66.8
2005	Unassigned	30	96	312.5	340.8					226	3,176	71.2	71.2
2006	Unassigned	41	134	306.0	306.5					244	3,214	75.9	76.1
2007	Unassigned	33	111	297.3	318.3					263	3,026	86.9	87.0
2008	Unassigned	40	130	307.7	305.7					197	2,617	75.3	75.3
2009	Unassigned	38	122	311.5	319.6					211	2,579	81.8	81.8
2010	Unassigned	33	101	326.7	327.9					201	2,464	81.6	81.5
2011	Unassigned	30	104	288.5	297.8					236	2,487	94.9	95.0
2012	Unassigned	37	132	280.3	293.4					247	2,754	89.7	89.7
2013	Unassigned	32	108	296.3	299.5					231	2,661	86.8	86.9

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	9,121	6,339,207	143.9	145.1	3,593	6,339,207	56.7	57.5	5,528	6,339,207	87.2	87.7
2006	STATEWIDE	8,442	6,320,202	133.6	134.8	3,094	6,320,202	49.0	49.5	5,348	6,320,202	84.6	85.3
2007	STATEWIDE	7,888	6,288,928	125.4	126.6	2,897	6,288,928	46.1	46.5	4,991	6,288,928	79.4	80.1
2008	STATEWIDE	7,605	6,286,480	121.0	121.9	2,875	6,286,480	45.7	46.0	4,730	6,286,480	75.2	75.9
2009	STATEWIDE	8,463	6,292,454	134.5	135.2	2,845	6,292,454	45.2	45.3	5,618	6,292,454	89.3	89.9
2010	STATEWIDE	7,631	6,313,556	120.9	121.2	2,527	6,313,556	40.0	40.0	5,104	6,313,556	80.8	81.2
2011	STATEWIDE	7,328	6,252,287	117.2	117.3	2,570	6,252,287	41.1	41.1	4,758	6,252,287	76.1	76.2
2012	STATEWIDE	7,714	6,289,403	122.7	123.8	2,418	6,289,403	38.4	38.6	5,296	6,289,403	84.2	85.3
2013	STATEWIDE	7,378	6,286,079	117.4	118.6	2,628	6,286,079	41.8	41.9	4,750	6,286,079	75.6	76.7
2005	Alameda	508	223,087	227.7	229.0	137	223,087	61.4	62.0	371	223,087	166.3	166.9
2006	Alameda	443	222,633	199.0	199.9	110	222,633	49.4	49.7	333	222,633	149.6	150.2
2007	Alameda	416	222,473	187.0	187.8	116	222,473	52.1	52.2	300	222,473	134.8	135.5
2008	Alameda	368	224,396	164.0	164.2	96	224,396	42.8	42.7	272	224,396	121.2	121.6
2009	Alameda	403	226,709	177.8	177.4	72	226,709	31.8	31.6	331	226,709	146.0	146.0
2010	Alameda	396	227,553	174.0	173.3	73	227,553	32.1	31.8	323	227,553	141.9	141.6
2011	Alameda	323	225,834	143.0	142.1	74	225,834	32.8	32.6	249	225,834	110.3	109.5
2012	Alameda	359	221,528	162.1	162.3	67	221,528	30.2	30.1	292	221,528	131.8	132.5
2013	Alameda	358	220,547	162.3	162.7	98	220,547	44.4	44.1	260	220,547	117.9	118.7
2005	Alpine	0	165	0.0	0.0	0	165	0.0	0.0	0	165	0.0	0.0
2006	Alpine	0	191	0.0	0.0	0	191	0.0	0.0	0	191	0.0	0.0
2007	Alpine	0	182	0.0	0.0	0	182	0.0	0.0	0	182	0.0	0.0
2008	Alpine	0	174	0.0	0.0	0	174	0.0	0.0	0	174	0.0	0.0
2009	Alpine	0	167	0.0	0.0	0	167	0.0	0.0	0	167	0.0	0.0
2010	Alpine	0	176	0.0	0.0	0	176	0.0	0.0	0	176	0.0	0.0
2011	Alpine	0	148	0.0	0.0	0	148	0.0	0.0	0	148	0.0	0.0
2012	Alpine	0	160	0.0	0.0	0	160	0.0	0.0	0	160	0.0	0.0
2013	Alpine	0	155	0.0	0.0	0	155	0.0	0.0	0	155	0.0	0.0
2005	Amador	6	5,180	115.8	120.7	3	5,180	57.9	60.6	3	5,180	57.9	60.2
2006	Amador	7	5,103	137.2	142.7	4	5,103	78.4	82.0	3	5,103	58.8	61.0
2007	Amador	11	5,020	219.1	227.4	6	5,020	119.5	124.1	5	5,020	99.6	103.4
2008	Amador	6	4,803	124.9	128.9	4	4,803	83.3	86.2	2	4,803	41.6	42.9
2009	Amador	5	4,652	107.5	110.7	3	4,652	64.5	66.2	2	4,652	43.0	44.3
2010	Amador	1	4,567	21.9	22.6	0	4,567	0.0	0.0	1	4,567	21.9	22.6
2011	Amador	6	4,464	134.4	138.1	2	4,464	44.8	45.9	4	4,464	89.6	92.3
2012	Amador	4	4,487	89.2	91.4	2	4,487	44.6	45.2	2	4,487	44.6	46.0
2013	Amador	8	4,409	181.4	185.5	2	4,409	45.4	45.7	6	4,409	136.1	140.2
2005	Butte	58	35,424	163.7	167.3	26	35,424	73.4	73.2	32	35,424	90.3	93.4
2006	Butte	42	35,198	119.3	122.0	18	35,198	51.1	51.0	24	35,198	68.2	70.6
2007	Butte	45	34,759	129.5	132.1	21	34,759	60.4	60.0	24	34,759	69.0	71.4
2008	Butte	41	34,391	119.2	121.4	11	34,391	32.0	31.7	30	34,391	87.2	90.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Butte	59	34,089	173.1	175.7	29	34,089	85.1	84.1	30	34,089	88.0	90.5
2010	Butte	62	33,658	184.2	186.7	24	33,658	71.3	70.4	38	33,658	112.9	115.9
2011	Butte	49	33,062	148.2	150.0	20	33,062	60.5	59.3	29	33,062	87.7	90.1
2012	Butte	47	33,120	141.9	144.3	26	33,120	78.5	77.3	21	33,120	63.4	65.5
2013	Butte	47	32,801	143.3	145.7	21	32,801	64.0	62.9	26	32,801	79.3	81.9
2005	Calaveras	8	6,991	114.4	117.1	4	6,991	57.2	59.2	4	6,991	57.2	58.3
2006	Calaveras	11	6,956	158.1	161.2	2	6,956	28.8	29.6	9	6,956	129.4	131.3
2007	Calaveras	11	6,814	161.4	165.0	4	6,814	58.7	60.3	7	6,814	102.7	104.8
2008	Calaveras	9	6,699	134.3	137.0	1	6,699	14.9	15.3	8	6,699	119.4	121.4
2009	Calaveras	4	6,544	61.1	62.5	2	6,544	30.6	31.5	2	6,544	30.6	31.1
2010	Calaveras	4	6,264	63.9	65.4	0	6,264	0.0	0.0	4	6,264	63.9	65.2
2011	Calaveras	6	6,054	99.1	101.5	3	6,054	49.6	51.0	3	6,054	49.6	50.7
2012	Calaveras	7	6,351	110.2	112.8	1	6,351	15.7	16.1	6	6,351	94.5	96.6
2013	Calaveras	8	6,293	127.1	130.1	1	6,293	15.9	16.3	7	6,293	111.2	113.9
2005	Colusa	2	4,087	48.9	49.7	1	4,087	24.5	25.1	1	4,087	24.5	24.7
2006	Colusa	4	4,120	97.1	98.1	2	4,120	48.5	49.7	2	4,120	48.5	48.7
2007	Colusa	5	4,122	121.3	122.2	2	4,122	48.5	49.2	3	4,122	72.8	73.1
2008	Colusa	5	4,107	121.7	122.3	3	4,107	73.0	74.0	2	4,107	48.7	48.7
2009	Colusa	6	4,127	145.4	145.8	2	4,127	48.5	49.2	4	4,127	96.9	96.6
2010	Colusa	2	4,175	47.9	47.9	1	4,175	23.9	24.3	1	4,175	23.9	23.8
2011	Colusa	4	4,175	95.8	95.7	4	4,175	95.8	97.2	0	4,175	0.0	0.0
2012	Colusa	4	4,182	95.6	95.7	3	4,182	71.7	73.0	1	4,182	23.9	23.8
2013	Colusa	9	4,193	214.6	214.7	7	4,193	166.9	169.8	2	4,193	47.7	47.3
2005	Contra Costa	244	173,721	140.5	141.1	95	173,721	54.7	55.5	149	173,721	85.8	85.8
2006	Contra Costa	267	173,364	154.0	154.8	75	173,364	43.3	43.8	192	173,364	110.7	111.0
2007	Contra Costa	207	173,306	119.4	120.0	68	173,306	39.2	39.6	139	173,306	80.2	80.4
2008	Contra Costa	220	174,548	126.0	126.4	77	174,548	44.1	44.4	143	174,548	81.9	82.0
2009	Contra Costa	197	175,549	112.2	112.3	59	175,549	33.6	33.8	138	175,549	78.6	78.5
2010	Contra Costa	187	177,185	105.5	105.4	53	177,185	29.9	30.1	134	177,185	75.6	75.3
2011	Contra Costa	176	176,891	99.5	99.3	62	176,891	35.0	35.2	114	176,891	64.4	64.2
2012	Contra Costa	197	177,223	111.2	111.6	48	177,223	27.1	27.2	149	177,223	84.1	84.3
2013	Contra Costa	202	177,723	113.7	114.1	76	177,723	42.8	42.9	126	177,723	70.9	71.2
2005	Del Norte	19	4,415	430.4	439.7	1	4,415	22.7	23.4	18	4,415	407.7	414.8
2006	Del Norte	12	4,292	279.6	285.2	5	4,292	116.5	119.4	7	4,292	163.1	166.0
2007	Del Norte	13	4,229	307.4	311.7	3	4,229	70.9	71.6	10	4,229	236.5	240.3
2008	Del Norte	6	4,134	145.1	147.8	3	4,134	72.6	74.0	3	4,134	72.6	73.9
2009	Del Norte	5	4,065	123.0	124.5	3	4,065	73.8	74.7	2	4,065	49.2	49.8
2010	Del Norte	4	4,116	97.2	98.2	1	4,116	24.3	24.6	3	4,116	72.9	73.5
2011	Del Norte	6	4,038	148.6	149.6	4	4,038	99.0	100.3	2	4,038	49.5	49.7
2012	Del Norte	6	3,887	154.4	156.2	3	3,887	77.2	78.2	3	3,887	77.2	78.1

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Del Norte	2	3,812	52.5	53.0	2	3,812	52.5	53.1	0	3,812	0.0	0.0
2005	El Dorado	27	30,182	89.5	90.7	10	30,182	33.1	33.8	17	30,182	56.3	56.9
2006	El Dorado	32	30,069	106.4	107.9	8	30,069	26.6	27.1	24	30,069	79.8	80.7
2007	El Dorado	28	29,633	94.5	95.7	10	29,633	33.7	34.2	18	29,633	60.7	61.5
2008	El Dorado	24	29,451	81.5	82.5	8	29,451	27.2	27.6	16	29,451	54.3	54.9
2009	El Dorado	29	29,204	99.3	100.3	6	29,204	20.5	20.8	23	29,204	78.8	79.4
2010	El Dorado	24	28,879	83.1	83.8	5	28,879	17.3	17.6	19	28,879	65.8	66.2
2011	El Dorado	26	28,297	91.9	92.6	12	28,297	42.4	43.0	14	28,297	49.5	49.8
2012	El Dorado	30	29,021	103.4	104.6	6	29,021	20.7	20.9	24	29,021	82.7	83.7
2013	El Dorado	21	28,947	72.5	73.4	8	28,947	27.6	27.9	13	28,947	44.9	45.5
2005	Fresno	274	179,497	152.6	153.9	99	179,497	55.2	55.9	175	179,497	97.5	98.0
2006	Fresno	259	180,153	143.8	144.9	72	180,153	40.0	40.4	187	180,153	103.8	104.5
2007	Fresno	258	180,905	142.6	143.6	66	180,905	36.5	36.7	192	180,905	106.1	106.9
2008	Fresno	284	182,148	155.9	156.7	101	182,148	55.4	55.6	183	182,148	100.5	101.1
2009	Fresno	301	183,505	164.0	164.4	68	183,505	37.1	37.0	233	183,505	127.0	127.4
2010	Fresno	326	184,971	176.2	176.2	75	184,971	40.5	40.5	251	184,971	135.7	135.8
2011	Fresno	270	183,210	147.4	146.8	86	183,210	46.9	46.9	184	183,210	100.4	99.9
2012	Fresno	338	185,879	181.8	182.6	77	185,879	41.4	41.4	261	185,879	140.4	141.3
2013	Fresno	304	186,819	162.7	163.4	91	186,819	48.7	48.7	213	186,819	114.0	114.8
2005	Glenn	7	5,289	132.4	133.4	2	5,289	37.8	38.5	5	5,289	94.5	94.9
2006	Glenn	7	5,292	132.3	133.1	2	5,292	37.8	38.3	5	5,292	94.5	94.8
2007	Glenn	5	5,275	94.8	94.8	3	5,275	56.9	57.1	2	5,275	37.9	37.9
2008	Glenn	6	5,260	114.1	114.5	4	5,260	76.0	76.5	2	5,260	38.0	38.1
2009	Glenn	5	5,273	94.8	95.2	2	5,273	37.9	38.5	3	5,273	56.9	56.9
2010	Glenn	2	5,233	38.2	38.3	0	5,233	0.0	0.0	2	5,233	38.2	38.2
2011	Glenn	3	5,148	58.3	58.2	1	5,148	19.4	19.5	2	5,148	38.9	38.6
2012	Glenn	10	5,131	194.9	194.9	5	5,131	97.4	97.6	5	5,131	97.4	97.4
2013	Glenn	5	5,101	98.0	98.0	1	5,101	19.6	19.6	4	5,101	78.4	78.4
2005	Humboldt	25	20,018	124.9	126.8	3	20,018	15.0	14.8	22	20,018	109.9	113.0
2006	Humboldt	20	19,696	101.5	103.0	9	19,696	45.7	45.3	11	19,696	55.8	57.3
2007	Humboldt	29	19,367	149.7	151.5	4	19,367	20.7	20.3	25	19,367	129.1	132.4
2008	Humboldt	14	19,125	73.2	74.0	5	19,125	26.1	25.7	9	19,125	47.1	48.2
2009	Humboldt	19	19,151	99.2	100.2	9	19,151	47.0	46.3	10	19,151	52.2	53.4
2010	Humboldt	26	18,894	137.6	138.3	9	18,894	47.6	46.8	17	18,894	90.0	91.5
2011	Humboldt	18	18,773	95.9	96.6	6	18,773	32.0	31.4	12	18,773	63.9	65.1
2012	Humboldt	18	18,314	98.3	99.0	8	18,314	43.7	42.7	10	18,314	54.6	55.8
2013	Humboldt	24	18,056	132.9	133.7	10	18,056	55.4	54.1	14	18,056	77.5	79.2
2005	Imperial	156	31,543	494.6	505.8	66	31,543	209.2	214.8	90	31,543	285.3	291.3
2006	Imperial	124	32,158	385.6	393.5	51	32,158	158.6	162.0	73	32,158	227.0	231.6
2007	Imperial	105	32,831	319.8	325.7	41	32,831	124.9	127.2	64	32,831	194.9	198.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Imperial	84	33,268	252.5	255.5	28	33,268	84.2	85.2	56	33,268	168.3	170.3
2009	Imperial	92	34,143	269.5	271.0	29	34,143	84.9	85.5	63	34,143	184.5	185.6
2010	Imperial	117	34,860	335.6	336.3	29	34,860	83.2	83.5	88	34,860	252.4	252.8
2011	Imperial	100	34,356	291.1	291.3	21	34,356	61.1	61.3	79	34,356	229.9	230.0
2012	Imperial	99	34,885	283.8	286.3	19	34,885	54.5	54.8	80	34,885	229.3	231.6
2013	Imperial	83	35,276	235.3	237.3	24	35,276	68.0	68.4	59	35,276	167.3	168.9
2005	Inyo	1	2,839	35.2	36.1	1	2,839	35.2	36.4	0	2,839	0.0	0.0
2006	Inyo	3	2,772	108.2	110.9	1	2,772	36.1	37.1	2	2,772	72.1	73.8
2007	Inyo	5	2,738	182.6	186.4	2	2,738	73.0	75.0	3	2,738	109.6	111.6
2008	Inyo	1	2,635	38.0	38.5	0	2,635	0.0	0.0	1	2,635	38.0	38.5
2009	Inyo	8	2,616	305.8	308.6	3	2,616	114.7	116.4	5	2,616	191.1	192.4
2010	Inyo	1	2,588	38.6	39.0	1	2,588	38.6	39.4	0	2,588	0.0	0.0
2011	Inyo	1	2,557	39.1	39.3	1	2,557	39.1	39.4	0	2,557	0.0	0.0
2012	Inyo	1	2,478	40.3	40.9	1	2,478	40.3	41.0	0	2,478	0.0	0.0
2013	Inyo	3	2,425	123.7	125.3	0	2,425	0.0	0.0	3	2,425	123.7	125.1
2005	Kern	178	156,659	113.6	114.4	77	156,659	49.2	50.1	101	156,659	64.5	64.6
2006	Kern	201	159,903	125.7	126.6	77	159,903	48.2	48.9	124	159,903	77.5	77.8
2007	Kern	190	162,018	117.3	118.0	62	162,018	38.3	38.7	128	162,018	79.0	79.3
2008	Kern	177	164,124	107.8	108.3	66	164,124	40.2	40.5	111	164,124	67.6	67.8
2009	Kern	196	165,883	118.2	118.3	75	165,883	45.2	45.3	121	165,883	72.9	73.0
2010	Kern	221	167,654	131.8	131.6	81	167,654	48.3	48.3	140	167,654	83.5	83.3
2011	Kern	220	166,914	131.8	131.3	69	166,914	41.3	41.3	151	166,914	90.5	90.0
2012	Kern	227	172,891	131.3	131.7	53	172,891	30.7	30.8	174	172,891	100.6	100.9
2013	Kern	197	175,405	112.3	112.7	50	175,405	28.5	28.6	147	175,405	83.8	84.1
2005	Kings	41	26,527	154.6	155.4	24	26,527	90.5	92.1	17	26,527	64.1	64.1
2006	Kings	36	26,606	135.3	135.9	15	26,606	56.4	57.3	21	26,606	78.9	78.9
2007	Kings	33	26,860	122.9	123.3	12	26,860	44.7	45.3	21	26,860	78.2	78.2
2008	Kings	32	26,996	118.5	118.7	17	26,996	63.0	63.5	15	26,996	55.6	55.5
2009	Kings	30	27,157	110.5	110.4	9	27,157	33.1	33.3	21	27,157	77.3	77.1
2010	Kings	26	27,491	94.6	94.1	8	27,491	29.1	29.2	18	27,491	65.5	65.0
2011	Kings	30	27,249	110.1	109.3	14	27,249	51.4	51.3	16	27,249	58.7	58.1
2012	Kings	45	27,778	162.0	161.8	16	27,778	57.6	57.8	29	27,778	104.4	104.0
2013	Kings	21	27,977	75.1	75.0	11	27,977	39.3	39.5	10	27,977	35.7	35.6
2005	Lake	17	10,148	167.5	170.4	5	10,148	49.3	50.4	12	10,148	118.2	120.0
2006	Lake	17	10,039	169.3	172.1	5	10,039	49.8	50.8	12	10,039	119.5	121.3
2007	Lake	11	9,704	113.4	115.3	3	9,704	30.9	31.4	8	9,704	82.4	83.9
2008	Lake	10	9,587	104.3	105.9	7	9,587	73.0	74.1	3	9,587	31.3	31.8
2009	Lake	11	9,362	117.5	118.9	3	9,362	32.0	32.5	8	9,362	85.5	86.4
2010	Lake	17	9,276	183.3	184.7	4	9,276	43.1	43.6	13	9,276	140.2	141.1
2011	Lake	12	8,974	133.7	134.1	6	8,974	66.9	67.1	6	8,974	66.9	67.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	Lake	15	9,133	164.2	166.2	9	9,133	98.5	99.0	6	9,133	65.7	66.7
2013	Lake	11	9,025	121.9	123.4	6	9,025	66.5	66.6	5	9,025	55.4	56.3
2005	Lassen	10	4,920	203.3	207.8	6	4,920	122.0	125.7	4	4,920	81.3	82.8
2006	Lassen	7	4,783	146.3	150.1	6	4,783	125.4	129.2	1	4,783	20.9	21.4
2007	Lassen	5	4,692	106.6	109.4	3	4,692	63.9	66.0	2	4,692	42.6	43.6
2008	Lassen	4	4,672	85.6	88.0	4	4,672	85.6	88.6	0	4,672	0.0	0.0
2009	Lassen	8	4,489	178.2	183.3	5	4,489	111.4	115.2	3	4,489	66.8	68.6
2010	Lassen	11	4,406	249.7	256.0	4	4,406	90.8	93.8	7	4,406	158.9	162.4
2011	Lassen	4	4,140	96.6	98.8	1	4,140	24.2	25.0	3	4,140	72.5	73.7
2012	Lassen	6	4,192	143.1	147.4	2	4,192	47.7	49.2	4	4,192	95.4	98.2
2013	Lassen	7	4,100	170.7	176.0	2	4,100	48.8	50.2	5	4,100	122.0	125.8
2005	Los Angeles	2,865	1,751,544	163.6	164.8	1,128	1,751,544	64.4	65.4	1,737	1,751,544	99.2	99.6
2006	Los Angeles	2,605	1,722,880	151.2	152.6	1,009	1,722,880	58.6	59.3	1,596	1,722,880	92.6	93.4
2007	Los Angeles	2,435	1,687,649	144.3	145.8	945	1,687,649	56.0	56.5	1,490	1,687,649	88.3	89.3
2008	Los Angeles	2,338	1,667,244	140.2	141.6	963	1,667,244	57.8	58.1	1,375	1,667,244	82.5	83.5
2009	Los Angeles	2,677	1,653,881	161.9	163.2	975	1,653,881	59.0	59.1	1,702	1,653,881	102.9	104.1
2010	Los Angeles	2,200	1,641,965	134.0	134.8	833	1,641,965	50.7	50.7	1,367	1,641,965	83.3	84.0
2011	Los Angeles	2,311	1,610,744	143.5	144.1	876	1,610,744	54.4	54.3	1,435	1,610,744	89.1	89.7
2012	Los Angeles	2,251	1,606,635	140.1	142.3	797	1,606,635	49.6	49.8	1,454	1,606,635	90.5	92.4
2013	Los Angeles	2,295	1,588,805	144.4	147.1	865	1,588,805	54.4	54.7	1,430	1,588,805	90.0	92.3
2005	Madera	25	26,694	93.7	94.3	14	26,694	52.4	53.5	11	26,694	41.2	41.3
2006	Madera	34	27,316	124.5	125.4	11	27,316	40.3	40.9	23	27,316	84.2	84.4
2007	Madera	28	27,619	101.4	102.0	8	27,619	29.0	29.4	20	27,619	72.4	72.7
2008	Madera	34	28,006	121.4	121.9	14	28,006	50.0	50.4	20	28,006	71.4	71.6
2009	Madera	42	28,198	148.9	149.6	12	28,198	42.6	43.0	30	28,198	106.4	106.5
2010	Madera	41	28,653	143.1	143.1	7	28,653	24.4	24.5	34	28,653	118.7	118.4
2011	Madera	48	28,632	167.6	167.1	17	28,632	59.4	59.6	31	28,632	108.3	107.6
2012	Madera	33	29,382	112.3	112.7	8	29,382	27.2	27.4	25	29,382	85.1	85.2
2013	Madera	33	29,766	110.9	111.2	6	29,766	20.2	20.3	27	29,766	90.7	90.8
2005	Marin	38	32,825	115.8	115.9	22	32,825	67.0	68.0	16	32,825	48.7	48.5
2006	Marin	22	33,014	66.6	66.6	8	33,014	24.2	24.5	14	33,014	42.4	42.1
2007	Marin	17	33,103	51.4	51.1	9	33,103	27.2	27.4	8	33,103	24.2	23.9
2008	Marin	17	33,426	50.9	50.5	8	33,426	23.9	24.1	9	33,426	26.9	26.5
2009	Marin	19	33,890	56.1	55.3	10	33,890	29.5	29.5	9	33,890	26.6	26.0
2010	Marin	20	34,340	58.2	57.3	7	34,340	20.4	20.4	13	34,340	37.9	37.0
2011	Marin	18	35,071	51.3	50.6	4	35,071	11.4	11.4	14	35,071	39.9	39.1
2012	Marin	24	34,285	70.0	69.1	12	34,285	35.0	34.9	12	34,285	35.0	34.4
2013	Marin	30	34,409	87.2	86.0	14	34,409	40.7	40.5	16	34,409	46.5	45.7
2005	Mariposa	0	2,572	0.0	0.0	0	2,572	0.0	0.0	0	2,572	0.0	0.0
2006	Mariposa	2	2,556	78.2	80.4	1	2,556	39.1	39.6	1	2,556	39.1	40.5

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2007	Mariposa	1	2,526	39.6	40.7	0	2,526	0.0	0.0	1	2,526	39.6	40.9
2008	Mariposa	4	2,478	161.4	165.6	1	2,478	40.4	41.2	3	2,478	121.1	124.5
2009	Mariposa	3	2,337	128.4	130.9	1	2,337	42.8	43.4	2	2,337	85.6	87.5
2010	Mariposa	0	2,281	0.0	0.0	0	2,281	0.0	0.0	0	2,281	0.0	0.0
2011	Mariposa	2	2,225	89.9	90.6	0	2,225	0.0	0.0	2	2,225	89.9	90.9
2012	Mariposa	1	2,233	44.8	45.6	0	2,233	0.0	0.0	1	2,233	44.8	45.9
2013	Mariposa	2	2,186	91.5	93.0	1	2,186	45.8	45.8	1	2,186	45.8	46.9
2005	Mendocino	14	14,037	99.7	101.3	6	14,037	42.7	43.3	8	14,037	57.0	57.9
2006	Mendocino	11	13,647	80.6	81.7	1	13,647	7.3	7.4	10	13,647	73.3	74.4
2007	Mendocino	20	13,249	151.0	152.5	5	13,249	37.7	37.9	15	13,249	113.2	114.7
2008	Mendocino	7	13,095	53.5	53.9	3	13,095	22.9	23.0	4	13,095	30.5	30.9
2009	Mendocino	13	12,929	100.6	101.3	0	12,929	0.0	0.0	13	12,929	100.6	101.4
2010	Mendocino	12	12,959	92.6	92.9	2	12,959	15.4	15.5	10	12,959	77.2	77.3
2011	Mendocino	14	12,840	109.0	109.2	4	12,840	31.2	31.4	10	12,840	77.9	77.8
2012	Mendocino	15	12,235	122.6	123.1	6	12,235	49.0	49.1	9	12,235	73.6	74.0
2013	Mendocino	10	11,966	83.6	83.8	4	11,966	33.4	33.4	6	11,966	50.1	50.4
2005	Merced	67	53,942	124.2	125.5	29	53,942	53.8	54.7	38	53,942	70.4	70.9
2006	Merced	73	54,185	134.7	136.3	29	54,185	53.5	54.4	44	54,185	81.2	82.0
2007	Merced	54	54,234	99.6	100.5	25	54,234	46.1	46.6	29	54,234	53.5	53.9
2008	Merced	65	54,222	119.9	120.7	25	54,222	46.1	46.4	40	54,222	73.8	74.3
2009	Merced	66	54,018	122.2	122.7	25	54,018	46.3	46.4	41	54,018	75.9	76.3
2010	Merced	61	54,810	111.3	111.3	20	54,810	36.5	36.4	41	54,810	74.8	74.9
2011	Merced	75	54,489	137.6	137.4	29	54,489	53.2	53.2	46	54,489	84.4	84.2
2012	Merced	64	55,765	114.8	115.5	17	55,765	30.5	30.6	47	55,765	84.3	85.0
2013	Merced	76	56,153	135.3	136.3	29	56,153	51.6	51.7	47	56,153	83.7	84.5
2005	Modoc	2	1,555	128.6	130.1	0	1,555	0.0	0.0	2	1,555	128.6	129.0
2006	Modoc	0	1,549	0.0	0.0	0	1,549	0.0	0.0	0	1,549	0.0	0.0
2007	Modoc	2	1,468	136.2	138.0	2	1,468	136.2	139.5	0	1,468	0.0	0.0
2008	Modoc	2	1,478	135.3	136.9	1	1,478	67.6	69.0	1	1,478	67.6	68.2
2009	Modoc	2	1,417	141.1	140.9	2	1,417	141.1	141.3	0	1,417	0.0	0.0
2010	Modoc	1	1,425	70.2	70.3	0	1,425	0.0	0.0	1	1,425	70.2	70.2
2011	Modoc	0	1,392	0.0	0.0	0	1,392	0.0	0.0	0	1,392	0.0	0.0
2012	Modoc	0	1,362	0.0	0.0	0	1,362	0.0	0.0	0	1,362	0.0	0.0
2013	Modoc	0	1,334	0.0	0.0	0	1,334	0.0	0.0	0	1,334	0.0	0.0
2005	Mono	5	2,039	245.3	252.3	1	2,039	49.1	50.9	4	2,039	196.2	201.0
2006	Mono	5	1,978	252.8	257.9	3	1,978	151.7	155.7	2	1,978	101.1	102.8
2007	Mono	3	1,948	154.0	155.6	1	1,948	51.3	52.5	2	1,948	102.7	103.2
2008	Mono	3	1,914	156.7	158.2	2	1,914	104.5	106.5	1	1,914	52.2	52.5
2009	Mono	3	1,875	160.0	159.8	0	1,875	0.0	0.0	3	1,875	160.0	160.4
2010	Mono	4	1,949	205.3	203.6	1	1,949	51.3	50.8	3	1,949	153.9	152.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Mono	6	1,971	304.4	300.9	1	1,971	50.7	50.2	5	1,971	253.7	250.6
2012	Mono	0	1,873	0.0	0.0	0	1,873	0.0	0.0	0	1,873	0.0	0.0
2013	Mono	3	1,849	162.2	160.9	3	1,849	162.2	160.0	0	1,849	0.0	0.0
2005	Monterey	103	72,569	141.9	143.8	44	72,569	60.6	61.6	59	72,569	81.3	82.2
2006	Monterey	82	71,501	114.7	116.1	26	71,501	36.4	36.8	56	71,501	78.3	79.3
2007	Monterey	103	70,968	145.1	146.6	39	70,968	55.0	55.4	64	70,968	90.2	91.2
2008	Monterey	92	71,505	128.7	129.3	37	71,505	51.7	51.9	55	71,505	76.9	77.4
2009	Monterey	94	72,309	130.0	130.0	38	72,309	52.6	52.4	56	72,309	77.4	77.5
2010	Monterey	86	73,517	117.0	116.4	34	73,517	46.2	46.0	52	73,517	70.7	70.5
2011	Monterey	71	73,881	96.1	95.3	33	73,881	44.7	44.3	38	73,881	51.4	51.0
2012	Monterey	70	70,991	98.6	98.8	28	70,991	39.4	39.3	42	70,991	59.2	59.5
2013	Monterey	55	70,535	78.0	78.1	21	70,535	29.8	29.6	34	70,535	48.2	48.5
2005	Napa	20	21,263	94.1	95.0	9	21,263	42.3	43.0	11	21,263	51.7	52.2
2006	Napa	23	21,323	107.9	109.1	5	21,323	23.4	23.8	18	21,323	84.4	85.3
2007	Napa	20	21,289	93.9	94.9	6	21,289	28.2	28.5	14	21,289	65.8	66.4
2008	Napa	19	21,406	88.8	89.7	5	21,406	23.4	23.6	14	21,406	65.4	66.1
2009	Napa	19	21,561	88.1	88.7	6	21,561	27.8	28.0	13	21,561	60.3	60.7
2010	Napa	21	21,703	96.8	97.0	9	21,703	41.5	41.6	12	21,703	55.3	55.4
2011	Napa	19	21,772	87.3	87.5	9	21,772	41.3	41.5	10	21,772	45.9	46.0
2012	Napa	13	21,765	59.7	60.2	7	21,765	32.2	32.3	6	21,765	27.6	27.8
2013	Napa	11	21,827	50.4	50.8	2	21,827	9.2	9.2	9	21,827	41.2	41.6
2005	Nevada	21	14,827	141.6	144.8	5	14,827	33.7	34.6	16	14,827	107.9	110.1
2006	Nevada	19	14,518	130.9	133.7	7	14,518	48.2	49.3	12	14,518	82.7	84.4
2007	Nevada	16	14,209	112.6	115.0	2	14,209	14.1	14.4	14	14,209	98.5	100.6
2008	Nevada	19	14,039	135.3	137.8	5	14,039	35.6	36.3	14	14,039	99.7	101.5
2009	Nevada	16	13,630	117.4	119.3	3	13,630	22.0	22.4	13	13,630	95.4	96.9
2010	Nevada	14	13,372	104.7	106.1	1	13,372	7.5	7.6	13	13,372	97.2	98.6
2011	Nevada	9	12,998	69.2	70.2	2	12,998	15.4	15.6	7	12,998	53.9	54.6
2012	Nevada	17	13,019	130.6	132.8	7	13,019	53.8	54.3	10	13,019	76.8	78.4
2013	Nevada	14	12,795	109.4	111.2	4	12,795	31.3	31.5	10	12,795	78.2	79.8
2005	Orange	576	512,088	112.5	113.1	257	512,088	50.2	51.0	319	512,088	62.3	62.3
2006	Orange	515	507,508	101.5	102.2	221	507,508	43.5	44.1	294	507,508	57.9	58.2
2007	Orange	478	502,303	95.2	96.0	204	502,303	40.6	41.0	274	502,303	54.5	55.0
2008	Orange	448	502,642	89.1	89.8	203	502,642	40.4	40.7	245	502,642	48.7	49.2
2009	Orange	539	505,457	106.6	107.3	222	505,457	43.9	44.1	317	505,457	62.7	63.2
2010	Orange	403	507,945	79.3	79.7	180	507,945	35.4	35.5	223	507,945	43.9	44.2
2011	Orange	444	503,106	88.3	88.6	162	503,106	32.2	32.3	282	503,106	56.1	56.3
2012	Orange	455	502,624	90.5	91.8	182	502,624	36.2	36.5	273	502,624	54.3	55.2
2013	Orange	437	501,582	87.1	88.5	189	501,582	37.7	38.0	248	501,582	49.4	50.4
2005	Placer	53	54,704	96.9	97.2	22	54,704	40.2	40.7	31	54,704	56.7	56.6

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2006	Placer	33	55,824	59.1	59.4	14	55,824	25.1	25.5	19	55,824	34.0	34.0
2007	Placer	38	56,435	67.3	67.7	17	56,435	30.1	30.5	21	56,435	37.2	37.2
2008	Placer	38	57,352	66.3	66.5	10	57,352	17.4	17.6	28	57,352	48.8	48.8
2009	Placer	33	57,864	57.0	57.1	7	57,864	12.1	12.2	26	57,864	44.9	44.9
2010	Placer	51	58,615	87.0	87.0	16	58,615	27.3	27.5	35	58,615	59.7	59.6
2011	Placer	49	58,980	83.1	83.1	20	58,980	33.9	34.2	29	58,980	49.2	49.0
2012	Placer	60	61,805	97.1	97.4	23	61,805	37.2	37.5	37	61,805	59.9	59.9
2013	Placer	51	63,021	80.9	81.2	17	63,021	27.0	27.2	34	63,021	54.0	54.0
2005	Plumas	6	3,129	191.8	195.9	5	3,129	159.8	161.9	1	3,129	32.0	32.8
2006	Plumas	4	3,018	132.5	135.7	3	3,018	99.4	100.9	1	3,018	33.1	34.1
2007	Plumas	7	2,886	242.6	247.7	4	2,886	138.6	140.1	3	2,886	104.0	106.7
2008	Plumas	3	2,753	109.0	111.0	2	2,753	72.6	72.8	1	2,753	36.3	37.3
2009	Plumas	0	2,670	0.0	0.0	0	2,670	0.0	0.0	0	2,670	0.0	0.0
2010	Plumas	1	2,576	38.8	39.4	1	2,576	38.8	38.5	0	2,576	0.0	0.0
2011	Plumas	2	2,440	82.0	83.0	0	2,440	0.0	0.0	2	2,440	82.0	83.6
2012	Plumas	0	2,397	0.0	0.0	0	2,397	0.0	0.0	0	2,397	0.0	0.0
2013	Plumas	1	2,300	43.5	44.1	0	2,300	0.0	0.0	1	2,300	43.5	44.7
2005	Riverside	644	386,085	166.8	168.1	264	386,085	68.4	69.6	380	386,085	98.4	98.7
2006	Riverside	558	400,477	139.3	140.5	236	400,477	58.9	59.9	322	400,477	80.4	80.8
2007	Riverside	536	411,465	130.3	131.4	198	411,465	48.1	48.7	338	411,465	82.1	82.7
2008	Riverside	500	416,367	120.1	121.0	199	416,367	47.8	48.2	301	416,367	72.3	72.8
2009	Riverside	558	419,439	133.0	133.8	183	419,439	43.6	43.8	375	419,439	89.4	89.9
2010	Riverside	475	426,748	111.3	111.7	166	426,748	38.9	39.0	309	426,748	72.4	72.7
2011	Riverside	476	424,559	112.1	112.4	164	424,559	38.6	38.7	312	424,559	73.5	73.7
2012	Riverside	519	451,571	114.9	116.0	168	451,571	37.2	37.4	351	451,571	77.7	78.5
2013	Riverside	424	461,907	91.8	92.7	130	461,907	28.1	28.3	294	461,907	63.6	64.4
2005	Sacramento	335	242,592	138.1	138.9	112	242,592	46.2	46.8	223	242,592	91.9	92.1
2006	Sacramento	320	241,845	132.3	133.2	100	241,845	41.3	41.9	220	241,845	91.0	91.3
2007	Sacramento	257	241,883	106.2	106.9	89	241,883	36.8	37.1	168	241,883	69.5	69.8
2008	Sacramento	303	241,656	125.4	126.0	97	241,656	40.1	40.4	206	241,656	85.2	85.6
2009	Sacramento	313	241,736	129.5	129.8	79	241,736	32.7	32.7	234	241,736	96.8	97.1
2010	Sacramento	296	242,618	122.0	122.0	65	242,618	26.8	26.8	231	242,618	95.2	95.2
2011	Sacramento	277	240,117	115.4	115.0	66	240,117	27.5	27.5	211	240,117	87.9	87.5
2012	Sacramento	303	244,857	123.7	124.4	70	244,857	28.6	28.7	233	244,857	95.2	95.8
2013	Sacramento	329	245,617	133.9	134.8	94	245,617	38.3	38.4	235	245,617	95.7	96.4
2005	San Benito	10	11,213	89.2	89.4	6	11,213	53.5	54.6	4	11,213	35.7	35.5
2006	San Benito	13	10,979	118.4	119.2	4	10,979	36.4	37.2	9	10,979	82.0	82.0
2007	San Benito	12	10,949	109.6	110.4	7	10,949	63.9	64.9	5	10,949	45.7	45.8
2008	San Benito	10	10,971	91.1	91.8	6	10,971	54.7	55.5	4	10,971	36.5	36.6
2009	San Benito	10	10,860	92.1	92.7	5	10,860	46.0	46.7	5	10,860	46.0	46.2

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	San Benito	17	10,963	155.1	155.6	7	10,963	63.8	64.6	10	10,963	91.2	91.2
2011	San Benito	13	10,920	119.0	119.3	6	10,920	54.9	55.2	7	10,920	64.1	64.2
2012	San Benito	12	10,745	111.7	112.9	6	10,745	55.8	56.6	6	10,745	55.8	56.4
2013	San Benito	15	10,684	140.4	142.2	5	10,684	46.8	47.4	10	10,684	93.6	94.8
2005	San Bernardino	808	409,478	197.3	199.3	306	409,478	74.7	76.2	502	409,478	122.6	123.3
2006	San Bernardino	742	411,035	180.5	182.5	226	411,035	55.0	56.0	516	411,035	125.5	126.6
2007	San Bernardino	615	409,271	150.3	152.0	223	409,271	54.5	55.3	392	409,271	95.8	96.8
2008	San Bernardino	662	406,413	162.9	164.5	208	406,413	51.2	51.7	454	406,413	111.7	112.8
2009	San Bernardino	779	403,065	193.3	194.8	237	403,065	58.8	59.2	542	403,065	134.5	135.6
2010	San Bernardino	652	404,528	161.2	162.0	172	404,528	42.5	42.7	480	404,528	118.7	119.3
2011	San Bernardino	580	400,421	144.8	145.2	179	400,421	44.7	44.8	401	400,421	100.1	100.4
2012	San Bernardino	654	413,333	158.2	160.1	179	413,333	43.3	43.6	475	413,333	114.9	116.5
2013	San Bernardino	591	415,414	142.3	144.1	186	415,414	44.8	45.1	405	415,414	97.5	99.1
2005	San Diego	432	486,765	88.7	89.9	165	486,765	33.9	34.5	267	486,765	54.9	55.5
2006	San Diego	436	483,218	90.2	91.5	160	483,218	33.1	33.6	276	483,218	57.1	57.9
2007	San Diego	445	481,864	92.3	93.6	138	481,864	28.6	29.0	307	481,864	63.7	64.6
2008	San Diego	496	485,074	102.3	103.4	147	485,074	30.3	30.5	349	485,074	71.9	72.9
2009	San Diego	580	487,326	119.0	120.0	181	487,326	37.1	37.3	399	487,326	81.9	82.7
2010	San Diego	480	491,073	97.7	98.2	151	491,073	30.7	30.8	329	491,073	67.0	67.4
2011	San Diego	443	486,405	91.1	91.3	140	486,405	28.8	28.8	303	486,405	62.3	62.5
2012	San Diego	511	483,378	105.7	107.0	155	483,378	32.1	32.2	356	483,378	73.6	74.8
2013	San Diego	496	482,388	102.8	104.2	177	482,388	36.7	36.9	319	482,388	66.1	67.3
2005	San Francisco	87	68,349	127.3	129.2	28	68,349	41.0	41.0	59	68,349	86.3	88.3
2006	San Francisco	86	68,394	125.7	127.2	20	68,394	29.2	29.1	66	68,394	96.5	98.5
2007	San Francisco	81	68,417	118.4	119.5	20	68,417	29.2	28.9	61	68,417	89.2	90.9
2008	San Francisco	58	68,822	84.3	84.6	24	68,822	34.9	34.2	34	68,822	49.4	50.2
2009	San Francisco	61	69,592	87.7	87.6	16	69,592	23.0	22.4	45	69,592	64.7	65.4
2010	San Francisco	75	69,876	107.3	106.8	25	69,876	35.8	34.8	50	69,876	71.6	72.0
2011	San Francisco	64	69,373	92.3	91.6	21	69,373	30.3	29.6	43	69,373	62.0	62.0
2012	San Francisco	86	67,076	128.2	128.2	20	67,076	29.8	29.0	66	67,076	98.4	99.8
2013	San Francisco	97	66,531	145.8	145.7	33	66,531	49.6	48.0	64	66,531	96.2	97.6
2005	San Joaquin	243	133,320	182.3	183.7	114	133,320	85.5	87.0	129	133,320	96.8	97.1
2006	San Joaquin	212	133,834	158.4	159.5	93	133,834	69.5	70.4	119	133,834	88.9	89.2
2007	San Joaquin	197	134,117	146.9	147.7	93	134,117	69.3	70.0	104	134,117	77.5	77.9
2008	San Joaquin	158	134,154	117.8	118.3	75	134,154	55.9	56.3	83	134,154	61.9	62.1
2009	San Joaquin	197	134,398	146.6	147.0	91	134,398	67.7	68.0	106	134,398	78.9	79.0
2010	San Joaquin	176	135,668	129.7	129.8	67	135,668	49.4	49.5	109	135,668	80.3	80.3
2011	San Joaquin	139	135,196	102.8	102.7	64	135,196	47.3	47.5	75	135,196	55.5	55.3
2012	San Joaquin	144	139,197	103.5	103.8	51	139,197	36.6	36.8	93	139,197	66.8	67.0
2013	San Joaquin	164	140,455	116.8	117.2	61	140,455	43.4	43.6	103	140,455	73.3	73.6

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	San Luis Obispo	41	40,051	102.4	105.9	16	40,051	39.9	40.0	25	40,051	62.4	65.6
2006	San Luis Obispo	25	39,466	63.3	65.6	12	39,466	30.4	30.4	13	39,466	32.9	34.7
2007	San Luis Obispo	21	38,962	53.9	55.7	8	38,962	20.5	20.4	13	38,962	33.4	35.1
2008	San Luis Obispo	39	38,852	100.4	103.5	12	38,852	30.9	30.7	27	38,852	69.5	73.0
2009	San Luis Obispo	28	38,642	72.5	74.3	9	38,642	23.3	23.0	19	38,642	49.2	51.3
2010	San Luis Obispo	38	38,450	98.8	100.8	12	38,450	31.2	30.8	26	38,450	67.6	70.1
2011	San Luis Obispo	42	39,094	107.4	109.9	11	39,094	28.1	27.5	31	39,094	79.3	83.0
2012	San Luis Obispo	33	37,911	87.0	89.5	11	37,911	29.0	28.5	22	37,911	58.0	61.0
2013	San Luis Obispo	32	37,592	85.1	87.5	8	37,592	21.3	20.8	24	37,592	63.8	67.2
2005	San Mateo	93	99,726	93.3	93.7	39	99,726	39.1	39.7	54	99,726	54.1	54.1
2006	San Mateo	77	99,597	77.3	77.5	27	99,597	27.1	27.4	50	99,597	50.2	50.2
2007	San Mateo	62	99,452	62.3	62.4	25	99,452	25.1	25.3	37	99,452	37.2	37.1
2008	San Mateo	54	100,770	53.6	53.4	24	100,770	23.8	23.9	30	100,770	29.8	29.6
2009	San Mateo	74	102,142	72.4	71.9	27	102,142	26.4	26.4	47	102,142	46.0	45.5
2010	San Mateo	49	103,258	47.5	47.0	16	103,258	15.5	15.5	33	103,258	32.0	31.5
2011	San Mateo	56	103,861	53.9	53.3	15	103,861	14.4	14.4	41	103,861	39.5	38.8
2012	San Mateo	76	100,914	75.3	74.8	18	100,914	17.8	17.8	58	100,914	57.5	57.0
2013	San Mateo	61	100,745	60.5	60.1	22	100,745	21.8	21.8	39	100,745	38.7	38.4
2005	Santa Barbara	60	70,278	85.4	87.4	24	70,278	34.1	34.1	36	70,278	51.2	53.1
2006	Santa Barbara	67	69,589	96.3	98.6	24	69,589	34.5	34.4	43	69,589	61.8	64.1
2007	Santa Barbara	74	69,402	106.6	109.0	25	69,402	36.0	35.7	49	69,402	70.6	73.3
2008	Santa Barbara	54	69,565	77.6	79.2	19	69,565	27.3	27.0	35	69,565	50.3	52.1
2009	Santa Barbara	47	70,129	67.0	68.1	15	70,129	21.4	21.0	32	70,129	45.6	47.1
2010	Santa Barbara	56	70,774	79.1	80.0	21	70,774	29.7	29.1	35	70,774	49.5	50.7
2011	Santa Barbara	39	70,824	55.1	55.7	18	70,824	25.4	24.7	21	70,824	29.7	30.6
2012	Santa Barbara	61	69,552	87.7	89.6	17	69,552	24.4	24.0	44	69,552	63.3	65.9
2013	Santa Barbara	64	69,352	92.3	94.3	29	69,352	41.8	41.0	35	69,352	50.5	52.7
2005	Santa Clara	268	261,584	102.5	102.6	131	261,584	50.1	50.6	137	261,584	52.4	52.3
2006	Santa Clara	271	264,788	102.3	102.3	118	264,788	44.6	44.9	153	264,788	57.8	57.6
2007	Santa Clara	251	267,662	93.8	93.5	110	267,662	41.1	41.2	141	267,662	52.7	52.4
2008	Santa Clara	218	272,570	80.0	79.5	87	272,570	31.9	31.9	131	272,570	48.1	47.7
2009	Santa Clara	233	276,988	84.1	83.4	83	276,988	30.0	29.9	150	276,988	54.2	53.6
2010	Santa Clara	246	281,198	87.5	86.6	88	281,198	31.3	31.2	158	281,198	56.2	55.4
2011	Santa Clara	211	283,201	74.5	73.7	79	283,201	27.9	27.8	132	283,201	46.6	45.9
2012	Santa Clara	260	278,356	93.4	92.7	92	278,356	33.1	33.0	168	278,356	60.4	59.8
2013	Santa Clara	197	279,646	70.4	69.9	85	279,646	30.4	30.3	112	279,646	40.1	39.7
2005	Santa Cruz	47	40,486	116.1	118.8	15	40,486	37.0	36.8	32	40,486	79.0	82.2
2006	Santa Cruz	47	40,169	117.0	119.7	16	40,169	39.8	39.4	31	40,169	77.2	80.2
2007	Santa Cruz	37	40,077	92.3	94.3	17	40,077	42.4	41.9	20	40,077	49.9	51.8
2008	Santa Cruz	27	40,190	67.2	68.5	10	40,190	24.9	24.5	17	40,190	42.3	43.8

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Santa Cruz	31	40,563	76.4	77.5	11	40,563	27.1	26.7	20	40,563	49.3	50.8
2010	Santa Cruz	28	40,727	68.8	69.5	5	40,727	12.3	12.0	23	40,727	56.5	57.9
2011	Santa Cruz	33	40,740	81.0	81.9	19	40,740	46.6	45.4	14	40,740	34.4	35.4
2012	Santa Cruz	30	39,348	76.2	77.6	11	39,348	28.0	27.3	19	39,348	48.3	50.2
2013	Santa Cruz	18	39,026	46.1	47.0	6	39,026	15.4	15.0	12	39,026	30.7	32.0
2005	Shasta	46	29,742	154.7	156.8	24	29,742	80.7	82.1	22	29,742	74.0	74.9
2006	Shasta	45	29,199	154.1	156.3	25	29,199	85.6	86.8	20	29,199	68.5	69.5
2007	Shasta	52	28,868	180.1	182.6	22	28,868	76.2	77.3	30	28,868	103.9	105.3
2008	Shasta	54	28,290	190.9	193.2	22	28,290	77.8	78.7	32	28,290	113.1	114.5
2009	Shasta	50	27,742	180.2	182.2	19	27,742	68.5	69.1	31	27,742	111.7	113.1
2010	Shasta	44	27,204	161.7	162.8	15	27,204	55.1	55.4	29	27,204	106.6	107.4
2011	Shasta	72	26,606	270.6	271.9	30	26,606	112.8	113.6	42	26,606	157.9	158.4
2012	Shasta	46	26,763	171.9	173.5	18	26,763	67.3	67.7	28	26,763	104.6	105.8
2013	Shasta	48	26,394	181.9	183.6	20	26,394	75.8	76.2	28	26,394	106.1	107.3
2005	Sierra	1	467	214.1	222.8	1	467	214.1	229.2	0	467	0.0	0.0
2006	Sierra	2	451	443.1	466.2	0	451	0.0	0.0	2	451	443.1	459.3
2007	Sierra	0	424	0.0	0.0	0	424	0.0	0.0	0	424	0.0	0.0
2008	Sierra	0	395	0.0	0.0	0	395	0.0	0.0	0	395	0.0	0.0
2009	Sierra	0	385	0.0	0.0	0	385	0.0	0.0	0	385	0.0	0.0
2010	Sierra	1	374	267.4	272.5	0	374	0.0	0.0	1	374	267.4	272.8
2011	Sierra	0	355	0.0	0.0	0	355	0.0	0.0	0	355	0.0	0.0
2012	Sierra	0	312	0.0	0.0	0	312	0.0	0.0	0	312	0.0	0.0
2013	Sierra	0	289	0.0	0.0	0	289	0.0	0.0	0	289	0.0	0.0
2005	Siskiyou	10	6,777	147.6	150.1	5	6,777	73.8	75.1	5	6,777	73.8	75.0
2006	Siskiyou	14	6,682	209.5	213.5	6	6,682	89.8	91.3	8	6,682	119.7	122.1
2007	Siskiyou	5	6,520	76.7	78.2	1	6,520	15.3	15.6	4	6,520	61.3	62.5
2008	Siskiyou	11	6,382	172.4	175.2	4	6,382	62.7	63.7	7	6,382	109.7	111.5
2009	Siskiyou	9	6,329	142.2	144.6	3	6,329	47.4	48.2	6	6,329	94.8	96.4
2010	Siskiyou	8	6,282	127.3	129.0	3	6,282	47.8	48.7	5	6,282	79.6	80.4
2011	Siskiyou	5	6,172	81.0	82.0	1	6,172	16.2	16.5	4	6,172	64.8	65.4
2012	Siskiyou	11	5,942	185.1	187.5	5	5,942	84.1	85.5	6	5,942	101.0	102.1
2013	Siskiyou	5	5,814	86.0	87.0	1	5,814	17.2	17.5	4	5,814	68.8	69.5
2005	Solano	65	73,194	88.8	89.8	14	73,194	19.1	19.4	51	73,194	69.7	70.4
2006	Solano	81	72,138	112.3	113.5	24	72,138	33.3	33.7	57	72,138	79.0	79.8
2007	Solano	73	71,163	102.6	103.6	20	71,163	28.1	28.4	53	71,163	74.5	75.2
2008	Solano	54	70,320	76.8	77.4	14	70,320	19.9	20.0	40	70,320	56.9	57.4
2009	Solano	50	69,400	72.0	72.5	13	69,400	18.7	18.8	37	69,400	53.3	53.7
2010	Solano	59	68,877	85.7	85.9	12	68,877	17.4	17.5	47	68,877	68.2	68.5
2011	Solano	64	67,652	94.6	94.8	18	67,652	26.6	26.7	46	67,652	68.0	68.1
2012	Solano	50	66,892	74.7	75.4	19	66,892	28.4	28.5	31	66,892	46.3	46.9

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Solano	60	65,981	90.9	91.8	14	65,981	21.2	21.2	46	65,981	69.7	70.7
2005	Sonoma	65	74,481	87.3	88.5	19	74,481	25.5	25.9	46	74,481	61.8	62.6
2006	Sonoma	58	73,420	79.0	79.9	20	73,420	27.2	27.5	38	73,420	51.8	52.4
2007	Sonoma	58	72,863	79.6	80.5	23	72,863	31.6	31.8	35	72,863	48.0	48.7
2008	Sonoma	60	72,970	82.2	83.0	28	72,970	38.4	38.5	32	72,970	43.9	44.4
2009	Sonoma	47	73,237	64.2	64.6	18	73,237	24.6	24.6	29	73,237	39.6	39.9
2010	Sonoma	48	73,269	65.5	65.6	19	73,269	25.9	25.9	29	73,269	39.6	39.7
2011	Sonoma	39	72,377	53.9	53.9	16	72,377	22.1	22.1	23	72,377	31.8	31.8
2012	Sonoma	48	71,131	67.5	67.9	20	71,131	28.1	28.0	28	71,131	39.4	39.8
2013	Sonoma	45	70,547	63.8	64.2	20	70,547	28.3	28.2	25	70,547	35.4	35.8
2005	Stanislaus	127	100,718	126.1	126.9	47	100,718	46.7	47.4	80	100,718	79.4	79.6
2006	Stanislaus	158	100,426	157.3	158.5	54	100,426	53.8	54.5	104	100,426	103.6	104.1
2007	Stanislaus	152	100,210	151.7	152.7	57	100,210	56.9	57.4	95	100,210	94.8	95.3
2008	Stanislaus	157	99,599	157.6	158.4	61	99,599	61.2	61.7	96	99,599	96.4	96.7
2009	Stanislaus	128	99,321	128.9	129.3	36	99,321	36.2	36.4	92	99,321	92.6	92.8
2010	Stanislaus	170	99,193	171.4	171.5	51	99,193	51.4	51.6	119	99,193	120.0	119.9
2011	Stanislaus	145	97,930	148.1	147.9	53	97,930	54.1	54.4	92	97,930	93.9	93.6
2012	Stanislaus	128	100,029	128.0	128.6	23	100,029	23.0	23.1	105	100,029	105.0	105.5
2013	Stanislaus	112	100,144	111.8	112.5	45	100,144	44.9	45.2	67	100,144	66.9	67.3
2005	Sutter	37	16,624	222.6	225.0	20	16,624	120.3	123.4	17	16,624	102.3	102.7
2006	Sutter	27	16,930	159.5	160.9	11	16,930	65.0	66.3	16	16,930	94.5	94.9
2007	Sutter	31	17,163	180.6	182.0	11	17,163	64.1	65.1	20	17,163	116.5	116.9
2008	Sutter	17	17,207	98.8	99.2	7	17,207	40.7	41.2	10	17,207	58.1	58.1
2009	Sutter	25	17,310	144.4	144.5	10	17,310	57.8	58.1	15	17,310	86.7	86.5
2010	Sutter	26	17,407	149.4	148.9	13	17,407	74.7	75.0	13	17,407	74.7	74.2
2011	Sutter	20	17,116	116.8	116.3	8	17,116	46.7	46.9	12	17,116	70.1	69.5
2012	Sutter	21	17,756	118.3	118.5	8	17,756	45.1	45.4	13	17,756	73.2	73.2
2013	Sutter	22	17,934	122.7	123.0	12	17,934	66.9	67.4	10	17,934	55.8	55.8
2005	Tehama	14	10,840	129.2	131.2	6	10,840	55.4	56.4	8	10,840	73.8	74.9
2006	Tehama	12	11,007	109.0	110.7	5	11,007	45.4	46.1	7	11,007	63.6	64.6
2007	Tehama	16	10,968	145.9	147.6	5	10,968	45.6	46.0	11	10,968	100.3	101.6
2008	Tehama	9	10,885	82.7	83.5	2	10,885	18.4	18.5	7	10,885	64.3	64.9
2009	Tehama	15	10,762	139.4	140.0	8	10,762	74.3	74.8	7	10,762	65.0	65.3
2010	Tehama	24	10,714	224.0	224.4	8	10,714	74.7	74.9	16	10,714	149.3	149.5
2011	Tehama	23	10,563	217.7	217.9	8	10,563	75.7	76.0	15	10,563	142.0	141.9
2012	Tehama	27	10,735	251.5	253.1	9	10,735	83.8	84.1	18	10,735	167.7	169.0
2013	Tehama	11	10,718	102.6	103.2	3	10,718	28.0	28.1	8	10,718	74.6	75.2
2005	Trinity	4	1,998	200.2	206.6	2	1,998	100.1	104.3	2	1,998	100.1	102.8
2006	Trinity	1	1,961	51.0	52.4	1	1,961	51.0	52.2	0	1,961	0.0	0.0
2007	Trinity	2	1,898	105.4	109.0	2	1,898	105.4	108.6	0	1,898	0.0	0.0

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Trinity	0	1,819	0.0	0.0	0	1,819	0.0	0.0	0	1,819	0.0	0.0
2009	Trinity	5	1,770	282.5	288.2	2	1,770	113.0	114.3	3	1,770	169.5	173.6
2010	Trinity	3	1,729	173.5	175.8	2	1,729	115.7	116.1	1	1,729	57.8	58.9
2011	Trinity	4	1,707	234.3	233.8	3	1,707	175.7	175.0	1	1,707	58.6	58.5
2012	Trinity	1	1,665	60.1	61.1	0	1,665	0.0	0.0	1	1,665	60.1	61.5
2013	Trinity	1	1,623	61.6	62.6	1	1,623	61.6	61.4	0	1,623	0.0	0.0
2005	Tulare	125	88,377	141.4	142.6	65	88,377	73.5	74.9	60	88,377	67.9	68.1
2006	Tulare	106	89,703	118.2	118.8	49	89,703	54.6	55.5	57	89,703	63.5	63.6
2007	Tulare	116	90,800	127.8	128.4	48	90,800	52.9	53.5	68	90,800	74.9	75.0
2008	Tulare	129	91,918	140.3	140.6	60	91,918	65.3	65.7	69	91,918	75.1	75.0
2009	Tulare	123	93,334	131.8	131.5	46	93,334	49.3	49.4	77	93,334	82.5	82.2
2010	Tulare	121	94,763	127.7	126.9	47	94,763	49.6	49.6	74	94,763	78.1	77.4
2011	Tulare	107	95,026	112.6	111.7	46	95,026	48.4	48.4	61	95,026	64.2	63.5
2012	Tulare	100	96,412	103.7	103.6	29	96,412	30.1	30.2	71	96,412	73.6	73.4
2013	Tulare	100	97,521	102.5	102.4	50	97,521	51.3	51.4	50	97,521	51.3	51.1
2005	Tuolumne	5	7,843	63.8	64.9	2	7,843	25.5	26.0	3	7,843	38.3	38.9
2006	Tuolumne	1	7,640	13.1	13.3	0	7,640	0.0	0.0	1	7,640	13.1	13.3
2007	Tuolumne	14	7,405	189.1	193.0	3	7,405	40.5	41.2	11	7,405	148.6	152.0
2008	Tuolumne	7	7,181	97.5	99.7	2	7,181	27.9	28.4	5	7,181	69.6	71.3
2009	Tuolumne	3	6,954	43.1	44.0	0	6,954	0.0	0.0	3	6,954	43.1	44.0
2010	Tuolumne	9	6,770	132.9	135.5	2	6,770	29.5	30.2	7	6,770	103.4	105.3
2011	Tuolumne	10	6,559	152.5	154.4	1	6,559	15.2	15.5	9	6,559	137.2	138.9
2012	Tuolumne	8	6,560	122.0	124.1	2	6,560	30.5	30.8	6	6,560	91.5	93.3
2013	Tuolumne	10	6,405	156.1	158.7	2	6,405	31.2	31.5	8	6,405	124.9	127.5
2005	Ventura	134	147,296	91.0	91.9	51	147,296	34.6	35.3	83	147,296	56.3	56.7
2006	Ventura	120	146,375	82.0	83.0	49	146,375	33.5	34.0	71	146,375	48.5	49.0
2007	Ventura	130	144,954	89.7	90.7	39	144,954	26.9	27.2	91	144,954	62.8	63.5
2008	Ventura	106	144,442	73.4	74.1	40	144,442	27.7	27.9	66	144,442	45.7	46.2
2009	Ventura	147	144,665	101.6	102.4	55	144,665	38.0	38.2	92	144,665	63.6	64.2
2010	Ventura	131	145,316	90.1	90.6	61	145,316	42.0	42.1	70	145,316	48.2	48.4
2011	Ventura	117	143,533	81.5	81.7	50	143,533	34.8	34.9	67	143,533	46.7	46.8
2012	Ventura	121	144,040	84.0	85.0	42	144,040	29.2	29.3	79	144,040	54.8	55.7
2013	Ventura	113	143,683	78.6	79.7	44	143,683	30.6	30.8	69	143,683	48.0	48.9
2005	Yolo	22	33,500	65.7	67.1	9	33,500	26.9	26.3	13	33,500	38.8	40.5
2006	Yolo	29	33,502	86.6	88.4	9	33,502	26.9	26.2	20	33,502	59.7	62.3
2007	Yolo	30	33,914	88.5	90.4	12	33,914	35.4	34.5	18	33,914	53.1	55.5
2008	Yolo	26	33,979	76.5	77.9	8	33,979	23.5	22.9	18	33,979	53.0	55.2
2009	Yolo	19	34,180	55.6	56.4	7	34,180	20.5	19.8	12	34,180	35.1	36.4
2010	Yolo	35	34,130	102.5	103.8	12	34,130	35.2	34.0	23	34,130	67.4	69.7
2011	Yolo	14	33,650	41.6	42.1	5	33,650	14.9	14.3	9	33,650	26.7	27.7

AHRQ Pediatric Quality Indicators (PDIs), 2005-2013

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	Yolo	34	34,151	99.6	101.3	8	34,151	23.4	22.7	26	34,151	76.1	79.4
2013	Yolo	21	34,211	61.4	62.5	5	34,211	14.6	14.1	16	34,211	46.8	48.8
2005	Yuba	22	12,943	170.0	171.1	6	12,943	46.4	47.1	16	12,943	123.6	124.0
2006	Yuba	14	13,227	105.8	106.0	5	13,227	37.8	38.2	9	13,227	68.0	67.9
2007	Yuba	22	13,440	163.7	163.4	8	13,440	59.5	60.0	14	13,440	104.2	103.6
2008	Yuba	16	13,605	117.6	117.4	5	13,605	36.8	37.0	11	13,605	80.9	80.3
2009	Yuba	27	13,464	200.5	199.4	11	13,464	81.7	82.1	16	13,464	118.8	117.6
2010	Yuba	22	13,591	161.9	160.1	8	13,591	58.9	58.9	14	13,591	103.0	101.4
2011	Yuba	13	13,503	96.3	95.0	6	13,503	44.4	44.4	7	13,503	51.8	50.9
2012	Yuba	14	13,764	101.7	100.9	4	13,764	29.1	29.1	10	13,764	72.7	71.7
2013	Yuba	14	13,869	100.9	100.1	10	13,869	72.1	72.2	4	13,869	28.8	28.5
2005	Unassigned												
2006	Unassigned												
2007	Unassigned												
2008	Unassigned												
2009	Unassigned												
2010	Unassigned												
2011	Unassigned												
2012	Unassigned												
2013	Unassigned												