

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	STATEWIDE	7,994	8,335,724	95.9	96.4	1,296	6,313,556	20.5	20.4	4,966	9,221,974	53.8	53.9
2010	Alameda	567	305,024	185.9	182.6	51	227,553	22.4	22.5	127	339,165	37.4	36.5
2010	Alpine	0	237	0.0	0.0	0	176	0.0	0.0	0	264	0.0	0.0
2010	Amador	2	5,751	34.8	38.0	0	4,567	0.0	0.0	0	6,251	0.0	0.0
2010	Butte	57	43,554	130.9	137.5	13	33,658	38.6	37.1	55	47,878	114.9	119.6
2010	Calaveras	2	7,897	25.3	27.3	2	6,264	31.9	31.1	2	8,590	23.3	25.8
2010	Colusa	2	5,623	35.6	34.4	1	4,175	23.9	24.2	2	6,265	31.9	30.7
2010	Contra Costa	234	232,002	100.9	101.8	33	177,185	18.6	18.7	91	255,509	35.6	36.4
2010	Del Norte	4	5,447	73.4	73.9	1	4,116	24.3	23.9	5	6,040	82.8	82.3
2010	El Dorado	17	36,800	46.2	48.5	11	28,879	38.1	37.8	13	40,122	32.4	35.1
2010	Fresno	440	247,442	177.8	175.5	38	184,971	20.5	20.5	161	275,094	58.5	57.2
2010	Glenn	2	6,952	28.8	28.6	1	5,233	19.1	19.2	3	7,708	38.9	38.6
2010	Humboldt	18	24,990	72.0	73.0	5	18,894	26.5	25.8	12	27,691	43.3	43.1
2010	Imperial	134	45,764	292.8	295.8	10	34,860	28.7	28.6	87	50,502	172.3	174.8
2010	Inyo	5	3,419	146.2	146.1	0	2,588	0.0	0.0	0	3,790	0.0	0.0
2010	Kern	200	225,270	88.8	87.1	37	167,654	22.1	22.2	116	250,826	46.2	44.8
2010	Kings	47	37,508	125.3	120.3	5	27,491	18.2	18.4	18	42,000	42.9	40.4
2010	Lake	18	12,169	147.9	149.9	3	9,276	32.3	32.0	8	13,439	59.5	60.3
2010	Lassen	8	5,681	140.8	146.7	1	4,406	22.7	22.1	4	6,240	64.1	67.1
2010	Los Angeles	2,187	2,155,850	101.4	103.0	277	1,641,965	16.9	16.6	1,697	2,381,545	71.3	72.1
2010	Madera	52	38,221	136.1	134.6	10	28,653	34.9	35.1	21	42,423	49.5	48.7
2010	Marin	22	45,798	48.0	46.8	5	34,340	14.6	15.1	14	50,673	27.6	27.4
2010	Mariposa	3	2,914	103.0	109.1	0	2,281	0.0	0.0	0	3,187	0.0	0.0
2010	Mendocino	15	17,190	87.3	86.8	3	12,959	23.2	23.2	9	19,046	47.3	46.9
2010	Merced	76	72,635	104.6	104.4	14	54,810	25.5	25.5	37	80,432	46.0	45.8
2010	Modoc	1	1,867	53.6	54.2	0	1,425	0.0	0.0	0	2,059	0.0	0.0
2010	Mono	3	2,652	113.1	109.4	1	1,949	51.3	51.9	1	2,965	33.7	32.0
2010	Monterey	90	99,268	90.7	88.2	10	73,517	13.6	13.7	91	110,698	82.2	78.9
2010	Napa	17	28,303	60.1	61.1	3	21,703	13.8	13.7	8	31,149	25.7	26.4
2010	Nevada	16	16,961	94.3	100.3	5	13,372	37.4	36.6	3	18,480	16.2	17.7
2010	Orange	455	662,990	68.6	70.0	42	507,945	8.3	8.2	352	730,153	48.2	49.5
2010	Placer	38	75,902	50.1	51.2	17	58,615	29.0	29.1	27	83,222	32.4	34.0
2010	Plumas	1	3,290	30.4	32.3	0	2,576	0.0	0.0	0	3,595	0.0	0.0
2010	Riverside	456	558,338	81.7	83.0	91	426,748	21.3	21.2	319	615,456	51.8	52.9
2010	Sacramento	311	322,983	96.3	95.6	89	242,618	36.7	36.7	134	358,384	37.4	36.9
2010	San Benito	13	14,307	90.9	92.3	3	10,963	27.4	27.4	10	15,750	63.5	65.3
2010	San Bernardino	603	531,616	113.4	114.7	133	404,528	32.9	32.6	319	587,297	54.3	54.9
2010	San Diego	492	652,273	75.4	75.4	92	491,073	18.7	18.6	221	723,572	30.5	30.2
2010	San Francisco	106	96,615	109.7	105.0	10	69,876	14.3	14.1	38	108,893	34.9	32.0
2010	San Joaquin	168	179,301	93.7	93.7	36	135,668	26.5	26.6	160	198,325	80.7	80.8

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	San Luis Obispo	33	49,217	67.0	71.9	13	38,450	33.8	32.2	13	53,888	24.1	25.7
2010	San Mateo	71	139,980	50.7	48.8	8	103,258	7.7	7.9	36	156,177	23.1	22.0
2010	Santa Barbara	33	92,441	35.7	37.0	14	70,774	19.8	19.0	33	102,000	32.4	33.0
2010	Santa Clara	282	380,445	74.1	71.5	47	281,198	16.7	17.1	180	424,057	42.4	40.7
2010	Santa Cruz	28	52,799	53.0	55.4	11	40,727	27.0	26.0	22	58,074	37.9	39.2
2010	Shasta	43	35,445	121.3	124.1	9	27,204	33.1	32.7	56	39,025	143.5	147.6
2010	Sierra	1	487	205.4	214.3	0	374	0.0	0.0	0	537	0.0	0.0
2010	Siskiyou	5	8,231	60.7	61.7	3	6,282	47.8	47.3	4	9,088	44.0	44.7
2010	Solano	60	90,423	66.4	67.1	18	68,877	26.1	26.0	27	99,800	27.1	27.4
2010	Sonoma	54	96,097	56.2	56.9	13	73,269	17.7	17.6	47	105,985	44.3	45.1
2010	Stanislaus	181	131,011	138.2	138.3	39	99,193	39.3	39.3	103	144,896	71.1	71.2
2010	Sutter	18	23,145	77.8	77.0	7	17,407	40.2	40.6	42	25,642	163.8	162.4
2010	Tehama	18	14,235	126.5	125.8	10	10,714	93.3	93.2	32	15,784	202.7	200.6
2010	Trinity	1	2,233	44.8	46.5	1	1,729	57.8	56.3	1	2,452	40.8	42.6
2010	Tulare	123	127,460	96.5	94.0	12	94,763	12.7	12.8	59	141,850	41.6	40.3
2010	Tuolumne	5	8,641	57.9	61.2	3	6,770	44.3	43.2	4	9,446	42.3	45.5
2010	Ventura	114	190,015	60.0	61.1	19	145,316	13.1	13.0	95	209,412	45.4	46.4
2010	Yolo	25	44,109	56.7	60.0	10	34,130	29.3	27.8	22	48,501	45.4	47.2
2010	Yuba	17	18,504	91.9	87.7	6	13,591	44.1	45.1	25	20,681	120.9	114.5
2010	Unassigned												

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2010	STATEWIDE	4,186	13,856	302.1	295.4	3,098	9,221,974	33.6	33.5	28,358	501,136	56.6	56.6
2010	Alameda	105	364	288.5	286.3	110	339,165	32.4	31.8	1,121	19,253	58.2	58.2
2010	Alpine					0	264	0.0	0.0	0	3	0.0	0.0
2010	Amador	1	10	100.0	102.6	0	6,251	0.0	0.0	9	283	31.8	32.0
2010	Butte	17	74	229.7	229.1	14	47,878	29.2	29.2	124	2,429	51.0	51.1
2010	Calaveras	3	9	333.3	382.4	1	8,590	11.6	12.6	10	345	29.0	29.1
2010	Colusa	5	12	416.7	433.8	8	6,265	127.7	128.4	17	343	49.6	49.5
2010	Contra Costa	97	292	332.2	323.3	78	255,509	30.5	31.1	730	12,202	59.8	59.8
2010	Del Norte	4	10	400.0	393.6	3	6,040	49.7	49.4	5	358	14.0	14.0
2010	El Dorado	11	31	354.8	407.1	6	40,122	15.0	15.9	84	1,533	54.8	54.6
2010	Fresno	182	435	418.4	389.3	127	275,094	46.2	45.4	1,124	16,524	68.0	67.9
2010	Glenn	4	11	363.6	339.1	2	7,708	25.9	25.9	21	437	48.1	48.1
2010	Humboldt	6	30	200.0	218.9	4	27,691	14.4	14.1	56	1,477	37.9	38.0
2010	Imperial	26	107	243.0	242.5	47	50,502	93.1	93.9	137	3,052	44.9	44.9
2010	Inyo	2	6	333.3	339.0	2	3,790	52.8	53.5	9	183	49.2	49.2
2010	Kern	123	463	265.7	255.8	107	250,826	42.7	41.7	679	13,963	48.6	48.6
2010	Kings	18	68	264.7	259.0	8	42,000	19.0	18.3	139	2,130	65.3	65.3
2010	Lake	12	27	444.4	493.6	4	13,439	29.8	30.2	36	693	51.9	52.1
2010	Lassen	2	8	250.0	278.5	4	6,240	64.1	68.1	13	277	46.9	47.0
2010	Los Angeles	1,236	3,890	317.7	311.3	938	2,381,545	39.4	39.4	7,470	132,369	56.4	56.4
2010	Madera	39	85	458.8	411.7	8	42,423	18.9	18.7	174	2,528	68.8	68.9
2010	Marin	11	72	152.8	153.1	10	50,673	19.7	19.9	129	2,312	55.8	55.8
2010	Mariposa	4	8	500.0	520.9	0	3,187	0.0	0.0	8	135	59.3	59.4
2010	Mendocino	13	32	406.3	376.9	2	19,046	10.5	10.6	51	1,045	48.8	48.8
2010	Merced	36	148	243.2	227.7	35	80,432	43.5	43.4	291	4,364	66.7	66.7
2010	Modoc	0	1	0.0		2	2,059	97.2	98.4	5	59	84.7	85.0
2010	Mono					3	2,965	101.2	96.2	9	133	67.7	67.5
2010	Monterey	58	179	324.0	294.8	63	110,698	56.9	55.4	305	6,456	47.2	47.2
2010	Napa	10	27	370.4	380.3	8	31,149	25.7	26.3	81	1,505	53.8	53.9
2010	Nevada	7	27	259.3	299.2	3	18,480	16.2	17.3	27	734	36.8	36.8
2010	Orange	302	1,076	280.7	273.9	253	730,153	34.7	35.2	2,243	38,410	58.4	58.4
2010	Placer	24	107	224.3	239.4	15	83,222	18.0	18.7	165	3,793	43.5	43.5
2010	Plumas					1	3,595	27.8	28.8	8	146	54.8	54.9
2010	Riverside	264	927	284.8	274.3	219	615,456	35.6	36.0	1,684	30,007	56.1	56.1
2010	Sacramento	127	435	292.0	301.4	85	358,384	23.7	23.5	1,217	19,755	61.6	61.6
2010	San Benito	2	36	55.6	57.8	7	15,750	44.4	45.5	38	737	51.6	51.7
2010	San Bernardino	286	902	317.1	308.8	212	587,297	36.1	36.3	1,710	29,707	57.6	57.6
2010	San Diego	329	958	343.4	338.4	121	723,572	16.7	16.6	2,260	39,665	57.0	57.0
2010	San Francisco	28	103	271.8	267.9	24	108,893	22.0	20.3	568	8,712	65.2	65.2
2010	San Joaquin	106	337	314.5	306.3	79	198,325	39.8	40.0	609	10,554	57.7	57.7

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2010	San Luis Obispo	14	65	215.4	209.4	13	53,888	24.1	24.5	114	2,651	43.0	43.0
2010	San Mateo	46	177	259.9	251.1	21	156,177	13.4	13.1	583	8,610	67.7	67.7
2010	Santa Barbara	38	162	234.6	235.9	24	102,000	23.5	23.2	240	5,647	42.5	42.5
2010	Santa Clara	138	524	263.4	256.1	105	424,057	24.8	24.2	1,390	24,391	57.0	57.0
2010	Santa Cruz	30	114	263.2	254.5	14	58,074	24.1	24.0	178	3,252	54.7	54.7
2010	Shasta	18	54	333.3	318.1	9	39,025	23.1	23.5	91	2,101	43.3	43.2
2010	Sierra	0	1	0.0		0	537	0.0	0.0	0	14	0.0	0.0
2010	Siskiyou	0	8	0.0	0.0	5	9,088	55.0	56.5	17	350	48.6	48.6
2010	Solano	33	100	330.0	320.3	11	99,800	11.0	11.1	247	4,581	53.9	53.9
2010	Sonoma	34	150	226.7	229.5	20	105,985	18.9	19.0	269	5,188	51.9	51.9
2010	Stanislaus	81	260	311.5	306.9	79	144,896	54.5	54.8	386	7,773	49.7	49.7
2010	Sutter	5	31	161.3	151.1	23	25,642	89.7	89.6	74	1,352	54.7	54.8
2010	Tehama	5	11	454.5	411.8	8	15,784	50.7	50.5	42	738	56.9	56.9
2010	Trinity	1	5	200.0	209.9	2	2,452	81.6	84.4	5	98	51.0	50.9
2010	Tulare	87	299	291.0	277.6	72	141,850	50.8	49.9	441	8,165	54.0	54.0
2010	Tuolumne	3	15	200.0	198.3	1	9,446	10.6	11.2	13	477	27.3	27.1
2010	Ventura	95	395	240.5	239.2	58	209,412	27.7	28.1	538	11,032	48.8	48.8
2010	Yolo	17	47	361.7	334.7	10	48,501	20.6	20.2	101	2,418	41.8	41.8
2010	Yuba	8	30	266.7	266.0	10	20,681	48.4	47.2	62	1,223	50.7	50.7
2010	Unassigned	33	101	326.7	327.9					201	2,464	81.6	81.5

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	STATEWIDE	7,631	6,313,556	120.9	121.2	2,527	6,313,556	40.0	40.0	5,104	6,313,556	80.8	81.2
2010	Alameda	396	227,553	174.0	173.3	73	227,553	32.1	31.8	323	227,553	141.9	141.6
2010	Alpine	0	176	0.0	0.0	0	176	0.0	0.0	0	176	0.0	0.0
2010	Amador	1	4,567	21.9	22.6	0	4,567	0.0	0.0	1	4,567	21.9	22.6
2010	Butte	62	33,658	184.2	186.7	24	33,658	71.3	70.4	38	33,658	112.9	115.9
2010	Calaveras	4	6,264	63.9	65.4	0	6,264	0.0	0.0	4	6,264	63.9	65.2
2010	Colusa	2	4,175	47.9	47.9	1	4,175	23.9	24.3	1	4,175	23.9	23.8
2010	Contra Costa	187	177,185	105.5	105.4	53	177,185	29.9	30.1	134	177,185	75.6	75.3
2010	Del Norte	4	4,116	97.2	98.2	1	4,116	24.3	24.6	3	4,116	72.9	73.5
2010	El Dorado	24	28,879	83.1	83.8	5	28,879	17.3	17.6	19	28,879	65.8	66.2
2010	Fresno	326	184,971	176.2	176.2	75	184,971	40.5	40.5	251	184,971	135.7	135.8
2010	Glenn	2	5,233	38.2	38.3	0	5,233	0.0	0.0	2	5,233	38.2	38.2
2010	Humboldt	26	18,894	137.6	138.3	9	18,894	47.6	46.8	17	18,894	90.0	91.5
2010	Imperial	117	34,860	335.6	336.3	29	34,860	83.2	83.5	88	34,860	252.4	252.8
2010	Inyo	1	2,588	38.6	39.0	1	2,588	38.6	39.4	0	2,588	0.0	0.0
2010	Kern	221	167,654	131.8	131.6	81	167,654	48.3	48.3	140	167,654	83.5	83.3
2010	Kings	26	27,491	94.6	94.1	8	27,491	29.1	29.2	18	27,491	65.5	65.0
2010	Lake	17	9,276	183.3	184.7	4	9,276	43.1	43.6	13	9,276	140.2	141.1
2010	Lassen	11	4,406	249.7	256.0	4	4,406	90.8	93.8	7	4,406	158.9	162.4
2010	Los Angeles	2,200	1,641,965	134.0	134.8	833	1,641,965	50.7	50.7	1,367	1,641,965	83.3	84.0
2010	Madera	41	28,653	143.1	143.1	7	28,653	24.4	24.5	34	28,653	118.7	118.4
2010	Marin	20	34,340	58.2	57.3	7	34,340	20.4	20.4	13	34,340	37.9	37.0
2010	Mariposa	0	2,281	0.0	0.0	0	2,281	0.0	0.0	0	2,281	0.0	0.0
2010	Mendocino	12	12,959	92.6	92.9	2	12,959	15.4	15.5	10	12,959	77.2	77.3
2010	Merced	61	54,810	111.3	111.3	20	54,810	36.5	36.4	41	54,810	74.8	74.9
2010	Modoc	1	1,425	70.2	70.3	0	1,425	0.0	0.0	1	1,425	70.2	70.2
2010	Mono	4	1,949	205.3	203.6	1	1,949	51.3	50.8	3	1,949	153.9	152.8
2010	Monterey	86	73,517	117.0	116.4	34	73,517	46.2	46.0	52	73,517	70.7	70.5
2010	Napa	21	21,703	96.8	97.0	9	21,703	41.5	41.6	12	21,703	55.3	55.4
2010	Nevada	14	13,372	104.7	106.1	1	13,372	7.5	7.6	13	13,372	97.2	98.6
2010	Orange	403	507,945	79.3	79.7	180	507,945	35.4	35.5	223	507,945	43.9	44.2
2010	Placer	51	58,615	87.0	87.0	16	58,615	27.3	27.5	35	58,615	59.7	59.6
2010	Plumas	1	2,576	38.8	39.4	1	2,576	38.8	38.5	0	2,576	0.0	0.0
2010	Riverside	475	426,748	111.3	111.7	166	426,748	38.9	39.0	309	426,748	72.4	72.7
2010	Sacramento	296	242,618	122.0	122.0	65	242,618	26.8	26.8	231	242,618	95.2	95.2
2010	San Benito	17	10,963	155.1	155.6	7	10,963	63.8	64.6	10	10,963	91.2	91.2
2010	San Bernardino	652	404,528	161.2	162.0	172	404,528	42.5	42.7	480	404,528	118.7	119.3
2010	San Diego	480	491,073	97.7	98.2	151	491,073	30.7	30.8	329	491,073	67.0	67.4
2010	San Francisco	75	69,876	107.3	106.8	25	69,876	35.8	34.8	50	69,876	71.6	72.0
2010	San Joaquin	176	135,668	129.7	129.8	67	135,668	49.4	49.5	109	135,668	80.3	80.3

AHRQ Pediatric Quality Indicators (PDIs), 2010

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	San Luis Obispo	38	38,450	98.8	100.8	12	38,450	31.2	30.8	26	38,450	67.6	70.1
2010	San Mateo	49	103,258	47.5	47.0	16	103,258	15.5	15.5	33	103,258	32.0	31.5
2010	Santa Barbara	56	70,774	79.1	80.0	21	70,774	29.7	29.1	35	70,774	49.5	50.7
2010	Santa Clara	246	281,198	87.5	86.6	88	281,198	31.3	31.2	158	281,198	56.2	55.4
2010	Santa Cruz	28	40,727	68.8	69.5	5	40,727	12.3	12.0	23	40,727	56.5	57.9
2010	Shasta	44	27,204	161.7	162.8	15	27,204	55.1	55.4	29	27,204	106.6	107.4
2010	Sierra	1	374	267.4	272.5	0	374	0.0	0.0	1	374	267.4	272.8
2010	Siskiyou	8	6,282	127.3	129.0	3	6,282	47.8	48.7	5	6,282	79.6	80.4
2010	Solano	59	68,877	85.7	85.9	12	68,877	17.4	17.5	47	68,877	68.2	68.5
2010	Sonoma	48	73,269	65.5	65.6	19	73,269	25.9	25.9	29	73,269	39.6	39.7
2010	Stanislaus	170	99,193	171.4	171.5	51	99,193	51.4	51.6	119	99,193	120.0	119.9
2010	Sutter	26	17,407	149.4	148.9	13	17,407	74.7	75.0	13	17,407	74.7	74.2
2010	Tehama	24	10,714	224.0	224.4	8	10,714	74.7	74.9	16	10,714	149.3	149.5
2010	Trinity	3	1,729	173.5	175.8	2	1,729	115.7	116.1	1	1,729	57.8	58.9
2010	Tulare	121	94,763	127.7	126.9	47	94,763	49.6	49.6	74	94,763	78.1	77.4
2010	Tuolumne	9	6,770	132.9	135.5	2	6,770	29.5	30.2	7	6,770	103.4	105.3
2010	Ventura	131	145,316	90.1	90.6	61	145,316	42.0	42.1	70	145,316	48.2	48.4
2010	Yolo	35	34,130	102.5	103.8	12	34,130	35.2	34.0	23	34,130	67.4	69.7
2010	Yuba	22	13,591	161.9	160.1	8	13,591	58.9	58.9	14	13,591	103.0	101.4
2010	Unassigned												