

AHRQ Pediatric Quality Indicators (PDIs), 2012

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PDI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	STATEWIDE	8,309	8,305,414	100.0	101.1	1,451	6,289,403	23.1	22.6	4,553	9,202,474	49.5	49.4
2012	Alameda	614	297,747	206.2	203.0	41	221,528	18.5	18.3	145	331,883	43.7	42.2
2012	Alpine	0	215	0.0	0.0	0	160	0.0	0.0	0	238	0.0	0.0
2012	Amador	3	5,675	52.9	57.7	1	4,487	22.3	21.5	3	6,179	48.6	53.5
2012	Butte	31	43,008	72.1	75.8	15	33,120	45.3	43.2	36	47,385	76.0	78.4
2012	Calaveras	2	8,021	24.9	26.9	6	6,351	94.5	91.4	3	8,735	34.3	37.8
2012	Colusa	2	5,670	35.3	33.8	0	4,182	0.0	0.0	8	6,335	126.3	119.9
2012	Contra Costa	256	231,526	110.6	112.5	42	177,223	23.7	23.6	92	255,000	36.1	37.0
2012	Del Norte	4	5,216	76.7	76.0	0	3,887	0.0	0.0	2	5,820	34.4	33.2
2012	El Dorado	24	37,075	64.7	68.2	11	29,021	37.9	37.3	6	40,496	14.8	15.9
2012	Fresno	483	249,815	193.3	190.5	32	185,879	17.2	17.1	160	278,559	57.4	55.5
2012	Glenn	3	6,912	43.4	42.5	5	5,131	97.4	97.7	4	7,708	51.9	50.0
2012	Humboldt	12	24,354	49.3	49.7	6	18,314	32.8	31.7	6	27,057	22.2	21.8
2012	Imperial	129	46,303	278.6	279.5	6	34,885	17.2	16.9	53	51,415	103.1	101.9
2012	Inyo	0	3,306	0.0	0.0	0	2,478	0.0	0.0	1	3,685	27.1	26.4
2012	Kern	211	233,503	90.4	88.5	54	172,891	31.2	31.1	84	260,787	32.2	30.9
2012	Kings	55	38,159	144.1	137.7	5	27,778	18.0	18.1	16	42,877	37.3	34.7
2012	Lake	7	12,060	58.0	58.8	3	9,133	32.8	32.1	12	13,367	89.8	89.5
2012	Lassen	5	5,427	92.1	96.1	1	4,192	23.9	23.0	11	5,976	184.1	190.6
2012	Los Angeles	2,437	2,099,530	116.1	119.6	303	1,606,635	18.9	18.2	1,609	2,319,449	69.4	70.5
2012	Madera	51	39,480	129.2	127.2	0	29,382	0.0	0.0	18	43,990	40.9	39.6
2012	Marin	19	45,787	41.5	40.5	3	34,285	8.8	9.0	19	50,724	37.5	36.9
2012	Mariposa	2	2,861	69.9	74.1	0	2,233	0.0	0.0	4	3,138	127.5	135.2
2012	Mendocino	15	16,438	91.3	89.8	1	12,235	8.2	8.1	10	18,314	54.6	52.8
2012	Merced	70	74,151	94.4	94.3	13	55,765	23.3	23.0	39	82,339	47.4	46.7
2012	Modoc	0	1,784	0.0	0.0	0	1,362	0.0	0.0	0	1,968	0.0	0.0
2012	Mono	0	2,594	0.0	0.0	0	1,873	0.0	0.0	0	2,924	0.0	0.0
2012	Monterey	93	96,666	96.2	93.3	9	70,991	12.7	12.6	65	108,338	60.0	56.5
2012	Napa	10	28,368	35.3	36.1	3	21,765	13.8	13.6	8	31,247	25.6	26.3
2012	Nevada	13	16,575	78.4	83.4	4	13,019	30.7	29.8	5	18,100	27.6	29.8
2012	Orange	374	652,057	57.4	59.4	88	502,624	17.5	17.1	339	717,610	47.2	48.9
2012	Placer	35	80,098	43.7	44.8	15	61,805	24.3	24.2	25	87,905	28.4	29.7
2012	Plumas	0	3,122	0.0	0.0	0	2,397	0.0	0.0	0	3,441	0.0	0.0
2012	Riverside	387	591,654	65.4	66.7	130	451,571	28.8	28.3	306	653,279	46.8	47.6
2012	Sacramento	295	326,594	90.3	89.8	99	244,857	40.4	40.0	137	363,095	37.7	37.0
2012	San Benito	7	13,903	50.3	52.2	2	10,745	18.6	18.3	11	15,275	72.0	75.2
2012	San Bernardino	629	543,494	115.7	117.7	159	413,333	38.5	37.6	340	601,382	56.5	56.9
2012	San Diego	621	642,969	96.6	97.0	110	483,378	22.8	22.2	278	714,843	38.9	38.2
2012	San Francisco	169	94,194	179.4	169.7	7	67,076	10.4	10.2	38	106,929	35.5	31.7
2012	San Joaquin	134	184,783	72.5	72.3	35	139,197	25.1	25.0	84	204,938	41.0	40.6

AHRQ Pediatric Quality Indicators (PDIs), 2012
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	San Luis Obispo	38	48,648	78.1	84.5	6	37,911	15.8	14.8	9	53,416	16.8	17.8
2012	San Mateo	100	137,401	72.8	70.0	16	100,914	15.9	16.1	34	153,706	22.1	20.9
2012	Santa Barbara	62	91,045	68.1	71.2	13	69,552	18.7	17.6	30	100,781	29.8	30.1
2012	Santa Clara	288	378,041	76.2	73.4	45	278,356	16.2	16.4	165	422,350	39.1	37.2
2012	Santa Cruz	40	51,089	78.3	82.5	6	39,348	15.2	14.4	16	56,318	28.4	29.2
2012	Shasta	36	35,098	102.6	104.4	14	26,763	52.3	51.4	38	38,771	98.0	99.3
2012	Sierra	0	422	0.0	0.0	0	312	0.0	0.0	0	474	0.0	0.0
2012	Siskiyou	6	7,880	76.1	76.4	3	5,942	50.5	50.0	5	8,745	57.2	56.6
2012	Solano	42	87,760	47.9	48.7	14	66,892	20.9	20.5	30	96,957	30.9	31.3
2012	Sonoma	56	93,606	59.8	60.6	8	71,131	11.2	11.1	43	103,487	41.6	41.8
2012	Stanislaus	138	132,853	103.9	103.7	38	100,029	38.0	37.7	52	147,412	35.3	34.9
2012	Sutter	14	23,832	58.7	57.7	5	17,756	28.2	28.3	12	26,532	45.2	43.9
2012	Tehama	16	14,366	111.4	110.2	10	10,735	93.2	92.1	8	15,996	50.0	48.6
2012	Trinity	1	2,169	46.1	47.5	1	1,665	60.1	57.9	0	2,394	0.0	0.0
2012	Tulare	99	130,475	75.9	73.7	20	96,412	20.7	20.9	44	145,722	30.2	28.9
2012	Tuolumne	6	8,426	71.2	74.8	0	6,560	0.0	0.0	0	9,237	0.0	0.0
2012	Ventura	132	188,047	70.2	72.1	23	144,040	16.0	15.6	69	207,441	33.3	34.0
2012	Yolo	25	44,228	56.5	60.0	14	34,151	41.0	38.4	14	48,740	28.7	29.6
2012	Yuba	8	18,933	42.3	39.9	6	13,764	43.6	44.3	7	21,267	32.9	30.5
2012	Unassigned												

AHRQ Pediatric Quality Indicators (PDIs), 2012

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2012	STATEWIDE	4,213	13,659	308.4	300.4	2,758	9,202,474	30.0	29.7	28,101	495,838	56.7	56.7
2012	Alameda	131	356	368.0	353.4	95	331,883	28.6	27.8	1,324	19,448	68.1	68.1
2012	Alpine					0	238	0.0	0.0	0	6	0.0	0.0
2012	Amador	2	6	333.3	351.5	1	6,179	16.2	16.8	14	292	47.9	48.2
2012	Butte	15	62	241.9	241.1	22	47,385	46.4	45.7	122	2,383	51.2	51.1
2012	Calaveras	3	8	375.0	451.6	3	8,735	34.3	36.6	14	338	41.4	41.2
2012	Colusa	4	11	363.6	367.3	4	6,335	63.1	63.8	18	318	56.6	56.4
2012	Contra Costa	77	293	262.8	271.3	53	255,000	20.8	21.1	726	11,874	61.1	61.1
2012	Del Norte	3	5	600.0	683.1	4	5,820	68.7	67.0	8	294	27.2	27.2
2012	El Dorado	7	27	259.3	267.8	4	40,496	9.9	10.4	64	1,430	44.8	44.7
2012	Fresno	171	482	354.8	331.5	103	278,559	37.0	36.0	1,087	16,239	66.9	66.9
2012	Glenn	1	9	111.1	106.1	3	7,708	38.9	37.9	18	366	49.2	49.3
2012	Humboldt	9	25	360.0	313.7	8	27,057	29.6	28.6	57	1,462	39.0	38.9
2012	Imperial	18	78	230.8	210.8	49	51,415	95.3	94.0	110	2,994	36.7	36.8
2012	Inyo	3	6	500.0	472.6	0	3,685	0.0	0.0	8	154	51.9	52.2
2012	Kern	139	466	298.3	283.3	92	260,787	35.3	34.1	683	13,947	49.0	49.0
2012	Kings	26	69	376.8	361.4	9	42,877	21.0	20.0	128	2,068	61.9	61.9
2012	Lake	12	26	461.5	524.3	5	13,367	37.4	37.2	42	717	58.6	58.6
2012	Lassen	2	8	250.0	271.4	0	5,976	0.0	0.0	12	255	47.1	47.1
2012	Los Angeles	1,164	3,938	295.6	289.7	895	2,319,449	38.6	38.6	7,155	131,215	54.5	54.5
2012	Madera	36	90	400.0	363.6	10	43,990	22.7	22.2	145	2,341	61.9	61.9
2012	Marin	19	79	240.5	244.7	8	50,724	15.8	15.8	111	1,990	55.8	55.8
2012	Mariposa	5	10	500.0	428.1	0	3,138	0.0	0.0	17	155	109.7	110.2
2012	Mendocino	19	39	487.2	484.9	4	18,314	21.8	21.4	51	1,092	46.7	46.7
2012	Merced	35	100	350.0	315.8	34	82,339	41.3	40.9	327	4,398	74.4	74.3
2012	Modoc	0	1	0.0		0	1,968	0.0	0.0	0	28	0.0	0.0
2012	Mono	1	2	500.0		0	2,924	0.0	0.0	7	120	58.3	58.4
2012	Monterey	57	205	278.0	258.5	41	108,338	37.8	36.2	325	6,485	50.1	50.1
2012	Napa	15	36	416.7	373.7	8	31,247	25.6	26.1	70	1,429	49.0	49.0
2012	Nevada	3	24	125.0	134.1	5	18,100	27.6	29.0	37	722	51.2	51.5
2012	Orange	351	1,101	318.8	305.7	222	717,610	30.9	31.5	2,113	38,297	55.2	55.2
2012	Placer	20	88	227.3	239.6	19	87,905	21.6	22.3	189	3,602	52.5	52.4
2012	Plumas					0	3,441	0.0	0.0	3	126	23.8	23.9
2012	Riverside	313	920	340.2	335.8	172	653,279	26.3	26.5	1,593	29,497	54.0	54.0
2012	Sacramento	133	412	322.8	324.4	82	363,095	22.6	22.2	1,145	19,371	59.1	59.1
2012	San Benito	7	33	212.1	226.9	4	15,275	26.2	26.8	30	681	44.1	44.0
2012	San Bernardino	276	850	324.7	316.8	184	601,382	30.6	30.6	1,748	29,306	59.6	59.6
2012	San Diego	292	890	328.1	318.3	111	714,843	15.5	15.2	2,433	39,723	61.2	61.3
2012	San Francisco	31	109	284.4	283.2	24	106,929	22.4	20.2	582	8,978	64.8	64.8
2012	San Joaquin	74	272	272.1	265.2	68	204,938	33.2	33.0	558	10,102	55.2	55.3

AHRQ Pediatric Quality Indicators (PDIs), 2012

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2012	San Luis Obispo	18	74	243.2	245.8	13	53,416	24.3	24.2	112	2,516	44.5	44.4
2012	San Mateo	40	142	281.7	287.0	16	153,706	10.4	10.0	552	8,552	64.5	64.6
2012	Santa Barbara	37	152	243.4	225.4	16	100,781	15.9	15.4	218	5,539	39.4	39.3
2012	Santa Clara	161	532	302.6	289.8	85	422,350	20.1	19.5	1,439	24,837	57.9	57.9
2012	Santa Cruz	24	99	242.4	239.6	19	56,318	33.7	33.2	160	3,151	50.8	50.8
2012	Shasta	17	53	320.8	336.1	18	38,771	46.4	46.8	92	2,052	44.8	44.9
2012	Sierra					0	474	0.0	0.0	0	13	0.0	0.0
2012	Siskiyou	5	12	416.7	386.9	3	8,745	34.3	34.3	22	407	54.1	53.9
2012	Solano	40	106	377.4	361.7	14	96,957	14.4	14.5	279	4,594	60.7	60.7
2012	Sonoma	43	158	272.2	273.1	14	103,487	13.5	13.5	275	4,852	56.7	56.7
2012	Stanislaus	62	232	267.2	262.1	43	147,412	29.2	28.9	403	7,562	53.3	53.3
2012	Sutter	12	39	307.7	297.2	13	26,532	49.0	48.2	61	1,262	48.3	48.3
2012	Tehama	7	15	466.7	472.6	13	15,996	81.3	79.9	50	746	67.0	66.9
2012	Trinity	1	3	333.3	259.8	1	2,394	41.8	42.5	2	110	18.2	18.1
2012	Tulare	100	301	332.2	313.6	68	145,722	46.7	45.4	383	8,013	47.8	47.8
2012	Tuolumne	3	11	272.7	226.9	4	9,237	43.3	45.0	21	446	47.1	47.1
2012	Ventura	101	373	270.8	264.2	59	207,441	28.4	28.6	523	10,518	49.7	49.7
2012	Yolo	23	57	403.5	385.4	5	48,740	10.3	10.0	121	2,463	49.1	49.1
2012	Yuba	8	32	250.0	250.0	8	21,267	37.6	36.3	67	1,208	55.5	55.5
2012	Unassigned	37	132	280.3	293.4					247	2,754	89.7	89.7

AHRQ Pediatric Quality Indicators (PDIs), 2012

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	STATEWIDE	7,714	6,289,403	122.7	123.8	2,418	6,289,403	38.4	38.6	5,296	6,289,403	84.2	85.3
2012	Alameda	359	221,528	162.1	162.3	67	221,528	30.2	30.1	292	221,528	131.8	132.5
2012	Alpine	0	160	0.0	0.0	0	160	0.0	0.0	0	160	0.0	0.0
2012	Amador	4	4,487	89.2	91.4	2	4,487	44.6	45.2	2	4,487	44.6	46.0
2012	Butte	47	33,120	141.9	144.3	26	33,120	78.5	77.3	21	33,120	63.4	65.5
2012	Calaveras	7	6,351	110.2	112.8	1	6,351	15.7	16.1	6	6,351	94.5	96.6
2012	Colusa	4	4,182	95.6	95.7	3	4,182	71.7	73.0	1	4,182	23.9	23.8
2012	Contra Costa	197	177,223	111.2	111.6	48	177,223	27.1	27.2	149	177,223	84.1	84.3
2012	Del Norte	6	3,887	154.4	156.2	3	3,887	77.2	78.2	3	3,887	77.2	78.1
2012	El Dorado	30	29,021	103.4	104.6	6	29,021	20.7	20.9	24	29,021	82.7	83.7
2012	Fresno	338	185,879	181.8	182.6	77	185,879	41.4	41.4	261	185,879	140.4	141.3
2012	Glenn	10	5,131	194.9	194.9	5	5,131	97.4	97.6	5	5,131	97.4	97.4
2012	Humboldt	18	18,314	98.3	99.0	8	18,314	43.7	42.7	10	18,314	54.6	55.8
2012	Imperial	99	34,885	283.8	286.3	19	34,885	54.5	54.8	80	34,885	229.3	231.6
2012	Inyo	1	2,478	40.3	40.9	1	2,478	40.3	41.0	0	2,478	0.0	0.0
2012	Kern	227	172,891	131.3	131.7	53	172,891	30.7	30.8	174	172,891	100.6	100.9
2012	Kings	45	27,778	162.0	161.8	16	27,778	57.6	57.8	29	27,778	104.4	104.0
2012	Lake	15	9,133	164.2	166.2	9	9,133	98.5	99.0	6	9,133	65.7	66.7
2012	Lassen	6	4,192	143.1	147.4	2	4,192	47.7	49.2	4	4,192	95.4	98.2
2012	Los Angeles	2,251	1,606,635	140.1	142.3	797	1,606,635	49.6	49.8	1,454	1,606,635	90.5	92.4
2012	Madera	33	29,382	112.3	112.7	8	29,382	27.2	27.4	25	29,382	85.1	85.2
2012	Marin	24	34,285	70.0	69.1	12	34,285	35.0	34.9	12	34,285	35.0	34.4
2012	Mariposa	1	2,233	44.8	45.6	0	2,233	0.0	0.0	1	2,233	44.8	45.9
2012	Mendocino	15	12,235	122.6	123.1	6	12,235	49.0	49.1	9	12,235	73.6	74.0
2012	Merced	64	55,765	114.8	115.5	17	55,765	30.5	30.6	47	55,765	84.3	85.0
2012	Modoc	0	1,362	0.0	0.0	0	1,362	0.0	0.0	0	1,362	0.0	0.0
2012	Mono	0	1,873	0.0	0.0	0	1,873	0.0	0.0	0	1,873	0.0	0.0
2012	Monterey	70	70,991	98.6	98.8	28	70,991	39.4	39.3	42	70,991	59.2	59.5
2012	Napa	13	21,765	59.7	60.2	7	21,765	32.2	32.3	6	21,765	27.6	27.8
2012	Nevada	17	13,019	130.6	132.8	7	13,019	53.8	54.3	10	13,019	76.8	78.4
2012	Orange	455	502,624	90.5	91.8	182	502,624	36.2	36.5	273	502,624	54.3	55.2
2012	Placer	60	61,805	97.1	97.4	23	61,805	37.2	37.5	37	61,805	59.9	59.9
2012	Plumas	0	2,397	0.0	0.0	0	2,397	0.0	0.0	0	2,397	0.0	0.0
2012	Riverside	519	451,571	114.9	116.0	168	451,571	37.2	37.4	351	451,571	77.7	78.5
2012	Sacramento	303	244,857	123.7	124.4	70	244,857	28.6	28.7	233	244,857	95.2	95.8
2012	San Benito	12	10,745	111.7	112.9	6	10,745	55.8	56.6	6	10,745	55.8	56.4
2012	San Bernardino	654	413,333	158.2	160.1	179	413,333	43.3	43.6	475	413,333	114.9	116.5
2012	San Diego	511	483,378	105.7	107.0	155	483,378	32.1	32.2	356	483,378	73.6	74.8
2012	San Francisco	86	67,076	128.2	128.2	20	67,076	29.8	29.0	66	67,076	98.4	99.8
2012	San Joaquin	144	139,197	103.5	103.8	51	139,197	36.6	36.8	93	139,197	66.8	67.0

AHRQ Pediatric Quality Indicators (PDIs), 2012

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 4.5; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	San Luis Obispo	33	37,911	87.0	89.5	11	37,911	29.0	28.5	22	37,911	58.0	61.0
2012	San Mateo	76	100,914	75.3	74.8	18	100,914	17.8	17.8	58	100,914	57.5	57.0
2012	Santa Barbara	61	69,552	87.7	89.6	17	69,552	24.4	24.0	44	69,552	63.3	65.9
2012	Santa Clara	260	278,356	93.4	92.7	92	278,356	33.1	33.0	168	278,356	60.4	59.8
2012	Santa Cruz	30	39,348	76.2	77.6	11	39,348	28.0	27.3	19	39,348	48.3	50.2
2012	Shasta	46	26,763	171.9	173.5	18	26,763	67.3	67.7	28	26,763	104.6	105.8
2012	Sierra	0	312	0.0	0.0	0	312	0.0	0.0	0	312	0.0	0.0
2012	Siskiyou	11	5,942	185.1	187.5	5	5,942	84.1	85.5	6	5,942	101.0	102.1
2012	Solano	50	66,892	74.7	75.4	19	66,892	28.4	28.5	31	66,892	46.3	46.9
2012	Sonoma	48	71,131	67.5	67.9	20	71,131	28.1	28.0	28	71,131	39.4	39.8
2012	Stanislaus	128	100,029	128.0	128.6	23	100,029	23.0	23.1	105	100,029	105.0	105.5
2012	Sutter	21	17,756	118.3	118.5	8	17,756	45.1	45.4	13	17,756	73.2	73.2
2012	Tehama	27	10,735	251.5	253.1	9	10,735	83.8	84.1	18	10,735	167.7	169.0
2012	Trinity	1	1,665	60.1	61.1	0	1,665	0.0	0.0	1	1,665	60.1	61.5
2012	Tulare	100	96,412	103.7	103.6	29	96,412	30.1	30.2	71	96,412	73.6	73.4
2012	Tuolumne	8	6,560	122.0	124.1	2	6,560	30.5	30.8	6	6,560	91.5	93.3
2012	Ventura	121	144,040	84.0	85.0	42	144,040	29.2	29.3	79	144,040	54.8	55.7
2012	Yolo	34	34,151	99.6	101.3	8	34,151	23.4	22.7	26	34,151	76.1	79.4
2012	Yuba	14	13,764	101.7	100.9	4	13,764	29.1	29.1	10	13,764	72.7	71.7
2012	Unassigned												