

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	8,120	8,357,959	97.2	96.6	1,446	6,339,207	22.8	22.2	11,758	9,252,424	127.1	123.6
2006	STATEWIDE	7,870	8,325,530	94.5	94.3	1,489	6,320,202	23.6	22.9	11,260	9,214,327	122.2	119.0
2007	STATEWIDE	7,105	8,296,033	85.6	85.4	1,458	6,288,928	23.2	22.5	9,893	9,187,043	107.7	104.5
2008	STATEWIDE	7,060	8,307,805	85.0	84.5	1,436	6,286,480	22.8	22.2	7,581	9,204,176	82.4	79.7
2009	STATEWIDE	8,608	8,312,380	103.6	102.9	1,366	6,292,454	21.7	21.1	7,128	9,203,032	77.5	75.1
2010	STATEWIDE	7,994	8,335,724	95.9	95.1	1,296	6,313,556	20.5	20.1	4,966	9,221,974	53.8	52.3
2011	STATEWIDE	7,443	8,279,544	89.9	88.7	1,370	6,252,287	21.9	21.5	5,416	9,168,119	59.1	57.1
2012	STATEWIDE	8,309	8,200,760	101.3	99.4	1,451	6,179,814	23.5	23.2	4,553	9,082,980	50.1	48.3
2013	STATEWIDE	7,259	8,171,866	88.8	86.9	1,416	6,154,908	23.0	22.8	5,247	9,049,503	58.0	55.9
2014	STATEWIDE	7,877	8,233,868	95.7	94.8	1,409	6,217,545	22.7	22.1	3,428	9,124,761	37.6	36.2
2005	Alameda	682	299,880	227.4	221.1	63	223,087	28.2	27.6	482	334,527	144.1	134.9
2006	Alameda	626	298,616	209.6	204.4	53	222,633	23.8	23.2	383	332,780	115.1	108.2
2007	Alameda	594	298,633	198.9	193.8	40	222,473	18.0	17.5	396	332,853	119.0	111.7
2008	Alameda	512	301,417	169.9	165.1	45	224,396	20.1	19.6	239	335,869	71.2	66.8
2009	Alameda	574	304,063	188.8	183.3	49	226,709	21.6	21.3	194	338,353	57.3	54.0
2010	Alameda	567	305,024	185.9	180.2	51	227,553	22.4	22.2	127	339,165	37.4	35.4
2011	Alameda	504	303,804	165.9	159.7	33	225,834	14.6	14.5	148	338,157	43.8	41.1
2012	Alameda	614	304,051	201.9	194.1	41	226,204	18.1	18.1	145	338,159	42.9	40.4
2013	Alameda	541	305,544	177.1	170.2	47	227,728	20.6	20.7	169	339,455	49.8	47.1
2014	Alameda	563	299,476	188.0	181.9	64	222,807	28.7	28.3	141	333,447	42.3	39.7
2005	Alpine	0	214	0.0	0.0	0	165	0.0	0.0	<11		844.6	837.1
2006	Alpine	0	247	0.0	0.0	0	191	0.0	0.0	0	272	0.0	0.0
2007	Alpine	0	238	0.0	0.0	0	182	0.0	0.0	0	262	0.0	0.0
2008	Alpine	0	223	0.0	0.0	0	174	0.0	0.0	0	242	0.0	0.0
2009	Alpine	0	223	0.0	0.0	0	167	0.0	0.0	0	247	0.0	0.0
2010	Alpine	0	237	0.0	0.0	0	176	0.0	0.0	0	264	0.0	0.0
2011	Alpine	0	193	0.0	0.0	0	148	0.0	0.0	0	211	0.0	0.0
2012	Alpine	0	220	0.0	0.0	0	176	0.0	0.0	0	236	0.0	0.0
2013	Alpine	0	224	0.0	0.0	0	186	0.0	0.0	0	237	0.0	0.0
2014	Alpine	0	213	0.0	0.0	0	164	0.0	0.0	0	232	0.0	0.0
2005	Amador	<11		78.4	87.6	<11		19.3	18.3	<11		14.6	16.6
2006	Amador	<11		15.8	17.5	<11		58.8	55.5	<11		88.0	98.6
2007	Amador	<11		16.0	17.5	<11		79.7	75.2	<11		132.4	145.1
2008	Amador	<11		33.1	35.9	<11		20.8	19.8	<11		91.5	99.1
2009	Amador	<11		51.0	54.9	<11		43.0	41.1	<11		46.9	50.2
2010	Amador	<11		34.8	37.5	0	4,567	0.0	0.0	0	6,251	0.0	0.0
2011	Amador	<11		53.3	57.4	<11		44.8	42.9	<11		16.3	17.6
2012	Amador	<11		57.8	60.8	<11		24.5	23.8	<11		53.1	56.0
2013	Amador	<11		118.1	123.4	<11		50.2	48.7	<11		54.1	56.7
2014	Amador	0	5,236	0.0	0.0	0	4,101	0.0	0.0	<11		17.5	18.3
2005	Butte	20	44,813	44.6	47.9	22	35,424	62.1	58.1	67	48,863	137.1	144.9
2006	Butte	24	44,729	53.7	57.3	14	35,198	39.8	37.2	65	48,880	133.0	139.0
2007	Butte	34	44,430	76.5	81.1	14	34,759	40.3	37.7	70	48,657	143.9	148.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Butte	31	44,277	70.0	73.4	20	34,391	58.2	54.6	45	48,620	92.6	94.1
2009	Butte	27	44,056	61.3	63.8	15	34,089	44.0	41.6	50	48,427	103.2	104.3
2010	Butte	57	43,554	130.9	135.8	13	33,658	38.6	36.6	55	47,878	114.9	115.8
2011	Butte	28	42,777	65.5	68.0	18	33,062	54.4	51.6	38	47,017	80.8	81.5
2012	Butte	31	42,069	73.7	74.8	15	32,284	46.5	44.8	36	46,309	77.7	77.4
2013	Butte	36	41,950	85.8	87.0	13	32,196	40.4	39.1	34	46,165	73.6	73.4
2014	Butte	43	41,997	102.4	104.5	15	32,102	46.7	44.5	23	46,354	49.6	48.9
2005	Calaveras	<11		11.6	12.6	<11		42.9	41.1	<11		43.1	48.7
2006	Calaveras	<11		34.7	37.3	<11		86.3	82.8	<11		64.2	71.3
2007	Calaveras	<11		58.7	63.2	<11		58.7	56.2	<11		21.7	23.8
2008	Calaveras	<11		35.8	38.4	<11		74.6	71.6	<11		22.0	24.1
2009	Calaveras	<11		12.2	13.0	<11		15.3	14.6	<11		44.8	48.5
2010	Calaveras	<11		25.3	26.9	<11		31.9	30.6	<11		23.3	25.0
2011	Calaveras	<11		65.5	69.8	<11		16.5	15.8	<11		24.1	25.8
2012	Calaveras	<11		27.1	28.8	<11		102.1	98.0	<11		37.5	40.5
2013	Calaveras	<11		83.9	89.5	<11		70.2	67.4	<11		25.8	28.1
2014	Calaveras	<11		53.2	56.4	<11		33.6	32.1	<11		24.4	25.9
2005	Colusa	<11		18.5	18.3	0	4,087	0.0	0.0	<11		83.3	80.3
2006	Colusa	<11		54.5	53.1	0	4,120	0.0	0.0	<11		81.6	77.4
2007	Colusa	<11		72.4	70.1	<11		24.3	23.9	<11		130.1	122.5
2008	Colusa	<11		72.5	69.6	<11		24.3	24.0	<11		113.8	106.3
2009	Colusa	<11		71.9	68.8	<11		24.2	24.0	16	6,199	258.1	240.6
2010	Colusa	<11		35.6	34.0	<11		23.9	23.8	<11		31.9	29.8
2011	Colusa	<11		17.8	17.1	0	4,175	0.0	0.0	<11		64.0	60.0
2012	Colusa	<11		36.9	35.4	0	4,059	0.0	0.0	<11		132.9	126.5
2013	Colusa	<11		56.0	54.0	0	4,037	0.0	0.0	<11		101.5	98.5
2014	Colusa	<11		35.9	34.0	<11		72.6	73.2	<11		48.3	45.1
2005	Contra Costa	248	227,471	109.0	108.8	43	173,721	24.8	24.3	279	250,840	111.2	110.0
2006	Contra Costa	284	226,653	125.3	125.5	42	173,364	24.2	23.8	258	249,783	103.3	102.5
2007	Contra Costa	217	226,833	95.7	95.7	33	173,306	19.0	18.7	230	250,079	92.0	91.0
2008	Contra Costa	234	228,823	102.3	102.0	32	174,548	18.3	18.0	194	252,368	76.9	75.9
2009	Contra Costa	244	230,044	106.1	105.7	27	175,549	15.4	15.2	122	253,561	48.1	47.6
2010	Contra Costa	234	232,002	100.9	100.3	33	177,185	18.6	18.4	91	255,509	35.6	35.3
2011	Contra Costa	215	231,387	92.9	92.5	28	176,891	15.8	15.7	123	254,710	48.3	48.0
2012	Contra Costa	256	231,065	110.8	110.4	42	177,176	23.7	23.6	92	253,933	36.2	36.3
2013	Contra Costa	214	231,676	92.4	92.2	29	177,990	16.3	16.2	124	254,364	48.7	49.0
2014	Contra Costa	237	232,361	102.0	102.3	33	178,281	18.5	18.2	91	255,498	35.6	35.6
2005	Del Norte	<11		124.5	130.7	12	4,415	271.8	261.0	<11		130.3	136.6
2006	Del Norte	<11		90.3	93.3	<11		139.8	134.4	<11		98.7	100.4
2007	Del Norte	<11		127.8	131.0	<11		165.5	159.4	<11		83.0	83.7
2008	Del Norte	<11		55.2	55.7	<11		72.6	69.5	11	6,015	182.9	178.4
2009	Del Norte	<11		74.2	73.8	0	4,065	0.0	0.0	<11		66.8	64.1
2010	Del Norte	<11		73.4	73.0	<11		24.3	23.6	<11		82.8	79.9

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Del Norte	<11		18.6	18.3	<11		49.5	48.4	<11		83.8	80.1
2012	Del Norte	<11		75.7	73.6	0	3,944	0.0	0.0	<11		34.1	32.3
2013	Del Norte	<11		38.5	37.1	0	3,869	0.0	0.0	<11		34.7	32.8
2014	Del Norte	<11		39.1	37.5	<11		26.6	26.2	<11		17.5	16.1
2005	El Dorado	11	38,326	28.7	30.0	13	30,182	43.1	41.7	30	41,772	71.8	75.9
2006	El Dorado	19	38,302	49.6	51.7	16	30,069	53.2	51.4	25	41,813	59.8	62.6
2007	El Dorado	15	37,840	39.6	41.2	16	29,633	54.0	52.1	25	41,342	60.5	63.0
2008	El Dorado	20	37,634	53.1	55.1	12	29,451	40.7	39.4	17	41,118	41.3	43.0
2009	El Dorado	20	37,243	53.7	55.7	13	29,204	44.5	43.3	22	40,634	54.1	56.7
2010	El Dorado	17	36,800	46.2	47.8	11	28,879	38.1	37.1	13	40,122	32.4	34.0
2011	El Dorado	11	35,881	30.7	31.9	<11		24.7	24.1	24	39,028	61.5	65.3
2012	El Dorado	24	35,174	68.2	71.1	11	27,841	39.5	38.7	<11		15.7	16.9
2013	El Dorado	13	34,803	37.4	39.1	<11		28.9	28.4	19	37,724	50.4	54.5
2014	El Dorado	21	35,850	58.6	61.0	<11		31.9	31.0	<11		20.5	21.6
2005	Fresno	279	237,618	117.4	116.3	34	179,497	18.9	18.5	317	263,476	120.3	116.1
2006	Fresno	300	238,936	125.6	124.1	32	180,153	17.8	17.3	319	265,151	120.3	115.6
2007	Fresno	326	240,914	135.3	133.2	30	180,905	16.6	16.1	283	267,765	105.7	100.7
2008	Fresno	287	243,587	117.8	115.4	42	182,148	23.1	22.5	294	271,100	108.4	102.5
2009	Fresno	394	245,527	160.5	156.8	35	183,505	19.1	18.7	206	273,146	75.4	71.3
2010	Fresno	440	247,442	177.8	173.3	38	184,971	20.5	20.2	161	275,094	58.5	55.4
2011	Fresno	352	246,283	142.9	137.9	45	183,210	24.6	24.4	225	274,170	82.1	77.1
2012	Fresno	483	244,671	197.4	188.6	32	181,171	17.7	17.7	160	272,649	58.7	54.8
2013	Fresno	368	245,024	150.2	143.0	31	181,350	17.1	17.2	214	272,951	78.4	73.2
2014	Fresno	500	250,084	199.9	192.2	43	185,006	23.2	23.0	117	279,136	41.9	39.0
2005	Glenn	<11		43.0	42.7	<11		37.8	36.9	<11		129.3	125.6
2006	Glenn	<11		85.3	84.0	<11		18.9	18.5	<11		115.2	110.4
2007	Glenn	<11		42.6	41.6	<11		19.0	18.7	<11		38.4	36.5
2008	Glenn	0	7,042	0.0	0.0	<11		38.0	37.3	<11		114.8	108.4
2009	Glenn	<11		28.4	27.7	<11		19.0	18.7	<11		89.4	84.9
2010	Glenn	<11		28.8	28.2	<11		19.1	18.9	<11		38.9	37.4
2011	Glenn	<11		29.1	28.3	<11		19.4	19.3	<11		78.7	75.1
2012	Glenn	<11		44.7	43.3	<11		99.3	98.6	<11		53.7	51.3
2013	Glenn	<11		45.1	43.6	<11		60.1	60.1	<11		27.2	26.1
2014	Glenn	<11		44.4	42.7	<11		59.8	59.5	0	7,521	0.0	0.0
2005	Humboldt	19	25,795	73.7	76.7	12	20,018	59.9	56.6	25	28,326	88.3	89.6
2006	Humboldt	15	25,541	58.7	60.6	<11		15.2	14.4	12	28,114	42.7	42.7
2007	Humboldt	20	25,228	79.3	81.2	<11		46.5	44.1	18	27,811	64.7	64.2
2008	Humboldt	14	25,072	55.8	56.8	<11		15.7	14.9	<11		28.9	28.3
2009	Humboldt	13	25,196	51.6	52.2	<11		26.1	24.9	<11		28.7	27.9
2010	Humboldt	18	24,990	72.0	72.1	<11		26.5	25.4	12	27,691	43.3	41.8
2011	Humboldt	23	24,734	93.0	93.6	<11		26.6	25.5	<11		29.2	28.4
2012	Humboldt	12	24,398	49.2	49.2	<11		32.4	31.4	<11		22.3	21.7
2013	Humboldt	15	24,254	61.8	61.7	<11		32.5	31.7	<11		33.6	33.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2014	Humboldt	12	23,941	50.1	49.6	<11		33.4	32.3	<11		15.0	14.3
2005	Imperial	137	41,472	330.3	333.9	<11		31.7	30.2	219	45,990	476.2	462.9
2006	Imperial	141	42,342	333.0	336.0	<11		21.8	20.8	196	46,966	417.3	404.8
2007	Imperial	105	43,263	242.7	244.2	<11		21.3	20.4	112	47,978	233.4	226.3
2008	Imperial	85	43,921	193.5	193.2	<11		24.0	23.2	115	48,686	236.2	228.6
2009	Imperial	127	44,993	282.3	281.1	<11		14.6	14.3	97	49,773	194.9	189.8
2010	Imperial	134	45,764	292.8	291.8	<11		28.7	28.2	87	50,502	172.3	169.5
2011	Imperial	135	45,491	296.8	292.8	14	34,356	40.8	40.1	75	50,374	148.9	144.0
2012	Imperial	129	44,937	287.1	278.2	<11		17.9	17.8	53	49,990	106.0	100.1
2013	Imperial	92	44,828	205.2	197.2	<11		12.0	12.0	67	49,985	134.0	125.1
2014	Imperial	77	46,568	165.3	161.1	<11		23.0	22.6	22	51,862	42.4	39.9
2005	Inyo	0	3,571	0.0	0.0	0	2,839	0.0	0.0	<11		154.5	165.7
2006	Inyo	0	3,532	0.0	0.0	<11		72.1	68.3	<11		25.9	26.8
2007	Inyo	0	3,522	0.0	0.0	<11		109.6	103.8	0	3,871	0.0	0.0
2008	Inyo	0	3,428	0.0	0.0	<11		38.0	36.1	0	3,782	0.0	0.0
2009	Inyo	<11		86.7	85.6	<11		114.7	110.8	<11		78.1	75.2
2010	Inyo	<11		146.2	144.4	0	2,588	0.0	0.0	0	3,790	0.0	0.0
2011	Inyo	<11		58.7	57.5	0	2,557	0.0	0.0	0	3,784	0.0	0.0
2012	Inyo	0	3,365	0.0	0.0	0	2,512	0.0	0.0	<11		26.7	25.2
2013	Inyo	<11		29.4	28.3	<11		79.4	78.7	<11		52.8	49.4
2014	Inyo	<11		91.8	88.1	0	2,409	0.0	0.0	<11		27.3	25.1
2005	Kern	135	208,137	64.9	63.7	37	156,659	23.6	23.2	259	231,057	112.1	107.5
2006	Kern	168	213,191	77.8	77.3	43	159,903	26.9	26.3	294	237,023	124.0	118.1
2007	Kern	162	217,188	74.6	72.7	36	162,018	22.2	21.8	232	241,949	95.9	90.3
2008	Kern	145	220,691	65.7	63.8	47	164,124	28.6	28.1	219	246,067	89.0	83.4
2009	Kern	181	222,990	81.2	78.8	36	165,883	21.7	21.4	181	248,456	72.8	68.4
2010	Kern	200	225,270	88.8	86.0	37	167,654	22.1	21.8	116	250,826	46.2	43.5
2011	Kern	176	224,842	78.3	75.4	58	166,914	34.7	34.5	155	250,482	61.9	58.0
2012	Kern	211	224,380	94.0	90.0	54	166,278	32.5	32.6	84	249,923	33.6	31.5
2013	Kern	169	225,750	74.9	71.5	56	167,381	33.5	33.8	121	251,237	48.2	45.2
2014	Kern	200	235,546	84.9	81.5	46	173,952	26.4	26.2	86	263,014	32.7	30.3
2005	Kings	29	35,703	81.2	78.5	<11		26.4	26.0	47	39,815	118.0	110.5
2006	Kings	28	35,977	77.8	74.8	<11		15.0	14.8	35	40,193	87.1	80.8
2007	Kings	29	36,480	79.5	76.1	<11		22.3	22.0	30	40,827	73.5	67.6
2008	Kings	23	36,830	62.4	59.5	<11		14.8	14.6	23	41,280	55.7	50.9
2009	Kings	45	37,181	121.0	114.8	<11		11.0	11.0	23	41,717	55.1	50.1
2010	Kings	47	37,508	125.3	118.8	<11		18.2	18.1	18	42,000	42.9	39.2
2011	Kings	35	37,301	93.8	88.4	<11		11.0	11.0	18	41,800	43.1	39.2
2012	Kings	55	36,660	150.0	141.2	<11		18.6	18.8	16	41,021	39.0	35.7
2013	Kings	26	36,706	70.8	66.4	<11		11.2	11.3	20	41,029	48.7	44.7
2014	Kings	45	37,993	118.4	111.2	<11		18.1	18.1	17	42,659	39.9	36.0
2005	Lake	<11		61.9	64.7	<11		59.1	56.7	22	14,111	155.9	163.1
2006	Lake	<11		46.7	48.6	<11		99.6	95.7	12	14,044	85.4	88.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2007	Lake	<11		31.9	32.9	<11		61.8	59.4	<11		72.6	73.6
2008	Lake	<11		24.1	24.6	<11		10.4	10.0	<11		73.0	73.1
2009	Lake	16	12,240	130.7	131.7	<11		42.7	41.3	<11		51.8	51.2
2010	Lake	18	12,169	147.9	148.0	<11		32.3	31.5	<11		59.5	58.5
2011	Lake	<11		42.3	41.9	<11		33.4	32.8	11	13,061	84.2	82.2
2012	Lake	<11		60.4	58.9	<11		34.5	34.1	12	12,850	93.4	89.4
2013	Lake	<11		43.8	42.4	<11		23.4	23.3	<11		55.2	52.5
2014	Lake	<11		86.2	84.3	<11		23.1	22.5	<11		23.2	21.9
2005	Lassen	<11		48.6	51.7	<11		61.0	58.7	<11		89.7	97.3
2006	Lassen	<11		16.5	17.4	0	4,783	0.0	0.0	12	6,608	181.6	191.8
2007	Lassen	<11		83.9	88.1	<11		21.3	20.4	<11		153.7	161.2
2008	Lassen	<11		50.5	53.0	0	4,672	0.0	0.0	13	6,485	200.5	209.8
2009	Lassen	<11		68.9	70.9	0	4,489	0.0	0.0	25	6,381	391.8	394.6
2010	Lassen	<11		140.8	145.0	<11		22.7	21.7	<11		64.1	65.0
2011	Lassen	<11		55.7	56.6	<11		24.2	23.3	<11		33.7	33.5
2012	Lassen	<11		95.8	96.9	<11		25.0	24.3	11	5,755	191.2	189.8
2013	Lassen	<11		39.4	39.9	<11		128.6	124.7	<11		89.3	88.7
2014	Lassen	<11		176.8	179.8	<11		77.1	73.7	<11		71.1	70.0
2005	Los Angeles	2,599	2,304,650	112.8	112.3	318	1,751,544	18.2	17.7	3,466	2,548,956	136.0	132.8
2006	Los Angeles	2,455	2,258,927	108.7	109.0	359	1,722,880	20.8	20.2	3,755	2,495,450	150.5	147.9
2007	Los Angeles	2,149	2,212,127	97.1	97.8	342	1,687,649	20.3	19.6	3,138	2,444,107	128.4	126.2
2008	Los Angeles	2,048	2,189,680	93.5	94.0	335	1,667,244	20.1	19.4	2,493	2,421,026	103.0	100.8
2009	Los Angeles	2,561	2,172,130	117.9	118.4	332	1,653,881	20.1	19.4	2,498	2,400,818	104.0	101.9
2010	Los Angeles	2,187	2,155,850	101.4	101.7	277	1,641,965	16.9	16.4	1,697	2,381,545	71.3	69.9
2011	Los Angeles	2,346	2,125,690	110.4	109.8	305	1,610,744	18.9	18.4	1,808	2,352,563	76.9	74.6
2012	Los Angeles	2,437	2,090,053	116.6	115.1	303	1,577,459	19.2	18.8	1,609	2,315,374	69.5	67.0
2013	Los Angeles	2,261	2,068,849	109.3	107.4	335	1,558,015	21.5	21.1	1,700	2,292,901	74.1	71.3
2014	Los Angeles	2,211	2,042,768	108.2	109.2	318	1,554,807	20.5	19.6	1,116	2,259,779	49.4	48.2
2005	Madera	21	35,669	58.9	57.5	<11		11.2	11.0	50	39,691	126.0	119.4
2006	Madera	46	36,550	125.9	123.1	<11		22.0	21.5	49	40,687	120.4	114.0
2007	Madera	37	37,022	99.9	97.6	<11		25.3	24.8	49	41,238	118.8	112.1
2008	Madera	38	37,564	101.2	98.6	<11		21.4	21.0	52	41,839	124.3	117.1
2009	Madera	49	37,724	129.9	126.9	<11		35.5	34.9	27	41,956	64.4	61.0
2010	Madera	52	38,221	136.1	132.9	<11		34.9	34.6	21	42,423	49.5	47.3
2011	Madera	53	38,224	138.7	134.8	<11		31.4	31.3	28	42,423	66.0	63.0
2012	Madera	51	37,872	134.7	130.3	0	28,286	0.0	0.0	18	42,062	42.8	40.6
2013	Madera	27	37,783	71.5	69.1	<11		17.7	17.8	19	41,923	45.3	43.2
2014	Madera	51	39,567	128.9	124.8	<11		20.4	20.2	13	44,044	29.5	27.8
2005	Marin	37	43,827	84.4	82.1	<11		12.2	12.1	60	48,684	123.2	117.4
2006	Marin	29	44,071	65.8	63.8	<11		12.1	12.1	70	48,930	143.1	136.4
2007	Marin	18	44,333	40.6	39.2	<11		9.1	9.1	45	49,251	91.4	86.7
2008	Marin	19	44,806	42.4	40.7	<11		15.0	15.1	24	49,761	48.2	45.7
2009	Marin	22	45,338	48.5	46.5	<11		5.9	6.0	23	50,255	45.8	43.7

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	Marin	22	45,798	48.0	46.0	<11		14.6	14.9	14	50,673	27.6	26.6
2011	Marin	20	46,385	43.1	41.8	<11		14.3	14.5	16	51,167	31.3	30.5
2012	Marin	19	46,984	40.4	39.6	<11		8.4	8.5	19	51,643	36.8	36.6
2013	Marin	27	47,477	56.9	56.3	<11		19.1	19.4	18	51,977	34.6	35.2
2014	Marin	28	46,892	59.7	58.0	<11		2.8	2.9	14	51,663	27.1	26.6
2005	Mariposa	<11		31.3	34.4	0	2,572	0.0	0.0	<11		57.7	63.4
2006	Mariposa	<11		62.8	68.7	<11		39.1	36.6	<11		29.0	31.7
2007	Mariposa	<11		63.4	69.3	<11		39.6	37.0	<11		58.4	63.7
2008	Mariposa	<11		32.2	34.8	<11		80.7	75.8	<11		29.6	32.0
2009	Mariposa	<11		33.6	35.6	<11		42.8	40.6	<11		30.8	32.3
2010	Mariposa	<11		103.0	107.7	0	2,281	0.0	0.0	0	3,187	0.0	0.0
2011	Mariposa	<11		140.3	145.2	0	2,225	0.0	0.0	<11		32.1	33.1
2012	Mariposa	<11		73.4	75.3	0	2,110	0.0	0.0	<11		133.8	136.1
2013	Mariposa	<11		37.7	38.5	0	2,048	0.0	0.0	0	2,912	0.0	0.0
2014	Mariposa	<11		37.2	38.1	0	2,070	0.0	0.0	<11		33.8	33.9
2005	Mendocino	<11		27.5	28.1	<11		35.6	34.3	<11		44.9	45.2
2006	Mendocino	<11		39.3	40.0	<11		44.0	42.3	<11		25.5	25.3
2007	Mendocino	<11		23.0	23.1	13	13,249	98.1	94.8	19	19,228	98.8	96.8
2008	Mendocino	<11		17.3	17.2	<11		15.3	14.8	<11		41.7	40.3
2009	Mendocino	13	17,157	75.8	74.8	<11		38.7	37.7	<11		10.5	10.1
2010	Mendocino	15	17,190	87.3	85.7	<11		23.2	22.8	<11		47.3	45.5
2011	Mendocino	15	17,089	87.8	85.8	<11		15.6	15.4	<11		10.6	10.1
2012	Mendocino	15	16,879	88.9	86.5	<11		7.9	7.9	<11		53.4	51.1
2013	Mendocino	<11		42.0	40.7	<11		8.0	8.0	<11		16.2	15.5
2014	Mendocino	15	16,158	92.8	89.1	<11		8.4	8.3	<11		11.1	10.3
2005	Merced	50	71,081	70.3	70.1	16	53,942	29.7	28.9	131	78,674	166.5	162.1
2006	Merced	69	71,509	96.5	96.1	17	54,185	31.4	30.5	110	79,227	138.8	134.6
2007	Merced	35	71,846	48.7	48.3	<11		16.6	16.1	90	79,695	112.9	108.7
2008	Merced	67	71,860	93.2	92.2	13	54,222	24.0	23.4	69	79,684	86.6	83.3
2009	Merced	79	71,619	110.3	108.9	<11		14.8	14.5	57	79,384	71.8	69.1
2010	Merced	76	72,635	104.6	103.0	14	54,810	25.5	25.1	37	80,432	46.0	44.4
2011	Merced	83	72,257	114.9	112.7	<11		12.8	12.7	70	80,008	87.5	84.4
2012	Merced	70	71,482	97.9	96.1	13	54,043	24.1	23.9	39	79,014	49.4	47.9
2013	Merced	62	71,405	86.8	85.0	21	53,991	38.9	38.8	53	78,916	67.2	65.3
2014	Merced	60	73,738	81.4	79.9	<11		18.0	17.7	27	81,773	33.0	31.7
2005	Modoc	<11		101.8	106.1	<11		64.3	62.9	<11		46.9	50.2
2006	Modoc	<11		51.1	53.4	0	1,549	0.0	0.0	0	2,131	0.0	0.0
2007	Modoc	<11		105.8	108.2	0	1,468	0.0	0.0	<11		96.6	98.9
2008	Modoc	0	1,885	0.0	0.0	<11		67.6	65.8	<11		48.6	50.9
2009	Modoc	0	1,862	0.0	0.0	0	1,417	0.0	0.0	<11		194.8	191.5
2010	Modoc	<11		53.6	53.4	0	1,425	0.0	0.0	0	2,059	0.0	0.0
2011	Modoc	0	1,800	0.0	0.0	0	1,392	0.0	0.0	0	1,975	0.0	0.0
2012	Modoc	0	1,753	0.0	0.0	0	1,359	0.0	0.0	0	1,922	0.0	0.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Modoc	<11		60.1	60.6	0	1,284	0.0	0.0	<11		54.7	55.4
2014	Modoc	0	1,698	0.0	0.0	0	1,293	0.0	0.0	<11		53.3	52.4
2005	Mono	<11		150.8	154.7	<11		147.2	142.0	<11		34.2	34.2
2006	Mono	<11		37.8	37.3	<11		50.6	48.9	13	2,953	440.3	415.4
2007	Mono	<11		153.0	149.4	<11		102.7	100.2	0	2,916	0.0	0.0
2008	Mono	0	2,607	0.0	0.0	<11		52.2	50.9	<11		205.2	187.7
2009	Mono	<11		77.4	73.5	<11		53.3	52.4	<11		34.4	30.9
2010	Mono	<11		113.1	107.9	<11		51.3	51.1	<11		33.7	31.1
2011	Mono	<11		112.5	107.9	<11		101.5	101.8	<11		33.7	31.4
2012	Mono	0	2,597	0.0	0.0	0	1,936	0.0	0.0	0	2,885	0.0	0.0
2013	Mono	0	2,529	0.0	0.0	0	1,902	0.0	0.0	<11		35.8	34.7
2014	Mono	<11		39.1	36.9	0	1,860	0.0	0.0	0	2,871	0.0	0.0
2005	Monterey	90	97,505	92.3	90.2	21	72,569	28.9	28.0	193	108,880	177.3	165.7
2006	Monterey	78	96,139	81.1	79.3	15	71,501	21.0	20.3	197	107,392	183.4	171.2
2007	Monterey	81	95,762	84.6	82.3	23	70,968	32.4	31.4	190	107,076	177.4	164.5
2008	Monterey	79	96,766	81.6	78.9	18	71,505	25.2	24.5	148	108,229	136.7	126.3
2009	Monterey	90	97,735	92.1	88.7	12	72,309	16.6	16.3	119	109,133	109.0	101.2
2010	Monterey	90	99,268	90.7	87.1	<11		13.6	13.5	91	110,698	82.2	76.6
2011	Monterey	75	100,396	74.7	71.0	<11		9.5	9.5	98	112,161	87.4	80.6
2012	Monterey	93	100,230	92.8	87.7	<11		12.2	12.3	65	111,954	58.1	53.5
2013	Monterey	65	100,823	64.5	60.8	<11		8.1	8.2	69	112,560	61.3	56.5
2014	Monterey	82	98,070	83.6	79.2	11	71,772	15.3	15.2	39	109,876	35.5	32.4
2005	Napa	<11		36.2	36.7	<11		32.9	32.0	17	30,359	56.0	56.2
2006	Napa	17	27,693	61.4	62.3	<11		28.1	27.2	18	30,474	59.1	59.2
2007	Napa	12	27,688	43.3	43.9	11	21,289	51.7	50.0	18	30,483	59.0	59.0
2008	Napa	12	27,893	43.0	43.5	<11		28.0	27.2	<11		32.5	32.4
2009	Napa	16	28,118	56.9	57.3	<11		18.6	18.1	11	30,964	35.5	35.4
2010	Napa	17	28,303	60.1	60.3	<11		13.8	13.5	<11		25.7	25.6
2011	Napa	15	28,362	52.9	53.1	<11		13.8	13.5	<11		32.1	32.1
2012	Napa	<11		35.8	35.7	<11		14.0	13.8	<11		26.0	25.9
2013	Napa	15	27,949	53.7	53.6	<11		23.4	23.0	<11		19.5	19.4
2014	Napa	12	28,290	42.4	42.6	<11		9.2	9.0	<11		9.6	9.6
2005	Nevada	<11		54.2	58.7	<11		60.7	58.0	13	19,926	65.2	72.4
2006	Nevada	<11		55.2	59.5	<11		34.4	32.9	16	19,607	81.6	89.6
2007	Nevada	12	17,857	67.2	71.6	<11		56.3	53.8	17	19,395	87.7	94.5
2008	Nevada	<11		51.0	54.1	<11		71.2	68.3	<11		41.7	44.9
2009	Nevada	<11		52.0	54.6	<11		66.0	63.4	<11		47.7	50.3
2010	Nevada	16	16,961	94.3	98.9	<11		37.4	36.0	<11		16.2	17.2
2011	Nevada	11	16,518	66.6	69.7	<11		30.8	29.6	<11		22.2	23.4
2012	Nevada	13	16,032	81.1	84.4	<11		31.8	30.8	<11		28.6	29.9
2013	Nevada	<11		51.0	52.7	<11		65.2	63.6	<11		52.5	54.7
2014	Nevada	12	15,778	76.1	78.9	<11		40.6	39.1	<11		23.2	23.9
2005	Orange	503	676,540	74.3	73.4	95	512,088	18.6	18.2	830	749,076	110.8	107.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2006	Orange	477	667,002	71.5	71.3	76	507,508	15.0	14.6	868	737,123	117.8	115.4
2007	Orange	433	658,439	65.8	65.9	55	502,303	10.9	10.6	692	727,086	95.2	93.7
2008	Orange	387	659,103	58.7	58.9	77	502,642	15.3	14.9	520	727,868	71.4	70.2
2009	Orange	516	660,769	78.1	78.6	68	505,457	13.5	13.1	493	728,475	67.7	67.0
2010	Orange	455	662,990	68.6	69.1	42	507,945	8.3	8.1	352	730,153	48.2	47.9
2011	Orange	440	658,879	66.8	66.8	75	503,106	14.9	14.6	341	726,482	46.9	46.4
2012	Orange	374	651,816	57.4	57.1	88	496,616	17.7	17.4	339	719,006	47.1	46.4
2013	Orange	386	648,573	59.5	59.1	78	493,754	15.8	15.6	377	715,484	52.7	51.8
2014	Orange	417	645,457	64.6	65.7	88	496,787	17.7	17.1	232	710,280	32.7	32.7
2005	Placer	22	70,913	31.0	31.2	22	54,704	40.2	39.7	43	77,810	55.3	55.9
2006	Placer	22	72,200	30.5	30.8	12	55,824	21.5	21.1	44	79,177	55.6	56.5
2007	Placer	21	73,122	28.7	29.0	13	56,435	23.0	22.6	38	80,255	47.3	47.9
2008	Placer	28	74,471	37.6	37.9	16	57,352	27.9	27.4	30	81,794	36.7	37.0
2009	Placer	25	75,151	33.3	33.5	15	57,864	25.9	25.5	24	82,526	29.1	29.3
2010	Placer	38	75,902	50.1	50.5	17	58,615	29.0	28.6	27	83,222	32.4	32.9
2011	Placer	33	76,209	43.3	43.8	20	58,980	33.9	33.5	26	83,476	31.1	31.8
2012	Placer	35	76,100	46.0	46.5	15	58,936	25.5	25.2	25	83,323	30.0	30.7
2013	Placer	26	76,075	34.2	34.6	18	58,968	30.5	30.2	30	83,260	36.0	36.9
2014	Placer	37	80,645	45.9	46.4	19	62,353	30.5	30.0	27	88,405	30.5	31.1
2005	Plumas	<11		25.7	28.2	0	3,129	0.0	0.0	11	4,203	261.7	290.6
2006	Plumas	<11		52.7	56.9	0	3,018	0.0	0.0	<11		145.5	156.7
2007	Plumas	<11		81.6	86.4	<11		69.3	65.7	<11		149.4	156.0
2008	Plumas	0	3,514	0.0	0.0	<11		36.3	34.4	<11		26.0	27.1
2009	Plumas	<11		29.3	30.6	0	2,670	0.0	0.0	<11		80.2	82.8
2010	Plumas	<11		30.4	31.9	0	2,576	0.0	0.0	0	3,595	0.0	0.0
2011	Plumas	<11		63.2	64.6	0	2,440	0.0	0.0	0	3,481	0.0	0.0
2012	Plumas	0	3,077	0.0	0.0	0	2,354	0.0	0.0	0	3,385	0.0	0.0
2013	Plumas	<11		33.9	33.7	0	2,257	0.0	0.0	0	3,242	0.0	0.0
2014	Plumas	0	2,886	0.0	0.0	<11		137.5	133.0	0	3,196	0.0	0.0
2005	Riverside	480	506,276	94.8	94.7	111	386,085	28.8	28.1	818	559,024	146.3	144.1
2006	Riverside	437	526,030	83.1	83.0	104	400,477	26.0	25.3	707	581,388	121.6	119.2
2007	Riverside	404	541,068	74.7	74.6	124	411,465	30.1	29.3	633	598,270	105.8	103.5
2008	Riverside	431	546,633	78.8	78.9	90	416,367	21.6	21.0	488	603,860	80.8	79.3
2009	Riverside	492	549,352	89.6	89.9	84	419,439	20.0	19.5	448	606,042	73.9	73.0
2010	Riverside	456	558,338	81.7	81.9	91	426,748	21.3	20.8	319	615,456	51.8	51.3
2011	Riverside	415	556,193	74.6	74.6	99	424,559	23.3	22.9	331	613,227	54.0	53.3
2012	Riverside	387	550,454	70.3	70.1	130	420,326	30.9	30.5	306	606,487	50.5	49.9
2013	Riverside	377	549,567	68.6	68.3	109	419,877	26.0	25.7	295	605,157	48.7	48.4
2014	Riverside	461	592,330	77.8	78.1	111	452,340	24.5	23.9	204	653,370	31.2	30.8
2005	Sacramento	271	320,091	84.7	83.8	85	242,592	35.0	34.4	439	354,246	123.9	120.5
2006	Sacramento	290	319,718	90.7	89.8	74	241,845	30.6	29.9	308	354,207	87.0	84.2
2007	Sacramento	216	320,467	67.4	66.6	70	241,883	28.9	28.3	312	355,329	87.8	84.6
2008	Sacramento	244	321,387	75.9	74.7	90	241,656	37.2	36.4	250	356,832	70.1	67.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Sacramento	299	321,891	92.9	91.2	93	241,736	38.5	37.7	212	357,430	59.3	56.6
2010	Sacramento	311	322,983	96.3	94.3	89	242,618	36.7	36.1	134	358,384	37.4	35.8
2011	Sacramento	281	320,309	87.7	85.4	89	240,117	37.1	36.7	151	355,494	42.5	40.5
2012	Sacramento	295	317,745	92.8	89.7	99	237,756	41.6	41.6	137	352,627	38.9	37.0
2013	Sacramento	295	317,875	92.8	89.4	92	237,853	38.7	38.9	198	352,605	56.2	53.5
2014	Sacramento	381	324,243	117.5	114.4	63	242,363	26.0	25.6	106	360,490	29.4	27.9
2005	San Benito	<11		20.4	20.2	<11		26.8	26.4	28	16,218	172.6	170.4
2006	San Benito	<11		55.4	55.0	<11		18.2	17.9	19	15,961	119.0	116.6
2007	San Benito	<11		41.7	41.6	<11		9.1	8.9	13	15,895	81.8	80.2
2008	San Benito	<11		34.9	35.1	<11		18.2	17.8	<11		50.6	50.3
2009	San Benito	<11		70.7	71.2	<11		18.4	18.0	12	15,568	77.1	77.1
2010	San Benito	13	14,307	90.9	91.0	<11		27.4	26.9	<11		63.5	63.3
2011	San Benito	11	14,199	77.5	78.0	<11		9.2	9.0	<11		64.1	64.4
2012	San Benito	<11		49.6	49.7	<11		18.5	18.2	11	15,525	70.9	70.8
2013	San Benito	12	14,041	85.5	85.3	<11		46.6	46.2	<11		64.7	64.3
2014	San Benito	<11		21.8	22.2	<11		28.2	27.4	0	15,134	0.0	0.0
2005	San Bernardino	724	534,179	135.5	136.4	98	409,478	23.9	23.3	946	588,724	160.7	159.8
2006	San Bernardino	655	537,174	121.9	122.8	132	411,035	32.1	31.2	821	592,693	138.5	137.1
2007	San Bernardino	554	536,805	103.2	103.7	120	409,271	29.3	28.4	816	593,249	137.5	135.1
2008	San Bernardino	628	534,050	117.6	117.8	118	406,413	29.0	28.1	568	590,482	96.2	94.1
2009	San Bernardino	725	529,432	136.9	137.1	146	403,065	36.2	35.2	662	585,041	113.2	110.9
2010	San Bernardino	603	531,616	113.4	113.2	133	404,528	32.9	32.1	319	587,297	54.3	53.2
2011	San Bernardino	490	527,740	92.8	92.1	140	400,421	35.0	34.3	407	583,391	69.8	68.0
2012	San Bernardino	629	518,959	121.2	119.6	159	392,989	40.5	39.9	340	573,775	59.3	57.6
2013	San Bernardino	541	513,917	105.3	103.6	141	389,136	36.2	35.9	427	567,943	75.2	73.2
2014	San Bernardino	597	534,111	111.8	111.4	152	404,844	37.5	36.5	261	591,206	44.1	42.9
2005	San Diego	419	643,613	65.1	64.8	79	486,765	16.2	15.7	524	713,804	73.4	70.9
2006	San Diego	419	638,298	65.6	65.6	101	483,218	20.9	20.2	470	707,760	66.4	64.2
2007	San Diego	443	638,276	69.4	69.2	99	481,864	20.5	19.8	385	708,477	54.3	52.2
2008	San Diego	567	644,062	88.0	87.4	100	485,074	20.6	19.9	340	715,320	47.5	45.5
2009	San Diego	637	647,342	98.4	97.4	108	487,326	22.2	21.5	352	718,609	49.0	46.9
2010	San Diego	492	652,273	75.4	74.4	92	491,073	18.7	18.3	221	723,572	30.5	29.3
2011	San Diego	502	649,511	77.3	75.7	103	486,405	21.2	20.8	254	721,784	35.2	33.4
2012	San Diego	621	647,994	95.8	93.0	110	483,168	22.8	22.5	278	720,924	38.6	36.4
2013	San Diego	559	648,162	86.2	83.3	89	482,147	18.5	18.3	272	721,539	37.7	35.4
2014	San Diego	589	644,127	91.4	89.7	106	481,274	22.0	21.4	279	717,104	38.9	36.7
2005	San Francisco	123	93,980	130.9	126.1	11	68,349	16.1	15.3	73	106,068	68.8	61.5
2006	San Francisco	101	93,788	107.7	103.9	15	68,394	21.9	20.9	81	105,659	76.7	68.9
2007	San Francisco	99	94,283	105.0	100.8	<11		13.2	12.6	67	106,390	63.0	56.1
2008	San Francisco	76	95,132	79.9	76.3	12	68,822	17.4	16.7	58	107,393	54.0	47.9
2009	San Francisco	122	96,316	126.7	120.3	<11		14.4	13.9	34	108,672	31.3	27.8
2010	San Francisco	106	96,615	109.7	103.9	<11		14.3	13.9	38	108,893	34.9	31.0
2011	San Francisco	102	96,981	105.2	97.9	<11		14.4	14.2	42	109,690	38.3	33.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	San Francisco	169	97,641	173.1	158.7	<11		10.1	10.1	38	110,790	34.3	29.5
2013	San Francisco	133	98,643	134.8	122.9	<11		14.4	14.4	61	112,063	54.4	46.6
2014	San Francisco	141	95,712	147.3	135.4	<11		7.4	7.3	35	108,958	32.1	27.4
2005	San Joaquin	155	176,340	87.9	86.9	49	133,320	36.8	36.0	443	195,403	226.7	219.2
2006	San Joaquin	173	177,285	97.6	96.4	26	133,834	19.4	19.0	371	196,539	188.8	182.0
2007	San Joaquin	140	177,873	78.7	77.6	33	134,117	24.6	24.1	381	197,254	193.2	185.8
2008	San Joaquin	150	177,854	84.3	83.2	24	134,154	17.9	17.5	201	197,160	101.9	98.2
2009	San Joaquin	189	177,872	106.3	104.9	26	134,398	19.3	19.0	208	196,955	105.6	102.1
2010	San Joaquin	168	179,301	93.7	92.4	36	135,668	26.5	26.2	160	198,325	80.7	78.3
2011	San Joaquin	104	178,840	58.2	57.1	34	135,196	25.1	24.9	136	197,822	68.7	66.7
2012	San Joaquin	134	177,160	75.6	74.1	35	133,889	26.1	26.0	84	195,881	42.9	41.6
2013	San Joaquin	142	176,146	80.6	78.8	32	133,079	24.0	24.0	109	194,714	56.0	54.3
2014	San Joaquin	125	183,514	68.1	66.8	32	138,263	23.1	22.8	68	203,339	33.4	32.2
2005	San Luis Obispo	22	50,014	44.0	48.8	<11		22.5	20.7	35	54,309	64.4	70.1
2006	San Luis Obispo	25	49,533	50.5	55.6	<11		12.7	11.7	34	53,914	63.1	67.7
2007	San Luis Obispo	22	49,317	44.6	48.6	<11		15.4	14.2	35	53,870	65.0	68.3
2008	San Luis Obispo	26	49,516	52.5	56.6	13	38,852	33.5	30.9	28	54,227	51.6	53.5
2009	San Luis Obispo	26	49,397	52.6	56.2	<11		20.7	19.3	20	54,109	37.0	38.1
2010	San Luis Obispo	33	49,217	67.0	71.0	13	38,450	33.8	31.7	13	53,888	24.1	24.9
2011	San Luis Obispo	26	49,756	52.3	56.3	16	39,094	40.9	37.9	21	54,397	38.6	40.2
2012	San Luis Obispo	38	49,429	76.9	81.0	<11		15.6	14.7	<11		16.6	17.1
2013	San Luis Obispo	24	49,228	48.8	51.1	<11		23.5	22.2	15	53,934	27.8	28.5
2014	San Luis Obispo	40	48,575	82.3	86.8	<11		21.3	19.8	15	53,399	28.1	28.4
2005	San Mateo	94	135,599	69.3	66.4	15	99,726	15.0	14.8	96	151,913	63.2	58.0
2006	San Mateo	81	135,127	59.9	57.5	16	99,597	16.1	15.8	110	151,193	72.8	67.1
2007	San Mateo	68	135,056	50.3	48.2	<11		8.0	7.9	81	151,106	53.6	49.4
2008	San Mateo	49	136,973	35.8	34.1	<11		8.9	8.9	57	153,182	37.2	34.3
2009	San Mateo	79	138,720	56.9	54.1	14	102,142	13.7	13.7	53	154,955	34.2	31.6
2010	San Mateo	71	139,980	50.7	48.2	<11		7.7	7.8	36	156,177	23.1	21.4
2011	San Mateo	75	140,762	53.3	50.5	14	103,861	13.5	13.6	38	156,978	24.2	22.5
2012	San Mateo	100	141,910	70.5	66.9	16	104,960	15.2	15.4	34	158,056	21.5	20.1
2013	San Mateo	76	142,232	53.4	50.8	<11		8.5	8.7	35	158,307	22.1	20.7
2014	San Mateo	77	139,727	55.1	52.2	<11		6.8	6.8	21	155,978	13.5	12.5
2005	Santa Barbara	61	90,903	67.1	70.1	<11		12.8	12.0	92	100,152	91.9	92.2
2006	Santa Barbara	50	90,124	55.5	58.0	18	69,589	25.9	24.1	93	99,347	93.6	93.7
2007	Santa Barbara	52	90,237	57.6	59.9	26	69,402	37.5	34.9	68	99,621	68.3	67.7
2008	Santa Barbara	38	90,878	41.8	43.2	20	69,565	28.8	26.9	56	100,481	55.7	54.8
2009	Santa Barbara	38	91,638	41.5	42.7	17	70,129	24.2	22.8	45	101,249	44.4	43.8
2010	Santa Barbara	33	92,441	35.7	36.6	14	70,774	19.8	18.8	33	102,000	32.4	32.0
2011	Santa Barbara	33	92,543	35.7	36.7	<11		11.3	10.7	28	102,160	27.4	27.0
2012	Santa Barbara	62	91,612	67.7	67.9	13	69,352	18.7	18.0	30	101,431	29.6	28.6
2013	Santa Barbara	35	92,269	37.9	37.9	20	69,729	28.7	27.7	40	102,172	39.1	37.8
2014	Santa Barbara	52	91,316	56.9	57.9	12	69,203	17.3	16.3	23	101,246	22.7	21.9

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	Santa Clara	247	358,057	69.0	65.4	41	261,584	15.7	15.5	572	402,022	142.3	129.0
2006	Santa Clara	249	361,053	69.0	65.6	58	264,788	21.9	21.7	543	404,588	134.2	122.6
2007	Santa Clara	235	364,712	64.4	61.3	51	267,662	19.1	18.9	496	408,371	121.5	111.2
2008	Santa Clara	250	371,171	67.4	63.9	40	272,570	14.7	14.6	314	415,259	75.6	69.4
2009	Santa Clara	299	375,719	79.6	75.7	44	276,988	15.9	15.9	233	419,406	55.6	51.4
2010	Santa Clara	282	380,445	74.1	70.5	47	281,198	16.7	16.8	180	424,057	42.4	39.5
2011	Santa Clara	260	382,389	68.0	64.8	40	283,201	14.1	14.2	189	425,821	44.4	41.5
2012	Santa Clara	288	384,256	75.0	71.5	45	285,501	15.8	15.9	165	427,177	38.6	36.4
2013	Santa Clara	206	386,156	53.3	51.0	37	288,036	12.8	13.0	188	428,581	43.9	41.6
2014	Santa Clara	196	384,912	50.9	48.5	31	285,139	10.9	10.9	111	428,633	25.9	24.2
2005	Santa Cruz	44	52,228	84.2	88.5	<11		19.8	18.4	50	57,481	87.0	87.7
2006	Santa Cruz	34	51,793	65.6	69.0	17	40,169	42.3	39.4	49	56,974	86.0	86.8
2007	Santa Cruz	26	51,797	50.2	52.6	<11		15.0	14.0	53	57,011	93.0	93.5
2008	Santa Cruz	29	52,094	55.7	58.0	<11		17.4	16.3	36	57,389	62.7	62.7
2009	Santa Cruz	24	52,534	45.7	47.4	<11		12.3	11.6	25	57,806	43.2	43.4
2010	Santa Cruz	28	52,799	53.0	54.7	11	40,727	27.0	25.6	22	58,074	37.9	38.0
2011	Santa Cruz	22	52,814	41.7	43.2	<11		7.4	6.9	29	58,112	49.9	50.0
2012	Santa Cruz	40	52,741	75.8	78.0	<11		14.8	14.0	16	58,082	27.5	27.4
2013	Santa Cruz	25	52,865	47.3	48.5	<11		9.9	9.4	17	58,227	29.2	29.0
2014	Santa Cruz	24	51,384	46.7	48.3	<11		12.7	11.9	21	56,666	37.1	36.7
2005	Shasta	24	37,988	63.2	65.6	11	29,742	37.0	35.7	93	41,514	224.0	233.0
2006	Shasta	25	37,418	66.8	69.2	11	29,199	37.7	36.2	94	40,958	229.5	236.7
2007	Shasta	22	37,084	59.3	61.1	19	28,868	65.8	63.4	87	40,632	214.1	219.5
2008	Shasta	32	36,698	87.2	88.8	21	28,290	74.2	71.6	72	40,368	178.4	179.1
2009	Shasta	33	36,059	91.5	93.0	21	27,742	75.7	73.1	63	39,694	158.7	158.7
2010	Shasta	43	35,445	121.3	122.4	<11		33.1	32.2	56	39,025	143.5	143.0
2011	Shasta	37	34,827	106.2	106.3	22	26,606	82.7	80.9	69	38,399	179.7	177.7
2012	Shasta	36	34,373	104.7	104.0	14	26,135	53.6	52.7	38	37,960	100.1	98.2
2013	Shasta	28	34,319	81.6	80.9	19	26,108	72.8	72.0	72	37,873	190.1	186.9
2014	Shasta	36	34,097	105.6	104.6	29	25,789	112.5	110.0	24	37,756	63.6	61.6
2005	Sierra	0	592	0.0	0.0	0	467	0.0	0.0	<11		154.8	163.8
2006	Sierra	<11		171.9	180.6	<11		221.5	209.1	0	641	0.0	0.0
2007	Sierra	0	550	0.0	0.0	0	424	0.0	0.0	0	609	0.0	0.0
2008	Sierra	0	515	0.0	0.0	0	395	0.0	0.0	0	570	0.0	0.0
2009	Sierra	0	501	0.0	0.0	0	385	0.0	0.0	0	554	0.0	0.0
2010	Sierra	<11		205.4	211.8	0	374	0.0	0.0	0	537	0.0	0.0
2011	Sierra	0	452	0.0	0.0	0	355	0.0	0.0	0	494	0.0	0.0
2012	Sierra	0	446	0.0	0.0	0	344	0.0	0.0	0	490	0.0	0.0
2013	Sierra	0	446	0.0	0.0	0	346	0.0	0.0	0	489	0.0	0.0
2014	Sierra	0	391	0.0	0.0	0	289	0.0	0.0	0	438	0.0	0.0
2005	Siskiyou	<11		46.5	48.9	<11		44.3	42.4	13	9,386	138.5	146.0
2006	Siskiyou	<11		47.0	49.5	<11		74.8	71.5	12	9,295	129.1	135.2
2007	Siskiyou	<11		59.8	62.4	<11		61.3	58.7	<11		98.3	101.3

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Siskiyou	<11		72.4	74.1	<11		62.7	60.3	14	9,120	153.5	154.0
2009	Siskiyou	<11		36.2	36.6	<11		63.2	61.0	<11		98.3	96.8
2010	Siskiyou	<11		60.7	60.9	<11		47.8	46.5	<11		44.0	43.3
2011	Siskiyou	<11		61.8	61.9	<11		16.2	15.8	<11		33.6	33.1
2012	Siskiyou	<11		75.1	74.8	<11		49.3	48.7	<11		56.7	55.9
2013	Siskiyou	<11		50.7	50.4	<11		33.4	33.1	<11		80.5	79.3
2014	Siskiyou	<11		77.8	76.2	<11		17.3	17.1	<11		23.4	22.2
2005	Solano	58	95,390	60.8	61.5	23	73,194	31.4	30.5	79	105,114	75.2	74.8
2006	Solano	61	94,150	64.8	65.4	25	72,138	34.7	33.6	65	103,808	62.6	62.1
2007	Solano	50	93,006	53.8	54.2	18	71,163	25.3	24.5	42	102,587	40.9	40.5
2008	Solano	44	91,975	47.8	48.1	24	70,320	34.1	33.1	35	101,451	34.5	34.1
2009	Solano	40	90,924	44.0	44.1	17	69,400	24.5	23.9	31	100,314	30.9	30.5
2010	Solano	60	90,423	66.4	66.2	18	68,877	26.1	25.6	27	99,800	27.1	26.6
2011	Solano	56	89,073	62.9	62.3	18	67,652	26.6	26.1	34	98,404	34.6	33.8
2012	Solano	42	87,916	47.8	47.1	14	66,666	21.0	20.7	30	97,145	30.9	30.1
2013	Solano	50	87,717	57.0	56.0	21	66,474	31.6	31.4	29	96,899	29.9	29.2
2014	Solano	44	85,838	51.3	51.0	19	65,161	29.2	28.4	23	94,905	24.2	23.6
2005	Sonoma	66	96,690	68.3	69.6	21	74,481	28.2	27.2	62	106,431	58.3	58.4
2006	Sonoma	59	95,516	61.8	62.7	19	73,420	25.9	25.0	67	105,192	63.7	63.6
2007	Sonoma	49	95,018	51.6	52.3	14	72,863	19.2	18.5	59	104,744	56.3	55.9
2008	Sonoma	40	95,397	41.9	42.3	16	72,970	21.9	21.2	59	105,217	56.1	55.5
2009	Sonoma	51	95,852	53.2	53.5	<11		13.7	13.3	45	105,699	42.6	42.1
2010	Sonoma	54	96,097	56.2	56.1	13	73,269	17.7	17.4	47	105,985	44.3	43.7
2011	Sonoma	44	95,103	46.3	46.0	<11		12.4	12.2	34	104,943	32.4	31.8
2012	Sonoma	56	93,610	59.8	59.7	<11		11.2	11.0	43	103,053	41.7	41.4
2013	Sonoma	37	93,043	39.8	39.6	<11		14.1	13.9	34	102,393	33.2	33.0
2014	Sonoma	64	92,443	69.2	69.0	<11		11.4	11.1	28	102,099	27.4	26.8
2005	Stanislaus	120	132,462	90.6	90.2	25	100,718	24.8	24.3	214	146,439	146.1	143.0
2006	Stanislaus	140	132,516	105.6	104.9	38	100,426	37.8	36.9	183	146,730	124.7	121.1
2007	Stanislaus	149	132,574	112.4	111.4	30	100,210	29.9	29.2	180	146,942	122.5	118.3
2008	Stanislaus	131	131,928	99.3	98.1	45	99,599	45.2	44.2	102	146,214	69.8	67.3
2009	Stanislaus	156	131,445	118.7	117.2	24	99,321	24.2	23.7	94	145,569	64.6	62.5
2010	Stanislaus	181	131,011	138.2	136.5	39	99,193	39.3	38.7	103	144,896	71.1	69.1
2011	Stanislaus	140	129,799	107.9	105.8	31	97,930	31.7	31.3	118	143,692	82.1	79.4
2012	Stanislaus	138	128,660	107.3	104.8	38	96,975	39.2	39.0	52	142,420	36.5	35.2
2013	Stanislaus	111	128,473	86.4	84.4	30	96,911	31.0	30.9	74	142,135	52.1	50.4
2014	Stanislaus	139	131,113	106.0	103.9	32	98,564	32.5	32.0	73	145,442	50.2	48.1
2005	Sutter	22	22,010	100.0	98.7	<11		36.1	35.2	74	24,413	303.1	292.1
2006	Sutter	15	22,500	66.7	65.6	<11		41.3	40.5	56	24,985	224.1	214.7
2007	Sutter	30	22,917	130.9	128.2	<11		11.7	11.4	53	25,491	207.9	197.3
2008	Sutter	26	23,014	113.0	110.1	<11		29.1	28.6	36	25,601	140.6	133.2
2009	Sutter	16	23,076	69.3	67.7	<11		40.4	40.0	45	25,614	175.7	167.8
2010	Sutter	18	23,145	77.8	75.9	<11		40.2	40.0	42	25,642	163.8	157.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Sutter	<11		8.8	8.5	<11		58.4	58.4	17	25,262	67.3	64.5
2012	Sutter	14	22,491	62.2	60.6	<11		29.4	29.5	12	24,845	48.3	47.0
2013	Sutter	12	22,409	53.6	52.3	<11		41.2	41.4	20	24,721	80.9	79.2
2014	Sutter	16	23,573	67.9	65.8	<11		34.0	33.9	11	26,170	42.0	40.0
2005	Tehama	14	14,077	99.5	101.2	<11		36.9	35.6	12	15,503	77.4	77.4
2006	Tehama	<11		62.8	63.6	<11		36.3	35.0	12	15,814	75.9	75.4
2007	Tehama	<11		69.7	70.3	<11		54.7	52.9	19	15,855	119.8	118.1
2008	Tehama	<11		48.7	48.6	<11		45.9	44.6	<11		50.3	48.8
2009	Tehama	<11		63.0	62.1	<11		37.2	36.4	12	15,852	75.7	72.7
2010	Tehama	18	14,235	126.5	124.1	<11		93.3	91.8	32	15,784	202.7	194.6
2011	Tehama	<11		71.4	70.2	<11		94.7	93.1	25	15,510	161.2	155.5
2012	Tehama	16	13,694	116.8	114.6	<11		96.2	95.9	<11		53.0	51.9
2013	Tehama	13	13,435	96.8	95.1	<11		39.1	39.1	<11		54.1	53.3
2014	Tehama	19	14,000	135.7	131.9	<11		47.7	47.1	<11		38.6	36.6
2005	Trinity	<11		80.7	88.0	0	1,998	0.0	0.0	<11		74.6	82.8
2006	Trinity	0	2,438	0.0	0.0	0	1,961	0.0	0.0	<11		37.9	41.6
2007	Trinity	<11		41.9	45.3	0	1,898	0.0	0.0	<11		115.4	123.5
2008	Trinity	0	2,313	0.0	0.0	0	1,819	0.0	0.0	0	2,531	0.0	0.0
2009	Trinity	<11		43.7	44.9	<11		113.0	107.4	<11		39.7	40.0
2010	Trinity	<11		44.8	45.9	<11		57.8	55.4	<11		40.8	41.3
2011	Trinity	<11		45.4	46.0	<11		58.6	57.5	<11		207.5	212.4
2012	Trinity	<11		48.6	48.3	<11		63.5	62.2	0	2,264	0.0	0.0
2013	Trinity	0	2,035	0.0	0.0	0	1,536	0.0	0.0	<11		44.4	42.9
2014	Trinity	<11		49.1	48.3	0	1,532	0.0	0.0	<11		44.2	42.2
2005	Tulare	72	118,360	60.8	59.4	15	88,377	17.0	16.6	206	131,852	156.2	147.4
2006	Tulare	81	120,160	67.4	65.7	13	89,703	14.5	14.2	124	133,815	92.7	87.5
2007	Tulare	73	121,866	59.9	58.3	29	90,800	31.9	31.4	147	135,801	108.2	101.8
2008	Tulare	93	123,687	75.2	72.7	18	91,918	19.6	19.3	111	137,895	80.5	75.4
2009	Tulare	119	125,735	94.6	91.2	18	93,334	19.3	19.1	105	140,131	74.9	70.1
2010	Tulare	123	127,460	96.5	92.8	12	94,763	12.7	12.6	59	141,850	41.6	39.1
2011	Tulare	104	128,075	81.2	77.7	22	95,026	23.2	23.2	72	142,613	50.5	47.3
2012	Tulare	99	127,138	77.9	74.3	20	94,346	21.2	21.3	44	141,492	31.1	29.2
2013	Tulare	75	127,159	59.0	56.2	21	94,486	22.2	22.5	95	141,386	67.2	63.3
2014	Tulare	103	131,659	78.2	74.6	24	97,238	24.7	24.7	34	146,917	23.1	21.5
2005	Tuolumne	<11		30.6	32.7	<11		12.8	12.2	<11		28.2	30.8
2006	Tuolumne	<11		10.4	11.1	<11		13.1	12.5	<11		28.9	31.3
2007	Tuolumne	<11		53.7	57.1	<11		81.0	77.2	<11		29.6	31.8
2008	Tuolumne	<11		21.8	22.8	<11		41.8	39.8	<11		39.9	41.3
2009	Tuolumne	<11		11.2	11.7	<11		43.1	41.1	<11		10.2	10.5
2010	Tuolumne	<11		57.9	60.4	<11		44.3	42.5	<11		42.3	44.1
2011	Tuolumne	<11		95.0	98.1	<11		30.5	29.5	<11		54.3	55.9
2012	Tuolumne	<11		73.1	74.8	0	6,370	0.0	0.0	0	8,994	0.0	0.0
2013	Tuolumne	11	8,081	136.1	138.4	<11		16.0	15.7	<11		79.0	80.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #14 Asthma (Age 2-17)				PDI #15 Diabetes Short-term Complications (Age 6-17)				PDI #16 Gastroenteritis (Age 3 months-17 years)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2014	Tuolumne	15	7,982	187.9	191.9	<11		113.7	109.9	<11		57.0	57.5
2005	Ventura	120	192,095	62.5	63.0	31	147,296	21.0	20.5	191	211,712	90.2	89.8
2006	Ventura	77	190,862	40.3	40.8	31	146,375	21.2	20.5	177	210,407	84.1	83.7
2007	Ventura	82	189,445	43.3	43.7	49	144,954	33.8	32.7	142	209,048	67.9	67.2
2008	Ventura	95	189,033	50.3	50.7	28	144,442	19.4	18.8	104	208,649	49.8	49.2
2009	Ventura	157	189,158	83.0	83.6	20	144,665	13.8	13.4	127	208,594	60.9	60.3
2010	Ventura	114	190,015	60.0	60.3	19	145,316	13.1	12.8	95	209,412	45.4	45.0
2011	Ventura	95	188,083	50.5	50.5	16	143,533	11.1	10.9	119	207,370	57.4	56.7
2012	Ventura	132	185,193	71.3	70.8	23	141,004	16.3	16.1	69	204,254	33.8	33.3
2013	Ventura	81	183,605	44.1	43.7	31	139,753	22.2	21.9	114	202,479	56.3	55.4
2014	Ventura	70	185,160	37.8	38.1	22	141,434	15.6	15.1	51	204,279	25.0	24.7
2005	Yolo	<11		21.0	22.4	<11		29.9	27.6	39	46,981	83.0	85.2
2006	Yolo	20	43,024	46.5	49.3	11	33,502	32.8	30.3	37	47,274	78.3	79.6
2007	Yolo	<11		16.0	17.0	13	33,914	38.3	35.3	34	48,048	70.8	71.5
2008	Yolo	17	43,878	38.7	40.8	13	33,979	38.3	35.4	24	48,300	49.7	50.0
2009	Yolo	19	44,157	43.0	45.2	<11		8.8	8.2	15	48,576	30.9	31.1
2010	Yolo	25	44,109	56.7	59.3	<11		29.3	27.4	22	48,501	45.4	45.7
2011	Yolo	11	43,320	25.4	26.7	<11		20.8	19.4	17	47,556	35.7	36.3
2012	Yolo	25	43,443	57.5	59.7	14	33,630	41.6	39.5	14	47,681	29.4	29.7
2013	Yolo	18	42,865	42.0	43.4	11	33,138	33.2	31.6	<11		21.2	21.5
2014	Yolo	12	43,896	27.3	28.5	<11		23.6	22.1	14	48,337	29.0	28.9
2005	Yuba	20	17,348	115.3	112.0	<11		46.4	45.4	37	19,327	191.4	180.2
2006	Yuba	<11		50.0	47.7	<11		37.8	37.3	27	20,141	134.1	122.9
2007	Yuba	13	18,390	70.7	66.7	<11		59.5	59.0	26	20,635	126.0	114.3
2008	Yuba	14	18,547	75.5	71.5	<11		66.2	65.6	25	20,778	120.3	109.9
2009	Yuba	17	18,336	92.7	87.7	<11		66.8	66.6	32	20,520	155.9	143.0
2010	Yuba	17	18,504	91.9	86.6	<11		44.1	44.4	25	20,681	120.9	111.1
2011	Yuba	<11		43.6	41.1	<11		29.6	29.9	12	20,482	58.6	54.1
2012	Yuba	<11		44.0	41.0	<11		45.1	45.9	<11		34.4	31.4
2013	Yuba	<11		27.6	25.7	<11		22.7	23.1	17	20,263	83.9	76.5
2014	Yuba	<11		42.4	39.3	<11		43.9	44.4	<11		42.5	38.1
2005	Unassigned												
2006	Unassigned												
2007	Unassigned												
2008	Unassigned												
2009	Unassigned												
2010	Unassigned												
2011	Unassigned												
2012	Unassigned												
2013	Unassigned												
2014	Unassigned												

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	4,181	12,521	333.9	328.6	3,508	9,252,424	37.9	37.0	30,022	542,079	55.4	55.4
2006	STATEWIDE	4,067	12,574	323.4	320.2	3,070	9,214,327	33.3	32.5	30,722	554,385	55.4	55.4
2007	STATEWIDE	4,064	12,905	314.9	312.2	3,093	9,187,043	33.7	32.7	30,919	558,242	55.4	55.4
2008	STATEWIDE	4,294	13,574	316.3	314.2	3,343	9,204,176	36.3	35.1	30,066	542,796	55.4	55.4
2009	STATEWIDE	4,162	13,817	301.2	298.2	3,388	9,203,032	36.8	35.6	29,062	518,146	56.1	56.1
2010	STATEWIDE	4,186	13,856	302.1	299.1	3,098	9,221,974	33.6	32.6	28,358	501,136	56.6	56.6
2011	STATEWIDE	4,235	13,767	307.6	302.5	2,946	9,168,119	32.1	31.1	28,365	493,750	57.4	57.5
2012	STATEWIDE	4,213	13,659	308.4	304.3	2,758	9,082,980	30.4	29.4	28,101	495,838	56.7	56.7
2013	STATEWIDE	4,112	12,556	327.5	318.7	2,534	9,049,503	28.0	27.1	28,460	482,989	58.9	58.9
2014	STATEWIDE	4,244	12,117	350.3	341.6	2,404	9,124,761	26.3	25.4	28,593	494,394	57.8	57.8
2005	Alameda	135	342	394.7	384.3	170	334,527	50.8	48.2	1,313	20,963	62.6	62.7
2006	Alameda	104	359	289.7	291.1	148	332,780	44.5	42.2	1,318	21,158	62.3	62.3
2007	Alameda	126	346	364.2	372.5	145	332,853	43.6	41.3	1,270	21,569	58.9	58.9
2008	Alameda	150	385	389.6	376.1	127	335,869	37.8	35.8	1,272	20,994	60.6	60.6
2009	Alameda	133	378	351.9	354.3	119	338,353	35.2	33.4	1,251	20,351	61.5	61.5
2010	Alameda	105	364	288.5	289.7	110	339,165	32.4	30.9	1,121	19,253	58.2	58.2
2011	Alameda	139	386	360.1	364.1	104	338,157	30.8	29.2	1,272	18,921	67.2	67.3
2012	Alameda	131	356	368.0	358.7	95	338,159	28.1	26.8	1,324	19,448	68.1	68.1
2013	Alameda	150	364	412.1	398.9	94	339,455	27.7	26.5	1,271	19,145	66.4	66.4
2014	Alameda	131	299	438.1	424.1	86	333,447	25.8	24.4	1,194	19,365	61.7	61.7
2005	Alpine					0	237	0.0	0.0	0	15	0.0	0.0
2006	Alpine					0	272	0.0	0.0	<11		71.4	73.3
2007	Alpine					0	262	0.0	0.0	0	11	0.0	0.0
2008	Alpine					0	242	0.0	0.0	<11		166.7	165.2
2009	Alpine					0	247	0.0	0.0	0	4	0.0	0.0
2010	Alpine					0	264	0.0	0.0	0	3	0.0	0.0
2011	Alpine					0	211	0.0	0.0	0	3	0.0	0.0
2012	Alpine					0	236	0.0	0.0	0	6	0.0	0.0
2013	Alpine					0	237	0.0	0.0	<11		200.0	201.6
2014	Alpine					0	232	0.0	0.0	0	1	0.0	
2005	Amador	<11		90.9	99.7	<11		58.2	64.0	11	298	36.9	36.8
2006	Amador	0	<11	0.0	0.0	<11		58.6	63.8	13	296	43.9	44.0
2007	Amador	<11		111.1	105.4	<11		73.6	77.6	15	305	49.2	49.2
2008	Amador	<11		166.7	190.9	<11		30.5	31.9	<11		30.3	30.2
2009	Amador	0	<11	0.0	0.0	<11		46.9	48.2	<11		32.9	32.9
2010	Amador	<11		100.0	101.9	0	6,251	0.0	0.0	<11		31.8	32.0
2011	Amador	<11		333.3	330.0	<11		32.7	33.5	13	276	47.1	47.3
2012	Amador	<11		333.3	348.8	<11		17.7	17.8	14	292	47.9	48.2
2013	Amador	0	<11	0.0		<11		18.0	18.1	16	267	59.9	60.1
2014	Amador	<11		400.0	426.0	<11		52.5	51.8	18	296	60.8	60.7
2005	Butte	12	61	196.7	203.9	16	48,863	32.7	33.1	135	2,416	55.9	55.9
2006	Butte	15	77	194.8	204.2	16	48,880	32.7	32.8	136	2,599	52.3	52.4
2007	Butte	17	84	202.4	214.1	11	48,657	22.6	22.3	139	2,507	55.4	55.4

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2008	Butte	16	62	258.1	260.8	12	48,620	24.7	24.1	106	2,506	42.3	42.3
2009	Butte	24	72	333.3	359.5	21	48,427	43.4	42.1	116	2,411	48.1	48.0
2010	Butte	17	74	229.7	230.9	14	47,878	29.2	28.4	124	2,429	51.0	51.1
2011	Butte	14	60	233.3	244.1	19	47,017	40.4	39.2	116	2,356	49.2	49.4
2012	Butte	15	62	241.9	243.9	22	46,309	47.5	46.4	122	2,383	51.2	51.1
2013	Butte	12	66	181.8	185.2	18	46,165	39.0	38.2	133	2,365	56.2	56.2
2014	Butte	19	58	327.6	341.6	13	46,354	28.0	26.8	166	2,452	67.7	67.8
2005	Calaveras	<11		222.2	234.0	<11		21.5	23.9	25	372	67.2	66.9
2006	Calaveras	0	<11	0.0	0.0	0	9,347	0.0	0.0	20	386	51.8	51.8
2007	Calaveras	<11		176.5	197.0	<11		32.5	34.6	13	391	33.2	33.2
2008	Calaveras	<11		500.0	522.6	<11		33.1	35.2	20	371	53.9	54.0
2009	Calaveras	<11		83.3	88.0	<11		11.2	11.8	19	340	55.9	55.9
2010	Calaveras	<11		333.3	383.1	<11		11.6	12.2	<11		29.0	29.1
2011	Calaveras	<11		400.0	460.1	<11		24.1	25.3	<11		31.3	31.3
2012	Calaveras	<11		375.0	442.0	<11		37.5	39.5	14	338	41.4	41.3
2013	Calaveras	<11		428.6	408.0	<11		25.8	27.4	<11		30.7	30.6
2014	Calaveras	<11		222.2	231.7	0	8,193	0.0	0.0	26	352	73.9	74.0
2005	Colusa	<11		400.0	407.1	0	6,000	0.0	0.0	14	379	36.9	36.9
2006	Colusa	<11		200.0	255.6	<11		16.3	15.9	<11		23.3	23.3
2007	Colusa	<11		250.0	227.9	<11		48.8	47.9	21	389	54.0	54.1
2008	Colusa	<11		700.0	619.6	<11		81.3	80.0	27	374	72.2	72.4
2009	Colusa	<11		666.7	614.3	<11		80.7	79.1	21	374	56.1	56.3
2010	Colusa	<11		416.7	436.7	<11		127.7	124.5	17	343	49.6	49.5
2011	Colusa	<11		454.5	415.7	<11		96.0	93.3	20	304	65.8	65.6
2012	Colusa	<11		363.6	366.2	<11		66.4	65.4	18	318	56.6	56.4
2013	Colusa	<11		272.7	253.7	<11		101.5	100.8	12	309	38.8	38.8
2014	Colusa	0	<11	0.0	0.0	<11		96.7	95.1	18	292	61.6	61.5
2005	Contra Costa	100	312	320.5	323.5	79	250,840	31.5	31.2	727	12,810	56.8	56.7
2006	Contra Costa	85	314	270.7	276.8	71	249,783	28.4	28.1	827	13,407	61.7	61.7
2007	Contra Costa	79	309	255.7	265.0	64	250,079	25.6	25.3	710	13,293	53.4	53.4
2008	Contra Costa	101	347	291.1	298.4	92	252,368	36.5	35.9	703	13,010	54.0	54.0
2009	Contra Costa	91	315	288.9	295.5	67	253,561	26.4	26.1	738	12,534	58.9	58.9
2010	Contra Costa	97	292	332.2	327.4	78	255,509	30.5	30.2	730	12,202	59.8	59.8
2011	Contra Costa	101	306	330.1	328.8	60	254,710	23.6	23.4	700	11,930	58.7	58.6
2012	Contra Costa	77	293	262.8	274.0	53	253,933	20.9	20.8	726	11,874	61.1	61.1
2013	Contra Costa	88	277	317.7	316.9	51	254,364	20.1	20.1	741	11,971	61.9	61.9
2014	Contra Costa	107	292	366.4	358.6	54	255,498	21.1	21.0	774	12,139	63.8	63.8
2005	Del Norte	<11		666.7	660.1	<11		16.3	16.7	<11		28.6	28.5
2006	Del Norte	<11		142.9	148.2	<11		49.4	49.7	<11		28.9	28.9
2007	Del Norte	<11		250.0	267.8	<11		33.2	33.0	<11		17.4	17.4
2008	Del Norte	<11		333.3	372.7	<11		83.1	81.3	<11		33.0	33.0
2009	Del Norte	<11		400.0	380.2	<11		50.1	48.0	11	304	36.2	36.2
2010	Del Norte	<11		400.0	396.3	<11		49.7	47.9	<11		14.0	14.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2011	Del Norte	<11		222.2	214.4	<11		67.0	64.3	<11		21.9	21.8
2012	Del Norte	<11		600.0	681.8	<11		68.1	65.0	<11		27.2	27.2
2013	Del Norte	<11		142.9	149.0	<11		34.7	33.3	<11		20.0	20.1
2014	Del Norte	<11		428.6	480.0	<11		52.4	49.0	<11		23.6	23.6
2005	El Dorado	13	49	265.3	271.2	<11		7.2	7.4	93	1,870	49.7	49.7
2006	El Dorado	12	49	244.9	262.3	<11		19.1	19.6	95	1,977	48.1	48.1
2007	El Dorado	<11		192.3	197.2	<11		14.5	14.8	77	1,792	43.0	42.9
2008	El Dorado	17	59	288.1	306.7	<11		7.3	7.4	101	1,742	58.0	58.0
2009	El Dorado	<11		235.3	262.0	<11		14.8	15.2	81	1,656	48.9	48.9
2010	El Dorado	11	31	354.8	405.8	<11		15.0	15.5	84	1,533	54.8	54.7
2011	El Dorado	<11		153.8	165.9	11	39,028	28.2	29.5	88	1,554	56.6	56.6
2012	El Dorado	<11		259.3	268.2	<11		10.5	11.1	64	1,430	44.8	44.7
2013	El Dorado	<11		204.5	189.8	<11		18.6	19.7	82	1,449	56.6	56.7
2014	El Dorado	<11		173.9	152.3	<11		20.5	21.2	87	1,564	55.6	55.6
2005	Fresno	174	375	464.0	441.7	120	263,476	45.5	44.2	1,061	16,063	66.1	66.1
2006	Fresno	143	347	412.1	401.2	83	265,151	31.3	30.3	1,116	17,027	65.5	65.6
2007	Fresno	156	384	406.3	378.2	106	267,765	39.6	38.0	1,077	17,548	61.4	61.4
2008	Fresno	160	400	400.0	383.5	119	271,100	43.9	41.8	1,159	16,996	68.2	68.2
2009	Fresno	138	394	350.3	330.9	111	273,146	40.6	38.7	966	16,471	58.6	58.6
2010	Fresno	182	435	418.4	395.5	127	275,094	46.2	44.0	1,124	16,524	68.0	68.0
2011	Fresno	157	418	375.6	361.3	97	274,170	35.4	33.6	1,111	16,460	67.5	67.5
2012	Fresno	171	482	354.8	337.1	103	272,649	37.8	35.8	1,087	16,239	66.9	66.9
2013	Fresno	142	419	338.9	320.0	108	272,951	39.6	37.5	1,041	15,956	65.2	65.2
2014	Fresno	145	406	357.1	346.0	115	279,136	41.2	38.7	1,055	16,068	65.7	65.6
2005	Glenn	<11		176.5	172.5	<11		12.9	12.5	20	431	46.4	46.5
2006	Glenn	<11		272.7	267.1	<11		51.2	49.2	19	448	42.4	42.5
2007	Glenn	<11		294.1	283.5	<11		51.1	49.1	17	429	39.6	39.7
2008	Glenn	<11		400.0	427.6	<11		25.5	24.4	14	467	30.0	29.9
2009	Glenn	<11		400.0	333.3	0	7,832	0.0	0.0	19	424	44.8	44.9
2010	Glenn	<11		363.6	343.6	<11		25.9	25.1	21	437	48.1	48.1
2011	Glenn	<11		333.3	369.2	0	7,620	0.0	0.0	21	386	54.4	54.6
2012	Glenn	<11		111.1	107.4	<11		40.3	39.4	18	366	49.2	49.3
2013	Glenn	<11		555.6	558.9	<11		40.7	40.0	41	390	105.1	105.2
2014	Glenn	<11		500.0	433.5	<11		26.6	25.3	26	418	62.2	62.1
2005	Humboldt	<11		114.3	124.0	<11		14.1	13.9	89	1,547	57.5	57.5
2006	Humboldt	<11		300.0	314.1	<11		17.8	17.4	87	1,622	53.6	53.7
2007	Humboldt	11	37	297.3	289.1	<11		25.2	24.5	93	1,570	59.2	59.2
2008	Humboldt	12	35	342.9	346.2	<11		25.3	24.3	80	1,551	51.6	51.6
2009	Humboldt	12	41	292.7	305.9	12	27,882	43.0	41.1	74	1,495	49.5	49.5
2010	Humboldt	<11		200.0	218.7	<11		14.4	13.7	56	1,477	37.9	38.0
2011	Humboldt	<11		258.1	290.7	<11		11.0	10.5	55	1,398	39.3	39.3
2012	Humboldt	<11		360.0	322.2	<11		29.7	28.6	57	1,462	39.0	38.9
2013	Humboldt	<11		285.7	294.5	<11		18.7	18.1	66	1,479	44.6	44.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2014	Humboldt	14	24	583.3	640.7	<11		18.8	17.7	69	1,416	48.7	48.7
2005	Imperial	28	59	474.6	489.4	53	45,990	115.2	112.4	109	3,038	35.9	35.9
2006	Imperial	31	75	413.3	416.0	36	46,966	76.7	74.3	156	3,127	49.9	49.9
2007	Imperial	22	70	314.3	313.4	45	47,978	93.8	90.9	162	3,222	50.3	50.3
2008	Imperial	32	92	347.8	345.1	33	48,686	67.8	65.7	182	3,243	56.1	56.1
2009	Imperial	24	78	307.7	308.8	47	49,773	94.4	91.9	147	3,137	46.9	46.9
2010	Imperial	26	107	243.0	245.2	47	50,502	93.1	91.2	137	3,052	44.9	44.9
2011	Imperial	30	90	333.3	318.2	40	50,374	79.4	76.7	100	3,064	32.6	32.6
2012	Imperial	18	78	230.8	215.5	49	49,990	98.0	93.6	110	2,994	36.7	36.8
2013	Imperial	25	83	301.2	281.8	33	49,985	66.0	62.6	121	2,952	41.0	41.0
2014	Imperial	25	70	357.1	324.7	24	51,862	46.3	43.9	134	2,949	45.4	45.3
2005	Inyo	<11		250.0	273.6	<11		25.7	27.4	12	205	58.5	58.7
2006	Inyo	0	<11	0.0	0.0	<11		51.7	54.0	14	255	54.9	54.8
2007	Inyo	0	<11	0.0	0.0	<11		51.7	52.6	11	211	52.1	52.2
2008	Inyo	<11		200.0	179.6	0	3,782	0.0	0.0	14	227	61.7	61.5
2009	Inyo	<11		375.0	264.4	<11		52.1	51.2	14	240	58.3	58.3
2010	Inyo	<11		333.3	340.6	<11		52.8	52.0	<11		49.2	49.2
2011	Inyo	0	<11	0.0		<11		26.4	25.5	12	205	58.5	58.5
2012	Inyo	<11		500.0	475.4	0	3,745	0.0	0.0	<11		51.9	52.2
2013	Inyo	0	<11	0.0	0.0	<11		26.4	25.0	11	148	74.3	74.3
2014	Inyo	<11		250.0	298.4	0	3,659	0.0	0.0	17	191	89.0	88.8
2005	Kern	120	363	330.6	320.8	76	231,057	32.9	31.9	693	13,780	50.3	50.3
2006	Kern	104	340	305.9	303.7	71	237,023	30.0	28.8	737	14,862	49.6	49.6
2007	Kern	104	340	305.9	297.9	77	241,949	31.8	30.3	767	14,995	51.2	51.2
2008	Kern	117	393	297.7	295.4	102	246,067	41.5	39.2	731	14,722	49.7	49.7
2009	Kern	119	453	262.7	264.2	78	248,456	31.4	29.7	738	14,482	51.0	50.9
2010	Kern	123	463	265.7	259.3	107	250,826	42.7	40.4	679	13,963	48.6	48.6
2011	Kern	103	422	244.1	232.8	104	250,482	41.5	39.3	734	13,770	53.3	53.3
2012	Kern	139	466	298.3	287.8	92	249,923	36.8	34.9	683	13,947	49.0	49.0
2013	Kern	133	378	351.9	342.4	83	251,237	33.0	31.4	745	13,967	53.3	53.3
2014	Kern	145	411	352.8	343.4	104	263,014	39.5	37.1	725	14,098	51.4	51.5
2005	Kings	19	50	380.0	362.0	16	39,815	40.2	38.5	142	2,164	65.6	65.6
2006	Kings	24	52	461.5	426.5	13	40,193	32.3	30.7	140	2,300	60.9	60.9
2007	Kings	20	50	400.0	367.9	11	40,827	26.9	25.4	166	2,385	69.6	69.6
2008	Kings	20	62	322.6	295.2	13	41,280	31.5	29.4	176	2,391	73.6	73.5
2009	Kings	25	67	373.1	353.9	<11		19.2	17.8	166	2,343	70.8	70.9
2010	Kings	18	68	264.7	261.8	<11		19.0	17.8	139	2,130	65.3	65.3
2011	Kings	19	61	311.5	331.0	12	41,800	28.7	26.8	156	2,195	71.1	71.0
2012	Kings	26	69	376.8	367.3	<11		21.9	20.5	128	2,068	61.9	61.9
2013	Kings	23	63	365.1	362.7	<11		19.5	18.3	138	2,072	66.6	66.6
2014	Kings	12	53	226.4	229.4	<11		23.4	21.7	124	2,222	55.8	55.9
2005	Lake	<11		291.7	303.3	<11		28.3	29.2	35	705	49.6	49.7
2006	Lake	<11		222.2	227.3	<11		21.4	21.8	35	687	50.9	51.1

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2007	Lake	<11		315.8	320.0	<11		21.8	21.8	32	739	43.3	43.4
2008	Lake	11	24	458.3	492.5	<11		36.5	36.3	27	684	39.5	39.5
2009	Lake	11	23	478.3	531.0	<11		29.6	29.3	40	720	55.6	55.7
2010	Lake	12	27	444.4	494.1	<11		29.8	29.3	36	693	51.9	52.1
2011	Lake	13	19	684.2	675.3	<11		23.0	22.6	37	704	52.6	52.6
2012	Lake	12	26	461.5	521.4	<11		38.9	37.9	42	717	58.6	58.6
2013	Lake	<11		666.7	554.8	<11		31.5	30.7	52	756	68.8	68.6
2014	Lake	<11		466.7	486.6	<11		23.2	22.2	41	683	60.0	59.8
2005	Lassen	<11		222.2	239.3	<11		89.7	96.9	<11		24.9	24.9
2006	Lassen	<11		300.0	318.4	<11		30.3	32.0	<11		21.4	21.5
2007	Lassen	<11		90.9	101.2	0	6,507	0.0	0.0	<11		8.4	8.3
2008	Lassen	<11		230.8	264.1	<11		61.7	65.2	<11		33.0	32.9
2009	Lassen	<11		90.9	107.5	<11		47.0	48.5	<11		29.4	29.4
2010	Lassen	<11		250.0	280.2	<11		64.1	66.1	13	277	46.9	47.0
2011	Lassen	<11		444.4	463.2	<11		16.8	16.9	21	268	78.4	78.4
2012	Lassen	<11		250.0	266.9	0	5,755	0.0	0.0	12	255	47.1	47.1
2013	Lassen	<11		333.3	398.2	<11		35.7	35.2	19	261	72.8	72.7
2014	Lassen	<11		428.6	376.3	<11		106.6	105.2	15	270	55.6	55.4
2005	Los Angeles	1,357	3,776	359.4	347.6	1,171	2,548,956	45.9	45.0	8,221	149,781	54.9	54.9
2006	Los Angeles	1,337	3,667	364.6	358.8	1,066	2,495,450	42.7	41.9	8,455	150,870	56.0	56.0
2007	Los Angeles	1,244	3,624	343.3	339.4	940	2,444,107	38.5	37.6	8,474	151,242	56.0	56.0
2008	Los Angeles	1,284	3,719	345.3	339.0	1,106	2,421,026	45.7	44.5	8,098	146,646	55.2	55.2
2009	Los Angeles	1,231	3,971	310.0	305.1	1,135	2,400,818	47.3	46.0	7,660	138,622	55.3	55.3
2010	Los Angeles	1,236	3,890	317.7	315.0	938	2,381,545	39.4	38.3	7,470	132,369	56.4	56.4
2011	Los Angeles	1,218	3,902	312.1	308.1	951	2,352,563	40.4	39.1	7,193	129,600	55.5	55.5
2012	Los Angeles	1,164	3,938	295.6	293.3	895	2,315,374	38.7	37.3	7,155	131,215	54.5	54.5
2013	Los Angeles	1,174	3,470	338.3	329.3	801	2,292,901	34.9	33.6	7,162	125,370	57.1	57.1
2014	Los Angeles	1,229	3,459	355.3	345.5	695	2,259,779	30.8	29.7	7,144	128,862	55.4	55.5
2005	Madera	27	61	442.6	439.0	19	39,691	47.9	46.1	150	2,443	61.4	61.3
2006	Madera	36	77	467.5	433.5	<11		24.6	23.4	135	2,749	49.1	49.0
2007	Madera	26	77	337.7	325.0	<11		17.0	16.1	152	2,737	55.5	55.5
2008	Madera	25	70	357.1	351.3	17	41,839	40.6	38.5	162	2,656	61.0	61.0
2009	Madera	23	75	306.7	292.4	16	41,956	38.1	36.4	151	2,496	60.5	60.5
2010	Madera	39	85	458.8	420.1	<11		18.9	18.1	174	2,528	68.8	68.9
2011	Madera	32	82	390.2	369.1	16	42,423	37.7	36.3	171	2,554	67.0	66.9
2012	Madera	36	90	400.0	371.7	<11		23.8	22.8	145	2,341	61.9	61.9
2013	Madera	36	92	391.3	356.0	13	41,923	31.0	29.7	107	2,341	45.7	45.7
2014	Madera	37	84	440.5	414.8	11	44,044	25.0	23.6	125	2,355	53.1	53.1
2005	Marin	13	65	200.0	215.3	14	48,684	28.8	27.8	157	2,737	57.4	57.4
2006	Marin	20	74	270.3	279.1	<11		14.3	13.9	134	2,679	50.0	50.0
2007	Marin	11	46	239.1	240.9	13	49,251	26.4	25.5	145	2,793	51.9	51.9
2008	Marin	16	64	250.0	260.4	<11		8.0	7.8	166	2,655	62.5	62.5
2009	Marin	17	72	236.1	235.5	12	50,255	23.9	23.2	132	2,466	53.5	53.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2010	Marin	11	72	152.8	154.2	<11		19.7	19.3	129	2,312	55.8	55.8
2011	Marin	12	70	171.4	190.4	<11		9.8	9.7	118	2,150	54.9	54.8
2012	Marin	19	79	240.5	246.8	<11		15.5	15.5	111	1,990	55.8	55.8
2013	Marin	23	82	280.5	269.3	12	51,977	23.1	23.5	147	1,985	74.1	73.9
2014	Marin	20	56	357.1	348.3	<11		13.5	13.4	139	2,356	59.0	59.0
2005	Mariposa	<11		200.0	246.9	0	3,468	0.0	0.0	<11		31.7	31.7
2006	Mariposa	<11		500.0	513.5	<11		57.9	60.6	<11		38.2	38.2
2007	Mariposa	<11		1,000.0		<11		29.2	30.4	<11		71.4	71.2
2008	Mariposa	0	<11	0.0		0	3,377	0.0	0.0	<11		42.6	42.5
2009	Mariposa	0	<11	0.0		0	3,248	0.0	0.0	<11		63.4	63.2
2010	Mariposa	<11		500.0	530.4	0	3,187	0.0	0.0	<11		59.3	59.4
2011	Mariposa	<11		333.3	395.8	0	3,120	0.0	0.0	<11		31.3	31.2
2012	Mariposa	<11		500.0	444.0	0	2,990	0.0	0.0	17	155	109.7	110.2
2013	Mariposa	<11		1,000.0		<11		103.0	101.4	<11		44.6	44.6
2014	Mariposa	<11		400.0	429.1	<11		33.8	33.0	<11		60.6	60.8
2005	Mendocino	13	32	406.3	411.9	<11		10.0	9.9	77	1,107	69.6	69.6
2006	Mendocino	<11		291.7	302.6	<11		10.2	10.0	72	1,078	66.8	66.8
2007	Mendocino	12	30	400.0	388.0	<11		20.8	20.3	57	1,099	51.9	51.9
2008	Mendocino	<11		350.0	350.6	<11		15.6	15.2	60	1,128	53.2	53.2
2009	Mendocino	<11		95.2	97.3	<11		26.3	25.5	62	1,078	57.5	57.5
2010	Mendocino	13	32	406.3	383.6	<11		10.5	10.3	51	1,045	48.8	48.8
2011	Mendocino	19	49	387.8	381.9	<11		36.9	35.8	48	1,028	46.7	46.7
2012	Mendocino	19	39	487.2	490.5	<11		21.4	20.7	51	1,092	46.7	46.7
2013	Mendocino	19	30	633.3	651.8	<11		27.0	26.2	58	979	59.2	59.2
2014	Mendocino	18	39	461.5	447.8	<11		38.8	36.8	54	980	55.1	55.1
2005	Merced	51	142	359.2	337.5	25	78,674	31.8	31.1	282	4,547	62.0	62.0
2006	Merced	41	172	238.4	234.6	22	79,227	27.8	27.1	268	4,765	56.2	56.3
2007	Merced	45	145	310.3	313.6	23	79,695	28.9	28.0	247	4,663	53.0	53.0
2008	Merced	39	125	312.0	311.4	30	79,684	37.6	36.4	245	4,459	54.9	55.0
2009	Merced	28	120	233.3	228.9	33	79,384	41.6	40.2	297	4,468	66.5	66.5
2010	Merced	36	148	243.2	231.9	35	80,432	43.5	42.1	291	4,364	66.7	66.7
2011	Merced	50	150	333.3	314.4	29	80,008	36.2	35.1	303	4,402	68.8	68.8
2012	Merced	35	100	350.0	322.4	34	79,014	43.0	42.1	327	4,398	74.4	74.3
2013	Merced	56	113	495.6	445.1	29	78,916	36.7	36.0	271	3,838	70.6	70.6
2014	Merced	47	104	451.9	400.2	21	81,773	25.7	24.8	250	3,663	68.3	68.2
2005	Modoc	<11		1,000.0		0	2,134	0.0	0.0	<11		32.3	32.4
2006	Modoc	<11		500.0		0	2,131	0.0	0.0	<11		17.9	17.9
2007	Modoc	<11		333.3	315.6	<11		48.3	49.8	<11		44.4	44.4
2008	Modoc					0	2,057	0.0	0.0	<11		21.7	21.9
2009	Modoc					0	2,054	0.0	0.0	<11		41.7	41.1
2010	Modoc	0	<11	0.0		<11		97.2	95.5	<11		84.7	85.0
2011	Modoc	<11		500.0		0	1,975	0.0	0.0	<11		137.9	138.0
2012	Modoc	0	<11	0.0		0	1,922	0.0	0.0	0	28	0.0	0.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2013	Modoc					<11		54.7	55.1	0	26	0.0	0.0
2014	Modoc					0	1,875	0.0	0.0	<11		69.0	69.0
2005	Mono	<11		333.3	347.7	0	2,922	0.0	0.0	<11		20.8	20.9
2006	Mono	<11		1,000.0		0	2,953	0.0	0.0	<11		51.4	51.4
2007	Mono	<11		333.3	467.9	<11		68.6	65.1	11	151	72.8	73.1
2008	Mono	0	<11	0.0		<11		34.2	31.5	<11		62.9	62.8
2009	Mono					0	2,907	0.0	0.0	<11		44.1	43.9
2010	Mono					<11		101.2	93.3	<11		67.7	67.5
2011	Mono	<11		333.3	307.6	<11		67.3	62.3	<11		47.0	46.8
2012	Mono	<11		500.0		0	2,885	0.0	0.0	<11		58.3	58.4
2013	Mono	<11		500.0	578.7	<11		71.5	67.7	<11		73.2	73.1
2014	Mono	<11		500.0		<11		34.8	31.4	12	130	92.3	92.2
2005	Monterey	49	176	278.4	275.5	76	108,880	69.8	66.3	391	7,216	54.2	54.2
2006	Monterey	51	183	278.7	277.4	52	107,392	48.4	45.8	291	7,283	40.0	39.9
2007	Monterey	52	144	361.1	335.6	45	107,076	42.0	39.6	308	7,362	41.8	41.8
2008	Monterey	63	188	335.1	306.5	65	108,229	60.1	56.3	335	7,265	46.1	46.1
2009	Monterey	63	178	353.9	339.3	57	109,133	52.2	49.2	332	6,846	48.5	48.5
2010	Monterey	58	179	324.0	301.1	63	110,698	56.9	53.7	305	6,456	47.2	47.3
2011	Monterey	55	211	260.7	250.2	53	112,161	47.3	44.3	344	6,679	51.5	51.5
2012	Monterey	57	205	278.0	263.7	41	111,954	36.6	34.4	325	6,485	50.1	50.1
2013	Monterey	51	193	264.2	252.2	43	112,560	38.2	36.0	313	6,360	49.2	49.2
2014	Monterey	63	212	297.2	282.0	34	109,876	30.9	28.7	335	6,266	53.5	53.4
2005	Napa	<11		108.7	113.5	<11		16.5	16.5	72	1,646	43.7	43.8
2006	Napa	<11		161.3	154.3	<11		23.0	23.0	103	1,743	59.1	59.2
2007	Napa	<11		290.3	292.7	<11		6.6	6.5	71	1,643	43.2	43.2
2008	Napa	<11		159.1	165.7	<11		16.3	16.2	83	1,646	50.4	50.4
2009	Napa	17	50	340.0	334.2	<11		19.4	19.3	90	1,632	55.1	55.1
2010	Napa	<11		370.4	385.4	<11		25.7	25.5	81	1,505	53.8	53.9
2011	Napa	13	30	433.3	428.2	<11		22.4	22.3	72	1,541	46.7	46.8
2012	Napa	15	36	416.7	380.9	<11		26.0	25.9	70	1,429	49.0	49.0
2013	Napa	<11		125.0	140.0	<11		6.5	6.5	88	1,405	62.6	62.5
2014	Napa	<11		285.7	290.8	<11		12.8	12.7	78	1,465	53.2	53.3
2005	Nevada	<11		296.3	307.4	0	19,926	0.0	0.0	41	766	53.5	53.6
2006	Nevada	<11		250.0	240.8	<11		25.5	27.3	42	774	54.3	54.2
2007	Nevada	<11		222.2	226.4	<11		10.3	10.9	41	783	52.4	52.5
2008	Nevada	13	35	371.4	394.2	<11		15.6	16.5	33	806	40.9	41.0
2009	Nevada	<11		181.8	202.1	<11		21.2	22.0	34	701	48.5	48.6
2010	Nevada	<11		259.3	297.8	<11		16.2	16.8	27	734	36.8	36.8
2011	Nevada	<11		280.0	321.0	<11		11.1	11.5	27	681	39.6	39.6
2012	Nevada	<11		125.0	135.2	<11		28.6	29.2	37	722	51.2	51.5
2013	Nevada	<11		333.3	332.4	<11		5.8	6.0	37	731	50.6	50.7
2014	Nevada	<11		214.3	240.2	<11		17.4	17.5	37	684	54.1	53.9
2005	Orange	357	1,022	349.3	342.7	273	749,076	36.4	35.7	2,428	44,440	54.6	54.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2006	Orange	342	1,021	335.0	330.2	248	737,123	33.6	33.1	2,432	44,489	54.7	54.7
2007	Orange	311	1,072	290.1	289.3	230	727,086	31.6	31.1	2,429	44,397	54.7	54.7
2008	Orange	325	1,100	295.5	298.7	247	727,868	33.9	33.3	2,352	41,928	56.1	56.1
2009	Orange	338	1,090	310.1	304.6	245	728,475	33.6	33.1	2,397	39,939	60.0	60.0
2010	Orange	302	1,076	280.7	277.5	253	730,153	34.7	34.2	2,243	38,410	58.4	58.4
2011	Orange	316	1,078	293.1	284.5	235	726,482	32.3	31.9	2,307	37,906	60.9	60.9
2012	Orange	351	1,101	318.8	310.1	222	719,006	30.9	30.3	2,113	38,297	55.2	55.2
2013	Orange	289	1,066	271.1	263.1	204	715,484	28.5	28.0	2,227	37,307	59.7	59.7
2014	Orange	300	1,040	288.5	280.7	198	710,280	27.9	27.6	2,275	38,704	58.8	58.8
2005	Placer	18	94	191.5	190.4	17	77,810	21.8	22.1	173	3,775	45.8	45.8
2006	Placer	19	80	237.5	241.2	14	79,177	17.7	17.9	162	3,824	42.4	42.4
2007	Placer	25	102	245.1	258.2	14	80,255	17.4	17.6	204	4,011	50.9	50.8
2008	Placer	28	92	304.3	317.0	<11		8.6	8.6	210	3,977	52.8	52.8
2009	Placer	20	109	183.5	197.3	11	82,526	13.3	13.3	150	3,720	40.3	40.3
2010	Placer	24	107	224.3	240.0	15	83,222	18.0	18.2	165	3,793	43.5	43.5
2011	Placer	30	108	277.8	291.2	18	83,476	21.6	21.8	194	3,749	51.7	51.8
2012	Placer	20	88	227.3	240.9	19	83,323	22.8	23.1	189	3,602	52.5	52.4
2013	Placer	21	74	283.8	309.6	<11		10.8	10.9	165	3,601	45.8	45.8
2014	Placer	23	87	264.4	275.1	15	88,405	17.0	17.1	182	3,565	51.1	51.1
2005	Plumas	0	<11	0.0		0	4,203	0.0	0.0	<11		28.4	28.2
2006	Plumas	<11		400.0	488.0	<11		48.5	49.9	<11		13.4	13.5
2007	Plumas	<11		500.0		<11		49.8	50.1	0	163	0.0	0.0
2008	Plumas	<11		250.0	207.2	<11		52.1	52.2	<11		34.7	34.8
2009	Plumas	0	<11	0.0		0	3,739	0.0	0.0	<11		13.8	13.8
2010	Plumas					<11		27.8	28.0	<11		54.8	54.9
2011	Plumas	0	<11	0.0		0	3,481	0.0	0.0	<11		68.2	68.4
2012	Plumas					0	3,385	0.0	0.0	<11		23.8	23.9
2013	Plumas	0	<11	0.0	0.0	0	3,242	0.0	0.0	<11		79.4	79.3
2014	Plumas					0	3,196	0.0	0.0	<11		25.4	25.4
2005	Riverside	237	785	301.9	297.5	218	559,024	39.0	38.5	1,611	31,036	51.9	51.9
2006	Riverside	237	777	305.0	299.7	193	581,388	33.2	32.6	1,700	33,315	51.0	51.0
2007	Riverside	259	866	299.1	295.0	203	598,270	33.9	33.2	1,795	34,208	52.5	52.5
2008	Riverside	241	867	278.0	274.5	210	603,860	34.8	34.0	1,715	32,442	52.9	52.9
2009	Riverside	259	926	279.7	274.7	261	606,042	43.1	42.2	1,626	31,051	52.4	52.3
2010	Riverside	264	927	284.8	278.4	219	615,456	35.6	35.0	1,684	30,007	56.1	56.1
2011	Riverside	303	967	313.3	301.8	196	613,227	32.0	31.4	1,529	29,798	51.3	51.3
2012	Riverside	313	920	340.2	339.7	172	606,487	28.4	28.0	1,593	29,497	54.0	54.0
2013	Riverside	280	907	308.7	299.5	136	605,157	22.5	22.2	1,721	29,525	58.3	58.3
2014	Riverside	313	935	334.8	326.2	115	653,370	17.6	17.3	1,714	30,295	56.6	56.6
2005	Sacramento	155	414	374.4	369.7	111	354,246	31.3	30.7	1,175	21,001	55.9	56.0
2006	Sacramento	137	410	334.1	337.2	104	354,207	29.4	28.6	1,239	21,642	57.2	57.2
2007	Sacramento	129	422	305.7	302.2	102	355,329	28.7	27.8	1,174	21,823	53.8	53.8
2008	Sacramento	106	409	259.2	268.3	108	356,832	30.3	29.1	1,129	21,067	53.6	53.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2009	Sacramento	132	437	302.1	299.8	79	357,430	22.1	21.2	1,182	20,155	58.6	58.6
2010	Sacramento	127	435	292.0	303.6	85	358,384	23.7	22.8	1,217	19,755	61.6	61.6
2011	Sacramento	121	402	301.0	295.8	78	355,494	21.9	21.1	1,185	19,719	60.1	60.1
2012	Sacramento	133	412	322.8	327.5	82	352,627	23.3	22.4	1,145	19,371	59.1	59.1
2013	Sacramento	130	369	352.3	349.4	86	352,605	24.4	23.6	1,091	19,104	57.1	57.1
2014	Sacramento	128	334	383.2	386.1	74	360,490	20.5	19.6	1,154	19,473	59.3	59.2
2005	San Benito	<11		148.1	144.1	<11		18.5	18.4	47	883	53.2	53.1
2006	San Benito	<11		240.0	214.2	<11		12.5	12.3	44	893	49.3	49.3
2007	San Benito	<11		103.4	110.8	<11		31.5	30.9	48	886	54.2	54.2
2008	San Benito	<11		120.0	119.1	<11		12.7	12.5	54	804	67.2	67.0
2009	San Benito	<11		194.4	198.6	<11		25.7	25.5	35	740	47.3	47.3
2010	San Benito	<11		55.6	58.1	<11		44.4	44.1	38	737	51.6	51.7
2011	San Benito	<11		150.0	147.9	<11		32.0	31.9	47	762	61.7	61.6
2012	San Benito	<11		212.1	227.2	<11		25.8	25.4	30	681	44.1	44.1
2013	San Benito	<11		291.7	271.6	<11		25.9	25.5	53	732	72.4	72.4
2014	San Benito	<11		74.1	71.1	<11		26.4	26.2	35	686	51.0	51.1
2005	San Bernardino	236	748	315.5	311.8	286	588,724	48.6	48.4	1,675	31,507	53.2	53.2
2006	San Bernardino	271	794	341.3	335.4	213	592,693	35.9	35.6	1,704	31,922	53.4	53.4
2007	San Bernardino	295	881	334.8	330.2	264	593,249	44.5	43.6	1,745	32,264	54.1	54.1
2008	San Bernardino	313	939	333.3	328.2	247	590,482	41.8	40.9	1,738	32,210	54.0	54.0
2009	San Bernardino	285	954	298.7	296.9	258	585,041	44.1	43.1	1,717	30,142	57.0	57.0
2010	San Bernardino	286	902	317.1	312.7	212	587,297	36.1	35.3	1,710	29,707	57.6	57.6
2011	San Bernardino	288	943	305.4	298.8	208	583,391	35.7	34.8	1,675	29,131	57.5	57.5
2012	San Bernardino	276	850	324.7	321.0	184	573,775	32.1	31.3	1,748	29,306	59.6	59.7
2013	San Bernardino	273	808	337.9	330.4	167	567,943	29.4	28.7	1,735	28,759	60.3	60.3
2014	San Bernardino	258	740	348.6	349.5	165	591,206	27.9	27.0	1,849	29,925	61.8	61.8
2005	San Diego	284	769	369.3	371.0	137	713,804	19.2	18.6	2,349	41,076	57.2	57.2
2006	San Diego	244	792	308.1	305.5	105	707,760	14.8	14.4	2,422	42,001	57.7	57.6
2007	San Diego	268	822	326.0	322.8	120	708,477	16.9	16.3	2,548	42,627	59.8	59.8
2008	San Diego	328	912	359.6	361.2	120	715,320	16.8	16.1	2,431	42,316	57.4	57.5
2009	San Diego	312	917	340.2	335.0	139	718,609	19.3	18.6	2,304	40,238	57.3	57.3
2010	San Diego	329	958	343.4	342.2	121	723,572	16.7	16.1	2,260	39,665	57.0	57.0
2011	San Diego	308	910	338.5	336.8	117	721,784	16.2	15.5	2,430	39,092	62.2	62.2
2012	San Diego	292	890	328.1	322.5	111	720,924	15.4	14.7	2,433	39,723	61.2	61.3
2013	San Diego	315	912	345.4	340.0	144	721,539	20.0	19.0	2,449	38,917	62.9	62.9
2014	San Diego	329	892	368.8	359.3	153	717,104	21.3	20.2	2,568	40,020	64.2	64.2
2005	San Francisco	38	109	348.6	340.2	34	106,068	32.1	28.9	522	8,492	61.5	61.4
2006	San Francisco	30	114	263.2	255.3	26	105,659	24.6	22.2	565	8,705	64.9	64.9
2007	San Francisco	33	123	268.3	269.8	29	106,390	27.3	24.4	629	9,147	68.8	68.8
2008	San Francisco	33	96	343.8	343.1	23	107,393	21.4	19.1	603	9,003	67.0	67.0
2009	San Francisco	35	98	357.1	359.3	29	108,672	26.7	23.7	546	8,736	62.5	62.5
2010	San Francisco	28	103	271.8	271.9	24	108,893	22.0	19.7	568	8,712	65.2	65.2
2011	San Francisco	47	105	447.6	441.1	21	109,690	19.1	17.1	584	8,801	66.4	66.4

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2012	San Francisco	31	109	284.4	285.9	24	110,790	21.7	19.1	582	8,978	64.8	64.8
2013	San Francisco	27	96	281.3	279.9	30	112,063	26.8	23.5	586	8,675	67.6	67.6
2014	San Francisco	40	120	333.3	325.3	18	108,958	16.5	14.3	566	9,018	62.8	62.8
2005	San Joaquin	57	245	232.7	237.6	90	195,403	46.1	45.0	623	11,323	55.0	55.0
2006	San Joaquin	73	270	270.4	270.3	75	196,539	38.2	37.1	701	11,714	59.8	59.9
2007	San Joaquin	84	280	300.0	294.5	94	197,254	47.7	46.2	693	11,511	60.2	60.2
2008	San Joaquin	82	313	262.0	262.1	104	197,160	52.7	51.2	716	11,044	64.8	64.9
2009	San Joaquin	86	279	308.2	305.9	103	196,955	52.3	50.8	621	10,834	57.3	57.3
2010	San Joaquin	106	337	314.5	310.4	79	198,325	39.8	38.9	609	10,554	57.7	57.7
2011	San Joaquin	78	277	281.6	276.3	81	197,822	40.9	40.0	631	10,357	60.9	61.0
2012	San Joaquin	74	272	272.1	268.8	68	195,881	34.7	34.0	558	10,102	55.2	55.3
2013	San Joaquin	69	241	286.3	274.3	74	194,714	38.0	37.2	604	9,752	61.9	61.9
2014	San Joaquin	83	227	365.6	350.5	71	203,339	34.9	33.8	588	10,057	58.5	58.4
2005	San Luis Obispo	15	53	283.0	283.3	17	54,309	31.3	32.1	150	2,628	57.1	57.0
2006	San Luis Obispo	14	60	233.3	247.1	14	53,914	26.0	26.3	133	2,751	48.3	48.4
2007	San Luis Obispo	17	68	250.0	263.2	11	53,870	20.4	20.4	154	2,847	54.1	54.0
2008	San Luis Obispo	15	55	272.7	273.9	15	54,227	27.7	27.3	144	2,579	55.8	55.8
2009	San Luis Obispo	12	65	184.6	198.4	11	54,109	20.3	20.0	125	2,548	49.1	49.1
2010	San Luis Obispo	14	65	215.4	211.8	13	53,888	24.1	23.8	114	2,651	43.0	43.0
2011	San Luis Obispo	17	77	220.8	227.8	<11		11.0	10.8	130	2,600	50.0	50.0
2012	San Luis Obispo	18	74	243.2	248.0	13	54,124	24.0	23.6	112	2,516	44.5	44.4
2013	San Luis Obispo	29	78	371.8	372.9	<11		13.0	12.8	147	2,600	56.5	56.5
2014	San Luis Obispo	15	40	375.0	387.8	13	53,399	24.3	23.5	119	2,552	46.6	46.6
2005	San Mateo	41	135	303.7	318.6	32	151,913	21.1	19.7	559	9,227	60.6	60.5
2006	San Mateo	33	149	221.5	231.3	33	151,193	21.8	20.5	569	9,078	62.7	62.7
2007	San Mateo	39	146	267.1	276.8	24	151,106	15.9	14.9	570	9,205	61.9	62.0
2008	San Mateo	47	164	286.6	296.8	22	153,182	14.4	13.5	531	9,016	58.9	58.9
2009	San Mateo	41	137	299.3	312.0	25	154,955	16.1	15.2	559	8,830	63.3	63.3
2010	San Mateo	46	177	259.9	255.1	21	156,177	13.4	12.7	583	8,610	67.7	67.7
2011	San Mateo	47	141	333.3	339.8	22	156,978	14.0	13.3	581	8,327	69.8	69.8
2012	San Mateo	40	142	281.7	288.5	16	158,056	10.1	9.6	552	8,552	64.5	64.6
2013	San Mateo	47	125	376.0	354.8	25	158,307	15.8	15.1	514	8,270	62.2	62.1
2014	San Mateo	29	105	276.2	273.1	17	155,978	10.9	10.3	561	8,572	65.4	65.5
2005	Santa Barbara	52	155	335.5	325.6	20	100,152	20.0	19.5	319	6,196	51.5	51.5
2006	Santa Barbara	41	137	299.3	287.2	22	99,347	22.1	21.5	285	6,111	46.6	46.6
2007	Santa Barbara	42	148	283.8	282.7	19	99,621	19.1	18.4	274	6,219	44.1	44.0
2008	Santa Barbara	38	144	263.9	268.3	25	100,481	24.9	23.7	257	6,195	41.5	41.5
2009	Santa Barbara	47	156	301.3	297.1	24	101,249	23.7	22.6	277	6,003	46.1	46.2
2010	Santa Barbara	38	162	234.6	238.5	24	102,000	23.5	22.5	240	5,647	42.5	42.5
2011	Santa Barbara	57	204	279.4	273.2	33	102,160	32.3	30.7	264	5,693	46.4	46.4
2012	Santa Barbara	37	152	243.4	229.9	16	101,431	15.8	15.0	218	5,539	39.4	39.3
2013	Santa Barbara	42	168	250.0	244.0	22	102,172	21.5	20.4	255	5,612	45.4	45.5
2014	Santa Barbara	66	184	358.7	352.6	31	101,246	30.6	28.7	226	5,698	39.7	39.7

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2005	Santa Clara	135	508	265.7	261.2	120	402,022	29.8	27.8	1,456	27,058	53.8	53.8
2006	Santa Clara	140	512	273.4	267.4	104	404,588	25.7	24.1	1,496	27,528	54.3	54.4
2007	Santa Clara	134	542	247.2	241.3	111	408,371	27.2	25.5	1,531	27,881	54.9	54.9
2008	Santa Clara	156	621	251.2	251.1	125	415,259	30.1	28.2	1,411	27,170	51.9	51.9
2009	Santa Clara	128	545	234.9	238.1	115	419,406	27.4	25.9	1,480	25,705	57.6	57.6
2010	Santa Clara	138	524	263.4	259.0	105	424,057	24.8	23.5	1,390	24,391	57.0	57.0
2011	Santa Clara	164	490	334.7	321.3	79	425,821	18.6	17.7	1,362	24,056	56.6	56.7
2012	Santa Clara	161	532	302.6	293.6	85	427,177	19.9	19.1	1,439	24,837	57.9	57.9
2013	Santa Clara	159	461	344.9	331.4	64	428,581	14.9	14.4	1,440	23,674	60.8	60.8
2014	Santa Clara	129	402	320.9	314.9	61	428,633	14.2	13.5	1,413	24,073	58.7	58.7
2005	Santa Cruz	22	108	203.7	204.4	15	57,481	26.1	25.4	193	3,546	54.4	54.4
2006	Santa Cruz	21	83	253.0	250.5	13	56,974	22.8	22.3	177	3,716	47.6	47.7
2007	Santa Cruz	25	102	245.1	245.5	18	57,011	31.6	30.7	187	3,697	50.6	50.6
2008	Santa Cruz	28	124	225.8	236.1	18	57,389	31.4	30.4	175	3,612	48.4	48.4
2009	Santa Cruz	22	113	194.7	191.2	19	57,806	32.9	31.9	190	3,438	55.3	55.3
2010	Santa Cruz	30	114	263.2	257.4	14	58,074	24.1	23.4	178	3,252	54.7	54.7
2011	Santa Cruz	21	85	247.1	222.8	18	58,112	31.0	29.9	163	3,286	49.6	49.6
2012	Santa Cruz	24	99	242.4	242.4	19	58,082	32.7	31.4	160	3,151	50.8	50.8
2013	Santa Cruz	40	105	381.0	368.8	<11		13.7	13.2	149	2,970	50.2	50.2
2014	Santa Cruz	22	101	217.8	221.8	14	56,666	24.7	23.5	111	3,057	36.3	36.3
2005	Shasta	16	52	307.7	323.1	15	41,514	36.1	37.1	133	2,094	63.5	63.5
2006	Shasta	14	54	259.3	267.5	21	40,958	51.3	52.1	108	2,163	49.9	50.0
2007	Shasta	16	49	326.5	336.0	22	40,632	54.1	55.1	122	2,190	55.7	55.7
2008	Shasta	17	45	377.8	381.6	15	40,368	37.2	37.1	102	2,180	46.8	46.8
2009	Shasta	13	49	265.3	255.7	18	39,694	45.3	45.1	108	2,051	52.7	52.7
2010	Shasta	18	54	333.3	322.8	<11		23.1	22.9	91	2,101	43.3	43.2
2011	Shasta	11	53	207.5	214.5	31	38,399	80.7	79.8	102	1,983	51.4	51.5
2012	Shasta	17	53	320.8	337.9	18	37,960	47.4	46.6	92	2,052	44.8	44.9
2013	Shasta	13	42	309.5	304.4	17	37,873	44.9	44.2	103	2,073	49.7	49.7
2014	Shasta	18	41	439.0	408.7	19	37,756	50.3	48.8	96	2,039	47.1	47.0
2005	Sierra	<11		333.3	459.5	0	646	0.0	0.0	0	26	0.0	0.0
2006	Sierra					0	641	0.0	0.0	<11		66.7	67.6
2007	Sierra					0	609	0.0	0.0	0	17	0.0	0.0
2008	Sierra					0	570	0.0	0.0	0	19	0.0	0.0
2009	Sierra					0	554	0.0	0.0	<11		111.1	111.0
2010	Sierra	0	<11	0.0		0	537	0.0	0.0	0	14	0.0	0.0
2011	Sierra					0	494	0.0	0.0	<11		117.6	117.2
2012	Sierra					0	490	0.0	0.0	0	13	0.0	0.0
2013	Sierra	<11		1,000.0		0	489	0.0	0.0	0	14	0.0	0.0
2014	Sierra					0	438	0.0	0.0	<11		133.3	136.1
2005	Siskiyou	<11		166.7	166.1	<11		53.3	54.6	<11		16.2	16.1
2006	Siskiyou	<11		454.5	460.9	<11		53.8	54.5	16	391	40.9	40.8
2007	Siskiyou	0	15	0.0	0.0	0	9,156	0.0	0.0	19	411	46.2	46.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2008	Siskiyou	<11		285.7	258.3	<11		21.9	21.7	25	382	65.4	65.4
2009	Siskiyou	<11		400.0	424.2	0	9,153	0.0	0.0	14	369	37.9	37.9
2010	Siskiyou	0	<11	0.0	0.0	<11		55.0	54.9	17	350	48.6	48.6
2011	Siskiyou	<11		333.3	333.8	<11		11.2	11.2	24	377	63.7	63.5
2012	Siskiyou	<11		416.7	397.9	<11		34.0	33.6	22	407	54.1	53.9
2013	Siskiyou	<11		428.6	499.4	<11		34.5	33.7	13	354	36.7	36.8
2014	Siskiyou	<11		571.4	619.7	<11		11.7	11.2	<11		29.9	29.9
2005	Solano	29	88	329.5	324.7	21	105,114	20.0	19.9	328	5,232	62.7	62.7
2006	Solano	37	104	355.8	348.3	22	103,808	21.2	21.0	353	5,309	66.5	66.5
2007	Solano	26	90	288.9	301.0	24	102,587	23.4	23.1	334	5,425	61.6	61.6
2008	Solano	28	112	250.0	264.6	18	101,451	17.7	17.5	306	5,126	59.7	59.7
2009	Solano	33	88	375.0	343.7	18	100,314	17.9	17.7	284	4,936	57.5	57.5
2010	Solano	33	100	330.0	325.3	11	99,800	11.0	10.8	247	4,581	53.9	53.9
2011	Solano	36	94	383.0	355.3	16	98,404	16.3	16.0	252	4,699	53.6	53.6
2012	Solano	40	106	377.4	366.1	14	97,145	14.4	14.1	279	4,594	60.7	60.7
2013	Solano	31	79	392.4	367.8	14	96,899	14.4	14.2	304	4,792	63.4	63.5
2014	Solano	31	86	360.5	359.5	11	94,905	11.6	11.3	297	4,855	61.2	61.2
2005	Sonoma	34	122	278.7	277.0	19	106,431	17.9	17.8	319	5,488	58.1	58.1
2006	Sonoma	47	160	293.8	296.7	11	105,192	10.5	10.4	272	5,707	47.7	47.7
2007	Sonoma	54	175	308.6	313.8	24	104,744	22.9	22.6	275	5,588	49.2	49.2
2008	Sonoma	47	179	262.6	261.8	27	105,217	25.7	25.2	282	5,537	50.9	50.9
2009	Sonoma	43	194	221.6	224.3	21	105,699	19.9	19.5	294	5,474	53.7	53.7
2010	Sonoma	34	150	226.7	231.5	20	105,985	18.9	18.5	269	5,188	51.9	51.9
2011	Sonoma	38	132	287.9	281.6	21	104,943	20.0	19.6	258	4,990	51.7	51.7
2012	Sonoma	43	158	272.2	275.4	14	103,053	13.6	13.4	275	4,852	56.7	56.7
2013	Sonoma	38	131	290.1	303.9	21	102,393	20.5	20.2	260	4,732	54.9	54.9
2014	Sonoma	51	107	476.6	483.6	16	102,099	15.7	15.2	256	4,874	52.5	52.5
2005	Stanislaus	63	239	263.6	257.3	55	146,439	37.6	36.9	399	8,452	47.2	47.2
2006	Stanislaus	57	208	274.0	271.5	51	146,730	34.8	33.9	424	8,721	48.6	48.6
2007	Stanislaus	74	240	308.3	303.3	84	146,942	57.2	55.4	432	8,873	48.7	48.7
2008	Stanislaus	64	265	241.5	242.4	87	146,214	59.5	57.6	426	8,543	49.9	49.8
2009	Stanislaus	88	254	346.5	342.1	59	145,569	40.5	39.3	412	7,973	51.7	51.7
2010	Stanislaus	81	260	311.5	309.6	79	144,896	54.5	53.2	386	7,773	49.7	49.7
2011	Stanislaus	68	243	279.8	281.4	58	143,692	40.4	39.3	347	7,746	44.8	44.8
2012	Stanislaus	62	232	267.2	265.2	43	142,420	30.2	29.4	403	7,562	53.3	53.3
2013	Stanislaus	58	221	262.4	258.8	45	142,135	31.7	30.9	363	7,515	48.3	48.3
2014	Stanislaus	55	218	252.3	247.3	57	145,442	39.2	37.8	354	7,500	47.2	47.2
2005	Sutter	19	49	387.8	360.8	16	24,413	65.5	64.4	75	1,473	50.9	50.9
2006	Sutter	14	47	297.9	308.4	<11		36.0	34.9	80	1,579	50.7	50.7
2007	Sutter	<11		148.1	159.7	16	25,491	62.8	60.4	62	1,478	41.9	42.0
2008	Sutter	<11		230.8	228.2	12	25,601	46.9	45.0	80	1,459	54.8	54.8
2009	Sutter	<11		219.5	211.8	16	25,614	62.5	60.1	73	1,436	50.8	50.8
2010	Sutter	<11		161.3	154.3	23	25,642	89.7	86.9	74	1,352	54.7	54.8

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2011	Sutter	14	44	318.2	315.1	<11		35.6	34.6	63	1,323	47.6	47.6
2012	Sutter	12	39	307.7	301.5	13	24,845	52.3	51.6	61	1,262	48.3	48.3
2013	Sutter	17	38	447.4	430.0	<11		16.2	16.0	57	1,264	45.1	45.1
2014	Sutter	13	30	433.3	371.6	<11		22.9	22.1	89	1,323	67.3	67.3
2005	Tehama	<11		291.7	276.0	<11		45.2	45.3	39	826	47.2	47.2
2006	Tehama	<11		529.4	562.3	<11		44.3	44.1	25	783	31.9	32.0
2007	Tehama	<11		375.0	363.6	<11		25.2	24.8	34	734	46.3	46.2
2008	Tehama	<11		166.7	170.8	<11		12.6	12.2	33	765	43.1	43.2
2009	Tehama	<11		714.3	578.1	<11		56.8	54.8	32	771	41.5	41.6
2010	Tehama	<11		454.5	423.7	<11		50.7	49.0	42	738	56.9	56.9
2011	Tehama	<11		428.6	394.8	24	15,510	154.7	150.1	35	696	50.3	50.5
2012	Tehama	<11		466.7	479.5	13	15,107	86.1	85.2	50	746	67.0	66.9
2013	Tehama	<11		363.6	340.3	<11		40.5	40.3	38	711	53.4	53.5
2014	Tehama	<11		125.0	117.1	<11		64.3	61.8	37	739	50.1	50.1
2005	Trinity	0	<11	0.0	0.0	<11		37.3	40.6	<11		64.2	65.0
2006	Trinity	<11		750.0	680.1	<11		37.9	40.8	0	106	0.0	0.0
2007	Trinity	<11		1,000.0		0	2,599	0.0	0.0	<11		47.2	47.2
2008	Trinity	<11		250.0	245.0	0	2,531	0.0	0.0	<11		50.4	50.4
2009	Trinity	<11		333.3	390.5	<11		79.5	80.1	<11		19.0	18.8
2010	Trinity	<11		200.0	211.6	<11		81.6	82.2	<11		51.0	50.9
2011	Trinity	0	<11	0.0	0.0	<11		41.5	42.1	<11		10.0	10.0
2012	Trinity	<11		333.3	273.6	<11		44.2	44.0	<11		18.2	18.1
2013	Trinity	0	<11	0.0		<11		88.8	86.4	<11		69.3	69.6
2014	Trinity	0	<11	0.0		<11		88.5	85.4	<11		80.0	79.8
2005	Tulare	73	190	384.2	362.6	57	131,852	43.2	41.3	465	8,211	56.6	56.7
2006	Tulare	96	244	393.4	372.9	65	133,815	48.6	46.4	430	8,330	51.6	51.6
2007	Tulare	89	250	356.0	349.7	63	135,801	46.4	44.1	457	8,529	53.6	53.6
2008	Tulare	98	253	387.4	379.6	78	137,895	56.6	53.7	461	8,538	54.0	54.0
2009	Tulare	104	273	381.0	375.4	62	140,131	44.2	42.0	483	8,397	57.5	57.5
2010	Tulare	87	299	291.0	282.4	72	141,850	50.8	48.4	441	8,165	54.0	54.0
2011	Tulare	99	320	309.4	295.9	63	142,613	44.2	42.1	438	8,005	54.7	54.7
2012	Tulare	100	301	332.2	318.0	68	141,492	48.1	46.0	383	8,013	47.8	47.8
2013	Tulare	100	262	381.7	360.9	42	141,386	29.7	28.5	471	7,669	61.4	61.5
2014	Tulare	122	274	445.3	427.1	59	146,917	40.2	38.0	405	7,641	53.0	52.9
2005	Tuolumne	<11		150.0	169.9	<11		37.6	40.2	24	436	55.0	55.2
2006	Tuolumne	<11		105.3	116.0	<11		9.6	10.3	27	496	54.4	54.5
2007	Tuolumne	<11		266.7	326.6	<11		39.5	41.8	22	480	45.8	45.9
2008	Tuolumne	<11		266.7	274.4	<11		19.9	20.4	26	477	54.5	54.6
2009	Tuolumne	<11		277.8	300.1	0	9,784	0.0	0.0	13	418	31.1	31.1
2010	Tuolumne	<11		200.0	200.5	<11		10.6	10.9	13	477	27.3	27.1
2011	Tuolumne	<11		153.8	161.9	<11		10.9	11.1	17	421	40.4	40.3
2012	Tuolumne	<11		272.7	233.1	<11		44.5	44.5	21	446	47.1	47.2
2013	Tuolumne	<11		250.0	267.1	<11		22.6	22.5	20	458	43.7	43.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #17 Perforated Appendix (Age 1-17)				PDI #18 Urinary Tract Infection (Age 3 months-17 years)				PQI #9 Low Birth Weight (<2,500 grams)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population (Appendicitis)	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population (Newborns)	Observed Rate	Risk-Adjusted Rate
2014	Tuolumne	<11		166.7	176.0	<11		22.8	22.6	32	457	70.0	70.2
2005	Ventura	77	308	250.0	259.7	49	211,712	23.1	23.0	635	12,002	52.9	52.9
2006	Ventura	68	308	220.8	224.4	46	210,407	21.9	21.6	670	12,319	54.4	54.4
2007	Ventura	93	340	273.5	267.1	47	209,048	22.5	22.1	639	12,038	53.1	53.0
2008	Ventura	104	375	277.3	270.1	36	208,649	17.3	16.9	620	11,897	52.1	52.1
2009	Ventura	84	377	222.8	220.4	67	208,594	32.1	31.5	561	11,158	50.3	50.3
2010	Ventura	95	395	240.5	241.5	58	209,412	27.7	27.3	538	11,032	48.8	48.8
2011	Ventura	79	385	205.2	207.6	52	207,370	25.1	24.6	533	10,525	50.6	50.6
2012	Ventura	101	373	270.8	266.8	59	204,254	28.9	28.3	523	10,518	49.7	49.7
2013	Ventura	80	331	241.7	238.5	42	202,479	20.7	20.4	522	9,963	52.4	52.4
2014	Ventura	98	233	420.6	383.9	35	204,279	17.1	16.7	577	10,138	56.9	56.9
2005	Yolo	12	28	428.6	443.4	<11		17.0	16.6	111	2,427	45.7	45.8
2006	Yolo	<11		270.3	256.6	<11		19.0	18.4	128	2,645	48.4	48.4
2007	Yolo	13	43	302.3	292.6	13	48,048	27.1	26.0	105	2,522	41.6	41.7
2008	Yolo	14	52	269.2	258.3	11	48,300	22.8	21.7	128	2,619	48.9	48.9
2009	Yolo	<11		322.6	311.7	17	48,576	35.0	33.4	104	2,479	42.0	41.9
2010	Yolo	17	47	361.7	338.7	<11		20.6	19.7	101	2,418	41.8	41.8
2011	Yolo	13	61	213.1	220.0	<11		8.4	8.1	136	2,346	58.0	58.0
2012	Yolo	23	57	403.5	391.9	<11		10.5	10.1	121	2,463	49.1	49.1
2013	Yolo	17	52	326.9	305.6	<11		14.9	14.3	143	2,488	57.5	57.5
2014	Yolo	14	39	359.0	337.8	<11		10.3	9.8	106	2,371	44.7	44.7
2005	Yuba	<11		250.0	257.6	<11		51.7	49.9	77	1,240	62.1	62.1
2006	Yuba	<11		375.0	373.0	11	20,141	54.6	51.8	59	1,308	45.1	45.1
2007	Yuba	13	32	406.3	364.8	12	20,635	58.2	54.7	73	1,341	54.4	54.4
2008	Yuba	<11		222.2	227.9	<11		48.1	45.4	62	1,241	50.0	50.0
2009	Yuba	<11		125.0	129.3	18	20,520	87.7	82.9	63	1,227	51.3	51.3
2010	Yuba	<11		266.7	270.2	<11		48.4	45.8	62	1,223	50.7	50.7
2011	Yuba	11	34	323.5	317.0	<11		34.2	32.5	66	1,251	52.8	52.9
2012	Yuba	<11		250.0	251.7	<11		39.3	37.3	67	1,208	55.5	55.5
2013	Yuba	<11		200.0	182.7	<11		44.4	42.1	79	1,182	66.8	66.8
2014	Yuba	<11		333.3	352.4	<11		28.3	26.5	56	1,189	47.1	47.1
2005	Unassigned	30	96	312.5	339.8					226	3,176	71.2	71.2
2006	Unassigned	41	134	306.0	309.9					244	3,214	75.9	76.1
2007	Unassigned	33	111	297.3	319.0					263	3,026	86.9	87.0
2008	Unassigned	40	130	307.7	309.1					197	2,617	75.3	75.3
2009	Unassigned	38	122	311.5	320.7					211	2,579	81.8	81.8
2010	Unassigned	33	101	326.7	331.4					201	2,464	81.6	81.5
2011	Unassigned	30	104	288.5	299.6					236	2,487	94.9	95.0
2012	Unassigned	37	132	280.3	296.0					247	2,754	89.7	89.7
2013	Unassigned	32	108	296.3	302.1					231	2,661	86.8	86.9
2014	Unassigned	41	112	366.1	377.3					226	3,044	74.2	74.3

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	STATEWIDE	9,121	6,339,207	143.9	143.3	3,593	6,339,207	56.7	56.2	5,528	6,339,207	87.2	87.0
2006	STATEWIDE	8,442	6,320,202	133.6	133.1	3,094	6,320,202	49.0	48.4	5,348	6,320,202	84.6	84.6
2007	STATEWIDE	7,888	6,288,928	125.4	125.0	2,897	6,288,928	46.1	45.4	4,991	6,288,928	79.4	79.5
2008	STATEWIDE	7,605	6,286,480	121.0	120.4	2,875	6,286,480	45.7	44.9	4,730	6,286,480	75.2	75.3
2009	STATEWIDE	8,463	6,292,454	134.5	133.5	2,845	6,292,454	45.2	44.2	5,618	6,292,454	89.3	89.1
2010	STATEWIDE	7,631	6,313,556	120.9	119.7	2,527	6,313,556	40.0	39.1	5,104	6,313,556	80.8	80.5
2011	STATEWIDE	7,328	6,252,287	117.2	115.8	2,570	6,252,287	41.1	40.1	4,758	6,252,287	76.1	75.5
2012	STATEWIDE	7,714	6,179,814	124.8	122.9	2,418	6,179,814	39.1	38.2	5,296	6,179,814	85.7	84.7
2013	STATEWIDE	7,378	6,154,908	119.9	117.8	2,628	6,154,908	42.7	41.7	4,750	6,154,908	77.2	76.0
2014	STATEWIDE	7,451	6,217,545	119.8	118.9	2,251	6,217,545	36.2	35.3	5,200	6,217,545	83.6	83.5
2005	Alameda	508	223,087	227.7	226.0	137	223,087	61.4	60.6	371	223,087	166.3	165.5
2006	Alameda	443	222,633	199.0	197.4	110	222,633	49.4	48.5	333	222,633	149.6	148.9
2007	Alameda	416	222,473	187.0	185.4	116	222,473	52.1	51.0	300	222,473	134.8	134.4
2008	Alameda	368	224,396	164.0	162.2	96	224,396	42.8	41.7	272	224,396	121.2	120.5
2009	Alameda	403	226,709	177.8	175.2	72	226,709	31.8	30.8	331	226,709	146.0	144.7
2010	Alameda	396	227,553	174.0	171.0	73	227,553	32.1	31.1	323	227,553	141.9	140.2
2011	Alameda	323	225,834	143.0	140.2	74	225,834	32.8	31.8	249	225,834	110.3	108.4
2012	Alameda	359	226,204	158.7	155.2	67	226,204	29.6	28.8	292	226,204	129.1	126.5
2013	Alameda	358	227,728	157.2	153.4	98	227,728	43.0	41.8	260	227,728	114.2	111.6
2014	Alameda	398	222,807	178.6	175.7	87	222,807	39.0	37.9	311	222,807	139.6	138.1
2005	Alpine	0	165	0.0	0.0	0	165	0.0	0.0	0	165	0.0	0.0
2006	Alpine	0	191	0.0	0.0	0	191	0.0	0.0	0	191	0.0	0.0
2007	Alpine	0	182	0.0	0.0	0	182	0.0	0.0	0	182	0.0	0.0
2008	Alpine	0	174	0.0	0.0	0	174	0.0	0.0	0	174	0.0	0.0
2009	Alpine	0	167	0.0	0.0	0	167	0.0	0.0	0	167	0.0	0.0
2010	Alpine	0	176	0.0	0.0	0	176	0.0	0.0	0	176	0.0	0.0
2011	Alpine	0	148	0.0	0.0	0	148	0.0	0.0	0	148	0.0	0.0
2012	Alpine	0	176	0.0	0.0	0	176	0.0	0.0	0	176	0.0	0.0
2013	Alpine	0	186	0.0	0.0	0	186	0.0	0.0	0	186	0.0	0.0
2014	Alpine	0	164	0.0	0.0	0	164	0.0	0.0	0	164	0.0	0.0
2005	Amador	<11		115.8	119.1	<11		57.9	59.0	<11		57.9	59.8
2006	Amador	<11		137.2	140.9	<11		78.4	79.8	<11		58.8	60.6
2007	Amador	11	5,020	219.1	224.7	<11		119.5	120.8	<11		99.6	102.7
2008	Amador	<11		124.9	127.3	<11		83.3	83.9	<11		41.6	42.6
2009	Amador	<11		107.5	109.3	<11		64.5	64.5	<11		43.0	44.0
2010	Amador	<11		21.9	22.3	0	4,567	0.0	0.0	<11		21.9	22.4
2011	Amador	<11		134.4	136.4	<11		44.8	44.7	<11		89.6	91.6
2012	Amador	<11		98.1	98.1	<11		49.1	48.1	<11		49.1	49.4
2013	Amador	<11		200.9	200.4	<11		50.2	49.3	<11		150.7	151.3
2014	Amador	<11		48.8	48.8	<11		48.8	47.5	0	4,101	0.0	0.0
2005	Butte	58	35,424	163.7	165.6	26	35,424	73.4	71.4	32	35,424	90.3	92.8
2006	Butte	42	35,198	119.3	120.8	18	35,198	51.1	49.7	24	35,198	68.2	70.2
2007	Butte	45	34,759	129.5	130.8	21	34,759	60.4	58.6	24	34,759	69.0	70.9

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Butte	41	34,391	119.2	120.2	11	34,391	32.0	30.9	30	34,391	87.2	89.4
2009	Butte	59	34,089	173.1	173.9	29	34,089	85.1	82.0	30	34,089	88.0	89.9
2010	Butte	62	33,658	184.2	184.8	24	33,658	71.3	68.6	38	33,658	112.9	115.1
2011	Butte	49	33,062	148.2	148.5	20	33,062	60.5	57.9	29	33,062	87.7	89.5
2012	Butte	47	32,284	145.6	144.6	26	32,284	80.5	77.5	21	32,284	65.0	65.4
2013	Butte	47	32,196	146.0	144.8	21	32,196	65.2	62.8	26	32,196	80.8	81.0
2014	Butte	44	32,102	137.1	136.9	15	32,102	46.7	44.8	29	32,102	90.3	91.7
2005	Calaveras	<11	114.4	115.7	<11			57.2	57.7	<11		57.2	57.9
2006	Calaveras	11	6,956	158.1	159.1	<11		28.8	28.9	<11		129.4	130.3
2007	Calaveras	11	6,814	161.4	163.0	<11		58.7	58.8	<11		102.7	104.0
2008	Calaveras	<11		134.3	135.3	<11		14.9	15.0	<11		119.4	120.5
2009	Calaveras	<11		61.1	61.7	<11		30.6	30.7	<11		30.6	30.9
2010	Calaveras	<11		63.9	64.6	0	6,264	0.0	0.0	<11		63.9	64.7
2011	Calaveras	<11		99.1	100.3	<11		49.6	49.7	<11		49.6	50.3
2012	Calaveras	<11		119.1	119.7	<11		17.0	16.9	<11		102.1	103.1
2013	Calaveras	<11		140.3	141.0	<11		17.5	17.4	<11		122.8	124.0
2014	Calaveras	<11		100.8	101.7	<11		33.6	33.4	<11		67.2	68.2
2005	Colusa	<11		48.9	49.0	<11		24.5	24.5	<11		24.5	24.5
2006	Colusa	<11		97.1	96.7	<11		48.5	48.5	<11		48.5	48.3
2007	Colusa	<11		121.3	120.5	<11		48.5	48.0	<11		72.8	72.4
2008	Colusa	<11		121.7	120.6	<11		73.0	72.3	<11		48.7	48.3
2009	Colusa	<11		145.4	143.7	<11		48.5	48.1	<11		96.9	95.7
2010	Colusa	<11		47.9	47.2	<11		23.9	23.7	<11		23.9	23.5
2011	Colusa	<11		95.8	94.3	<11		95.8	95.0	0	4,175	0.0	0.0
2012	Colusa	<11		98.5	96.4	<11		73.9	73.2	<11		24.6	24.0
2013	Colusa	<11		222.9	216.9	<11		173.4	170.9	<11		49.5	48.0
2014	Colusa	<11		217.9	213.4	<11		96.9	96.0	<11		121.1	118.0
2005	Contra Costa	244	173,721	140.5	139.2	95	173,721	54.7	54.2	149	173,721	85.8	85.0
2006	Contra Costa	267	173,364	154.0	152.8	75	173,364	43.3	42.8	192	173,364	110.7	110.0
2007	Contra Costa	207	173,306	119.4	118.4	68	173,306	39.2	38.7	139	173,306	80.2	79.7
2008	Contra Costa	220	174,548	126.0	124.8	77	174,548	44.1	43.4	143	174,548	81.9	81.3
2009	Contra Costa	197	175,549	112.2	110.9	59	175,549	33.6	33.0	138	175,549	78.6	77.8
2010	Contra Costa	187	177,185	105.5	104.0	53	177,185	29.9	29.4	134	177,185	75.6	74.6
2011	Contra Costa	176	176,891	99.5	98.0	62	176,891	35.0	34.4	114	176,891	64.4	63.6
2012	Contra Costa	197	177,176	111.2	109.3	48	177,176	27.1	26.6	149	177,176	84.1	82.7
2013	Contra Costa	202	177,990	113.5	111.6	76	177,990	42.7	42.0	126	177,990	70.8	69.6
2014	Contra Costa	204	178,281	114.4	113.0	54	178,281	30.3	29.7	150	178,281	84.1	83.3
2005	Del Norte	19	4,415	430.4	434.2	<11		22.7	22.8	18	4,415	407.7	411.7
2006	Del Norte	12	4,292	279.6	281.7	<11		116.5	116.5	<11		163.1	164.8
2007	Del Norte	13	4,229	307.4	308.0	<11		70.9	69.9	<11		236.5	238.4
2008	Del Norte	<11		145.1	146.0	<11		72.6	72.2	<11		72.6	73.3
2009	Del Norte	<11		123.0	122.9	<11		73.8	72.9	<11		49.2	49.4
2010	Del Norte	<11		97.2	97.0	<11		24.3	24.1	<11		72.9	72.9

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Del Norte	<11		148.6	147.7	<11		99.0	98.0	<11		49.5	49.3
2012	Del Norte	<11		152.1	150.1	<11		76.1	74.8	<11		76.1	75.1
2013	Del Norte	<11		51.7	50.7	<11		51.7	50.7	0	3,869	0.0	0.0
2014	Del Norte	<11		26.6	26.3	0	3,764	0.0	0.0	<11		26.6	26.3
2005	El Dorado	27	30,182	89.5	89.5	<11		33.1	33.0	17	30,182	56.3	56.4
2006	El Dorado	32	30,069	106.4	106.6	<11		26.6	26.5	24	30,069	79.8	80.1
2007	El Dorado	28	29,633	94.5	94.5	<11		33.7	33.4	18	29,633	60.7	61.0
2008	El Dorado	24	29,451	81.5	81.5	<11		27.2	26.9	16	29,451	54.3	54.5
2009	El Dorado	29	29,204	99.3	99.1	<11		20.5	20.3	23	29,204	78.8	78.8
2010	El Dorado	24	28,879	83.1	82.8	<11		17.3	17.1	19	28,879	65.8	65.6
2011	El Dorado	26	28,297	91.9	91.5	12	28,297	42.4	42.0	14	28,297	49.5	49.4
2012	El Dorado	30	27,841	107.8	106.9	<11		21.6	21.3	24	27,841	86.2	85.7
2013	El Dorado	21	27,635	76.0	75.4	<11		28.9	28.7	13	27,635	47.0	46.7
2014	El Dorado	27	28,204	95.7	95.4	<11		28.4	28.0	19	28,204	67.4	67.4
2005	Fresno	274	179,497	152.6	151.9	99	179,497	55.2	54.6	175	179,497	97.5	97.2
2006	Fresno	259	180,153	143.8	143.1	72	180,153	40.0	39.5	187	180,153	103.8	103.7
2007	Fresno	258	180,905	142.6	141.8	66	180,905	36.5	35.9	192	180,905	106.1	106.0
2008	Fresno	284	182,148	155.9	154.8	101	182,148	55.4	54.3	183	182,148	100.5	100.2
2009	Fresno	301	183,505	164.0	162.3	68	183,505	37.1	36.2	233	183,505	127.0	126.3
2010	Fresno	326	184,971	176.2	173.9	75	184,971	40.5	39.5	251	184,971	135.7	134.5
2011	Fresno	270	183,210	147.4	144.8	86	183,210	46.9	45.8	184	183,210	100.4	99.0
2012	Fresno	338	181,171	186.6	182.3	77	181,171	42.5	41.4	261	181,171	144.1	140.9
2013	Fresno	304	181,350	167.6	163.4	91	181,350	50.2	48.9	213	181,350	117.5	114.5
2014	Fresno	383	185,006	207.0	203.7	75	185,006	40.5	39.5	308	185,006	166.5	164.4
2005	Glenn	<11		132.4	131.7	<11		37.8	37.6	<11		94.5	94.1
2006	Glenn	<11		132.3	131.3	<11		37.8	37.4	<11		94.5	94.0
2007	Glenn	<11		94.8	93.6	<11		56.9	55.8	<11		37.9	37.5
2008	Glenn	<11		114.1	113.1	<11		76.0	74.7	<11		38.0	37.8
2009	Glenn	<11		94.8	94.0	<11		37.9	37.6	<11		56.9	56.4
2010	Glenn	<11		38.2	37.8	0	5,233	0.0	0.0	<11		38.2	37.8
2011	Glenn	<11		58.3	57.4	<11		19.4	19.1	<11		38.9	38.3
2012	Glenn	<11		198.6	195.2	<11		99.3	97.7	<11		99.3	97.6
2013	Glenn	<11		100.1	98.0	<11		20.0	19.7	<11		80.1	78.3
2014	Glenn	<11		99.7	98.0	0	5,013	0.0	0.0	<11		99.7	98.2
2005	Humboldt	25	20,018	124.9	125.6	<11		15.0	14.5	22	20,018	109.9	112.2
2006	Humboldt	20	19,696	101.5	102.0	<11		45.7	44.2	11	19,696	55.8	56.9
2007	Humboldt	29	19,367	149.7	150.0	<11		20.7	19.8	25	19,367	129.1	131.4
2008	Humboldt	14	19,125	73.2	73.2	<11		26.1	25.1	<11		47.1	47.9
2009	Humboldt	19	19,151	99.2	99.1	<11		47.0	45.1	<11		52.2	53.0
2010	Humboldt	26	18,894	137.6	136.8	<11		47.6	45.6	17	18,894	90.0	90.7
2011	Humboldt	18	18,773	95.9	95.5	<11		32.0	30.7	12	18,773	63.9	64.6
2012	Humboldt	18	18,533	97.1	96.1	<11		43.2	41.5	<11		54.0	54.0
2013	Humboldt	24	18,451	130.1	128.3	<11		54.2	52.0	14	18,451	75.9	75.6

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2014	Humboldt	18	17,968	100.2	99.2	<11		39.0	37.2	11	17,968	61.2	61.5
2005	Imperial	156	31,543	494.6	500.0	66	31,543	209.2	209.7	90	31,543	285.3	289.4
2006	Imperial	124	32,158	385.6	389.0	51	32,158	158.6	158.2	73	32,158	227.0	230.0
2007	Imperial	105	32,831	319.8	321.9	41	32,831	124.9	124.2	64	32,831	194.9	197.1
2008	Imperial	84	33,268	252.5	252.4	28	33,268	84.2	83.2	56	33,268	168.3	169.0
2009	Imperial	92	34,143	269.5	267.6	29	34,143	84.9	83.5	63	34,143	184.5	184.0
2010	Imperial	117	34,860	335.6	332.0	29	34,860	83.2	81.5	88	34,860	252.4	250.5
2011	Imperial	100	34,356	291.1	287.6	21	34,356	61.1	59.9	79	34,356	229.9	228.0
2012	Imperial	99	33,505	295.5	291.1	19	33,505	56.7	55.5	80	33,505	238.8	235.9
2013	Imperial	83	33,217	249.9	245.8	24	33,217	72.3	70.7	59	33,217	177.6	175.1
2014	Imperial	68	34,719	195.9	193.9	14	34,719	40.3	39.5	54	34,719	155.5	154.6
2005	Inyo	<11		35.2	35.7	<11		35.2	35.5	0	2,839	0.0	0.0
2006	Inyo	<11		108.2	109.6	<11		36.1	36.2	<11		72.1	73.3
2007	Inyo	<11		182.6	184.3	<11		73.0	73.3	<11		109.6	110.8
2008	Inyo	<11		38.0	38.1	0	2,635	0.0	0.0	<11		38.0	38.3
2009	Inyo	<11		305.8	304.8	<11		114.7	113.7	<11		191.1	190.9
2010	Inyo	<11		38.6	38.5	<11		38.6	38.5	0	2,588	0.0	0.0
2011	Inyo	<11		39.1	38.8	<11		39.1	38.5	0	2,557	0.0	0.0
2012	Inyo	<11		39.8	39.4	<11		39.8	39.1	0	2,512	0.0	0.0
2013	Inyo	<11		119.1	117.0	0	2,519	0.0	0.0	<11		119.1	117.2
2014	Inyo	<11		124.5	123.5	<11		41.5	40.9	<11		83.0	82.5
2005	Kern	178	156,659	113.6	112.9	77	156,659	49.2	48.9	101	156,659	64.5	64.0
2006	Kern	201	159,903	125.7	124.9	77	159,903	48.2	47.8	124	159,903	77.5	77.1
2007	Kern	190	162,018	117.3	116.4	62	162,018	38.3	37.8	128	162,018	79.0	78.6
2008	Kern	177	164,124	107.8	106.9	66	164,124	40.2	39.5	111	164,124	67.6	67.2
2009	Kern	196	165,883	118.2	116.7	75	165,883	45.2	44.3	121	165,883	72.9	72.3
2010	Kern	221	167,654	131.8	129.9	81	167,654	48.3	47.2	140	167,654	83.5	82.6
2011	Kern	220	166,914	131.8	129.5	69	166,914	41.3	40.4	151	166,914	90.5	89.1
2012	Kern	227	166,278	136.5	133.5	53	166,278	31.9	31.1	174	166,278	104.6	102.4
2013	Kern	197	167,381	117.7	114.7	50	167,381	29.9	29.1	147	167,381	87.8	85.6
2014	Kern	218	173,952	125.3	123.2	70	173,952	40.2	39.3	148	173,952	85.1	83.9
2005	Kings	41	26,527	154.6	153.2	24	26,527	90.5	90.0	17	26,527	64.1	63.5
2006	Kings	36	26,606	135.3	134.0	15	26,606	56.4	55.9	21	26,606	78.9	78.1
2007	Kings	33	26,860	122.9	121.7	12	26,860	44.7	44.2	21	26,860	78.2	77.4
2008	Kings	32	26,996	118.5	117.1	17	26,996	63.0	62.0	15	26,996	55.6	54.9
2009	Kings	30	27,157	110.5	108.9	<11		33.1	32.5	21	27,157	77.3	76.3
2010	Kings	26	27,491	94.6	92.8	<11		29.1	28.5	18	27,491	65.5	64.3
2011	Kings	30	27,249	110.1	107.7	14	27,249	51.4	50.2	16	27,249	58.7	57.5
2012	Kings	45	26,833	167.7	163.4	16	26,833	59.6	58.2	29	26,833	108.1	105.3
2013	Kings	21	26,880	78.1	75.8	11	26,880	40.9	39.8	<11		37.2	36.1
2014	Kings	31	27,624	112.2	109.8	<11		25.3	24.7	24	27,624	86.9	85.1
2005	Lake	17	10,148	167.5	168.4	<11		49.3	49.2	12	10,148	118.2	119.2
2006	Lake	17	10,039	169.3	170.1	<11		49.8	49.7	12	10,039	119.5	120.4

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2007	Lake	11	9,704	113.4	113.9	<11		30.9	30.6	<11		82.4	83.3
2008	Lake	<11		104.3	104.7	<11		73.0	72.3	<11		31.3	31.6
2009	Lake	11	9,362	117.5	117.5	<11		32.0	31.7	<11		85.5	85.7
2010	Lake	17	9,276	183.3	182.3	<11		43.1	42.6	13	9,276	140.2	139.9
2011	Lake	12	8,974	133.7	132.3	<11		66.9	65.6	<11		66.9	66.4
2012	Lake	15	8,703	172.4	170.1	<11		103.4	101.9	<11		68.9	68.1
2013	Lake	11	8,552	128.6	126.8	<11		70.2	69.6	<11		58.5	57.5
2014	Lake	<11		115.3	114.6	<11		46.1	45.2	<11		69.2	69.1
2005	Lassen	<11		203.3	205.2	<11		122.0	122.6	<11		81.3	82.2
2006	Lassen	<11		146.3	148.2	<11		125.4	125.9	<11		20.9	21.2
2007	Lassen	<11		106.6	108.0	<11		63.9	64.3	<11		42.6	43.3
2008	Lassen	<11		85.6	86.9	<11		85.6	86.4	0	4,672	0.0	0.0
2009	Lassen	<11		178.2	181.0	<11		111.4	112.3	<11		66.8	68.1
2010	Lassen	11	4,406	249.7	252.7	<11		90.8	91.4	<11		158.9	161.2
2011	Lassen	<11		96.6	97.5	<11		24.2	24.4	<11		72.5	73.1
2012	Lassen	<11		150.1	150.1	<11		50.0	49.9	<11		100.1	100.2
2013	Lassen	<11		180.0	180.3	<11		51.4	51.2	<11		128.6	129.1
2014	Lassen	18	3,891	462.6	467.5	<11		231.3	230.9	<11		231.3	234.8
2005	Los Angeles	2,865	1,751,544	163.6	162.7	1,128	1,751,544	64.4	63.9	1,737	1,751,544	99.2	98.8
2006	Los Angeles	2,605	1,722,880	151.2	150.7	1,009	1,722,880	58.6	57.9	1,596	1,722,880	92.6	92.6
2007	Los Angeles	2,435	1,687,649	144.3	144.0	945	1,687,649	56.0	55.2	1,490	1,687,649	88.3	88.6
2008	Los Angeles	2,338	1,667,244	140.2	139.9	963	1,667,244	57.8	56.7	1,375	1,667,244	82.5	82.8
2009	Los Angeles	2,677	1,653,881	161.9	161.2	975	1,653,881	59.0	57.7	1,702	1,653,881	102.9	103.2
2010	Los Angeles	2,200	1,641,965	134.0	133.2	833	1,641,965	50.7	49.5	1,367	1,641,965	83.3	83.3
2011	Los Angeles	2,311	1,610,744	143.5	142.4	876	1,610,744	54.4	53.1	1,435	1,610,744	89.1	89.0
2012	Los Angeles	2,251	1,577,459	142.7	141.1	797	1,577,459	50.5	49.3	1,454	1,577,459	92.2	91.6
2013	Los Angeles	2,295	1,558,015	147.3	145.3	865	1,558,015	55.5	54.1	1,430	1,558,015	91.8	91.0
2014	Los Angeles	2,191	1,554,807	140.9	140.9	758	1,554,807	48.8	47.6	1,433	1,554,807	92.2	93.0
2005	Madera	25	26,694	93.7	93.1	14	26,694	52.4	52.2	11	26,694	41.2	40.9
2006	Madera	34	27,316	124.5	123.7	11	27,316	40.3	40.0	23	27,316	84.2	83.7
2007	Madera	28	27,619	101.4	100.7	<11		29.0	28.7	20	27,619	72.4	72.0
2008	Madera	34	28,006	121.4	120.3	14	28,006	50.0	49.3	20	28,006	71.4	70.9
2009	Madera	42	28,198	148.9	147.6	12	28,198	42.6	42.0	30	28,198	106.4	105.6
2010	Madera	41	28,653	143.1	141.2	<11		24.4	24.0	34	28,653	118.7	117.3
2011	Madera	48	28,632	167.6	164.8	17	28,632	59.4	58.2	31	28,632	108.3	106.6
2012	Madera	33	28,286	116.7	114.4	<11		28.3	27.7	25	28,286	88.4	86.7
2013	Madera	33	28,245	116.8	114.2	<11		21.2	20.7	27	28,245	95.6	93.5
2014	Madera	41	29,441	139.3	137.1	<11		34.0	33.3	31	29,441	105.3	103.8
2005	Marin	38	32,825	115.8	114.3	22	32,825	67.0	66.5	16	32,825	48.7	48.0
2006	Marin	22	33,014	66.6	65.7	<11		24.2	24.0	14	33,014	42.4	41.7
2007	Marin	17	33,103	51.4	50.4	<11		27.2	26.8	<11		24.2	23.7
2008	Marin	17	33,426	50.9	49.7	<11		23.9	23.5	<11		26.9	26.3
2009	Marin	19	33,890	56.1	54.5	<11		29.5	28.9	<11		26.6	25.8

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2010	Marin	20	34,340	58.2	56.5	<11		20.4	20.0	13	34,340	37.9	36.6
2011	Marin	18	35,071	51.3	49.9	<11		11.4	11.2	14	35,071	39.9	38.7
2012	Marin	24	35,835	67.0	65.1	12	35,835	33.5	32.7	12	35,835	33.5	32.5
2013	Marin	30	36,571	82.0	79.9	14	36,571	38.3	37.6	16	36,571	43.8	42.5
2014	Marin	25	35,544	70.3	68.3	11	35,544	30.9	30.2	14	35,544	39.4	38.2
2005	Mariposa	0	2,572	0.0	0.0	0	2,572	0.0	0.0	0	2,572	0.0	0.0
2006	Mariposa	<11		78.2	79.6	<11		39.1	38.6	<11		39.1	40.2
2007	Mariposa	<11		39.6	40.3	0	2,526	0.0	0.0	<11		39.6	40.7
2008	Mariposa	<11		161.4	163.9	<11		40.4	40.2	<11		121.1	123.8
2009	Mariposa	<11		128.4	129.5	<11		42.8	42.4	<11		85.6	86.9
2010	Mariposa	0	2,281	0.0	0.0	0	2,281	0.0	0.0	0	2,281	0.0	0.0
2011	Mariposa	<11		89.9	89.6	0	2,225	0.0	0.0	<11		89.9	90.2
2012	Mariposa	<11		47.4	47.2	0	2,110	0.0	0.0	<11		47.4	47.4
2013	Mariposa	<11		97.7	96.9	<11		48.8	47.8	<11		48.8	48.7
2014	Mariposa	<11		96.6	96.5	<11		48.3	47.1	<11		48.3	48.7
2005	Mendocino	14	14,037	99.7	100.0	<11		42.7	42.2	<11		57.0	57.5
2006	Mendocino	11	13,647	80.6	80.7	<11		7.3	7.2	<11		73.3	73.8
2007	Mendocino	20	13,249	151.0	150.7	<11		37.7	37.0	15	13,249	113.2	113.8
2008	Mendocino	<11		53.5	53.2	<11		22.9	22.4	<11		30.5	30.6
2009	Mendocino	13	12,929	100.6	100.0	0	12,929	0.0	0.0	13	12,929	100.6	100.5
2010	Mendocino	12	12,959	92.6	91.6	<11		15.4	15.2	<11		77.2	76.6
2011	Mendocino	14	12,840	109.0	107.7	<11		31.2	30.7	<11		77.9	77.1
2012	Mendocino	15	12,670	118.4	116.4	<11		47.4	46.4	<11		71.0	69.9
2013	Mendocino	<11		79.9	78.3	<11		32.0	31.3	<11		47.9	47.0
2014	Mendocino	14	11,966	117.0	115.1	<11		41.8	40.7	<11		75.2	74.2
2005	Merced	67	53,942	124.2	123.9	29	53,942	53.8	53.4	38	53,942	70.4	70.3
2006	Merced	73	54,185	134.7	134.6	29	54,185	53.5	53.1	44	54,185	81.2	81.3
2007	Merced	54	54,234	99.6	99.2	25	54,234	46.1	45.5	29	54,234	53.5	53.5
2008	Merced	65	54,222	119.9	119.2	25	54,222	46.1	45.3	40	54,222	73.8	73.7
2009	Merced	66	54,018	122.2	121.2	25	54,018	46.3	45.3	41	54,018	75.9	75.6
2010	Merced	61	54,810	111.3	109.9	20	54,810	36.5	35.6	41	54,810	74.8	74.2
2011	Merced	75	54,489	137.6	135.6	29	54,489	53.2	52.0	46	54,489	84.4	83.4
2012	Merced	64	54,043	118.4	116.4	17	54,043	31.5	30.7	47	54,043	87.0	85.6
2013	Merced	76	53,991	140.8	138.2	29	53,991	53.7	52.7	47	53,991	87.1	85.5
2014	Merced	50	55,489	90.1	89.1	14	55,489	25.2	24.7	36	55,489	64.9	64.4
2005	Modoc	<11		128.6	128.3	0	1,555	0.0	0.0	<11		128.6	127.9
2006	Modoc	0	1,549	0.0	0.0	0	1,549	0.0	0.0	0	1,549	0.0	0.0
2007	Modoc	<11		136.2	136.2	<11		136.2	136.2	0	1,468	0.0	0.0
2008	Modoc	<11		135.3	135.1	<11		67.6	67.4	<11		67.6	67.7
2009	Modoc	<11		141.1	139.0	<11		141.1	138.1	0	1,417	0.0	0.0
2010	Modoc	<11		70.2	69.4	0	1,425	0.0	0.0	<11		70.2	69.5
2011	Modoc	0	1,392	0.0	0.0	0	1,392	0.0	0.0	0	1,392	0.0	0.0
2012	Modoc	0	1,359	0.0	0.0	0	1,359	0.0	0.0	0	1,359	0.0	0.0

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2013	Modoc	0	1,284	0.0	0.0	0	1,284	0.0	0.0	0	1,284	0.0	0.0
2014	Modoc	0	1,293	0.0	0.0	0	1,293	0.0	0.0	0	1,293	0.0	0.0
2005	Mono	<11		245.3	248.9	<11		49.1	49.6	<11		196.2	199.4
2006	Mono	<11		252.8	254.4	<11		151.7	151.8	<11		101.1	102.0
2007	Mono	<11		154.0	153.5	<11		51.3	51.2	<11		102.7	102.3
2008	Mono	<11		156.7	156.1	<11		104.5	104.0	<11		52.2	52.0
2009	Mono	<11		160.0	157.8	0	1,875	0.0	0.0	<11		160.0	158.9
2010	Mono	<11		205.3	200.8	<11		51.3	49.6	<11		153.9	151.3
2011	Mono	<11		304.4	296.8	<11		50.7	49.1	<11		253.7	248.1
2012	Mono	0	1,936	0.0	0.0	0	1,936	0.0	0.0	0	1,936	0.0	0.0
2013	Mono	<11		157.7	153.9	<11		157.7	153.4	0	1,902	0.0	0.0
2014	Mono	<11		53.8	52.4	<11		53.8	51.8	0	1,860	0.0	0.0
2005	Monterey	103	72,569	141.9	142.0	44	72,569	60.6	60.2	59	72,569	81.3	81.6
2006	Monterey	82	71,501	114.7	114.7	26	71,501	36.4	35.9	56	71,501	78.3	78.7
2007	Monterey	103	70,968	145.1	144.8	39	70,968	55.0	54.1	64	70,968	90.2	90.5
2008	Monterey	92	71,505	128.7	127.7	37	71,505	51.7	50.7	55	71,505	76.9	76.8
2009	Monterey	94	72,309	130.0	128.3	38	72,309	52.6	51.2	56	72,309	77.4	76.8
2010	Monterey	86	73,517	117.0	114.9	34	73,517	46.2	44.9	52	73,517	70.7	69.8
2011	Monterey	71	73,881	96.1	94.0	33	73,881	44.7	43.3	38	73,881	51.4	50.5
2012	Monterey	70	73,670	95.0	92.5	28	73,670	38.0	36.9	42	73,670	57.0	55.6
2013	Monterey	55	74,100	74.2	72.1	21	74,100	28.3	27.5	34	74,100	45.9	44.6
2014	Monterey	68	71,772	94.7	92.9	20	71,772	27.9	27.0	48	71,772	66.9	65.8
2005	Napa	20	21,263	94.1	93.8	<11		42.3	42.0	11	21,263	51.7	51.7
2006	Napa	23	21,323	107.9	107.7	<11		23.4	23.2	18	21,323	84.4	84.6
2007	Napa	20	21,289	93.9	93.8	<11		28.2	27.8	14	21,289	65.8	65.9
2008	Napa	19	21,406	88.8	88.6	<11		23.4	23.0	14	21,406	65.4	65.6
2009	Napa	19	21,561	88.1	87.6	<11		27.8	27.3	13	21,561	60.3	60.2
2010	Napa	21	21,703	96.8	95.8	<11		41.5	40.6	12	21,703	55.3	54.9
2011	Napa	19	21,772	87.3	86.3	<11		41.3	40.5	<11		45.9	45.6
2012	Napa	13	21,401	60.7	59.9	<11		32.7	32.1	<11		28.0	27.7
2013	Napa	11	21,404	51.4	50.7	<11		9.3	9.2	<11		42.0	41.6
2014	Napa	<11		41.5	41.2	<11		23.1	22.6	<11		18.5	18.4
2005	Nevada	21	14,827	141.6	143.0	<11		33.7	33.8	16	14,827	107.9	109.3
2006	Nevada	19	14,518	130.9	132.2	<11		48.2	48.1	12	14,518	82.7	83.9
2007	Nevada	16	14,209	112.6	113.6	<11		14.1	14.0	14	14,209	98.5	99.9
2008	Nevada	19	14,039	135.3	136.1	<11		35.6	35.4	14	14,039	99.7	100.7
2009	Nevada	16	13,630	117.4	117.9	<11		22.0	21.9	13	13,630	95.4	96.2
2010	Nevada	14	13,372	104.7	104.9	<11		7.5	7.4	13	13,372	97.2	97.9
2011	Nevada	<11		69.2	69.4	<11		15.4	15.2	<11		53.9	54.2
2012	Nevada	17	12,574	135.2	135.1	<11		55.7	55.0	<11		79.5	79.8
2013	Nevada	14	12,269	114.1	113.6	<11		32.6	32.2	<11		81.5	81.4
2014	Nevada	14	12,306	113.8	113.8	<11		24.4	24.0	11	12,306	89.4	90.0
2005	Orange	576	512,088	112.5	111.6	257	512,088	50.2	49.8	319	512,088	62.3	61.8

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2006	Orange	515	507,508	101.5	100.9	221	507,508	43.5	43.1	294	507,508	57.9	57.7
2007	Orange	478	502,303	95.2	94.8	204	502,303	40.6	40.1	274	502,303	54.5	54.5
2008	Orange	448	502,642	89.1	88.7	203	502,642	40.4	39.7	245	502,642	48.7	48.7
2009	Orange	539	505,457	106.6	106.0	222	505,457	43.9	43.0	317	505,457	62.7	62.7
2010	Orange	403	507,945	79.3	78.7	180	507,945	35.4	34.7	223	507,945	43.9	43.8
2011	Orange	444	503,106	88.3	87.4	162	503,106	32.2	31.5	282	503,106	56.1	55.8
2012	Orange	455	496,616	91.6	90.5	182	496,616	36.6	35.9	273	496,616	55.0	54.5
2013	Orange	437	493,754	88.5	87.3	189	493,754	38.3	37.5	248	493,754	50.2	49.7
2014	Orange	444	496,787	89.4	89.2	174	496,787	35.0	34.4	270	496,787	54.3	54.6
2005	Placer	53	54,704	96.9	95.8	22	54,704	40.2	39.8	31	54,704	56.7	56.1
2006	Placer	33	55,824	59.1	58.6	14	55,824	25.1	24.9	19	55,824	34.0	33.7
2007	Placer	38	56,435	67.3	66.8	17	56,435	30.1	29.8	21	56,435	37.2	36.9
2008	Placer	38	57,352	66.3	65.6	<11		17.4	17.2	28	57,352	48.8	48.4
2009	Placer	33	57,864	57.0	56.4	<11		12.1	11.9	26	57,864	44.9	44.5
2010	Placer	51	58,615	87.0	85.9	16	58,615	27.3	26.9	35	58,615	59.7	59.0
2011	Placer	49	58,980	83.1	82.0	20	58,980	33.9	33.4	29	58,980	49.2	48.6
2012	Placer	60	58,936	101.8	100.4	23	58,936	39.0	38.5	37	58,936	62.8	61.9
2013	Placer	51	58,968	86.5	85.3	17	58,968	28.8	28.4	34	58,968	57.7	56.8
2014	Placer	55	62,353	88.2	87.2	15	62,353	24.1	23.7	40	62,353	64.2	63.5
2005	Plumas	<11		191.8	193.8	<11		159.8	158.1	<11		32.0	32.6
2006	Plumas	<11		132.5	134.2	<11		99.4	98.4	<11		33.1	33.8
2007	Plumas	<11		242.6	244.9	<11		138.6	136.7	<11		104.0	105.9
2008	Plumas	<11		109.0	109.8	<11		72.6	71.0	<11		36.3	37.0
2009	Plumas	0	2,670	0.0	0.0	0	2,670	0.0	0.0	0	2,670	0.0	0.0
2010	Plumas	<11		38.8	39.0	<11		38.8	37.6	0	2,576	0.0	0.0
2011	Plumas	<11		82.0	82.1	0	2,440	0.0	0.0	<11		82.0	82.9
2012	Plumas	0	2,354	0.0	0.0	0	2,354	0.0	0.0	0	2,354	0.0	0.0
2013	Plumas	<11		44.3	43.8	0	2,257	0.0	0.0	<11		44.3	44.0
2014	Plumas	<11		137.5	136.6	0	2,182	0.0	0.0	<11		137.5	138.4
2005	Riverside	644	386,085	166.8	165.9	264	386,085	68.4	68.0	380	386,085	98.4	97.9
2006	Riverside	558	400,477	139.3	138.8	236	400,477	58.9	58.5	322	400,477	80.4	80.2
2007	Riverside	536	411,465	130.3	129.7	198	411,465	48.1	47.5	338	411,465	82.1	82.0
2008	Riverside	500	416,367	120.1	119.4	199	416,367	47.8	47.1	301	416,367	72.3	72.2
2009	Riverside	558	419,439	133.0	132.1	183	419,439	43.6	42.8	375	419,439	89.4	89.2
2010	Riverside	475	426,748	111.3	110.3	166	426,748	38.9	38.1	309	426,748	72.4	72.1
2011	Riverside	476	424,559	112.1	110.9	164	424,559	38.6	37.8	312	424,559	73.5	73.0
2012	Riverside	519	420,326	123.5	121.9	168	420,326	40.0	39.1	351	420,326	83.5	82.7
2013	Riverside	424	419,877	101.0	99.5	130	419,877	31.0	30.3	294	419,877	70.0	69.2
2014	Riverside	464	452,340	102.6	101.9	118	452,340	26.1	25.6	346	452,340	76.5	76.4
2005	Sacramento	335	242,592	138.1	137.0	112	242,592	46.2	45.8	223	242,592	91.9	91.3
2006	Sacramento	320	241,845	132.3	131.5	100	241,845	41.3	40.9	220	241,845	91.0	90.5
2007	Sacramento	257	241,883	106.2	105.5	89	241,883	36.8	36.3	168	241,883	69.5	69.2
2008	Sacramento	303	241,656	125.4	124.4	97	241,656	40.1	39.4	206	241,656	85.2	84.9

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2009	Sacramento	313	241,736	129.5	128.2	79	241,736	32.7	32.0	234	241,736	96.8	96.3
2010	Sacramento	296	242,618	122.0	120.4	65	242,618	26.8	26.2	231	242,618	95.2	94.4
2011	Sacramento	277	240,117	115.4	113.5	66	240,117	27.5	26.9	211	240,117	87.9	86.7
2012	Sacramento	303	237,756	127.4	124.8	70	237,756	29.4	28.8	233	237,756	98.0	96.1
2013	Sacramento	329	237,853	138.3	135.2	94	237,853	39.5	38.6	235	237,853	98.8	96.5
2014	Sacramento	293	242,363	120.9	119.3	60	242,363	24.8	24.2	233	242,363	96.1	95.2
2005	San Benito	<11		89.2	88.2	<11		53.5	53.4	<11		35.7	35.2
2006	San Benito	13	10,979	118.4	117.6	<11		36.4	36.3	<11		82.0	81.3
2007	San Benito	12	10,949	109.6	108.9	<11		63.9	63.4	<11		45.7	45.4
2008	San Benito	<11		91.1	90.6	<11		54.7	54.3	<11		36.5	36.3
2009	San Benito	<11		92.1	91.5	<11		46.0	45.6	<11		46.0	45.8
2010	San Benito	17	10,963	155.1	153.5	<11		63.8	63.1	<11		91.2	90.3
2011	San Benito	13	10,920	119.0	117.8	<11		54.9	54.0	<11		64.1	63.6
2012	San Benito	12	10,821	110.9	109.4	<11		55.4	54.3	<11		55.4	54.9
2013	San Benito	15	10,732	139.8	137.7	<11		46.6	45.6	<11		93.2	92.0
2014	San Benito	<11		56.3	56.1	<11		18.8	18.5	<11		37.6	37.5
2005	San Bernardino	808	409,478	197.3	196.7	306	409,478	74.7	74.4	502	409,478	122.6	122.2
2006	San Bernardino	742	411,035	180.5	180.2	226	411,035	55.0	54.7	516	411,035	125.5	125.6
2007	San Bernardino	615	409,271	150.3	150.1	223	409,271	54.5	54.0	392	409,271	95.8	96.0
2008	San Bernardino	662	406,413	162.9	162.4	208	406,413	51.2	50.5	454	406,413	111.7	111.9
2009	San Bernardino	779	403,065	193.3	192.4	237	403,065	58.8	57.8	542	403,065	134.5	134.5
2010	San Bernardino	652	404,528	161.2	160.0	172	404,528	42.5	41.7	480	404,528	118.7	118.3
2011	San Bernardino	580	400,421	144.8	143.4	179	400,421	44.7	43.8	401	400,421	100.1	99.5
2012	San Bernardino	654	392,989	166.4	164.2	179	392,989	45.5	44.6	475	392,989	120.9	119.6
2013	San Bernardino	591	389,136	151.9	149.4	186	389,136	47.8	46.8	405	389,136	104.1	102.6
2014	San Bernardino	645	404,844	159.3	158.4	166	404,844	41.0	40.2	479	404,844	118.3	118.3
2005	San Diego	432	486,765	88.7	88.8	165	486,765	33.9	33.7	267	486,765	54.9	55.0
2006	San Diego	436	483,218	90.2	90.4	160	483,218	33.1	32.8	276	483,218	57.1	57.4
2007	San Diego	445	481,864	92.3	92.4	138	481,864	28.6	28.3	307	481,864	63.7	64.1
2008	San Diego	496	485,074	102.3	102.1	147	485,074	30.3	29.8	349	485,074	71.9	72.3
2009	San Diego	580	487,326	119.0	118.5	181	487,326	37.1	36.4	399	487,326	81.9	82.0
2010	San Diego	480	491,073	97.7	97.0	151	491,073	30.7	30.1	329	491,073	67.0	66.8
2011	San Diego	443	486,405	91.1	90.1	140	486,405	28.8	28.2	303	486,405	62.3	61.9
2012	San Diego	511	483,168	105.8	104.3	155	483,168	32.1	31.3	356	483,168	73.7	72.9
2013	San Diego	496	482,147	102.9	101.2	177	482,147	36.7	35.8	319	482,147	66.2	65.3
2014	San Diego	532	481,274	110.5	109.9	185	481,274	38.4	37.6	347	481,274	72.1	72.1
2005	San Francisco	87	68,349	127.3	127.9	28	68,349	41.0	40.0	59	68,349	86.3	87.7
2006	San Francisco	86	68,394	125.7	125.8	20	68,394	29.2	28.4	66	68,394	96.5	97.7
2007	San Francisco	81	68,417	118.4	118.2	20	68,417	29.2	28.2	61	68,417	89.2	90.2
2008	San Francisco	58	68,822	84.3	83.7	24	68,822	34.9	33.4	34	68,822	49.4	49.8
2009	San Francisco	61	69,592	87.7	86.6	16	69,592	23.0	21.9	45	69,592	64.7	64.8
2010	San Francisco	75	69,876	107.3	105.6	25	69,876	35.8	34.0	50	69,876	71.6	71.4
2011	San Francisco	64	69,373	92.3	90.4	21	69,373	30.3	28.9	43	69,373	62.0	61.4

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2012	San Francisco	86	69,121	124.4	121.3	20	69,121	28.9	27.6	66	69,121	95.5	93.9
2013	San Francisco	97	69,558	139.5	135.7	33	69,558	47.4	45.3	64	69,558	92.0	90.2
2014	San Francisco	82	67,369	121.7	119.3	20	67,369	29.7	28.1	62	67,369	92.0	91.4
2005	San Joaquin	243	133,320	182.3	181.3	114	133,320	85.5	85.0	129	133,320	96.8	96.3
2006	San Joaquin	212	133,834	158.4	157.4	93	133,834	69.5	68.8	119	133,834	88.9	88.5
2007	San Joaquin	197	134,117	146.9	145.8	93	134,117	69.3	68.4	104	134,117	77.5	77.2
2008	San Joaquin	158	134,154	117.8	116.8	75	134,154	55.9	55.0	83	134,154	61.9	61.5
2009	San Joaquin	197	134,398	146.6	145.1	91	134,398	67.7	66.4	106	134,398	78.9	78.3
2010	San Joaquin	176	135,668	129.7	128.1	67	135,668	49.4	48.4	109	135,668	80.3	79.5
2011	San Joaquin	139	135,196	102.8	101.3	64	135,196	47.3	46.4	75	135,196	55.5	54.7
2012	San Joaquin	144	133,889	107.6	105.7	51	133,889	38.1	37.4	93	133,889	69.5	68.3
2013	San Joaquin	164	133,079	123.2	120.8	61	133,079	45.8	44.9	103	133,079	77.4	75.9
2014	San Joaquin	134	138,263	96.9	95.6	48	138,263	34.7	34.0	86	138,263	62.2	61.5
2005	San Luis Obispo	41	40,051	102.4	105.0	16	40,051	39.9	39.0	25	40,051	62.4	65.3
2006	San Luis Obispo	25	39,466	63.3	65.0	12	39,466	30.4	29.6	13	39,466	32.9	34.5
2007	San Luis Obispo	21	38,962	53.9	55.2	<11		20.5	19.9	13	38,962	33.4	34.9
2008	San Luis Obispo	39	38,852	100.4	102.5	12	38,852	30.9	29.9	27	38,852	69.5	72.6
2009	San Luis Obispo	28	38,642	72.5	73.6	<11		23.3	22.4	19	38,642	49.2	51.0
2010	San Luis Obispo	38	38,450	98.8	99.8	12	38,450	31.2	30.0	26	38,450	67.6	69.7
2011	San Luis Obispo	42	39,094	107.4	109.0	11	39,094	28.1	26.8	31	39,094	79.3	82.5
2012	San Luis Obispo	33	38,554	85.6	86.1	11	38,554	28.5	27.3	22	38,554	57.1	58.5
2013	San Luis Obispo	32	38,317	83.5	83.8	<11		20.9	19.9	24	38,317	62.6	64.1
2014	San Luis Obispo	38	37,637	101.0	102.1	<11		26.6	25.3	28	37,637	74.4	77.1
2005	San Mateo	93	99,726	93.3	92.5	39	99,726	39.1	38.8	54	99,726	54.1	53.7
2006	San Mateo	77	99,597	77.3	76.5	27	99,597	27.1	26.8	50	99,597	50.2	49.7
2007	San Mateo	62	99,452	62.3	61.5	25	99,452	25.1	24.7	37	99,452	37.2	36.8
2008	San Mateo	54	100,770	53.6	52.7	24	100,770	23.8	23.3	30	100,770	29.8	29.3
2009	San Mateo	74	102,142	72.4	70.9	27	102,142	26.4	25.8	47	102,142	46.0	45.0
2010	San Mateo	49	103,258	47.5	46.3	16	103,258	15.5	15.1	33	103,258	32.0	31.2
2011	San Mateo	56	103,861	53.9	52.5	15	103,861	14.4	14.1	41	103,861	39.5	38.4
2012	San Mateo	76	104,960	72.4	70.4	18	104,960	17.1	16.7	58	104,960	55.3	53.7
2013	San Mateo	61	105,372	57.9	56.3	22	105,372	20.9	20.4	39	105,372	37.0	35.9
2014	San Mateo	50	102,920	48.6	47.4	14	102,920	13.6	13.3	36	102,920	35.0	34.1
2005	Santa Barbara	60	70,278	85.4	86.6	24	70,278	34.1	33.3	36	70,278	51.2	52.8
2006	Santa Barbara	67	69,589	96.3	97.6	24	69,589	34.5	33.5	43	69,589	61.8	63.7
2007	Santa Barbara	74	69,402	106.6	108.0	25	69,402	36.0	34.9	49	69,402	70.6	72.8
2008	Santa Barbara	54	69,565	77.6	78.5	19	69,565	27.3	26.3	35	69,565	50.3	51.8
2009	Santa Barbara	47	70,129	67.0	67.5	15	70,129	21.4	20.5	32	70,129	45.6	46.8
2010	Santa Barbara	56	70,774	79.1	79.2	21	70,774	29.7	28.4	35	70,774	49.5	50.3
2011	Santa Barbara	39	70,824	55.1	55.2	18	70,824	25.4	24.1	21	70,824	29.7	30.4
2012	Santa Barbara	61	69,352	88.0	87.3	17	69,352	24.5	23.4	44	69,352	63.4	64.0
2013	Santa Barbara	64	69,729	91.8	90.8	29	69,729	41.6	39.6	35	69,729	50.2	50.4
2014	Santa Barbara	53	69,203	76.6	76.8	20	69,203	28.9	27.5	33	69,203	47.7	48.8

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2005	Santa Clara	268	261,584	102.5	101.2	131	261,584	50.1	49.4	137	261,584	52.4	51.8
2006	Santa Clara	271	264,788	102.3	100.9	118	264,788	44.6	43.8	153	264,788	57.8	57.0
2007	Santa Clara	251	267,662	93.8	92.3	110	267,662	41.1	40.3	141	267,662	52.7	51.9
2008	Santa Clara	218	272,570	80.0	78.4	87	272,570	31.9	31.2	131	272,570	48.1	47.2
2009	Santa Clara	233	276,988	84.1	82.2	83	276,988	30.0	29.2	150	276,988	54.2	53.0
2010	Santa Clara	246	281,198	87.5	85.3	88	281,198	31.3	30.5	158	281,198	56.2	54.8
2011	Santa Clara	211	283,201	74.5	72.6	79	283,201	27.9	27.2	132	283,201	46.6	45.4
2012	Santa Clara	260	285,501	91.1	88.6	92	285,501	32.2	31.4	168	285,501	58.8	57.2
2013	Santa Clara	197	288,036	68.4	66.5	85	288,036	29.5	28.8	112	288,036	38.9	37.8
2014	Santa Clara	167	285,139	58.6	57.1	56	285,139	19.6	19.1	111	285,139	38.9	38.0
2005	Santa Cruz	47	40,486	116.1	117.8	15	40,486	37.0	35.8	32	40,486	79.0	81.7
2006	Santa Cruz	47	40,169	117.0	118.6	16	40,169	39.8	38.5	31	40,169	77.2	79.7
2007	Santa Cruz	37	40,077	92.3	93.4	17	40,077	42.4	40.8	20	40,077	49.9	51.5
2008	Santa Cruz	27	40,190	67.2	67.8	<11		24.9	23.9	17	40,190	42.3	43.5
2009	Santa Cruz	31	40,563	76.4	76.8	11	40,563	27.1	26.0	20	40,563	49.3	50.5
2010	Santa Cruz	28	40,727	68.8	68.8	<11		12.3	11.7	23	40,727	56.5	57.5
2011	Santa Cruz	33	40,740	81.0	81.1	19	40,740	46.6	44.3	14	40,740	34.4	35.1
2012	Santa Cruz	30	40,542	74.0	73.8	11	40,542	27.1	25.8	19	40,542	46.9	47.7
2013	Santa Cruz	18	40,588	44.3	44.2	<11		14.8	14.0	12	40,588	29.6	30.0
2014	Santa Cruz	20	39,446	50.7	50.8	<11		25.4	24.0	<11		25.4	26.0
2005	Shasta	46	29,742	154.7	154.9	24	29,742	80.7	80.2	22	29,742	74.0	74.3
2006	Shasta	45	29,199	154.1	154.4	25	29,199	85.6	84.7	20	29,199	68.5	68.9
2007	Shasta	52	28,868	180.1	180.4	22	28,868	76.2	75.4	30	28,868	103.9	104.5
2008	Shasta	54	28,290	190.9	190.9	22	28,290	77.8	76.8	32	28,290	113.1	113.6
2009	Shasta	50	27,742	180.2	180.0	19	27,742	68.5	67.5	31	27,742	111.7	112.2
2010	Shasta	44	27,204	161.7	160.8	15	27,204	55.1	54.1	29	27,204	106.6	106.5
2011	Shasta	72	26,606	270.6	268.4	30	26,606	112.8	111.0	42	26,606	157.9	157.0
2012	Shasta	46	26,135	176.0	174.2	18	26,135	68.9	67.9	28	26,135	107.1	106.2
2013	Shasta	48	26,108	183.9	181.5	20	26,108	76.6	75.6	28	26,108	107.2	105.9
2014	Shasta	60	25,789	232.7	230.8	12	25,789	46.5	45.7	48	25,789	186.1	185.4
2005	Sierra	<11		214.1	219.9	<11		214.1	223.5	0	467	0.0	0.0
2006	Sierra	<11		443.1	460.3	0	451	0.0	0.0	<11		443.1	457.0
2007	Sierra	0	424	0.0	0.0	0	424	0.0	0.0	0	424	0.0	0.0
2008	Sierra	0	395	0.0	0.0	0	395	0.0	0.0	0	395	0.0	0.0
2009	Sierra	0	385	0.0	0.0	0	385	0.0	0.0	0	385	0.0	0.0
2010	Sierra	<11		267.4	269.3	0	374	0.0	0.0	<11		267.4	270.9
2011	Sierra	0	355	0.0	0.0	0	355	0.0	0.0	0	355	0.0	0.0
2012	Sierra	0	344	0.0	0.0	0	344	0.0	0.0	0	344	0.0	0.0
2013	Sierra	0	346	0.0	0.0	0	346	0.0	0.0	0	346	0.0	0.0
2014	Sierra	0	289	0.0	0.0	0	289	0.0	0.0	0	289	0.0	0.0
2005	Siskiyou	<11		147.6	148.3	<11		73.8	73.4	<11		73.8	74.5
2006	Siskiyou	14	6,682	209.5	211.0	<11		89.8	89.1	<11		119.7	121.3
2007	Siskiyou	<11		76.7	77.2	<11		15.3	15.3	<11		61.3	62.1

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2008	Siskiyou	11	6,382	172.4	173.1	<11		62.7	62.2	<11		109.7	110.7
2009	Siskiyou	<11		142.2	142.8	<11		47.4	47.1	<11		94.8	95.6
2010	Siskiyou	<11		127.3	127.4	<11		47.8	47.6	<11		79.6	79.7
2011	Siskiyou	<11		81.0	80.9	<11		16.2	16.1	<11		64.8	64.8
2012	Siskiyou	11	6,083	180.8	179.3	<11		82.2	81.3	<11		98.6	97.9
2013	Siskiyou	<11		83.4	82.3	<11		16.7	16.4	<11		66.7	65.9
2014	Siskiyou	<11		86.6	85.9	<11		17.3	17.1	<11		69.3	68.9
2005	Solano	65	73,194	88.8	88.7	14	73,194	19.1	18.9	51	73,194	69.7	69.8
2006	Solano	81	72,138	112.3	112.1	24	72,138	33.3	32.9	57	72,138	79.0	79.2
2007	Solano	73	71,163	102.6	102.3	20	71,163	28.1	27.7	53	71,163	74.5	74.6
2008	Solano	54	70,320	76.8	76.4	14	70,320	19.9	19.6	40	70,320	56.9	56.9
2009	Solano	50	69,400	72.0	71.6	13	69,400	18.7	18.4	37	69,400	53.3	53.2
2010	Solano	59	68,877	85.7	84.8	12	68,877	17.4	17.1	47	68,877	68.2	67.9
2011	Solano	64	67,652	94.6	93.6	18	67,652	26.6	26.1	46	67,652	68.0	67.5
2012	Solano	50	66,666	75.0	74.0	19	66,666	28.5	28.0	31	66,666	46.5	45.9
2013	Solano	60	66,474	90.3	88.8	14	66,474	21.1	20.7	46	66,474	69.2	68.1
2014	Solano	51	65,161	78.3	77.6	11	65,161	16.9	16.5	40	65,161	61.4	61.2
2005	Sonoma	65	74,481	87.3	87.4	19	74,481	25.5	25.3	46	74,481	61.8	62.1
2006	Sonoma	58	73,420	79.0	79.0	20	73,420	27.2	26.8	38	73,420	51.8	52.0
2007	Sonoma	58	72,863	79.6	79.6	23	72,863	31.6	31.0	35	72,863	48.0	48.3
2008	Sonoma	60	72,970	82.2	82.0	28	72,970	38.4	37.6	32	72,970	43.9	44.0
2009	Sonoma	47	73,237	64.2	63.8	18	73,237	24.6	24.0	29	73,237	39.6	39.6
2010	Sonoma	48	73,269	65.5	64.8	19	73,269	25.9	25.3	29	73,269	39.6	39.4
2011	Sonoma	39	72,377	53.9	53.2	16	72,377	22.1	21.6	23	72,377	31.8	31.5
2012	Sonoma	48	71,561	67.1	66.0	20	71,561	27.9	27.2	28	71,561	39.1	38.7
2013	Sonoma	45	71,162	63.2	62.2	20	71,162	28.1	27.4	25	71,162	35.1	34.7
2014	Sonoma	63	70,246	89.7	88.6	17	70,246	24.2	23.5	46	70,246	65.5	65.2
2005	Stanislaus	127	100,718	126.1	125.3	47	100,718	46.7	46.3	80	100,718	79.4	79.0
2006	Stanislaus	158	100,426	157.3	156.5	54	100,426	53.8	53.2	104	100,426	103.6	103.2
2007	Stanislaus	152	100,210	151.7	150.8	57	100,210	56.9	56.1	95	100,210	94.8	94.5
2008	Stanislaus	157	99,599	157.6	156.3	61	99,599	61.2	60.3	96	99,599	96.4	95.9
2009	Stanislaus	128	99,321	128.9	127.6	36	99,321	36.2	35.6	92	99,321	92.6	92.0
2010	Stanislaus	170	99,193	171.4	169.3	51	99,193	51.4	50.4	119	99,193	120.0	118.8
2011	Stanislaus	145	97,930	148.1	145.9	53	97,930	54.1	53.1	92	97,930	93.9	92.7
2012	Stanislaus	128	96,975	132.0	129.7	23	96,975	23.7	23.3	105	96,975	108.3	106.5
2013	Stanislaus	112	96,911	115.6	113.4	45	96,911	46.4	45.5	67	96,911	69.1	67.9
2014	Stanislaus	148	98,564	150.2	148.3	35	98,564	35.5	34.8	113	98,564	114.6	113.6
2005	Sutter	37	16,624	222.6	222.0	20	16,624	120.3	120.6	17	16,624	102.3	101.8
2006	Sutter	27	16,930	159.5	158.8	11	16,930	65.0	64.7	16	16,930	94.5	94.0
2007	Sutter	31	17,163	180.6	179.6	11	17,163	64.1	63.6	20	17,163	116.5	115.9
2008	Sutter	17	17,207	98.8	97.9	<11		40.7	40.2	<11		58.1	57.6
2009	Sutter	25	17,310	144.4	142.6	<11		57.8	56.8	15	17,310	86.7	85.7
2010	Sutter	26	17,407	149.4	146.8	13	17,407	74.7	73.2	13	17,407	74.7	73.5

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014

Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2011	Sutter	20	17,116	116.8	114.6	<11		46.7	45.9	12	17,116	70.1	68.8
2012	Sutter	21	17,001	123.5	120.9	<11		47.1	46.3	13	17,001	76.5	74.7
2013	Sutter	22	16,986	129.5	126.6	12	16,986	70.6	69.5	<11		58.9	57.4
2014	Sutter	20	17,639	113.4	111.5	<11		28.3	27.9	15	17,639	85.0	83.6
2005	Tehama	14	10,840	129.2	129.6	<11		55.4	55.1	<11		73.8	74.3
2006	Tehama	12	11,007	109.0	109.4	<11		45.4	45.0	<11		63.6	64.1
2007	Tehama	16	10,968	145.9	145.9	<11		45.6	45.0	11	10,968	100.3	100.8
2008	Tehama	<11		82.7	82.4	<11		18.4	18.1	<11		64.3	64.4
2009	Tehama	15	10,762	139.4	138.2	<11		74.3	73.0	<11		65.0	64.7
2010	Tehama	24	10,714	224.0	221.5	<11		74.7	73.1	16	10,714	149.3	148.2
2011	Tehama	23	10,563	217.7	215.0	<11		75.7	74.3	15	10,563	142.0	140.6
2012	Tehama	27	10,396	259.7	254.4	<11		86.6	84.7	18	10,396	173.1	169.7
2013	Tehama	11	10,226	107.6	105.2	<11		29.3	28.6	<11		78.2	76.6
2014	Tehama	19	10,474	181.4	178.7	<11		76.4	74.5	11	10,474	105.0	103.9
2005	Trinity	<11		200.2	204.2	<11		100.1	101.8	<11		100.1	102.2
2006	Trinity	<11		51.0	51.8	<11		51.0	50.9	0	1,961	0.0	0.0
2007	Trinity	<11		105.4	107.8	<11		105.4	105.9	0	1,898	0.0	0.0
2008	Trinity	0	1,819	0.0	0.0	0	1,819	0.0	0.0	0	1,819	0.0	0.0
2009	Trinity	<11		282.5	285.0	<11		113.0	111.6	<11		169.5	172.4
2010	Trinity	<11		173.5	173.7	<11		115.7	113.3	<11		57.8	58.4
2011	Trinity	<11		234.3	230.7	<11		175.7	170.9	<11		58.6	57.9
2012	Trinity	<11		63.5	62.4	0	1,574	0.0	0.0	<11		63.5	62.7
2013	Trinity	<11		65.1	63.7	<11		65.1	62.9	0	1,536	0.0	0.0
2014	Trinity	<11		65.3	64.7	<11		65.3	63.0	0	1,532	0.0	0.0
2005	Tulare	125	88,377	141.4	140.7	65	88,377	73.5	73.2	60	88,377	67.9	67.5
2006	Tulare	106	89,703	118.2	117.3	49	89,703	54.6	54.2	57	89,703	63.5	63.1
2007	Tulare	116	90,800	127.8	126.7	48	90,800	52.9	52.3	68	90,800	74.9	74.4
2008	Tulare	129	91,918	140.3	138.7	60	91,918	65.3	64.2	69	91,918	75.1	74.3
2009	Tulare	123	93,334	131.8	129.7	46	93,334	49.3	48.3	77	93,334	82.5	81.4
2010	Tulare	121	94,763	127.7	125.2	47	94,763	49.6	48.5	74	94,763	78.1	76.6
2011	Tulare	107	95,026	112.6	110.2	46	95,026	48.4	47.3	61	95,026	64.2	62.8
2012	Tulare	100	94,346	106.0	103.4	29	94,346	30.7	30.0	71	94,346	75.3	73.4
2013	Tulare	100	94,486	105.8	103.0	50	94,486	52.9	51.7	50	94,486	52.9	51.4
2014	Tulare	106	97,238	109.0	106.7	37	97,238	38.1	37.2	69	97,238	71.0	69.5
2005	Tuolumne	<11		63.8	64.2	<11		25.5	25.4	<11		38.3	38.7
2006	Tuolumne	<11		13.1	13.2	0	7,640	0.0	0.0	<11		13.1	13.2
2007	Tuolumne	14	7,405	189.1	190.8	<11		40.5	40.2	11	7,405	148.6	150.9
2008	Tuolumne	<11		97.5	98.5	<11		27.9	27.7	<11		69.6	70.8
2009	Tuolumne	<11		43.1	43.5	0	6,954	0.0	0.0	<11		43.1	43.7
2010	Tuolumne	<11		132.9	133.8	<11		29.5	29.5	<11		103.4	104.5
2011	Tuolumne	<11		152.5	152.5	<11		15.2	15.1	<11		137.2	137.8
2012	Tuolumne	<11		125.6	124.7	<11		31.4	30.9	<11		94.2	93.8
2013	Tuolumne	<11		160.0	158.3	<11		32.0	31.4	<11		128.0	127.1

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".

AHRQ Pediatric Quality Indicators (PDIs), 2005-2014
Area-Level Indicators for California

Agency for Healthcare Research and Quality, PDI Version 5.0.2; OSHPD CA Patient Discharge Data



Year	County	PDI #90 PDI Overall Composite (Age 6-17)				PDI #91 PDI Acute Composite (Age 6-17)				PDI #92 PDI Chronic Composite (Age 6-17)			
		Rates are per 100,000 state or county at-risk population (except PDI #17, per 1,000 appendicitis cases; PQI #9, per 1,000 newborns). A blank Observed Rate (PDI #17) indicates that there were no appendicitis cases (denominator) diagnosed. The Risk-Adjusted Rate is age-sex adjusted. A blank Risk-Adjusted Rate (PDI #17) indicates that <3 appendicitis cases (denominator) were diagnosed.											
		# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate	# Cases	Population	Observed Rate	Risk-Adjusted Rate
2014	Tuolumne	18	6,159	292.3	291.3	<11		32.5	31.8	16	6,159	259.8	260.6
2005	Ventura	134	147,296	91.0	90.7	51	147,296	34.6	34.4	83	147,296	56.3	56.3
2006	Ventura	120	146,375	82.0	82.0	49	146,375	33.5	33.2	71	146,375	48.5	48.6
2007	Ventura	130	144,954	89.7	89.6	39	144,954	26.9	26.6	91	144,954	62.8	63.0
2008	Ventura	106	144,442	73.4	73.2	40	144,442	27.7	27.3	66	144,442	45.7	45.8
2009	Ventura	147	144,665	101.6	101.1	55	144,665	38.0	37.3	92	144,665	63.6	63.6
2010	Ventura	131	145,316	90.1	89.5	61	145,316	42.0	41.1	70	145,316	48.2	48.0
2011	Ventura	117	143,533	81.5	80.7	50	143,533	34.8	34.1	67	143,533	46.7	46.4
2012	Ventura	121	141,004	85.8	84.6	42	141,004	29.8	29.1	79	141,004	56.0	55.4
2013	Ventura	113	139,753	80.9	79.6	44	139,753	31.5	30.8	69	139,753	49.4	48.8
2014	Ventura	82	141,434	58.0	57.7	28	141,434	19.8	19.4	54	141,434	38.2	38.2
2005	Yolo	22	33,500	65.7	66.5	<11		26.9	25.7	13	33,500	38.8	40.2
2006	Yolo	29	33,502	86.6	87.7	<11		26.9	25.6	20	33,502	59.7	61.9
2007	Yolo	30	33,914	88.5	89.7	12	33,914	35.4	33.6	18	33,914	53.1	55.2
2008	Yolo	26	33,979	76.5	77.3	<11		23.5	22.3	18	33,979	53.0	54.8
2009	Yolo	19	34,180	55.6	55.9	<11		20.5	19.4	12	34,180	35.1	36.2
2010	Yolo	35	34,130	102.5	102.9	12	34,130	35.2	33.2	23	34,130	67.4	69.2
2011	Yolo	14	33,650	41.6	41.7	<11		14.9	13.9	<11		26.7	27.5
2012	Yolo	34	33,630	101.1	100.5	<11		23.8	22.4	26	33,630	77.3	78.5
2013	Yolo	21	33,138	63.4	62.9	<11		15.1	14.2	16	33,138	48.3	48.9
2014	Yolo	16	33,834	47.3	47.4	<11		8.9	8.4	13	33,834	38.4	39.4
2005	Yuba	22	12,943	170.0	168.9	<11		46.4	46.0	16	12,943	123.6	122.9
2006	Yuba	14	13,227	105.8	104.6	<11		37.8	37.4	<11		68.0	67.3
2007	Yuba	22	13,440	163.7	161.2	<11		59.5	58.6	14	13,440	104.2	102.6
2008	Yuba	16	13,605	117.6	115.8	<11		36.8	36.2	11	13,605	80.9	79.6
2009	Yuba	27	13,464	200.5	196.6	11	13,464	81.7	80.3	16	13,464	118.8	116.4
2010	Yuba	22	13,591	161.9	157.8	<11		58.9	57.5	14	13,591	103.0	100.3
2011	Yuba	13	13,503	96.3	93.6	<11		44.4	43.4	<11		51.8	50.3
2012	Yuba	14	13,298	105.3	102.2	<11		30.1	29.4	<11		75.2	72.7
2013	Yuba	14	13,229	105.8	102.5	<11		75.6	73.9	<11		30.2	29.2
2014	Yuba	16	13,668	117.1	113.8	<11		43.9	42.9	<11		73.2	71.0
2005	Unassigned												
2006	Unassigned												
2007	Unassigned												
2008	Unassigned												
2009	Unassigned												
2010	Unassigned												
2011	Unassigned												
2012	Unassigned												
2013	Unassigned												
2014	Unassigned												

December 9, 2016 (Masked Version) (Orig release 01/06/16)

All PDIs: Display Counts >0 and <11 as "<11" and blank the Population denominator.

PDI 17: Display any Population denominator <11 as "<11".