

AMI Report: Bellflower Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	15	3	1.9	20.0	12.3	24.4	4.9	43.9	0.276
1992	14.5	13	1	2.4	7.7	18.3	6.1	0.0	21.2	0.255
1993	13.9	9	3	1.7	33.3	19.0	24.4	7.4	41.4	0.217
1994	13.0	12	1	1.2	8.3	9.9	10.9	0.0	32.5	0.663
1995	12.8	15	0	1.9	0.0	12.7	0.0	0.0	16.3	0.119
1996	12.2	21	3	3.4	14.3	16.4	10.6	0.0	21.7	0.536
1997	12.0	32	3	4.8	9.4	15.1	7.5	0.0	16.7	0.249
1998	12.1	29	6	4.2	20.7	14.5	17.2	7.1	27.2	0.229

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Bellflower Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	15	3	2.6	20.0	17.4	17.3	4.5	30.1	0.519
1992	14.5	13	1	1.4	7.7	11.0	10.2	0.0	31.0	0.566
1993	13.9	9	3	2.1	33.3	23.3	19.9	7.3	32.5	0.332
1994	12.9	12	1	0.5	8.3	4.6	23.6	0.0	56.6	0.433
1995	12.8	15	0	1.7	0.0	11.3	0.0	0.0	16.3	0.125
1996	12.2	21	3	3.3	14.3	15.7	11.1	0.9	21.2	0.577
1997	12.0	32	3	4.6	9.4	14.5	7.8	0.0	16.8	0.268
1998	12.1	29	6	5.2	20.7	17.8	14.1	6.2	21.9	0.407

Model B is a comprehensive model with more acute risk factors added in