

AMI Report: Century City Hospital - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	36	6	5.4	16.7	14.9	16.8	5.7	27.9	0.455
1992	14.5	50	4	8.0	8.0	16.0	7.2	0.0	15.9	0.068
1993	13.9	51	9	9.6	17.6	18.8	13.0	5.7	20.4	0.496
1994	13.0	73	7	10.8	9.6	14.7	8.4	1.7	15.2	0.124
1995	12.8	48	9	8.7	18.8	18.2	13.2	6.1	20.2	0.528
1996	12.2	60	8	7.5	13.3	12.5	12.9	5.2	20.7	0.487
1997	12.0	40	5	5.4	12.5	13.5	11.1	2.4	19.8	0.536
1998	12.1	37	6	5.5	16.2	14.8	13.2	4.6	21.8	0.481

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Century City Hospital - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	36	6	5.2	16.7	14.6	17.2	6.6	27.9	0.428
1992	14.5	50	4	8.3	8.0	16.5	7.0	0.0	15.0	0.045
1993	13.9	51	9	8.6	17.6	16.9	14.6	7.2	21.9	0.503
1994	12.9	73	7	11.2	9.6	15.3	8.1	2.0	14.2	0.080
1995	12.8	48	9	8.3	18.8	17.2	14.0	7.2	20.7	0.442
1996	12.2	58	7	5.9	12.1	10.3	14.3	5.7	23.0	0.381
1997	12.0	40	5	5.7	12.5	14.3	10.5	2.7	18.3	0.469
1998	12.1	36	6	5.1	16.7	14.3	14.1	5.4	22.8	0.407

Model B is a comprehensive model with more acute risk factors added in