

AMI Report: Pacifica Hospital - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	30	5	5.2	16.7	17.3	14.6	3.5	25.7	0.583
1992	14.5	32	7	5.7	21.9	17.7	17.8	7.5	28.2	0.332
1993	13.9	36	9	4.5	25.0	12.5	27.9	16.7	39.1	0.021
1994	13.0	30	4	4.6	13.3	15.2	11.3	0.9	21.8	0.505
1995	12.8	29	5	3.0	17.2	10.2	21.7	9.0	34.4	0.149
1996	12.2	33	6	4.4	18.2	13.5	16.4	6.7	26.2	0.270
1997	12.0	24	8	2.7	33.3	11.2	35.7	23.1	48.4	0.002

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Pacifica Hospital - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	30	5	5.5	16.7	18.2	13.8	4.3	23.3	0.530
1992	14.5	32	7	6.7	21.9	20.8	15.2	6.6	23.8	0.519
1993	13.9	36	9	5.5	25.0	15.2	22.9	13.9	31.8	0.052
1994	12.9	30	4	5.2	13.3	17.4	9.9	0.9	19.0	0.362
1995	12.8	29	5	2.6	17.2	8.8	25.0	12.6	37.3	0.069
1996	12.2	33	6	4.8	18.2	14.7	15.1	6.6	23.6	0.337
1997	12.0	24	8	2.5	33.3	10.5	38.3	25.8	50.8	0.001

Model B is a comprehensive model with more acute risk factors added in