

AMI Report: Placentia-Linda Community Hospital - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	60	13	7.8	21.7	13.0	25.1	15.9	34.3	0.032
1992	14.5	58	10	7.8	17.2	13.5	18.5	9.7	27.3	0.235
1993	13.9	50	7	6.1	14.0	12.2	16.0	6.3	25.7	0.408
1994	13.0	76	10	8.0	13.2	10.5	16.2	8.2	24.2	0.269
1995	12.8	68	15	8.2	22.1	12.1	23.4	15.7	31.1	0.009
1996	12.2	67	6	7.3	9.0	10.8	10.1	2.1	18.0	0.393
1997	12.0	56	7	5.1	12.5	9.1	16.6	7.1	26.1	0.235
1998	12.1	59	8	6.1	13.6	10.4	15.7	7.1	24.3	0.260

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Placentia-Linda Community Hospital - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	60	13	8.4	21.7	13.9	23.5	15.2	31.7	0.042
1992	14.5	58	10	6.3	17.2	10.9	23.0	13.5	32.4	0.070
1993	13.9	50	7	6.0	14.0	12.0	16.2	7.5	24.9	0.385
1994	12.9	75	9	7.6	12.0	10.2	15.3	7.8	22.7	0.334
1995	12.8	68	15	10.2	22.1	15.0	18.9	12.7	25.0	0.046
1996	12.2	67	6	6.1	9.0	9.0	12.1	3.5	20.6	0.598
1997	12.0	56	7	5.2	12.5	9.3	16.2	7.9	24.5	0.228
1998	12.1	58	8	6.9	13.8	11.9	14.0	6.6	21.4	0.383

Model B is a comprehensive model with more acute risk factors added in