

AMI Report: Hemet Valley Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	423	80	81.6	18.9	19.3	14.8	12.0	17.6	0.448
1992	14.5	485	80	94.2	16.5	19.4	12.3	9.8	14.8	0.045
1993	13.9	437	77	89.6	17.6	20.5	12.0	9.6	14.4	0.060
1994	13.0	497	85	97.3	17.1	19.6	11.3	9.2	13.5	0.075
1995	12.8	569	78	107.5	13.7	18.9	9.3	7.2	11.3	0.000
1996	12.2	605	86	94.2	14.2	15.6	11.1	9.0	13.3	0.181
1997	12.0	629	91	94.5	14.5	15.0	11.6	9.5	13.7	0.366
1998	12.1	473	72	75.5	15.2	16.0	11.5	9.2	13.9	0.350

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Hemet Valley Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	423	80	80.9	18.9	19.1	14.9	12.4	17.4	0.478
1992	14.5	485	80	88.9	16.5	18.3	13.0	10.7	15.4	0.128
1993	13.9	437	77	79.6	17.6	18.2	13.5	11.0	15.9	0.390
1994	12.9	496	85	96.2	17.1	19.4	11.4	9.4	13.4	0.079
1995	12.8	561	78	95.3	13.9	17.0	10.5	8.4	12.6	0.017
1996	12.2	599	84	89.6	14.0	15.0	11.4	9.4	13.5	0.254
1997	12.0	624	91	91.8	14.6	14.7	11.9	9.9	14.0	0.489
1998	12.1	471	72	78.6	15.3	16.7	11.1	8.9	13.2	0.199

Model B is a comprehensive model with more acute risk factors added in