

AMI Report: Menifee Valley Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	147	29	29.0	19.7	19.8	15.1	10.5	19.6	0.547
1992	14.5	187	22	34.3	11.8	18.3	9.3	5.2	13.4	0.007
1993	13.9	178	33	33.3	18.5	18.7	13.8	9.8	17.8	0.521
1994	13.0	177	26	31.3	14.7	17.7	10.8	6.9	14.6	0.157
1995	12.8	209	33	33.9	15.8	16.2	12.5	8.7	16.2	0.474
1996	12.2	235	33	35.2	14.0	15.0	11.4	7.9	14.9	0.380
1997	12.0	216	37	31.8	17.1	14.7	14.0	10.3	17.6	0.170
1998	12.1	180	40	26.9	22.2	15.0	17.9	13.9	21.9	0.004

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Menifee Valley Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	147	29	32.7	19.7	22.2	13.4	9.7	17.1	0.222
1992	14.5	187	22	32.1	11.8	17.2	9.9	5.9	13.9	0.014
1993	13.9	178	33	37.7	18.5	21.2	12.2	8.8	15.5	0.178
1994	12.9	177	26	30.6	14.7	17.3	11.0	7.4	14.5	0.167
1995	12.8	207	33	31.1	15.9	15.0	13.6	9.9	17.3	0.379
1996	12.2	235	33	37.5	14.0	16.0	10.7	7.6	13.8	0.208
1997	12.0	214	36	33.0	16.8	15.4	13.1	9.8	16.4	0.292
1998	12.1	179	40	31.0	22.3	17.3	15.6	12.3	19.0	0.028

Model B is a comprehensive model with more acute risk factors added in