

## AMI Report: Kaiser Foundation Hospital-Fontana - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	423	56	51.8	13.2	12.2	16.3	12.7	19.9	0.275
1992	14.5	485	60	49.4	12.4	10.2	17.6	14.0	21.2	0.057
1993	13.9	458	52	48.0	11.4	10.5	15.1	11.6	18.6	0.281
1994	13.0	433	38	45.0	8.8	10.4	10.9	7.6	14.3	0.137
1995	12.8	377	29	31.2	7.7	8.3	11.9	7.8	16.0	0.378
1996	12.2	417	36	38.8	8.6	9.3	11.3	7.8	14.8	0.346
1997	12.0	488	31	45.6	6.4	9.3	8.2	5.0	11.3	0.008
1998	12.1	390	27	37.6	6.9	9.6	8.7	5.2	12.1	0.029

*Model A is a conservative model with risk factors of chronic and personal characters*

## AMI Report: Kaiser Foundation Hospital-Fontana - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	423	56	48.4	13.2	11.4	17.4	14.0	20.9	0.108
1992	14.5	485	60	43.7	12.4	9.0	19.9	16.2	23.6	0.004
1993	13.9	457	52	39.9	11.4	8.7	18.1	14.5	21.8	0.017
1994	12.9	433	38	38.5	8.8	8.9	12.8	9.3	16.3	0.510
1995	12.8	372	28	25.3	7.5	6.8	14.2	9.9	18.5	0.301
1996	12.2	413	36	31.8	8.7	7.7	13.8	10.1	17.5	0.225
1997	12.0	481	30	34.5	6.2	7.2	10.5	6.9	14.1	0.227
1998	12.1	387	26	32.3	6.7	8.3	9.7	6.2	13.3	0.114

*Model B is a comprehensive model with more acute risk factors added in*