

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Alameda	Alameda Hospital	47	2	4.26	5.31	4.19	(0.32 , 15.94)	
	Alta Bates Summit Medical Center – Alta Bates Campus	146	4	2.74	4.85	2.95	(0.62 , 8.20)	
	Highland Hospital*	27	1	3.70	2.88	6.71	(0.07 , 39.19)	
	Kaiser Foundation Hospital – Oakland Campus	175	9	5.14	5.25	5.12	(2.04 , 10.20)	
	Kaiser Foundation Hospital – Hayward	171	13	7.60	5.09	7.80	(3.80 , 13.67)	
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne	166	9	5.42	6.06	4.68	(1.88 , 9.26)	
	Saint Rose Hospital	62	1	1.61	4.37	1.93	(0.02 , 11.84)	
	Washington Hospital – Fremont	141	2	1.42	5.43	1.36	(0.10 , 5.41)	
	San Leandro Hospital	8	0	0.00	4.13	0.00	(0.00 , 54.23)	
	Valleycare Medical Center	110	4	3.64	4.65	4.08	(0.86 , 11.06)	
	Kaiser Foundation Hospital – Fremont	15	1	6.67	4.06	8.57	(0.09 , 45.99)	
	Eden Medical Center	173	8	4.62	5.71	4.23	(1.57 , 8.82)	
	Kaiser Foundation Hospital – Oakland/Richmond	48	3	6.25	5.60	5.83	(0.88 , 17.50)	
	Kaiser Foundation Hospital – San Leandro	42	2	4.76	5.36	4.64	(0.36 , 16.90)	
Amador	Sutter Amador Hospital	81	4	4.94	5.76	4.48	(0.95 , 11.92)	
Butte	Biggs Gridley Memorial Hospital	1	0	0.00	3.05	0.00	(0.00 , 169.48)	
	Feather River Hospital	116	8	6.90	5.60	6.44	(2.43 , 13.08)	
	Oroville Hospital	104	6	5.77	5.82	5.18	(1.59 , 11.78)	
	Enloe Medical Center – Esplanade*	266	11	4.14	5.06	4.27	(1.88 , 8.07)	
Calaveras	Mark Twain Medical Center	35	2	5.71	4.79	6.24	(0.48 , 22.87)	
Contra Costa	Doctors Medical Center – San Pablo	74	4	5.41	5.39	5.24	(1.11 , 13.90)	
	Contra Costa Regional Medical Center	16	0	0.00	4.08	0.00	(0.00 , 29.77)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Contra Costa (continued)	Sutter Delta Medical Center	97	2	2.06	4.51	2.39	(0.18 , 9.46)	
	John Muir Medical Center – Walnut Creek Campus	324	24	7.41	5.96	6.50	(3.92 , 9.93)	
	Kaiser Foundation Hospital – Walnut Creek	322	20	6.21	5.61	5.79	(3.30 , 9.23)	
	John Muir Medical Center – Concord Campus	118	11	9.32	5.90	8.26	(3.77 , 14.92)	
	San Ramon Regional Medical Center	65	1	1.54	5.21	1.54	(0.02 , 9.49)	
	Kaiser Foundation Hospital – Antioch	114	8	7.02	5.08	7.22	(2.72 , 14.67)	
Del Norte	Sutter Coast Hospital	6	0	0.00	8.30	0.00	(0.00 , 31.46)	
El Dorado	Barton Memorial Hospital	35	1	2.86	4.52	3.30	(0.03 , 19.50)	
	Marshall Medical Center	49	4	8.16	4.79	8.90	(1.91 , 22.87)	
Fresno	Clovis Community Medical Center	225	10	4.44	4.66	4.99	(2.10 , 9.67)	
	Community Regional Medical Center – Fresno	188	8	4.26	4.61	4.82	(1.79 , 10.04)	
	Saint Agnes Medical Center	440	27	6.14	5.06	6.34	(3.93 , 9.53)	
	Fresno Surgical Hospital	2	0	0.00	1.36	0.00	(0.00 , 345.23)	
	Kaiser Foundation Hospital – Fresno	202	20	9.90	4.57	11.32	(6.49 , 17.82)	Worse
Humboldt	Mad River Community Hospital	15	2	13.33	4.39	15.88	(1.27 , 50.99)	
	Redwood Memorial Hospital	20	2	10.00	7.39	7.07	(0.54 , 24.37)	
	Saint Joseph Hospital – Eureka	154	8	5.19	6.38	4.25	(1.59 , 8.76)	
Imperial	El Centro Regional Medical Center	92	1	1.09	4.40	1.29	(0.01 , 8.15)	
	Pioneers Memorial Healthcare District	43	1	2.33	5.63	2.16	(0.02 , 12.76)	
Inyo	Northern Inyo Hospital	22	1	4.55	5.19	4.57	(0.05 , 25.42)	
Kern	Delano Regional Medical Center	29	0	0.00	3.75	0.00	(0.00 , 19.87)	
	Bakersfield Memorial Hospital	219	20	9.13	4.93	9.68	(5.56 , 15.23)	Worse
	Kern Medical Center	30	4	13.33	4.52	15.43	(3.48 , 37.69)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Kern (continued)	Mercy Hospital – Bakersfield	244	10	4.10	4.87	4.40	(1.86 , 8.53)	
	Ridgecrest Regional Hospital	24	0	0.00	3.81	0.00	(0.00 , 22.65)	
	San Joaquin Community Hospital	208	14	6.73	4.96	7.09	(3.54 , 12.32)	
Kings	Adventist Medical Center	150	10	6.67	5.53	6.30	(2.69 , 11.95)	
Lake	Sutter Lakeside Hospital	46	1	2.17	4.44	2.56	(0.03 , 15.30)	
Lassen	Banner Lassen Medical Center	4	0	0.00	2.42	0.00	(0.00 , 140.55)	
Los Angeles	Alhambra Hospital Medical Center*	66	2	3.03	5.95	2.66	(0.20 , 10.42)	
	Antelope Valley Hospital	252	19	7.54	4.52	8.71	(4.87 , 14.02)	
	Saint Mary Medical Center – Long Beach*	79	0	0.00	4.26	0.00	(0.00 , 6.82)	
	Beverly Hospital	90	2	2.22	4.53	2.56	(0.19 , 10.22)	
	Southern California Hospital at Culver City	49	2	4.08	5.00	4.26	(0.32 , 15.97)	
	California Hospital Medical Center – Los Angeles	38	1	2.63	5.09	2.70	(0.03 , 15.85)	
	Centinela Hospital Medical Center	82	6	7.32	5.80	6.59	(2.04 , 14.73)	
	Gardens Regional Hospital and Medical Center*	11	1	9.09	7.59	6.26	(0.06 , 31.06)	
	City of Hope Helford Clinical Research Hospital	2	0	0.00	2.13	0.00	(0.00 , 221.06)	
	Community and Mission Hospital of Huntington Park – Slauson	11	1	9.09	6.16	7.71	(0.08 , 37.16)	
	Los Angeles Community Hospital	11	0	0.00	6.51	0.00	(0.00 , 24.40)	
	San Gabriel Valley Medical Center	94	4	4.26	5.23	4.25	(0.90 , 11.56)	
	Lakewood Regional Medical Center	152	10	6.58	5.33	6.45	(2.74 , 12.31)	
	PIH Hospital – Downey*	150	9	6.00	4.72	6.65	(2.67 , 13.13)	
	East Los Angeles Doctors Hospital	9	1	11.11	6.40	9.07	(0.09 , 42.16)	
	Encino Hospital Medical Center	26	0	0.00	6.55	0.00	(0.00 , 12.38)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Los Angeles (continued)	Foothill Presbyterian Hospital – Johnston Memorial	104	4	3.85	4.94	4.07	(0.86 , 11.07)	
	Pacific Alliance Medical Center	34	0	0.00	4.54	0.00	(0.00 , 14.13)	
	Garfield Medical Center	97	4	4.12	5.29	4.07	(0.86 , 10.99)	
	Glendale Adventist Medical Center*	185	4	2.16	5.77	1.96	(0.41 , 5.42)	
	Glendora Community Hospital*	7	1	14.29	5.05	14.79	(0.15 , 64.45)	
	Southern California Hospital at Hollywood	7	0	0.00	15.07	0.00	(0.00 , 16.46)	
	Hollywood Presbyterian Medical Center	110	3	2.73	5.30	2.69	(0.40 , 8.52)	
	Providence Holy Cross Medical Center	219	14	6.39	6.19	5.40	(2.70 , 9.35)	
	Good Samaritan Hospital – Los Angeles	120	5	4.17	4.55	4.78	(1.25 , 11.85)	
	Huntington Memorial Hospital	315	17	5.40	5.76	4.90	(2.62 , 8.15)	
	Citrus Valley Medical Center – Inter Community Campus	119	3	2.52	5.65	2.33	(0.34 , 7.42)	
	Torrance Memorial Medical Center	372	31	8.33	5.06	8.60	(5.56 , 12.48)	Worse
	Kaiser Foundation Hospital – Sunset	92	5	5.43	5.25	5.41	(1.42 , 13.26)	
	Kaiser Foundation Hospital – South Bay	54	5	9.26	5.76	8.39	(2.29 , 19.46)	
	Kaiser Foundation Hospital – Panorama City	226	17	7.52	4.88	8.05	(4.33 , 13.29)	
	Kaiser Foundation Hospital – West Los Angeles	77	3	3.90	4.47	4.55	(0.67 , 14.18)	
	Providence Little Company of Mary Medical Center – Torrance	273	11	4.03	5.55	3.79	(1.68 , 7.16)	
	Community Hospital Long Beach*	53	3	5.66	4.66	6.35	(0.95 , 19.40)	
	Marina Del Rey Hospital	69	3	4.35	4.73	4.80	(0.71 , 14.88)	
	Providence Tarzana Medical Center	187	5	2.67	6.72	2.08	(0.54 , 5.23)	
	Memorial Hospital of Gardena	27	1	3.70	5.28	3.66	(0.04 , 20.66)	
	Glendale Memorial Hospital and Medical Center	135	7	5.19	6.02	4.50	(1.55 , 9.66)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Los Angeles (continued)	Mission Community Hospital – Panorama Campus	39	0	0.00	7.22	0.00	(0.00 , 7.77)	
	Long Beach Memorial Medical Center	205	3	1.46	5.23	1.46	(0.21 , 4.76)	Better
	Methodist Hospital of Southern California	280	18	6.43	5.35	6.28	(3.44 , 10.28)	
	Olympia Medical Center	51	2	3.92	5.55	3.69	(0.28 , 14.10)	
	Monterey Park Hospital	15	0	0.00	4.91	0.00	(0.00 , 26.31)	
	Cedars Sinai Medical Center	386	13	3.37	5.13	3.43	(1.63 , 6.20)	
	Northridge Hospital Medical Center	157	10	6.37	5.74	5.80	(2.46 , 11.09)	
	Norwalk Community Hospital	16	1	6.25	5.26	6.21	(0.06 , 33.44)	
	College Medical Center*	23	0	0.00	5.67	0.00	(0.00 , 15.70)	
	Pomona Valley Hospital Medical Center	207	7	3.38	5.78	3.05	(1.04 , 6.71)	
	Presbyterian Intercommunity Hospital	304	15	4.93	5.18	4.98	(2.53 , 8.57)	
	Citrus Valley Medical Center – Queen of the Valley Campus	118	4	3.39	4.52	3.92	(0.82 , 10.69)	
	Silver Lake Medical Center – Downtown Campus	12	0	0.00	11.08	0.00	(0.00 , 14.46)	
	San Dimas Community Hospital	75	3	4.00	5.35	3.91	(0.58 , 12.11)	
	Providence Little Company of Mary Medical Center – San Pedro	95	2	2.11	5.39	2.04	(0.15 , 8.13)	
	Santa Monica – UCLA Medical Center and Orthopedic Hospital	248	12	4.84	5.47	4.62	(2.13 , 8.48)	
	Pacifica Hospital of the Valley	20	1	5.00	5.88	4.44	(0.04 , 24.30)	
	Sherman Oaks Hospital	59	2	3.39	5.31	3.33	(0.25 , 12.79)	
	Saint Francis Medical Center	75	2	2.67	4.58	3.04	(0.23 , 11.88)	
	Saint John’s Health Center	201	13	6.47	5.18	6.52	(3.14 , 11.59)	
	Providence Saint Joseph Medical Center	311	15	4.82	4.90	5.14	(2.62 , 8.86)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Los Angeles (continued)	Saint Vincent Medical Center	75	1	1.33	6.69	1.04	(0.01 , 6.44)	
	Coast Plaza Hospital	14	0	0.00	4.99	0.00	(0.00 , 27.12)	
	Temple Community Hospital	5	0	0.00	7.98	0.00	(0.00 , 38.29)	
	Ronald Reagan UCLA Medical Center	38	4	10.53	6.09	9.03	(1.95 , 22.80)	
	Valley Presbyterian Hospital	92	5	5.43	4.87	5.83	(1.53 , 14.27)	
	University of Southern California Verdugo Hills Hospital	118	4	3.39	4.61	3.85	(0.80 , 10.59)	
	West Hills Hospital and Medical Center	181	15	8.29	5.45	7.94	(4.11 , 13.39)	
	White Memorial Medical Center	81	3	3.70	6.05	3.20	(0.48 , 9.93)	
	Whittier Hospital Medical Center	61	1	1.64	5.47	1.57	(0.02 , 9.57)	
	Henry Mayo Newhall Hospital*	131	12	9.16	4.97	9.63	(4.55 , 17.07)	
	Los Angeles County/Harbor – UCLA Medical Center	39	0	0.00	4.08	0.00	(0.00 , 13.69)	
	Los Angeles County/University of Southern California Medical Center	56	1	1.79	3.43	2.72	(0.03 , 16.68)	
	Kaiser Foundation Hospital – Woodland Hills	247	7	2.83	5.53	2.68	(0.91 , 5.90)	
	Keck Hospital of University of Southern California	14	1	7.14	4.38	8.53	(0.09 , 43.35)	
	Kaiser Foundation Hospital – Baldwin Park	200	9	4.50	5.36	4.39	(1.75 , 8.74)	
	Kaiser Foundation Hospital – Downey	149	5	3.36	4.50	3.90	(1.02 , 9.71)	
	Palmdale Regional Medical Center	107	6	5.61	5.75	5.09	(1.57 , 11.48)	
Madera	Madera Community Hospital	17	1	5.88	4.87	6.31	(0.06 , 33.35)	
Marin	Kaiser Foundation Hospital – San Rafael	162	7	4.32	5.53	4.08	(1.39 , 8.89)	
	Marin General Hospital	165	9	5.45	5.28	5.40	(2.16 , 10.70)	
	Novato Community Hospital	59	5	8.47	6.13	7.23	(1.94 , 17.15)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Mendocino	Frank R. Howard Memorial Hospital	92	5	5.43	4.28	6.64	(1.74 , 16.31)	
	Mendocino Coast District Hospital	17	2	11.76	4.49	13.70	(1.06 , 45.40)	
	Ukiah Valley Medical Center	50	3	6.00	4.64	6.76	(1.02 , 20.35)	
Merced	Mercy Medical Center – Merced	182	9	4.95	5.30	4.87	(1.95 , 9.69)	
Mono	Mammoth Hospital	11	0	0.00	2.76	0.00	(0.00 , 60.21)	
Monterey	Community Hospital of The Monterey Peninsula	227	11	4.85	5.36	4.72	(2.09 , 8.90)	
	George L. Mee Memorial Hospital	8	0	0.00	2.19	0.00	(0.00 , 101.39)	
	Salinas Valley Memorial Hospital	138	10	7.25	6.01	6.30	(2.69 , 11.91)	
Monterey	Natividad Medical Center	22	2	9.09	3.16	15.01	(1.15 , 52.56)	
Napa	Queen of the Valley Hospital – Napa	125	11	8.80	5.91	7.78	(3.50 , 14.25)	
	Saint Helena Hospital	54	4	7.41	5.81	6.66	(1.42 , 17.44)	
Nevada	Sierra Nevada Memorial Hospital	148	7	4.73	5.81	4.25	(1.46 , 9.18)	
	Tahoe Forest Hospital	36	1	2.78	3.54	4.10	(0.04 , 24.22)	
Orange	Orange Coast Memorial Medical Center	183	9	4.92	4.95	5.19	(2.07 , 10.39)	
	AHMC Anaheim Regional Medical Center	129	11	8.53	5.68	7.85	(3.54 , 14.38)	
	Chapman Medical Center	14	0	0.00	3.13	0.00	(0.00 , 45.57)	
	Fountain Valley Regional Hospital and Medical Center – Euclid	163	4	2.45	5.07	2.53	(0.53 , 7.06)	
	Western Medical Center Anaheim	12	0	0.00	2.68	0.00	(0.00 , 59.23)	
	Hoag Memorial Hospital Presbyterian	196	15	7.65	6.30	6.34	(3.26 , 10.77)	
	Huntington Beach Hospital	23	1	4.35	5.95	3.82	(0.04 , 21.27)	
	La Palma Intercommunity Hospital	42	1	2.38	4.89	2.54	(0.03 , 15.28)	
	Los Alamitos Medical Center	284	12	4.23	5.20	4.25	(1.96 , 7.81)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Orange (continued)	Coastal Communities Hospital	10	0	0.00	5.35	0.00	(0.00 , 34.58)	
	Mission Hospital Regional Medical Center	219	8	3.65	4.77	4.00	(1.48 , 8.39)	
	UC Irvine Medical Center	61	0	0.00	5.28	0.00	(0.00 , 6.99)	
	Garden Grove Hospital and Medical Center	47	1	2.13	5.52	2.02	(0.02 , 12.11)	
	Placentia Linda Hospital	97	5	5.15	5.38	5.01	(1.31 , 12.33)	
	Saddleback Memorial Medical Center	388	17	4.38	5.58	4.10	(2.19 , 6.88)	
	Mission Hospital Laguna Beach	58	2	3.45	5.10	3.54	(0.27 , 13.63)	
	Saint Joseph Hospital – Orange	317	16	5.05	4.88	5.40	(2.82 , 9.16)	
	Saint Jude Medical Center	313	14	4.47	5.01	4.67	(2.30 , 8.22)	
	West Anaheim Medical Center	72	4	5.56	7.10	4.09	(0.87 , 10.83)	
	Western Medical Center – Santa Ana	54	6	11.11	4.86	11.94	(3.76 , 25.82)	
	Kaiser Foundation Hospital – Orange County – Anaheim	361	19	5.26	5.11	5.38	(3.00 , 8.70)	
	Hoag Orthopedic Institute	364	10	2.75	3.87	3.71	(1.55 , 7.29)	
Placer	Sutter Auburn Faith Hospital	118	14	11.86	6.21	9.98	(5.08 , 16.85)	
	Sutter Roseville Medical Center	313	27	8.63	5.77	7.82	(4.89 , 11.60)	
	Kaiser Foundation Hospital – Roseville	356	24	6.74	5.39	6.53	(3.93 , 10.00)	
Riverside	Corona Regional Medical Center – Main	131	7	5.34	4.97	5.62	(1.93 , 12.09)	
	Desert Regional Medical Center	299	29	9.70	4.86	10.42	(6.65 , 15.25)	Worse
	Eisenhower Medical Center	432	25	5.79	4.84	6.24	(3.80 , 9.52)	
	Hemet Valley Medical Center	274	28	10.22	6.16	8.67	(5.50 , 12.73)	Worse
	John F. Kennedy Memorial Hospital	119	8	6.72	3.76	9.33	(3.50 , 19.10)	
	Parkview Community Hospital Medical Center	64	0	0.00	4.50	0.00	(0.00 , 7.79)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Riverside (continued)	Riverside Community Hospital	246	13	5.28	4.84	5.70	(2.74 , 10.19)	
	San Geronio Memorial Hospital	30	2	6.67	4.92	7.08	(0.54 , 25.77)	
	Menifee Valley Medical Center	93	5	5.38	5.58	5.03	(1.32 , 12.35)	
	Kaiser Foundation Hospital – Riverside	117	8	6.84	4.91	7.27	(2.74 , 14.81)	
	Kaiser Foundation Hospital – Moreno Valley	40	1	2.50	4.70	2.78	(0.03 , 16.56)	
	Southwest Healthcare System – Murrieta	257	13	5.06	4.65	5.68	(2.73 , 10.17)	
	Riverside County Regional Medical Center	81	5	6.17	4.69	6.88	(1.82 , 16.68)	
	Temecula Valley Hospital	40	2	5.00	4.46	5.86	(0.44 , 21.88)	
	Loma Linda University Medical Center – Murrieta	105	4	3.81	4.82	4.13	(0.87 , 11.29)	
Sacramento	Kaiser Foundation Hospital – Sacramento	239	10	4.18	5.14	4.25	(1.79 , 8.23)	
	Mercy General Hospital	146	9	6.16	5.36	6.01	(2.41 , 11.89)	
	Mercy San Juan Hospital	275	13	4.73	5.44	4.54	(2.18 , 8.13)	
	Methodist Hospital of Sacramento	106	9	8.49	5.13	8.64	(3.49 , 16.85)	
	UC Davis Medical Center	146	6	4.11	5.55	3.87	(1.18 , 8.92)	
	Sutter General Hospital	313	13	4.15	5.18	4.19	(2.00 , 7.54)	
	Sutter Memorial Hospital	1	0	0.00	6.14	0.00	(0.00 , 84.22)	
	Kaiser Foundation Hospital – South Sacramento	190	11	5.79	5.90	5.13	(2.30 , 9.51)	
	Mercy Hospital – Folsom	96	5	5.21	4.95	5.50	(1.45 , 13.42)	
San Benito	Hazel Hawkins Memorial Hospital	33	1	3.03	5.45	2.90	(0.03 , 16.85)	
San Bernardino	Bear Valley Community Hospital	2	0	0.00	2.87	0.00	(0.00 , 163.56)	
	Chino Valley Medical Center	20	1	5.00	6.03	4.33	(0.04 , 23.88)	
	Montclair Hospital Medical Center	16	2	12.50	6.69	9.77	(0.77 , 31.30)	
	Kaiser Foundation Hospital – Fontana	318	12	3.77	4.55	4.33	(1.99 , 7.99)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
San Bernardino (continued)	Loma Linda University Medical Center	151	8	5.30	5.16	5.36	(2.00 , 11.09)	
	Redlands Community Hospital	273	14	5.13	6.14	4.37	(2.16 , 7.65)	
	San Antonio Community Hospital	246	14	5.69	5.44	5.46	(2.71 , 9.54)	
	Community Hospital of San Bernardino	30	2	6.67	4.29	8.12	(0.62 , 29.64)	
	Saint Bernardine Medical Center	147	3	2.04	4.30	2.48	(0.36 , 7.97)	
	Saint Mary Medical Center – Apple Valley	187	6	3.21	5.34	3.14	(0.95 , 7.30)	
	Victor Valley Global Medical Center	76	5	6.58	3.99	8.62	(2.29 , 20.83)	
	Hi-Desert Medical Center	62	7	11.29	4.60	12.83	(4.49 , 26.51)	
	Desert Valley Hospital	85	5	5.88	6.75	4.55	(1.20 , 11.14)	
	Arrowhead Regional Medical Center	64	4	6.25	4.52	7.22	(1.54 , 19.09)	
	Barstow Community Hospital	10	0	0.00	3.79	0.00	(0.00 , 47.83)	
San Diego	Alvarado Hospital	73	3	4.11	5.36	4.00	(0.59 , 12.51)	
	Sharp Coronado Hospital and Healthcare Center	39	5	12.82	8.03	8.34	(2.28 , 18.70)	
	Sharp Memorial Hospital	404	20	4.95	5.56	4.65	(2.63 , 7.48)	
	Fallbrook Hospital District	65	3	4.62	4.58	5.27	(0.78 , 16.20)	
	Grossmont Hospital	329	17	5.17	5.96	4.53	(2.42 , 7.54)	
	Kaiser Foundation Hospital – San Diego	537	31	5.77	4.92	6.13	(3.94 , 8.98)	
	Scripps Mercy Hospital	316	15	4.75	5.18	4.79	(2.44 , 8.27)	
	Palomar Health Downtown Campus	300	13	4.33	5.36	4.23	(2.02 , 7.59)	
	Paradise Valley Hospital	33	2	6.06	4.82	6.56	(0.50 , 24.12)	
	Scripps Memorial Hospital – La Jolla	256	15	5.86	4.53	6.76	(3.45 , 11.63)	
	Tri-City Medical Center – Oceanside	311	17	5.47	5.51	5.18	(2.77 , 8.65)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
San Diego (continued)	UC San Diego Health System – Hillcrest Medical Center	157	5	3.18	5.33	3.12	(0.81 , 7.86)	
	Sharp Chula Vista Medical Center	164	11	6.71	5.95	5.89	(2.64 , 10.89)	
	Pomerado Hospital	149	14	9.40	5.52	8.90	(4.53 , 15.18)	
	Scripps Green Hospital	131	6	4.58	4.66	5.14	(1.56 , 11.85)	
	Scripps Memorial Hospital – Encinitas	216	10	4.63	5.36	4.51	(1.91 , 8.72)	
San Francisco	Kaiser Foundation Hospital – San Francisco	113	3	2.65	5.52	2.51	(0.37 , 7.99)	
	California Pacific Medical Center – Pacific Campus	225	7	3.11	5.70	2.85	(0.97 , 6.27)	
	California Pacific Medical Center – Davies Campus	19	2	10.53	4.71	11.67	(0.90 , 39.68)	
	San Francisco General Hospital	68	1	1.47	5.06	1.52	(0.02 , 9.42)	
	Saint Francis Memorial Hospital	79	5	6.33	5.17	6.40	(1.70 , 15.33)	
	California Pacific Medical Center – St. Luke’s Campus	35	0	0.00	4.90	0.00	(0.00 , 12.74)	
	Saint Mary’s Medical Center, San Francisco	98	2	2.04	5.30	2.01	(0.15 , 8.01)	
	UC San Francisco Medical Center	102	5	4.90	5.49	4.67	(1.23 , 11.39)	
	Chinese Hospital	42	2	4.76	5.82	4.28	(0.32 , 16.04)	
San Joaquin	Dameron Hospital	89	2	2.25	5.12	2.29	(0.17 , 9.09)	
	Lodi Memorial Hospital	155	12	7.74	5.23	7.74	(3.63 , 13.88)	
	San Joaquin General Hospital	34	1	2.94	3.91	3.93	(0.04 , 23.21)	
	Saint Joseph’s Medical Center of Stockton	212	8	3.77	5.73	3.44	(1.27 , 7.21)	
	Sutter Tracy Community Hospital	47	4	8.51	6.89	6.45	(1.40 , 16.44)	
	Doctors Hospital of Manteca	66	5	7.58	4.88	8.12	(2.15 , 19.49)	
	Kaiser Foundation Hospital – Manteca	203	13	6.40	5.20	6.43	(3.10 , 11.41)	
San Luis Obispo	Marian Regional Medical Center – Arroyo Grande	83	9	10.84	5.01	11.31	(4.66 , 21.48)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
San Luis Obispo (continued)	French Hospital Medical Center	86	5	5.81	5.96	5.10	(1.34 , 12.39)	
	Sierra Vista Regional Medical Center	83	2	2.41	4.63	2.72	(0.20 , 10.58)	
	Twin Cities Community Hospital	145	12	8.28	4.82	8.97	(4.23 , 16.05)	
San Mateo	San Mateo Medical Center	14	0	0.00	4.87	0.00	(0.00 , 28.25)	
	Kaiser Foundation Hospital – Redwood City	93	4	4.30	6.06	3.71	(0.79 , 9.96)	
	Kaiser Foundation Hospital – South San Francisco	144	5	3.47	5.54	3.27	(0.85 , 8.20)	
	Seton Medical Center	118	4	3.39	5.41	3.27	(0.69 , 8.97)	
	Peninsula Medical Center	255	9	3.53	5.81	3.17	(1.26 , 6.38)	
	Sequoia Hospital	103	4	3.88	4.97	4.08	(0.86 , 11.09)	
Santa Barbara	Goleta Valley Cottage Hospital	108	3	2.78	4.24	3.42	(0.50 , 10.88)	
	Lompoc Valley Medical Center	48	1	2.08	3.43	3.17	(0.03 , 19.36)	
	Marian Regional Medical Center	170	11	6.47	5.31	6.37	(2.84 , 11.83)	
	Santa Barbara Cottage Hospital	270	17	6.30	5.37	6.12	(3.28 , 10.18)	
Santa Clara	Regional Medical of San Jose	133	4	3.01	4.29	3.66	(0.77 , 10.16)	
	El Camino Hospital	317	6	1.89	5.56	1.78	(0.54 , 4.19)	Better
	Good Samaritan Hospital – San Jose	226	13	5.75	4.80	6.26	(3.01 , 11.16)	
	O’Connor Hospital*	195	9	4.62	5.25	4.59	(1.83 , 9.17)	
	Santa Clara Valley Medical Center	60	4	6.67	4.08	8.53	(1.81 , 22.54)	
	Stanford Hospital	215	13	6.05	5.72	5.52	(2.66 , 9.80)	
	Kaiser Foundation Hospital – San Jose	157	13	8.28	5.47	7.91	(3.85 , 13.87)	
	Saint Louise Regional Hospital	57	4	7.02	5.03	7.29	(1.57 , 18.93)	
	Kaiser Foundation Hospital – Santa Clara	266	10	3.76	5.34	3.68	(1.54 , 7.17)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Santa Cruz	Dominican Hospital*	165	9	5.45	4.85	5.88	(2.36 , 11.63)	
	Watsonville Community Hospital	79	2	2.53	4.90	2.70	(0.20 , 10.61)	
Shasta	Shasta Regional Medical Center	129	4	3.10	4.57	3.55	(0.74 , 9.77)	
	Mercy Medical Center – Redding	343	21	6.12	5.02	6.37	(3.67 , 10.08)	
Siskiyou	Mercy Medical Center Mt. Shasta	28	2	7.14	4.32	8.64	(0.66 , 30.95)	
	Fairchild Medical Center	44	2	4.55	4.65	5.11	(0.39 , 19.44)	
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	171	13	7.60	5.17	7.68	(3.71 , 13.59)	
	Sutter Solano Medical Center	51	4	7.84	5.18	7.92	(1.70 , 20.50)	
	North Bay Medical Center	115	9	7.83	5.22	7.83	(3.17 , 15.26)	
	Kaiser Foundation Hospital – Vacaville	117	11	9.40	5.03	9.76	(4.42 , 17.74)	
Sonoma	Sutter Medical Center of Santa Rosa	71	7	9.86	5.08	10.14	(3.54 , 21.10)	
	Healdsburg District Hospital	33	1	3.03	4.82	3.29	(0.03 , 19.34)	
	Petaluma Valley Hospital	68	3	4.41	5.60	4.12	(0.61 , 12.70)	
	Santa Rosa Memorial Hospital – Montgomery	247	14	5.67	5.54	5.35	(2.65 , 9.38)	
	Sonoma Valley Hospital	53	1	1.89	5.41	1.82	(0.02 , 11.10)	
	Palm Drive Hospital	17	0	0.00	4.10	0.00	(0.00 , 29.33)	
	Kaiser Foundation Hospital – Santa Rosa	184	8	4.35	4.95	4.59	(1.70 , 9.58)	
	Sutter Santa Rosa Regional Hospital	5	0	0.00	4.92	0.00	(0.00 , 61.04)	
Stanislaus	Doctors Medical Center	241	10	4.15	4.88	4.45	(1.87 , 8.64)	
	Emanuel Medical Center	67	8	11.94	5.08	12.28	(4.74 , 24.07)	
	Memorial Hospital Medical Center – Modesto	341	13	3.81	5.16	3.86	(1.84 , 6.95)	
	Oak Valley District Hospital	21	0	0.00	3.80	0.00	(0.00 , 25.73)	
Tehama	Saint Elizabeth Community Hospital	22	3	13.64	5.04	14.15	(2.18 , 38.91)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.

Mortality Following Hip Fracture Repair in California Hospitals, 2013-2014

County Name	Hospital Name*	Hip Fracture Repair Cases	Hip Fracture Repair Deaths	Observed Mortality Rate(%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate(%)	98% CI for RAMR	Performance Rating**
STATEWIDE		38,069	1,989	5.22				
Tulare	Kaweah Delta Medical Center	263	17	6.46	5.10	6.62	(3.55 , 10.98)	
	Sierra View Medical Center*	107	4	3.74	4.07	4.79	(1.01 , 13.14)	
	Tulare Regional Medical Center	48	3	6.25	4.73	6.91	(1.05 , 20.40)	
Tuolumne	Sonora Regional Medical Center – Greenley	111	9	8.11	5.34	7.94	(3.20 , 15.51)	
Ventura	Community Memorial Hospital – San Buenaventura	233	12	5.15	5.40	4.99	(2.31 , 9.10)	
	Ventura County Medical Center	60	3	5.00	4.88	5.35	(0.80 , 16.32)	
	Los Robles Hospital and Medical Center	260	13	5.00	4.91	5.32	(2.55 , 9.51)	
	Ojai Valley Community Hospital	33	3	9.09	5.69	8.34	(1.26 , 24.05)	
	Saint John’s Pleasant Valley Hospital	112	3	2.68	5.50	2.55	(0.38 , 7.99)	
	Simi Valley Hospital and Healthcare Services – Sycamore	81	7	8.64	4.41	10.23	(3.54 , 21.53)	
	Saint John’s Regional Medical Center	115	4	3.48	4.73	3.84	(0.80 , 10.58)	
Yolo	Woodland Memorial Hospital	59	6	10.17	5.62	9.45	(2.98 , 20.59)	
	Sutter Davis Hospital	72	5	6.94	5.42	6.69	(1.77 , 16.15)	
Yuba	Rideout Memorial Hospital	203	12	5.91	4.93	6.26	(2.90 , 11.40)	

Source: OSHPD hospital patient discharge data, 2013 - 2014; California death certificate records (Death Statistical Master File), 2013 - 2014. See Technical Note for details about methodology.

*Hospital name changed from 2012-2013 report to 2013-2014 report.

**A Hospital is classified as “Better” if the upper 98% Confidence Interval (CI) of the risk-adjusted rate falls below the statewide rate. A hospital is classified as “Worse” if the lower 98% CI of the risk-adjusted rate is higher than the statewide rate. A hospital’s performance is classified as “As Expected” (rating is blank) if the statewide rate falls within the 98% CI of the hospital risk-adjusted rate.