

**Type of Care by Patient County of Residence  
for 2010  
Humboldt County**

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	12,031	94.00	4.2
<b>Chemical Dependency Recovery Care</b>	5	0.04	16
<b>Physical Rehabilitation Care</b>	156	1.22	16
<b>Psychiatric Care</b>	533	4.16	6.9
<b>Skilled Nursing/Intermediate Care</b>	74	0.58	51
<b>All</b>	12,799	100.0	4.8

***Disposition by Patient County of Residence  
for 2010  
Humboldt County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	162	0.00	12
<b>01 - Routine (Home)</b>	2,964,599	74.66	3.6
<b>02 - Acute Care within the admitting hospital</b>	9,793	0.25	64
<b>03 - Other Care with the admitting hospital</b>	20,666	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32,649	0.82	8.1
<b>05 - Acute Care at another hospital</b>	83,795	2.11	10
<b>06 - Other Care (not SN/IC) at another hospital</b>	34,381	0.87	9.8
<b>07 - SN/IC at another facility</b>	305,209	7.69	8.8
<b>08 - Residential Care facility</b>	36,313	0.91	9.4
<b>09 - Prison/Jail</b>	20,022	0.50	5.3
<b>10 - Left Against Medical Advice</b>	45,467	1.14	3.2
<b>11 - Died</b>	76,630	1.93	16
<b>12 - Home Health Service</b>	330,832	8.33	7.1
<b>13 - Other</b>	10,404	0.26	11
<b>All</b>	3,970,922	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	8,723	72.50	3.2
<b>03 - Other Care with the admitting hospital</b>	104	0.86	8.4
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	54	0.45	11
<b>05 - Acute Care at another hospital</b>	259	2.15	4.4
<b>06 - Other Care (not SN/IC) at another hospital</b>	133	1.11	5.9
<b>07 - SN/IC at another facility</b>	732	6.08	9.5
<b>08 - Residential Care facility</b>	68	0.57	6.3
<b>09 - Prison/Jail</b>	14	0.12	7.5
<b>10 - Left Against Medical Advice</b>	126	1.05	3.1
<b>11 - Died</b>	278	2.31	6.9
<b>12 - Home Health Service</b>	1,534	12.75	6.3
<b>13 - Other</b>	6	0.05	6.7
<b>All</b>	12,031	100.0	4.2

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	5	100.0	16
<b>All</b>	5	100.0	16

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	41	26.28	12
02 - Acute Care within the admitting hospital	4	2.56	24
03 - Other Care with the admitting hospital	3	1.92	6.0
06 - Other Care (not SN/IC) at another hospital	1	0.64	20
07 - SN/IC at another facility	5	3.21	20
08 - Residential Care facility	7	4.49	21
12 - Home Health Service	95	60.90	17
All	156	100.0	16

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	487	91.37	6.5
<b>06 - Other Care (not SN/IC) at another hospital</b>	16	3.00	2.8
<b>07 - SN/IC at another facility</b>	4	0.75	25
<b>08 - Residential Care facility</b>	11	2.06	17
<b>09 - Prison/Jail</b>	5	0.94	6.2
<b>10 - Left Against Medical Advice</b>	1	0.19	3.0
<b>13 - Other</b>	9	1.69	13
<b>All</b>	533	100.0	6.9

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	21	28.38	23
<b>02 - Acute Care within the admitting hospital</b>	7	9.46	317
<b>05 - Acute Care at another hospital</b>	3	4.05	8.3
<b>07 - SN/IC at another facility</b>	16	21.62	49
<b>08 - Residential Care facility</b>	2	2.70	9.5
<b>10 - Left Against Medical Advice</b>	1	1.35	10
<b>11 - Died</b>	11	14.86	13
<b>12 - Home Health Service</b>	13	17.57	7.5
<b>All</b>	74	100.0	51

***Gender by Patient County of Residence  
for 2010  
Humboldt County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	5,407	42.25	5.0
<b>2 - Female</b>	7,389	57.73	4.6
<b>3 - Other</b>	3	0.02	1.7
<b>All</b>	12,799	100.0	4.8

***Gender by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	5,055	42.02	4.8
<b>2 - Female</b>	6,973	57.96	3.9
<b>3 - Other</b>	3	0.02	1.7
<b>All</b>	12,031	100.0	4.2

***Gender by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3	60.00	19
2 - Female	2	40.00	13
All	5	100.0	16

***Gender by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	69	44.23	14
<b>2 - Female</b>	87	55.77	17
<b>All</b>	156	100.0	16

***Gender by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	258	48.41	6.7
<b>2 - Female</b>	275	51.59	7.0
<b>All</b>	533	100.0	6.9

***Gender by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	22	29.73	16
<b>2 - Female</b>	52	70.27	66
<b>All</b>	74	100.0	51

***Expected Payer by Patient County of Residence  
for 2010  
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	4,711	36.81	5.9
<b>02 - Medi-Cal</b>	3,576	27.94	4.6
<b>03 - Private Coverage</b>	3,314	25.89	3.5
<b>04 - Workers' Compensatio</b>	139	1.09	4.2
<b>05 - County Indigent Prog</b>	279	2.18	5.8
<b>06 - Other Government</b>	223	1.74	3.8
<b>07 - Other Indigent</b>	6	0.05	3.7
<b>08 - Self-Pay</b>	544	4.25	4.0
<b>09 - Other Payer</b>	7	0.05	5.9
<b>All</b>	12,799	100.0	4.8

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	4,375	36.36	5.3
02 - Medi-Cal	3,362	27.94	3.7
03 - Private Coverage	3,226	26.81	3.4
04 - Workers' Compensatio	134	1.11	3.9
05 - County Indigent Prog	257	2.14	5.8
06 - Other Government	209	1.74	3.3
07 - Other Indigent	4	0.03	3.0
08 - Self-Pay	460	3.82	3.9
09 - Other Payer	4	0.03	5.3
All	12,031	100.0	4.2

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	3	60.00	10
06 - Other Government	1	20.00	21
08 - Self-Pay	1	20.00	29
All	5	100.0	16

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	117	75.00	15
<b>02 - Medi-Cal</b>	9	5.77	11
<b>03 - Private Coverage</b>	23	14.74	19
<b>04 - Workers' Compensatio</b>	3	1.92	16
<b>06 - Other Government</b>	3	1.92	29
<b>08 - Self-Pay</b>	1	0.64	17
<b>All</b>	156	100.0	16

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	153	28.71	7.8
<b>02 - Medi-Cal</b>	200	37.52	7.9
<b>03 - Private Coverage</b>	61	11.44	5.4
<b>05 - County Indigent Prog</b>	22	4.13	5.6
<b>06 - Other Government</b>	10	1.88	5.8
<b>07 - Other Indigent</b>	2	0.38	5.0
<b>08 - Self-Pay</b>	82	15.38	4.3
<b>09 - Other Payer</b>	3	0.56	6.7
<b>All</b>	533	100.0	6.9

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	66	89.19	22
02 - Medi-Cal	5	6.76	461
03 - Private Coverage	1	1.35	9.0
04 - Workers' Compensatio	2	2.70	12
All	74	100.0	51

***Race Group by Patient County of Residence  
for 2010  
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	106	0.83	5.9
<b>1 - White</b>	10,955	85.59	4.9
<b>2 - Black</b>	141	1.10	3.8
<b>3 - Hispanic</b>	600	4.69	4.2
<b>4 - Asian/Pacific Islander</b>	180	1.41	3.7
<b>5 - Native American/Eskimo/Ale</b>	641	5.01	3.9
<b>6 - Other</b>	176	1.38	5.3
<b>All</b>	12,799	100.0	4.8

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	92	0.76	5.8
<b>1 - White</b>	10,302	85.63	4.4
<b>2 - Black</b>	129	1.07	3.4
<b>3 - Hispanic</b>	563	4.68	3.0
<b>4 - Asian/Pacific Islander</b>	169	1.40	3.3
<b>5 - Native American/Eskimo/Ale</b>	606	5.04	3.7
<b>6 - Other</b>	170	1.41	4.7
<b>All</b>	12,031	100.0	4.2

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	5	100.0	16
All	5	100.0	16

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	3	1.92	15
<b>1 - White</b>	148	94.87	15
<b>3 - Hispanic</b>	1	0.64	31
<b>4 - Asian/Pacific Islander</b>	2	1.28	15
<b>6 - Other</b>	2	1.28	41
<b>All</b>	156	100.0	16

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	11	2.06	3.7
<b>1 - White</b>	429	80.49	7.0
<b>2 - Black</b>	12	2.25	7.7
<b>3 - Hispanic</b>	34	6.38	4.5
<b>4 - Asian/Pacific Islander</b>	9	1.69	7.4
<b>5 - Native American/Eskimo/Ale</b>	34	6.38	7.3
<b>6 - Other</b>	4	0.75	12
<b>All</b>	533	100.0	6.9

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	71	95.95	44
3 - Hispanic	2	2.70	331
5 - Native American/Eskimo/Ale	1	1.35	4.0
All	74	100.0	51

**Source of Admission by Patient County of Residence  
for 2010  
Humboldt County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10,229	79.92	4.3
2 - Residential Care Facility	67	0.52	5.3
3 - Ambulatory Surgery	66	0.52	3.4
4 - Skilled Nursing/Intermedia	131	1.02	9.0
5 - Acute Inpatient Hospital C	577	4.51	17
6 - Other Inpatient Hospital C	131	1.02	7.4
7 - Newborn (born in admitting	1,477	11.54	2.4
8 - Prison/Jail	10	0.08	6.5
9 - Other	111	0.87	6.6
All	12,799	100.0	4.8

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	9,713	80.73	4.2
2 - Residential Care Facility	64	0.53	5.1
3 - Ambulatory Surgery	66	0.55	3.4
4 - Skilled Nursing/Intermedia	127	1.06	8.6
5 - Acute Inpatient Hospital C	380	3.16	11
6 - Other Inpatient Hospital C	97	0.81	4.6
7 - Newborn (born in admitting	1,477	12.28	2.4
8 - Prison/Jail	8	0.07	7.5
9 - Other	99	0.82	6.3
All	12,031	100.0	4.2

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5	100.0	16
All	5	100.0	16

***Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
4 - Skilled Nursing/Intermedia	2	1.28	20
5 - Acute Inpatient Hospital C	123	78.85	16
6 - Other Inpatient Hospital C	31	19.87	16
All	156	100.0	16

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	510	95.68	6.7
<b>2 - Residential Care Facility</b>	3	0.56	11
<b>4 - Skilled Nursing/Intermedia</b>	1	0.19	38
<b>5 - Acute Inpatient Hospital C</b>	2	0.38	12
<b>6 - Other Inpatient Hospital C</b>	3	0.56	11
<b>8 - Prison/Jail</b>	2	0.38	2.5
<b>9 - Other</b>	12	2.25	8.9
<b>All</b>	533	100.0	6.9

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	1.35	99
4 - Skilled Nursing/Intermedia	1	1.35	5.0
5 - Acute Inpatient Hospital C	72	97.30	51
All	74	100.0	51

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	10	0.08	28
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	8	0.06	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.02	8.5
007	LUNG TRANSPLANT	2	0.02	35
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.01	7.0
009	BONE MARROW TRANSPLANT	1	0.01	19
011	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSIS WITH MCC	1	0.01	6.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	3	0.02	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	4	0.03	13
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	7	0.05	12
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.02	3.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	18	0.14	8.6
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	21	0.16	6.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	24	0.19	4.3
028	SPINAL PROCEDURES WITH MCC	5	0.04	18
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	8	0.06	8.1
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.04	2.6
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	1	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.02	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.02	5.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
038	EXTRACRANIAL PROCEDURES WITH CC	25	0.20	2.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	64	0.50	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	6	0.05	17
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	10	0.08	8.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.02	5.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.02	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	6	0.05	3.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	11	0.09	6.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.06	16
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	23	0.18	65
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.02	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.02	4.5
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.01	2.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	42	0.33	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	85	0.66	5.4
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	49	0.38	2.6
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.04	2.6
069	TRANSIENT ISCHEMIA	32	0.25	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.02	6.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	3	0.02	19
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.01	2.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2010  
Humboldt County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>073</b>	<b>CRANIAL &amp; PERIPHERAL NERVE DISORDERS WITH MCC</b>	4	0.03	5.8
<b>074</b>	<b>CRANIAL &amp; PERIPHERAL NERVE DISORDERS WITHOUT MCC</b>	18	0.14	5.1
<b>075</b>	<b>VIRAL MENINGITIS WITH CC/MCC</b>	2	0.02	5.5
<b>076</b>	<b>VIRAL MENINGITIS WITHOUT CC/MCC</b>	3	0.02	4.3
<b>077</b>	<b>HYPERTENSIVE ENCEPHALOPATHY WITH MCC</b>	1	0.01	6.0
<b>080</b>	<b>NONTRAUMATIC STUPOR &amp; COMA WITH MCC</b>	7	0.05	2.7
<b>081</b>	<b>NONTRAUMATIC STUPOR &amp; COMA WITHOUT MCC</b>	23	0.18	3.6
<b>083</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &gt;1 HR WITH CC</b>	3	0.02	2.7
<b>084</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &gt;1 HR WITHOUT CC/MCC</b>	3	0.02	2.7
<b>085</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITH MCC</b>	6	0.05	8.7
<b>086</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITH CC</b>	10	0.08	4.2
<b>087</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITHOUT CC/MCC</b>	14	0.11	1.9
<b>089</b>	<b>CONCUSSION WITH CC</b>	1	0.01	2.0
<b>090</b>	<b>CONCUSSION WITHOUT CC/MCC</b>	1	0.01	1.0
<b>091</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC</b>	9	0.07	9.1
<b>092</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH CC</b>	18	0.14	6.7
<b>093</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC</b>	10	0.08	2.3
<b>094</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC</b>	6	0.05	6.5
<b>097</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC</b>	1	0.01	13
<b>098</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC</b>	2	0.02	4.5
<b>099</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC</b>	1	0.01	9.0
<b>100</b>	<b>SEIZURES WITH MCC</b>	16	0.13	4.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
101	SEIZURES WITHOUT MCC	50	0.39	2.5
102	HEADACHES WITH MCC	3	0.02	7.7
103	HEADACHES WITHOUT MCC	20	0.16	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.02	3.7
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.02	1.5
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	4.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	8	0.06	8.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	12	0.09	3.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	7	0.05	4.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	9	0.07	4.0
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	4.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.01	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.01	3.0
149	DYSEQUILIBRIUM	4	0.03	2.3
151	EPISTAXIS WITHOUT MCC	2	0.02	4.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.02	6.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	15	0.12	2.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.02	4.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.02	6.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.02	1.3
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	27
158	DENTAL & ORAL DISEASES WITH CC	9	0.07	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	5	0.04	3.0
163	MAJOR CHEST PROCEDURES WITH MCC	18	0.14	20
164	MAJOR CHEST PROCEDURES WITH CC	10	0.08	11
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	11	0.09	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	10	0.08	22
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	8	0.06	3.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	2.8
175	PULMONARY EMBOLISM WITH MCC	9	0.07	4.9
176	PULMONARY EMBOLISM WITHOUT MCC	28	0.22	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	92	0.72	7.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	50	0.39	7.6
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.07	6.3
180	RESPIRATORY NEOPLASMS WITH MCC	15	0.12	10
181	RESPIRATORY NEOPLASMS WITH CC	15	0.12	5.1
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.01	1.0
183	MAJOR CHEST TRAUMA WITH MCC	5	0.04	6.0
184	MAJOR CHEST TRAUMA WITH CC	3	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.01	.00
186	PLEURAL EFFUSION WITH MCC	6	0.05	7.5
187	PLEURAL EFFUSION WITH CC	7	0.05	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.02	7.5
189	PULMONARY EDEMA & RESPIRATORY FAILURE	56	0.44	5.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	93	0.73	4.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	75	0.59	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	75	0.59	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	93	0.73	4.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	177	1.38	4.1
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	92	0.72	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	6	0.05	2.8
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.02	2.0
199	PNEUMOTHORAX WITH MCC	4	0.03	9.8
200	PNEUMOTHORAX WITH CC	15	0.12	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	11	0.09	2.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	21	0.16	4.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	48	0.38	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	10	0.08	3.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.03	3.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	11	0.09	2.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	31	0.24	44

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	50	0.39	7.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	2	0.02	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.02	25
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	17	0.13	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	11	0.09	8.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.02	7.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.02	9.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.02	6.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.01	9.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.02	4.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.01	2.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	7	0.05	3.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	7.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.02	8.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.02	12
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	4	0.03	9.3
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	4	0.03	7.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	11	0.09	9.8
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	23	0.18	7.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	28	0.22	9.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	45	0.35	4.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	5	0.04	12

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.02	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.01	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	10	0.08	5.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	10	0.08	2.7
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	18	0.14	2.0
245	AICD GENERATOR PROCEDURES	1	0.01	4.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	17	0.13	3.4
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	81	0.63	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	11	0.09	3.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	37	0.29	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	4	0.03	1.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	17	0.13	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.18	5.0
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.18	3.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	17	0.13	2.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.02	9.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.02	9.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.01	7.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.02	2.5
263	VEIN LIGATION & STRIPPING	2	0.02	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	4	0.03	13
265	AICD LEAD PROCEDURES	2	0.02	4.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	26	0.20	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	22	0.17	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	23	0.18	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	10	0.08	3.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.02	4.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.02	2.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	20	0.16	6.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	50	0.39	2.3
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.03	9.5
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.02	4.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.01	2.0
291	HEART FAILURE & SHOCK WITH MCC	81	0.63	5.7
292	HEART FAILURE & SHOCK WITH CC	65	0.51	3.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	31	0.24	2.6
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.01	5.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.01	2.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.01	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	12	0.09	6.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	26	0.20	6.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	10	0.08	3.0
302	ATHEROSCLEROSIS WITH MCC	2	0.02	6.5
303	ATHEROSCLEROSIS WITHOUT MCC	16	0.13	3.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
304	HYPERTENSION WITH MCC	2	0.02	2.0
305	HYPERTENSION WITHOUT MCC	10	0.08	2.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.01	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	2	0.02	4.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	42	0.33	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	45	0.35	3.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	58	0.45	1.8
311	ANGINA PECTORIS	12	0.09	1.6
312	SYNCOPE & COLLAPSE	58	0.45	2.8
313	CHEST PAIN	82	0.64	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	24	0.19	5.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	14	0.11	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.04	1.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	15	0.12	16
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	30	0.23	5.2
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	34	0.27	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	62	0.48	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	97	0.76	7.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	53	0.41	5.3
332	RECTAL RESECTION WITH MCC	1	0.01	18
333	RECTAL RESECTION WITH CC	6	0.05	6.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	10	0.08	18

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
336	PERITONEAL ADHESIOLYSIS WITH CC	16	0.13	5.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	13	0.10	3.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.09	6.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	20	0.16	3.6
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	5.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.06	1.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	79	0.62	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.01	30
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.03	6.3
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
347	ANAL & STOMAL PROCEDURES WITH MCC	4	0.03	33
348	ANAL & STOMAL PROCEDURES WITH CC	11	0.09	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	9	0.07	3.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.01	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	3	0.02	2.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.05	6.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.20	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	29	0.23	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.01	15
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.02	4.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.04	2.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.04	8.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	7	0.05	5.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	1	0.01	1.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	6	0.05	4.7
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	13	0.10	5.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	12	0.09	6.1
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.01	4.0
375	DIGESTIVE MALIGNANCY WITH CC	7	0.05	19
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.02	3.5
377	G.I. HEMORRHAGE WITH MCC	42	0.33	5.6
378	G.I. HEMORRHAGE WITH CC	77	0.60	3.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	22	0.17	2.0
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.03	3.3
381	COMPLICATED PEPTIC ULCER WITH CC	5	0.04	7.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	5	0.04	4.6
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.02	1.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	7	0.05	5.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	11	0.09	6.5
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	5	0.04	2.6
388	G.I. OBSTRUCTION WITH MCC	10	0.08	3.8
389	G.I. OBSTRUCTION WITH CC	18	0.14	3.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	42	0.33	2.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	54	0.42	4.8
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	197	1.54	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	11	0.09	7.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	24	0.19	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.08	3.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	10	0.08	19
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	4	0.03	6.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.06	6.3
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	34
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	6.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	6.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.02	10
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	6.8
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.06	2.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	18	0.14	5.8
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	38	0.30	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	76	0.59	2.1
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	18	0.14	7.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	7	0.05	2.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	7	0.05	2.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	5	0.04	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	15	0.12	7.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	34	0.27	3.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	29	0.23	2.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	44	0.34	6.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	21	0.16	4.7
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	5	0.04	2.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	9	0.07	4.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	5	0.04	1.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	6	0.05	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	9.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.04	7.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	11	0.09	6.4
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.02	15
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	8	0.06	8.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.02	5.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.04	7.6
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	53	0.41	5.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	5	0.04	7.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.04	24

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	12	0.09	18
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	2	0.02	1.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.02	5.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	11	0.09	5.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	10	0.08	3.7
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	21	0.16	6.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	418	3.27	3.2
471	CERVICAL SPINAL FUSION WITH MCC	3	0.02	6.0
472	CERVICAL SPINAL FUSION WITH CC	19	0.15	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	44	0.34	1.6
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.02	9.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.01	6.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.04	9.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.02	3.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.20	7.9
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	54	0.42	6.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	37	0.29	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	13	0.10	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	17	0.13	1.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	11	0.09	3.7
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	16	0.13	2.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	24	0.19	4.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	55	0.43	1.5
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	13	0.10	10
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	29	0.23	5.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	70	0.55	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	5	0.04	9.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.04	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	20	0.16	2.1
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.02	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.02	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.03	10
501	SOFT TISSUE PROCEDURES WITH CC	9	0.07	7.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	13	0.10	2.0
503	FOOT PROCEDURES WITH MCC	2	0.02	8.5
504	FOOT PROCEDURES WITH CC	2	0.02	1.5
505	FOOT PROCEDURES WITHOUT CC/MCC	6	0.05	1.5
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.02	3.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.02	7.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.03	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	3.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.02	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	13	0.10	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.06	3.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.05	2.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.02	9.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	2	0.02	2.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	13	0.10	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.02	2.0
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.08	6.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	18	0.14	4.2
539	OSTEOMYELITIS WITH MCC	2	0.02	8.0
540	OSTEOMYELITIS WITH CC	6	0.05	8.7
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	14	0.11	5.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	6	0.05	4.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.01	6.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	5	0.04	6.8
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.03	39
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	10	0.08	3.1
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.01	10
551	MEDICAL BACK PROBLEMS WITH MCC	5	0.04	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	33	0.26	3.8
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.02	4.7
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	5	0.04	3.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.02	4.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	13	0.10	3.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.04	5.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.12	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.04	24
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.05	14
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	8	0.06	6.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	6	0.05	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	17	0.13	2.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.02	18
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.02	4.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	12	0.09	20
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	17	0.13	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.06	5.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.02	36
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.05	5.4
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.04	6.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	8	0.06	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	15	0.12	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	17	0.13	2.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.02	6.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3

(Continued)

**MS-DRG by Patient County of Residence  
for 2010  
Humboldt County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.03	2.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	8	0.06	1.9
592	SKIN ULCERS WITH MCC	3	0.02	4.0
593	SKIN ULCERS WITH CC	12	0.09	8.1
594	SKIN ULCERS WITHOUT CC/MCC	1	0.01	4.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.02	7.5
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	5.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.02	9.5
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	3.0
602	CELLULITIS WITH MCC	44	0.34	7.9
603	CELLULITIS WITHOUT MCC	235	1.84	4.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.02	3.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	13	0.10	2.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	6.0
607	MINOR SKIN DISORDERS WITHOUT MCC	7	0.05	1.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	5	0.04	6.2
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.05	3.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.01	9.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	8	0.06	10
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.02	6.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	4	0.03	3.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	20	0.16	2.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.02	4.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.02	6.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	4	0.03	1.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	19	0.15	1.3
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.02	17
637	DIABETES WITH MCC	36	0.28	4.6
638	DIABETES WITH CC	40	0.31	3.3
639	DIABETES WITHOUT CC/MCC	15	0.12	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	53	0.41	3.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	79	0.62	4.3
643	ENDOCRINE DISORDERS WITH MCC	2	0.02	6.5
644	ENDOCRINE DISORDERS WITH CC	6	0.05	2.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	4	0.03	3.3
652	KIDNEY TRANSPLANT	7	0.05	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.02	10
654	MAJOR BLADDER PROCEDURES WITH CC	2	0.02	11
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.04	6.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.02	6.5
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	4	0.03	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	8	0.06	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.03	4.8
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	6	0.05	3.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	8	0.06	2.5
663	MINOR BLADDER PROCEDURES WITH CC	1	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	7.0
669	TRANSURETHRAL PROCEDURES WITH CC	11	0.09	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.01	5.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	7.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.02	5.7
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
682	RENAL FAILURE WITH MCC	40	0.31	5.8
683	RENAL FAILURE WITH CC	48	0.38	4.4
684	RENAL FAILURE WITHOUT CC/MCC	18	0.14	2.7
685	ADMIT FOR RENAL DIALYSIS	3	0.02	1.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.02	7.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	3	0.02	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	43	0.34	5.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	94	0.73	3.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.04	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	11	0.09	2.2
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	2	0.02	4.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	12	0.09	4.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	12	0.09	4.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	6	0.05	2.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	4	0.03	14
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.08	2.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.01	2.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.01	3.0
712	TESTES PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.06	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	11	0.09	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.01	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	8.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	6.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	4.5
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.01	2.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.03	2.3
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.02	3.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	4	0.03	1.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.02	7.5
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	5	0.04	5.2
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.01	2.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.05	4.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.04	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	46	0.36	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	213	1.66	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	6	0.05	4.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.02	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.02	5.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	9	0.07	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	29	0.23	1.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	11
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.02	4.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.02	3.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.02	1.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	3	0.02	1.3
765	CESAREAN SECTION WITH CC/MCC	134	1.05	3.7
766	CESAREAN SECTION WITHOUT CC/MCC	238	1.86	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	42	0.33	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	1.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	8	0.06	5.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	7	0.05	1.6
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	141	1.10	2.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	913	7.13	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	13	0.10	3.3
777	ECTOPIC PREGNANCY	11	0.09	1.6
778	THREATENED ABORTION	24	0.19	1.3
779	ABORTION WITHOUT D&C	4	0.03	2.3
780	FALSE LABOR	2	0.02	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	101	0.79	1.9
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	15	0.12	1.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	46	0.36	3.8
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	23	0.18	24
791	PREMATURITY WITH MAJOR PROBLEMS	14	0.11	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	55	0.43	6.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	38	0.30	6.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	279	2.18	2.1
795	NORMAL NEWBORN	1,094	8.55	1.7
799	SPLENECTOMY WITH MCC	1	0.01	7.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	4.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.01	20
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	9	0.07	6.9
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	8	0.06	4.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	24	0.19	3.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	25	0.20	3.2
813	COAGULATION DISORDERS	4	0.03	7.5
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.02	8.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	7	0.05	2.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.01	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	5	0.04	6.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.02	11
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.02	6.5
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	5.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	6	0.05	19
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	4	0.03	4.0
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.03	13
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	36
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	15	0.12	8.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	7	0.05	11
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	10	0.08	9.4
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	11	0.09	7.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	3	0.02	8.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.01	19
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.01	1.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.03	17
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.20	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.01	5.0
849	RADIOTHERAPY	1	0.01	2.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.32	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.02	7.0
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	12
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.06	12
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	25	0.20	9.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.05	5.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.07	12
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	27	0.21	4.4
864	FEVER	14	0.11	3.3
865	VIRAL ILLNESS WITH MCC	1	0.01	3.0
866	VIRAL ILLNESS WITHOUT MCC	8	0.06	4.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.01	24
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.01	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	16	0.13	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	173	1.35	6.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	54	0.42	4.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.01	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	14	0.11	4.4
881	DEPRESSIVE NEUROSES	12	0.09	3.2
882	NEUROSES EXCEPT DEPRESSIVE	41	0.32	2.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	12	0.09	16
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	12	0.09	8.3
885	PSYCHOSES	436	3.41	9.4
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.02	9.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	10	0.08	2.6
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.01	29
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	29	0.23	7.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	121	0.95	3.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.01	6.0
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.01	18
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.01	8.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	6	0.05	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.02	12
906	HAND PROCEDURES FOR INJURIES	6	0.05	6.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	12	0.09	5.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	14	0.11	5.9
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	6	0.05	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
913	TRAUMATIC INJURY WITH MCC	1	0.01	2.0
914	TRAUMATIC INJURY WITHOUT MCC	3	0.02	1.7
915	ALLERGIC REACTIONS WITH MCC	2	0.02	2.5
916	ALLERGIC REACTIONS WITHOUT MCC	5	0.04	2.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	56	0.44	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	91	0.71	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	6	0.05	8.5
920	COMPLICATIONS OF TREATMENT WITH CC	14	0.11	5.4
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	8	0.06	2.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.02	6.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	22
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.02	18
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.02	19
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	2	0.02	30
935	NON-EXTENSIVE BURNS	7	0.05	5.3
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.05	17
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	8	0.06	3.8
945	REHABILITATION WITH CC/MCC	150	1.17	15
946	REHABILITATION WITHOUT CC/MCC	38	0.30	10
947	SIGNS & SYMPTOMS WITH MCC	12	0.09	4.6
948	SIGNS & SYMPTOMS WITHOUT MCC	40	0.31	3.4
949	AFTERCARE WITH CC/MCC	5	0.04	15

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
950	AFTERCARE WITHOUT CC/MCC	4	0.03	8.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	8	0.06	2.6
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.03	11
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.05	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.02	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.09	14
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.04	14
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.05	2.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.02	4.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.01	19
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	7	0.05	15
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.03	5.8
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.02	10
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.09	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	13	0.10	7.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.07	7.8
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	8.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.09	7.6
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	8	0.06	3.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.06	3.0
All		12,799	100.0	4.8

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	10	0.08	28
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	8	0.07	18
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.02	8.5
007	LUNG TRANSPLANT	2	0.02	35
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.01	7.0
009	BONE MARROW TRANSPLANT	1	0.01	19
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.01	6.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	3	0.02	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	4	0.03	13
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	7	0.06	12
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.02	3.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	18	0.15	8.6
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	21	0.17	6.7
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	24	0.20	4.3
028	SPINAL PROCEDURES WITH MCC	5	0.04	18
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	8	0.07	8.1
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.04	2.6
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	1	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.02	1.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.02	5.0
038	EXTRACRANIAL PROCEDURES WITH CC	25	0.21	2.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	64	0.53	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	5	0.04	9.6
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	10	0.08	8.3
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.02	5.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.02	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	6	0.05	3.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	9	0.07	4.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.07	16
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	21	0.17	4.1
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.02	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.02	4.5
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.01	2.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	41	0.34	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	85	0.71	5.4
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	49	0.41	2.6
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.04	2.6
069	TRANSIENT ISCHEMIA	32	0.27	2.1
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.02	6.5

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	3	0.02	19
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.01	2.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	4	0.03	5.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	18	0.15	5.1
075	VIRAL MENINGITIS WITH CC/MCC	2	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	3	0.02	4.3
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.01	6.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	7	0.06	2.7
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	22	0.18	3.8
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.02	2.7
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	3	0.02	2.7
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	6	0.05	8.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.08	4.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	14	0.12	1.9
089	CONCUSSION WITH CC	1	0.01	2.0
090	CONCUSSION WITHOUT CC/MCC	1	0.01	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	9	0.07	9.1
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	18	0.15	6.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	10	0.08	2.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.05	6.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	4.5
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.01	9.0
100	SEIZURES WITH MCC	16	0.13	4.4
101	SEIZURES WITHOUT MCC	50	0.42	2.5
102	HEADACHES WITH MCC	3	0.02	7.7
103	HEADACHES WITHOUT MCC	20	0.17	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	3	0.02	3.7
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.02	1.5
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	4.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	8	0.07	8.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	12	0.10	3.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	7	0.06	4.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	9	0.07	4.0
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	4.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.01	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	4	0.03	2.3
151	EPISTAXIS WITHOUT MCC	2	0.02	4.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.02	6.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	15	0.12	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.02	4.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.02	6.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.02	1.3
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	27
158	DENTAL & ORAL DISEASES WITH CC	9	0.07	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	5	0.04	3.0
163	MAJOR CHEST PROCEDURES WITH MCC	18	0.15	20
164	MAJOR CHEST PROCEDURES WITH CC	10	0.08	11
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	11	0.09	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	10	0.08	22
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	8	0.07	3.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	2.8
175	PULMONARY EMBOLISM WITH MCC	9	0.07	4.9
176	PULMONARY EMBOLISM WITHOUT MCC	28	0.23	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	92	0.76	7.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	50	0.42	7.6
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.07	6.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
180	RESPIRATORY NEOPLASMS WITH MCC	15	0.12	10
181	RESPIRATORY NEOPLASMS WITH CC	14	0.12	5.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.01	1.0
183	MAJOR CHEST TRAUMA WITH MCC	5	0.04	6.0
184	MAJOR CHEST TRAUMA WITH CC	3	0.02	2.3
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.01	.00
186	PLEURAL EFFUSION WITH MCC	5	0.04	5.2
187	PLEURAL EFFUSION WITH CC	7	0.06	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.02	7.5
189	PULMONARY EDEMA & RESPIRATORY FAILURE	56	0.47	5.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	93	0.77	4.9
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	75	0.62	4.4
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	75	0.62	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	93	0.77	4.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	176	1.46	4.1
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	90	0.75	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	6	0.05	2.8
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.02	2.0
199	PNEUMOTHORAX WITH MCC	4	0.03	9.8
200	PNEUMOTHORAX WITH CC	15	0.12	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	11	0.09	2.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
202	BRONCHITIS & ASTHMA WITH CC/MCC	21	0.17	4.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	48	0.40	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	10	0.08	3.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.03	3.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	11	0.09	2.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	30	0.25	24
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	50	0.42	7.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	2	0.02	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.02	25
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	17	0.14	12
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	11	0.09	8.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.02	7.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.02	9.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.02	6.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.01	9.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	3	0.02	4.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.01	2.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	7	0.06	3.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	7.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.02	8.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.02	12
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	4	0.03	9.3
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	4	0.03	7.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	11	0.09	9.8
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	23	0.19	7.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	28	0.23	9.8
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	45	0.37	4.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	5	0.04	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.02	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.01	4.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	10	0.08	5.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	10	0.08	2.7
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	18	0.15	2.0
245	AICD GENERATOR PROCEDURES	1	0.01	4.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	17	0.14	3.4
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	81	0.67	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	11	0.09	3.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	37	0.31	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	4	0.03	1.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	17	0.14	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.19	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.19	3.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	17	0.14	2.1
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.02	9.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.02	9.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.01	7.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.02	2.5
263	VEIN LIGATION & STRIPPING	2	0.02	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	4	0.03	13
265	AICD LEAD PROCEDURES	2	0.02	4.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	26	0.22	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	22	0.18	3.2
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	23	0.19	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	10	0.08	3.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.02	4.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.02	2.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	20	0.17	6.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	50	0.42	2.3
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.03	9.5
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.02	4.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.01	2.0
291	HEART FAILURE & SHOCK WITH MCC	79	0.66	5.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
292	HEART FAILURE & SHOCK WITH CC	64	0.53	3.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	30	0.25	2.6
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.01	5.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.01	2.0
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.01	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	12	0.10	6.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	26	0.22	6.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	10	0.08	3.0
302	ATHEROSCLEROSIS WITH MCC	2	0.02	6.5
303	ATHEROSCLEROSIS WITHOUT MCC	15	0.12	3.0
304	HYPERTENSION WITH MCC	2	0.02	2.0
305	HYPERTENSION WITHOUT MCC	10	0.08	2.9
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.01	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	2	0.02	4.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	42	0.35	4.7
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	45	0.37	3.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	58	0.48	1.8
311	ANGINA PECTORIS	12	0.10	1.6
312	SYNCOPE & COLLAPSE	58	0.48	2.8
313	CHEST PAIN	82	0.68	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	24	0.20	5.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	14	0.12	4.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.04	1.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	15	0.12	16
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	30	0.25	5.2
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	34	0.28	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	62	0.52	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	97	0.81	7.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	53	0.44	5.3
332	RECTAL RESECTION WITH MCC	1	0.01	18
333	RECTAL RESECTION WITH CC	6	0.05	6.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	10	0.08	18
336	PERITONEAL ADHESIOLYSIS WITH CC	16	0.13	5.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	13	0.11	3.6
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.10	6.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	20	0.17	3.6
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	5.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.07	1.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	79	0.66	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.01	30
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	4	0.03	6.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
347	ANAL & STOMAL PROCEDURES WITH MCC	4	0.03	33
348	ANAL & STOMAL PROCEDURES WITH CC	11	0.09	4.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	9	0.07	3.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.01	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	3	0.02	2.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.05	6.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.21	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	29	0.24	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	1	0.01	15
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.02	4.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.04	2.4
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.04	8.2
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	7	0.06	5.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	1	0.01	1.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	6	0.05	4.7
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	13	0.11	5.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	12	0.10	6.1
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.01	4.0
375	DIGESTIVE MALIGNANCY WITH CC	6	0.05	5.2
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
377	G.I. HEMORRHAGE WITH MCC	42	0.35	5.6
378	G.I. HEMORRHAGE WITH CC	77	0.64	3.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	22	0.18	2.0
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.03	3.3
381	COMPLICATED PEPTIC ULCER WITH CC	5	0.04	7.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	5	0.04	4.6
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	2	0.02	1.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	7	0.06	5.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	11	0.09	6.5
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	5	0.04	2.6
388	G.I. OBSTRUCTION WITH MCC	10	0.08	3.8
389	G.I. OBSTRUCTION WITH CC	18	0.15	3.7
390	G.I. OBSTRUCTION WITHOUT CC/MCC	42	0.35	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	54	0.45	4.8
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	197	1.64	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	11	0.09	7.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	24	0.20	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	10	0.08	3.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	10	0.08	19
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	4	0.03	6.3
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.07	6.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	34
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	6.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	6.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	2	0.02	10
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	6.8
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.07	2.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	18	0.15	5.8
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	38	0.32	3.9
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	76	0.63	2.1
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	18	0.15	7.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	7	0.06	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	7	0.06	2.0
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	5	0.04	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	15	0.12	7.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	34	0.28	3.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	29	0.24	2.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	44	0.37	6.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	20	0.17	4.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	5	0.04	2.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	9	0.07	4.2
445	DISORDERS OF THE BILIARY TRACT WITH CC	5	0.04	1.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	6	0.05	2.3
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	9.5
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.04	7.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	11	0.09	6.4
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.02	15
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	8	0.07	8.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.02	5.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	5	0.04	7.6
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	53	0.44	5.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	5	0.04	7.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.04	24
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	11	0.09	14
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	2	0.02	1.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.02	5.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	11	0.09	5.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	10	0.08	3.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	21	0.17	6.1
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	418	3.47	3.2
471	CERVICAL SPINAL FUSION WITH MCC	3	0.02	6.0
472	CERVICAL SPINAL FUSION WITH CC	19	0.16	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	44	0.37	1.6
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.02	9.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.01	6.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.04	9.2
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.02	3.3
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	25	0.21	7.9
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	54	0.45	6.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	37	0.31	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	13	0.11	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	17	0.14	1.9
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	11	0.09	3.7
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	16	0.13	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	24	0.20	4.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	55	0.46	1.5
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	13	0.11	10
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	29	0.24	5.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	70	0.58	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	5	0.04	9.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.04	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	20	0.17	2.1
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.02	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.02	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.03	10
501	SOFT TISSUE PROCEDURES WITH CC	9	0.07	7.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	13	0.11	2.0
503	FOOT PROCEDURES WITH MCC	2	0.02	8.5
504	FOOT PROCEDURES WITH CC	2	0.02	1.5
505	FOOT PROCEDURES WITHOUT CC/MCC	6	0.05	1.5
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.02	3.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.02	7.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.03	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	3.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.02	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	13	0.11	1.8
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	8	0.07	3.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.06	2.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.02	9.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	2	0.02	2.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	13	0.11	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.02	2.0
535	FRACTURES OF HIP & PELVIS WITH MCC	10	0.08	6.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	18	0.15	4.2
539	OSTEOMYELITIS WITH MCC	2	0.02	8.0
540	OSTEOMYELITIS WITH CC	6	0.05	8.7
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	14	0.12	5.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	6	0.05	4.7
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.01	6.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	5	0.04	6.8
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.03	39
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	10	0.08	3.1
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.01	10
551	MEDICAL BACK PROBLEMS WITH MCC	5	0.04	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	32	0.27	3.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.02	4.7
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	5	0.04	3.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.02	4.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	12	0.10	2.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	5	0.04	5.4

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.12	3.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.01	31
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.02	4.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.03	2.8
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	6	0.05	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	17	0.14	2.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.02	18
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.02	4.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	12	0.10	20
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	17	0.14	11
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.07	5.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.02	36
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.06	5.4
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.04	6.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	8	0.07	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	15	0.12	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	17	0.14	2.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.02	6.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.03	2.3

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	8	0.07	1.9
592	SKIN ULCERS WITH MCC	3	0.02	4.0
593	SKIN ULCERS WITH CC	10	0.08	7.4
594	SKIN ULCERS WITHOUT CC/MCC	1	0.01	4.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.02	7.5
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	5.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.02	9.5
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	3.0
602	CELLULITIS WITH MCC	43	0.36	7.9
603	CELLULITIS WITHOUT MCC	235	1.95	4.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.02	3.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	13	0.11	2.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	6.0
607	MINOR SKIN DISORDERS WITHOUT MCC	7	0.06	1.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	5	0.04	6.2
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.05	3.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.01	9.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	8	0.07	10
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.02	6.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	4	0.03	3.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	20	0.17	2.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.02	4.5
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.02	6.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	4	0.03	1.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	19	0.16	1.3
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.02	17
637	DIABETES WITH MCC	36	0.30	4.6
638	DIABETES WITH CC	40	0.33	3.3
639	DIABETES WITHOUT CC/MCC	15	0.12	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	53	0.44	3.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	78	0.65	3.2
643	ENDOCRINE DISORDERS WITH MCC	2	0.02	6.5
644	ENDOCRINE DISORDERS WITH CC	6	0.05	2.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	4	0.03	3.3
652	KIDNEY TRANSPLANT	7	0.06	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.02	10
654	MAJOR BLADDER PROCEDURES WITH CC	2	0.02	11
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.04	6.6
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.02	6.5
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	4	0.03	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	8	0.07	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.03	4.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	6	0.05	3.2
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	8	0.07	2.5
663	MINOR BLADDER PROCEDURES WITH CC	1	0.01	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	7.0
669	TRANSURETHRAL PROCEDURES WITH CC	11	0.09	3.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.01	5.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	7.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.02	5.7
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.01	4.0
682	RENAL FAILURE WITH MCC	39	0.32	5.8
683	RENAL FAILURE WITH CC	47	0.39	4.4
684	RENAL FAILURE WITHOUT CC/MCC	18	0.15	2.7
685	ADMIT FOR RENAL DIALYSIS	3	0.02	1.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.02	7.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	3	0.02	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	43	0.36	5.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	94	0.78	3.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.04	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	11	0.09	2.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	2	0.02	4.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	12	0.10	4.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	12	0.10	4.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	6	0.05	2.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	4	0.03	14
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.08	2.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.01	2.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.01	3.0
712	TESTES PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.07	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	11	0.09	1.1
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.01	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	8.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	6.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	4.5
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.01	2.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.03	2.3
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.02	3.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	4	0.03	1.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.02	7.5
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	5	0.04	5.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	4.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.01	2.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.05	4.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.04	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	46	0.38	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	213	1.77	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	6	0.05	4.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.02	1.7
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	3	0.02	5.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	9	0.07	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	29	0.24	1.7
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	11
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.02	4.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.02	3.3
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.02	1.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	3	0.02	1.3
765	CESAREAN SECTION WITH CC/MCC	134	1.11	3.7
766	CESAREAN SECTION WITHOUT CC/MCC	238	1.98	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	42	0.35	2.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	1.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	8	0.07	5.4
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	7	0.06	1.6
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	141	1.17	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	913	7.59	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	13	0.11	3.3
777	ECTOPIC PREGNANCY	11	0.09	1.6
778	THREATENED ABORTION	24	0.20	1.3
779	ABORTION WITHOUT D&C	4	0.03	2.3
780	FALSE LABOR	2	0.02	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	101	0.84	1.9
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	15	0.12	1.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	46	0.38	3.8
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	23	0.19	24
791	PREMATURITY WITH MAJOR PROBLEMS	14	0.12	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	55	0.46	6.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	38	0.32	6.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	279	2.32	2.1
795	NORMAL NEWBORN	1,094	9.09	1.7
799	SPLENECTOMY WITH MCC	1	0.01	7.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.01	20
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	9	0.07	6.9
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	8	0.07	4.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.02	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	24	0.20	3.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	25	0.21	3.2
813	COAGULATION DISORDERS	4	0.03	7.5
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	2	0.02	8.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	7	0.06	2.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.01	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	5	0.04	6.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.02	11
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.02	6.5
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	5.5
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	6	0.05	19
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	4	0.03	4.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.03	13
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	36
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	15	0.12	8.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	7	0.06	11
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	10	0.08	9.4
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	11	0.09	7.3
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	3	0.02	8.3
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.01	19
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.01	1.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.03	17
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.22	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.01	5.0
849	RADIOTHERAPY	1	0.01	2.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	41	0.34	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.02	7.0
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	12
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.07	12
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	25	0.21	9.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.05	5.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.07	12

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	27	0.22	4.4
864	FEVER	14	0.12	3.3
865	VIRAL ILLNESS WITH MCC	1	0.01	3.0
866	VIRAL ILLNESS WITHOUT MCC	8	0.07	4.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.01	24
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.01	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	16	0.13	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	173	1.44	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	54	0.45	4.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.01	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	7	0.06	4.6
882	NEUROSES EXCEPT DEPRESSIVE	1	0.01	2.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	0.04	20
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	12	0.10	8.3
885	PSYCHOSES	17	0.14	3.4
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	10	0.08	2.6
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	29	0.24	7.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	72	0.60	3.7
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	1	0.01	6.0
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	1	0.01	18
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	1	0.01	8.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	6	0.05	15
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	3	0.02	12
906	HAND PROCEDURES FOR INJURIES	6	0.05	6.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	12	0.10	5.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	14	0.12	5.9
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	6	0.05	2.5
913	TRAUMATIC INJURY WITH MCC	1	0.01	2.0
914	TRAUMATIC INJURY WITHOUT MCC	3	0.02	1.7
915	ALLERGIC REACTIONS WITH MCC	2	0.02	2.5
916	ALLERGIC REACTIONS WITHOUT MCC	5	0.04	2.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	56	0.47	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	91	0.76	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	6	0.05	8.5
920	COMPLICATIONS OF TREATMENT WITH CC	12	0.10	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	8	0.07	2.9
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.02	6.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	22
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.02	18
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.02	19
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	2	0.02	30
935	NON-EXTENSIVE BURNS	7	0.06	5.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	5	0.04	6.8
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	8	0.07	3.8
945	REHABILITATION WITH CC/MCC	6	0.05	14
946	REHABILITATION WITHOUT CC/MCC	1	0.01	18
947	SIGNS & SYMPTOMS WITH MCC	11	0.09	4.7
948	SIGNS & SYMPTOMS WITHOUT MCC	40	0.33	3.4
949	AFTERCARE WITH CC/MCC	4	0.03	15
950	AFTERCARE WITHOUT CC/MCC	2	0.02	.50
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	0.06	2.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.03	11
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.06	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.02	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	11	0.09	14
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.04	14
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.06	2.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.02	4.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.01	19
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	7	0.06	15
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.03	5.8

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.02	10
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.09	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	13	0.11	7.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.07	7.8
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	8.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	11	0.09	7.6
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	8	0.07	3.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.07	3.0
All		12,031	100.0	4.2

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	20.00	29
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	4	80.00	13
<b>All</b>		5	100.0	16

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.64	12
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.64	69
945	REHABILITATION WITH CC/MCC	122	78.21	17
946	REHABILITATION WITHOUT CC/MCC	32	20.51	11
All		156	100.0	16

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.19	.00
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	7	1.31	4.3
881	DEPRESSIVE NEUROSES	12	2.25	3.2
882	NEUROSES EXCEPT DEPRESSIVE	40	7.50	2.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	1.31	12
885	PSYCHOSES	418	78.42	7.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.38	9.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	45	8.44	2.9
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.19	1.0
All		533	100.0	6.9

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	1.35	51
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	2.70	18
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	2.70	700
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	1.35	5.0
181	RESPIRATORY NEOPLASMS WITH CC	1	1.35	6.0
186	PLEURAL EFFUSION WITH MCC	1	1.35	19
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	1.35	3.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	2	2.70	6.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	1	1.35	656
291	HEART FAILURE & SHOCK WITH MCC	2	2.70	.50
292	HEART FAILURE & SHOCK WITH CC	1	1.35	5.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	1.35	3.0
303	ATHEROSCLEROSIS WITHOUT MCC	1	1.35	16
375	DIGESTIVE MALIGNANCY WITH CC	1	1.35	99
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	1.35	4.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEP A WITH CC	1	1.35	1.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	1.35	64
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	1.35	5.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	1.35	7.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	5.41	22
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	4.05	20

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	5.41	11
593	SKIN ULCERS WITH CC	2	2.70	12
602	CELLULITIS WITH MCC	1	1.35	8.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	1.35	86
682	RENAL FAILURE WITH MCC	1	1.35	8.0
683	RENAL FAILURE WITH CC	1	1.35	4.0
885	PSYCHOSES	1	1.35	781
920	COMPLICATIONS OF TREATMENT WITH CC	2	2.70	11
945	REHABILITATION WITH CC/MCC	22	29.73	8.4
946	REHABILITATION WITHOUT CC/MCC	5	6.76	8.6
947	SIGNS & SYMPTOMS WITH MCC	1	1.35	3.0
949	AFTERCARE WITH CC/MCC	1	1.35	14
950	AFTERCARE WITHOUT CC/MCC	2	2.70	16
All		74	100.0	51

**MDC by Patient County of Residence  
for 2010  
Humboldt County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	725	5.66	6.9
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	12	0.09	2.5
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	88	0.69	4.1
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1,191	9.31	6.4
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1,241	9.70	4.1
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	1,167	9.12	5.0
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	387	3.02	4.9
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	1,364	10.66	4.4
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	447	3.49	5.8
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	316	2.47	3.9
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	384	3.00	4.2
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	48	0.38	3.5
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	351	2.74	2.2
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	1,654	12.92	2.3
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	1,549	12.10	2.6
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	90	0.70	4.2
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	114	0.89	9.2
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	392	3.06	8.6
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	530	4.14	8.7
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	162	1.27	4.5
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	248	1.94	4.3
<b>22</b>	<b>BURNS</b>	14	0.11	13

(Continued)

*MDC by Patient County of Residence  
for 2010  
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	271	2.12	12
24	MULTIPLE SIGNFICANT TRAUMA	40	0.31	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.11	12
<b>All</b>		12,799	100.0	4.8

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	718	5.97	4.9
02	EYE, DISEASES & DISORDERS	12	0.10	2.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	88	0.73	4.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,185	9.85	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,236	10.27	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,165	9.68	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	386	3.21	4.9
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,349	11.21	4.2
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	444	3.69	5.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	315	2.62	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	382	3.18	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	48	0.40	3.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	351	2.92	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1,654	13.75	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1,549	12.88	2.6
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	90	0.75	4.2
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	114	0.95	9.2
18	INFECTIOUS & PARASITIC DISEASES	392	3.26	8.6
19	MENTAL DISEASES & DISORDERS	43	0.36	7.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	112	0.93	4.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	246	2.04	4.2

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	14	0.12	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	84	0.70	5.2
24	MULTIPLE SIGNFICANT TRAUMA	40	0.33	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	14	0.12	12
All		12,031	100.0	4.2

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5	100.0	16
All		5	100.0	16

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.64	12
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	155	99.36	16
<b>All</b>		156	100.0	16

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.19	.00
19	MENTAL DISEASES & DISORDERS	486	91.18	7.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	45	8.44	2.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.19	1.0
All		533	100.0	6.9

***MDC by Patient County of Residence  
and Type of Care for 2010  
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	6	8.11	249
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6	8.11	116
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	5	6.76	5.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2	2.70	52
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	1.35	1.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	14	18.92	19
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3	4.05	10
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	1.35	86
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2	2.70	6.0
19	MENTAL DISEASES & DISORDERS	1	1.35	781
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2	2.70	11
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	31	41.89	8.9
All		74	100.0	51