

***Type of Care by Patient County of Residence  
for 2009  
Inyo County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	1,781	95.09	3.7
<b>Chemical Dependency Recovery Care</b>	3	0.16	5.0
<b>Physical Rehabilitation Care</b>	8	0.43	14
<b>Psychiatric Care</b>	51	2.72	9.1
<b>Skilled Nursing/Intermediate Care</b>	30	1.60	142
<b>All</b>	1,873	100.0	6.1

***Disposition by Patient County of Residence  
for 2009  
Inyo County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	278	0.01	11
<b>01 - Routine (Home)</b>	3,004,054	75.38	3.6
<b>02 - Acute Care within the admitting hospital</b>	10,153	0.25	53
<b>03 - Other Care with the admitting hospital</b>	20,525	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	34,806	0.87	7.9
<b>05 - Acute Care at another hospital</b>	82,489	2.07	11
<b>06 - Other Care (not SN/IC) at another hospital</b>	35,667	0.89	9.8
<b>07 - SN/IC at another facility</b>	293,004	7.35	8.8
<b>08 - Residential Care facility</b>	35,985	0.90	10
<b>09 - Prison/Jail</b>	19,746	0.50	5.7
<b>10 - Left Against Medical Advice</b>	43,300	1.09	3.3
<b>11 - Died</b>	79,937	2.01	17
<b>12 - Home Health Service</b>	313,429	7.86	7.3
<b>13 - Other</b>	11,793	0.30	11
<b>All</b>	3,985,166	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,402	78.72	3.2
03 - Other Care with the admitting hospital	2	0.11	5.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	14	0.79	5.2
05 - Acute Care at another hospital	65	3.65	3.5
06 - Other Care (not SN/IC) at another hospital	14	0.79	7.1
07 - SN/IC at another facility	147	8.25	6.3
08 - Residential Care facility	6	0.34	3.3
09 - Prison/Jail	2	0.11	2.0
10 - Left Against Medical Advice	8	0.45	2.0
11 - Died	40	2.25	4.9
12 - Home Health Service	74	4.15	5.5
13 - Other	7	0.39	9.9
All	1,781	100.0	3.7

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1	33.33	7.0
03 - Other Care with the admitting hospital	1	33.33	5.0
08 - Residential Care facility	1	33.33	3.0
All	3	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	3	37.50	9.0
<b>07 - SN/IC at another facility</b>	2	25.00	25
<b>12 - Home Health Service</b>	3	37.50	13
<b>All</b>	8	100.0	14

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	41	80.39	7.0
<b>02 - Acute Care within the admitting hospital</b>	1	1.96	6.0
<b>05 - Acute Care at another hospital</b>	1	1.96	36
<b>06 - Other Care (not SN/IC) at another hospital</b>	1	1.96	1.0
<b>07 - SN/IC at another facility</b>	3	5.88	33
<b>08 - Residential Care facility</b>	3	5.88	11
<b>09 - Prison/Jail</b>	1	1.96	6.0
<b>All</b>	51	100.0	9.1

***Disposition by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	15	50.00	51
<b>05 - Acute Care at another hospital</b>	1	3.33	849
<b>11 - Died</b>	11	36.67	236
<b>12 - Home Health Service</b>	3	10.00	16
<b>All</b>	30	100.0	142

***Gender by Patient County of Residence  
for 2009  
Inyo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	813	43.41	4.9
<b>2 - Female</b>	1,060	56.59	7.1
<b>All</b>	1,873	100.0	6.1

***Gender by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	765	42.95	3.9
<b>2 - Female</b>	1,016	57.05	3.5
<b>All</b>	1,781	100.0	3.7

***Gender by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2	66.67	6.0
2 - Female	1	33.33	3.0
All	3	100.0	5.0

***Gender by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	7	87.50	15
2 - Female	1	12.50	11
All	8	100.0	14

***Gender by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	29	56.86	10
<b>2 - Female</b>	22	43.14	7.5
<b>All</b>	51	100.0	9.1

***Gender by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	10	33.33	52
<b>2 - Female</b>	20	66.67	187
<b>All</b>	30	100.0	142

***Expected Payer by Patient County of Residence  
for 2009  
Inyo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	668	35.66	5.6
<b>02 - Medi-Cal</b>	503	26.86	8.9
<b>03 - Private Coverage</b>	554	29.58	3.4
<b>04 - Workers' Compensatio</b>	21	1.12	3.8
<b>05 - County Indigent Prog</b>	55	2.94	3.3
<b>06 - Other Government</b>	19	1.01	3.6
<b>07 - Other Indigent</b>	11	0.59	3.1
<b>08 - Self-Pay</b>	39	2.08	26
<b>09 - Other Payer</b>	3	0.16	1.7
<b>All</b>	1,873	100.0	6.1

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	628	35.26	4.2
02 - Medi-Cal	474	26.61	3.6
03 - Private Coverage	542	30.43	3.3
04 - Workers' Compensatio	21	1.18	3.8
05 - County Indigent Prog	54	3.03	3.2
06 - Other Government	17	0.95	2.8
07 - Other Indigent	11	0.62	3.1
08 - Self-Pay	31	1.74	3.1
09 - Other Payer	3	0.17	1.7
All	1,781	100.0	3.7

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	1	33.33	7.0
<b>03 - Private Coverage</b>	2	66.67	4.0
<b>All</b>	3	100.0	5.0

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	7	87.50	16
<b>03 - Private Coverage</b>	1	12.50	6.0
<b>All</b>	8	100.0	14

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	20	39.22	8.6
<b>02 - Medi-Cal</b>	16	31.37	12
<b>03 - Private Coverage</b>	8	15.69	6.1
<b>05 - County Indigent Prog</b>	1	1.96	6.0
<b>06 - Other Government</b>	2	3.92	11
<b>08 - Self-Pay</b>	4	7.84	5.5
<b>All</b>	51	100.0	9.1

***Expected Payer by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	12	40.00	64
<b>02 - Medi-Cal</b>	13	43.33	200
<b>03 - Private Coverage</b>	1	3.33	6.0
<b>08 - Self-Pay</b>	4	13.33	223
<b>All</b>	30	100.0	142

***Race Group by Patient County of Residence  
for 2009  
Inyo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	26	1.39	7.3
<b>1 - White</b>	1,356	72.40	6.3
<b>2 - Black</b>	15	0.80	5.9
<b>3 - Hispanic</b>	287	15.32	6.9
<b>4 - Asian/Pacific Islander</b>	6	0.32	5.7
<b>5 - Native American/Eskimo/Ale</b>	166	8.86	3.7
<b>6 - Other</b>	17	0.91	2.6
<b>All</b>	1,873	100.0	6.1

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	23	1.29	6.8
<b>1 - White</b>	1,283	72.04	3.8
<b>2 - Black</b>	13	0.73	6.2
<b>3 - Hispanic</b>	277	15.55	3.5
<b>4 - Asian/Pacific Islander</b>	5	0.28	2.6
<b>5 - Native American/Eskimo/Ale</b>	164	9.21	2.6
<b>6 - Other</b>	16	0.90	2.6
<b>All</b>	1,781	100.0	3.7

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - White</b>	1	33.33	7.0
<b>3 - Hispanic</b>	1	33.33	5.0
<b>6 - Other</b>	1	33.33	3.0
<b>All</b>	3	100.0	5.0

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	12.50	11
<b>1 - White</b>	7	87.50	15
<b>All</b>	8	100.0	14

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	1.96	13
<b>1 - White</b>	43	84.31	9.6
<b>2 - Black</b>	2	3.92	4.5
<b>3 - Hispanic</b>	5	9.80	6.0
<b>All</b>	51	100.0	9.1

***Race Group by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	1	3.33	8.0
<b>1 - White</b>	22	73.33	140
<b>3 - Hispanic</b>	4	13.33	244
<b>4 - Asian/Pacific Islander</b>	1	3.33	21
<b>5 - Native American/Eskimo/Ale</b>	2	6.67	94
<b>All</b>	30	100.0	142

***Source of Admission by Patient County of Residence  
for 2009  
Inyo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	1,495	79.82	5.0
<b>2 - Residential Care Facility</b>	6	0.32	3.7
<b>3 - Ambulatory Surgery</b>	13	0.69	1.5
<b>4 - Skilled Nursing/Intermedia</b>	22	1.17	9.7
<b>5 - Acute Inpatient Hospital C</b>	72	3.84	32
<b>6 - Other Inpatient Hospital C</b>	9	0.48	52
<b>7 - Newborn (born in admitting</b>	239	12.76	3.4
<b>9 - Other</b>	17	0.91	4.9
<b>All</b>	1,873	100.0	6.1

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,444	81.08	3.5
2 - Residential Care Facility	5	0.28	3.2
3 - Ambulatory Surgery	13	0.73	1.5
4 - Skilled Nursing/Intermedia	20	1.12	7.0
5 - Acute Inpatient Hospital C	41	2.30	9.7
6 - Other Inpatient Hospital C	4	0.22	12
7 - Newborn (born in admitting	239	13.42	3.4
9 - Other	15	0.84	4.3
All	1,781	100.0	3.7

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	100.0	5.0
All	3	100.0	5.0

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	8	100.0	14
All	8	100.0	14

***Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	40	78.43	8.7
2 - Residential Care Facility	1	1.96	6.0
4 - Skilled Nursing/Intermedia	2	3.92	37
5 - Acute Inpatient Hospital C	4	7.84	3.5
6 - Other Inpatient Hospital C	2	3.92	2.0
9 - Other	2	3.92	10
All	51	100.0	9.1

**Source of Admission by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	8	26.67	256
5 - Acute Inpatient Hospital C	19	63.33	95
6 - Other Inpatient Hospital C	3	10.00	140
All	30	100.0	142

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	2	0.11	33
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.05	36
006	LIVER TRANSPLANT WITHOUT MCC	1	0.05	26
009	BONE MARROW TRANSPLANT	1	0.05	19
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	2	0.11	11
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.05	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	2	0.11	6.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.05	4.0
030	SPINAL PROCEDURES WITHOUT CC/MCC	2	0.11	1.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.05	5.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	3	0.16	4.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.05	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	0.11	10
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.05	2.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	8	0.43	3.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	8	0.43	3.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.05	3.0
069	TRANSIENT ISCHEMIA	1	0.05	3.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2	0.11	86

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.05	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.16	3.3
088	CONCUSSION WITH MCC	1	0.05	3.0
090	CONCUSSION WITHOUT CC/MCC	1	0.05	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.11	1.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.05	3.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.11	3.5
100	SEIZURES WITH MCC	1	0.05	2.0
101	SEIZURES WITHOUT MCC	8	0.43	2.6
103	HEADACHES WITHOUT MCC	1	0.05	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.05	15
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.05	8.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.05	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.05	3.0
149	DYSEQUILIBRIUM	1	0.05	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	8	0.43	2.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.05	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.05	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	1	0.05	15
164	MAJOR CHEST PROCEDURES WITH CC	2	0.11	4.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	1	0.05	7.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	3	0.16	13
176	PULMONARY EMBOLISM WITHOUT MCC	7	0.37	4.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	5	0.27	6.2
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	5	0.27	5.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	5	0.27	4.6
180	RESPIRATORY NEOPLASMS WITH MCC	2	0.11	6.0
181	RESPIRATORY NEOPLASMS WITH CC	2	0.11	3.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.11	9.5
184	MAJOR CHEST TRAUMA WITH CC	2	0.11	2.0
187	PLEURAL EFFUSION WITH CC	1	0.05	4.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5	0.27	5.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	8	0.43	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	12	0.64	3.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	9	0.48	3.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	25	1.33	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	26	1.39	2.8
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.05	15
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.05	3.0
199	PNEUMOTHORAX WITH MCC	1	0.05	6.0
200	PNEUMOTHORAX WITH CC	1	0.05	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.05	4.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Inyo County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.11	2.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	13	0.69	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	6	0.32	2.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	7	0.37	1.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	8	0.43	16
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	6	0.32	3.5
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.11	7.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.05	9.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.05	4.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.05	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	1	0.05	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	1	0.05	5.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1	0.05	5.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	3	0.16	1.3
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.11	9.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	1	0.05	1.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	3	0.16	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1	0.05	11
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	4	0.21	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.05	1.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1	0.05	1.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1	0.05	1.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
252	OTHER VASCULAR PROCEDURES WITH MCC	3	0.16	5.0
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.05	1.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	6	0.32	1.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.05	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.16	2.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	2	0.11	3.0
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1	0.05	4.0
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	5	0.27	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.05	2.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.05	1.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	4	0.21	2.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.05	4.0
291	HEART FAILURE & SHOCK WITH MCC	11	0.59	6.1
292	HEART FAILURE & SHOCK WITH CC	17	0.91	62
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	12	0.64	74
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.27	3.8
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.05	.00
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	5	0.27	1.4
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.11	1.5
304	HYPERTENSION WITH MCC	1	0.05	1.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.05	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	7	0.37	2.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	6	0.32	4.8
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	16	0.85	1.9
311	ANGINA PECTORIS	4	0.21	1.3
312	SYNCOPE & COLLAPSE	4	0.21	2.3
313	CHEST PAIN	11	0.59	1.5
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.05	10
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	3	0.16	10
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.05	4.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	2	0.11	5.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	8	0.43	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.37	6.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.32	4.0
333	RECTAL RESECTION WITH CC	3	0.16	9.3
334	RECTAL RESECTION WITHOUT CC/MCC	2	0.11	6.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.11	8.5
336	PERITONEAL ADHESIOLYSIS WITH CC	6	0.32	17
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.05	3.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.11	5.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.16	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.11	3.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.69	1.9
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.05	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.11	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.05	5.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	5	0.27	2.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	1	0.05	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	3	0.16	9.7
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	4	0.21	3.0
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.16	3.3
375	DIGESTIVE MALIGNANCY WITH CC	3	0.16	4.3
377	G.I. HEMORRHAGE WITH MCC	4	0.21	4.5
378	G.I. HEMORRHAGE WITH CC	6	0.32	2.2
379	G.I. HEMORRHAGE WITHOUT CC/MCC	12	0.64	2.3
388	G.I. OBSTRUCTION WITH MCC	1	0.05	2.0
389	G.I. OBSTRUCTION WITH CC	4	0.21	2.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	6	0.32	3.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	7	0.37	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	26	1.39	3.3
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.11	1.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.11	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.11	1.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	2	0.11	4.5
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.05	2.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.11	19
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.05	7.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.16	5.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.16	2.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.16	3.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	7	0.37	2.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.05	11
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.05	4.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	2	0.11	4.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.11	1.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	2	0.11	6.5
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	7	0.37	5.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	7	0.37	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	4	0.21	6.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	3	0.16	11
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.05	7.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	2	0.11	135
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	5	0.27	2.8
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	1	0.05	9.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	2	0.11	6.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.05	4.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.05	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	12	0.64	4.8
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.05	2.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	3	0.16	4.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	1	0.05	1.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	5	0.27	4.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	101	5.39	3.1
472	CERVICAL SPINAL FUSION WITH CC	3	0.16	2.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	8	0.43	1.9
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.05	7.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.05	117
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	16	0.85	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	8	0.43	3.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.05	6.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.21	2.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.05	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	2	0.11	3.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	8	0.43	1.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	4	0.21	3.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	9	0.48	2.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	1	0.05	1.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Inyo County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.05	2.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.11	1.5
501	SOFT TISSUE PROCEDURES WITH CC	4	0.21	2.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	5	0.27	1.4
505	FOOT PROCEDURES WITHOUT CC/MCC	2	0.11	1.0
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.05	.00
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.05	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	2	0.11	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.11	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	3	0.16	1.3
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	1	0.05	10
533	FRACTURES OF FEMUR WITH MCC	1	0.05	5.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.11	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.05	8.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	17	0.91	1.1
540	OSTEOMYELITIS WITH CC	1	0.05	4.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.05	7.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.05	1.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.05	.00
552	MEDICAL BACK PROBLEMS WITHOUT MCC	7	0.37	2.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	8	0.43	.88
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	3	0.16	1.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Inyo County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.05	2.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	3	0.16	3.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.05	3.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.21	2.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.16	1.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.16	.00
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	0.05	3.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.11	3.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.05	8.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.27	1.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	5	0.27	3.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.16	3.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	2	0.11	1.0
593	SKIN ULCERS WITH CC	1	0.05	3.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.11	1.0
602	CELLULITIS WITH MCC	2	0.11	18
603	CELLULITIS WITHOUT MCC	15	0.80	4.3
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.11	1.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.05	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.05	5.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.05	1.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	2	0.11	1.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2	0.11	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2	0.11	1.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	1	0.05	8.0
637	DIABETES WITH MCC	2	0.11	3.5
638	DIABETES WITH CC	2	0.11	3.0
639	DIABETES WITHOUT CC/MCC	12	0.64	1.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	5	0.27	3.6
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	23	1.23	3.2
642	INBORN ERRORS OF METABOLISM	3	0.16	28
644	ENDOCRINE DISORDERS WITH CC	4	0.21	107
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	2	0.11	9.5
652	KIDNEY TRANSPLANT	1	0.05	7.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.05	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	1	0.05	2.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.05	4.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	2	0.11	3.0
663	MINOR BLADDER PROCEDURES WITH CC	1	0.05	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
666	PROSTATECTOMY WITH CC	3	0.16	1.7
667	PROSTATECTOMY WITHOUT CC/MCC	6	0.32	1.5
669	TRANSURETHRAL PROCEDURES WITH CC	2	0.11	1.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.16	1.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	5	0.27	4.6
683	RENAL FAILURE WITH CC	5	0.27	2.0
684	RENAL FAILURE WITHOUT CC/MCC	2	0.11	2.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.05	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.16	8.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	22	1.17	2.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	5	0.27	2.0
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.05	1.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	4	0.21	3.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	2	0.11	6.5
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	7	0.37	1.9
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	1	0.05	1.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	3	0.16	1.3
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.05	1.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.05	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.05	7.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2	0.11	1.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	32	1.71	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.05	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	1	0.05	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.05	1.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	3	0.16	1.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.05	1.0
765	CESAREAN SECTION WITH CC/MCC	18	0.96	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	45	2.40	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.48	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.05	3.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	3	0.16	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	18	0.96	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	144	7.69	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.05	3.0
778	THREATENED ABORTION	5	0.27	3.4
780	FALSE LABOR	1	0.05	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	19	1.01	1.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	2	0.11	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	6	0.32	.83
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	3	0.16	92
791	PREMATURITY WITH MAJOR PROBLEMS	2	0.11	35
792	PREMATURITY WITHOUT MAJOR PROBLEMS	9	0.48	3.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	6	0.32	13
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	16	0.85	2.9
795	NORMAL NEWBORN	214	11.43	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.16	4.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	2	0.11	1.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	2	0.11	4.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	6	0.32	2.8
813	COAGULATION DISORDERS	2	0.11	5.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.11	.50
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.05	1.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.05	5.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.16	46
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	1	0.05	2.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.05	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.05	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	2	0.11	3.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	14	0.75	3.1
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	4	0.21	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	1	0.05	2.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.05	8.0
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.11	3.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	4	0.21	3.3
864	FEVER	6	0.32	3.5
866	VIRAL ILLNESS WITHOUT MCC	2	0.11	4.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.05	10
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	13	0.69	6.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.48	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.11	3.5
882	NEUROSES EXCEPT DEPRESSIVE	3	0.16	3.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.05	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.21	68
885	PSYCHOSES	42	2.24	9.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.05	4.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.16	9.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.16	12
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	13	0.69	4.4
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	2	0.11	10
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.11	32
906	HAND PROCEDURES FOR INJURIES	2	0.11	3.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	2	0.11	11
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	1	0.05	4.0
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.05	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1	0.05	2.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	8	0.43	1.6
919	COMPLICATIONS OF TREATMENT WITH MCC	2	0.11	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.11	9.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	2	0.11	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.05	10
935	NON-EXTENSIVE BURNS	1	0.05	4.0

(Continued)

**MS-DRG by Patient County of Residence  
for 2009  
Inyo County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.05	1.0
945	REHABILITATION WITH CC/MCC	5	0.27	18
946	REHABILITATION WITHOUT CC/MCC	5	0.27	11
947	SIGNS & SYMPTOMS WITH MCC	2	0.11	15
948	SIGNS & SYMPTOMS WITHOUT MCC	11	0.59	64
949	AFTERCARE WITH CC/MCC	1	0.05	1.0
950	AFTERCARE WITHOUT CC/MCC	1	0.05	6.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.11	1.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.05	15
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.05	.00
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.11	17
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.05	390
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.05	1.0
<b>All</b>		1,873	100.0	6.1

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	2	0.11	33
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.06	36
006	LIVER TRANSPLANT WITHOUT MCC	1	0.06	26
009	BONE MARROW TRANSPLANT	1	0.06	19
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	2	0.11	11
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.06	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	2	0.11	6.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.06	4.0
030	SPINAL PROCEDURES WITHOUT CC/MCC	2	0.11	1.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.06	5.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	3	0.17	4.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.06	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.06	5.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.06	2.0
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	8	0.45	3.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	8	0.45	3.8
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.06	3.0
069	TRANSIENT ISCHEMIA	1	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	0.06	4.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.06	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.17	3.3
088	CONCUSSION WITH MCC	1	0.06	3.0
090	CONCUSSION WITHOUT CC/MCC	1	0.06	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.11	1.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.06	3.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.11	3.5
100	SEIZURES WITH MCC	1	0.06	2.0
101	SEIZURES WITHOUT MCC	8	0.45	2.6
103	HEADACHES WITHOUT MCC	1	0.06	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.06	15
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	1	0.06	8.0
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.06	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.06	3.0
149	DYSEQUILIBRIUM	1	0.06	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	8	0.45	2.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.06	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.06	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
163	MAJOR CHEST PROCEDURES WITH MCC	1	0.06	15
164	MAJOR CHEST PROCEDURES WITH CC	2	0.11	4.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	1	0.06	7.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	3	0.17	13
176	PULMONARY EMBOLISM WITHOUT MCC	6	0.34	4.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	5	0.28	6.2
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	5	0.28	5.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	5	0.28	4.6
180	RESPIRATORY NEOPLASMS WITH MCC	2	0.11	6.0
181	RESPIRATORY NEOPLASMS WITH CC	2	0.11	3.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.06	3.0
184	MAJOR CHEST TRAUMA WITH CC	2	0.11	2.0
187	PLEURAL EFFUSION WITH CC	1	0.06	4.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5	0.28	5.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	8	0.45	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	12	0.67	3.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	9	0.51	3.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	25	1.40	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	26	1.46	2.8
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.06	15
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.06	3.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
199	PNEUMOTHORAX WITH MCC	1	0.06	6.0
200	PNEUMOTHORAX WITH CC	1	0.06	4.0
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.06	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.11	2.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	13	0.73	1.8
204	RESPIRATORY SIGNS & SYMPTOMS	6	0.34	2.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	7	0.39	1.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	8	0.45	16
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	6	0.34	3.5
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.11	7.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.06	9.0
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.06	4.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.06	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	1	0.06	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	1	0.06	5.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	1	0.06	5.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	3	0.17	1.3
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	2	0.11	9.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	1	0.06	1.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	3	0.17	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	1	0.06	11

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	4	0.22	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.06	1.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	1	0.06	1.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	1	0.06	1.0
252	OTHER VASCULAR PROCEDURES WITH MCC	3	0.17	5.0
253	OTHER VASCULAR PROCEDURES WITH CC	1	0.06	1.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	6	0.34	1.3
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.06	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.17	2.7
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	2	0.11	3.0
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1	0.06	4.0
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	5	0.28	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.06	2.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.06	1.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	4	0.22	2.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	1	0.06	4.0
291	HEART FAILURE & SHOCK WITH MCC	10	0.56	5.8
292	HEART FAILURE & SHOCK WITH CC	15	0.84	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	10	0.56	2.6
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	5	0.28	3.8
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.06	.00

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	5	0.28	1.4
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.11	1.5
304	HYPERTENSION WITH MCC	1	0.06	1.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.06	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	7	0.39	2.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	6	0.34	4.8
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	16	0.90	1.9
311	ANGINA PECTORIS	4	0.22	1.3
312	SYNCOPE & COLLAPSE	4	0.22	2.3
313	CHEST PAIN	11	0.62	1.5
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.06	10
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	3	0.17	10
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.06	4.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	2	0.11	5.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	8	0.45	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.39	6.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.34	4.0
333	RECTAL RESECTION WITH CC	3	0.17	9.3
334	RECTAL RESECTION WITHOUT CC/MCC	2	0.11	6.5
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.11	8.5
336	PERITONEAL ADHESIOLYSIS WITH CC	6	0.34	17

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.06	3.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.11	5.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.17	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.11	3.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.73	1.9
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.06	3.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.11	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.06	5.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	5	0.28	2.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	1	0.06	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	3	0.17	9.7
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	4	0.22	3.0
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.17	3.3
375	DIGESTIVE MALIGNANCY WITH CC	2	0.11	5.5
377	G.I. HEMORRHAGE WITH MCC	4	0.22	4.5
378	G.I. HEMORRHAGE WITH CC	6	0.34	2.2
379	G.I. HEMORRHAGE WITHOUT CC/MCC	12	0.67	2.3
388	G.I. OBSTRUCTION WITH MCC	1	0.06	2.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
389	G.I. OBSTRUCTION WITH CC	4	0.22	2.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	6	0.34	3.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	7	0.39	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	26	1.46	3.3
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.11	1.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.11	3.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.11	1.5
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	2	0.11	4.5
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.06	2.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.11	19
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.06	7.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.17	5.7
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.17	2.7
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.17	3.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	7	0.39	2.3
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.06	11
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.06	4.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	2	0.11	4.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.11	1.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	2	0.11	6.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	7	0.39	5.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	7	0.39	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	4	0.22	6.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	3	0.17	11
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.06	7.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.06	3.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	5	0.28	2.8
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	1	0.06	9.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	2	0.11	6.5
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.06	4.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.06	9.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	12	0.67	4.8
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.06	2.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	3	0.17	4.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	1	0.06	1.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	5	0.28	4.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	101	5.67	3.1
472	CERVICAL SPINAL FUSION WITH CC	3	0.17	2.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	8	0.45	1.9
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.06	7.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.06	117
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	16	0.90	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	8	0.45	3.1
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.06	6.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.22	2.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.06	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	2	0.11	3.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	8	0.45	1.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	4	0.22	3.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	9	0.51	2.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	1	0.06	1.0
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.06	2.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.11	1.5
501	SOFT TISSUE PROCEDURES WITH CC	4	0.22	2.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	5	0.28	1.4
505	FOOT PROCEDURES WITHOUT CC/MCC	2	0.11	1.0
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.06	.00
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.06	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	2	0.11	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.11	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	3	0.17	1.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	1	0.06	10
533	FRACTURES OF FEMUR WITH MCC	1	0.06	5.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.11	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.06	8.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	17	0.95	1.1
540	OSTEOMYELITIS WITH CC	1	0.06	4.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.06	7.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.06	1.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.06	.00
552	MEDICAL BACK PROBLEMS WITHOUT MCC	7	0.39	2.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	8	0.45	.88
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	3	0.17	1.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.06	2.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	3	0.17	3.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.06	3.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	0.22	2.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.17	1.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.17	.00
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	0.06	3.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.11	3.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.06	8.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.28	1.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	5	0.28	3.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.17	3.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	2	0.11	1.0
593	SKIN ULCERS WITH CC	1	0.06	3.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.11	1.0
602	CELLULITIS WITH MCC	1	0.06	3.0
603	CELLULITIS WITHOUT MCC	15	0.84	4.3
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.11	1.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.06	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.06	5.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.06	1.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	2	0.11	1.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	2	0.11	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	2	0.11	1.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	1	0.06	8.0
637	DIABETES WITH MCC	2	0.11	3.5
638	DIABETES WITH CC	2	0.11	3.0
639	DIABETES WITHOUT CC/MCC	12	0.67	1.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	5	0.28	3.6
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	23	1.29	3.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	2	0.11	2.0
644	ENDOCRINE DISORDERS WITH CC	2	0.11	3.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.06	1.0
652	KIDNEY TRANSPLANT	1	0.06	7.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.06	12
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	1	0.06	2.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	1	0.06	4.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	2	0.11	3.0
663	MINOR BLADDER PROCEDURES WITH CC	1	0.06	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
666	PROSTATECTOMY WITH CC	3	0.17	1.7
667	PROSTATECTOMY WITHOUT CC/MCC	6	0.34	1.5
669	TRANSURETHRAL PROCEDURES WITH CC	2	0.11	1.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.17	1.3
682	RENAL FAILURE WITH MCC	5	0.28	4.6
683	RENAL FAILURE WITH CC	5	0.28	2.0
684	RENAL FAILURE WITHOUT CC/MCC	2	0.11	2.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.06	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.17	8.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	22	1.24	2.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	5	0.28	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	1	0.06	1.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	4	0.22	3.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	2	0.11	6.5
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	7	0.39	1.9
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	1	0.06	1.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	3	0.17	1.3
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	1.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.06	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	1	0.06	7.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	2	0.11	1.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	32	1.80	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.06	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	1	0.06	1.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.06	1.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	3	0.17	1.3
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.06	1.0
765	CESAREAN SECTION WITH CC/MCC	18	1.01	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	45	2.53	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.51	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.06	3.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	3	0.17	1.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	18	1.01	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	144	8.09	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	1	0.06	3.0
778	THREATENED ABORTION	5	0.28	3.4
780	FALSE LABOR	1	0.06	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	19	1.07	1.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	2	0.11	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	6	0.34	.83
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	3	0.17	92
791	PREMATURITY WITH MAJOR PROBLEMS	2	0.11	35
792	PREMATURITY WITHOUT MAJOR PROBLEMS	9	0.51	3.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	6	0.34	13
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	16	0.90	2.9
795	NORMAL NEWBORN	214	12.02	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.17	4.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	2	0.11	1.0
811	RED BLOOD CELL DISORDERS WITH MCC	2	0.11	4.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	6	0.34	2.8
813	COAGULATION DISORDERS	2	0.11	5.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.11	.50
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.06	1.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.06	5.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.17	46
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	1	0.06	2.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.06	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.06	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	2	0.11	3.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	14	0.79	3.1
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	4	0.22	20
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	1	0.06	2.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	1	0.06	8.0
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.11	3.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	4	0.22	3.3
864	FEVER	6	0.34	3.5
866	VIRAL ILLNESS WITHOUT MCC	2	0.11	4.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.06	10
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	13	0.73	6.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	9	0.51	3.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.06	4.0
885	PSYCHOSES	1	0.06	3.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.06	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.06	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	0.11	7.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	10	0.56	3.4
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	2	0.11	10
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.11	32
906	HAND PROCEDURES FOR INJURIES	2	0.11	3.5
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	2	0.11	11
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	1	0.06	4.0
916	ALLERGIC REACTIONS WITHOUT MCC	1	0.06	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	1	0.06	2.0
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	8	0.45	1.6
919	COMPLICATIONS OF TREATMENT WITH MCC	2	0.11	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.11	9.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	2	0.11	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	1	0.06	10
935	NON-EXTENSIVE BURNS	1	0.06	4.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.06	1.0
945	REHABILITATION WITH CC/MCC	1	0.06	25
948	SIGNS & SYMPTOMS WITHOUT MCC	4	0.22	4.3
949	AFTERCARE WITH CC/MCC	1	0.06	1.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.11	1.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.06	15
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.06	.00
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.11	17
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.06	1.0
All		1,781	100.0	3.7

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	66.67	6.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	33.33	3.0
<b>All</b>		3	100.0	5.0

***MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	12.50	11
945	REHABILITATION WITH CC/MCC	4	50.00	17
946	REHABILITATION WITHOUT CC/MCC	3	37.50	12
All		8	100.0	14

***MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	1.96	15
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	3.92	3.5
882	NEUROSES EXCEPT DEPRESSIVE	3	5.88	3.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	1.96	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	1.96	13
885	PSYCHOSES	41	80.39	9.4
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	3.92	10
All		51	100.0	9.1

**MS-DRG by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	3.33	168
176	PULMONARY EMBOLISM WITHOUT MCC	1	3.33	7.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	3.33	16
291	HEART FAILURE & SHOCK WITH MCC	1	3.33	9.0
292	HEART FAILURE & SHOCK WITH CC	2	6.67	492
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	3.33	849
375	DIGESTIVE MALIGNANCY WITH CC	1	3.33	2.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	3.33	267
602	CELLULITIS WITH MCC	1	3.33	32
642	INBORN ERRORS OF METABOLISM	1	3.33	81
644	ENDOCRINE DISORDERS WITH CC	2	6.67	211
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	3.33	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	6.67	127
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	3.33	21
946	REHABILITATION WITHOUT CC/MCC	2	6.67	8.5
947	SIGNS & SYMPTOMS WITH MCC	2	6.67	15
948	SIGNS & SYMPTOMS WITHOUT MCC	7	23.33	99
950	AFTERCARE WITHOUT CC/MCC	1	3.33	6.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	3.33	390
All		30	100.0	142

**MDC by Patient County of Residence  
for 2009  
Inyo County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	59	3.15	7.2
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	1	0.05	1.0
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	16	0.85	3.5
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	171	9.13	4.8
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	158	8.44	15
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	159	8.49	4.7
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	61	3.26	10
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	277	14.79	3.3
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	43	2.30	3.8
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	62	3.31	11
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	70	3.74	2.8
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	14	0.75	2.3
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	43	2.30	1.7
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	266	14.20	2.4
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	256	13.67	3.6
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	17	0.91	3.0
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	25	1.33	8.8
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	43	2.30	6.0
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	52	2.78	13
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	20	1.07	6.2
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	25	1.33	6.4
<b>22</b>	<b>BURNS</b>	2	0.11	7.0

(Continued)

*MDC by Patient County of Residence  
for 2009  
Inyo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	28	1.49	32
24	MULTIPLE SIGNFICANT TRAUMA	4	0.21	12
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.05	390
<b>All</b>		1,873	100.0	6.1

**MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	57	3.20	4.2
02	EYE, DISEASES & DISORDERS	1	0.06	1.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	16	0.90	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	169	9.49	4.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	153	8.59	3.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	158	8.87	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	60	3.37	5.9
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	277	15.55	3.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	42	2.36	3.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	58	3.26	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	70	3.93	2.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	14	0.79	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	43	2.41	1.7
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	266	14.94	2.4
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	256	14.37	3.6
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	17	0.95	3.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	25	1.40	8.8
18	INFECTIOUS & PARASITIC DISEASES	43	2.41	6.0
19	MENTAL DISEASES & DISORDERS	2	0.11	3.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	14	0.79	4.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	25	1.40	6.4

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
22	BURNS	2	0.11	7.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	9	0.51	5.2
24	MULTIPLE SIGNFICANT TRAUMA	4	0.22	12
All		1,781	100.0	3.7

***MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3	100.0	5.0
All		3	100.0	5.0

***MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Physical Rehabilitation Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1	12.50	11
<b>23</b>	<b>FACTORS ON HEALTH STATUS &amp; OTHER CONTACTS WITH HEALTH SERVICES</b>	7	87.50	15
<b>All</b>		8	100.0	14

***MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	1.96	15
19	MENTAL DISEASES & DISORDERS	48	94.12	9.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	2	3.92	10
All		51	100.0	9.1

***MDC by Patient County of Residence  
and Type of Care for 2009  
Inyo County***

typcare1=Skilled Nursing/Intermediate Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1	3.33	168
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	2	6.67	12
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	4	13.33	460
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	1	3.33	2.0
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	1	3.33	267
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	1	3.33	32
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	4	13.33	130
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	2	6.67	127
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	1	3.33	21
<b>23</b>	<b>FACTORS ON HEALTH STATUS &amp; OTHER CONTACTS WITH HEALTH SERVICES</b>	12	40.00	62
<b>25</b>	<b>HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS</b>	1	3.33	390
<b>All</b>		30	100.0	142