

***Type of Care by Patient County of Residence
for 2009
Napa County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| Acute Care | 13,874 | 94.75 | 4.3 |
| Chemical Dependency Recovery Care | 10 | 0.07 | 7.3 |
| Physical Rehabilitation Care | 149 | 1.02 | 13 |
| Psychiatric Care | 326 | 2.23 | 8.8 |
| Skilled Nursing/Intermediate Care | 283 | 1.93 | 268 |
| All | 14,642 | 100.0 | 9.6 |

***Disposition by Patient County of Residence
for 2009
Napa County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 278 | 0.01 | 11 |
| 01 - Routine (Home) | 3,004,054 | 75.38 | 3.6 |
| 02 - Acute Care within the admitting hospital | 10,153 | 0.25 | 53 |
| 03 - Other Care with the admitting hospital | 20,525 | 0.52 | 9.0 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 34,806 | 0.87 | 7.9 |
| 05 - Acute Care at another hospital | 82,489 | 2.07 | 11 |
| 06 - Other Care (not SN/IC) at another hospital | 35,667 | 0.89 | 9.8 |
| 07 - SN/IC at another facility | 293,004 | 7.35 | 8.8 |
| 08 - Residential Care facility | 35,985 | 0.90 | 10 |
| 09 - Prison/Jail | 19,746 | 0.50 | 5.7 |
| 10 - Left Against Medical Advice | 43,300 | 1.09 | 3.3 |
| 11 - Died | 79,937 | 2.01 | 17 |
| 12 - Home Health Service | 313,429 | 7.86 | 7.3 |
| 13 - Other | 11,793 | 0.30 | 11 |
| All | 3,985,166 | 100.0 | 5.0 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 9,784 | 70.52 | 3.3 |
| 03 - Other Care with the admitting hospital | 127 | 0.92 | 6.7 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 44 | 0.32 | 5.2 |
| 05 - Acute Care at another hospital | 414 | 2.98 | 5.1 |
| 06 - Other Care (not SN/IC) at another hospital | 78 | 0.56 | 12 |
| 07 - SN/IC at another facility | 1,460 | 10.52 | 7.9 |
| 08 - Residential Care facility | 86 | 0.62 | 4.4 |
| 09 - Prison/Jail | 12 | 0.09 | 6.2 |
| 10 - Left Against Medical Advice | 66 | 0.48 | 2.8 |
| 11 - Died | 333 | 2.40 | 7.8 |
| 12 - Home Health Service | 1,288 | 9.28 | 6.0 |
| 13 - Other | 182 | 1.31 | 6.2 |
| All | 13,874 | 100.0 | 4.3 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 7 | 70.00 | 9.0 |
| 06 - Other Care (not SN/IC) at another hospital | 1 | 10.00 | 5.0 |
| 10 - Left Against Medical Advice | 2 | 20.00 | 2.5 |
| All | 10 | 100.0 | 7.3 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 80 | 53.69 | 10 |
| 02 - Acute Care within the admitting hospital | 4 | 2.68 | 23 |
| 05 - Acute Care at another hospital | 4 | 2.68 | 11 |
| 07 - SN/IC at another facility | 23 | 15.44 | 13 |
| 12 - Home Health Service | 35 | 23.49 | 16 |
| 13 - Other | 3 | 2.01 | 9.0 |
| All | 149 | 100.0 | 13 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 258 | 79.14 | 7.7 |
| 02 - Acute Care within the admitting hospital | 3 | 0.92 | 9.3 |
| 05 - Acute Care at another hospital | 4 | 1.23 | 4.3 |
| 06 - Other Care (not SN/IC) at another hospital | 11 | 3.37 | 32 |
| 07 - SN/IC at another facility | 5 | 1.53 | 20 |
| 08 - Residential Care facility | 33 | 10.12 | 9.4 |
| 10 - Left Against Medical Advice | 6 | 1.84 | 5.2 |
| 11 - Died | 1 | 0.31 | 9.0 |
| 12 - Home Health Service | 2 | 0.61 | 9.5 |
| 13 - Other | 3 | 0.92 | 14 |
| All | 326 | 100.0 | 8.8 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 68 | 24.03 | 29 |
| 02 - Acute Care within the admitting hospital | 14 | 4.95 | 281 |
| 05 - Acute Care at another hospital | 130 | 45.94 | 375 |
| 07 - SN/IC at another facility | 2 | 0.71 | 28 |
| 08 - Residential Care facility | 9 | 3.18 | 14 |
| 11 - Died | 49 | 17.31 | 426 |
| 12 - Home Health Service | 11 | 3.89 | 7.1 |
| All | 283 | 100.0 | 268 |

***Gender by Patient County of Residence
for 2009
Napa County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|-----------------------------|----------------------------|-------------------------------|
| 1 - Male | 6,444 | 44.01 | 14 |
| 2 - Female | 8,196 | 55.98 | 6.2 |
| 3 - Other | 2 | 0.01 | 6.5 |
| All | 14,642 | 100.0 | 9.6 |

***Gender by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 6,003 | 43.27 | 4.8 |
| 2 - Female | 7,869 | 56.72 | 4.0 |
| 3 - Other | 2 | 0.01 | 6.5 |
| All | 13,874 | 100.0 | 4.3 |

***Gender by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|----------------------|---------------------|------------------------|
| 1 - Male | 4 | 40.00 | 3.5 |
| 2 - Female | 6 | 60.00 | 9.8 |
| All | 10 | 100.0 | 7.3 |

***Gender by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 66 | 44.30 | 13 |
| 2 - Female | 83 | 55.70 | 12 |
| All | 149 | 100.0 | 13 |

***Gender by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 145 | 44.48 | 9.5 |
| 2 - Female | 181 | 55.52 | 8.3 |
| All | 326 | 100.0 | 8.8 |

***Gender by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 226 | 79.86 | 262 |
| 2 - Female | 57 | 20.14 | 291 |
| All | 283 | 100.0 | 268 |

***Expected Payer by Patient County of Residence
for 2009
Napa County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 6,122 | 41.81 | 14 |
| 02 - Medi-Cal | 2,411 | 16.47 | 8.4 |
| 03 - Private Coverage | 5,182 | 35.39 | 4.1 |
| 04 - Workers' Compensatio | 97 | 0.66 | 3.1 |
| 05 - County Indigent Prog | 313 | 2.14 | 4.6 |
| 06 - Other Government | 204 | 1.39 | 8.3 |
| 07 - Other Indigent | 40 | 0.27 | 5.3 |
| 08 - Self-Pay | 206 | 1.41 | 5.3 |
| 09 - Other Payer | 67 | 0.46 | 91 |
| All | 14,642 | 100.0 | 9.6 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 5,780 | 41.66 | 5.1 |
| 02 - Medi-Cal | 2,283 | 16.46 | 4.0 |
| 03 - Private Coverage | 4,948 | 35.66 | 3.5 |
| 04 - Workers' Compensatio | 94 | 0.68 | 2.9 |
| 05 - County Indigent Prog | 290 | 2.09 | 4.4 |
| 06 - Other Government | 198 | 1.43 | 7.4 |
| 07 - Other Indigent | 40 | 0.29 | 5.3 |
| 08 - Self-Pay | 195 | 1.41 | 4.0 |
| 09 - Other Payer | 46 | 0.33 | 3.5 |
| All | 13,874 | 100.0 | 4.3 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------------------|-----------------------------|----------------------------|-------------------------------|
| 03 - Private Coverage | 4 | 40.00 | 6.5 |
| 06 - Other Government | 3 | 30.00 | 3.7 |
| 08 - Self-Pay | 3 | 30.00 | 12 |
| All | 10 | 100.0 | 7.3 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 84 | 56.38 | 12 |
| 02 - Medi-Cal | 17 | 11.41 | 12 |
| 03 - Private Coverage | 46 | 30.87 | 13 |
| 04 - Workers' Compensatio | 1 | 0.67 | 14 |
| 09 - Other Payer | 1 | 0.67 | 6.0 |
| All | 149 | 100.0 | 13 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 57 | 17.48 | 11 |
| 02 - Medi-Cal | 68 | 20.86 | 8.4 |
| 03 - Private Coverage | 169 | 51.84 | 7.5 |
| 05 - County Indigent Prog | 23 | 7.06 | 7.0 |
| 06 - Other Government | 3 | 0.92 | 68 |
| 08 - Self-Pay | 4 | 1.23 | 11 |
| 09 - Other Payer | 2 | 0.61 | 15 |
| All | 326 | 100.0 | 8.8 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 201 | 71.02 | 286 |
| 02 - Medi-Cal | 43 | 15.19 | 238 |
| 03 - Private Coverage | 15 | 5.30 | 128 |
| 04 - Workers' Compensatio | 2 | 0.71 | 6.5 |
| 08 - Self-Pay | 4 | 1.41 | 62 |
| 09 - Other Payer | 18 | 6.36 | 328 |
| All | 283 | 100.0 | 268 |

***Race Group by Patient County of Residence
for 2009
Napa County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 87 | 0.59 | 7.0 |
| 1 - White | 10,512 | 71.79 | 11 |
| 2 - Black | 244 | 1.67 | 13 |
| 3 - Hispanic | 2,999 | 20.48 | 4.9 |
| 4 - Asian/Pacific Islander | 584 | 3.99 | 4.1 |
| 5 - Native American/Eskimo/Ale | 23 | 0.16 | 4.2 |
| 6 - Other | 193 | 1.32 | 5.7 |
| All | 14,642 | 100.0 | 9.6 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 84 | 0.61 | 7.1 |
| 1 - White | 9,868 | 71.13 | 4.5 |
| 2 - Black | 222 | 1.60 | 5.3 |
| 3 - Hispanic | 2,931 | 21.13 | 3.8 |
| 4 - Asian/Pacific Islander | 566 | 4.08 | 3.9 |
| 5 - Native American/Eskimo/Ale | 19 | 0.14 | 4.6 |
| 6 - Other | 184 | 1.33 | 5.0 |
| All | 13,874 | 100.0 | 4.3 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------|----------------------|---------------------|------------------------|
| 1 - White | 6 | 60.00 | 9.8 |
| 3 - Hispanic | 3 | 30.00 | 4.0 |
| 6 - Other | 1 | 10.00 | 2.0 |
| All | 10 | 100.0 | 7.3 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------------------------------|----------------------|---------------------|------------------------|
| 1 - White | 123 | 82.55 | 13 |
| 2 - Black | 3 | 2.01 | 15 |
| 3 - Hispanic | 14 | 9.40 | 10 |
| 4 - Asian/Pacific Islander | 9 | 6.04 | 14 |
| All | 149 | 100.0 | 13 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 3 | 0.92 | 5.7 |
| 1 - White | 246 | 75.46 | 9.3 |
| 2 - Black | 10 | 3.07 | 7.4 |
| 3 - Hispanic | 49 | 15.03 | 8.0 |
| 4 - Asian/Pacific Islander | 7 | 2.15 | 7.1 |
| 5 - Native American/Eskimo/Ale | 4 | 1.23 | 2.3 |
| 6 - Other | 7 | 2.15 | 5.7 |
| All | 326 | 100.0 | 8.8 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------------------------------|----------------------|---------------------|------------------------|
| 1 - White | 269 | 95.05 | 263 |
| 2 - Black | 9 | 3.18 | 209 |
| 3 - Hispanic | 2 | 0.71 | 2E3 |
| 4 - Asian/Pacific Islander | 2 | 0.71 | 12 |
| 6 - Other | 1 | 0.35 | 152 |
| All | 283 | 100.0 | 268 |

**Source of Admission by Patient County of Residence
for 2009
Napa County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 10,829 | 73.96 | 6.0 |
| 2 - Residential Care Facility | 126 | 0.86 | 5.8 |
| 3 - Ambulatory Surgery | 62 | 0.42 | 2.4 |
| 4 - Skilled Nursing/Intermedia | 398 | 2.72 | 7.1 |
| 5 - Acute Inpatient Hospital C | 823 | 5.62 | 76 |
| 6 - Other Inpatient Hospital C | 68 | 0.46 | 6.2 |
| 7 - Newborn (born in admitting | 1,638 | 11.19 | 3.2 |
| 8 - Prison/Jail | 11 | 0.08 | 6.3 |
| 9 - Other | 687 | 4.69 | 5.5 |
| All | 14,642 | 100.0 | 9.6 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 10,565 | 76.15 | 4.2 |
| 2 - Residential Care Facility | 121 | 0.87 | 4.3 |
| 3 - Ambulatory Surgery | 62 | 0.45 | 2.4 |
| 4 - Skilled Nursing/Intermedia | 393 | 2.83 | 6.4 |
| 5 - Acute Inpatient Hospital C | 448 | 3.23 | 10 |
| 6 - Other Inpatient Hospital C | 61 | 0.44 | 5.0 |
| 7 - Newborn (born in admitting | 1,638 | 11.81 | 3.2 |
| 8 - Prison/Jail | 10 | 0.07 | 6.7 |
| 9 - Other | 576 | 4.15 | 5.0 |
| All | 13,874 | 100.0 | 4.3 |

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 9 | 90.00 | 7.9 |
| 8 - Prison/Jail | 1 | 10.00 | 2.0 |
| All | 10 | 100.0 | 7.3 |

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 2 | 1.34 | 26 |
| 5 - Acute Inpatient Hospital C | 142 | 95.30 | 12 |
| 6 - Other Inpatient Hospital C | 5 | 3.36 | 22 |
| All | 149 | 100.0 | 13 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 204 | 62.58 | 8.4 |
| 2 - Residential Care Facility | 1 | 0.31 | 6.0 |
| 4 - Skilled Nursing/Intermedia | 2 | 0.61 | 107 |
| 5 - Acute Inpatient Hospital C | 7 | 2.15 | 4.4 |
| 6 - Other Inpatient Hospital C | 2 | 0.61 | 4.5 |
| 9 - Other | 110 | 33.74 | 8.2 |
| All | 326 | 100.0 | 8.8 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 49 | 17.31 | 390 |
| 2 - Residential Care Facility | 4 | 1.41 | 52 |
| 4 - Skilled Nursing/Intermedia | 3 | 1.06 | 32 |
| 5 - Acute Inpatient Hospital C | 226 | 79.86 | 249 |
| 9 - Other | 1 | 0.35 | 10 |
| All | 283 | 100.0 | 268 |

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 1 | 0.01 | 61 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 2 | 0.01 | 18 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 15 | 0.10 | 43 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 27 | 0.18 | 58 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 2 | 0.01 | 11 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 1 | 0.01 | 9.0 |
| 009 | BONE MARROW TRANSPLANT | 3 | 0.02 | 17 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 1 | 0.01 | 18 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 1 | 0.01 | 13 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 6.5 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 1 | 0.01 | 18 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 1 | 0.01 | 15 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 1 | 0.01 | 15 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 10 | 0.07 | 13 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 11 | 0.08 | 10 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 20 | 0.14 | 4.9 |
| 028 | SPINAL PROCEDURES WITH MCC | 2 | 0.01 | 4.5 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 2 | 0.01 | 7.5 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 3 | 0.02 | 6.3 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 1 | 0.01 | 12 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 1 | 0.01 | 3.0 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 3.0 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 1 | 0.01 | 1.0 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 13 | 0.09 | 2.4 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 39 | 0.27 | 1.4 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 4 | 0.03 | 8.8 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 3 | 0.02 | 7.0 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 3 | 0.02 | 9.3 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 2 | 0.01 | 4.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 8 | 0.05 | 5.4 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 15 | 0.10 | 3.3 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 11 | 0.08 | 82 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 24 | 0.16 | 133 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 2 | 0.01 | 184 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.01 | 6.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 1 | 0.01 | .00 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 1 | 0.01 | 3.0 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 66 | 0.45 | 11 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 93 | 0.64 | 19 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 57 | 0.39 | 3.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 1 | 0.01 | 6.0 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 7 | 0.05 | 2.0 |
| 069 | TRANSIENT ISCHEMIA | 71 | 0.48 | 2.0 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 9 | 0.06 | 10 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 8 | 0.05 | 6.4 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 4 | 0.03 | 5.8 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 17 | 0.12 | 3.9 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 1 | 0.01 | 5.0 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 4 | 0.03 | 2.0 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 1 | 0.01 | 1.0 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 6 | 0.04 | 1.5 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 13 | 0.09 | 24 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 4 | 0.03 | 12 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 5 | 0.03 | 3.2 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 7 | 0.05 | 1.7 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 8 | 0.05 | 4.9 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 16 | 0.11 | 4.2 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 16 | 0.11 | 1.9 |
| 089 | CONCUSSION WITH CC | 4 | 0.03 | 9.3 |
| 090 | CONCUSSION WITHOUT CC/MCC | 4 | 0.03 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 10 | 0.07 | 32 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 17 | 0.12 | 17 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 7 | 0.05 | 2.6 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 1 | 0.01 | 21 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 1 | 0.01 | 17 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 4 | 0.03 | 4.0 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.01 | 23 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 8 | 0.05 | 7.3 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 2 | 0.01 | 9.5 |
| 100 | SEIZURES WITH MCC | 23 | 0.16 | 3.9 |
| 101 | SEIZURES WITHOUT MCC | 52 | 0.36 | 2.8 |
| 102 | HEADACHES WITH MCC | 3 | 0.02 | 7.7 |
| 103 | HEADACHES WITHOUT MCC | 22 | 0.15 | 2.9 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 1 | 0.01 | 2.0 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | .50 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 2 | 0.01 | 1.5 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 5 | 0.03 | 2.0 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 2 | 0.01 | 853 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 1 | 0.01 | 1.0 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 3 | 0.02 | 9.0 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 8 | 0.05 | 1.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 2 | 0.01 | 20 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 1.6 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.5 |
| 139 | SALIVARY GLAND PROCEDURES | 4 | 0.03 | 1.0 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 2 | 0.01 | 1.5 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 149 | DYSEQUILIBRIUM | 26 | 0.18 | 2.3 |
| 150 | EPISTAXIS WITH MCC | 1 | 0.01 | 3.0 |
| 151 | EPISTAXIS WITHOUT MCC | 3 | 0.02 | 3.0 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 9 | 0.06 | 5.6 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 26 | 0.18 | 132 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 5 | 0.03 | 7.0 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 8 | 0.05 | 3.5 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 3 | 0.02 | 3.0 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 2 | 0.01 | 2.5 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 7 | 0.05 | 2.4 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 5 | 0.03 | 4.0 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 15 | 0.10 | 14 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 31 | 0.21 | 7.7 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 15 | 0.10 | 4.1 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 16 | 0.11 | 17 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 19 | 0.13 | 7.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 2.0 |
| 175 | PULMONARY EMBOLISM WITH MCC | 8 | 0.05 | 6.4 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 43 | 0.29 | 4.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 75 | 0.51 | 11 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 75 | 0.51 | 7.5 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 29 | 0.20 | 5.3 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 13 | 0.09 | 13 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 14 | 0.10 | 5.1 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 6 | 0.04 | 6.8 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 8 | 0.05 | 2.6 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 6 | 0.04 | 1.2 |
| 186 | PLEURAL EFFUSION WITH MCC | 12 | 0.08 | 4.6 |
| 187 | PLEURAL EFFUSION WITH CC | 10 | 0.07 | 5.6 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 5 | 0.03 | 2.4 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 59 | 0.40 | 8.2 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 82 | 0.56 | 11 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 64 | 0.44 | 5.7 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 60 | 0.41 | 10 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 101 | 0.69 | 12 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 234 | 1.60 | 11 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 113 | 0.77 | 3.6 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 8 | 0.05 | 13 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1 | 0.01 | 5.0 |
| 199 | PNEUMOTHORAX WITH MCC | 2 | 0.01 | 5.0 |
| 200 | PNEUMOTHORAX WITH CC | 12 | 0.08 | 3.8 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 8 | 0.05 | 2.9 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 38 | 0.26 | 3.2 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 43 | 0.29 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 21 | 0.14 | 4.1 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 3 | 0.02 | 3.0 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 17 | 0.12 | 3.8 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 42 | 0.29 | 16 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 79 | 0.54 | 6.1 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 9 | 0.06 | 14 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 5 | 0.03 | 10 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 9 | 0.06 | 11 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 32 | 0.22 | 7.5 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 3 | 0.02 | 6.0 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 4 | 0.03 | 7.5 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 2 | 0.01 | 4.5 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 3 | 0.02 | 6.7 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 7 | 0.05 | 5.4 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 20 | 0.14 | 2.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 1 | 0.01 | 26 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 2 | 0.01 | 12 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 1 | 0.01 | 15 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 2 | 0.01 | 5.5 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 14 | 0.10 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 29 | 0.20 | 7.3 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 7 | 0.05 | 10 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 20 | 0.14 | 6.3 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 15 | 0.10 | 9.7 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 24 | 0.16 | 4.1 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 7 | 0.05 | 19 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 4 | 0.03 | 9.8 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 1 | 0.01 | 10 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 30 | 0.20 | 5.9 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 36 | 0.25 | 3.2 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 25 | 0.17 | 2.1 |
| 245 | AICD GENERATOR PROCEDURES | 1 | 0.01 | 11 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 32 | 0.22 | 3.3 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 121 | 0.83 | 1.6 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 10 | 0.07 | 4.5 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 26 | 0.18 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 7 | 0.05 | 5.1 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 17 | 0.12 | 3.1 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 35 | 0.24 | 11 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 26 | 0.18 | 7.3 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 23 | 0.16 | 2.4 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 2 | 0.01 | 12 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 3 | 0.02 | 5.7 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 4 | 0.03 | 4.3 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 5 | 0.03 | 2.4 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 3 | 0.02 | 2.7 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 16 | 0.11 | 13 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 57 | 0.39 | 4.7 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 40 | 0.27 | 2.5 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 46 | 0.31 | 1.9 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 8 | 0.05 | 5.5 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 2 | 0.01 | 2.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 24 | 0.16 | 5.9 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 84 | 0.57 | 2.3 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 3 | 0.02 | 8.3 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 1 | 0.01 | 12 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 140 | 0.96 | 12 |
| 292 | HEART FAILURE & SHOCK WITH CC | 119 | 0.81 | 24 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 51 | 0.35 | 6.7 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 2 | 0.01 | 2.5 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 2 | 0.01 | 3.0 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 1 | 0.01 | 838 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 16 | 0.11 | 4.8 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 21 | 0.14 | 59 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 17 | 0.12 | 4.0 |
| 302 | ATHEROSCLEROSIS WITH MCC | 7 | 0.05 | 25 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 46 | 0.31 | 121 |
| 304 | HYPERTENSION WITH MCC | 1 | 0.01 | 65 |
| 305 | HYPERTENSION WITHOUT MCC | 7 | 0.05 | 253 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 3 | 0.02 | 12 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 4 | 0.03 | 3.3 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 63 | 0.43 | 22 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 67 | 0.46 | 72 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 94 | 0.64 | 6.4 |
| 311 | ANGINA PECTORIS | 20 | 0.14 | 2.6 |
| 312 | SYNCOPE & COLLAPSE | 112 | 0.76 | 2.9 |
| 313 | CHEST PAIN | 105 | 0.72 | 1.6 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 36 | 0.25 | 7.3 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 24 | 0.16 | 3.5 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 10 | 0.07 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 11 | 0.08 | 14 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 12 | 0.08 | 13 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 8 | 0.05 | 3.1 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 53 | 0.36 | 15 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 73 | 0.50 | 8.6 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 53 | 0.36 | 4.8 |
| 332 | RECTAL RESECTION WITH MCC | 2 | 0.01 | 7.0 |
| 333 | RECTAL RESECTION WITH CC | 8 | 0.05 | 10 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 5 | 0.03 | 6.6 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 6 | 0.04 | 8.3 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 18 | 0.12 | 9.4 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 9 | 0.06 | 3.8 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 3 | 0.02 | 6.0 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 13 | 0.09 | 6.1 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 25 | 0.17 | 3.4 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 20 | 0.14 | 2.1 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 101 | 0.69 | 1.6 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 4 | 0.03 | 5.0 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 4.4 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 2 | 0.01 | 15 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 4 | 0.03 | 2.5 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 18 | 0.12 | 2.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 1 | 0.01 | 5.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 4 | 0.03 | 7.8 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 5 | 0.03 | 1.4 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 15 | 0.10 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 27 | 0.18 | 2.8 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 9 | 0.06 | 16 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 9 | 0.06 | 6.0 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 6 | 0.04 | 5.5 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 4 | 0.03 | 5.8 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 3 | 0.02 | 4.7 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 5 | 0.03 | .80 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 25 | 0.17 | 12 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 30 | 0.20 | 5.8 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 14 | 0.10 | 3.0 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 4 | 0.03 | 6.5 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 18 | 0.12 | 7.5 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 5 | 0.03 | 31 |
| 377 | G.I. HEMORRHAGE WITH MCC | 51 | 0.35 | 4.6 |
| 378 | G.I. HEMORRHAGE WITH CC | 107 | 0.73 | 4.2 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 35 | 0.24 | 1.9 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 5 | 0.03 | 9.4 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 11 | 0.08 | 3.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 3 | 0.02 | 6.0 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 9 | 0.06 | 3.8 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 1 | 0.01 | 7.0 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 16 | 0.11 | 7.0 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 15 | 0.10 | 3.4 |
| 388 | G.I. OBSTRUCTION WITH MCC | 19 | 0.13 | 5.5 |
| 389 | G.I. OBSTRUCTION WITH CC | 48 | 0.33 | 4.3 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 45 | 0.31 | 3.0 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 49 | 0.33 | 18 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 257 | 1.76 | 4.4 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 19 | 0.13 | 6.9 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 50 | 0.34 | 7.9 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.11 | 2.2 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 8 | 0.05 | 21 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 12 | 0.08 | 6.9 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 6 | 0.04 | 6.3 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 20 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 5.5 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 12 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 5.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 2 | 0.01 | 4.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 10 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 13 | 0.09 | 8.8 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 7 | 0.05 | 4.6 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 22 | 0.15 | 6.8 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 41 | 0.28 | 5.6 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 79 | 0.54 | 2.7 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 2 | 0.01 | 10 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 1 | 0.01 | 4.0 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 23 | 0.16 | 28 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 8 | 0.05 | 6.4 |
| 435 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC | 16 | 0.11 | 4.9 |
| 436 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC | 16 | 0.11 | 4.9 |
| 437 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 3 | 0.02 | 5.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 23 | 0.16 | 9.5 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 41 | 0.28 | 4.1 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 40 | 0.27 | 3.3 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 27 | 0.18 | 6.6 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 15 | 0.10 | 5.4 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 11 | 0.08 | 2.5 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 18 | 0.12 | 4.4 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 21 | 0.14 | 3.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 16 | 0.11 | 3.5 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 1 | 0.01 | 12 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 5 | 0.03 | 5.6 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 8 | 0.05 | 3.9 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 6 | 0.04 | 8.7 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 3 | 0.02 | 6.3 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 2 | 0.01 | 8.5 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 60 | 0.41 | 3.6 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 37 | 0.25 | 3.1 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 5 | 0.03 | 29 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 8 | 0.05 | 14 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 1 | 0.01 | 4.0 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 7 | 0.05 | 7.7 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 25 | 0.17 | 4.4 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 13 | 0.09 | 3.2 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 31 | 0.21 | 7.2 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 497 | 3.39 | 3.2 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 1 | 0.01 | 4.0 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 4 | 0.03 | 5.5 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 23 | 0.16 | 1.7 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 3 | 0.02 | 11 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 1 | 0.01 | 15 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 3 | 0.02 | 2.0 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 5 | 0.03 | 3.2 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 31 | 0.21 | 8.5 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 64 | 0.44 | 5.1 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 30 | 0.20 | 4.2 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 15 | 0.10 | 3.3 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 21 | 0.14 | 2.1 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 2 | 0.01 | 13 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 5 | 0.03 | 6.4 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.01 | 2.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 3 | 0.02 | 2.3 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 9 | 0.06 | 1.6 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 22 | 0.15 | 3.6 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 73 | 0.50 | 1.6 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 7 | 0.05 | 6.9 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 29 | 0.20 | 5.1 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 65 | 0.44 | 2.5 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 8 | 0.05 | 8.6 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 10 | 0.07 | 1.8 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 2 | 0.01 | 7.0 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 2 | 0.01 | 5.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 501 | SOFT TISSUE PROCEDURES WITH CC | 11 | 0.08 | 6.2 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 2.7 |
| 503 | FOOT PROCEDURES WITH MCC | 1 | 0.01 | 3.0 |
| 504 | FOOT PROCEDURES WITH CC | 2 | 0.01 | 3.0 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 12 | 0.08 | 2.9 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 3 | 0.02 | 2.3 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.0 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 2 | 0.01 | 11 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 4 | 0.03 | 1.3 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 14 | 0.10 | 1.7 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 4 | 0.03 | 1.3 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 4 | 0.03 | 1.8 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 3 | 0.02 | 5.3 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 12 | 0.08 | 6.6 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 16 | 0.11 | 2.6 |
| 533 | FRACTURES OF FEMUR WITH MCC | 1 | 0.01 | 8.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 4 | 0.03 | 6.8 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 9 | 0.06 | 6.6 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 34 | 0.23 | 44 |
| 539 | OSTEOMYELITIS WITH MCC | 4 | 0.03 | 10 |
| 540 | OSTEOMYELITIS WITH CC | 7 | 0.05 | 7.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 8 | 0.05 | 6.5 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 12 | 0.08 | 4.9 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 5 | 0.03 | 5.0 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 4 | 0.03 | 11 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 4 | 0.03 | 5.5 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 4 | 0.03 | 2.8 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 2 | 0.01 | 12 |
| 549 | SEPTIC ARTHRITIS WITH CC | 2 | 0.01 | 10 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 19 | 0.13 | 5.4 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 72 | 0.49 | 3.7 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 3 | 0.02 | 3.7 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 14 | 0.10 | 86 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 5 | 0.03 | 4.6 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 21 | 0.14 | 38 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 5 | 0.03 | 4.4 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 13 | 0.09 | 2.5 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 5 | 0.03 | 4.0 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 9 | 0.06 | 7.3 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 8 | 0.05 | 13 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 3 | 0.02 | 4.7 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 33 | 0.23 | 11 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 1 | 0.01 | 19 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 2 | 0.01 | 3.5 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 5.5 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 5 | 0.03 | 24 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 8 | 0.05 | 8.5 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 3 | 0.02 | 3.7 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 1 | 0.01 | 13 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 4 | 0.03 | 3.0 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 5 | 0.03 | 12 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 12 | 0.08 | 6.0 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 27 | 0.18 | 2.7 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 3 | 0.02 | 2.7 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 8 | 0.05 | 1.4 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 1 | 0.01 | 7.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 592 | SKIN ULCERS WITH MCC | 2 | 0.01 | 3.0 |
| 593 | SKIN ULCERS WITH CC | 4 | 0.03 | 7.3 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 3 | 0.02 | 4.7 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 5 | 0.03 | 104 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 4 | 0.03 | 186 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 2 | 0.01 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 3 | 0.02 | 5.3 |
| 602 | CELLULITIS WITH MCC | 36 | 0.25 | 6.5 |
| 603 | CELLULITIS WITHOUT MCC | 182 | 1.24 | 4.5 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 5 | 0.03 | 16 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 12 | 0.08 | 5.0 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 3 | 0.02 | 4.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 7 | 0.05 | 11 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 5 | 0.03 | 6.0 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 5 | 0.03 | 1.8 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 6 | 0.04 | 6.0 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 2 | 0.01 | 4.0 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 36 | 0.25 | 1.6 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 1 | 0.01 | 21 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 2 | 0.01 | 1.5 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 1.2 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 8 | 0.05 | 12 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 4 | 0.03 | 8.0 |
| 637 | DIABETES WITH MCC | 24 | 0.16 | 34 |
| 638 | DIABETES WITH CC | 34 | 0.23 | 11 |
| 639 | DIABETES WITHOUT CC/MCC | 39 | 0.27 | 2.2 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 49 | 0.33 | 3.3 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 105 | 0.72 | 29 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 642 | INBORN ERRORS OF METABOLISM | 6 | 0.04 | 240 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 3 | 0.02 | 55 |
| 644 | ENDOCRINE DISORDERS WITH CC | 14 | 0.10 | 66 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 11 | 0.08 | 27 |
| 652 | KIDNEY TRANSPLANT | 5 | 0.03 | 8.8 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 1 | 0.01 | 11 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 6 | 0.04 | 7.7 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 6.0 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 3 | 0.02 | 8.0 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 11 | 0.08 | 5.5 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 15 | 0.10 | 3.4 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 4 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 9 | 0.06 | 7.4 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 11 | 0.08 | 1.9 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 2 | 0.01 | 4.0 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 2 | 0.01 | 6.5 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 1.9 |
| 666 | PROSTATECTOMY WITH CC | 1 | 0.01 | 1.0 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 8 | 0.05 | 6.6 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 19 | 0.13 | 1.8 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 1.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 2 | 0.01 | 3.5 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 5 | 0.03 | 1.6 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 11 | 0.08 | 7.1 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 9 | 0.06 | 8.0 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 13 |
| 682 | RENAL FAILURE WITH MCC | 55 | 0.38 | 55 |
| 683 | RENAL FAILURE WITH CC | 70 | 0.48 | 17 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 20 | 0.14 | 11 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 2 | 0.01 | 11 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 2 | 0.01 | 9.5 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 44 | 0.30 | 63 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 140 | 0.96 | 4.9 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 1 | 0.01 | 2.0 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 6 | 0.04 | 3.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 36 | 0.25 | 9.8 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 1 | 0.01 | 132 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 9 | 0.06 | 3.1 |
| 697 | URETHRAL STRICTURE | 3 | 0.02 | 2.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 40 | 0.27 | 5.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 23 | 0.16 | 4.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 13 | 0.09 | 4.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 5 | 0.03 | 3.0 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 25 | 0.17 | 1.3 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 4 | 0.03 | 3.0 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 1 | 0.01 | 10 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 9 | 0.06 | 3.8 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 15 | 0.10 | 2.1 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 1 | 0.01 | 6.0 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 3 | 0.02 | 1.3 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.01 | 3E3 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 3.5 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 3 | 0.02 | 448 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.01 | 15 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1 | 0.01 | 4.0 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 2 | 0.01 | 3.5 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 4 | 0.03 | 6.3 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 5 | 0.03 | 1.8 |
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 1 | 0.01 | 16 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 5 | 0.03 | 8.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 1 | 0.01 | 5.0 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 7 | 0.05 | 6.6 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 14 | 0.10 | 2.4 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 34 | 0.23 | 2.9 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 125 | 0.85 | 1.6 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 3 | 0.02 | 2.0 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 3 | 0.02 | 1.7 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 8 | 0.05 | 1.1 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 28 | 0.19 | 1.4 |
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 3 | 0.02 | 1.0 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.01 | 7.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 6 | 0.04 | 5.3 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 2.5 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 7 | 0.05 | 4.7 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 4 | 0.03 | 2.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 7 | 0.05 | 1.3 |
| 765 | CESAREAN SECTION WITH CC/MCC | 167 | 1.14 | 4.0 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 264 | 1.80 | 3.3 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 24 | 0.16 | 2.6 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 2 | 0.01 | 3.0 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3 | 0.02 | .67 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 148 | 1.01 | 2.7 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 996 | 6.80 | 1.9 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 15 | 0.10 | 2.1 |
| 777 | ECTOPIC PREGNANCY | 2 | 0.01 | 2.5 |
| 778 | THREATENED ABORTION | 23 | 0.16 | 1.4 |
| 779 | ABORTION WITHOUT D&C | 2 | 0.01 | 1.0 |
| 780 | FALSE LABOR | 5 | 0.03 | 1.2 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 62 | 0.42 | 2.2 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 18 | 0.12 | 1.7 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 30 | 0.20 | 8.7 |
| 790 | EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 20 | 0.14 | 36 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 28 | 0.19 | 18 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 95 | 0.65 | 7.6 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 62 | 0.42 | 6.7 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 258 | 1.76 | 2.5 |
| 795 | NORMAL NEWBORN | 1,226 | 8.37 | 1.9 |
| 800 | SPLENECTOMY WITH CC | 1 | 0.01 | 6.0 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 3 | 0.02 | 4.3 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 9 | 0.06 | 5.7 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 16 | 0.11 | 7.1 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 2 | 0.01 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 26 | 0.18 | 19 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 57 | 0.39 | 7.6 |
| 813 | COAGULATION DISORDERS | 12 | 0.08 | 78 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 4 | 0.03 | 6.8 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 8 | 0.05 | 2.6 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 6 | 0.04 | 17 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 3 | 0.02 | 4.7 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.05 | 3.6 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 2 | 0.01 | 36 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 6 | 0.04 | 3.7 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 1 | 0.01 | 11 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 4 | 0.03 | 10 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 2 | 0.01 | 6.0 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 4.0 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.01 | 5.0 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 2 | 0.01 | 21 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 5 | 0.03 | 6.8 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 4 | 0.03 | 38 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 7 | 0.05 | 12 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 3 | 0.02 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 11 | 0.08 | 7.4 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 14 | 0.10 | 8.8 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 4 | 0.03 | 2.5 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 3 | 0.02 | 5.3 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 3 | 0.02 | 2.3 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 2 | 0.01 | 5.5 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 36 | 0.25 | 4.5 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 42 | 0.29 | 13 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 1 | 0.01 | 4.0 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 8 | 0.05 | 12 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 15 | 0.10 | 6.9 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 15 | 0.10 | 5.4 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 32 | 0.22 | 4.4 |
| 864 | FEVER | 26 | 0.18 | 12 |
| 865 | VIRAL ILLNESS WITH MCC | 3 | 0.02 | 5.0 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 12 | 0.08 | 3.0 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 4 | 0.03 | 20 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 5 | 0.03 | 10 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 18 | 0.12 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 230 | 1.57 | 6.5 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 93 | 0.64 | 3.9 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 15 | 0.10 | 2.8 |
| 881 | DEPRESSIVE NEUROSES | 21 | 0.14 | 35 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 6 | 0.04 | 3.3 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 7 | 0.05 | 16 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 21 | 0.14 | 216 |
| 885 | PSYCHOSES | 296 | 2.02 | 22 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 2 | 0.01 | 2.5 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 1 | 0.01 | 1.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 9 | 0.06 | 1.8 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 0.01 | 2.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 16 | 0.11 | 48 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 74 | 0.51 | 6.0 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 1 | 0.01 | 1.0 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 4 | 0.03 | 22 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 3 | 0.02 | 54 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 8 | 0.05 | 6.1 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 15 | 0.10 | 3.3 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 8 | 0.05 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 914 | TRAUMATIC INJURY WITHOUT MCC | 17 | 0.12 | 4.2 |
| 915 | ALLERGIC REACTIONS WITH MCC | 2 | 0.01 | 3.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.01 | 3.0 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 31 | 0.21 | 4.4 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 52 | 0.36 | 2.2 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 7 | 0.05 | 4.4 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 13 | 0.09 | 3.2 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 14 | 0.10 | 2.0 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 1 | 0.01 | 3.0 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 4 | 0.03 | 1.5 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 1 | 0.01 | 15 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 1 | 0.01 | 9.0 |
| 935 | NON-EXTENSIVE BURNS | 5 | 0.03 | 3.4 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 7 | 0.05 | 12 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 3 | 0.02 | 36 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 945 | REHABILITATION WITH CC/MCC | 141 | 0.96 | 12 |
| 946 | REHABILITATION WITHOUT CC/MCC | 23 | 0.16 | 7.7 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 18 | 0.12 | 9.6 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 51 | 0.35 | 12 |
| 949 | AFTERCARE WITH CC/MCC | 14 | 0.10 | 192 |
| 950 | AFTERCARE WITHOUT CC/MCC | 5 | 0.03 | 79 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Napa County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 12 | 0.08 | 27 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 1 | 0.01 | 2.0 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 2 | 0.01 | 9.0 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 4 | 0.03 | 33 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 13 | 0.09 | 6.5 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 1 | 0.01 | 7.0 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 5 | 0.03 | 5.4 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 6 | 0.04 | 2.0 |
| 970 | HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC | 1 | 0.01 | 6.0 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 7 | 0.05 | 15 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 4 | 0.03 | 3.0 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 29 | 0.20 | 15 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 18 | 0.12 | 12 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 11 | 0.08 | 2.4 |
| 984 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 4 | 0.03 | 13 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 6 | 0.04 | 6.8 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 6 | 0.04 | 11 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 10 | 0.07 | 33 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 7 | 0.05 | 2.6 |
| All | | 14,642 | 100.0 | 9.6 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 1 | 0.01 | 61 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 2 | 0.01 | 18 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 15 | 0.11 | 43 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 27 | 0.19 | 58 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 2 | 0.01 | 11 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 1 | 0.01 | 9.0 |
| 009 | BONE MARROW TRANSPLANT | 3 | 0.02 | 17 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 1 | 0.01 | 18 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 1 | 0.01 | 13 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 6.5 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 1 | 0.01 | 18 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 1 | 0.01 | 15 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 1 | 0.01 | 15 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 10 | 0.07 | 13 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 11 | 0.08 | 10 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 20 | 0.14 | 4.9 |
| 028 | SPINAL PROCEDURES WITH MCC | 2 | 0.01 | 4.5 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 2 | 0.01 | 7.5 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 3 | 0.02 | 6.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 1 | 0.01 | 12 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 1 | 0.01 | 3.0 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 3.0 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 1 | 0.01 | 1.0 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 13 | 0.09 | 2.4 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 39 | 0.28 | 1.4 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 4 | 0.03 | 8.8 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 3 | 0.02 | 7.0 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 2 | 0.01 | 5.5 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 2 | 0.01 | 4.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 8 | 0.06 | 5.4 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 15 | 0.11 | 3.3 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 9 | 0.06 | 6.6 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 15 | 0.11 | 5.1 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 1 | 0.01 | 5.0 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.01 | 6.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 1 | 0.01 | .00 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 1 | 0.01 | 3.0 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 65 | 0.47 | 6.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 92 | 0.66 | 3.3 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 56 | 0.40 | 3.0 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 1 | 0.01 | 6.0 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 6 | 0.04 | 1.8 |
| 069 | TRANSIENT ISCHEMIA | 71 | 0.51 | 2.0 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 9 | 0.06 | 10 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 7 | 0.05 | 6.0 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 4 | 0.03 | 5.8 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 17 | 0.12 | 3.9 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 1 | 0.01 | 5.0 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 4 | 0.03 | 2.0 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 1 | 0.01 | 1.0 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 6 | 0.04 | 1.5 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 12 | 0.09 | 3.4 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 4 | 0.03 | 12 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 5 | 0.04 | 3.2 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 7 | 0.05 | 1.7 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 8 | 0.06 | 4.9 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 15 | 0.11 | 4.1 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 16 | 0.12 | 1.9 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 089 | CONCUSSION WITH CC | 4 | 0.03 | 9.3 |
| 090 | CONCUSSION WITHOUT CC/MCC | 4 | 0.03 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 9 | 0.06 | 11 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 16 | 0.12 | 5.7 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 6 | 0.04 | 1.5 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 1 | 0.01 | 21 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 1 | 0.01 | 17 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 4 | 0.03 | 4.0 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.01 | 23 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 8 | 0.06 | 7.3 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 2 | 0.01 | 9.5 |
| 100 | SEIZURES WITH MCC | 22 | 0.16 | 3.6 |
| 101 | SEIZURES WITHOUT MCC | 52 | 0.37 | 2.8 |
| 102 | HEADACHES WITH MCC | 3 | 0.02 | 7.7 |
| 103 | HEADACHES WITHOUT MCC | 22 | 0.16 | 2.9 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 1 | 0.01 | 2.0 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | .50 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 2 | 0.01 | 1.5 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 5 | 0.04 | 2.0 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 1 | 0.01 | 1.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 3 | 0.02 | 9.0 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 8 | 0.06 | 1.1 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 2 | 0.01 | 20 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 1.6 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.5 |
| 139 | SALIVARY GLAND PROCEDURES | 4 | 0.03 | 1.0 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 2 | 0.01 | 1.5 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 149 | DYSEQUILIBRIUM | 26 | 0.19 | 2.3 |
| 150 | EPISTAXIS WITH MCC | 1 | 0.01 | 3.0 |
| 151 | EPISTAXIS WITHOUT MCC | 3 | 0.02 | 3.0 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 9 | 0.06 | 5.6 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 25 | 0.18 | 2.5 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 4 | 0.03 | 5.5 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 7 | 0.05 | 3.7 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 3 | 0.02 | 3.0 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 2 | 0.01 | 2.5 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 7 | 0.05 | 2.4 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 5 | 0.04 | 4.0 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 15 | 0.11 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 164 | MAJOR CHEST PROCEDURES WITH CC | 31 | 0.22 | 7.7 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 15 | 0.11 | 4.1 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 16 | 0.12 | 17 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 19 | 0.14 | 7.2 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 2.0 |
| 175 | PULMONARY EMBOLISM WITH MCC | 8 | 0.06 | 6.4 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 43 | 0.31 | 4.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 74 | 0.53 | 7.0 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 71 | 0.51 | 5.7 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 27 | 0.19 | 5.0 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 11 | 0.08 | 5.6 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 13 | 0.09 | 5.1 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 6 | 0.04 | 6.8 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 8 | 0.06 | 2.6 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 6 | 0.04 | 1.2 |
| 186 | PLEURAL EFFUSION WITH MCC | 11 | 0.08 | 3.9 |
| 187 | PLEURAL EFFUSION WITH CC | 10 | 0.07 | 5.6 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 5 | 0.04 | 2.4 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 58 | 0.42 | 5.2 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 79 | 0.57 | 4.9 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 60 | 0.43 | 3.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 56 | 0.40 | 3.6 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 96 | 0.69 | 6.1 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 228 | 1.64 | 3.9 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 109 | 0.79 | 3.0 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 8 | 0.06 | 13 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1 | 0.01 | 5.0 |
| 199 | PNEUMOTHORAX WITH MCC | 2 | 0.01 | 5.0 |
| 200 | PNEUMOTHORAX WITH CC | 12 | 0.09 | 3.8 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 8 | 0.06 | 2.9 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 38 | 0.27 | 3.2 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 43 | 0.31 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 19 | 0.14 | 2.5 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 3 | 0.02 | 3.0 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 16 | 0.12 | 3.2 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 42 | 0.30 | 16 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 79 | 0.57 | 6.1 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 9 | 0.06 | 14 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 5 | 0.04 | 10 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 9 | 0.06 | 11 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 32 | 0.23 | 7.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 3 | 0.02 | 6.0 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 4 | 0.03 | 7.5 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 2 | 0.01 | 4.5 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 3 | 0.02 | 6.7 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 7 | 0.05 | 5.4 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 20 | 0.14 | 2.6 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 1 | 0.01 | 26 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 2 | 0.01 | 12 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 1 | 0.01 | 15 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 2 | 0.01 | 5.5 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 14 | 0.10 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 29 | 0.21 | 7.3 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 7 | 0.05 | 10 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 20 | 0.14 | 6.3 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 15 | 0.11 | 9.7 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 24 | 0.17 | 4.1 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 7 | 0.05 | 19 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 4 | 0.03 | 9.8 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 1 | 0.01 | 10 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 30 | 0.22 | 5.9 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 36 | 0.26 | 3.2 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 25 | 0.18 | 2.1 |
| 245 | AICD GENERATOR PROCEDURES | 1 | 0.01 | 11 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 32 | 0.23 | 3.3 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 121 | 0.87 | 1.6 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 10 | 0.07 | 4.5 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 26 | 0.19 | 2.0 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 7 | 0.05 | 5.1 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 17 | 0.12 | 3.1 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 35 | 0.25 | 11 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 26 | 0.19 | 7.3 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 23 | 0.17 | 2.4 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 2 | 0.01 | 12 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 3 | 0.02 | 5.7 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 4 | 0.03 | 4.3 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 5 | 0.04 | 2.4 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 3 | 0.02 | 2.7 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 16 | 0.12 | 13 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 57 | 0.41 | 4.7 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 40 | 0.29 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 46 | 0.33 | 1.9 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 8 | 0.06 | 5.5 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 2 | 0.01 | 2.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 24 | 0.17 | 5.9 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 84 | 0.61 | 2.3 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 3 | 0.02 | 8.3 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 135 | 0.97 | 5.5 |
| 292 | HEART FAILURE & SHOCK WITH CC | 111 | 0.80 | 4.2 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 49 | 0.35 | 3.0 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 2 | 0.01 | 2.5 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 2 | 0.01 | 3.0 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 16 | 0.12 | 4.8 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 19 | 0.14 | 5.3 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 15 | 0.11 | 2.8 |
| 302 | ATHEROSCLEROSIS WITH MCC | 5 | 0.04 | 4.0 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 37 | 0.27 | 1.8 |
| 305 | HYPERTENSION WITHOUT MCC | 6 | 0.04 | 1.7 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 3 | 0.02 | 12 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 4 | 0.03 | 3.3 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 60 | 0.43 | 4.8 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 62 | 0.45 | 3.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 92 | 0.66 | 1.9 |
| 311 | ANGINA PECTORIS | 19 | 0.14 | 1.5 |
| 312 | SYNCOPE & COLLAPSE | 110 | 0.79 | 2.8 |
| 313 | CHEST PAIN | 105 | 0.76 | 1.6 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 36 | 0.26 | 7.3 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 24 | 0.17 | 3.5 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 10 | 0.07 | 2.0 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 11 | 0.08 | 14 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 12 | 0.09 | 13 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 8 | 0.06 | 3.1 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 53 | 0.38 | 15 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 73 | 0.53 | 8.6 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 53 | 0.38 | 4.8 |
| 332 | RECTAL RESECTION WITH MCC | 2 | 0.01 | 7.0 |
| 333 | RECTAL RESECTION WITH CC | 8 | 0.06 | 10 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 5 | 0.04 | 6.6 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 6 | 0.04 | 8.3 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 18 | 0.13 | 9.4 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 9 | 0.06 | 3.8 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 3 | 0.02 | 6.0 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 13 | 0.09 | 6.1 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 25 | 0.18 | 3.4 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 20 | 0.14 | 2.1 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 101 | 0.73 | 1.6 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 4 | 0.03 | 5.0 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 4.4 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 2 | 0.01 | 15 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 4 | 0.03 | 2.5 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 18 | 0.13 | 2.6 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 1 | 0.01 | 5.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 4 | 0.03 | 7.8 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 5 | 0.04 | 1.4 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 15 | 0.11 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 27 | 0.19 | 2.8 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 9 | 0.06 | 16 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 9 | 0.06 | 6.0 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 6 | 0.04 | 5.5 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 4 | 0.03 | 5.8 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 3 | 0.02 | 4.7 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 5 | 0.04 | .80 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 24 | 0.17 | 7.5 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 30 | 0.22 | 5.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 13 | 0.09 | 2.8 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 4 | 0.03 | 6.5 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 15 | 0.11 | 5.2 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 3 | 0.02 | 2.3 |
| 377 | G.I. HEMORRHAGE WITH MCC | 50 | 0.36 | 4.6 |
| 378 | G.I. HEMORRHAGE WITH CC | 106 | 0.76 | 3.4 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 34 | 0.25 | 1.8 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 5 | 0.04 | 9.4 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 11 | 0.08 | 3.6 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 3 | 0.02 | 6.0 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 8 | 0.06 | 3.9 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 1 | 0.01 | 7.0 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 16 | 0.12 | 7.0 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 15 | 0.11 | 3.4 |
| 388 | G.I. OBSTRUCTION WITH MCC | 19 | 0.14 | 5.5 |
| 389 | G.I. OBSTRUCTION WITH CC | 46 | 0.33 | 4.1 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 44 | 0.32 | 2.6 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 47 | 0.34 | 6.7 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 252 | 1.82 | 3.2 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 18 | 0.13 | 7.1 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 49 | 0.35 | 4.4 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.12 | 2.2 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 8 | 0.06 | 21 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 12 | 0.09 | 6.9 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 6 | 0.04 | 6.3 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 20 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 5.5 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 12 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 2 | 0.01 | 5.5 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 2 | 0.01 | 4.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 2 | 0.01 | 10 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 13 | 0.09 | 8.8 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 7 | 0.05 | 4.6 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 22 | 0.16 | 6.8 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 41 | 0.30 | 5.6 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 79 | 0.57 | 2.7 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 2 | 0.01 | 10 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 1 | 0.01 | 4.0 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 22 | 0.16 | 6.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 7 | 0.05 | 4.3 |
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 16 | 0.12 | 4.9 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 15 | 0.11 | 3.8 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 1 | 0.01 | 6.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 23 | 0.17 | 9.5 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 41 | 0.30 | 4.1 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 40 | 0.29 | 3.3 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 27 | 0.19 | 6.6 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 15 | 0.11 | 5.4 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 11 | 0.08 | 2.5 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 18 | 0.13 | 4.4 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 21 | 0.15 | 3.4 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 14 | 0.10 | 3.0 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 1 | 0.01 | 12 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 5 | 0.04 | 5.6 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 8 | 0.06 | 3.9 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH CC | 6 | 0.04 | 8.7 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITHOUT CC/MCC | 3 | 0.02 | 6.3 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 2 | 0.01 | 8.5 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 60 | 0.43 | 3.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 37 | 0.27 | 3.1 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 5 | 0.04 | 29 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 8 | 0.06 | 14 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 1 | 0.01 | 4.0 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 7 | 0.05 | 7.7 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 25 | 0.18 | 4.4 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 13 | 0.09 | 3.2 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 31 | 0.22 | 7.2 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 497 | 3.58 | 3.2 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 1 | 0.01 | 4.0 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 4 | 0.03 | 5.5 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 23 | 0.17 | 1.7 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 3 | 0.02 | 11 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 1 | 0.01 | 15 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 3 | 0.02 | 2.0 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 5 | 0.04 | 3.2 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 31 | 0.22 | 8.5 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 64 | 0.46 | 5.1 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 30 | 0.22 | 4.2 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 15 | 0.11 | 3.3 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 21 | 0.15 | 2.1 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 2 | 0.01 | 13 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 5 | 0.04 | 6.4 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.01 | 2.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 3 | 0.02 | 2.3 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 9 | 0.06 | 1.6 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 22 | 0.16 | 3.6 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 73 | 0.53 | 1.6 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 7 | 0.05 | 6.9 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 29 | 0.21 | 5.1 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 65 | 0.47 | 2.5 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 8 | 0.06 | 8.6 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 10 | 0.07 | 1.8 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 2 | 0.01 | 7.0 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 2 | 0.01 | 1.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 2 | 0.01 | 5.0 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 11 | 0.08 | 6.2 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 2.7 |
| 503 | FOOT PROCEDURES WITH MCC | 1 | 0.01 | 3.0 |
| 504 | FOOT PROCEDURES WITH CC | 2 | 0.01 | 3.0 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 12 | 0.09 | 2.9 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 3 | 0.02 | 2.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.0 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 2 | 0.01 | 11 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 4 | 0.03 | 1.3 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 14 | 0.10 | 1.7 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 4 | 0.03 | 1.3 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 4 | 0.03 | 1.8 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 3 | 0.02 | 5.3 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 12 | 0.09 | 6.6 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 16 | 0.12 | 2.6 |
| 533 | FRACTURES OF FEMUR WITH MCC | 1 | 0.01 | 8.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 4 | 0.03 | 6.8 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 9 | 0.06 | 6.6 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 32 | 0.23 | 3.6 |
| 539 | OSTEOMYELITIS WITH MCC | 4 | 0.03 | 10 |
| 540 | OSTEOMYELITIS WITH CC | 6 | 0.04 | 8.0 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 8 | 0.06 | 6.5 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 12 | 0.09 | 4.9 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 5 | 0.04 | 5.0 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 4 | 0.03 | 11 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 4 | 0.03 | 5.5 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 4 | 0.03 | 2.8 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 2 | 0.01 | 12 |
| 549 | SEPTIC ARTHRITIS WITH CC | 2 | 0.01 | 10 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 19 | 0.14 | 5.4 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 70 | 0.50 | 3.6 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 3 | 0.02 | 3.7 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 12 | 0.09 | 2.8 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 4 | 0.03 | 4.5 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 16 | 0.12 | 3.6 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 5 | 0.04 | 4.4 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 13 | 0.09 | 2.5 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 5 | 0.04 | 4.0 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 4 | 0.03 | 3.8 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 4 | 0.03 | 3.5 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 3 | 0.02 | 4.7 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 32 | 0.23 | 2.2 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 2 | 0.01 | 3.5 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 5 | 0.04 | 24 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 8 | 0.06 | 8.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 3 | 0.02 | 3.7 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 1 | 0.01 | 13 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 4 | 0.03 | 3.0 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 5 | 0.04 | 12 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 12 | 0.09 | 6.0 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 27 | 0.19 | 2.7 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 3 | 0.02 | 2.7 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 8 | 0.06 | 1.4 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 1 | 0.01 | 7.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 592 | SKIN ULCERS WITH MCC | 2 | 0.01 | 3.0 |
| 593 | SKIN ULCERS WITH CC | 3 | 0.02 | 6.7 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 3 | 0.02 | 4.7 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 4 | 0.03 | 5.3 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 3 | 0.02 | 4.7 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 2 | 0.01 | 2.5 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 3 | 0.02 | 5.3 |
| 602 | CELLULITIS WITH MCC | 36 | 0.26 | 6.5 |
| 603 | CELLULITIS WITHOUT MCC | 177 | 1.28 | 4.0 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 4 | 0.03 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 10 | 0.07 | 2.7 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 3 | 0.02 | 4.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 5 | 0.04 | 3.0 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 5 | 0.04 | 6.0 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 5 | 0.04 | 1.8 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 6 | 0.04 | 6.0 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 2 | 0.01 | 4.0 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 36 | 0.26 | 1.6 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 1 | 0.01 | 21 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 2 | 0.01 | 1.5 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 10 | 0.07 | 1.2 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 8 | 0.06 | 12 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 4 | 0.03 | 8.0 |
| 637 | DIABETES WITH MCC | 23 | 0.17 | 4.9 |
| 638 | DIABETES WITH CC | 33 | 0.24 | 2.9 |
| 639 | DIABETES WITHOUT CC/MCC | 39 | 0.28 | 2.2 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 49 | 0.35 | 3.3 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 102 | 0.74 | 3.7 |
| 642 | INBORN ERRORS OF METABOLISM | 4 | 0.03 | 1.8 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 2 | 0.01 | 4.0 |
| 644 | ENDOCRINE DISORDERS WITH CC | 13 | 0.09 | 3.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 9 | 0.06 | 2.4 |
| 652 | KIDNEY TRANSPLANT | 5 | 0.04 | 8.8 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 1 | 0.01 | 11 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 6 | 0.04 | 7.7 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 6.0 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 3 | 0.02 | 8.0 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 11 | 0.08 | 5.5 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 15 | 0.11 | 3.4 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 4 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 9 | 0.06 | 7.4 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 11 | 0.08 | 1.9 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 2 | 0.01 | 4.0 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 2 | 0.01 | 6.5 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 1.9 |
| 666 | PROSTATECTOMY WITH CC | 1 | 0.01 | 1.0 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 8 | 0.06 | 6.6 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 19 | 0.14 | 1.8 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 7 | 0.05 | 1.9 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 2 | 0.01 | 3.5 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 5 | 0.04 | 1.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 11 | 0.08 | 7.1 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 9 | 0.06 | 8.0 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 13 |
| 682 | RENAL FAILURE WITH MCC | 53 | 0.38 | 6.3 |
| 683 | RENAL FAILURE WITH CC | 66 | 0.48 | 4.2 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 17 | 0.12 | 3.2 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 2 | 0.01 | 11 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.01 | 7.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 40 | 0.29 | 5.7 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 137 | 0.99 | 3.0 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 1 | 0.01 | 2.0 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 6 | 0.04 | 3.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 35 | 0.25 | 1.7 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 9 | 0.06 | 3.1 |
| 697 | URETHRAL STRICTURE | 2 | 0.01 | 1.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 40 | 0.29 | 5.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 23 | 0.17 | 4.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 12 | 0.09 | 2.6 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 5 | 0.04 | 3.0 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 25 | 0.18 | 1.3 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 2 | 0.01 | 2.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 4 | 0.03 | 3.0 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 1 | 0.01 | 10 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 9 | 0.06 | 3.8 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 15 | 0.11 | 2.1 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 1 | 0.01 | 6.0 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 3 | 0.02 | 1.3 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 3.5 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 2 | 0.01 | 3.0 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.01 | 15 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1 | 0.01 | 4.0 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 2 | 0.01 | 3.5 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 4 | 0.03 | 6.3 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 5 | 0.04 | 1.8 |
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 1 | 0.01 | 16 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 5 | 0.04 | 8.6 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 1 | 0.01 | 5.0 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 7 | 0.05 | 6.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 14 | 0.10 | 2.4 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 34 | 0.25 | 2.9 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 125 | 0.90 | 1.6 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 3 | 0.02 | 2.0 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 3 | 0.02 | 1.7 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 8 | 0.06 | 1.1 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 28 | 0.20 | 1.4 |
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 3 | 0.02 | 1.0 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.01 | 7.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 6 | 0.04 | 5.3 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.01 | 2.5 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 6 | 0.04 | 3.7 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 4 | 0.03 | 2.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 7 | 0.05 | 1.3 |
| 765 | CESAREAN SECTION WITH CC/MCC | 167 | 1.20 | 4.0 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 264 | 1.90 | 3.3 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 24 | 0.17 | 2.6 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 2 | 0.01 | 3.0 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3 | 0.02 | .67 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 148 | 1.07 | 2.7 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 996 | 7.18 | 1.9 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 15 | 0.11 | 2.1 |
| 777 | ECTOPIC PREGNANCY | 2 | 0.01 | 2.5 |
| 778 | THREATENED ABORTION | 23 | 0.17 | 1.4 |
| 779 | ABORTION WITHOUT D&C | 2 | 0.01 | 1.0 |
| 780 | FALSE LABOR | 5 | 0.04 | 1.2 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 62 | 0.45 | 2.2 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 18 | 0.13 | 1.7 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 30 | 0.22 | 8.7 |
| 790 | EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 20 | 0.14 | 36 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 28 | 0.20 | 18 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 95 | 0.68 | 7.6 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 62 | 0.45 | 6.7 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 258 | 1.86 | 2.5 |
| 795 | NORMAL NEWBORN | 1,226 | 8.84 | 1.9 |
| 800 | SPLENECTOMY WITH CC | 1 | 0.01 | 6.0 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 3 | 0.02 | 4.3 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 9 | 0.06 | 5.7 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 16 | 0.12 | 7.1 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 23 | 0.17 | 6.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 55 | 0.40 | 2.8 |
| 813 | COAGULATION DISORDERS | 10 | 0.07 | 3.3 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 4 | 0.03 | 6.8 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 8 | 0.06 | 2.6 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 5 | 0.04 | 3.4 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 3 | 0.02 | 4.7 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.05 | 3.6 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 2 | 0.01 | 36 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 6 | 0.04 | 3.7 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 1.5 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 1 | 0.01 | 11 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 4 | 0.03 | 10 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 2 | 0.01 | 6.0 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.01 | 4.0 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.01 | 5.0 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 2 | 0.01 | 21 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 5 | 0.04 | 6.8 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 4 | 0.03 | 38 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 7 | 0.05 | 12 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 3 | 0.02 | 14 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 11 | 0.08 | 7.4 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 14 | 0.10 | 8.8 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 4 | 0.03 | 2.5 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 3 | 0.02 | 5.3 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 3 | 0.02 | 2.3 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 2 | 0.01 | 5.5 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 36 | 0.26 | 4.5 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 42 | 0.30 | 13 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 1 | 0.01 | 4.0 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 8 | 0.06 | 12 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 15 | 0.11 | 6.9 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 15 | 0.11 | 5.4 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 32 | 0.23 | 4.4 |
| 864 | FEVER | 24 | 0.17 | 2.5 |
| 865 | VIRAL ILLNESS WITH MCC | 3 | 0.02 | 5.0 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 12 | 0.09 | 3.0 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 3 | 0.02 | 6.3 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 5 | 0.04 | 10 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 18 | 0.13 | 16 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 230 | 1.66 | 6.5 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 93 | 0.67 | 3.9 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 11 | 0.08 | 2.5 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 1 | 0.01 | 2.0 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 2 | 0.01 | 13 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 14 | 0.10 | 3.8 |
| 885 | PSYCHOSES | 8 | 0.06 | 23 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 1 | 0.01 | 1.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 8 | 0.06 | 1.6 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 0.01 | 2.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 15 | 0.11 | 4.3 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 59 | 0.43 | 2.9 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 1 | 0.01 | 1.0 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 4 | 0.03 | 22 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.01 | 5.0 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 3 | 0.02 | 54 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 8 | 0.06 | 6.1 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 15 | 0.11 | 3.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 8 | 0.06 | 2.8 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 17 | 0.12 | 4.2 |
| 915 | ALLERGIC REACTIONS WITH MCC | 2 | 0.01 | 3.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.01 | 3.0 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 31 | 0.22 | 4.4 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 51 | 0.37 | 2.1 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 7 | 0.05 | 4.4 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 13 | 0.09 | 3.2 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 14 | 0.10 | 2.0 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 1 | 0.01 | 3.0 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 4 | 0.03 | 1.5 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 1 | 0.01 | 15 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 1 | 0.01 | 9.0 |
| 935 | NON-EXTENSIVE BURNS | 5 | 0.04 | 3.4 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 4 | 0.03 | 11 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 2 | 0.01 | 17 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 945 | REHABILITATION WITH CC/MCC | 7 | 0.05 | 7.3 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 16 | 0.12 | 6.3 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 43 | 0.31 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 949 | AFTERCARE WITH CC/MCC | 9 | 0.06 | 8.2 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 7 | 0.05 | 2.0 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 1 | 0.01 | 2.0 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 2 | 0.01 | 9.0 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 4 | 0.03 | 33 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 13 | 0.09 | 6.5 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 1 | 0.01 | 7.0 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 5 | 0.04 | 5.4 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 6 | 0.04 | 2.0 |
| 970 | HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC | 1 | 0.01 | 6.0 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 7 | 0.05 | 15 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 4 | 0.03 | 3.0 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 29 | 0.21 | 15 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 18 | 0.13 | 12 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 11 | 0.08 | 2.4 |
| 984 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 4 | 0.03 | 13 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 6 | 0.04 | 6.8 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 6 | 0.04 | 11 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 10 | 0.07 | 33 |

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 7 | 0.05 | 2.6 |
| All | | 13,874 | 100.0 | 4.3 |

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-----------------------------|----------------------------|-------------------------------|
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 1 | 10.00 | 2.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1 | 10.00 | 3.0 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 8 | 80.00 | 8.5 |
| All | | 10 | 100.0 | 7.3 |

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 1 | 0.67 | 17 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 3 | 2.01 | 15 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 1 | 0.67 | 74 |
| 945 | REHABILITATION WITH CC/MCC | 126 | 84.56 | 13 |
| 946 | REHABILITATION WITHOUT CC/MCC | 15 | 10.07 | 8.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 3 | 2.01 | 5.7 |
| All | | 149 | 100.0 | 13 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 3 | 0.92 | 4.0 |
| 881 | DEPRESSIVE NEUROSES | 20 | 6.13 | 4.3 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 5 | 1.53 | 3.6 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 5 | 1.53 | 17 |
| 885 | PSYCHOSES | 285 | 87.42 | 9.3 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 2 | 0.61 | 2.5 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 6 | 1.84 | 4.0 |
| All | | 326 | 100.0 | 8.8 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 2 | 0.71 | 419 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 9 | 3.18 | 345 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 1 | 0.35 | 363 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 1 | 0.35 | 336 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 1 | 0.35 | 1E3 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 1 | 0.35 | 41 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 1 | 0.35 | 3.0 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1 | 0.35 | 9.0 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 1 | 0.35 | 275 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 1 | 0.35 | 6.0 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 1 | 0.35 | 214 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 1 | 0.35 | 197 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.35 | 9.0 |
| 100 | SEIZURES WITH MCC | 1 | 0.35 | 10 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 2 | 0.71 | 853 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 1 | 0.35 | 3E3 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 1 | 0.35 | 13 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 1 | 0.35 | 2.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 1 | 0.35 | 310 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 4 | 1.41 | 40 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 2 | 0.71 | 9.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 2 | 0.71 | 55 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 1 | 0.35 | 5.0 |
| 186 | PLEURAL EFFUSION WITH MCC | 1 | 0.35 | 12 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 1 | 0.35 | 179 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 3 | 1.06 | 172 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 4 | 1.41 | 34 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 4 | 1.41 | 103 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 5 | 1.77 | 129 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 6 | 2.12 | 292 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 4 | 1.41 | 21 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 2 | 0.71 | 20 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 1 | 0.35 | 14 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 1 | 0.35 | 12 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 5 | 1.77 | 177 |
| 292 | HEART FAILURE & SHOCK WITH CC | 8 | 2.83 | 294 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 2 | 0.71 | 99 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 1 | 0.35 | 838 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 2 | 0.71 | 569 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 2 | 0.71 | 13 |
| 302 | ATHEROSCLEROSIS WITH MCC | 2 | 0.71 | 78 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 9 | 3.18 | 613 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 304 | HYPERTENSION WITH MCC | 1 | 0.35 | 65 |
| 305 | HYPERTENSION WITHOUT MCC | 1 | 0.35 | 2E3 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 3 | 1.06 | 362 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 5 | 1.77 | 915 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 2 | 0.71 | 213 |
| 311 | ANGINA PECTORIS | 1 | 0.35 | 22 |
| 312 | SYNCOPE & COLLAPSE | 2 | 0.71 | 6.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 1 | 0.35 | 120 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 1 | 0.35 | 5.0 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 3 | 1.06 | 19 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 2 | 0.71 | 75 |
| 377 | G.I. HEMORRHAGE WITH MCC | 1 | 0.35 | 5.0 |
| 378 | G.I. HEMORRHAGE WITH CC | 1 | 0.35 | 82 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 1 | 0.35 | 4.0 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1 | 0.35 | 3.0 |
| 389 | G.I. OBSTRUCTION WITH CC | 2 | 0.71 | 9.5 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 1 | 0.35 | 20 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 2 | 0.71 | 284 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 5 | 1.77 | 63 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 1 | 0.35 | 5.0 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 1 | 0.35 | 177 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 1 | 0.35 | 497 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 1 | 0.35 | 21 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 1 | 0.35 | 22 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 2 | 0.71 | 4.5 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 2 | 0.71 | 7.0 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 2 | 0.71 | 692 |
| 540 | OSTEOMYELITIS WITH CC | 1 | 0.35 | 5.0 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 2 | 0.71 | 7.5 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 2 | 0.71 | 582 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.35 | 5.0 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 5 | 1.77 | 147 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 5 | 1.77 | 10 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 4 | 1.41 | 23 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 1 | 0.35 | 292 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 1 | 0.35 | 19 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 1 | 0.35 | 9.0 |
| 593 | SKIN ULCERS WITH CC | 1 | 0.35 | 9.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1 | 0.35 | 501 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 1 | 0.35 | 729 |
| 603 | CELLULITIS WITHOUT MCC | 5 | 1.77 | 23 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 1 | 0.35 | 65 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 2 | 0.71 | 17 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 2 | 0.71 | 32 |
| 637 | DIABETES WITH MCC | 1 | 0.35 | 713 |
| 638 | DIABETES WITH CC | 1 | 0.35 | 268 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 3 | 1.06 | 893 |
| 642 | INBORN ERRORS OF METABOLISM | 2 | 0.71 | 715 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 1 | 0.35 | 156 |
| 644 | ENDOCRINE DISORDERS WITH CC | 1 | 0.35 | 872 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 2 | 0.71 | 138 |
| 682 | RENAL FAILURE WITH MCC | 2 | 0.71 | 1E3 |
| 683 | RENAL FAILURE WITH CC | 4 | 1.41 | 231 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 3 | 1.06 | 56 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.35 | 12 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 1 | 0.35 | 3.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 4 | 1.41 | 633 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 3 | 1.06 | 90 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 1 | 0.35 | 293 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 1 | 0.35 | 132 |
| 697 | URETHRAL STRICTURE | 1 | 0.35 | 4.0 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 1 | 0.35 | 28 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.35 | 3E3 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 1 | 0.35 | 1E3 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.35 | 11 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 3 | 1.06 | 111 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 2 | 0.71 | 140 |
| 813 | COAGULATION DISORDERS | 2 | 0.71 | 450 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 1 | 0.35 | 83 |
| 864 | FEVER | 2 | 0.71 | 127 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1 | 0.35 | 59 |
| 881 | DEPRESSIVE NEUROSES | 1 | 0.35 | 642 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 7 | 2.47 | 641 |
| 885 | PSYCHOSES | 3 | 1.06 | 1E3 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 1 | 0.35 | 703 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 1 | 0.35 | 177 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 1 | 0.35 | 6.0 |
| 945 | REHABILITATION WITH CC/MCC | 8 | 2.83 | 10 |
| 946 | REHABILITATION WITHOUT CC/MCC | 8 | 2.83 | 7.3 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 2 | 0.71 | 36 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 8 | 2.83 | 62 |
| 949 | AFTERCARE WITH CC/MCC | 5 | 1.77 | 523 |
| 950 | AFTERCARE WITHOUT CC/MCC | 5 | 1.77 | 79 |

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 2 | 0.71 | 149 |
| All | | 283 | 100.0 | 268 |

**MDC by Patient County of Residence
for 2009
Napa County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 784 | 5.35 | 14 |
| 02 | EYE, DISEASES & DISORDERS | 13 | 0.09 | 132 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 132 | 0.90 | 29 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 1,421 | 9.70 | 8.6 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 1,898 | 12.96 | 14 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1,412 | 9.64 | 6.0 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 488 | 3.33 | 6.4 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1,579 | 10.78 | 6.3 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 353 | 2.41 | 8.8 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 374 | 2.55 | 21 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 616 | 4.21 | 16 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 78 | 0.53 | 54 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 270 | 1.84 | 2.3 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 1,731 | 11.82 | 2.4 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 1,719 | 11.74 | 3.3 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 147 | 1.00 | 15 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 127 | 0.87 | 7.9 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 515 | 3.52 | 7.6 |
| 19 | MENTAL DISEASES & DISORDERS | 369 | 2.52 | 32 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 100 | 0.68 | 12 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 188 | 1.28 | 4.5 |
| 22 | BURNS | 7 | 0.05 | 5.9 |

(Continued)

***MDC by Patient County of Residence
for 2009
Napa County***

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 275 | 1.88 | 23 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 34 | 0.23 | 8.6 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 12 | 0.08 | 10 |
| All | | 14,642 | 100.0 | 9.6 |

**MDC by Patient County of Residence
and Type of Care for 2009
Napa County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 760 | 5.48 | 5.9 |
| 02 | EYE, DISEASES & DISORDERS | 11 | 0.08 | 1.5 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 129 | 0.93 | 3.3 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 1,380 | 9.95 | 5.7 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 1,851 | 13.34 | 4.4 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1,389 | 10.01 | 5.0 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 481 | 3.47 | 5.4 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1,554 | 11.20 | 4.0 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 340 | 2.45 | 4.7 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 363 | 2.62 | 3.6 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 594 | 4.28 | 4.2 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 76 | 0.55 | 2.5 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 269 | 1.94 | 2.3 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 1,731 | 12.48 | 2.4 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 1,719 | 12.39 | 3.3 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 139 | 1.00 | 4.3 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 127 | 0.92 | 7.9 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 512 | 3.69 | 7.0 |
| 19 | MENTAL DISEASES & DISORDERS | 37 | 0.27 | 7.9 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 83 | 0.60 | 3.0 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 187 | 1.35 | 4.5 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-------------------------|---------------------------|------------------------------|
| 22 | BURNS | 7 | 0.05 | 5.9 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 89 | 0.64 | 5.0 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 34 | 0.25 | 8.6 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 12 | 0.09 | 10 |
| All | | 13,874 | 100.0 | 4.3 |

***MDC by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|----------------------|---------------------|------------------------|
| 19 | MENTAL DISEASES & DISORDERS | 1 | 10.00 | 2.0 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 9 | 90.00 | 7.9 |
| All | | 10 | 100.0 | 7.3 |

***MDC by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1 | 0.67 | 17 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 148 | 99.33 | 13 |
| All | | 149 | 100.0 | 13 |

***MDC by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|----------------------|---------------------|------------------------|
| 19 | MENTAL DISEASES & DISORDERS | 320 | 98.16 | 8.9 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 6 | 1.84 | 4.0 |
| All | | 326 | 100.0 | 8.8 |

***MDC by Patient County of Residence
and Type of Care for 2009
Napa County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 23 | 8.13 | 298 |
| 02 | EYE, DISEASES & DISORDERS | 2 | 0.71 | 853 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 3 | 1.06 | 1E3 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 41 | 14.49 | 107 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 47 | 16.61 | 406 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 23 | 8.13 | 67 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 7 | 2.47 | 80 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 25 | 8.83 | 151 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 13 | 4.59 | 117 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 11 | 3.89 | 581 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 22 | 7.77 | 322 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 2 | 0.71 | 2E3 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.35 | 11 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 8 | 2.83 | 200 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 3 | 1.06 | 104 |
| 19 | MENTAL DISEASES & DISORDERS | 11 | 3.89 | 790 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 2 | 0.71 | 440 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 1 | 0.35 | 6.0 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 38 | 13.43 | 106 |
| All | | 283 | 100.0 | 268 |