

**Type of Care by Patient County of Residence
for 2010
Plumas County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| Acute Care | 1,628 | 92.82 | 3.7 |
| Chemical Dependency Recovery Care | 1 | 0.06 | 29 |
| Physical Rehabilitation Care | 12 | 0.68 | 13 |
| Psychiatric Care | 25 | 1.43 | 8.0 |
| Skilled Nursing/Intermediate Care | 88 | 5.02 | 71 |
| All | 1,754 | 100.0 | 7.2 |

***Disposition by Patient County of Residence
for 2010
Plumas County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 162 | 0.00 | 12 |
| 01 - Routine (Home) | 2,964,599 | 74.66 | 3.6 |
| 02 - Acute Care within the admitting hospital | 9,793 | 0.25 | 64 |
| 03 - Other Care with the admitting hospital | 20,666 | 0.52 | 9.0 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 32,649 | 0.82 | 8.1 |
| 05 - Acute Care at another hospital | 83,795 | 2.11 | 10 |
| 06 - Other Care (not SN/IC) at another hospital | 34,381 | 0.87 | 9.8 |
| 07 - SN/IC at another facility | 305,209 | 7.69 | 8.8 |
| 08 - Residential Care facility | 36,313 | 0.91 | 9.4 |
| 09 - Prison/Jail | 20,022 | 0.50 | 5.3 |
| 10 - Left Against Medical Advice | 45,467 | 1.14 | 3.2 |
| 11 - Died | 76,630 | 1.93 | 16 |
| 12 - Home Health Service | 330,832 | 8.33 | 7.1 |
| 13 - Other | 10,404 | 0.26 | 11 |
| All | 3,970,922 | 100.0 | 5.0 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 1,272 | 78.13 | 3.1 |
| 03 - Other Care with the admitting hospital | 9 | 0.55 | 9.4 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 61 | 3.75 | 5.7 |
| 05 - Acute Care at another hospital | 55 | 3.38 | 4.4 |
| 06 - Other Care (not SN/IC) at another hospital | 31 | 1.90 | 3.2 |
| 07 - SN/IC at another facility | 85 | 5.22 | 6.4 |
| 08 - Residential Care facility | 2 | 0.12 | 21 |
| 09 - Prison/Jail | 1 | 0.06 | .00 |
| 10 - Left Against Medical Advice | 14 | 0.86 | 1.6 |
| 11 - Died | 33 | 2.03 | 5.8 |
| 12 - Home Health Service | 60 | 3.69 | 7.7 |
| 13 - Other | 5 | 0.31 | 3.8 |
| All | 1,628 | 100.0 | 3.7 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 1 | 100.0 | 29 |
| All | 1 | 100.0 | 29 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 4 | 33.33 | 11 |
| 07 - SN/IC at another facility | 2 | 16.67 | 17 |
| 12 - Home Health Service | 6 | 50.00 | 13 |
| All | 12 | 100.0 | 13 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 21 | 84.00 | 7.9 |
| 08 - Residential Care facility | 2 | 8.00 | 14 |
| 09 - Prison/Jail | 1 | 4.00 | 8.0 |
| 10 - Left Against Medical Advice | 1 | 4.00 | .00 |
| All | 25 | 100.0 | 8.0 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 39 | 44.32 | 14 |
| 02 - Acute Care within the admitting hospital | 15 | 17.05 | 21 |
| 03 - Other Care with the admitting hospital | 1 | 1.14 | 35 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 1 | 1.14 | 97 |
| 05 - Acute Care at another hospital | 2 | 2.27 | 34 |
| 07 - SN/IC at another facility | 1 | 1.14 | 1.0 |
| 10 - Left Against Medical Advice | 1 | 1.14 | 23 |
| 11 - Died | 21 | 23.86 | 234 |
| 12 - Home Health Service | 7 | 7.95 | 35 |
| All | 88 | 100.0 | 71 |

***Gender by Patient County of Residence
for 2010
Plumas County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|-----------------------------|----------------------------|-------------------------------|
| 1 - Male | 698 | 39.79 | 9.0 |
| 2 - Female | 1,056 | 60.21 | 5.9 |
| All | 1,754 | 100.0 | 7.2 |

***Gender by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 646 | 39.68 | 3.9 |
| 2 - Female | 982 | 60.32 | 3.5 |
| All | 1,628 | 100.0 | 3.7 |

***Gender by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|----------------------|---------------------|------------------------|
| 2 - Female | 1 | 100.0 | 29 |
| All | 1 | 100.0 | 29 |

***Gender by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|----------------------|---------------------|------------------------|
| 1 - Male | 4 | 33.33 | 14 |
| 2 - Female | 8 | 66.67 | 13 |
| All | 12 | 100.0 | 13 |

***Gender by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 10 | 40.00 | 7.2 |
| 2 - Female | 15 | 60.00 | 8.6 |
| All | 25 | 100.0 | 8.0 |

***Gender by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 38 | 43.18 | 96 |
| 2 - Female | 50 | 56.82 | 52 |
| All | 88 | 100.0 | 71 |

***Expected Payer by Patient County of Residence
for 2010
Plumas County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 826 | 47.09 | 8.8 |
| 02 - Medi-Cal | 436 | 24.86 | 6.1 |
| 03 - Private Coverage | 355 | 20.24 | 5.6 |
| 04 - Workers' Compensatio | 17 | 0.97 | 2.5 |
| 05 - County Indigent Prog | 36 | 2.05 | 4.7 |
| 06 - Other Government | 16 | 0.91 | 4.7 |
| 08 - Self-Pay | 52 | 2.96 | 6.0 |
| 09 - Other Payer | 16 | 0.91 | 3.3 |
| All | 1,754 | 100.0 | 7.2 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 749 | 46.01 | 4.3 |
| 02 - Medi-Cal | 413 | 25.37 | 3.0 |
| 03 - Private Coverage | 340 | 20.88 | 3.2 |
| 04 - Workers' Compensatio | 17 | 1.04 | 2.5 |
| 05 - County Indigent Prog | 34 | 2.09 | 3.8 |
| 06 - Other Government | 10 | 0.61 | 2.5 |
| 08 - Self-Pay | 49 | 3.01 | 2.7 |
| 09 - Other Payer | 16 | 0.98 | 3.3 |
| All | 1,628 | 100.0 | 3.7 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------|----------------------|---------------------|------------------------|
| 08 - Self-Pay | 1 | 100.0 | 29 |
| All | 1 | 100.0 | 29 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 5 | 41.67 | 11 |
| 02 - Medi-Cal | 2 | 16.67 | 19 |
| 03 - Private Coverage | 5 | 41.67 | 13 |
| All | 12 | 100.0 | 13 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 6 | 24.00 | 6.8 |
| 02 - Medi-Cal | 6 | 24.00 | 6.0 |
| 03 - Private Coverage | 5 | 20.00 | 6.8 |
| 05 - County Indigent Prog | 2 | 8.00 | 20 |
| 06 - Other Government | 6 | 24.00 | 8.3 |
| All | 25 | 100.0 | 8.0 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 66 | 75.00 | 60 |
| 02 - Medi-Cal | 15 | 17.05 | 89 |
| 03 - Private Coverage | 5 | 5.68 | 160 |
| 08 - Self-Pay | 2 | 2.27 | 76 |
| All | 88 | 100.0 | 71 |

***Race Group by Patient County of Residence
for 2010
Plumas County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 9 | 0.51 | 4.2 |
| 1 - White | 1,469 | 83.75 | 7.6 |
| 2 - Black | 30 | 1.71 | 3.3 |
| 3 - Hispanic | 178 | 10.15 | 6.1 |
| 4 - Asian/Pacific Islander | 6 | 0.34 | 3.3 |
| 5 - Native American/Eskimo/Ale | 29 | 1.65 | 4.0 |
| 6 - Other | 33 | 1.88 | 2.3 |
| All | 1,754 | 100.0 | 7.2 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 6 | 0.37 | 2.5 |
| 1 - White | 1,374 | 84.40 | 3.7 |
| 2 - Black | 29 | 1.78 | 2.6 |
| 3 - Hispanic | 152 | 9.34 | 4.2 |
| 4 - Asian/Pacific Islander | 6 | 0.37 | 3.3 |
| 5 - Native American/Eskimo/Ale | 28 | 1.72 | 3.0 |
| 6 - Other | 33 | 2.03 | 2.3 |
| All | 1,628 | 100.0 | 3.7 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------|----------------------|---------------------|------------------------|
| 1 - White | 1 | 100.0 | 29 |
| All | 1 | 100.0 | 29 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------|----------------------|---------------------|------------------------|
| 1 - White | 12 | 100.0 | 13 |
| All | 12 | 100.0 | 13 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 3 | 12.00 | 7.7 |
| 1 - White | 21 | 84.00 | 8.2 |
| 3 - Hispanic | 1 | 4.00 | 6.0 |
| All | 25 | 100.0 | 8.0 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - White | 61 | 69.32 | 94 |
| 2 - Black | 1 | 1.14 | 25 |
| 3 - Hispanic | 25 | 28.41 | 18 |
| 5 - Native American/Eskimo/Ale | 1 | 1.14 | 32 |
| All | 88 | 100.0 | 71 |

**Source of Admission by Patient County of Residence
for 2010
Plumas County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 1,380 | 78.68 | 4.6 |
| 2 - Residential Care Facility | 2 | 0.11 | 4.5 |
| 3 - Ambulatory Surgery | 11 | 0.63 | 2.3 |
| 4 - Skilled Nursing/Intermedia | 49 | 2.79 | 59 |
| 5 - Acute Inpatient Hospital C | 123 | 7.01 | 18 |
| 6 - Other Inpatient Hospital C | 2 | 0.11 | 3.5 |
| 7 - Newborn (born in admitting | 146 | 8.32 | 1.9 |
| 9 - Other | 41 | 2.34 | 19 |
| All | 1,754 | 100.0 | 7.2 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 1,337 | 82.13 | 3.4 |
| 2 - Residential Care Facility | 2 | 0.12 | 4.5 |
| 3 - Ambulatory Surgery | 11 | 0.68 | 2.3 |
| 4 - Skilled Nursing/Intermedia | 48 | 2.95 | 8.0 |
| 5 - Acute Inpatient Hospital C | 45 | 2.76 | 9.7 |
| 6 - Other Inpatient Hospital C | 2 | 0.12 | 3.5 |
| 7 - Newborn (born in admitting | 146 | 8.97 | 1.9 |
| 9 - Other | 37 | 2.27 | 8.6 |
| All | 1,628 | 100.0 | 3.7 |

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------|----------------------|---------------------|------------------------|
| 1 - Home | 1 | 100.0 | 29 |
| All | 1 | 100.0 | 29 |

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 1 | 8.33 | 8.0 |
| 5 - Acute Inpatient Hospital C | 11 | 91.67 | 14 |
| All | 12 | 100.0 | 13 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------------|----------------------|---------------------|------------------------|
| 1 - Home | 22 | 88.00 | 8.1 |
| 9 - Other | 3 | 12.00 | 7.7 |
| All | 25 | 100.0 | 8.0 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 19 | 21.59 | 88 |
| 4 - Skilled Nursing/Intermedia | 1 | 1.14 | 3E3 |
| 5 - Acute Inpatient Hospital C | 67 | 76.14 | 24 |
| 9 - Other | 1 | 1.14 | 451 |
| All | 88 | 100.0 | 71 |

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 2 | 0.11 | 21 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 1 | 0.06 | 25 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 1 | 0.06 | 69 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 1 | 0.06 | 32 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 4 | 0.23 | 4.8 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 2 | 0.11 | 3.5 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 2 | 0.11 | 1.5 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 3 | 0.17 | 1.7 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 1 | 0.06 | 2.0 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 1 | 0.06 | 4.0 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 1 | 0.06 | 8.0 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 8 | 0.46 | 67 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.06 | 1.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 3 | 0.17 | 3.0 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 2 | 0.11 | 15 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 6 | 0.34 | 4.3 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 5 | 0.29 | 3.0 |
| 069 | TRANSIENT ISCHEMIA | 2 | 0.11 | 1.5 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 2 | 0.11 | 4.5 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1 | 0.06 | 5.0 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 1 | 0.06 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 4 | 0.23 | 11 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 1 | 0.06 | 19 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 1 | 0.06 | 2.0 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 1 | 0.06 | 2.0 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 2 | 0.11 | 12 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 089 | CONCUSSION WITH CC | 1 | 0.06 | 4.0 |
| 090 | CONCUSSION WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 4 | 0.23 | 8.0 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 3 | 0.17 | 4.7 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 2 | 0.11 | 3.5 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 100 | SEIZURES WITH MCC | 2 | 0.11 | 50 |
| 101 | SEIZURES WITHOUT MCC | 9 | 0.51 | 2.4 |
| 103 | HEADACHES WITHOUT MCC | 4 | 0.23 | 3.0 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 1 | 0.06 | 1.0 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 2 | 0.11 | 2.0 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 139 | SALIVARY GLAND PROCEDURES | 2 | 0.11 | 1.0 |
| 149 | DYSEQUILIBRIUM | 1 | 0.06 | 5.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 5 | 0.29 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 158 | DENTAL & ORAL DISEASES WITH CC | 1 | 0.06 | 2.0 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 1 | 0.06 | 10 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 1 | 0.06 | 4.0 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 1 | 0.06 | 5.0 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 175 | PULMONARY EMBOLISM WITH MCC | 4 | 0.23 | 5.0 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 11 | 0.63 | 4.6 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 3 | 0.17 | 4.0 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 8 | 0.46 | 26 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 1 | 0.06 | 11 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 7 | 0.40 | 7.7 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 3 | 0.17 | 5.7 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1 | 0.06 | 2.0 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 186 | PLEURAL EFFUSION WITH MCC | 2 | 0.11 | 9.0 |
| 187 | PLEURAL EFFUSION WITH CC | 2 | 0.11 | 3.5 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 8 | 0.46 | 5.8 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 12 | 0.68 | 3.7 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 20 | 1.14 | 2.9 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 26 | 1.48 | 3.1 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Plumas County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 3 | 0.17 | 11 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 40 | 2.28 | 5.5 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 34 | 1.94 | 3.8 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 1 | 0.06 | 4.0 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1 | 0.06 | 3.0 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 200 | PNEUMOTHORAX WITH CC | 2 | 0.11 | 2.5 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 1 | 0.06 | 10 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 7 | 0.40 | 2.4 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 8 | 0.46 | 3.8 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 5 | 0.29 | 2.2 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1 | 0.06 | 3.0 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 2 | 0.11 | 2.5 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 3 | 0.17 | 18 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 3 | 0.17 | 6.7 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 1 | 0.06 | 22 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 1 | 0.06 | 5.0 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 2 | 0.11 | 15 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 3 | 0.17 | 8.7 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 1 | 0.06 | 1.0 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 1 | 0.06 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 1 | 0.06 | 6.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 1 | 0.06 | 13 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 2 | 0.11 | 1.0 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 2 | 0.11 | 4.0 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 2 | 0.11 | 2.5 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 4 | 0.23 | 2.0 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 1 | 0.06 | 7.0 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 7 | 0.40 | 1.4 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 2 | 0.11 | 9.0 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 3 | 0.17 | 1.0 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 1 | 0.06 | 7.0 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 2 | 0.11 | 7.0 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 3 | 0.17 | 4.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.06 | 5.0 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 263 | VEIN LIGATION & STRIPPING | 1 | 0.06 | 3.0 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 1 | 0.06 | 4.0 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 5 | 0.29 | 2.8 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 2 | 0.11 | 1.0 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 2 | 0.11 | 4.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 3 | 0.17 | 16 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 1 | 0.06 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 291 | HEART FAILURE & SHOCK WITH MCC | 8 | 0.46 | 2.9 |
| 292 | HEART FAILURE & SHOCK WITH CC | 15 | 0.86 | 3.6 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 13 | 0.74 | 4.0 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 1 | 0.06 | 2.0 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 6 | 0.34 | 2.8 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 8 | 0.46 | 4.9 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 5 | 0.29 | 4.0 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 4 | 0.23 | 2.8 |
| 305 | HYPERTENSION WITHOUT MCC | 9 | 0.51 | 1.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 2 | 0.11 | .50 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 3 | 0.17 | 4.3 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 9 | 0.51 | 4.9 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 15 | 0.86 | 8.8 |
| 311 | ANGINA PECTORIS | 3 | 0.17 | 1.7 |
| 312 | SYNCOPE & COLLAPSE | 17 | 0.97 | 2.1 |
| 313 | CHEST PAIN | 33 | 1.88 | 2.0 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 3 | 0.17 | 4.7 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 4 | 0.23 | 2.8 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2 | 0.11 | 3.5 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 3 | 0.17 | 4.7 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 3 | 0.17 | 4.0 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 5 | 0.29 | 13 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 11 | 0.63 | 7.3 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8 | 0.46 | 5.8 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 2 | 0.11 | 17 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 4 | 0.23 | 6.5 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 2 | 0.11 | 5.0 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 3 | 0.17 | 5.0 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 4.0 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 6 | 0.34 | 2.0 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 1 | 0.06 | 3.0 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 3 | 0.17 | 3.3 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 2 | 0.11 | 5.5 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 1 | 0.06 | 5.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 5 | 0.29 | 17 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 3 | 0.17 | 5.3 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 6 | 0.34 | 4.0 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 1 | 0.06 | 3.0 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 2 | 0.11 | 3.0 |
| 377 | G.I. HEMORRHAGE WITH MCC | 3 | 0.17 | 3.0 |
| 378 | G.I. HEMORRHAGE WITH CC | 8 | 0.46 | 7.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 8 | 0.46 | 2.3 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1 | 0.06 | 3.0 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 1 | 0.06 | 2.0 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 2 | 0.11 | 2.5 |
| 389 | G.I. OBSTRUCTION WITH CC | 13 | 0.74 | 2.8 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 9 | 0.51 | 1.6 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 5 | 0.29 | 5.6 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 63 | 3.59 | 2.7 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 5 | 0.29 | 3.8 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 2 | 0.11 | 6.0 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 3 | 0.17 | 3.7 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 1 | 0.06 | 4.0 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 5 | 0.29 | 7.0 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 8 | 0.46 | 3.4 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 14 | 0.80 | 2.3 |
| 423 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 1 | 0.06 | 37 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 6 | 0.34 | 11 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 1 | 0.06 | 6.0 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 1 | 0.06 | 2.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 6 | 0.34 | 6.3 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 8 | 0.46 | 2.9 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 11 | 0.63 | 3.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 3 | 0.17 | 2.7 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 5 | 0.29 | 4.0 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 1 | 0.06 | 2.0 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 2 | 0.11 | 3.5 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 1 | 0.06 | 15 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 8 | 0.46 | 4.8 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 1 | 0.06 | 4.0 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 2 | 0.11 | 7.5 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 1 | 0.06 | 3.0 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 2 | 0.11 | 3.5 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 58 | 3.31 | 2.6 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 11 | 0.63 | 1.6 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 1 | 0.06 | 3.0 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 4 | 0.23 | 5.3 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 5 | 0.29 | 2.8 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 1 | 0.06 | 1.0 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 5 | 0.29 | 1.6 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 1 | 0.06 | 3.0 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.11 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 1 | 0.06 | 1.0 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 8 | 0.46 | 3.1 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 3 | 0.17 | 4.3 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 3 | 0.17 | 1.3 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 1 | 0.06 | 5.0 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 1 | 0.06 | 3.0 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 1 | 0.06 | 3.0 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 2 | 0.11 | 1.5 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 2 | 0.11 | 2.5 |
| 504 | FOOT PROCEDURES WITH CC | 1 | 0.06 | 1.0 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 2 | 0.11 | 1.0 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 2 | 0.11 | 1.0 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 2 | 0.11 | 8.5 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 3 | 0.17 | 1.3 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 4 | 0.23 | 34 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 3 | 0.17 | 16 |
| 539 | OSTEOMYELITIS WITH MCC | 1 | 0.06 | 3.0 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 3 | 0.17 | 5.3 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 2 | 0.11 | 1.0 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 1 | 0.06 | 31 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Plumas County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 4 | 0.23 | 5.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 3 | 0.17 | 26 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.06 | 4.0 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 1 | 0.06 | 1.0 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1 | 0.06 | 6.0 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 4 | 0.23 | 2.3 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 4 | 0.23 | 4.8 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 2 | 0.11 | 7.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 5 | 0.29 | 5.8 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 1 | 0.06 | 2.0 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 2 | 0.11 | 3.5 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.06 | 1.0 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1 | 0.06 | 5.0 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 3 | 0.17 | 3.3 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 3 | 0.17 | 1.7 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 1 | 0.06 | 2.0 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 2 | 0.11 | 1.5 |
| 593 | SKIN ULCERS WITH CC | 2 | 0.11 | 5.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 10 |
| 602 | CELLULITIS WITH MCC | 2 | 0.11 | 11 |
| 603 | CELLULITIS WITHOUT MCC | 44 | 2.51 | 6.2 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 2 | 0.11 | 71 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 6.0 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 638 | DIABETES WITH CC | 3 | 0.17 | 3.3 |
| 639 | DIABETES WITHOUT CC/MCC | 6 | 0.34 | 5.0 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 1 | 0.06 | .00 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 16 | 0.91 | 2.6 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 1 | 0.06 | 13 |
| 644 | ENDOCRINE DISORDERS WITH CC | 1 | 0.06 | 1.0 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 2 | 0.11 | 3.5 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 6.0 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 1 | 0.06 | 4.0 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 1 | 0.06 | 3.0 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 1 | 0.06 | 1.0 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 1 | 0.06 | 7.0 |
| 682 | RENAL FAILURE WITH MCC | 5 | 0.29 | 7.6 |
| 683 | RENAL FAILURE WITH CC | 4 | 0.23 | 2.3 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 4 | 0.23 | 7.0 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.06 | 9.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 3 | 0.17 | 6.7 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 49 | 2.80 | 4.5 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Plumas County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 1 | 0.06 | 1.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 4 | 0.23 | 3.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 2 | 0.11 | 3.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 4 | 0.23 | 3.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 7 | 0.40 | 3.0 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 2 | 0.11 | 2.5 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 1 | 0.06 | 1.0 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 1 | 0.06 | 7.0 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 1 | 0.06 | 7.0 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 5 | 0.29 | 3.6 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 29 | 1.65 | 1.7 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 3 | 0.17 | 1.0 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 1 | 0.06 | 1.0 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 1 | 0.06 | 5.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.06 | 3.0 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 2 | 0.11 | 2.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 3 | 0.17 | 1.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 765 | CESAREAN SECTION WITH CC/MCC | 27 | 1.54 | 3.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 19 | 1.08 | 2.5 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 1 | 0.06 | 3.0 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 1 | 0.06 | 2.0 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 4 | 0.23 | 1.8 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 91 | 5.19 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 2 | 0.11 | 3.0 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 6 | 0.34 | 4.2 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 5 | 0.29 | 1.4 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 1 | 0.06 | .00 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 2 | 0.11 | 1.5 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 5 | 0.29 | 2.8 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 3 | 0.17 | 2.3 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 53 | 3.02 | 2.3 |
| 795 | NORMAL NEWBORN | 85 | 4.85 | 1.7 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 1 | 0.06 | 6.0 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 2 | 0.11 | 2.5 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 1 | 0.06 | 5.0 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 9 | 0.51 | 6.8 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 1 | 0.06 | 7.0 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 1 | 0.06 | 7.0 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 8.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.06 | 25 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 5.0 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 2 | 0.11 | 10 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 2 | 0.11 | 3.5 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 2 | 0.11 | 6.0 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 2 | 0.11 | 19 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 6 | 0.34 | 4.0 |
| 864 | FEVER | 2 | 0.11 | 3.5 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 1 | 0.06 | 2.0 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1 | 0.06 | 6.0 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 1 | 0.06 | 6.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 13 | 0.74 | 4.7 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 14 | 0.80 | 4.1 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 1 | 0.06 | 1.0 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 9 | 0.51 | 147 |
| 885 | PSYCHOSES | 24 | 1.37 | 7.7 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1 | 0.06 | 3.0 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 0.06 | 29 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 23 | 1.31 | 3.3 |
| 906 | HAND PROCEDURES FOR INJURIES | 1 | 0.06 | 7.0 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Plumas County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 1 | 0.06 | 30 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 1 | 0.06 | 2.0 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 2 | 0.11 | 2.5 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 2 | 0.11 | 1.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.06 | 1.0 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 4 | 0.23 | 6.8 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 8 | 0.46 | 2.3 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 1 | 0.06 | 2.0 |
| 935 | NON-EXTENSIVE BURNS | 1 | 0.06 | 2.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 2 | 0.11 | 1.5 |
| 945 | REHABILITATION WITH CC/MCC | 19 | 1.08 | 13 |
| 946 | REHABILITATION WITHOUT CC/MCC | 6 | 0.34 | 13 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 4 | 0.23 | 40 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 21 | 1.20 | 138 |
| 949 | AFTERCARE WITH CC/MCC | 2 | 0.11 | 3.5 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 1 | 0.06 | 1.0 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 1 | 0.06 | 6.0 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.11 | 10 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 36 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Plumas County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| All | | 1,753 | 100.0 | 7.2 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 2 | 0.12 | 21 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 1 | 0.06 | 25 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 1 | 0.06 | 69 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 1 | 0.06 | 32 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 4 | 0.25 | 4.8 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 2 | 0.12 | 3.5 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 2 | 0.12 | 1.5 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 3 | 0.18 | 1.7 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 1 | 0.06 | 2.0 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 1 | 0.06 | 4.0 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 5 | 0.31 | 7.8 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 1 | 0.06 | 1.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 3 | 0.18 | 3.0 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 2 | 0.12 | 15 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 6 | 0.37 | 4.3 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 5 | 0.31 | 3.0 |
| 069 | TRANSIENT ISCHEMIA | 2 | 0.12 | 1.5 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 2 | 0.12 | 4.5 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1 | 0.06 | 5.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 1 | 0.06 | 4.0 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 3 | 0.18 | 3.7 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 1 | 0.06 | 2.0 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 1 | 0.06 | 2.0 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 1 | 0.06 | 2.0 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 089 | CONCUSSION WITH CC | 1 | 0.06 | 4.0 |
| 090 | CONCUSSION WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 2 | 0.12 | 3.0 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 2 | 0.12 | 3.5 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 100 | SEIZURES WITH MCC | 1 | 0.06 | 2.0 |
| 101 | SEIZURES WITHOUT MCC | 9 | 0.55 | 2.4 |
| 103 | HEADACHES WITHOUT MCC | 4 | 0.25 | 3.0 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 1 | 0.06 | 1.0 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 139 | SALIVARY GLAND PROCEDURES | 2 | 0.12 | 1.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 5 | 0.31 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 158 | DENTAL & ORAL DISEASES WITH CC | 1 | 0.06 | 2.0 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 1 | 0.06 | 10 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 1 | 0.06 | 4.0 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 1 | 0.06 | 5.0 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 175 | PULMONARY EMBOLISM WITH MCC | 4 | 0.25 | 5.0 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 11 | 0.68 | 4.6 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 3 | 0.18 | 4.0 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 7 | 0.43 | 30 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 1 | 0.06 | 11 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 6 | 0.37 | 4.2 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1 | 0.06 | 2.0 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 186 | PLEURAL EFFUSION WITH MCC | 2 | 0.12 | 9.0 |
| 187 | PLEURAL EFFUSION WITH CC | 1 | 0.06 | 5.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 8 | 0.49 | 5.8 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 12 | 0.74 | 3.7 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 19 | 1.17 | 2.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 25 | 1.54 | 2.7 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 1 | 0.06 | 10 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 40 | 2.46 | 5.5 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 32 | 1.97 | 3.5 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 1 | 0.06 | 4.0 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1 | 0.06 | 3.0 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 200 | PNEUMOTHORAX WITH CC | 2 | 0.12 | 2.5 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 1 | 0.06 | 10 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 7 | 0.43 | 2.4 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 8 | 0.49 | 3.8 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 5 | 0.31 | 2.2 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1 | 0.06 | 3.0 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 2 | 0.12 | 2.5 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 3 | 0.18 | 18 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 3 | 0.18 | 6.7 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 1 | 0.06 | 22 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 1 | 0.06 | 5.0 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 2 | 0.12 | 15 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 3 | 0.18 | 8.7 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 1 | 0.06 | 1.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 1 | 0.06 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 1 | 0.06 | 6.0 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 1 | 0.06 | 13 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 2 | 0.12 | 1.0 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 2 | 0.12 | 4.0 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 2 | 0.12 | 2.5 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 4 | 0.25 | 2.0 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 1 | 0.06 | 7.0 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 7 | 0.43 | 1.4 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 2 | 0.12 | 9.0 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 3 | 0.18 | 1.0 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 1 | 0.06 | 7.0 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 2 | 0.12 | 7.0 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 3 | 0.18 | 4.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.06 | 5.0 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 263 | VEIN LIGATION & STRIPPING | 1 | 0.06 | 3.0 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 1 | 0.06 | 4.0 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 5 | 0.31 | 2.8 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 2 | 0.12 | 1.0 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 1 | 0.06 | .00 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 2 | 0.12 | 4.5 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 3 | 0.18 | 16 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 1 | 0.06 | 3.0 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 8 | 0.49 | 2.9 |
| 292 | HEART FAILURE & SHOCK WITH CC | 15 | 0.92 | 3.6 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 12 | 0.74 | 2.5 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 1 | 0.06 | 2.0 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 6 | 0.37 | 2.8 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 8 | 0.49 | 4.9 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 5 | 0.31 | 4.0 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 4 | 0.25 | 2.8 |
| 305 | HYPERTENSION WITHOUT MCC | 9 | 0.55 | 1.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 2 | 0.12 | .50 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 3 | 0.18 | 4.3 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 8 | 0.49 | 4.5 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 14 | 0.86 | 1.9 |
| 311 | ANGINA PECTORIS | 3 | 0.18 | 1.7 |
| 312 | SYNCOPE & COLLAPSE | 17 | 1.04 | 2.1 |
| 313 | CHEST PAIN | 33 | 2.03 | 2.0 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 3 | 0.18 | 4.7 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 4 | 0.25 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2 | 0.12 | 3.5 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 3 | 0.18 | 4.7 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 3 | 0.18 | 4.0 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 5 | 0.31 | 13 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 11 | 0.68 | 7.3 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8 | 0.49 | 5.8 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 2 | 0.12 | 17 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 4 | 0.25 | 6.5 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 2 | 0.12 | 5.0 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 3 | 0.18 | 5.0 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 4.0 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 6 | 0.37 | 2.0 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 1 | 0.06 | 3.0 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 3 | 0.18 | 3.3 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 2 | 0.12 | 5.5 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 1 | 0.06 | 5.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 4 | 0.25 | 17 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 2 | 0.12 | 5.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 6 | 0.37 | 4.0 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 1 | 0.06 | 3.0 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 2 | 0.12 | 3.0 |
| 377 | G.I. HEMORRHAGE WITH MCC | 2 | 0.12 | 3.5 |
| 378 | G.I. HEMORRHAGE WITH CC | 7 | 0.43 | 3.1 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 8 | 0.49 | 2.3 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1 | 0.06 | 3.0 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 1 | 0.06 | 2.0 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 2 | 0.12 | 2.5 |
| 389 | G.I. OBSTRUCTION WITH CC | 13 | 0.80 | 2.8 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 9 | 0.55 | 1.6 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 5 | 0.31 | 5.6 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 62 | 3.81 | 2.5 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 5 | 0.31 | 3.8 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 2 | 0.12 | 6.0 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 3 | 0.18 | 3.7 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 1 | 0.06 | 4.0 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 5 | 0.31 | 7.0 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 8 | 0.49 | 3.4 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 14 | 0.86 | 2.3 |
| 423 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 1 | 0.06 | 37 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 6 | 0.37 | 11 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 1 | 0.06 | 6.0 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 1 | 0.06 | 2.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 6 | 0.37 | 6.3 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 8 | 0.49 | 2.9 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 11 | 0.68 | 3.5 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 3 | 0.18 | 2.7 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 5 | 0.31 | 4.0 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 1 | 0.06 | 2.0 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 2 | 0.12 | 3.5 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 1 | 0.06 | 15 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 8 | 0.49 | 4.8 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 1 | 0.06 | 4.0 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 2 | 0.12 | 7.5 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 1 | 0.06 | 3.0 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 2 | 0.12 | 3.5 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 58 | 3.56 | 2.6 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 11 | 0.68 | 1.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 1 | 0.06 | 3.0 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 4 | 0.25 | 5.3 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 5 | 0.31 | 2.8 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 1 | 0.06 | 1.0 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 5 | 0.31 | 1.6 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 1 | 0.06 | 3.0 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 1 | 0.06 | 1.0 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 8 | 0.49 | 3.1 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 3 | 0.18 | 4.3 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 3 | 0.18 | 1.3 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 1 | 0.06 | 5.0 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 1 | 0.06 | 3.0 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 1 | 0.06 | 3.0 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 2 | 0.12 | 1.5 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 2 | 0.12 | 2.5 |
| 504 | FOOT PROCEDURES WITH CC | 1 | 0.06 | 1.0 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 2 | 0.12 | 1.0 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 2 | 0.12 | 1.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 1 | 0.06 | 5.0 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 3 | 0.18 | 1.3 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 3 | 0.18 | 6.7 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 2 | 0.12 | 6.0 |
| 539 | OSTEOMYELITIS WITH MCC | 1 | 0.06 | 3.0 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 2 | 0.12 | 5.5 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 2 | 0.12 | 1.0 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 3 | 0.18 | 6.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 2 | 0.12 | 6.0 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.06 | 4.0 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 1 | 0.06 | 1.0 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1 | 0.06 | 6.0 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 4 | 0.25 | 2.3 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 2 | 0.12 | 3.0 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 5 | 0.31 | 5.8 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 1 | 0.06 | 2.0 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 2 | 0.12 | 3.5 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.06 | 1.0 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1 | 0.06 | 5.0 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 3 | 0.18 | 3.3 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 3 | 0.18 | 1.7 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 1 | 0.06 | 2.0 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 2 | 0.12 | 1.5 |
| 593 | SKIN ULCERS WITH CC | 2 | 0.12 | 5.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 10 |
| 602 | CELLULITIS WITH MCC | 2 | 0.12 | 11 |
| 603 | CELLULITIS WITHOUT MCC | 40 | 2.46 | 3.8 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 1 | 0.06 | 1.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 6.0 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 638 | DIABETES WITH CC | 3 | 0.18 | 3.3 |
| 639 | DIABETES WITHOUT CC/MCC | 5 | 0.31 | 2.6 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 1 | 0.06 | .00 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 16 | 0.98 | 2.6 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 1 | 0.06 | 13 |
| 644 | ENDOCRINE DISORDERS WITH CC | 1 | 0.06 | 1.0 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 6.0 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 1 | 0.06 | 4.0 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 1 | 0.06 | 3.0 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 1 | 0.06 | 4.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 1 | 0.06 | 1.0 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 1 | 0.06 | 7.0 |
| 682 | RENAL FAILURE WITH MCC | 5 | 0.31 | 7.6 |
| 683 | RENAL FAILURE WITH CC | 4 | 0.25 | 2.3 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 3 | 0.18 | 4.7 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.06 | 9.0 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 3 | 0.18 | 6.7 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 44 | 2.70 | 3.3 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 1 | 0.06 | 1.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 4 | 0.25 | 3.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 2 | 0.12 | 3.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 4 | 0.25 | 3.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 7 | 0.43 | 3.0 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 2 | 0.12 | 2.5 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 1 | 0.06 | 1.0 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 1 | 0.06 | 7.0 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 1 | 0.06 | 7.0 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 5 | 0.31 | 3.6 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 29 | 1.78 | 1.7 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 3 | 0.18 | 1.0 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 1 | 0.06 | 1.0 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 1 | 0.06 | 5.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.06 | 3.0 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 3 | 0.18 | 1.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 765 | CESAREAN SECTION WITH CC/MCC | 27 | 1.66 | 3.1 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 19 | 1.17 | 2.5 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 1 | 0.06 | 3.0 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 1 | 0.06 | 2.0 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 4 | 0.25 | 1.8 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 91 | 5.59 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 2 | 0.12 | 3.0 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 6 | 0.37 | 4.2 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 5 | 0.31 | 1.4 |
| 790 | EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 1 | 0.06 | .00 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 2 | 0.12 | 1.5 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 5 | 0.31 | 2.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 3 | 0.18 | 2.3 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 53 | 3.26 | 2.3 |
| 795 | NORMAL NEWBORN | 85 | 5.22 | 1.7 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 1 | 0.06 | 6.0 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 2 | 0.12 | 2.5 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 1 | 0.06 | 5.0 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 8 | 0.49 | 1.9 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 1 | 0.06 | 7.0 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 1 | 0.06 | 7.0 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 8.0 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.06 | 25 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.06 | 5.0 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 1 | 0.06 | 3.0 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 2 | 0.12 | 3.5 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 2 | 0.12 | 6.0 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 2 | 0.12 | 19 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 5 | 0.31 | 4.0 |
| 864 | FEVER | 2 | 0.12 | 3.5 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 1 | 0.06 | 2.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1 | 0.06 | 6.0 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 1 | 0.06 | 6.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 13 | 0.80 | 4.7 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 14 | 0.86 | 4.1 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 3 | 0.18 | 2.0 |
| 885 | PSYCHOSES | 2 | 0.12 | 3.0 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1 | 0.06 | 3.0 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 21 | 1.29 | 2.6 |
| 906 | HAND PROCEDURES FOR INJURIES | 1 | 0.06 | 7.0 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 1 | 0.06 | 30 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 1 | 0.06 | 2.0 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 2 | 0.12 | 2.5 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 2 | 0.12 | 1.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.06 | 1.0 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 4 | 0.25 | 6.8 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 8 | 0.49 | 2.3 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 1 | 0.06 | 2.0 |
| 935 | NON-EXTENSIVE BURNS | 1 | 0.06 | 2.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 2 | 0.12 | 1.5 |

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 946 | REHABILITATION WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 1 | 0.06 | 6.0 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 11 | 0.68 | 3.9 |
| 949 | AFTERCARE WITH CC/MCC | 1 | 0.06 | 1.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 1 | 0.06 | 1.0 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 1 | 0.06 | 6.0 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 2 | 0.12 | 10 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 36 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 3.0 |
| All | | 1,627 | 100.0 | 3.6 |

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 100.0 | 29 |
| All | | 1 | 100.0 | 29 |

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|-------------------------------|----------------------|---------------------|------------------------|
| 945 | REHABILITATION WITH CC/MCC | 10 | 83.33 | 13 |
| 946 | REHABILITATION WITHOUT CC/MCC | 2 | 16.67 | 15 |
| All | | 12 | 100.0 | 13 |

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 1 | 4.00 | 12 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 1 | 4.00 | 1.0 |
| 885 | PSYCHOSES | 22 | 88.00 | 8.1 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 1 | 4.00 | 9.0 |
| All | | 25 | 100.0 | 8.0 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 1 | 1.14 | 8.0 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 3 | 3.41 | 166 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 1 | 1.14 | 32 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 1 | 1.14 | 19 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 1 | 1.14 | 22 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 2 | 2.27 | 13 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 1.14 | 10 |
| 100 | SEIZURES WITH MCC | 1 | 1.14 | 97 |
| 149 | DYSEQUILIBRIUM | 1 | 1.14 | 5.0 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 1 | 1.14 | 1.0 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 1 | 1.14 | 29 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 1 | 1.14 | 13 |
| 187 | PLEURAL EFFUSION WITH CC | 1 | 1.14 | 2.0 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 1 | 1.14 | 3.0 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 1 | 1.14 | 13 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 2 | 2.27 | 12 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 2 | 2.27 | 8.0 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 1 | 1.14 | 22 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 1 | 1.14 | 8.0 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 1 | 1.14 | 105 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 1 | 1.14 | 16 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 1 | 1.14 | 6.0 |
| 377 | G.I. HEMORRHAGE WITH MCC | 1 | 1.14 | 2.0 |
| 378 | G.I. HEMORRHAGE WITH CC | 1 | 1.14 | 38 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 1 | 1.14 | 13 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 1 | 1.14 | 114 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 1 | 1.14 | 36 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 1 | 1.14 | 5.0 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 1 | 1.14 | 31 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 1 | 1.14 | 2.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 1 | 1.14 | 65 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 2 | 2.27 | 6.5 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 1 | 1.14 | 13 |
| 603 | CELLULITIS WITHOUT MCC | 4 | 4.55 | 30 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 1 | 1.14 | 140 |
| 639 | DIABETES WITHOUT CC/MCC | 1 | 1.14 | 17 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 1 | 1.14 | 4.0 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 1 | 1.14 | 14 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 5 | 5.68 | 15 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 1 | 1.14 | 46 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 1 | 1.14 | 17 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 1 | 1.14 | 4.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 6 | 6.82 | 219 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 1 | 1.14 | 13 |
| 945 | REHABILITATION WITH CC/MCC | 9 | 10.23 | 12 |
| 946 | REHABILITATION WITHOUT CC/MCC | 3 | 3.41 | 14 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 3 | 3.41 | 51 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 10 | 11.36 | 285 |
| 949 | AFTERCARE WITH CC/MCC | 1 | 1.14 | 6.0 |
| All | | 88 | 100.0 | 71 |

**MDC by Patient County of Residence
for 2010
Plumas County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 88 | 5.02 | 12 |
| 02 | EYE, DISEASES & DISORDERS | 3 | 0.17 | 13 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 12 | 0.68 | 2.0 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 228 | 13.00 | 5.4 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 218 | 12.43 | 3.9 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 198 | 11.29 | 4.4 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 76 | 4.33 | 5.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 179 | 10.21 | 4.6 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 65 | 3.71 | 7.6 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 31 | 1.77 | 3.4 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 91 | 5.19 | 4.5 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 4 | 0.23 | 2.5 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 51 | 2.91 | 2.2 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 151 | 8.61 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 154 | 8.78 | 2.0 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 15 | 0.86 | 5.7 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 10 | 0.57 | 9.1 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 43 | 2.45 | 5.0 |
| 19 | MENTAL DISEASES & DISORDERS | 34 | 1.94 | 44 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 25 | 1.43 | 4.3 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 21 | 1.20 | 4.5 |
| 22 | BURNS | 1 | 0.06 | 2.0 |

(Continued)

***MDC by Patient County of Residence
for 2010
Plumas County***

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 55 | 3.14 | 61 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 1 | 0.06 | 6.0 |
| All | | 1,754 | 100.0 | 7.2 |

**MDC by Patient County of Residence
and Type of Care for 2010
Plumas County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 77 | 4.73 | 5.0 |
| 02 | EYE, DISEASES & DISORDERS | 3 | 0.18 | 13 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 11 | 0.68 | 1.7 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 218 | 13.39 | 5.2 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 215 | 13.21 | 3.4 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 193 | 11.86 | 4.1 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 76 | 4.67 | 5.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 169 | 10.38 | 3.2 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 60 | 3.69 | 3.9 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 29 | 1.78 | 2.9 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 85 | 5.22 | 3.7 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 4 | 0.25 | 2.5 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 51 | 3.13 | 2.2 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 151 | 9.28 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 154 | 9.46 | 2.0 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 14 | 0.86 | 2.8 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 9 | 0.55 | 8.2 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 42 | 2.58 | 5.0 |
| 19 | MENTAL DISEASES & DISORDERS | 5 | 0.31 | 2.4 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 22 | 1.35 | 2.6 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 21 | 1.29 | 4.5 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 22 | BURNS | 1 | 0.06 | 2.0 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 17 | 1.04 | 3.4 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 1 | 0.06 | 6.0 |
| All | | 1,628 | 100.0 | 3.7 |

***MDC by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 1 | 100.0 | 29 |
| All | | 1 | 100.0 | 29 |

***MDC by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 12 | 100.0 | 13 |
| All | | 12 | 100.0 | 13 |

***MDC by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1 | 4.00 | 12 |
| 19 | MENTAL DISEASES & DISORDERS | 23 | 92.00 | 7.8 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 1 | 4.00 | 9.0 |
| All | | 25 | 100.0 | 8.0 |

***MDC by Patient County of Residence
and Type of Care for 2010
Plumas County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 11 | 12.50 | 65 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 1 | 1.14 | 5.0 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 10 | 11.36 | 10 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 3 | 3.41 | 45 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 5 | 5.68 | 15 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 9 | 10.23 | 31 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 5 | 5.68 | 52 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 2 | 2.27 | 11 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 6 | 6.82 | 15 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 1 | 1.14 | 46 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 1 | 1.14 | 17 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 1 | 1.14 | 4.0 |
| 19 | MENTAL DISEASES & DISORDERS | 6 | 6.82 | 219 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 1 | 1.14 | 13 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 26 | 29.55 | 122 |
| All | | 88 | 100.0 | 71 |