

***Type of Care by Patient County of Residence  
for 2010  
San Francisco County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	69,095	88.49	4.7
<b>Chemical Dependency Recovery Care</b>	138	0.18	14
<b>Physical Rehabilitation Care</b>	865	1.11	16
<b>Psychiatric Care</b>	3,950	5.06	8.0
<b>Skilled Nursing/Intermediate Care</b>	4,036	5.17	135
<b>All</b>	78,084	100.0	12

***Disposition by Patient County of Residence  
for 2010  
San Francisco County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	162	0.00	12
<b>01 - Routine (Home)</b>	2,964,599	74.66	3.6
<b>02 - Acute Care within the admitting hospital</b>	9,793	0.25	64
<b>03 - Other Care with the admitting hospital</b>	20,666	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32,649	0.82	8.1
<b>05 - Acute Care at another hospital</b>	83,795	2.11	10
<b>06 - Other Care (not SN/IC) at another hospital</b>	34,381	0.87	9.8
<b>07 - SN/IC at another facility</b>	305,209	7.69	8.8
<b>08 - Residential Care facility</b>	36,313	0.91	9.4
<b>09 - Prison/Jail</b>	20,022	0.50	5.3
<b>10 - Left Against Medical Advice</b>	45,467	1.14	3.2
<b>11 - Died</b>	76,630	1.93	16
<b>12 - Home Health Service</b>	330,832	8.33	7.1
<b>13 - Other</b>	10,404	0.26	11
<b>All</b>	3,970,922	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	47,829	69.22	3.4
02 - Acute Care within the admitting hospital	49	0.07	5.2
03 - Other Care with the admitting hospital	574	0.83	6.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2,681	3.88	8.3
05 - Acute Care at another hospital	1,074	1.55	6.6
06 - Other Care (not SN/IC) at another hospital	496	0.72	11
07 - SN/IC at another facility	4,700	6.80	9.6
08 - Residential Care facility	623	0.90	7.1
09 - Prison/Jail	150	0.22	5.3
10 - Left Against Medical Advice	837	1.21	3.6
11 - Died	1,751	2.53	9.9
12 - Home Health Service	7,995	11.57	5.9
13 - Other	336	0.49	10
All	69,095	100.0	4.7

***Disposition by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Chemical Dependency Recovery Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	123	89.13	11
<b>03 - Other Care with the admitting hospital</b>	1	0.72	6.0
<b>08 - Residential Care facility</b>	2	1.45	4.0
<b>10 - Left Against Medical Advice</b>	10	7.25	53
<b>13 - Other</b>	2	1.45	4.0
<b>All</b>	138	100.0	14

***Disposition by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	184	21.27	17
<b>02 - Acute Care within the admitting hospital</b>	69	7.98	11
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32	3.70	24
<b>05 - Acute Care at another hospital</b>	14	1.62	18
<b>06 - Other Care (not SN/IC) at another hospital</b>	1	0.12	20
<b>07 - SN/IC at another facility</b>	102	11.79	17
<b>08 - Residential Care facility</b>	7	0.81	19
<b>10 - Left Against Medical Advice</b>	8	0.92	8.5
<b>11 - Died</b>	1	0.12	6.0
<b>12 - Home Health Service</b>	446	51.56	17
<b>13 - Other</b>	1	0.12	52
<b>All</b>	865	100.0	16

***Disposition by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.05	3.0
01 - Routine (Home)	3,090	78.23	6.5
02 - Acute Care within the admitting hospital	78	1.97	7.6
03 - Other Care with the admitting hospital	5	0.13	19
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	70	1.77	31
05 - Acute Care at another hospital	37	0.94	7.8
06 - Other Care (not SN/IC) at another hospital	50	1.27	19
07 - SN/IC at another facility	52	1.32	36
08 - Residential Care facility	222	5.62	16
09 - Prison/Jail	196	4.96	4.6
10 - Left Against Medical Advice	132	3.34	3.8
11 - Died	1	0.03	32
12 - Home Health Service	8	0.20	20
13 - Other	7	0.18	15
All	3,950	100.0	8.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Skilled Nursing/Intermediate Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	630	15.61	75
<b>02 - Acute Care within the admitting hospital</b>	594	14.72	270
<b>03 - Other Care with the admitting hospital</b>	105	2.60	73
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	5	0.12	126
<b>05 - Acute Care at another hospital</b>	476	11.79	340
<b>06 - Other Care (not SN/IC) at another hospital</b>	15	0.37	108
<b>07 - SN/IC at another facility</b>	335	8.30	90
<b>08 - Residential Care facility</b>	105	2.60	181
<b>10 - Left Against Medical Advice</b>	64	1.59	56
<b>11 - Died</b>	375	9.29	239
<b>12 - Home Health Service</b>	1,287	31.89	14
<b>13 - Other</b>	45	1.11	64
<b>All</b>	4,036	100.0	135

***Gender by Patient County of Residence  
for 2010  
San Francisco County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	35,307	45.22	13
<b>2 - Female</b>	42,775	54.78	11
<b>4 - Unknown</b>	2	0.00	15
<b>All</b>	78,084	100.0	12

***Gender by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	30,752	44.51	5.2
<b>2 - Female</b>	38,342	55.49	4.3
<b>4 - Unknown</b>	1	0.00	7.0
<b>All</b>	69,095	100.0	4.7

***Gender by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	86	62.32	13
<b>2 - Female</b>	52	37.68	17
<b>All</b>	138	100.0	14

***Gender by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	421	48.67	18
<b>2 - Female</b>	444	51.33	15
<b>All</b>	865	100.0	16

***Gender by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	2,182	55.24	7.5
<b>2 - Female</b>	1,768	44.76	8.5
<b>All</b>	3,950	100.0	8.0

***Gender by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	1,866	46.23	141
<b>2 - Female</b>	2,169	53.74	129
<b>4 - Unknown</b>	1	0.02	22
<b>All</b>	4,036	100.0	135

***Expected Payer by Patient County of Residence  
for 2010  
San Francisco County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	5	0.01	2.6
<b>01 - Medicare</b>	27,836	35.65	17
<b>02 - Medi-Cal</b>	15,815	20.25	17
<b>03 - Private Coverage</b>	29,735	38.08	4.5
<b>04 - Workers' Compensatio</b>	251	0.32	4.6
<b>05 - County Indigent Prog</b>	771	0.99	3.5
<b>06 - Other Government</b>	787	1.01	5.0
<b>07 - Other Indigent</b>	237	0.30	4.2
<b>08 - Self-Pay</b>	1,330	1.70	4.5
<b>09 - Other Payer</b>	1,317	1.69	19
<b>All</b>	78,084	100.0	12

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>00 - Invalid</b>	5	0.01	2.6
<b>01 - Medicare</b>	23,780	34.42	5.5
<b>02 - Medi-Cal</b>	13,879	20.09	5.5
<b>03 - Private Coverage</b>	27,728	40.13	3.8
<b>04 - Workers' Compensatio</b>	227	0.33	3.6
<b>05 - County Indigent Prog</b>	744	1.08	3.4
<b>06 - Other Government</b>	474	0.69	4.4
<b>07 - Other Indigent</b>	233	0.34	4.0
<b>08 - Self-Pay</b>	1,038	1.50	4.0
<b>09 - Other Payer</b>	987	1.43	3.2
<b>All</b>	69,095	100.0	4.7

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Chemical Dependency Recovery Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	20	14.49	6.7
<b>03 - Private Coverage</b>	92	66.67	13
<b>06 - Other Government</b>	8	5.80	55
<b>07 - Other Indigent</b>	1	0.72	28
<b>08 - Self-Pay</b>	17	12.32	7.8
<b>All</b>	138	100.0	14

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	509	58.84	15
<b>02 - Medi-Cal</b>	99	11.45	20
<b>03 - Private Coverage</b>	240	27.75	18
<b>04 - Workers' Compensatio</b>	9	1.04	17
<b>08 - Self-Pay</b>	3	0.35	11
<b>09 - Other Payer</b>	5	0.58	10
<b>All</b>	865	100.0	16

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	1,167	29.54	11
<b>02 - Medi-Cal</b>	991	25.09	9.3
<b>03 - Private Coverage</b>	996	25.22	6.1
<b>05 - County Indigent Prog</b>	24	0.61	6.7
<b>06 - Other Government</b>	305	7.72	4.4
<b>07 - Other Indigent</b>	2	0.05	7.5
<b>08 - Self-Pay</b>	270	6.84	6.1
<b>09 - Other Payer</b>	195	4.94	3.3
<b>All</b>	3,950	100.0	8.0

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Skilled Nursing/Intermediate Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	2,360	58.47	137
<b>02 - Medi-Cal</b>	846	20.96	213
<b>03 - Private Coverage</b>	679	16.82	27
<b>04 - Workers' Compensatio</b>	15	0.37	12
<b>05 - County Indigent Prog</b>	3	0.07	7.3
<b>07 - Other Indigent</b>	1	0.02	5.0
<b>08 - Self-Pay</b>	2	0.05	5.5
<b>09 - Other Payer</b>	130	3.22	161
<b>All</b>	4,036	100.0	135

***Race Group by Patient County of Residence  
for 2010  
San Francisco County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	991	1.27	6.8
<b>1 - White</b>	34,221	43.83	12
<b>2 - Black</b>	9,997	12.80	16
<b>3 - Hispanic</b>	9,717	12.44	9.2
<b>4 - Asian/Pacific Islander</b>	19,411	24.86	10
<b>5 - Native American/Eskimo/Ale</b>	1,541	1.97	9.0
<b>6 - Other</b>	2,206	2.83	12
<b>All</b>	78,084	100.0	12

***Race Group by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	800	1.16	3.7
<b>1 - White</b>	29,485	42.67	4.6
<b>2 - Black</b>	8,507	12.31	5.5
<b>3 - Hispanic</b>	8,915	12.90	4.4
<b>4 - Asian/Pacific Islander</b>	18,010	26.07	4.6
<b>5 - Native American/Eskimo/Ale</b>	1,326	1.92	5.3
<b>6 - Other</b>	2,052	2.97	4.1
<b>All</b>	69,095	100.0	4.7

***Race Group by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	7	5.07	6.0
<b>1 - White</b>	93	67.39	7.8
<b>2 - Black</b>	5	3.62	46
<b>3 - Hispanic</b>	17	12.32	48
<b>4 - Asian/Pacific Islander</b>	10	7.25	7.8
<b>6 - Other</b>	6	4.35	9.3
<b>All</b>	138	100.0	14

***Race Group by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	15	1.73	19
<b>1 - White</b>	445	51.45	17
<b>2 - Black</b>	88	10.17	17
<b>3 - Hispanic</b>	50	5.78	17
<b>4 - Asian/Pacific Islander</b>	257	29.71	15
<b>5 - Native American/Eskimo/Ale</b>	1	0.12	19
<b>6 - Other</b>	9	1.04	14
<b>All</b>	865	100.0	16

***Race Group by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	158	4.00	5.6
<b>1 - White</b>	1,973	49.95	7.7
<b>2 - Black</b>	737	18.66	7.6
<b>3 - Hispanic</b>	376	9.52	7.6
<b>4 - Asian/Pacific Islander</b>	430	10.89	9.7
<b>5 - Native American/Eskimo/Ale</b>	158	4.00	12
<b>6 - Other</b>	118	2.99	8.3
<b>All</b>	3,950	100.0	8.0

***Race Group by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	11	0.27	234
<b>1 - White</b>	2,225	55.13	118
<b>2 - Black</b>	660	16.35	157
<b>3 - Hispanic</b>	359	8.89	129
<b>4 - Asian/Pacific Islander</b>	704	17.44	152
<b>5 - Native American/Eskimo/Ale</b>	56	1.39	87
<b>6 - Other</b>	21	0.52	827
<b>All</b>	4,036	100.0	135

**Source of Admission by Patient County of Residence  
for 2010  
San Francisco County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	59,216	75.84	6.8
2 - Residential Care Facility	801	1.03	20
3 - Ambulatory Surgery	160	0.20	3.0
4 - Skilled Nursing/Intermedia	2,096	2.68	16
5 - Acute Inpatient Hospital C	5,814	7.45	70
6 - Other Inpatient Hospital C	450	0.58	49
7 - Newborn (born in admitting	8,693	11.13	3.3
8 - Prison/Jail	293	0.38	8.5
9 - Other	561	0.72	8.3
All	78,084	100.0	12

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Acute Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Home</b>	55,657	80.55	4.6
<b>2 - Residential Care Facility</b>	729	1.06	5.2
<b>3 - Ambulatory Surgery</b>	156	0.23	2.9
<b>4 - Skilled Nursing/Intermedia</b>	1,942	2.81	7.4
<b>5 - Acute Inpatient Hospital C</b>	1,088	1.57	12
<b>6 - Other Inpatient Hospital C</b>	261	0.38	8.7
<b>7 - Newborn (born in admitting</b>	8,693	12.58	3.3
<b>8 - Prison/Jail</b>	76	0.11	8.6
<b>9 - Other</b>	493	0.71	8.2
<b>All</b>	69,095	100.0	4.7

*Source of Admission by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	132	95.65	8.7
<b>8 - Prison/Jail</b>	6	4.35	132
<b>All</b>	138	100.0	14

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	24	2.77	15
3 - Ambulatory Surgery	1	0.12	7.0
4 - Skilled Nursing/Intermedia	76	8.79	18
5 - Acute Inpatient Hospital C	745	86.13	16
6 - Other Inpatient Hospital C	16	1.85	23
9 - Other	3	0.35	11
All	865	100.0	16

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3,285	83.16	7.7
2 - Residential Care Facility	54	1.37	14
3 - Ambulatory Surgery	3	0.08	4.3
4 - Skilled Nursing/Intermedia	47	1.19	30
5 - Acute Inpatient Hospital C	258	6.53	9.9
6 - Other Inpatient Hospital C	29	0.73	6.1
8 - Prison/Jail	210	5.32	5.0
9 - Other	64	1.62	6.5
<b>All</b>	3,950	100.0	8.0

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	118	2.92	1E3
<b>2 - Residential Care Facility</b>	18	0.45	649
<b>4 - Skilled Nursing/Intermedia</b>	31	0.77	522
<b>5 - Acute Inpatient Hospital C</b>	3,723	92.24	101
<b>6 - Other Inpatient Hospital C</b>	144	3.57	133
<b>8 - Prison/Jail</b>	1	0.02	8.0
<b>9 - Other</b>	1	0.02	156
<b>All</b>	4,036	100.0	135

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	5	0.01	69
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	36
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	88	0.11	65
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	82	0.11	46
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	9	0.01	26
006	LIVER TRANSPLANT WITHOUT MCC	9	0.01	6.3
007	LUNG TRANSPLANT	1	0.00	71
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	3	0.00	12
009	BONE MARROW TRANSPLANT	27	0.03	30
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	12	0.02	20
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	12	0.02	13
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	7	0.01	7.6
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	22	0.03	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	14	0.02	11
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	5	0.01	7.4
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	74	0.09	18
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	41	0.05	11
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	99	0.13	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	82	0.11	7.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	113	0.14	5.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
028	SPINAL PROCEDURES WITH MCC	26	0.03	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	49	0.06	6.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	36	0.05	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	7	0.01	47
032	VENTRICULAR SHUNT PROCEDURES WITH CC	21	0.03	4.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	10	0.01	2.5
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.00	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	4	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	18	0.02	7.8
038	EXTRACRANIAL PROCEDURES WITH CC	35	0.04	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	47	0.06	2.1
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	16	0.02	18
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	27	0.03	7.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	16	0.02	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	41	0.05	589
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	14	0.02	164
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	75	0.10	7.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	93	0.12	7.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	174	0.22	392
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	268	0.34	333
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	18	0.02	452

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	18	0.02	67
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	16	0.02	156
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	26	0.03	6.6
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	44	0.06	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	31	0.04	3.4
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	341	0.44	8.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	472	0.60	5.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	360	0.46	3.3
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.00	14
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	23	0.03	2.5
069	TRANSIENT ISCHEMIA	159	0.20	1.9
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	52	0.07	386
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	41	0.05	602
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	39	0.05	498
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	29	0.04	15
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	148	0.19	18
075	VIRAL MENINGITIS WITH CC/MCC	24	0.03	6.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	41	0.05	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	15	0.02	383
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	14	0.02	202
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	4	0.01	565
080	NONTRAUMATIC STUPOR & COMA WITH MCC	10	0.01	29

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	18	0.02	3.6
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	29	0.04	9.1
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	21	0.03	8.1
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	75	0.10	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	65	0.08	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	96	0.12	5.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	155	0.20	3.0
088	CONCUSSION WITH MCC	2	0.00	2.5
089	CONCUSSION WITH CC	11	0.01	2.5
090	CONCUSSION WITHOUT CC/MCC	33	0.04	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	87	0.11	62
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	77	0.10	13
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	85	0.11	145
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	11	0.01	15
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	9	0.01	5.3
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	13	0.02	8.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	11	0.01	9.5
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.01	13
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.01	6.5
100	SEIZURES WITH MCC	125	0.16	8.0
101	SEIZURES WITHOUT MCC	322	0.41	6.1
102	HEADACHES WITH MCC	19	0.02	720

(Continued)

**MS-DRG by Patient County of Residence  
for 2010  
San Francisco County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
103	HEADACHES WITHOUT MCC	96	0.12	2.1
113	ORBITAL PROCEDURES WITH CC/MCC	6	0.01	4.3
114	ORBITAL PROCEDURES WITHOUT CC/MCC	11	0.01	1.8
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	2.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	9	0.01	4.7
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	8	0.01	2.9
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.01	4.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	2.1
123	NEUROLOGICAL EYE DISORDERS	20	0.03	1.2
124	OTHER DISORDERS OF THE EYE WITH MCC	4	0.01	266
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	36	0.05	5.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	14	0.02	6.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	7	0.01	6.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	29	0.04	5.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	60	0.08	2.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	29	0.04	4.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	111	0.14	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	2	0.00	.50
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	9	0.01	4.1
138	MOUTH PROCEDURES WITHOUT CC/MCC	14	0.02	2.6
139	SALIVARY GLAND PROCEDURES	16	0.02	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	8	0.01	12
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	25	0.03	19
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	18	0.02	4.6
149	DYSEQUILIBRIUM	105	0.13	2.1
150	EPISTAXIS WITH MCC	6	0.01	7.8
151	EPISTAXIS WITHOUT MCC	15	0.02	3.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	29	0.04	4.1
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	141	0.18	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	19	0.02	3.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	35	0.04	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	46	0.06	2.0
157	DENTAL & ORAL DISEASES WITH MCC	12	0.02	5.4
158	DENTAL & ORAL DISEASES WITH CC	22	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	36	0.05	4.1
163	MAJOR CHEST PROCEDURES WITH MCC	44	0.06	14
164	MAJOR CHEST PROCEDURES WITH CC	95	0.12	7.4
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	47	0.06	5.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	46	0.06	14
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	48	0.06	7.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	4.0
175	PULMONARY EMBOLISM WITH MCC	80	0.10	5.7
176	PULMONARY EMBOLISM WITHOUT MCC	206	0.26	3.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	300	0.38	8.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	309	0.40	8.1
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	111	0.14	5.2
180	RESPIRATORY NEOPLASMS WITH MCC	134	0.17	17
181	RESPIRATORY NEOPLASMS WITH CC	204	0.26	7.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	26	0.03	3.8
183	MAJOR CHEST TRAUMA WITH MCC	19	0.02	5.5
184	MAJOR CHEST TRAUMA WITH CC	27	0.03	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	13	0.02	2.0
186	PLEURAL EFFUSION WITH MCC	45	0.06	5.7
187	PLEURAL EFFUSION WITH CC	42	0.05	4.8
188	PLEURAL EFFUSION WITHOUT CC/MCC	9	0.01	2.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	199	0.25	28
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	457	0.59	6.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	327	0.42	15
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	337	0.43	14
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	468	0.60	6.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	829	1.06	4.3
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	472	0.60	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	23	0.03	8.5
197	INTERSTITIAL LUNG DISEASE WITH CC	29	0.04	4.8
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	19	0.02	5.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
199	PNEUMOTHORAX WITH MCC	24	0.03	6.9
200	PNEUMOTHORAX WITH CC	49	0.06	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	41	0.05	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	209	0.27	3.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	319	0.41	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	87	0.11	2.4
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	42	0.05	4.8
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	100	0.13	3.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	197	0.25	58
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	253	0.32	9.3
215	OTHER HEART ASSIST SYSTEM IMPLANT	2	0.00	7.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	23	0.03	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	16	0.02	8.7
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	5.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	60	0.08	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	80	0.10	7.5
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	18	0.02	5.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.00	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.00	10
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	9	0.01	14
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.01	5.4
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	15	0.02	9.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	46	0.06	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	7	0.01	13
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	11	0.01	9.1
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	20
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	6	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	28	0.04	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	46	0.06	8.9
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	17	0.02	9.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	64	0.08	6.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	97	0.12	13
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	97	0.12	4.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	26	0.03	13
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	21	0.03	12
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	45	0.06	5.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	102	0.13	4.6
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	103	0.13	2.8
245	AICD GENERATOR PROCEDURES	9	0.01	3.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	157	0.20	4.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	420	0.54	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	50	0.06	7.9
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	175	0.22	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	43	0.06	6.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	102	0.13	2.9
252	OTHER VASCULAR PROCEDURES WITH MCC	140	0.18	8.2
253	OTHER VASCULAR PROCEDURES WITH CC	119	0.15	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	79	0.10	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	8	0.01	7.3
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	11	0.01	4.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	5	0.01	8.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	10	0.01	2.6
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	11
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	5	0.01	4.6
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.00	3.3
263	VEIN LIGATION & STRIPPING	4	0.01	.75
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	89	0.11	7.2
265	AICD LEAD PROCEDURES	2	0.00	1.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	167	0.21	13
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	129	0.17	4.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	130	0.17	2.9
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	38	0.05	4.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	5	0.01	1.4
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	4	0.01	18

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	118	0.15	9.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	414	0.53	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	24	0.03	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	26	0.03	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	13	0.02	12
291	HEART FAILURE & SHOCK WITH MCC	770	0.99	11
292	HEART FAILURE & SHOCK WITH CC	707	0.91	7.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	402	0.51	8.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.00	1.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	12
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	8	0.01	2.4
297	CARDIAC ARREST, UNEXPLAINED WITH CC	4	0.01	1.3
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	79	0.10	5.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	185	0.24	5.9
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	80	0.10	3.1
302	ATHEROSCLEROSIS WITH MCC	26	0.03	3.2
303	ATHEROSCLEROSIS WITHOUT MCC	118	0.15	2.0
304	HYPERTENSION WITH MCC	40	0.05	130
305	HYPERTENSION WITHOUT MCC	136	0.17	70
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	18	0.02	6.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	39	0.05	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	263	0.34	4.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	338	0.43	5.6
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	416	0.53	2.0
311	ANGINA PECTORIS	95	0.12	1.7
312	SYNCOPE & COLLAPSE	560	0.72	2.1
313	CHEST PAIN	582	0.75	1.4
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	216	0.28	6.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	120	0.15	10
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	63	0.08	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	49	0.06	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	49	0.06	9.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	44	0.06	3.5
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	163	0.21	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	291	0.37	9.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	189	0.24	5.4
332	RECTAL RESECTION WITH MCC	12	0.02	12
333	RECTAL RESECTION WITH CC	30	0.04	8.0
334	RECTAL RESECTION WITHOUT CC/MCC	27	0.03	6.7
335	PERITONEAL ADHESIOLYSIS WITH MCC	24	0.03	15
336	PERITONEAL ADHESIOLYSIS WITH CC	59	0.08	9.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	62	0.08	5.1
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	6.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
339	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	31	0.04	6.3
340	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	120	0.15	3.1
341	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	20	0.03	3.2
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	41	0.05	2.6
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	537	0.69	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	7	0.01	6.1
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	18	0.02	7.1
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	17	0.02	4.3
347	ANAL & STOMAL PROCEDURES WITH MCC	8	0.01	8.6
348	ANAL & STOMAL PROCEDURES WITH CC	24	0.03	3.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	66	0.08	2.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	5	0.01	2.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	20	0.03	3.6
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	50	0.06	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	14	0.02	7.1
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	39	0.05	4.7
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	62	0.08	2.7
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	30	0.04	23
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	25	0.03	11
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	19	0.02	3.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	25	0.03	4.9
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	26	0.03	3.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.01	2.9
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	142	0.18	9.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	113	0.14	7.7
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	83	0.11	3.5
374	DIGESTIVE MALIGNANCY WITH MCC	90	0.12	8.9
375	DIGESTIVE MALIGNANCY WITH CC	158	0.20	10
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	24	0.03	12
377	G.I. HEMORRHAGE WITH MCC	270	0.35	5.9
378	G.I. HEMORRHAGE WITH CC	494	0.63	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	217	0.28	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	16	0.02	5.3
381	COMPLICATED PEPTIC ULCER WITH CC	22	0.03	6.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	10	0.01	2.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	6	0.01	5.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	38	0.05	2.9
385	INFLAMMATORY BOWEL DISEASE WITH MCC	11	0.01	8.4
386	INFLAMMATORY BOWEL DISEASE WITH CC	82	0.11	4.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	72	0.09	3.8
388	G.I. OBSTRUCTION WITH MCC	77	0.10	5.5
389	G.I. OBSTRUCTION WITH CC	218	0.28	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	243	0.31	3.2
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	279	0.36	4.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	969	1.24	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	130	0.17	5.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	241	0.31	4.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	124	0.16	2.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	27	0.03	12
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	51	0.07	10
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	26	0.03	4.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	8	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.00	8.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.01	8.6
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	11
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	6	0.01	10
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.00	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	21	0.03	9.8
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	22	0.03	7.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.03	5.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	100	0.13	8.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	115	0.15	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	319	0.41	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	5	0.01	3.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.00	10
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.01	3.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	10
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	7.5
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	120	0.15	13
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	54	0.07	8.5
434	CIRRHOIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	1.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	130	0.17	8.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	124	0.16	8.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	29	0.04	4.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	104	0.13	8.8
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	185	0.24	5.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	160	0.20	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	160	0.20	8.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	102	0.13	5.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	53	0.07	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	84	0.11	6.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	110	0.14	4.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	100	0.13	2.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	8	0.01	19
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	24	0.03	6.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	25	0.03	5.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	7	0.01	28
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	22	0.03	10
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	9	0.01	4.7
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	22	0.03	9.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	160	0.20	5.8
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	2	0.00	4.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	38	0.05	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	29	0.04	24
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	46	0.06	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	12	0.02	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	15	0.02	7.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	63	0.08	4.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	47	0.06	3.1
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	114	0.15	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,452	1.86	3.7
471	CERVICAL SPINAL FUSION WITH MCC	22	0.03	10
472	CERVICAL SPINAL FUSION WITH CC	45	0.06	5.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	84	0.11	2.6
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	12	0.02	10
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	14	0.02	13
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.01	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	32	0.04	8.8
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	36	0.05	2.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	115	0.15	10
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	235	0.30	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	145	0.19	4.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	49	0.06	3.9
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	75	0.10	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	4	0.01	16
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	13	0.02	10
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	8.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	16	0.02	4.5
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	33	0.04	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	131	0.17	6.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	246	0.32	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	33	0.04	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	113	0.14	5.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	301	0.39	3.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	9	0.01	9.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	36	0.05	5.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	56	0.07	2.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	7	0.01	7.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.00	3.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
500	SOFT TISSUE PROCEDURES WITH MCC	19	0.02	15
501	SOFT TISSUE PROCEDURES WITH CC	31	0.04	6.6
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	52	0.07	3.5
503	FOOT PROCEDURES WITH MCC	10	0.01	4.6
504	FOOT PROCEDURES WITH CC	21	0.03	5.6
505	FOOT PROCEDURES WITHOUT CC/MCC	41	0.05	3.0
506	MAJOR THUMB OR JOINT PROCEDURES	8	0.01	5.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	4.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	7	0.01	2.9
509	ARTHROSCOPY	5	0.01	1.6
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	7	0.01	5.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	14	0.02	4.4
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	74	0.09	1.9
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	21	0.03	2.6
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	15	0.02	3.3
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	22	0.03	19
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	41	0.05	6.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	49	0.06	3.0
533	FRACTURES OF FEMUR WITH MCC	6	0.01	3.5
534	FRACTURES OF FEMUR WITHOUT MCC	15	0.02	60
535	FRACTURES OF HIP & PELVIS WITH MCC	33	0.04	6.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	106	0.14	4.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	5	0.01	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	1.0
539	OSTEOMYELITIS WITH MCC	31	0.04	18
540	OSTEOMYELITIS WITH CC	43	0.06	15
541	OSTEOMYELITIS WITHOUT CC/MCC	9	0.01	26
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	33	0.04	11
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	69	0.09	6.3
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	27	0.03	4.6
545	CONNECTIVE TISSUE DISORDERS WITH MCC	26	0.03	27
546	CONNECTIVE TISSUE DISORDERS WITH CC	61	0.08	18
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	46	0.06	7.1
548	SEPTIC ARTHRITIS WITH MCC	5	0.01	10
549	SEPTIC ARTHRITIS WITH CC	8	0.01	8.1
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	10	0.01	2.4
551	MEDICAL BACK PROBLEMS WITH MCC	66	0.08	5.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	302	0.39	7.6
553	BONE DISEASES & ARTHROPATHIES WITH MCC	25	0.03	6.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	111	0.14	3.7
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	22	0.03	3.6
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	86	0.11	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	42	0.05	6.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	92	0.12	4.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	17	0.02	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	34	0.04	13
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	27	0.03	6.4
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	30	0.04	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	158	0.20	3.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	14	0.02	5.7
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	26	0.03	7.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	15	0.02	2.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	38	0.05	15
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	55	0.07	9.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.02	4.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.00	15
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.01	11
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	29	0.04	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	39	0.05	7.1
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	93	0.12	4.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	202	0.26	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	19	0.02	2.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	36	0.05	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	10	0.01	2.1
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	22	0.03	2.0
592	SKIN ULCERS WITH MCC	43	0.06	26

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
593	SKIN ULCERS WITH CC	67	0.09	12
594	SKIN ULCERS WITHOUT CC/MCC	13	0.02	4.2
595	MAJOR SKIN DISORDERS WITH MCC	10	0.01	7.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	31	0.04	4.5
597	MALIGNANT BREAST DISORDERS WITH MCC	6	0.01	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	10	0.01	21
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	6	0.01	28
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	3.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	19	0.02	2.2
602	CELLULITIS WITH MCC	231	0.30	5.5
603	CELLULITIS WITHOUT MCC	1,096	1.40	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	19	0.02	5.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	110	0.14	2.6
606	MINOR SKIN DISORDERS WITH MCC	26	0.03	7.5
607	MINOR SKIN DISORDERS WITHOUT MCC	68	0.09	2.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	18	0.02	8.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	21	0.03	2.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.01	9.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	37	0.05	12
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.00	3.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	11	0.01	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	75	0.10	1.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	42
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	7	0.01	11
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	2	0.00	2.5
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	7	0.01	6.4
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	30	0.04	1.9
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	145	0.19	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	11	0.01	17
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	18	0.02	8.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	18
637	DIABETES WITH MCC	128	0.16	5.9
638	DIABETES WITH CC	231	0.30	26
639	DIABETES WITHOUT CC/MCC	152	0.19	3.3
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	297	0.38	4.8
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	590	0.76	4.6
642	INBORN ERRORS OF METABOLISM	18	0.02	2.6
643	ENDOCRINE DISORDERS WITH MCC	33	0.04	8.5
644	ENDOCRINE DISORDERS WITH CC	66	0.08	8.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	37	0.05	7.8
652	KIDNEY TRANSPLANT	50	0.06	5.8
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.01	22
654	MAJOR BLADDER PROCEDURES WITH CC	12	0.02	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	5.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	16	0.02	8.1
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	34	0.04	4.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	42	0.05	3.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	27	0.03	7.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	85	0.11	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	77	0.10	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	4	0.01	2.5
663	MINOR BLADDER PROCEDURES WITH CC	4	0.01	5.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	.80
665	PROSTATECTOMY WITH MCC	2	0.00	7.0
666	PROSTATECTOMY WITH CC	5	0.01	5.6
667	PROSTATECTOMY WITHOUT CC/MCC	6	0.01	1.2
668	TRANSURETHRAL PROCEDURES WITH MCC	19	0.02	8.6
669	TRANSURETHRAL PROCEDURES WITH CC	33	0.04	4.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	39	0.05	2.6
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.00	2.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	11	0.01	2.3
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	55	0.07	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	40	0.05	11
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	15	0.02	3.3
682	RENAL FAILURE WITH MCC	322	0.41	19
683	RENAL FAILURE WITH CC	367	0.47	9.1

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
684	RENAL FAILURE WITHOUT CC/MCC	123	0.16	12
685	ADMIT FOR RENAL DIALYSIS	8	0.01	1.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	7	0.01	5.4
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	15	0.02	6.4
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.01	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	347	0.44	5.3
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	758	0.97	4.2
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	1.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	26	0.03	2.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	90	0.12	2.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	8	0.01	3.1
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	52	0.07	2.6
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	113	0.14	7.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	126	0.16	3.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	56	0.07	1.9
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	17	0.02	3.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	71	0.09	1.9
709	PENIS PROCEDURES WITH CC/MCC	5	0.01	12
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	2.7
711	TESTES PROCEDURES WITH CC/MCC	8	0.01	8.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
712	TESTES PROCEDURES WITHOUT CC/MCC	17	0.02	1.1
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	38	0.05	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	98	0.13	1.5
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	3	0.00	12
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	18	0.02	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	7.7
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	5.5
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	10	0.01	139
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	14
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	2.2
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	15	0.02	2.9
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	14	0.02	6.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	41	0.05	4.1
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.00	1.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	14
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	14	0.02	6.9
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	12	0.02	2.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.00	9.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	34	0.04	5.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	11	0.01	2.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	9	0.01	11

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	35	0.04	5.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	51	0.07	1.7
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	121	0.15	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	414	0.53	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	15	0.02	2.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	14	0.02	.86
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	13	0.02	4.2
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	23	0.03	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	44	0.06	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.01	6.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	.50
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	4.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	39	0.05	26
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.01	16
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	13
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.01	3.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	41	0.05	2.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	26	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	46	0.06	1.7
765	CESAREAN SECTION WITH CC/MCC	1,019	1.31	4.9
766	CESAREAN SECTION WITHOUT CC/MCC	1,231	1.58	4.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	131	0.17	2.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	5	0.01	4.4
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	26	0.03	2.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	24	0.03	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,267	1.62	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,880	6.25	2.4
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	156	0.20	2.7
777	ECTOPIC PREGNANCY	49	0.06	1.4
778	THREATENED ABORTION	134	0.17	2.4
779	ABORTION WITHOUT D&C	17	0.02	2.0
780	FALSE LABOR	27	0.03	.74
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	359	0.46	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	132	0.17	2.6
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	81	0.10	5.8
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	114	0.15	38
791	PREMATURITY WITH MAJOR PROBLEMS	122	0.16	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	587	0.75	5.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	336	0.43	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	2,143	2.74	2.5
795	NORMAL NEWBORN	5,579	7.15	2.3
799	SPLENECTOMY WITH MCC	2	0.00	5.0
800	SPLENECTOMY WITH CC	6	0.01	4.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	4	0.01	8.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	5.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	6	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	46	0.06	8.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	94	0.12	4.8
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	24	0.03	6.2
811	RED BLOOD CELL DISORDERS WITH MCC	138	0.18	5.1
812	RED BLOOD CELL DISORDERS WITHOUT MCC	376	0.48	2.8
813	COAGULATION DISORDERS	85	0.11	4.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	13	0.02	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.02	3.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	23	0.03	2.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	6	0.01	26
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	18
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	18	0.02	2.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	10	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	20	0.03	9.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	5.9
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.01	38
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	12	0.02	7.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	3.2
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	15	0.02	12
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	34	0.04	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	18	0.02	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.01	17
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	12	0.02	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	33	0.04	12
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	23	0.03	7.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	69	0.09	10
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	76	0.10	14
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	24	0.03	3.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	11	0.01	9.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	11	0.01	6.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	7	0.01	2.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	54	0.07	6.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	390	0.50	4.6
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	13	0.02	4.2
849	RADIOTHERAPY	10	0.01	6.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	134	0.17	21
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	32	0.04	6.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	5.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	26	0.03	18
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	52	0.07	6.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	11	0.01	4.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	51	0.07	6.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	131	0.17	5.3
864	FEVER	117	0.15	4.2
865	VIRAL ILLNESS WITH MCC	6	0.01	4.7
866	VIRAL ILLNESS WITHOUT MCC	56	0.07	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	30	0.04	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	12	0.02	6.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	129	0.17	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,217	1.56	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	320	0.41	5.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	9	0.01	32
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	72	0.09	3.9
881	DEPRESSIVE NEUROSES	423	0.54	6.5
882	NEUROSES EXCEPT DEPRESSIVE	128	0.16	8.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	30	0.04	14
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	183	0.23	267
885	PSYCHOSES	3,362	4.31	18
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	18	0.02	36
887	OTHER MENTAL DISORDER DIAGNOSIS	14	0.02	9.6
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	48	0.06	3.4
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	16	0.02	12

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	134	0.17	8.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	576	0.74	11
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	8	0.01	14
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	7	0.01	8.4
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	5	0.01	2.4
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	14	0.02	18
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	8	0.01	6.9
906	HAND PROCEDURES FOR INJURIES	15	0.02	3.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	44	0.06	14
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	50	0.06	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	41	0.05	2.7
913	TRAUMATIC INJURY WITH MCC	6	0.01	3.7
914	TRAUMATIC INJURY WITHOUT MCC	40	0.05	2.5
915	ALLERGIC REACTIONS WITH MCC	10	0.01	5.1
916	ALLERGIC REACTIONS WITHOUT MCC	24	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	200	0.26	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	349	0.45	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	47	0.06	8.1
920	COMPLICATIONS OF TREATMENT WITH CC	66	0.08	4.1
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	36	0.05	3.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	16	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	27	0.03	3.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	4	0.01	89
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	5	0.01	18
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	7	0.01	6.9
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	13
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	8	0.01	20
935	NON-EXTENSIVE BURNS	34	0.04	6.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	12	0.02	28
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	30	0.04	7.4
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	33	0.04	1.4
945	REHABILITATION WITH CC/MCC	2,193	2.81	21
946	REHABILITATION WITHOUT CC/MCC	759	0.97	22
947	SIGNS & SYMPTOMS WITH MCC	105	0.13	5.0
948	SIGNS & SYMPTOMS WITHOUT MCC	272	0.35	3.5
949	AFTERCARE WITH CC/MCC	132	0.17	33
950	AFTERCARE WITHOUT CC/MCC	40	0.05	20
951	OTHER FACTORS INFLUENCING HEALTH STATUS	413	0.53	2.6
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.01	44
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	24	0.03	15
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	31	0.04	20
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	35	0.04	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	14	0.02	8.1
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	9	0.01	17

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	29	0.04	5.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	18	0.02	4.1
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	25	0.03	27
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	195	0.25	15
975	HIV WITH MAJOR RELATED CONDITION WITH CC	190	0.24	24
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	97	0.12	36
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	159	0.20	70
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	119	0.15	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	102	0.13	8.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	59	0.08	2.7
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	2.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.01	5.2
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.00	8.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	35	0.04	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	42	0.05	8.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.03	2.6
999	UNGROUPABLE	2	0.00	2.0
All		78,071	100.0	12

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	5	0.01	69
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	36
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	88	0.13	65
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	82	0.12	46
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	9	0.01	26
006	LIVER TRANSPLANT WITHOUT MCC	9	0.01	6.3
007	LUNG TRANSPLANT	1	0.00	71
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	3	0.00	12
009	BONE MARROW TRANSPLANT	27	0.04	30
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	12	0.02	20
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	12	0.02	13
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	7	0.01	7.6
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	22	0.03	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	14	0.02	11
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	5	0.01	7.4
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	74	0.11	18
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	41	0.06	11
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	99	0.14	18
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	82	0.12	7.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	113	0.16	5.4
028	SPINAL PROCEDURES WITH MCC	26	0.04	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	49	0.07	6.8
030	SPINAL PROCEDURES WITHOUT CC/MCC	36	0.05	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	7	0.01	47
032	VENTRICULAR SHUNT PROCEDURES WITH CC	21	0.03	4.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	10	0.01	2.5
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	1	0.00	2.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.00	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	4	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	18	0.03	7.8
038	EXTRACRANIAL PROCEDURES WITH CC	35	0.05	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	47	0.07	2.1
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	16	0.02	18
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	26	0.04	6.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	16	0.02	2.1
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	15	0.02	9.5
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	9	0.01	4.2
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	72	0.10	6.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	88	0.13	5.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	53	0.08	32

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	136	0.20	8.5
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	3	0.00	12
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	14	0.02	5.3
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	14	0.02	3.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	26	0.04	6.6
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	44	0.06	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	31	0.04	3.4
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	338	0.49	8.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	471	0.68	5.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	360	0.52	3.3
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.00	14
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	23	0.03	2.5
069	TRANSIENT ISCHEMIA	159	0.23	1.9
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	31	0.04	4.6
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	15	0.02	6.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	21	0.03	1.6
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	27	0.04	5.7
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	139	0.20	3.3
075	VIRAL MENINGITIS WITH CC/MCC	24	0.03	6.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	41	0.06	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	6	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	6	0.01	2.2
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	1.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	8	0.01	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	15	0.02	3.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	29	0.04	9.1
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	21	0.03	8.1
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	75	0.11	2.6
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	65	0.09	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	96	0.14	5.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	154	0.22	3.0
088	CONCUSSION WITH MCC	2	0.00	2.5
089	CONCUSSION WITH CC	11	0.02	2.5
090	CONCUSSION WITHOUT CC/MCC	33	0.05	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	73	0.11	5.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	72	0.10	5.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	79	0.11	2.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	6	0.01	8.7
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	9	0.01	5.3
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	12	0.02	5.7
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	11	0.02	9.5
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.02	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.01	6.5
100	SEIZURES WITH MCC	122	0.18	6.9
101	SEIZURES WITHOUT MCC	317	0.46	2.9
102	HEADACHES WITH MCC	16	0.02	3.4
103	HEADACHES WITHOUT MCC	96	0.14	2.1
113	ORBITAL PROCEDURES WITH CC/MCC	6	0.01	4.3
114	ORBITAL PROCEDURES WITHOUT CC/MCC	11	0.02	1.8
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	2.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	9	0.01	4.7
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	8	0.01	2.9
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	11	0.02	4.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	7	0.01	2.1
123	NEUROLOGICAL EYE DISORDERS	20	0.03	1.2
124	OTHER DISORDERS OF THE EYE WITH MCC	3	0.00	5.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	35	0.05	2.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	14	0.02	6.6
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	7	0.01	6.4
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	29	0.04	5.6
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	60	0.09	2.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	29	0.04	4.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	111	0.16	1.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	2	0.00	.50
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
137	MOUTH PROCEDURES WITH CC/MCC	9	0.01	4.1
138	MOUTH PROCEDURES WITHOUT CC/MCC	14	0.02	2.6
139	SALIVARY GLAND PROCEDURES	16	0.02	1.8
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	8	0.01	12
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	14	0.02	4.1
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	17	0.02	3.2
149	DYSEQUILIBRIUM	105	0.15	2.1
150	EPISTAXIS WITH MCC	6	0.01	7.8
151	EPISTAXIS WITHOUT MCC	15	0.02	3.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	29	0.04	4.1
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	141	0.20	1.9
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	19	0.03	3.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	34	0.05	2.8
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	45	0.07	1.8
157	DENTAL & ORAL DISEASES WITH MCC	12	0.02	5.4
158	DENTAL & ORAL DISEASES WITH CC	22	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	34	0.05	2.2
163	MAJOR CHEST PROCEDURES WITH MCC	44	0.06	14
164	MAJOR CHEST PROCEDURES WITH CC	95	0.14	7.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	47	0.07	5.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	46	0.07	14
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	48	0.07	7.3
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	4.0
175	PULMONARY EMBOLISM WITH MCC	78	0.11	5.6
176	PULMONARY EMBOLISM WITHOUT MCC	204	0.30	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	288	0.42	8.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	291	0.42	7.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	96	0.14	4.8
180	RESPIRATORY NEOPLASMS WITH MCC	131	0.19	7.7
181	RESPIRATORY NEOPLASMS WITH CC	183	0.26	6.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	20	0.03	3.7
183	MAJOR CHEST TRAUMA WITH MCC	19	0.03	5.5
184	MAJOR CHEST TRAUMA WITH CC	27	0.04	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	13	0.02	2.0
186	PLEURAL EFFUSION WITH MCC	45	0.07	5.7
187	PLEURAL EFFUSION WITH CC	41	0.06	4.7
188	PLEURAL EFFUSION WITHOUT CC/MCC	9	0.01	2.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	171	0.25	5.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	445	0.64	5.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	311	0.45	3.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	325	0.47	3.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	460	0.67	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	811	1.17	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	461	0.67	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	23	0.03	8.5
197	INTERSTITIAL LUNG DISEASE WITH CC	29	0.04	4.8
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	18	0.03	3.6
199	PNEUMOTHORAX WITH MCC	24	0.03	6.9
200	PNEUMOTHORAX WITH CC	49	0.07	3.8
201	PNEUMOTHORAX WITHOUT CC/MCC	41	0.06	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	207	0.30	3.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	319	0.46	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	86	0.12	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	41	0.06	4.9
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	100	0.14	3.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	160	0.23	23
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	241	0.35	6.9
215	OTHER HEART ASSIST SYSTEM IMPLANT	2	0.00	7.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	23	0.03	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	16	0.02	8.7
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.00	5.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	60	0.09	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	80	0.12	7.5
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	18	0.03	5.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.00	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.00	10
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	9	0.01	14
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.01	5.4
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	15	0.02	9.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	46	0.07	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	7	0.01	13
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	11	0.02	9.1
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	5	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	20
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	6	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	28	0.04	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	46	0.07	8.9
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	17	0.02	9.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	64	0.09	6.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	97	0.14	13
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	97	0.14	4.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	26	0.04	13
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	21	0.03	12
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	45	0.07	5.5
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	102	0.15	4.6
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	103	0.15	2.8
245	AICD GENERATOR PROCEDURES	9	0.01	3.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	157	0.23	4.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	420	0.61	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	50	0.07	7.9
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	175	0.25	2.5
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	43	0.06	6.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	102	0.15	2.9
252	OTHER VASCULAR PROCEDURES WITH MCC	140	0.20	8.2
253	OTHER VASCULAR PROCEDURES WITH CC	119	0.17	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	79	0.11	3.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	8	0.01	7.3
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	11	0.02	4.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	2	0.00	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	5	0.01	8.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	10	0.01	2.6
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.01	11

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	5	0.01	4.6
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.00	3.3
263	VEIN LIGATION & STRIPPING	4	0.01	.75
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	89	0.13	7.2
265	AICD LEAD PROCEDURES	2	0.00	1.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	166	0.24	6.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	128	0.19	3.9
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	130	0.19	2.9
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	38	0.06	4.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	5	0.01	1.4
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.00	.67
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	118	0.17	9.0
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	414	0.60	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	20	0.03	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	21	0.03	6.9
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	11	0.02	9.9
291	HEART FAILURE & SHOCK WITH MCC	757	1.10	5.7
292	HEART FAILURE & SHOCK WITH CC	692	1.00	4.6
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	383	0.55	3.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	3	0.00	1.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	1	0.00	12

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	8	0.01	2.4
297	CARDIAC ARREST, UNEXPLAINED WITH CC	4	0.01	1.3
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	78	0.11	5.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	174	0.25	4.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	80	0.12	3.1
302	ATHEROSCLEROSIS WITH MCC	25	0.04	3.1
303	ATHEROSCLEROSIS WITHOUT MCC	116	0.17	2.0
304	HYPERTENSION WITH MCC	12	0.02	3.3
305	HYPERTENSION WITHOUT MCC	111	0.16	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	17	0.02	5.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	39	0.06	2.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	263	0.38	4.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	337	0.49	3.3
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	416	0.60	2.0
311	ANGINA PECTORIS	95	0.14	1.7
312	SYNCOPE & COLLAPSE	560	0.81	2.1
313	CHEST PAIN	581	0.84	1.4
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	211	0.31	6.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	114	0.17	5.5
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	62	0.09	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	49	0.07	17
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	49	0.07	9.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	44	0.06	3.5
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	163	0.24	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	291	0.42	9.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	189	0.27	5.4
332	RECTAL RESECTION WITH MCC	12	0.02	12
333	RECTAL RESECTION WITH CC	30	0.04	8.0
334	RECTAL RESECTION WITHOUT CC/MCC	27	0.04	6.7
335	PERITONEAL ADHESIOLYSIS WITH MCC	24	0.03	15
336	PERITONEAL ADHESIOLYSIS WITH CC	59	0.09	9.2
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	62	0.09	5.1
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	6.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	31	0.04	6.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	120	0.17	3.1
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	20	0.03	3.2
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	41	0.06	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	537	0.78	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	7	0.01	6.1
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	18	0.03	7.1
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	17	0.02	4.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
347	ANAL & STOMAL PROCEDURES WITH MCC	8	0.01	8.6
348	ANAL & STOMAL PROCEDURES WITH CC	24	0.03	3.8
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	66	0.10	2.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	5	0.01	2.8
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	20	0.03	3.6
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	50	0.07	1.9
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	14	0.02	7.1
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	39	0.06	4.7
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	62	0.09	2.7
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	30	0.04	23
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	25	0.04	11
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	19	0.03	3.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	25	0.04	4.9
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	26	0.04	3.8
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.01	2.9
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	137	0.20	8.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	104	0.15	7.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	80	0.12	3.5
374	DIGESTIVE MALIGNANCY WITH MCC	86	0.12	8.1
375	DIGESTIVE MALIGNANCY WITH CC	142	0.21	6.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	21	0.03	4.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
377	G.I. HEMORRHAGE WITH MCC	267	0.39	5.5
378	G.I. HEMORRHAGE WITH CC	493	0.71	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	217	0.31	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	15	0.02	5.3
381	COMPLICATED PEPTIC ULCER WITH CC	21	0.03	6.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	10	0.01	2.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	6	0.01	5.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	38	0.06	2.9
385	INFLAMMATORY BOWEL DISEASE WITH MCC	10	0.01	8.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	81	0.12	4.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	72	0.10	3.8
388	G.I. OBSTRUCTION WITH MCC	77	0.11	5.5
389	G.I. OBSTRUCTION WITH CC	217	0.31	4.2
390	G.I. OBSTRUCTION WITHOUT CC/MCC	240	0.35	2.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	275	0.40	4.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	963	1.39	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	128	0.19	5.6
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	239	0.35	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	122	0.18	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	27	0.04	12
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	51	0.07	10

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	26	0.04	4.6
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	8	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.00	8.0
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.01	8.6
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	11
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	6	0.01	10
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.00	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	21	0.03	9.8
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	22	0.03	7.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.03	5.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	100	0.14	8.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	115	0.17	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	319	0.46	2.5
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	5	0.01	3.8
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.00	10
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	4	0.01	3.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	10
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	7.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	111	0.16	7.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	50	0.07	3.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.00	1.5
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	120	0.17	6.8
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	106	0.15	5.4
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	24	0.03	2.8
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	102	0.15	8.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	183	0.26	5.3
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	160	0.23	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	155	0.22	6.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	101	0.15	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	52	0.08	2.6
444	DISORDERS OF THE BILIARY TRACT WITH MCC	83	0.12	6.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	109	0.16	4.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	99	0.14	2.5
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	8	0.01	19
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	24	0.03	6.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	25	0.04	5.1
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	7	0.01	28
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	22	0.03	10
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	9	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	22	0.03	9.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	160	0.23	5.8
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	2	0.00	4.5
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	38	0.06	3.9
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	29	0.04	24
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	46	0.07	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	12	0.02	5.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	15	0.02	7.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	63	0.09	4.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	47	0.07	3.1
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	114	0.17	7.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,452	2.10	3.7
471	CERVICAL SPINAL FUSION WITH MCC	22	0.03	10
472	CERVICAL SPINAL FUSION WITH CC	45	0.07	5.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	84	0.12	2.6
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	12	0.02	10
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	14	0.02	13
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	2.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.01	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	32	0.05	8.8
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	36	0.05	2.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	115	0.17	10
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	235	0.34	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	145	0.21	4.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	49	0.07	3.9
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	75	0.11	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	4	0.01	16
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	13	0.02	10
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.01	8.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	16	0.02	4.5
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	33	0.05	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	131	0.19	6.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	246	0.36	2.0
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	33	0.05	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	113	0.16	5.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	301	0.44	3.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	9	0.01	9.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	36	0.05	5.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	56	0.08	2.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	7	0.01	7.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.00	3.3
500	SOFT TISSUE PROCEDURES WITH MCC	19	0.03	15

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
501	SOFT TISSUE PROCEDURES WITH CC	31	0.04	6.6
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	52	0.08	3.5
503	FOOT PROCEDURES WITH MCC	10	0.01	4.6
504	FOOT PROCEDURES WITH CC	21	0.03	5.6
505	FOOT PROCEDURES WITHOUT CC/MCC	41	0.06	3.0
506	MAJOR THUMB OR JOINT PROCEDURES	8	0.01	5.4
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	4.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	7	0.01	2.9
509	ARTHROSCOPY	5	0.01	1.6
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	7	0.01	5.9
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	14	0.02	4.4
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	74	0.11	1.9
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	21	0.03	2.6
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	15	0.02	3.3
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	22	0.03	19
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	41	0.06	6.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	49	0.07	3.0
533	FRACTURES OF FEMUR WITH MCC	6	0.01	3.5
534	FRACTURES OF FEMUR WITHOUT MCC	14	0.02	2.4
535	FRACTURES OF HIP & PELVIS WITH MCC	33	0.05	6.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	106	0.15	4.5

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	5	0.01	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.00	1.0
539	OSTEOMYELITIS WITH MCC	22	0.03	10
540	OSTEOMYELITIS WITH CC	32	0.05	12
541	OSTEOMYELITIS WITHOUT CC/MCC	4	0.01	6.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	31	0.04	9.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	66	0.10	6.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	23	0.03	4.5
545	CONNECTIVE TISSUE DISORDERS WITH MCC	20	0.03	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	57	0.08	4.1
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	45	0.07	3.1
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	3.5
549	SEPTIC ARTHRITIS WITH CC	7	0.01	4.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	10	0.01	2.4
551	MEDICAL BACK PROBLEMS WITH MCC	66	0.10	5.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	301	0.44	3.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	25	0.04	6.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	110	0.16	3.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	22	0.03	3.6
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	85	0.12	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	41	0.06	6.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	86	0.12	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.01	7.2
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	20	0.03	3.4
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	20	0.03	3.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	30	0.04	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	157	0.23	3.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	14	0.02	5.7
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	24	0.03	5.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	15	0.02	2.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	38	0.06	15
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	54	0.08	9.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	15	0.02	4.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.00	15
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.02	11
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	29	0.04	2.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	39	0.06	7.1
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	93	0.13	4.8
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	201	0.29	1.9
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	19	0.03	2.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	36	0.05	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	10	0.01	2.1

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	22	0.03	2.0
592	SKIN ULCERS WITH MCC	28	0.04	8.9
593	SKIN ULCERS WITH CC	48	0.07	5.0
594	SKIN ULCERS WITHOUT CC/MCC	10	0.01	4.2
595	MAJOR SKIN DISORDERS WITH MCC	10	0.01	7.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	31	0.04	4.5
597	MALIGNANT BREAST DISORDERS WITH MCC	6	0.01	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	8	0.01	7.4
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	5	0.01	6.2
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	3.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	19	0.03	2.2
602	CELLULITIS WITH MCC	219	0.32	5.3
603	CELLULITIS WITHOUT MCC	1,049	1.52	3.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	19	0.03	5.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	109	0.16	2.4
606	MINOR SKIN DISORDERS WITH MCC	26	0.04	7.5
607	MINOR SKIN DISORDERS WITHOUT MCC	68	0.10	2.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	18	0.03	8.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	21	0.03	2.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.01	9.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	36	0.05	12

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.00	3.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	11	0.02	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	75	0.11	1.6
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	42
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	6	0.01	11
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	2	0.00	2.5
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	7	0.01	6.4
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	30	0.04	1.9
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	145	0.21	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	11	0.02	17
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	18	0.03	8.9
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	18
637	DIABETES WITH MCC	128	0.19	5.9
638	DIABETES WITH CC	223	0.32	4.3
639	DIABETES WITHOUT CC/MCC	151	0.22	3.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	293	0.42	4.6
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	581	0.84	3.2
642	INBORN ERRORS OF METABOLISM	18	0.03	2.6
643	ENDOCRINE DISORDERS WITH MCC	31	0.04	8.3
644	ENDOCRINE DISORDERS WITH CC	63	0.09	6.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	36	0.05	2.4

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
652	KIDNEY TRANSPLANT	50	0.07	5.8
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.01	22
654	MAJOR BLADDER PROCEDURES WITH CC	12	0.02	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	5.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	16	0.02	8.1
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	34	0.05	4.9
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	42	0.06	3.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	27	0.04	7.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	85	0.12	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	77	0.11	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	4	0.01	2.5
663	MINOR BLADDER PROCEDURES WITH CC	4	0.01	5.3
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	.80
665	PROSTATECTOMY WITH MCC	2	0.00	7.0
666	PROSTATECTOMY WITH CC	5	0.01	5.6
667	PROSTATECTOMY WITHOUT CC/MCC	6	0.01	1.2
668	TRANSURETHRAL PROCEDURES WITH MCC	19	0.03	8.6
669	TRANSURETHRAL PROCEDURES WITH CC	33	0.05	4.1
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	39	0.06	2.6
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.00	2.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	11	0.02	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	55	0.08	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	39	0.06	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	15	0.02	3.3
682	RENAL FAILURE WITH MCC	283	0.41	6.9
683	RENAL FAILURE WITH CC	353	0.51	5.7
684	RENAL FAILURE WITHOUT CC/MCC	113	0.16	2.9
685	ADMIT FOR RENAL DIALYSIS	8	0.01	1.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	7	0.01	5.4
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	13	0.02	4.2
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	5	0.01	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	340	0.49	5.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	715	1.04	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.00	1.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	26	0.04	2.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	90	0.13	2.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	8	0.01	3.1
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	52	0.08	2.6
697	URETHRAL STRICTURE	1	0.00	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	110	0.16	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	124	0.18	3.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	56	0.08	1.9
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	17	0.02	3.4
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	71	0.10	1.9
709	PENIS PROCEDURES WITH CC/MCC	5	0.01	12
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	2.7
711	TESTES PROCEDURES WITH CC/MCC	8	0.01	8.3
712	TESTES PROCEDURES WITHOUT CC/MCC	17	0.02	1.1
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	38	0.06	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	98	0.14	1.5
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	3	0.00	12
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	18	0.03	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	7.7
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	5.2
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.01	3.8
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.01	2.2
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	15	0.02	2.9
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	12	0.02	4.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	38	0.06	3.2
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.00	1.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	14
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	14	0.02	6.9
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	12	0.02	2.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.00	9.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	34	0.05	5.0
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	11	0.02	2.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	9	0.01	11
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	35	0.05	5.1
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	51	0.07	1.7
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	121	0.18	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	414	0.60	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	15	0.02	2.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	14	0.02	.86
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	13	0.02	4.2
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	23	0.03	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	44	0.06	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	4	0.01	6.5
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	.50
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	4.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	30	0.04	5.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	13
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.01	3.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	41	0.06	2.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	26	0.04	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	45	0.07	1.6
765	CESAREAN SECTION WITH CC/MCC	1,019	1.48	4.9
766	CESAREAN SECTION WITHOUT CC/MCC	1,231	1.78	4.0
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	131	0.19	2.9
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	5	0.01	4.4
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	26	0.04	2.2
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	24	0.03	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,267	1.83	2.9
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	4,880	7.06	2.4
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	151	0.22	2.5
777	ECTOPIC PREGNANCY	49	0.07	1.4
778	THREATENED ABORTION	134	0.19	2.4
779	ABORTION WITHOUT D&C	17	0.02	2.0
780	FALSE LABOR	27	0.04	.74
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	355	0.51	2.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	132	0.19	2.6
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	81	0.12	5.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	114	0.17	38
791	PREMATURITY WITH MAJOR PROBLEMS	122	0.18	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	587	0.85	5.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	336	0.49	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	2,143	3.10	2.5
795	NORMAL NEWBORN	5,579	8.08	2.3
799	SPLENECTOMY WITH MCC	2	0.00	5.0
800	SPLENECTOMY WITH CC	6	0.01	4.0
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	4	0.01	8.5
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	4	0.01	5.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	6	0.01	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	46	0.07	8.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	94	0.14	4.8
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	24	0.03	6.2
811	RED BLOOD CELL DISORDERS WITH MCC	138	0.20	5.1
812	RED BLOOD CELL DISORDERS WITHOUT MCC	376	0.54	2.8
813	COAGULATION DISORDERS	84	0.12	4.5
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	13	0.02	7.7
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	17	0.02	3.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	23	0.03	2.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	6	0.01	26

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	18
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	18	0.03	2.9
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	10	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	20	0.03	9.9
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	5.9
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.01	38
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	12	0.02	7.0
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	3.2
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	15	0.02	12
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.8
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	33	0.05	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	18	0.03	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.02	17
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	12	0.02	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	33	0.05	12
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	23	0.03	7.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	68	0.10	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	71	0.10	6.2
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	24	0.03	3.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	11	0.02	9.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	11	0.02	6.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	5	0.01	2.6
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	54	0.08	6.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	389	0.56	4.5
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	13	0.02	4.2
849	RADIOTHERAPY	10	0.01	6.3
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	134	0.19	21
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	32	0.05	6.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	5.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	26	0.04	18
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	52	0.08	6.9
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	11	0.02	4.8
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	50	0.07	5.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	121	0.18	4.7
864	FEVER	116	0.17	2.6
865	VIRAL ILLNESS WITH MCC	6	0.01	4.7
866	VIRAL ILLNESS WITHOUT MCC	56	0.08	2.7
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	29	0.04	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	11	0.02	4.9
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	129	0.19	18

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,191	1.72	6.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	302	0.44	4.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	7	0.01	39
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	37	0.05	2.9
881	DEPRESSIVE NEUROSES	11	0.02	2.3
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	3.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	12	0.02	15
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	88	0.13	12
885	PSYCHOSES	61	0.09	7.1
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.00	12
887	OTHER MENTAL DISORDER DIAGNOSIS	9	0.01	6.2
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	43	0.06	3.4
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	122	0.18	8.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	350	0.51	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	8	0.01	14
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	7	0.01	8.4
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	5	0.01	2.4
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	14	0.02	18
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	8	0.01	6.9
906	HAND PROCEDURES FOR INJURIES	15	0.02	3.3
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	44	0.06	14

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	49	0.07	5.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	41	0.06	2.7
913	TRAUMATIC INJURY WITH MCC	6	0.01	3.7
914	TRAUMATIC INJURY WITHOUT MCC	40	0.06	2.5
915	ALLERGIC REACTIONS WITH MCC	10	0.01	5.1
916	ALLERGIC REACTIONS WITHOUT MCC	24	0.03	1.2
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	200	0.29	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	337	0.49	2.1
919	COMPLICATIONS OF TREATMENT WITH MCC	46	0.07	7.4
920	COMPLICATIONS OF TREATMENT WITH CC	62	0.09	3.3
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	36	0.05	3.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	16	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	27	0.04	3.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	4	0.01	89
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	5	0.01	18
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	7	0.01	6.9
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	13
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	8	0.01	20
935	NON-EXTENSIVE BURNS	34	0.05	6.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	5	0.01	32
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	23	0.03	3.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	33	0.05	1.4
945	REHABILITATION WITH CC/MCC	7	0.01	14
946	REHABILITATION WITHOUT CC/MCC	1	0.00	43
947	SIGNS & SYMPTOMS WITH MCC	101	0.15	4.6
948	SIGNS & SYMPTOMS WITHOUT MCC	270	0.39	3.4
949	AFTERCARE WITH CC/MCC	19	0.03	8.9
950	AFTERCARE WITHOUT CC/MCC	12	0.02	5.2
951	OTHER FACTORS INFLUENCING HEALTH STATUS	397	0.57	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.01	44
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	24	0.03	15
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	31	0.04	20
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	35	0.05	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	14	0.02	8.1
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	9	0.01	17
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	29	0.04	5.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	18	0.03	4.1
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	25	0.04	27
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	177	0.26	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	150	0.22	7.8
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	85	0.12	3.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	88	0.13	4.7
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	119	0.17	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	101	0.15	7.8
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	59	0.09	2.7
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	2.0
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.01	5.2
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	2	0.00	8.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	35	0.05	13
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	42	0.06	8.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.04	2.6
999	UNGROUPABLE	1	0.00	1.0
All		69,082	100.0	4.7

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.72	16
881	DEPRESSIVE NEUROSES	2	1.45	109
882	NEUROSES EXCEPT DEPRESSIVE	6	4.35	87
885	PSYCHOSES	2	1.45	92
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	2.17	3.3
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	16	11.59	12
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	2	1.45	8.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	106	76.81	7.3
All		138	100.0	14

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.12	7.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	0.12	13
539	OSTEOMYELITIS WITH MCC	1	0.12	8.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.35	27
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.46	25
945	REHABILITATION WITH CC/MCC	724	83.70	17
946	REHABILITATION WITHOUT CC/MCC	131	15.14	13
All		865	100.0	16

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	3	0.08	29
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.03	.00
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.03	1.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	0.03	.00
305	HYPERTENSION WITHOUT MCC	1	0.03	7.0
313	CHEST PAIN	1	0.03	1.0
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.03	3.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	5	0.13	7.4
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	4	0.10	3.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.03	1.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.05	5.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	35	0.89	5.1
881	DEPRESSIVE NEUROSES	409	10.35	5.2
882	NEUROSES EXCEPT DEPRESSIVE	121	3.06	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	18	0.46	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	18	0.46	17
885	PSYCHOSES	3,148	79.70	8.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	11	0.28	7.3
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.13	16
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.03	4.0

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	9	0.23	2.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	117	2.96	3.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	12	0.30	2.4
951	OTHER FACTORS INFLUENCING HEALTH STATUS	9	0.23	4.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	10	0.25	2.1
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.05	8.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.03	71
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.03	27
999	UNGROUPABLE	1	0.03	3.0
All		3,950	100.0	8.0

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	1	0.02	36
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	26	0.64	924
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	5	0.12	452
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.07	25
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	5	0.12	42
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	121	3.00	549
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	129	3.20	682
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	15	0.37	541
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	4	0.10	285
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.05	1E3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	3	0.07	1.3
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.02	9.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	21	0.52	948
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	26	0.64	945
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	18	0.45	1E3
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.05	136
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	9	0.22	248
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	9	0.22	635
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	8	0.20	352
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	3	0.07	753
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.05	127

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.05	7.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.02	4.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	13	0.32	380
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	5	0.12	127
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.12	2E3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.12	22
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	43
100	SEIZURES WITH MCC	3	0.07	52
101	SEIZURES WITHOUT MCC	5	0.12	206
102	HEADACHES WITH MCC	3	0.07	5E3
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.02	1E3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.02	112
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	11	0.27	39
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.02	27
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.02	12
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.02	11
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.05	36
175	PULMONARY EMBOLISM WITH MCC	2	0.05	9.0
176	PULMONARY EMBOLISM WITHOUT MCC	2	0.05	10
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	12	0.30	19
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	18	0.45	15

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	15	0.37	7.9
180	RESPIRATORY NEOPLASMS WITH MCC	3	0.07	440
181	RESPIRATORY NEOPLASMS WITH CC	21	0.52	20
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.15	4.5
187	PLEURAL EFFUSION WITH CC	1	0.02	8.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	28	0.69	166
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	12	0.30	40
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	15	0.37	260
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	12	0.30	313
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	8	0.20	34
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	18	0.45	20
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	11	0.27	5.8
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.02	34
202	BRONCHITIS & ASTHMA WITH CC/MCC	2	0.05	13
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.02	11
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	1	0.02	1.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	37	0.92	210
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	12	0.30	57
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	1	0.02	1E3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1	0.02	86
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.02	68

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.10	38
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	5	0.12	28
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.05	25
291	HEART FAILURE & SHOCK WITH MCC	13	0.32	345
292	HEART FAILURE & SHOCK WITH CC	15	0.37	139
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	19	0.47	103
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.02	4.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	11	0.27	29
302	ATHEROSCLEROSIS WITH MCC	1	0.02	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.05	4.0
304	HYPERTENSION WITH MCC	28	0.69	185
305	HYPERTENSION WITHOUT MCC	24	0.59	384
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.02	11
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.02	771
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	4	0.10	11
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	6	0.15	97
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.02	3.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	5	0.12	15
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	9	0.22	16
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	3	0.07	4.7
374	DIGESTIVE MALIGNANCY WITH MCC	4	0.10	26

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	16	0.40	47
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	3	0.07	63
377	G.I. HEMORRHAGE WITH MCC	3	0.07	49
378	G.I. HEMORRHAGE WITH CC	1	0.02	2.0
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.02	4.0
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.02	7.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	1	0.02	5.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	1	0.02	9.0
389	G.I. OBSTRUCTION WITH CC	1	0.02	15
390	G.I. OBSTRUCTION WITHOUT CC/MCC	3	0.07	32
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	4	0.10	11
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	6	0.15	83
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.05	8.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.05	6.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.05	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	9	0.22	79
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	4	0.10	70
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	10	0.25	29
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	18	0.45	24
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	5	0.12	14
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	2	0.05	18

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.02	5.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	5	0.12	48
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.02	128
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	0.02	31
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.02	7.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.02	8.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	1	0.02	4.0
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.02	872
539	OSTEOMYELITIS WITH MCC	8	0.20	40
540	OSTEOMYELITIS WITH CC	11	0.27	25
541	OSTEOMYELITIS WITHOUT CC/MCC	5	0.12	42
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	2	0.05	29
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	3	0.07	13
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.10	5.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	6	0.15	79
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.10	215
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.02	189
548	SEPTIC ARTHRITIS WITH MCC	3	0.07	15
549	SEPTIC ARTHRITIS WITH CC	1	0.02	37
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.02	1E3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.02	21

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.02	1.0
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.02	1.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	6	0.15	24
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	7	0.17	24
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	14	0.35	27
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	7	0.17	14
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	0.02	8.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.05	29
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	0.02	11
592	SKIN ULCERS WITH MCC	15	0.37	59
593	SKIN ULCERS WITH CC	19	0.47	29
594	SKIN ULCERS WITHOUT CC/MCC	3	0.07	4.3
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.05	73
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.02	135
602	CELLULITIS WITH MCC	12	0.30	9.6
603	CELLULITIS WITHOUT MCC	47	1.16	10
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.02	21
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.02	10
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.02	15
638	DIABETES WITH CC	8	0.20	621
639	DIABETES WITHOUT CC/MCC	1	0.02	35

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	4	0.10	23
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	9	0.22	95
643	ENDOCRINE DISORDERS WITH MCC	2	0.05	11
644	ENDOCRINE DISORDERS WITH CC	3	0.07	57
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.02	204
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.02	182
682	RENAL FAILURE WITH MCC	39	0.97	108
683	RENAL FAILURE WITH CC	14	0.35	95
684	RENAL FAILURE WITHOUT CC/MCC	10	0.25	119
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.05	21
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	7	0.17	13
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	43	1.07	13
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	3	0.07	44
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	2	0.05	2.5
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	7.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.12	273
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.05	21
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.05	14
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	3	0.07	15
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	9	0.22	93
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.05	31

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	1	0.02	11
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.02	2.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.02	4.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	5	0.12	119
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.02	6.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	1	0.02	14
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.02	41
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	10	0.25	13
864	FEVER	1	0.02	188
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.02	3.0
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.02	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	26	0.64	17
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	18	0.45	7.2
881	DEPRESSIVE NEUROSES	1	0.02	389
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	77	1.91	616
885	PSYCHOSES	151	3.74	222
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.10	134
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	0.02	1.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.02	17
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	0.07	1E3
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	1	0.02	6.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	1	0.02	41
920	COMPLICATIONS OF TREATMENT WITH CC	4	0.10	16
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.10	23
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.07	16
945	REHABILITATION WITH CC/MCC	1,462	36.22	23
946	REHABILITATION WITHOUT CC/MCC	627	15.54	23
947	SIGNS & SYMPTOMS WITH MCC	4	0.10	16
948	SIGNS & SYMPTOMS WITHOUT MCC	2	0.05	22
949	AFTERCARE WITH CC/MCC	113	2.80	37
950	AFTERCARE WITHOUT CC/MCC	28	0.69	27
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	0.17	34
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	18	0.45	34
975	HIV WITH MAJOR RELATED CONDITION WITH CC	30	0.74	111
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	10	0.25	319
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	70	1.73	153
All		4,036	100.0	135

**MDC by Patient County of Residence  
for 2010  
San Francisco County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00</b>	<b>UNGROUPABLE</b>	2	0.00	2.0
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	4,804	6.15	69
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	121	0.15	12
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	851	1.09	4.0
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	6,421	8.22	9.3
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	8,807	11.28	7.5
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	6,391	8.18	5.3
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	2,295	2.94	6.2
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	6,067	7.77	5.7
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	2,371	3.04	4.9
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	1,994	2.55	7.3
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	3,062	3.92	7.2
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	390	0.50	6.5
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	1,002	1.28	3.4
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	9,458	12.11	2.9
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	8,962	11.48	3.4
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	847	1.08	4.3
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	947	1.21	9.3
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	2,351	3.01	8.2
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	4,240	5.43	27
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	778	1.00	10
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	1,033	1.32	4.6

(Continued)

*MDC by Patient County of Residence  
for 2010  
San Francisco County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	62	0.08	17
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	3,989	5.11	18
24	MULTIPLE SIGNFICANT TRAUMA	170	0.22	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	669	0.86	34
All		78,084	100.0	12

***MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	1.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	4,342	6.28	6.6
02	EYE, DISEASES & DISORDERS	119	0.17	2.9
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	835	1.21	3.4
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,182	8.95	5.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8,663	12.54	4.6
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	6,323	9.15	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2,235	3.23	5.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5,976	8.65	4.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2,269	3.28	4.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,964	2.84	4.2
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,941	4.26	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	377	0.55	2.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	990	1.43	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	9,449	13.68	2.9
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	8,962	12.97	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	846	1.22	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	937	1.36	8.8
18	INFECTIOUS & PARASITIC DISEASES	2,293	3.32	8.0
19	MENTAL DISEASES & DISORDERS	230	0.33	9.7
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	518	0.75	4.7

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1,015	1.47	4.6
22	BURNS	62	0.09	17
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	868	1.26	3.2
24	MULTIPLE SIGNFICANT TRAUMA	170	0.25	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	528	0.76	9.6
<b>All</b>		69,095	100.0	4.7

***MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Chemical Dependency Recovery Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	1	0.72	16
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	10	7.25	92
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	127	92.03	7.9
<b>All</b>		138	100.0	14

***MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1	0.12	7.0
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	1	0.12	13
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	1	0.12	8.0
<b>23</b>	<b>FACTORS ON HEALTH STATUS &amp; OTHER CONTACTS WITH HEALTH SERVICES</b>	862	99.65	17
<b>All</b>		865	100.0	16

***MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.03	3.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	5	0.13	17
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.03	.00
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	0.05	4.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.03	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.03	3.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	9	0.23	5.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	0.03	1.0
19	MENTAL DISEASES & DISORDERS	3,767	95.37	8.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	128	3.24	3.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	12	0.30	2.4
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	9	0.23	4.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	13	0.33	8.4
All		3,950	100.0	8.0

**MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	456	11.30	664
02	EYE, DISEASES & DISORDERS	2	0.05	580
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	16	0.40	34
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	238	5.90	103
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	141	3.49	186
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	68	1.68	31
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	59	1.46	38
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	90	2.23	61
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	101	2.50	23
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	30	0.74	212
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	121	3.00	64
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	13	0.32	115
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	11	0.27	81
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.02	11
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	9	0.22	69
18	INFECTIOUS & PARASITIC DISEASES	58	1.44	16
19	MENTAL DISEASES & DISORDERS	233	5.77	352
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5	0.12	802
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	6	0.15	18
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	2,250	55.75	24

(Continued)

*MDC by Patient County of Residence  
and Type of Care for 2010  
San Francisco County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	128	3.17	139
All		4,036	100.0	135