

**Type of Care by Patient County of Residence  
for 2010  
Santa Barbara County**

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>Acute Care</b>	35,654	92.03	3.7
<b>Chemical Dependency Recovery Care</b>	28	0.07	9.4
<b>Physical Rehabilitation Care</b>	458	1.18	15
<b>Psychiatric Care</b>	1,944	5.02	7.2
<b>Skilled Nursing/Intermediate Care</b>	659	1.70	38
<b>All</b>	38,743	100.0	4.6

***Disposition by Patient County of Residence  
for 2010  
Santa Barbara County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00 - Invalid</b>	162	0.00	12
<b>01 - Routine (Home)</b>	2,964,599	74.66	3.6
<b>02 - Acute Care within the admitting hospital</b>	9,793	0.25	64
<b>03 - Other Care with the admitting hospital</b>	20,666	0.52	9.0
<b>04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital</b>	32,649	0.82	8.1
<b>05 - Acute Care at another hospital</b>	83,795	2.11	10
<b>06 - Other Care (not SN/IC) at another hospital</b>	34,381	0.87	9.8
<b>07 - SN/IC at another facility</b>	305,209	7.69	8.8
<b>08 - Residential Care facility</b>	36,313	0.91	9.4
<b>09 - Prison/Jail</b>	20,022	0.50	5.3
<b>10 - Left Against Medical Advice</b>	45,467	1.14	3.2
<b>11 - Died</b>	76,630	1.93	16
<b>12 - Home Health Service</b>	330,832	8.33	7.1
<b>13 - Other</b>	10,404	0.26	11
<b>All</b>	3,970,922	100.0	5.0

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	27,743	77.81	3.0
02 - Acute Care within the admitting hospital	1	0.00	1.0
03 - Other Care with the admitting hospital	315	0.88	9.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	562	1.58	6.9
05 - Acute Care at another hospital	432	1.21	4.6
06 - Other Care (not SN/IC) at another hospital	163	0.46	7.8
07 - SN/IC at another facility	2,384	6.69	6.4
08 - Residential Care facility	140	0.39	4.4
09 - Prison/Jail	127	0.36	4.5
10 - Left Against Medical Advice	168	0.47	2.1
11 - Died	733	2.06	6.6
12 - Home Health Service	2,682	7.52	6.0
13 - Other	204	0.57	6.9
All	35,654	100.0	3.7

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Routine (Home)</b>	19	67.86	9.4
<b>03 - Other Care with the admitting hospital</b>	4	14.29	7.0
<b>08 - Residential Care facility</b>	4	14.29	6.5
<b>12 - Home Health Service</b>	1	3.57	30
<b>All</b>	28	100.0	9.4

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	91	19.87	15
<b>02 - Acute Care within the admitting hospital</b>	27	5.90	8.0
<b>05 - Acute Care at another hospital</b>	8	1.75	9.5
<b>07 - SN/IC at another facility</b>	19	4.15	19
<b>10 - Left Against Medical Advice</b>	1	0.22	2.0
<b>12 - Home Health Service</b>	311	67.90	15
<b>13 - Other</b>	1	0.22	2.0
<b>All</b>	458	100.0	15

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Routine (Home)</b>	1,670	85.91	6.7
<b>02 - Acute Care within the admitting hospital</b>	2	0.10	3.0
<b>03 - Other Care with the admitting hospital</b>	10	0.51	4.9
<b>05 - Acute Care at another hospital</b>	19	0.98	7.3
<b>06 - Other Care (not SN/IC) at another hospital</b>	44	2.26	4.1
<b>07 - SN/IC at another facility</b>	30	1.54	16
<b>08 - Residential Care facility</b>	84	4.32	16
<b>09 - Prison/Jail</b>	17	0.87	8.5
<b>10 - Left Against Medical Advice</b>	53	2.73	2.8
<b>11 - Died</b>	2	0.10	13
<b>12 - Home Health Service</b>	4	0.21	18
<b>13 - Other</b>	9	0.46	13
<b>All</b>	1,944	100.0	7.2

***Disposition by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	4	0.61	4.0
01 - Routine (Home)	365	55.39	26
02 - Acute Care within the admitting hospital	103	15.63	87
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	0.30	6.0
05 - Acute Care at another hospital	11	1.67	25
06 - Other Care (not SN/IC) at another hospital	5	0.76	30
07 - SN/IC at another facility	52	7.89	23
08 - Residential Care facility	32	4.86	33
10 - Left Against Medical Advice	2	0.30	12
11 - Died	58	8.80	53
12 - Home Health Service	22	3.34	8.6
13 - Other	3	0.46	167
All	659	100.0	38

***Gender by Patient County of Residence  
for 2010  
Santa Barbara County***

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>1 - Male</b>	16,057	41.44	4.9
<b>2 - Female</b>	22,684	58.55	4.3
<b>3 - Other</b>	2	0.01	3.5
<b>All</b>	38,743	100.0	4.6

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	14,569	40.86	4.0
<b>2 - Female</b>	21,083	59.13	3.4
<b>3 - Other</b>	2	0.01	3.5
<b>All</b>	35,654	100.0	3.7

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	17	60.71	9.7
<b>2 - Female</b>	11	39.29	8.8
<b>All</b>	28	100.0	9.4

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	241	52.62	16
<b>2 - Female</b>	217	47.38	13
<b>All</b>	458	100.0	15

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	984	50.62	7.0
<b>2 - Female</b>	960	49.38	7.3
<b>All</b>	1,944	100.0	7.2

***Gender by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Male</b>	246	37.33	40
<b>2 - Female</b>	413	62.67	36
<b>All</b>	659	100.0	38

***Expected Payer by Patient County of Residence  
for 2010  
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	13,180	34.02	5.6
<b>02 - Medi-Cal</b>	10,351	26.72	4.4
<b>03 - Private Coverage</b>	11,264	29.07	3.6
<b>04 - Workers' Compensatio</b>	281	0.73	4.1
<b>05 - County Indigent Prog</b>	627	1.62	4.6
<b>06 - Other Government</b>	1,032	2.66	3.9
<b>07 - Other Indigent</b>	45	0.12	2.4
<b>08 - Self-Pay</b>	1,739	4.49	4.1
<b>09 - Other Payer</b>	224	0.58	3.9
<b>All</b>	38,743	100.0	4.6

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	11,775	33.03	4.4
<b>02 - Medi-Cal</b>	10,026	28.12	3.3
<b>03 - Private Coverage</b>	10,449	29.31	3.3
<b>04 - Workers' Compensatio</b>	264	0.74	3.3
<b>05 - County Indigent Prog</b>	235	0.66	3.9
<b>06 - Other Government</b>	989	2.77	3.5
<b>07 - Other Indigent</b>	40	0.11	2.2
<b>08 - Self-Pay</b>	1,666	4.67	3.3
<b>09 - Other Payer</b>	210	0.59	3.5
<b>All</b>	35,654	100.0	3.7

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	10	35.71	7.8
<b>02 - Medi-Cal</b>	1	3.57	30
<b>03 - Private Coverage</b>	8	28.57	5.5
<b>06 - Other Government</b>	6	21.43	8.8
<b>08 - Self-Pay</b>	3	10.71	19
<b>All</b>	28	100.0	9.4

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	324	70.74	13
<b>02 - Medi-Cal</b>	31	6.77	20
<b>03 - Private Coverage</b>	89	19.43	17
<b>04 - Workers' Compensatio</b>	8	1.75	11
<b>06 - Other Government</b>	4	0.87	14
<b>09 - Other Payer</b>	2	0.44	40
<b>All</b>	458	100.0	15

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Psychiatric Care

	<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>01 - Medicare</b>	537	27.62	9.1
<b>02 - Medi-Cal</b>	225	11.57	9.8
<b>03 - Private Coverage</b>	680	34.98	5.9
<b>04 - Workers' Compensatio</b>	5	0.26	7.8
<b>05 - County Indigent Prog</b>	392	20.16	5.1
<b>06 - Other Government</b>	31	1.59	15
<b>07 - Other Indigent</b>	5	0.26	3.6
<b>08 - Self-Pay</b>	57	2.93	4.7
<b>09 - Other Payer</b>	12	0.62	5.0
<b>All</b>	1,944	100.0	7.2

***Expected Payer by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>01 - Medicare</b>	534	81.03	24
<b>02 - Medi-Cal</b>	68	10.32	149
<b>03 - Private Coverage</b>	38	5.77	17
<b>04 - Workers' Compensatio</b>	4	0.61	37
<b>06 - Other Government</b>	2	0.30	14
<b>08 - Self-Pay</b>	13	1.97	98
<b>All</b>	659	100.0	38

***Race Group by Patient County of Residence  
for 2010  
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	321	0.83	4.6
<b>1 - White</b>	22,963	59.27	5.0
<b>2 - Black</b>	795	2.05	4.8
<b>3 - Hispanic</b>	13,485	34.81	3.8
<b>4 - Asian/Pacific Islander</b>	891	2.30	4.8
<b>5 - Native American/Eskimo/Ale</b>	49	0.13	3.8
<b>6 - Other</b>	239	0.62	5.1
<b>All</b>	38,743	100.0	4.6

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	289	0.81	3.3
<b>1 - White</b>	20,634	57.87	3.8
<b>2 - Black</b>	710	1.99	4.0
<b>3 - Hispanic</b>	12,937	36.28	3.4
<b>4 - Asian/Pacific Islander</b>	829	2.33	4.1
<b>5 - Native American/Eskimo/Ale</b>	43	0.12	3.4
<b>6 - Other</b>	212	0.59	4.4
<b>All</b>	35,654	100.0	3.7

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	25	89.29	9.7
3 - Hispanic	3	10.71	6.3
All	28	100.0	9.4

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	9	1.97	22
<b>1 - White</b>	382	83.41	14
<b>2 - Black</b>	9	1.97	14
<b>3 - Hispanic</b>	49	10.70	16
<b>4 - Asian/Pacific Islander</b>	7	1.53	13
<b>6 - Other</b>	2	0.44	27
<b>All</b>	458	100.0	15

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Unknown</b>	23	1.18	13
<b>1 - White</b>	1,411	72.58	6.7
<b>2 - Black</b>	64	3.29	8.3
<b>3 - Hispanic</b>	395	20.32	8.1
<b>4 - Asian/Pacific Islander</b>	25	1.29	10
<b>5 - Native American/Eskimo/Ale</b>	6	0.31	6.2
<b>6 - Other</b>	20	1.03	6.5
<b>All</b>	1,944	100.0	7.2

***Race Group by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - White</b>	511	77.54	41
<b>2 - Black</b>	12	1.82	24
<b>3 - Hispanic</b>	101	15.33	29
<b>4 - Asian/Pacific Islander</b>	30	4.55	19
<b>6 - Other</b>	5	0.76	19
<b>All</b>	659	100.0	38

**Source of Admission by Patient County of Residence  
for 2010  
Santa Barbara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	2	0.01	20
<b>1 - Home</b>	29,677	76.60	3.9
<b>2 - Residential Care Facility</b>	86	0.22	4.8
<b>3 - Ambulatory Surgery</b>	44	0.11	3.2
<b>4 - Skilled Nursing/Intermedia</b>	216	0.56	9.8
<b>5 - Acute Inpatient Hospital C</b>	2,432	6.28	16
<b>6 - Other Inpatient Hospital C</b>	349	0.90	8.6
<b>7 - Newborn (born in admitting</b>	5,628	14.53	2.9
<b>8 - Prison/Jail</b>	99	0.26	6.8
<b>9 - Other</b>	210	0.54	5.9
<b>All</b>	38,743	100.0	4.6

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	27,968	78.44	3.6
2 - Residential Care Facility	79	0.22	5.0
3 - Ambulatory Surgery	44	0.12	3.2
4 - Skilled Nursing/Intermedia	200	0.56	7.2
5 - Acute Inpatient Hospital C	1,410	3.95	7.7
6 - Other Inpatient Hospital C	96	0.27	7.6
7 - Newborn (born in admitting	5,628	15.79	2.9
8 - Prison/Jail	71	0.20	3.6
9 - Other	158	0.44	5.6
All	35,654	100.0	3.7

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	24	85.71	8.8
5 - Acute Inpatient Hospital C	2	7.14	17
6 - Other Inpatient Hospital C	2	7.14	9.0
All	28	100.0	9.4

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	61	13.32	16
4 - Skilled Nursing/Intermedia	5	1.09	26
5 - Acute Inpatient Hospital C	342	74.67	14
6 - Other Inpatient Hospital C	48	10.48	16
9 - Other	2	0.44	29
All	458	100.0	15

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>1 - Home</b>	1,590	81.79	6.9
<b>2 - Residential Care Facility</b>	7	0.36	2.7
<b>4 - Skilled Nursing/Intermedia</b>	7	0.36	17
<b>5 - Acute Inpatient Hospital C</b>	61	3.14	11
<b>6 - Other Inpatient Hospital C</b>	203	10.44	7.4
<b>8 - Prison/Jail</b>	28	1.44	15
<b>9 - Other</b>	48	2.47	6.2
<b>All</b>	1,944	100.0	7.2

**Source of Admission by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
<b>0 - Invalid</b>	2	0.30	20
<b>1 - Home</b>	34	5.16	77
<b>4 - Skilled Nursing/Intermedia</b>	4	0.61	110
<b>5 - Acute Inpatient Hospital C</b>	617	93.63	35
<b>9 - Other</b>	2	0.30	5.0
<b>All</b>	659	100.0	38

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.01	51
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	34	0.09	38
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	23	0.06	28
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	6	0.02	41
006	LIVER TRANSPLANT WITHOUT MCC	1	0.00	11
007	LUNG TRANSPLANT	3	0.01	12
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.01	11
009	BONE MARROW TRANSPLANT	9	0.02	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.00	36
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	4	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.02	10
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	11	0.03	24
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	10	0.03	12
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	20	0.05	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	64	0.17	5.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	75	0.19	3.7
028	SPINAL PROCEDURES WITH MCC	3	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	13	0.03	4.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	21	0.05	3.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.01	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	5	0.01	5.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	13	0.03	3.4
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	4	0.01	12
035	CAROTID ARTERY STENT PROCEDURE WITH CC	10	0.03	7.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	24	0.06	1.9
037	EXTRACRANIAL PROCEDURES WITH MCC	10	0.03	12
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.05	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	92	0.24	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	4	0.01	23
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.03	5.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	11	0.03	4.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.01	5.3
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	3.7
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	28	0.07	8.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	27	0.07	4.9
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	15	0.04	14
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	50	0.13	5.8
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.00	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.02	5.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.01	3.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	5.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.01	6.2
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	3.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	128	0.33	6.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	229	0.59	17
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	117	0.30	3.2
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	10	0.03	2.6
069	TRANSIENT ISCHEMIA	92	0.24	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	9	0.02	3.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	20	0.05	5.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	8	0.02	2.8
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	11	0.03	2.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	67	0.17	3.3
075	VIRAL MENINGITIS WITH CC/MCC	11	0.03	5.4
076	VIRAL MENINGITIS WITHOUT CC/MCC	64	0.17	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	2.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	3.2
080	NONTRAUMATIC STUPOR & COMA WITH MCC	8	0.02	6.1
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	20	0.05	3.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.01	8.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	7	0.02	2.9
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	20	0.05	1.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	15	0.04	4.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	23	0.06	4.0
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	80	0.21	2.1
088	CONCUSSION WITH MCC	4	0.01	1.8
089	CONCUSSION WITH CC	12	0.03	2.8
090	CONCUSSION WITHOUT CC/MCC	16	0.04	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	11	0.03	6.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	36	0.09	3.2
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	25	0.06	3.6
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	0.01	5.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	6	0.02	11
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	9	0.02	4.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	3	0.01	6.3
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	9	0.02	9.9
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	9	0.02	4.8
100	SEIZURES WITH MCC	36	0.09	5.9
101	SEIZURES WITHOUT MCC	153	0.39	2.4
102	HEADACHES WITH MCC	2	0.01	2.0
103	HEADACHES WITHOUT MCC	47	0.12	3.3
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	6	0.02	1.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	3.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	.50
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.01	2.0
123	NEUROLOGICAL EYE DISORDERS	11	0.03	2.8
124	OTHER DISORDERS OF THE EYE WITH MCC	4	0.01	1.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	13	0.03	1.4
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.02	5.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	7	0.02	2.6
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	9	0.02	3.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.10	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	16	0.04	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	53	0.14	2.2
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	2.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.3
137	MOUTH PROCEDURES WITH CC/MCC	7	0.02	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	2.7
139	SALIVARY GLAND PROCEDURES	5	0.01	2.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	17
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	5	0.01	5.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
149	DYSEQUILIBRIUM	27	0.07	2.7
150	EPISTAXIS WITH MCC	4	0.01	5.5
151	EPISTAXIS WITHOUT MCC	6	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	5.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	64	0.17	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	3.8
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	9	0.02	2.7
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	11	0.03	2.0
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	20	0.05	4.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	20	0.05	1.8
163	MAJOR CHEST PROCEDURES WITH MCC	24	0.06	15
164	MAJOR CHEST PROCEDURES WITH CC	42	0.11	5.6
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	36	0.09	3.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	43	0.11	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	40	0.10	7.2
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.03	3.8
175	PULMONARY EMBOLISM WITH MCC	35	0.09	4.3
176	PULMONARY EMBOLISM WITHOUT MCC	134	0.35	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	115	0.30	7.3
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	136	0.35	6.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	56	0.14	4.5
180	RESPIRATORY NEOPLASMS WITH MCC	30	0.08	5.6
181	RESPIRATORY NEOPLASMS WITH CC	30	0.08	6.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	12	0.03	7.2
183	MAJOR CHEST TRAUMA WITH MCC	14	0.04	5.6
184	MAJOR CHEST TRAUMA WITH CC	19	0.05	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	8	0.02	2.5
186	PLEURAL EFFUSION WITH MCC	13	0.03	6.5
187	PLEURAL EFFUSION WITH CC	10	0.03	2.9
188	PLEURAL EFFUSION WITHOUT CC/MCC	7	0.02	2.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	103	0.27	7.5
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	122	0.31	4.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	99	0.26	3.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	105	0.27	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	149	0.38	5.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	342	0.88	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	242	0.62	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	10	0.03	8.3
197	INTERSTITIAL LUNG DISEASE WITH CC	13	0.03	3.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	5	0.01	35
199	PNEUMOTHORAX WITH MCC	5	0.01	9.0
200	PNEUMOTHORAX WITH CC	30	0.08	3.2

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	12	0.03	2.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	109	0.28	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	116	0.30	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	26	0.07	3.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	13	0.03	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	44	0.11	2.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	37	0.10	31
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	97	0.25	5.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	12	0.03	14
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	14	0.04	9.9
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	10	0.03	6.4
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	22	0.06	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	43	0.11	5.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	23	0.06	5.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	15
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.01	6.7
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	6	0.02	13
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.02	4.6
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	11	0.03	6.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	42	0.11	2.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.02	34
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	15	0.04	5.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.01	4.3
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	8.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	3	0.01	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	23	0.06	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	77	0.20	7.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.02	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	49	0.13	6.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	35	0.09	9.4
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	82	0.21	3.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	8	0.02	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	8	0.02	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	4.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	36	0.09	5.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	57	0.15	2.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	110	0.28	2.1
245	AICD GENERATOR PROCEDURES	1	0.00	2.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	68	0.18	4.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	363	0.94	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	13	0.03	4.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	65	0.17	1.8
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	17	0.04	8.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	124	0.32	1.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
252	OTHER VASCULAR PROCEDURES WITH MCC	32	0.08	11
253	OTHER VASCULAR PROCEDURES WITH CC	59	0.15	4.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	71	0.18	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	43
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	5	0.01	5.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.01	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	7	0.02	3.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.02	8.8
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	3	0.01	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	.75
263	VEIN LIGATION & STRIPPING	6	0.02	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	36	0.09	5.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	49	0.13	5.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	42	0.11	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	48	0.12	2.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.04	3.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	7	0.02	1.7
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	27	0.07	7.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	132	0.34	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	7	0.02	9.4
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
291	HEART FAILURE & SHOCK WITH MCC	257	0.66	5.1
292	HEART FAILURE & SHOCK WITH CC	249	0.64	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	131	0.34	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	1.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.00	.00
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	15	0.04	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	41	0.11	3.2
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	35	0.09	2.2
302	ATHEROSCLEROSIS WITH MCC	8	0.02	2.1
303	ATHEROSCLEROSIS WITHOUT MCC	45	0.12	1.4
304	HYPERTENSION WITH MCC	6	0.02	4.2
305	HYPERTENSION WITHOUT MCC	34	0.09	2.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.02	6.6
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	19	0.05	3.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	81	0.21	3.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	131	0.34	3.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	170	0.44	2.0
311	ANGINA PECTORIS	16	0.04	1.4
312	SYNCOPE & COLLAPSE	189	0.49	2.3
313	CHEST PAIN	259	0.67	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	77	0.20	6.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	47	0.12	3.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	28	0.07	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	23	0.06	16
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	36	0.09	9.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	64	0.17	3.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	70	0.18	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	148	0.38	8.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	114	0.29	4.6
332	RECTAL RESECTION WITH MCC	3	0.01	10
333	RECTAL RESECTION WITH CC	18	0.05	6.4
334	RECTAL RESECTION WITHOUT CC/MCC	22	0.06	3.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	6	0.02	12
336	PERITONEAL ADHESIOLYSIS WITH CC	24	0.06	6.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	46	0.12	3.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	15	0.04	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	88	0.23	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	3.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.03	2.9
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	426	1.10	1.3
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.03	7.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.02	3.9
348	ANAL & STOMAL PROCEDURES WITH CC	13	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	14	0.04	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	4.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	10	0.03	2.9
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	29	0.07	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.02	15
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	21	0.05	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	74	0.19	1.7
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	19	0.05	8.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.05	5.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.02	3.9
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	8	0.02	3.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	15	0.04	3.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.03	2.1
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	20	0.05	7.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	41	0.11	5.7
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	49	0.13	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	17	0.04	13
375	DIGESTIVE MALIGNANCY WITH CC	31	0.08	4.1
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	5	0.01	7.8
377	G.I. HEMORRHAGE WITH MCC	82	0.21	4.7
378	G.I. HEMORRHAGE WITH CC	228	0.59	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	114	0.29	2.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	12	0.03	4.8
381	COMPLICATED PEPTIC ULCER WITH CC	12	0.03	5.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	4	0.01	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	4	0.01	2.8
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	15	0.04	3.3
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.01	9.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	16	0.04	5.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	28	0.07	5.2
388	G.I. OBSTRUCTION WITH MCC	41	0.11	5.2
389	G.I. OBSTRUCTION WITH CC	88	0.23	3.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	137	0.35	2.3
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	81	0.21	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	541	1.40	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	40	0.10	4.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	81	0.21	4.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	63	0.16	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	13	0.03	9.7
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	18	0.05	5.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.02	6.4
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.01	6.2
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	2.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	4	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	1.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	8	0.02	7.9
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	11	0.03	5.1
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	15	0.04	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	56	0.14	5.1
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	107	0.28	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	347	0.90	1.6
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.00	3.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	5	0.01	8.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	9.0
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	2.0
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	55	0.14	4.7
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	26	0.07	3.7
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	1.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	33	0.09	7.3
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	27	0.07	7.3
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.01	1.7
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	49	0.13	7.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	91	0.23	4.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	102	0.26	3.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	83	0.21	5.8
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	63	0.16	3.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	19	0.05	2.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	16	0.04	3.7
445	DISORDERS OF THE BILIARY TRACT WITH CC	24	0.06	2.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	26	0.07	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.01	8.8
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	9	0.02	6.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	51	0.13	2.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	8.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.01	10
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	15	0.04	4.2
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.01	5.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	161	0.42	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	15	0.04	3.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.04	17
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	27	0.07	6.3
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	13	0.03	5.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	13	0.03	11
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	29	0.07	4.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	71	0.18	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	41	0.11	7.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,217	3.14	3.2
471	CERVICAL SPINAL FUSION WITH MCC	3	0.01	8.0
472	CERVICAL SPINAL FUSION WITH CC	12	0.03	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	136	0.35	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	5	0.01	8.6
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	6	0.02	6.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.02	6.2
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	14	0.04	4.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	19	0.05	3.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	44	0.11	7.3
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	132	0.34	4.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	129	0.33	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	11	0.03	4.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	55	0.14	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	8	0.02	8.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	9	0.02	8.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	7	0.02	4.4
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.02	6.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	32	0.08	2.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	72	0.19	2.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	360	0.93	1.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	13	0.03	7.2
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	57	0.15	3.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	205	0.53	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.01	6.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	15	0.04	4.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	21	0.05	2.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	4	0.01	4.8
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	6	0.02	1.2
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.00	3.0
501	SOFT TISSUE PROCEDURES WITH CC	6	0.02	7.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	40	0.10	2.3
503	FOOT PROCEDURES WITH MCC	1	0.00	4.0
504	FOOT PROCEDURES WITH CC	7	0.02	3.1
505	FOOT PROCEDURES WITHOUT CC/MCC	14	0.04	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.01	4.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	3.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	6.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.03	2.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	37	0.10	1.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.01	3.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.01	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	7	0.02	5.3
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	36	0.09	5.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	49	0.13	2.2
533	FRACTURES OF FEMUR WITH MCC	1	0.00	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	8	0.02	1.4
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.02	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	59	0.15	2.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	5	0.01	1.0
539	OSTEOMYELITIS WITH MCC	4	0.01	5.0
540	OSTEOMYELITIS WITH CC	13	0.03	8.5
541	OSTEOMYELITIS WITHOUT CC/MCC	4	0.01	3.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	7	0.02	6.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	30	0.08	5.4
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	10	0.03	3.1
545	CONNECTIVE TISSUE DISORDERS WITH MCC	15	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	18	0.05	3.2
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	24	0.06	2.3
548	SEPTIC ARTHRITIS WITH MCC	2	0.01	4.5
549	SEPTIC ARTHRITIS WITH CC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	8	0.02	3.1
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.04	8.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	128	0.33	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	2.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	23	0.06	2.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	4	0.01	2.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	34	0.09	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	8	0.02	5.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	21	0.05	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	9	0.02	4.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.01	3.6
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.02	2.3
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.03	3.5
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	83	0.21	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	5	0.01	12
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	9	0.02	4.2
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.02	1.6
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	8	0.02	21
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	14
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	4.5
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	3.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	2.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.01	8.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	30	0.08	5.1
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	63	0.16	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	17	0.04	3.1
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	39	0.10	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	15	0.04	1.9
592	SKIN ULCERS WITH MCC	4	0.01	6.0
593	SKIN ULCERS WITH CC	11	0.03	15
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.03	3.7
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	5.5
598	MALIGNANT BREAST DISORDERS WITH CC	3	0.01	2.7
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
602	CELLULITIS WITH MCC	37	0.10	6.1
603	CELLULITIS WITHOUT MCC	277	0.72	3.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	7	0.02	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	40	0.10	1.6
606	MINOR SKIN DISORDERS WITH MCC	3	0.01	5.7
607	MINOR SKIN DISORDERS WITHOUT MCC	15	0.04	2.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	12	0.03	3.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	9	0.02	3.4
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.02	5.7
620	O.R. PROCEDURES FOR OBESITY WITH CC	14	0.04	2.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	168	0.43	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	5.8
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.00	5.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.01	4.8
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.06	2.2
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	99	0.26	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	2	0.01	5.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.01	2.7
637	DIABETES WITH MCC	39	0.10	3.7
638	DIABETES WITH CC	118	0.30	2.9
639	DIABETES WITHOUT CC/MCC	93	0.24	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	99	0.26	4.7
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	271	0.70	2.9
642	INBORN ERRORS OF METABOLISM	6	0.02	1.8
643	ENDOCRINE DISORDERS WITH MCC	10	0.03	5.7
644	ENDOCRINE DISORDERS WITH CC	24	0.06	4.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	24	0.06	2.5
652	KIDNEY TRANSPLANT	16	0.04	8.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	12
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.02	8.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	4.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	6	0.02	8.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	26	0.07	4.7
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	34	0.09	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.01	6.3
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	32	0.08	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	36	0.09	1.9
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	18
663	MINOR BLADDER PROCEDURES WITH CC	5	0.01	4.6
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	.67
665	PROSTATECTOMY WITH MCC	1	0.00	13
666	PROSTATECTOMY WITH CC	5	0.01	1.8
667	PROSTATECTOMY WITHOUT CC/MCC	11	0.03	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	4	0.01	1.3
669	TRANSURETHRAL PROCEDURES WITH CC	18	0.05	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	23	0.06	.83
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	4.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	2	0.01	.50
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	24	0.06	5.8
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	17	0.04	4.8

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	14	0.04	1.7
682	RENAL FAILURE WITH MCC	70	0.18	4.6
683	RENAL FAILURE WITH CC	122	0.31	4.9
684	RENAL FAILURE WITHOUT CC/MCC	21	0.05	2.8
685	ADMIT FOR RENAL DIALYSIS	4	0.01	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	4.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.01	3.6
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	2.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	103	0.27	6.8
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	325	0.84	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	2.5
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.01	6.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	51	0.13	1.6
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	4.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	14	0.04	2.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	25	0.06	4.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	63	0.16	4.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.06	2.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	20	0.05	2.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	82	0.21	1.5
709	PENIS PROCEDURES WITH CC/MCC	3	0.01	2.7

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	5	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	8	0.02	1.9
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	17	0.04	1.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	99	0.26	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	2.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	4.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	5.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	2	0.01	2.5
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	7	0.02	3.4
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	15	0.04	3.7
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	8	0.02	11
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.02	2.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	13	0.03	6.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.01	3.8
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	9	0.02	2.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	36	0.09	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	52	0.13	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	341	0.88	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	4.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	12	0.03	1.4
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.02	1.8
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	22	0.06	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	64	0.17	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.02	5.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	7.3
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	11	0.03	7.5
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.01	7.2
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	4.3
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	5.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	12	0.03	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	8	0.02	2.4
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	13	0.03	1.5
765	CESAREAN SECTION WITH CC/MCC	468	1.21	4.3
766	CESAREAN SECTION WITHOUT CC/MCC	1,279	3.30	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	94	0.24	2.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	17	0.04	3.5

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	25	0.06	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	352	0.91	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,399	8.77	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	45	0.12	2.2
777	ECTOPIC PREGNANCY	28	0.07	1.8
778	THREATENED ABORTION	45	0.12	3.3
779	ABORTION WITHOUT D&C	30	0.08	1.5
780	FALSE LABOR	2	0.01	1.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	150	0.39	3.2
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	31	0.08	2.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	81	0.21	7.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	64	0.17	44
791	PREMATURITY WITH MAJOR PROBLEMS	79	0.20	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	175	0.45	7.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	175	0.45	6.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	604	1.56	2.6
795	NORMAL NEWBORN	4,622	11.93	2.1
800	SPLENECTOMY WITH CC	2	0.01	7.5
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	29
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	3.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	8	0.02	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	8	0.02	6.6

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	38	0.10	5.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	8	0.02	4.6
811	RED BLOOD CELL DISORDERS WITH MCC	38	0.10	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	128	0.33	2.6
813	COAGULATION DISORDERS	21	0.05	4.3
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.01	6.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	10	0.03	3.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	11	0.03	3.7
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	5	0.01	39
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	4	0.01	7.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.03	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	13
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.01	4.4
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	28
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	7	0.02	5.1
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.7
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	6	0.02	9.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	13	0.03	15
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.02	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	11	0.03	21
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	6	0.02	13
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	15	0.04	6.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	14	0.04	7.7
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	21	0.05	8.9
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	13	0.03	2.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	10	0.03	4.2
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.3
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	9	0.02	8.2
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	195	0.50	3.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	9	0.02	1.4
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	129	0.33	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	29	0.07	8.8
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	15	0.04	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	24	0.06	5.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	16	0.04	4.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	30	0.08	5.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	51	0.13	3.3
864	FEVER	48	0.12	2.6
865	VIRAL ILLNESS WITH MCC	4	0.01	15

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
866	VIRAL ILLNESS WITHOUT MCC	25	0.06	2.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	15	0.04	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	6	0.02	3.8
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	54	0.14	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	816	2.11	5.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	356	0.92	3.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	3	0.01	15
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	29	0.07	2.9
881	DEPRESSIVE NEUROSES	86	0.22	4.6
882	NEUROSES EXCEPT DEPRESSIVE	22	0.06	4.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	6	0.02	17
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	31	0.08	6.5
885	PSYCHOSES	1,441	3.72	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.01	61
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.01	20
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	35	0.09	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	15	0.04	7.9
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	39	0.10	4.4
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	416	1.07	4.3
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	24
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	6.4

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.7
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	5	0.01	17
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	2	0.01	2.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	17	0.04	8.7
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.06	5.4
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	16	0.04	2.8
913	TRAUMATIC INJURY WITH MCC	1	0.00	2.0
914	TRAUMATIC INJURY WITHOUT MCC	22	0.06	2.5
915	ALLERGIC REACTIONS WITH MCC	3	0.01	5.7
916	ALLERGIC REACTIONS WITHOUT MCC	7	0.02	1.9
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	79	0.20	4.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	170	0.44	2.3
919	COMPLICATIONS OF TREATMENT WITH MCC	32	0.08	4.2
920	COMPLICATIONS OF TREATMENT WITH CC	33	0.09	8.2
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.04	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.02	7.4
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	5	0.01	2.6
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	7.5
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	5	0.01	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.02	7.9
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
935	NON-EXTENSIVE BURNS	10	0.03	5.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	5	0.01	16
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.02	3.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	10	0.03	4.4
945	REHABILITATION WITH CC/MCC	761	1.96	25
946	REHABILITATION WITHOUT CC/MCC	282	0.73	26
947	SIGNS & SYMPTOMS WITH MCC	11	0.03	2.8
948	SIGNS & SYMPTOMS WITHOUT MCC	82	0.21	3.3
949	AFTERCARE WITH CC/MCC	5	0.01	5.2
950	AFTERCARE WITHOUT CC/MCC	1	0.00	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	10	0.03	1.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.02	19
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	18	0.05	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	12	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.01	5.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	4.7
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	20	0.05	4.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	11	0.03	2.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	5.0
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	7.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	9	0.02	8.9

(Continued)

*MS-DRG by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	8.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	37	0.10	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	36	0.09	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	37	0.10	2.6
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	9	0.02	7.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	15	0.04	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.02	4.5
999	UNGROUPABLE	1	0.00	3.0
All		38,739	100.0	4.6

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.01	51
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	34	0.10	38
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	23	0.06	28
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	6	0.02	41
006	LIVER TRANSPLANT WITHOUT MCC	1	0.00	11
007	LUNG TRANSPLANT	3	0.01	12
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	2	0.01	11
009	BONE MARROW TRANSPLANT	9	0.03	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.00	36
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	4	0.01	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	3	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	6	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.02	10
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.01	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	11	0.03	24
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	10	0.03	12
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	20	0.06	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	63	0.18	5.3
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	75	0.21	3.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
028	SPINAL PROCEDURES WITH MCC	3	0.01	7.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	13	0.04	4.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	21	0.06	3.2
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.01	14
032	VENTRICULAR SHUNT PROCEDURES WITH CC	5	0.01	5.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	13	0.04	3.4
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	4	0.01	12
035	CAROTID ARTERY STENT PROCEDURE WITH CC	10	0.03	7.5
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	24	0.07	1.9
037	EXTRACRANIAL PROCEDURES WITH MCC	10	0.03	12
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.06	3.4
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	92	0.26	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	4	0.01	23
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	11	0.03	5.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	11	0.03	4.8
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	3	0.01	5.3
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	3.7
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	28	0.08	8.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	27	0.08	4.9
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	13	0.04	7.7
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	43	0.12	4.3

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.00	4.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	7	0.02	5.6
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.01	3.4
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	5.3
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.01	6.2
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.01	3.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	128	0.36	6.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	227	0.64	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	117	0.33	3.2
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	10	0.03	2.6
069	TRANSIENT ISCHEMIA	92	0.26	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	9	0.03	3.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	20	0.06	5.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	8	0.02	2.8
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	11	0.03	2.1
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	66	0.19	3.2
075	VIRAL MENINGITIS WITH CC/MCC	11	0.03	5.4
076	VIRAL MENINGITIS WITHOUT CC/MCC	64	0.18	2.6
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	2.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	3.2

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>080</b>	<b>NONTRAUMATIC STUPOR &amp; COMA WITH MCC</b>	8	0.02	6.1
<b>081</b>	<b>NONTRAUMATIC STUPOR &amp; COMA WITHOUT MCC</b>	20	0.06	3.3
<b>082</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &gt;1 HR WITH MCC</b>	2	0.01	8.5
<b>083</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &gt;1 HR WITH CC</b>	7	0.02	2.9
<b>084</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &gt;1 HR WITHOUT CC/MCC</b>	20	0.06	1.4
<b>085</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITH MCC</b>	15	0.04	4.4
<b>086</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITH CC</b>	21	0.06	3.8
<b>087</b>	<b>TRAUMATIC STUPOR &amp; COMA, COMA &lt;1 HR WITHOUT CC/MCC</b>	80	0.22	2.1
<b>088</b>	<b>CONCUSSION WITH MCC</b>	4	0.01	1.8
<b>089</b>	<b>CONCUSSION WITH CC</b>	12	0.03	2.8
<b>090</b>	<b>CONCUSSION WITHOUT CC/MCC</b>	16	0.04	1.4
<b>091</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC</b>	11	0.03	6.5
<b>092</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITH CC</b>	35	0.10	3.1
<b>093</b>	<b>OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC</b>	22	0.06	2.7
<b>094</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC</b>	2	0.01	5.0
<b>095</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC</b>	6	0.02	11
<b>096</b>	<b>BACTERIAL &amp; TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC</b>	9	0.03	4.8
<b>097</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC</b>	3	0.01	6.3
<b>098</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC</b>	8	0.02	9.5
<b>099</b>	<b>NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC</b>	9	0.03	4.8
<b>100</b>	<b>SEIZURES WITH MCC</b>	35	0.10	5.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
101	SEIZURES WITHOUT MCC	153	0.43	2.4
102	HEADACHES WITH MCC	2	0.01	2.0
103	HEADACHES WITHOUT MCC	47	0.13	3.3
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	1.5
114	ORBITAL PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	6	0.02	1.2
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.01	3.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	.50
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.01	2.0
123	NEUROLOGICAL EYE DISORDERS	11	0.03	2.8
124	OTHER DISORDERS OF THE EYE WITH MCC	4	0.01	1.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	13	0.04	1.4
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	7	0.02	5.9
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	7	0.02	2.6
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	9	0.03	3.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.11	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	16	0.04	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	53	0.15	2.2
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	2.0
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
137	MOUTH PROCEDURES WITH CC/MCC	7	0.02	4.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	2.7
139	SALIVARY GLAND PROCEDURES	5	0.01	2.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	17
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.01	4.8
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
149	DYSEQUILIBRIUM	27	0.08	2.7
150	EPISTAXIS WITH MCC	4	0.01	5.5
151	EPISTAXIS WITHOUT MCC	6	0.02	2.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	3	0.01	5.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	64	0.18	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	4	0.01	3.8
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	9	0.03	2.7
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	11	0.03	2.0
157	DENTAL & ORAL DISEASES WITH MCC	3	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	20	0.06	4.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	20	0.06	1.8
163	MAJOR CHEST PROCEDURES WITH MCC	24	0.07	15
164	MAJOR CHEST PROCEDURES WITH CC	42	0.12	5.6
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	36	0.10	3.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	43	0.12	12

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	40	0.11	7.2
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	12	0.03	3.8
175	PULMONARY EMBOLISM WITH MCC	35	0.10	4.3
176	PULMONARY EMBOLISM WITHOUT MCC	133	0.37	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	114	0.32	7.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	134	0.38	6.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	54	0.15	4.5
180	RESPIRATORY NEOPLASMS WITH MCC	30	0.08	5.6
181	RESPIRATORY NEOPLASMS WITH CC	29	0.08	5.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	11	0.03	3.2
183	MAJOR CHEST TRAUMA WITH MCC	14	0.04	5.6
184	MAJOR CHEST TRAUMA WITH CC	19	0.05	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	8	0.02	2.5
186	PLEURAL EFFUSION WITH MCC	13	0.04	6.5
187	PLEURAL EFFUSION WITH CC	10	0.03	2.9
188	PLEURAL EFFUSION WITHOUT CC/MCC	7	0.02	2.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	99	0.28	3.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	121	0.34	4.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	99	0.28	3.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	105	0.29	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	148	0.42	5.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	340	0.95	3.7
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	241	0.68	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	10	0.03	8.3
197	INTERSTITIAL LUNG DISEASE WITH CC	13	0.04	3.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	4	0.01	3.5
199	PNEUMOTHORAX WITH MCC	5	0.01	9.0
200	PNEUMOTHORAX WITH CC	30	0.08	3.2
201	PNEUMOTHORAX WITHOUT CC/MCC	12	0.03	2.1
202	BRONCHITIS & ASTHMA WITH CC/MCC	108	0.30	3.5
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	116	0.33	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	26	0.07	3.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	13	0.04	5.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	44	0.12	2.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	34	0.10	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	97	0.27	5.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	12	0.03	14
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	14	0.04	9.9
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	10	0.03	6.4
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	22	0.06	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	43	0.12	5.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	23	0.06	5.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	15
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	3	0.01	6.7
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	6	0.02	13
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.02	4.6
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	11	0.03	6.1
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	42	0.12	2.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	6	0.02	34
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	15	0.04	5.6
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	3	0.01	4.3
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	8.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	3	0.01	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	23	0.06	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	77	0.22	7.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.02	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	49	0.14	6.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	35	0.10	9.4
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	82	0.23	3.0
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	8	0.02	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	8	0.02	11

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.01	4.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	36	0.10	5.8
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	57	0.16	2.8
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	110	0.31	2.1
245	AICD GENERATOR PROCEDURES	1	0.00	2.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	68	0.19	4.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	363	1.02	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	13	0.04	4.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	65	0.18	1.8
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	17	0.05	8.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	124	0.35	1.8
252	OTHER VASCULAR PROCEDURES WITH MCC	32	0.09	11
253	OTHER VASCULAR PROCEDURES WITH CC	59	0.17	4.8
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	71	0.20	2.5
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	2	0.01	43
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	5	0.01	5.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.01	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	7	0.02	3.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	6	0.02	8.8
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	3	0.01	2.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	.75

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
263	VEIN LIGATION & STRIPPING	6	0.02	5.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	36	0.10	5.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	49	0.14	5.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	42	0.12	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	48	0.13	2.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	14	0.04	3.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	7	0.02	1.7
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	27	0.08	7.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	132	0.37	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	7	0.02	9.4
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	2.5
291	HEART FAILURE & SHOCK WITH MCC	257	0.72	5.1
292	HEART FAILURE & SHOCK WITH CC	249	0.70	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	130	0.36	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.00	1.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.00	.00
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	15	0.04	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	41	0.12	3.2
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	34	0.10	2.1

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
302	ATHEROSCLEROSIS WITH MCC	8	0.02	2.1
303	ATHEROSCLEROSIS WITHOUT MCC	44	0.12	1.4
304	HYPERTENSION WITH MCC	6	0.02	4.2
305	HYPERTENSION WITHOUT MCC	34	0.10	2.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.03	6.6
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	19	0.05	3.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	81	0.23	3.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	131	0.37	3.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	170	0.48	2.0
311	ANGINA PECTORIS	16	0.04	1.4
312	SYNCOPE & COLLAPSE	189	0.53	2.3
313	CHEST PAIN	259	0.73	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	77	0.22	6.3
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	46	0.13	3.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	28	0.08	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	23	0.06	16
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	36	0.10	9.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	64	0.18	3.0
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	70	0.20	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	148	0.42	8.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	114	0.32	4.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
332	RECTAL RESECTION WITH MCC	3	0.01	10
333	RECTAL RESECTION WITH CC	18	0.05	6.4
334	RECTAL RESECTION WITHOUT CC/MCC	22	0.06	3.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	6	0.02	12
336	PERITONEAL ADHESIOLYSIS WITH CC	24	0.07	6.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	46	0.13	3.7
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	15	0.04	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	88	0.25	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	3.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	12	0.03	2.9
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	426	1.19	1.3
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	10	0.03	7.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.03	3.9
348	ANAL & STOMAL PROCEDURES WITH CC	13	0.04	4.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	14	0.04	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	4.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	10	0.03	2.9
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	29	0.08	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	6	0.02	15
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	21	0.06	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	74	0.21	1.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	19	0.05	8.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.06	5.4
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.03	3.9
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	8	0.02	3.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	15	0.04	3.3
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.04	2.1
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	20	0.06	7.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	41	0.12	5.7
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	49	0.14	4.3
374	DIGESTIVE MALIGNANCY WITH MCC	17	0.05	13
375	DIGESTIVE MALIGNANCY WITH CC	30	0.08	4.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	4	0.01	4.0
377	G.I. HEMORRHAGE WITH MCC	82	0.23	4.7
378	G.I. HEMORRHAGE WITH CC	228	0.64	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	114	0.32	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	12	0.03	4.8
381	COMPLICATED PEPTIC ULCER WITH CC	12	0.03	5.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	4	0.01	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	4	0.01	2.8
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	15	0.04	3.3
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.01	9.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
386	INFLAMMATORY BOWEL DISEASE WITH CC	16	0.04	5.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	28	0.08	5.2
388	G.I. OBSTRUCTION WITH MCC	41	0.12	5.2
389	G.I. OBSTRUCTION WITH CC	88	0.25	3.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	137	0.38	2.3
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	81	0.23	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	541	1.52	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	40	0.11	4.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	81	0.23	4.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	63	0.18	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	13	0.04	9.7
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	18	0.05	5.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	8	0.02	6.4
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.01	6.2
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.01	2.7
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	4	0.01	10
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	1.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	8	0.02	7.9
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	11	0.03	5.1

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	15	0.04	3.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	56	0.16	5.1
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	107	0.30	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	347	0.97	1.6
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	1	0.00	3.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	5	0.01	8.6
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.01	1.3
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	3	0.01	9.0
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.00	2.0
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	55	0.15	4.7
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	26	0.07	3.7
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	1.5
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	33	0.09	7.3
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	27	0.08	7.3
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.01	1.7
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	49	0.14	7.3
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	90	0.25	3.9
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	102	0.29	3.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	83	0.23	5.8

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	62	0.17	3.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	19	0.05	2.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	16	0.04	3.7
445	DISORDERS OF THE BILIARY TRACT WITH CC	24	0.07	2.8
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	26	0.07	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.01	8.8
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	9	0.03	6.0
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	51	0.14	2.8
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	8.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	5	0.01	10
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	15	0.04	4.2
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.01	5.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	161	0.45	3.9
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	15	0.04	3.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.04	17
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	27	0.08	6.3
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	13	0.04	5.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	13	0.04	11
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	29	0.08	4.7
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	71	0.20	3.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	41	0.12	7.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,217	3.41	3.2
471	CERVICAL SPINAL FUSION WITH MCC	3	0.01	8.0
472	CERVICAL SPINAL FUSION WITH CC	12	0.03	4.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	136	0.38	1.5
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	5	0.01	8.6
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	6	0.02	6.3
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.00	2.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.02	6.2
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	14	0.04	4.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	19	0.05	3.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	44	0.12	7.3
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	132	0.37	4.8
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	129	0.36	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	11	0.03	4.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	55	0.15	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	8	0.02	8.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	9	0.03	8.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	7	0.02	4.4
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	7	0.02	6.9
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	32	0.09	2.6

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	72	0.20	2.7
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	360	1.01	1.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	13	0.04	7.2
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	56	0.16	3.4
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	205	0.58	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	4	0.01	6.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	15	0.04	4.6
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	21	0.06	2.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	4	0.01	4.8
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	6	0.02	1.2
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.00	3.0
501	SOFT TISSUE PROCEDURES WITH CC	6	0.02	7.5
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	40	0.11	2.3
503	FOOT PROCEDURES WITH MCC	1	0.00	4.0
504	FOOT PROCEDURES WITH CC	7	0.02	3.1
505	FOOT PROCEDURES WITHOUT CC/MCC	14	0.04	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	3	0.01	4.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	3.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	2	0.01	6.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	37	0.10	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	2	0.01	3.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.01	1.8
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	7	0.02	5.3
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	36	0.10	5.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	49	0.14	2.2
533	FRACTURES OF FEMUR WITH MCC	1	0.00	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	8	0.02	1.4
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.02	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	59	0.17	2.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	5	0.01	1.0
539	OSTEOMYELITIS WITH MCC	4	0.01	5.0
540	OSTEOMYELITIS WITH CC	13	0.04	8.5
541	OSTEOMYELITIS WITHOUT CC/MCC	4	0.01	3.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	7	0.02	6.6
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	29	0.08	5.5
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	10	0.03	3.1
545	CONNECTIVE TISSUE DISORDERS WITH MCC	15	0.04	10
546	CONNECTIVE TISSUE DISORDERS WITH CC	18	0.05	3.2
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	24	0.07	2.3

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
548	SEPTIC ARTHRITIS WITH MCC	2	0.01	4.5
549	SEPTIC ARTHRITIS WITH CC	1	0.00	5.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	8	0.02	3.1
551	MEDICAL BACK PROBLEMS WITH MCC	17	0.05	8.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	128	0.36	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.00	2.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	22	0.06	2.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	4	0.01	2.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	33	0.09	2.3
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	8	0.02	5.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	21	0.06	3.4
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	9	0.03	4.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.01	3.6
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.02	2.3
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.03	3.5
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	83	0.23	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	5	0.01	12
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	9	0.03	4.2
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	7	0.02	1.6
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	8	0.02	21
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	14

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	4.5
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	3.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	2.5
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.01	8.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	28	0.08	4.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	63	0.18	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	17	0.05	3.1
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	39	0.11	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	2	0.01	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	15	0.04	1.9
592	SKIN ULCERS WITH MCC	4	0.01	6.0
593	SKIN ULCERS WITH CC	11	0.03	15
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	11	0.03	3.7
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	1.0
598	MALIGNANT BREAST DISORDERS WITH CC	3	0.01	2.7
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	4.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
602	CELLULITIS WITH MCC	37	0.10	6.1
603	CELLULITIS WITHOUT MCC	277	0.78	3.3
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	7	0.02	3.6

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	40	0.11	1.6
606	MINOR SKIN DISORDERS WITH MCC	3	0.01	5.7
607	MINOR SKIN DISORDERS WITHOUT MCC	14	0.04	2.4
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	12	0.03	3.7
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	9	0.03	3.4
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.03	5.7
620	O.R. PROCEDURES FOR OBESITY WITH CC	14	0.04	2.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	168	0.47	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	4	0.01	5.8
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.00	5.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	4	0.01	4.8
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	22	0.06	2.2
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	99	0.28	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	2	0.01	5.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.01	2.7
637	DIABETES WITH MCC	39	0.11	3.7
638	DIABETES WITH CC	118	0.33	2.9
639	DIABETES WITHOUT CC/MCC	93	0.26	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	97	0.27	4.6
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	269	0.75	2.9

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	6	0.02	1.8
643	ENDOCRINE DISORDERS WITH MCC	10	0.03	5.7
644	ENDOCRINE DISORDERS WITH CC	24	0.07	4.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	24	0.07	2.5
652	KIDNEY TRANSPLANT	16	0.04	8.6
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	12
654	MAJOR BLADDER PROCEDURES WITH CC	7	0.02	8.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	5	0.01	4.8
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	6	0.02	8.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	26	0.07	4.7
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	34	0.10	2.9
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	4	0.01	6.3
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	32	0.09	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	36	0.10	1.9
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	18
663	MINOR BLADDER PROCEDURES WITH CC	5	0.01	4.6
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	.67
665	PROSTATECTOMY WITH MCC	1	0.00	13
666	PROSTATECTOMY WITH CC	5	0.01	1.8
667	PROSTATECTOMY WITHOUT CC/MCC	11	0.03	1.4
668	TRANSURETHRAL PROCEDURES WITH MCC	4	0.01	1.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	18	0.05	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	23	0.06	.83
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	4.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	2	0.01	.50
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	24	0.07	5.8
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	17	0.05	4.8
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	14	0.04	1.7
682	RENAL FAILURE WITH MCC	69	0.19	4.6
683	RENAL FAILURE WITH CC	120	0.34	4.7
684	RENAL FAILURE WITHOUT CC/MCC	21	0.06	2.8
685	ADMIT FOR RENAL DIALYSIS	4	0.01	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	4.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.01	3.6
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	3	0.01	1.7
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	100	0.28	4.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	325	0.91	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	2.5
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.01	6.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	51	0.14	1.6
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	14	0.04	2.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	25	0.07	4.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	63	0.18	4.0
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.06	2.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	20	0.06	2.1
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	82	0.23	1.5
709	PENIS PROCEDURES WITH CC/MCC	3	0.01	2.7
710	PENIS PROCEDURES WITHOUT CC/MCC	5	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	8	0.02	1.9
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	17	0.05	1.9
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	99	0.28	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	3.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	2.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	1	0.00	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	2	0.01	2.5
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	7	0.02	3.4
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	15	0.04	3.7
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.00	1.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	8	0.02	11
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.02	2.0
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	1	0.00	5.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	13	0.04	6.5
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	4	0.01	3.8
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	4.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	9	0.03	2.6
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	36	0.10	1.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	52	0.15	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	341	0.96	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	4.7
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	12	0.03	1.4
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.02	1.8
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	22	0.06	1.7
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	64	0.18	1.3
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	6	0.02	5.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	7.3
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	11	0.03	7.5
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	2.5
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	4.3

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	5.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	12	0.03	3.1
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	8	0.02	2.4
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	13	0.04	1.5
765	CESAREAN SECTION WITH CC/MCC	468	1.31	4.3
766	CESAREAN SECTION WITHOUT CC/MCC	1,279	3.59	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	94	0.26	2.3
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	17	0.05	3.5
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	25	0.07	1.4
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	352	0.99	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,399	9.53	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	45	0.13	2.2
777	ECTOPIC PREGNANCY	28	0.08	1.8
778	THREATENED ABORTION	45	0.13	3.3
779	ABORTION WITHOUT D&C	30	0.08	1.5
780	FALSE LABOR	2	0.01	1.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	149	0.42	3.2
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	31	0.09	2.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	81	0.23	7.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	64	0.18	44
791	PREMATURITY WITH MAJOR PROBLEMS	79	0.22	20

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
792	PREMATURITY WITHOUT MAJOR PROBLEMS	175	0.49	7.3
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	175	0.49	6.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	604	1.69	2.6
795	NORMAL NEWBORN	4,622	12.96	2.1
800	SPLENECTOMY WITH CC	2	0.01	7.5
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.00	29
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	3.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	8	0.02	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	8	0.02	6.6
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	38	0.11	5.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	8	0.02	4.6
811	RED BLOOD CELL DISORDERS WITH MCC	38	0.11	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	128	0.36	2.6
813	COAGULATION DISORDERS	20	0.06	3.5
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.01	6.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	10	0.03	3.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	11	0.03	3.7
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	5	0.01	39
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	4	0.01	7.8
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	11	0.03	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	13

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.01	4.4
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	2.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.00	28
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	7	0.02	5.1
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	3.7
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	6	0.02	9.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	3.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	13	0.04	15
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	7	0.02	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	5.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	11	0.03	21
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	6	0.02	13
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	15	0.04	6.1
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	14	0.04	7.7
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	21	0.06	8.9
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	12	0.03	2.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.01	6.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	10	0.03	4.2
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	4	0.01	2.3
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	9	0.03	8.2

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	195	0.55	3.1
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	9	0.03	1.4
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	129	0.36	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	29	0.08	8.8
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	2.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	15	0.04	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	24	0.07	5.3
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	16	0.04	4.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	30	0.08	5.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	50	0.14	3.2
864	FEVER	48	0.13	2.6
865	VIRAL ILLNESS WITH MCC	4	0.01	15
866	VIRAL ILLNESS WITHOUT MCC	25	0.07	2.4
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	15	0.04	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	6	0.02	3.8
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	4	0.01	1.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	54	0.15	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	811	2.27	5.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	353	0.99	3.9
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	2.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	21	0.06	2.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	1	0.00	4.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	3.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.01	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	21	0.06	3.6
885	PSYCHOSES	27	0.08	4.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.00	14
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	10	0.03	1.6
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	35	0.10	4.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	87	0.24	2.9
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	24
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	5	0.01	6.4
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	3	0.01	2.7
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	5	0.01	17
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	3.5
906	HAND PROCEDURES FOR INJURIES	2	0.01	2.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	17	0.05	8.7
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.06	5.4
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	16	0.04	2.8
913	TRAUMATIC INJURY WITH MCC	1	0.00	2.0
914	TRAUMATIC INJURY WITHOUT MCC	22	0.06	2.5
915	ALLERGIC REACTIONS WITH MCC	3	0.01	5.7

(Continued)

*MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
916	ALLERGIC REACTIONS WITHOUT MCC	7	0.02	1.9
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	71	0.20	4.2
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	152	0.43	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	32	0.09	4.2
920	COMPLICATIONS OF TREATMENT WITH CC	33	0.09	8.2
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	16	0.04	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	7	0.02	7.4
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	5	0.01	2.6
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	7.5
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	5	0.01	11
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.03	7.9
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	4.3
935	NON-EXTENSIVE BURNS	10	0.03	5.8
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	9.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.02	2.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	9	0.03	3.7
945	REHABILITATION WITH CC/MCC	4	0.01	24
947	SIGNS & SYMPTOMS WITH MCC	11	0.03	2.8
948	SIGNS & SYMPTOMS WITHOUT MCC	81	0.23	3.3
949	AFTERCARE WITH CC/MCC	3	0.01	1.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	0.02	1.4
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.02	19
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	18	0.05	12
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.04	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	12	0.03	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	5	0.01	5.6
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.01	4.7
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	20	0.06	4.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	11	0.03	2.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	5.0
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	7.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	9	0.03	8.9
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	8.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	1.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	37	0.10	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	34	0.10	5.6
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	37	0.10	2.6
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.00	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	9	0.03	7.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	15	0.04	6.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	8	0.02	4.5

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
999	UNGROUPABLE	1	0.00	3.0
All		35,650	100.0	3.7

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
813	COAGULATION DISORDERS	1	3.57	21
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	12	42.86	8.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	14	50.00	7.4
945	REHABILITATION WITH CC/MCC	1	3.57	30
All		28	100.0	9.4

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.22	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.22	9.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.87	18
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.22	7.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	0.22	11
945	REHABILITATION WITH CC/MCC	334	72.93	16
946	REHABILITATION WITHOUT CC/MCC	114	24.89	11
950	AFTERCARE WITHOUT CC/MCC	1	0.22	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.22	2.0
All		458	100.0	15

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	1	0.05	27
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.05	29
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	2	0.10	6.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.05	6.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.05	3.0
100	SEIZURES WITH MCC	1	0.05	12
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.05	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.05	9.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	0.05	2.0
303	ATHEROSCLEROSIS WITHOUT MCC	1	0.05	2.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.05	8.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	1	0.05	6.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	2	0.10	8.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.05	5.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.05	3.0
683	RENAL FAILURE WITH CC	1	0.05	12
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.05	3.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.10	22
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	8	0.41	3.5
881	DEPRESSIVE NEUROSES	85	4.37	4.6
882	NEUROSES EXCEPT DEPRESSIVE	21	1.08	4.7

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.21	19
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	8	0.41	13
885	PSYCHOSES	1,414	72.74	7.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.21	61
887	OTHER MENTAL DISORDER DIAGNOSIS	3	0.15	22
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	25	1.29	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.15	4.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	4	0.21	6.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	315	16.20	4.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	8	0.41	6.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	18	0.93	5.9
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.05	1.0
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.10	5.0
All		1,944	100.0	7.2

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.15	86
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	7	1.06	15
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	2	0.30	1E3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	0.15	5.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.30	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.15	13
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.15	7.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.15	5.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	1	0.15	8.0
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.30	4.5
181	RESPIRATORY NEOPLASMS WITH CC	1	0.15	55
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.15	51
189	PULMONARY EDEMA & RESPIRATORY FAILURE	4	0.61	103
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.15	18
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.15	6.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.30	29
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.15	160
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.15	13
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	3	0.46	155
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.15	1.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.15	4.0

(Continued)

**MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.15	10
375	DIGESTIVE MALIGNANCY WITH CC	1	0.15	5.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.15	23
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.15	13
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.15	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.15	8.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.15	10
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.15	2.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.15	10
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.15	6.0
682	RENAL FAILURE WITH MCC	1	0.15	1.0
683	RENAL FAILURE WITH CC	1	0.15	23
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.15	4.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	3	0.46	99
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.15	5.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.15	210
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.15	4.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	5	0.76	14
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	3	0.46	4.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.30	12
945	REHABILITATION WITH CC/MCC	422	64.04	32

(Continued)

***MS-DRG by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
946	REHABILITATION WITHOUT CC/MCC	168	25.49	37
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.15	5.0
949	AFTERCARE WITH CC/MCC	2	0.30	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.15	4.0
All		659	100.0	38

**MDC by Patient County of Residence  
for 2010  
Santa Barbara County**

		<b>Number of Discharges</b>	<b>Percent of Subtotal</b>	<b>Average Length of Stay</b>
<b>00</b>	<b>UNGROUPABLE</b>	1	0.00	3.0
<b>01</b>	<b>NERVOUS SYSTEM, DISEASES &amp; DISORDERS</b>	1,952	5.04	6.2
<b>02</b>	<b>EYE, DISEASES &amp; DISORDERS</b>	50	0.13	1.8
<b>03</b>	<b>EAR, NOSE, MOUTH, &amp; THROAT, DISEASES &amp; DISORDERS</b>	341	0.88	3.1
<b>04</b>	<b>RESPIRATORY SYSTEM, DISEASES &amp; DISORDERS</b>	2,532	6.54	5.2
<b>05</b>	<b>CIRCULATORY SYSTEM, DISEASES &amp; DISORDERS</b>	3,811	9.84	3.9
<b>06</b>	<b>DIGESTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	3,159	8.15	4.0
<b>07</b>	<b>HEPATOBIILIARY SYSTEM &amp; PANCREAS, DISEASES &amp; DISORDERS</b>	1,241	3.20	3.9
<b>08</b>	<b>MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE, DISEASES &amp; DISORDERS</b>	3,910	10.09	3.3
<b>09</b>	<b>SKIN, SUBCUTANEOUS TISSUE &amp; BREAST, DISEASES &amp; DISORDERS</b>	625	1.61	3.7
<b>10</b>	<b>ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES &amp; DISORDERS</b>	1,051	2.71	2.7
<b>11</b>	<b>KIDNEY AND URINARY TRACT, DISEASES &amp; DISORDERS</b>	1,156	2.98	4.0
<b>12</b>	<b>MALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	272	0.70	1.7
<b>13</b>	<b>FEMALE REPRODUCTIVE SYSTEM, DISEASES &amp; DISORDERS</b>	647	1.67	2.8
<b>14</b>	<b>PREGNANCY, CHILDBIRTH, &amp; THE PUERPERIUM</b>	5,966	15.40	2.6
<b>15</b>	<b>NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD</b>	5,802	14.98	3.2
<b>16</b>	<b>BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES &amp; DISORDERS</b>	284	0.73	4.0
<b>17</b>	<b>MYELOPROLIFERATIVE DISEASES &amp; POORLY DIFFERENTIATED NEOPLASMS</b>	403	1.04	6.6
<b>18</b>	<b>INFECTIOUS &amp; PARASITIC DISEASES</b>	1,639	4.23	6.6
<b>19</b>	<b>MENTAL DISEASES &amp; DISORDERS</b>	1,626	4.20	7.6
<b>20</b>	<b>ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES</b>	508	1.31	4.3
<b>21</b>	<b>INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS</b>	457	1.18	4.1

(Continued)

*MDC by Patient County of Residence  
for 2010  
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	30	0.08	7.2
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,174	3.03	23
24	MULTIPLE SIGNFICANT TRAUMA	90	0.23	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.04	7.5
All		38,743	100.0	4.6

**MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	3.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,931	5.42	4.6
02	EYE, DISEASES & DISORDERS	50	0.14	1.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	340	0.95	3.1
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,510	7.04	4.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,807	10.68	3.9
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3,157	8.85	3.9
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,239	3.48	3.9
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,906	10.96	3.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	621	1.74	3.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,047	2.94	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,149	3.22	3.7
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	271	0.76	1.7
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	646	1.81	2.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	5,965	16.73	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	5,802	16.27	3.2
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	283	0.79	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	402	1.13	6.6
18	INFECTIOUS & PARASITIC DISEASES	1,630	4.57	6.6
19	MENTAL DISEASES & DISORDERS	75	0.21	3.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	133	0.37	3.3

(Continued)

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	431	1.21	3.9
22	BURNS	30	0.08	7.2
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	122	0.34	3.8
24	MULTIPLE SIGNFICANT TRAUMA	90	0.25	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.04	7.5
<b>All</b>		35,654	100.0	3.7

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	3.57	21
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	26	92.86	8.1
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	3.57	30
All		28	100.0	9.4

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.22	10
18	INFECTIOUS & PARASITIC DISEASES	1	0.22	9.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	456	99.56	15
All		458	100.0	15

**MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7	0.36	13
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3	0.15	7.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.05	2.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.05	8.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.05	6.0
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	0.10	8.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.10	4.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.05	12
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.05	3.0
19	MENTAL DISEASES & DISORDERS	1,549	79.68	7.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	349	17.95	4.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	26	1.34	6.1
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.05	1.0
All		1,944	100.0	7.2

***MDC by Patient County of Residence  
and Type of Care for 2010  
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	14	2.12	222
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.15	7.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	19	2.88	66
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3	0.46	5.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2	0.30	14
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1	0.15	13
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	0.30	5.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	0.30	6.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.30	8.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	6	0.91	54
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.15	5.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.15	210
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	0.15	4.0
18	INFECTIOUS & PARASITIC DISEASES	8	1.21	10
19	MENTAL DISEASES & DISORDERS	2	0.30	12
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	594	90.14	33
All		659	100.0	38