

***Type of Care by Patient County of Residence
for 2009
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	14,785	93.90	3.6
Chemical Dependency Recovery Care	6	0.04	13
Physical Rehabilitation Care	66	0.42	15
Psychiatric Care	802	5.09	7.1
Skilled Nursing/Intermediate Care	87	0.55	20
All	15,746	100.0	3.9

***Disposition by Patient County of Residence
for 2009
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	11,550	78.12	2.9
03 - Other Care with the admitting hospital	41	0.28	10
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	85	0.57	7.2
05 - Acute Care at another hospital	280	1.89	3.1
06 - Other Care (not SN/IC) at another hospital	73	0.49	6.8
07 - SN/IC at another facility	1,136	7.68	6.5
08 - Residential Care facility	75	0.51	4.1
09 - Prison/Jail	14	0.09	1.8
10 - Left Against Medical Advice	64	0.43	2.2
11 - Died	320	2.16	6.7
12 - Home Health Service	1,131	7.65	5.8
13 - Other	16	0.11	2.9
All	14,785	100.0	3.6

***Disposition by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	5	83.33	14
10 - Left Against Medical Advice	1	16.67	7.0
All	6	100.0	13

***Disposition by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	36	54.55	15
02 - Acute Care within the admitting hospital	11	16.67	9.0
07 - SN/IC at another facility	5	7.58	16
12 - Home Health Service	14	21.21	18
All	66	100.0	15

***Disposition by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	702	87.53	6.5
05 - Acute Care at another hospital	5	0.62	4.2
06 - Other Care (not SN/IC) at another hospital	7	0.87	31
07 - SN/IC at another facility	11	1.37	14
08 - Residential Care facility	53	6.61	12
09 - Prison/Jail	2	0.25	11
10 - Left Against Medical Advice	17	2.12	3.8
12 - Home Health Service	1	0.12	8.0
13 - Other	4	0.50	4.5
All	802	100.0	7.1

***Disposition by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	16	18.39	14
02 - Acute Care within the admitting hospital	12	13.79	47
05 - Acute Care at another hospital	1	1.15	13
07 - SN/IC at another facility	5	5.75	21
11 - Died	12	13.79	10
12 - Home Health Service	41	47.13	17
All	87	100.0	20

***Gender by Patient County of Residence
for 2009
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	6,145	39.03	4.5
2 - Female	9,598	60.96	3.5
4 - Unknown	3	0.02	1.7
All	15,746	100.0	3.9

***Gender by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,699	38.55	4.0
2 - Female	9,083	61.43	3.2
4 - Unknown	3	0.02	1.7
All	14,785	100.0	3.6

***Gender by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3	50.00	12
2 - Female	3	50.00	14
All	6	100.0	13

***Gender by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	34	51.52	13
2 - Female	32	48.48	16
All	66	100.0	15

***Gender by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	373	46.51	7.6
2 - Female	429	53.49	6.7
All	802	100.0	7.1

***Gender by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	36	41.38	27
2 - Female	51	58.62	15
All	87	100.0	20

***Expected Payer by Patient County of Residence
for 2009
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	4,568	29.01	4.8
02 - Medi-Cal	3,583	22.75	3.5
03 - Private Coverage	6,445	40.93	3.3
04 - Workers' Compensatio	88	0.56	3.8
05 - County Indigent Prog	180	1.14	5.9
06 - Other Government	331	2.10	5.5
07 - Other Indigent	88	0.56	4.2
08 - Self-Pay	458	2.91	3.7
09 - Other Payer	5	0.03	4.8
All	15,746	100.0	3.9

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	4,334	29.31	4.4
02 - Medi-Cal	3,463	23.42	3.2
03 - Private Coverage	6,070	41.06	3.1
04 - Workers' Compensatio	81	0.55	3.5
05 - County Indigent Prog	155	1.05	5.6
06 - Other Government	150	1.01	4.2
07 - Other Indigent	86	0.58	4.2
08 - Self-Pay	443	3.00	3.4
09 - Other Payer	3	0.02	5.0
All	14,785	100.0	3.6

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	5	83.33	9.4
08 - Self-Pay	1	16.67	31
All	6	100.0	13

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	38	57.58	14
02 - Medi-Cal	1	1.52	33
03 - Private Coverage	24	36.36	15
04 - Workers' Compensatio	1	1.52	22
05 - County Indigent Prog	2	3.03	23
All	66	100.0	15

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	126	15.71	11
02 - Medi-Cal	114	14.21	7.1
03 - Private Coverage	336	41.90	6.1
04 - Workers' Compensatio	5	0.62	4.2
05 - County Indigent Prog	23	2.87	6.3
06 - Other Government	181	22.57	6.6
07 - Other Indigent	2	0.25	4.5
08 - Self-Pay	13	1.62	6.3
09 - Other Payer	2	0.25	4.5
All	802	100.0	7.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	70	80.46	16
02 - Medi-Cal	5	5.75	100
03 - Private Coverage	10	11.49	6.5
04 - Workers' Compensatio	1	1.15	7.0
08 - Self-Pay	1	1.15	70
All	87	100.0	20

***Race Group by Patient County of Residence
for 2009
Yolo County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	147	0.93	3.6
1 - White	9,750	61.92	4.1
2 - Black	531	3.37	4.9
3 - Hispanic	4,004	25.43	3.3
4 - Asian/Pacific Islander	929	5.90	3.4
5 - Native American/Eskimo/Ale	119	0.76	3.6
6 - Other	266	1.69	4.6
All	15,746	100.0	3.9

***Race Group by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	136	0.92	3.4
1 - White	9,092	61.49	3.7
2 - Black	479	3.24	4.6
3 - Hispanic	3,822	25.85	3.1
4 - Asian/Pacific Islander	895	6.05	3.4
5 - Native American/Eskimo/Ale	109	0.74	3.4
6 - Other	252	1.70	4.4
All	14,785	100.0	3.6

***Race Group by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	5	83.33	14
3 - Hispanic	1	16.67	7.0
All	6	100.0	13

***Race Group by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	47	71.21	15
3 - Hispanic	13	19.70	13
4 - Asian/Pacific Islander	2	3.03	17
6 - Other	4	6.06	15
All	66	100.0	15

***Race Group by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	8	1.00	6.0
1 - White	529	65.96	7.8
2 - Black	51	6.36	6.5
3 - Hispanic	162	20.20	6.0
4 - Asian/Pacific Islander	32	3.99	3.8
5 - Native American/Eskimo/Ale	10	1.25	5.7
6 - Other	10	1.25	6.6
All	802	100.0	7.1

***Race Group by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3	3.45	7.0
1 - White	77	88.51	20
2 - Black	1	1.15	33
3 - Hispanic	6	6.90	25
All	87	100.0	20

**Source of Admission by Patient County of Residence
for 2009
Yolo County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11,795	74.91	3.7
2 - Residential Care Facility	56	0.36	5.2
3 - Ambulatory Surgery	81	0.51	2.9
4 - Skilled Nursing/Intermedia	485	3.08	4.7
5 - Acute Inpatient Hospital C	623	3.96	11
6 - Other Inpatient Hospital C	58	0.37	9.8
7 - Newborn (born in admitting	2,466	15.66	2.6
8 - Prison/Jail	12	0.08	3.0
9 - Other	170	1.08	4.7
All	15,746	100.0	3.9

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11,046	74.71	3.5
2 - Residential Care Facility	49	0.33	4.2
3 - Ambulatory Surgery	80	0.54	2.9
4 - Skilled Nursing/Intermedia	478	3.23	4.5
5 - Acute Inpatient Hospital C	459	3.10	8.7
6 - Other Inpatient Hospital C	49	0.33	8.1
7 - Newborn (born in admitting	2,466	16.68	2.6
8 - Prison/Jail	10	0.07	2.1
9 - Other	148	1.00	4.2
All	14,785	100.0	3.6

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5	83.33	14
8 - Prison/Jail	1	16.67	7.0
All	6	100.0	13

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	4.55	5.0
2 - Residential Care Facility	2	3.03	16
4 - Skilled Nursing/Intermedia	2	3.03	18
5 - Acute Inpatient Hospital C	58	87.88	15
9 - Other	1	1.52	22
All	66	100.0	15

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	740	92.27	6.9
2 - Residential Care Facility	5	0.62	11
3 - Ambulatory Surgery	1	0.12	2.0
4 - Skilled Nursing/Intermedia	5	0.62	17
5 - Acute Inpatient Hospital C	20	2.49	6.6
6 - Other Inpatient Hospital C	9	1.12	19
8 - Prison/Jail	1	0.12	8.0
9 - Other	21	2.62	7.3
All	802	100.0	7.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	1.15	2.0
5 - Acute Inpatient Hospital C	86	98.85	20
All	87	100.0	20

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.01	14
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.01	19
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	17	0.11	39
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	15	0.10	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.01	8.0
006	LIVER TRANSPLANT WITHOUT MCC	1	0.01	13
009	BONE MARROW TRANSPLANT	8	0.05	24
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	4.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.03	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.01	14
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	15
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.03	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.03	17
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	13	0.08	9.3
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	20	0.13	6.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	19	0.12	4.1
028	SPINAL PROCEDURES WITH MCC	4	0.03	15
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	7	0.04	7.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	8	0.05	3.0
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.03	4.8
032	VENTRICULAR SHUNT PROCEDURES WITH CC	6	0.04	18
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.04	1.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.01	3.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	1	0.01	8.0
038	EXTRACRANIAL PROCEDURES WITH CC	10	0.06	2.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	34	0.22	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.01	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	13	0.08	3.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	4	0.03	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.03	3.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	9	0.06	3.7
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	18	0.11	2.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.02	4.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	22	0.14	3.0
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.01	1.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	12
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.02	3.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	2	0.01	3.5
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.03	3.4

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.01	2.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	44	0.28	4.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	79	0.50	3.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	61	0.39	2.5
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	4	0.03	1.3
069	TRANSIENT ISCHEMIA	36	0.23	1.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.02	7.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	4	0.03	6.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	5	0.03	.80
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	6	0.04	19
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	30	0.19	2.5
075	VIRAL MENINGITIS WITH CC/MCC	3	0.02	2.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	13	0.08	1.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.01	5.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.01	4.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.02	2.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	7	0.04	2.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.01	3.5
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.03	4.8
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	7	0.04	2.1
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	9	0.06	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	17	0.11	4.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	18	0.11	1.9
088	CONCUSSION WITH MCC	3	0.02	2.7
089	CONCUSSION WITH CC	20	0.13	2.4
090	CONCUSSION WITHOUT CC/MCC	21	0.13	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	6	0.04	2.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	14	0.09	1.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.04	2.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.03	14
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	5	0.03	13
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.02	5.7
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	2	0.01	7.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	2.5
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	2.5
100	SEIZURES WITH MCC	20	0.13	2.7
101	SEIZURES WITHOUT MCC	52	0.33	2.3
102	HEADACHES WITH MCC	2	0.01	1.5
103	HEADACHES WITHOUT MCC	19	0.12	2.1
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	17
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	4.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	3	0.02	4.7
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	5	0.03	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.01	1.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.03	4.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	14	0.09	1.4
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	4	0.03	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	25	0.16	1.7
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.02	2.7
137	MOUTH PROCEDURES WITH CC/MCC	1	0.01	6.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
139	SALIVARY GLAND PROCEDURES	6	0.04	1.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.01	11
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.01	2.0
149	DYSEQUILIBRIUM	12	0.08	2.3
150	EPISTAXIS WITH MCC	1	0.01	4.0
151	EPISTAXIS WITHOUT MCC	4	0.03	2.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.06	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	37	0.23	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.05	5.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	4	0.03	2.5
157	DENTAL & ORAL DISEASES WITH MCC	2	0.01	1.5
158	DENTAL & ORAL DISEASES WITH CC	5	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.01	2.5
163	MAJOR CHEST PROCEDURES WITH MCC	11	0.07	15
164	MAJOR CHEST PROCEDURES WITH CC	15	0.10	5.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	17	0.11	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	15	0.10	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	8	0.05	3.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.04	1.5
175	PULMONARY EMBOLISM WITH MCC	20	0.13	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	37	0.23	2.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	41	0.26	6.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	34	0.22	4.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	8	0.05	9.0
180	RESPIRATORY NEOPLASMS WITH MCC	14	0.09	4.6
181	RESPIRATORY NEOPLASMS WITH CC	22	0.14	3.3
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	6	0.04	5.0
183	MAJOR CHEST TRAUMA WITH MCC	3	0.02	7.7
184	MAJOR CHEST TRAUMA WITH CC	8	0.05	2.5
186	PLEURAL EFFUSION WITH MCC	8	0.05	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
187	PLEURAL EFFUSION WITH CC	8	0.05	5.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	128	0.81	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	61	0.39	3.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	55	0.35	3.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	47	0.30	2.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	116	0.74	4.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	158	1.00	3.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	82	0.52	2.4
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.03	5.8
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.03	6.4
199	PNEUMOTHORAX WITH MCC	4	0.03	10
200	PNEUMOTHORAX WITH CC	9	0.06	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	9	0.06	2.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	36	0.23	2.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	61	0.39	2.0
204	RESPIRATORY SIGNS & SYMPTOMS	20	0.13	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	8	0.05	5.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	13	0.08	2.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	33	0.21	19
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	89	0.57	6.1
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	7	0.04	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	11	0.07	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	14	0.09	18
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	20	0.13	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.02	6.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	8.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.03	2.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.02	5.7
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.01	3.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	6	0.04	8.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	17	0.11	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.03	32
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	9	0.06	7.4
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	4	0.03	4.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	6.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	8.5
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	12	0.08	11
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	17	0.11	8.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.06	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	30	0.19	6.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	14	0.09	17
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	23	0.15	4.5
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	3	0.02	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	6	0.04	5.3

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	13	0.08	4.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	19	0.12	3.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.20	1.8
245	AICD GENERATOR PROCEDURES	2	0.01	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	33	0.21	4.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	103	0.65	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	5	0.03	7.8
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	15	0.10	1.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.01	4.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	32	0.20	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	11	0.07	4.9
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.15	4.6
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	16	0.10	4.2
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.02	1.3
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	8.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.03	1.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	8	0.05	4.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	53	0.34	4.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	24	0.15	2.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.23	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	12	0.08	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.01	2.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	17	0.11	7.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	71	0.45	1.7
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.03	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.01	38
291	HEART FAILURE & SHOCK WITH MCC	108	0.69	4.4
292	HEART FAILURE & SHOCK WITH CC	74	0.47	2.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	43	0.27	2.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.01	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	12	0.08	5.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	16	0.10	4.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	8	0.05	1.9
302	ATHEROSCLEROSIS WITH MCC	5	0.03	1.0
303	ATHEROSCLEROSIS WITHOUT MCC	18	0.11	1.6
304	HYPERTENSION WITH MCC	3	0.02	3.3
305	HYPERTENSION WITHOUT MCC	6	0.04	3.7
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	4	0.03	6.5
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	10	0.06	3.9
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	31	0.20	3.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	57	0.36	2.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	59	0.37	1.5
311	ANGINA PECTORIS	8	0.05	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
312	SYNCOPE & COLLAPSE	44	0.28	1.6
313	CHEST PAIN	70	0.44	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	38	0.24	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	19	0.12	3.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	8	0.05	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	13	0.08	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	9	0.06	7.3
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	13	0.08	4.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	40	0.25	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	60	0.38	7.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	37	0.23	4.9
333	RECTAL RESECTION WITH CC	6	0.04	8.5
334	RECTAL RESECTION WITHOUT CC/MCC	6	0.04	4.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	12	0.08	14
336	PERITONEAL ADHESIOLYSIS WITH CC	14	0.09	9.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	13	0.08	6.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	3.5
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	9	0.06	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.16	2.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	2.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.08	1.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	63	0.40	1.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.02	7.3
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.04	4.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.01	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	4.0
348	ANAL & STOMAL PROCEDURES WITH CC	4	0.03	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	9	0.06	1.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.01	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	5	0.03	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.01	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	14	0.09	3.9
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	25	0.16	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	5	0.03	6.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	6	0.04	4.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	5.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.03	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.01	2.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.02	1.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	23	0.15	6.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	18	0.11	5.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.05	3.8
374	DIGESTIVE MALIGNANCY WITH MCC	9	0.06	5.1
375	DIGESTIVE MALIGNANCY WITH CC	14	0.09	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	4	0.03	2.3
377	G.I. HEMORRHAGE WITH MCC	43	0.27	4.0
378	G.I. HEMORRHAGE WITH CC	81	0.51	2.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	40	0.25	2.1
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.03	5.2
381	COMPLICATED PEPTIC ULCER WITH CC	4	0.03	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	3.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	6	0.04	2.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	5	0.03	4.6
386	INFLAMMATORY BOWEL DISEASE WITH CC	10	0.06	3.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	8	0.05	3.4
388	G.I. OBSTRUCTION WITH MCC	27	0.17	5.0
389	G.I. OBSTRUCTION WITH CC	45	0.29	3.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	51	0.32	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	27	0.17	4.6
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	167	1.06	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	14	0.09	4.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	46	0.29	3.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	22	0.14	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	4	0.03	10
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	5	0.03	11
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.03	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	10
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	3.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.01	6.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	7	0.04	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.05	5.4
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.03	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	25	0.16	5.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	44	0.28	2.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	67	0.43	1.9
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.01	28
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	4.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	9.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	28	0.18	4.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.03	3.4
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.01	3.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	14	0.09	3.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	8	0.05	12
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	4	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	16	0.10	5.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	38	0.24	3.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	23	0.15	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	28	0.18	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	23	0.15	2.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	6	0.04	1.7
444	DISORDERS OF THE BILIARY TRACT WITH MCC	14	0.09	4.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	9	0.06	3.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	16	0.10	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.01	10
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	3	0.02	7.7
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	4	0.03	3.3
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.02	20
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.01	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.01	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	7.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	56	0.36	3.4
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.01	2.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	4.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	4	0.03	7.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.02	6.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.03	5.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	10	0.06	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	13	0.08	3.2
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	19	0.12	5.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	407	2.58	3.2
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	2.0
472	CERVICAL SPINAL FUSION WITH CC	11	0.07	2.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	23	0.15	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.02	6.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.02	7.7
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	5.5
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.03	5.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	1.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	18	0.11	5.2
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	55	0.35	4.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	34	0.22	4.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	10	0.06	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	12	0.08	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.01	14
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.03	6.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.03	5.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.03	3.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	7	0.04	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	11	0.07	2.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	55	0.35	1.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	2	0.01	1.5
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	26	0.17	4.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	82	0.52	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.01	15
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.03	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	15	0.10	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	3.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.01	.00
501	SOFT TISSUE PROCEDURES WITH CC	12	0.08	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	20	0.13	3.3
503	FOOT PROCEDURES WITH MCC	2	0.01	3.5
504	FOOT PROCEDURES WITH CC	1	0.01	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	10	0.06	1.4
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.01	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	4.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	5.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.02	1.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	29	0.18	1.2
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.03	1.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	8	0.05	6.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	14	0.09	1.5
534	FRACTURES OF FEMUR WITHOUT MCC	3	0.02	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.04	6.4
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	13	0.08	2.9
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.01	2.0
539	OSTEOMYELITIS WITH MCC	2	0.01	3.0
540	OSTEOMYELITIS WITH CC	4	0.03	4.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	5	0.03	9.8
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	10	0.06	4.9
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.01	9.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	4	0.03	9.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	2	0.01	6.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	7	0.04	4.9
549	SEPTIC ARTHRITIS WITH CC	1	0.01	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	2.0
551	MEDICAL BACK PROBLEMS WITH MCC	5	0.03	5.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	32	0.20	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.02	6.7
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	2	0.01	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	8	0.05	2.6
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	14	0.09	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.01	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.01	3.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.02	2.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	3	0.02	3.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	24	0.15	1.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.01	8.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.03	9.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.02	4.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	4.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.03	7.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.03	3.4
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	1.5
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	4	0.03	.75
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.02	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	11	0.07	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	37	0.23	1.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.08	1.6
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	16	0.10	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.02	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	6	0.04	.50
592	SKIN ULCERS WITH MCC	3	0.02	32
593	SKIN ULCERS WITH CC	5	0.03	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	1	0.01	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	6.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.02	4.7
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.01	8.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.01	3.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	3.0
602	CELLULITIS WITH MCC	15	0.10	3.5
603	CELLULITIS WITHOUT MCC	148	0.94	3.1
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	4	0.03	3.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	20	0.13	1.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	9	0.06	3.1
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	8	0.05	1.9
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.06	4.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	8	0.05	3.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	69	0.44	1.7
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.02	5.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	9	0.06	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	40	0.25	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.01	11
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.04	6.6
637	DIABETES WITH MCC	20	0.13	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
638	DIABETES WITH CC	38	0.24	2.2
639	DIABETES WITHOUT CC/MCC	39	0.25	1.7
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	34	0.22	5.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	89	0.57	3.6
642	INBORN ERRORS OF METABOLISM	2	0.01	2.0
643	ENDOCRINE DISORDERS WITH MCC	1	0.01	5.0
644	ENDOCRINE DISORDERS WITH CC	4	0.03	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	10	0.06	2.7
652	KIDNEY TRANSPLANT	9	0.06	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.02	12
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.03	7.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.03	22
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	6	0.04	3.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	11	0.07	5.0
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	7	0.04	7.7
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	14	0.09	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	25	0.16	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	7.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	2.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
665	PROSTATECTOMY WITH MCC	3	0.02	5.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	5	0.03	4.6
669	TRANSURETHRAL PROCEDURES WITH CC	9	0.06	2.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	10	0.06	1.4
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.02	5.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	6.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	8	0.05	2.1
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
682	RENAL FAILURE WITH MCC	45	0.29	5.1
683	RENAL FAILURE WITH CC	85	0.54	3.4
684	RENAL FAILURE WITHOUT CC/MCC	15	0.10	3.3
685	ADMIT FOR RENAL DIALYSIS	1	0.01	2.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.01	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	.50
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	33	0.21	3.8
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	124	0.79	2.8
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	1.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.01	.50
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.03	1.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	19	0.12	1.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	5	0.03	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	24	0.15	7.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	17	0.11	2.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	12	0.08	3.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	7	0.04	1.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	27	0.17	1.7
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.02	.67
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	8.5
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.02	1.3
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.05	2.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	45	0.29	1.2
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.01	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.01	2.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.03	2.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.01	3.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.02	6.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	1.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	8	0.05	6.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.04	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	16	0.10	2.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	52	0.33	3.2
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	234	1.49	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	2	0.01	.50
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.01	1.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	16	0.10	1.4
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	38	0.24	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	3	0.02	5.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.02	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	2.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.02	1.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	3	0.02	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	12	0.08	1.8
765	CESAREAN SECTION WITH CC/MCC	222	1.41	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	416	2.64	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	67	0.43	2.1
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	6	0.04	5.7
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	8	0.05	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	286	1.82	2.3
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,456	9.25	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	21	0.13	3.5
777	ECTOPIC PREGNANCY	16	0.10	1.3
778	THREATENED ABORTION	23	0.15	3.0
779	ABORTION WITHOUT D&C	9	0.06	.78
780	FALSE LABOR	13	0.08	1.2
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	114	0.72	1.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	38	0.24	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	43	0.27	2.1
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	32	0.20	35
791	PREMATURITY WITH MAJOR PROBLEMS	24	0.15	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	118	0.75	5.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	85	0.54	6.9
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	395	2.51	2.3
795	NORMAL NEWBORN	1,902	12.08	1.9
800	SPLENECTOMY WITH CC	1	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	4	0.03	4.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	4.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.03	2.8
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	9	0.06	6.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	26	0.17	4.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	5	0.03	3.6
811	RED BLOOD CELL DISORDERS WITH MCC	14	0.09	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
812	RED BLOOD CELL DISORDERS WITHOUT MCC	43	0.27	2.4
813	COAGULATION DISORDERS	11	0.07	3.8
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	2.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.04	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.03	3.4
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.02	14
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.03	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	7.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.02	9.3
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	5.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.01	6.5
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.01	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	2.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	10	0.06	15
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.02	5.7
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	7.7
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	20
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	21	0.13	5.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.06	6.2
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	7	0.04	4.9
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	5	0.03	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.01	7.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	6	0.04	4.2
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.03	8.4
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	33	0.21	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	11	0.07	2.9
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	51	0.32	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.04	5.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	4	0.03	8.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	15	0.10	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	6.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.06	3.8
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	24	0.15	3.5
864	FEVER	15	0.10	3.7
865	VIRAL ILLNESS WITH MCC	5	0.03	3.8
866	VIRAL ILLNESS WITHOUT MCC	22	0.14	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	5	0.03	17
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.01	7.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	32	0.20	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	327	2.08	4.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	103	0.65	4.1
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	18	0.11	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	80	0.51	3.5
882	NEUROSES EXCEPT DEPRESSIVE	27	0.17	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	18	0.11	8.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	13	0.08	6.2
885	PSYCHOSES	628	3.99	7.8
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.02	3.0
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.01	9.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	8	0.05	4.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	0.01	30
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	8	0.05	17
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	102	0.65	3.7
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	2	0.01	4.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	4	0.03	9.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	3	0.02	4.7
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	7.5
906	HAND PROCEDURES FOR INJURIES	4	0.03	1.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	10	0.06	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.15	5.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	10	0.06	2.0
914	TRAUMATIC INJURY WITHOUT MCC	8	0.05	1.0
915	ALLERGIC REACTIONS WITH MCC	1	0.01	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.03	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	41	0.26	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	77	0.49	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	10	0.06	6.7
920	COMPLICATIONS OF TREATMENT WITH CC	9	0.06	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	9	0.06	2.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	1.3
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.01	12
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	3	0.02	1.3
935	NON-EXTENSIVE BURNS	10	0.06	2.8
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.02	19
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	6	0.04	3.2
945	REHABILITATION WITH CC/MCC	104	0.66	21
946	REHABILITATION WITHOUT CC/MCC	30	0.19	9.9
947	SIGNS & SYMPTOMS WITH MCC	4	0.03	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	33	0.21	1.8
949	AFTERCARE WITH CC/MCC	4	0.03	16
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.02	1.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.06	14
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.04	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	5	0.03	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	4.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.02	6.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	8	0.05	4.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	2.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.01	12
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.03	6.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.01	2.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.02	2.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.03	4.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	23	0.15	12
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	16	0.10	6.3
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.03	2.2
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.01	1.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.04	6.3
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.04	2.8
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.03	5.8
All		15,746	100.0	3.9

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.01	14
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.01	19
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	17	0.11	39
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	15	0.10	31
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.01	8.0
006	LIVER TRANSPLANT WITHOUT MCC	1	0.01	13
009	BONE MARROW TRANSPLANT	8	0.05	24
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	4.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.03	15
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.01	14
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	15
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.03	11
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	5	0.03	17
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	13	0.09	9.3
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	20	0.14	6.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	19	0.13	4.1
028	SPINAL PROCEDURES WITH MCC	4	0.03	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	7	0.05	7.7
030	SPINAL PROCEDURES WITHOUT CC/MCC	8	0.05	3.0
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	4	0.03	4.8
032	VENTRICULAR SHUNT PROCEDURES WITH CC	6	0.04	18
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.05	1.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	2	0.01	3.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	1	0.01	8.0
038	EXTRACRANIAL PROCEDURES WITH CC	10	0.07	2.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	34	0.23	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.01	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	13	0.09	3.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	4	0.03	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	4	0.03	3.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	8	0.05	3.8
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	18	0.12	2.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.02	4.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	20	0.14	3.2
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.01	1.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	12
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	3	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	2	0.01	3.5
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.03	3.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.01	2.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	44	0.30	4.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	79	0.53	3.6
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	61	0.41	2.5
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	4	0.03	1.3
069	TRANSIENT ISCHEMIA	36	0.24	1.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.02	7.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	3	0.02	8.7
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	5	0.03	.80
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	6	0.04	19
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	30	0.20	2.5
075	VIRAL MENINGITIS WITH CC/MCC	3	0.02	2.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	13	0.09	1.8
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.01	5.0
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.01	4.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.02	2.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	7	0.05	2.1
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.01	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.03	4.8
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	7	0.05	2.1
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	9	0.06	6.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	17	0.11	4.4
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	18	0.12	1.9
088	CONCUSSION WITH MCC	3	0.02	2.7
089	CONCUSSION WITH CC	20	0.14	2.4
090	CONCUSSION WITHOUT CC/MCC	21	0.14	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	6	0.04	2.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	14	0.09	1.7
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	7	0.05	2.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	4	0.03	14
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	5	0.03	13
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.02	5.7
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	2	0.01	7.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.01	2.5
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	2.5
100	SEIZURES WITH MCC	20	0.14	2.7
101	SEIZURES WITHOUT MCC	52	0.35	2.3
102	HEADACHES WITH MCC	2	0.01	1.5
103	HEADACHES WITHOUT MCC	19	0.13	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
113	ORBITAL PROCEDURES WITH CC/MCC	2	0.01	17
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.01	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	4.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	4.0
123	NEUROLOGICAL EYE DISORDERS	3	0.02	4.7
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	5	0.03	1.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.01	1.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	2	0.01	1.5
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	5	0.03	4.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	14	0.09	1.4
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	4	0.03	3.3
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	25	0.17	1.7
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	3	0.02	2.7
137	MOUTH PROCEDURES WITH CC/MCC	1	0.01	6.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
139	SALIVARY GLAND PROCEDURES	6	0.04	1.2
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	4.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.01	11
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	1	0.01	2.0
149	DYSEQUILIBRIUM	12	0.08	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
150	EPISTAXIS WITH MCC	1	0.01	4.0
151	EPISTAXIS WITHOUT MCC	4	0.03	2.3
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	10	0.07	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	37	0.25	2.8
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.01	7.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	8	0.05	5.1
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	4	0.03	2.5
157	DENTAL & ORAL DISEASES WITH MCC	2	0.01	1.5
158	DENTAL & ORAL DISEASES WITH CC	5	0.03	3.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.01	2.5
163	MAJOR CHEST PROCEDURES WITH MCC	11	0.07	15
164	MAJOR CHEST PROCEDURES WITH CC	15	0.10	5.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	17	0.11	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	15	0.10	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	8	0.05	3.1
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.04	1.5
175	PULMONARY EMBOLISM WITH MCC	20	0.14	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	37	0.25	2.9
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	41	0.28	6.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	34	0.23	4.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	8	0.05	9.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
180	RESPIRATORY NEOPLASMS WITH MCC	14	0.09	4.6
181	RESPIRATORY NEOPLASMS WITH CC	22	0.15	3.3
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	5	0.03	6.0
183	MAJOR CHEST TRAUMA WITH MCC	3	0.02	7.7
184	MAJOR CHEST TRAUMA WITH CC	8	0.05	2.5
186	PLEURAL EFFUSION WITH MCC	8	0.05	4.6
187	PLEURAL EFFUSION WITH CC	8	0.05	5.6
189	PULMONARY EDEMA & RESPIRATORY FAILURE	128	0.87	4.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	61	0.41	3.3
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	55	0.37	3.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	47	0.32	2.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	115	0.78	4.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	157	1.06	3.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	82	0.55	2.4
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.03	5.8
197	INTERSTITIAL LUNG DISEASE WITH CC	5	0.03	6.4
199	PNEUMOTHORAX WITH MCC	4	0.03	10
200	PNEUMOTHORAX WITH CC	9	0.06	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	9	0.06	2.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	36	0.24	2.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	61	0.41	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
204	RESPIRATORY SIGNS & SYMPTOMS	20	0.14	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	8	0.05	5.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	13	0.09	2.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	33	0.22	19
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	89	0.60	6.1
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	7	0.05	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	11	0.07	10
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	14	0.09	18
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	20	0.14	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	3	0.02	6.7
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.01	8.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.03	2.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.02	5.7
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.01	3.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	6	0.04	8.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	17	0.11	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.03	32
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	9	0.06	7.4
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	4	0.03	4.8
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	6.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	8.5
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	12	0.08	11
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	17	0.11	8.3
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.06	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	30	0.20	6.8
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	14	0.09	17
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	23	0.16	4.5
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	3	0.02	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	6	0.04	5.3
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	13	0.09	4.3
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	19	0.13	3.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.21	1.8
245	AICD GENERATOR PROCEDURES	2	0.01	1.0
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	33	0.22	4.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	103	0.70	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	5	0.03	7.8
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	15	0.10	1.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	2	0.01	4.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	32	0.22	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	11	0.07	4.9
253	OTHER VASCULAR PROCEDURES WITH CC	23	0.16	4.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	16	0.11	4.2
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.02	1.3
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	8.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	4	0.03	1.8
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	8	0.05	4.9
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	53	0.36	4.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	24	0.16	2.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	36	0.24	2.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	12	0.08	4.8
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	2	0.01	2.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	17	0.11	7.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	71	0.48	1.7
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	3	0.02	10
291	HEART FAILURE & SHOCK WITH MCC	108	0.73	4.4
292	HEART FAILURE & SHOCK WITH CC	74	0.50	2.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	43	0.29	2.4
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	1	0.01	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	12	0.08	5.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	15	0.10	3.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	8	0.05	1.9

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
302	ATHEROSCLEROSIS WITH MCC	5	0.03	1.0
303	ATHEROSCLEROSIS WITHOUT MCC	18	0.12	1.6
304	HYPERTENSION WITH MCC	3	0.02	3.3
305	HYPERTENSION WITHOUT MCC	6	0.04	3.7
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	4	0.03	6.5
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	10	0.07	3.9
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	31	0.21	3.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	57	0.39	2.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	59	0.40	1.5
311	ANGINA PECTORIS	8	0.05	1.4
312	SYNCOPE & COLLAPSE	44	0.30	1.6
313	CHEST PAIN	70	0.47	1.2
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	38	0.26	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	19	0.13	3.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	8	0.05	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	13	0.09	18
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	9	0.06	7.3
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	13	0.09	4.1
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	40	0.27	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	60	0.41	7.4
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	37	0.25	4.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
333	RECTAL RESECTION WITH CC	6	0.04	8.5
334	RECTAL RESECTION WITHOUT CC/MCC	6	0.04	4.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	12	0.08	14
336	PERITONEAL ADHESIOLYSIS WITH CC	14	0.09	9.3
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	13	0.09	6.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.01	3.5
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	9	0.06	5.6
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.17	2.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	3	0.02	2.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	13	0.09	1.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	63	0.43	1.2
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.02	7.3
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	7	0.05	4.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.01	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	4.0
348	ANAL & STOMAL PROCEDURES WITH CC	4	0.03	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	9	0.06	1.7
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.01	1.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	5	0.03	1.4
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.01	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	14	0.09	3.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	25	0.17	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	5	0.03	6.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	6	0.04	4.5
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.01	5.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	5	0.03	3.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.01	2.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	3	0.02	1.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	23	0.16	6.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	18	0.12	5.4
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.05	3.8
374	DIGESTIVE MALIGNANCY WITH MCC	9	0.06	5.1
375	DIGESTIVE MALIGNANCY WITH CC	14	0.09	3.9
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	4	0.03	2.3
377	G.I. HEMORRHAGE WITH MCC	43	0.29	4.0
378	G.I. HEMORRHAGE WITH CC	81	0.55	2.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	40	0.27	2.1
380	COMPLICATED PEPTIC ULCER WITH MCC	5	0.03	5.2
381	COMPLICATED PEPTIC ULCER WITH CC	4	0.03	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	2	0.01	3.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	6	0.04	2.5
385	INFLAMMATORY BOWEL DISEASE WITH MCC	5	0.03	4.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
386	INFLAMMATORY BOWEL DISEASE WITH CC	10	0.07	3.3
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	8	0.05	3.4
388	G.I. OBSTRUCTION WITH MCC	26	0.18	5.1
389	G.I. OBSTRUCTION WITH CC	45	0.30	3.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	51	0.34	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	27	0.18	4.6
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	167	1.13	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	14	0.09	4.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	45	0.30	3.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	22	0.15	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	4	0.03	10
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	5	0.03	11
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	5	0.03	8.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.01	5.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	10
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	3.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.01	6.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	2	0.01	4.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	7	0.05	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	8	0.05	5.4
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.03	4.5
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	25	0.17	5.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	44	0.30	2.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	67	0.45	1.9
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.01	28
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	4.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	9.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	28	0.19	4.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.03	3.4
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.01	3.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	14	0.09	3.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	8	0.05	12
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	4	0.03	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	16	0.11	5.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	38	0.26	3.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	23	0.16	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	28	0.19	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	23	0.16	2.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	6	0.04	1.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
444	DISORDERS OF THE BILIARY TRACT WITH MCC	14	0.09	4.1
445	DISORDERS OF THE BILIARY TRACT WITH CC	9	0.06	3.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	16	0.11	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.01	10
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	3	0.02	7.7
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	4	0.03	3.3
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.02	20
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.01	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.01	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	7.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	56	0.38	3.4
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.01	2.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	4.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	4	0.03	7.0
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.02	6.3
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	4	0.03	5.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	10	0.07	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	13	0.09	3.2
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	19	0.13	5.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	407	2.75	3.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
471	CERVICAL SPINAL FUSION WITH MCC	2	0.01	2.0
472	CERVICAL SPINAL FUSION WITH CC	11	0.07	2.3
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	23	0.16	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	3	0.02	6.0
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	3	0.02	7.7
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.01	5.5
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.03	5.6
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	1.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	18	0.12	5.2
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	55	0.37	4.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	34	0.23	4.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	10	0.07	2.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	12	0.08	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.01	14
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.03	6.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	4	0.03	5.8
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	4	0.03	3.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	7	0.05	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	11	0.07	2.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	55	0.37	1.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	2	0.01	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	26	0.18	4.1
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	82	0.55	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	2	0.01	15
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	5	0.03	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	15	0.10	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.01	3.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.01	.00
501	SOFT TISSUE PROCEDURES WITH CC	12	0.08	4.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	20	0.14	3.3
503	FOOT PROCEDURES WITH MCC	2	0.01	3.5
504	FOOT PROCEDURES WITH CC	1	0.01	3.0
505	FOOT PROCEDURES WITHOUT CC/MCC	10	0.07	1.4
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.01	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	4.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	5.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	3	0.02	1.3
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	29	0.20	1.2
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	5	0.03	1.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	7.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	8	0.05	6.5
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	14	0.09	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
534	FRACTURES OF FEMUR WITHOUT MCC	3	0.02	1.0
535	FRACTURES OF HIP & PELVIS WITH MCC	7	0.05	6.4
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	13	0.09	2.9
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.01	2.0
539	OSTEOMYELITIS WITH MCC	2	0.01	3.0
540	OSTEOMYELITIS WITH CC	4	0.03	4.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	5	0.03	9.8
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	10	0.07	4.9
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.01	9.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	4	0.03	9.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	2	0.01	6.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	7	0.05	4.9
549	SEPTIC ARTHRITIS WITH CC	1	0.01	3.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	2.0
551	MEDICAL BACK PROBLEMS WITH MCC	5	0.03	5.8
552	MEDICAL BACK PROBLEMS WITHOUT MCC	32	0.22	3.2
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.02	6.7
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	2	0.01	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	8	0.05	2.6
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	14	0.09	3.1
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.01	3.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	4.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	3	0.02	3.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	24	0.16	1.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.01	8.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.03	9.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.02	4.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	4.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.03	7.0
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.03	3.4
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	2	0.01	1.5
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	4	0.03	.75
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.02	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	11	0.07	4.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	37	0.25	1.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	13	0.09	1.6
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	16	0.11	1.4
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.02	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	6	0.04	.50
592	SKIN ULCERS WITH MCC	3	0.02	32
593	SKIN ULCERS WITH CC	5	0.03	6.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	1	0.01	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	6.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.02	4.7
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.01	8.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.01	3.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	3.0
602	CELLULITIS WITH MCC	15	0.10	3.5
603	CELLULITIS WITHOUT MCC	146	0.99	3.0
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	4	0.03	3.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	20	0.14	1.6
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	9	0.06	3.1
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	8	0.05	1.9
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	9	0.06	4.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	8	0.05	3.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	69	0.47	1.7
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.02	5.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	9	0.06	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	40	0.27	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.01	11
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	7	0.05	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
637	DIABETES WITH MCC	20	0.14	2.9
638	DIABETES WITH CC	38	0.26	2.2
639	DIABETES WITHOUT CC/MCC	39	0.26	1.7
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	34	0.23	5.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	89	0.60	3.6
642	INBORN ERRORS OF METABOLISM	2	0.01	2.0
643	ENDOCRINE DISORDERS WITH MCC	1	0.01	5.0
644	ENDOCRINE DISORDERS WITH CC	4	0.03	3.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	10	0.07	2.7
652	KIDNEY TRANSPLANT	9	0.06	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.02	12
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.03	7.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.02	3.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.03	22
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	6	0.04	3.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	11	0.07	5.0
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	7	0.05	7.7
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	14	0.09	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	25	0.17	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	7.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	1.0
665	PROSTATECTOMY WITH MCC	3	0.02	5.7
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	5	0.03	4.6
669	TRANSURETHRAL PROCEDURES WITH CC	9	0.06	2.6
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	10	0.07	1.4
671	URETHRAL PROCEDURES WITH CC/MCC	3	0.02	5.3
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	4	0.03	6.3
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	8	0.05	2.1
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
682	RENAL FAILURE WITH MCC	45	0.30	5.1
683	RENAL FAILURE WITH CC	85	0.57	3.4
684	RENAL FAILURE WITHOUT CC/MCC	15	0.10	3.3
685	ADMIT FOR RENAL DIALYSIS	1	0.01	2.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.01	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	.50
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	33	0.22	3.8
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	123	0.83	2.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	1.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	2	0.01	.50

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
693	URINARY STONES WITHOUT ESW LITHOTRIPTY WITH MCC	5	0.03	1.6
694	URINARY STONES WITHOUT ESW LITHOTRIPTY WITHOUT MCC	19	0.13	1.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	5	0.03	3.8
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	24	0.16	7.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	17	0.11	2.1
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	12	0.08	3.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	7	0.05	1.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	27	0.18	1.7
710	PENIS PROCEDURES WITHOUT CC/MCC	3	0.02	.67
711	TESTES PROCEDURES WITH CC/MCC	2	0.01	8.5
712	TESTES PROCEDURES WITHOUT CC/MCC	3	0.02	1.3
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.05	2.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	45	0.30	1.2
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.01	3.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	2	0.01	2.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	7.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	4	0.03	2.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.01	3.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.02	6.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	8	0.05	6.8
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.04	5.2
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	16	0.11	2.6
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	52	0.35	3.2
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	234	1.58	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	2	0.01	.50
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.01	1.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	16	0.11	1.4
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	38	0.26	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	3	0.02	5.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.02	6.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.03	2.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	4.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.02	1.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	3	0.02	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	12	0.08	1.8
765	CESAREAN SECTION WITH CC/MCC	222	1.50	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	416	2.81	2.9
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	67	0.45	2.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	3.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	6	0.04	5.7
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	8	0.05	1.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	286	1.93	2.3
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1,456	9.85	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	19	0.13	3.1
777	ECTOPIC PREGNANCY	16	0.11	1.3
778	THREATENED ABORTION	23	0.16	3.0
779	ABORTION WITHOUT D&C	9	0.06	.78
780	FALSE LABOR	13	0.09	1.2
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	112	0.76	1.6
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	38	0.26	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	43	0.29	2.1
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	32	0.22	35
791	PREMATURITY WITH MAJOR PROBLEMS	24	0.16	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	118	0.80	5.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	85	0.57	6.9
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	395	2.67	2.3
795	NORMAL NEWBORN	1,902	12.86	1.9
800	SPLENECTOMY WITH CC	1	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	4	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	4.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	4	0.03	2.8
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	9	0.06	6.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	26	0.18	4.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	5	0.03	3.6
811	RED BLOOD CELL DISORDERS WITH MCC	14	0.09	7.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	43	0.29	2.4
813	COAGULATION DISORDERS	11	0.07	3.8
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	2.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.05	4.1
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.03	3.4
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.02	14
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.03	3.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	7.0
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.02	9.3
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	5.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.01	6.5
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.01	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	2.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	10	0.07	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.02	5.7
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	7.7
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.02	20
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	21	0.14	5.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	9	0.06	6.2
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	7	0.05	4.9
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	5	0.03	2.4
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.01	7.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	6	0.04	4.2
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	5	0.03	8.4
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	33	0.22	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	11	0.07	2.9
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	51	0.34	16
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.04	5.3
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	4	0.03	8.0
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	15	0.10	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	6.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.06	3.8
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	24	0.16	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
864	FEVER	15	0.10	3.7
865	VIRAL ILLNESS WITH MCC	5	0.03	3.8
866	VIRAL ILLNESS WITHOUT MCC	22	0.15	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	5	0.03	17
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.01	7.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	32	0.22	18
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	327	2.21	4.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	102	0.69	4.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	11	0.07	2.0
881	DEPRESSIVE NEUROSES	2	0.01	1.5
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.01	4.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	9	0.06	6.3
885	PSYCHOSES	10	0.07	1.6
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.01	17
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	7	0.05	3.6
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	7	0.05	19
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	57	0.39	3.0
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	2	0.01	4.0
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	4	0.03	9.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	3	0.02	4.7
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	7.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
906	HAND PROCEDURES FOR INJURIES	4	0.03	1.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	10	0.07	13
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	23	0.16	5.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	10	0.07	2.0
914	TRAUMATIC INJURY WITHOUT MCC	8	0.05	1.0
915	ALLERGIC REACTIONS WITH MCC	1	0.01	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.03	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	41	0.28	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	76	0.51	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	10	0.07	6.7
920	COMPLICATIONS OF TREATMENT WITH CC	9	0.06	3.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	9	0.06	2.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	1.3
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.01	12
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	3	0.02	1.3
935	NON-EXTENSIVE BURNS	10	0.07	2.8
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	0.01	5.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	5	0.03	2.6
945	REHABILITATION WITH CC/MCC	2	0.01	13
947	SIGNS & SYMPTOMS WITH MCC	4	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	33	0.22	1.8
949	AFTERCARE WITH CC/MCC	3	0.02	6.7
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.02	1.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.07	14
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	6	0.04	14
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	5	0.03	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	4.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.02	6.7
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	8	0.05	4.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	2	0.01	2.0
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.01	12
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	5	0.03	6.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.01	2.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.02	2.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.03	4.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	23	0.16	12
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	16	0.11	6.3
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.03	2.2
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.01	1.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	6	0.04	6.3
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.04	2.8

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.03	5.8
All		14,785	100.0	3.6

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	16.67	7.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	33.33	30
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	50.00	3.7
All		6	100.0	13

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	3.03	26
945	REHABILITATION WITH CC/MCC	59	89.39	15
946	REHABILITATION WITHOUT CC/MCC	5	7.58	9.8
All		66	100.0	15

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.25	7.5
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	2	0.25	.50
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	7	0.87	3.1
881	DEPRESSIVE NEUROSES	78	9.73	3.6
882	NEUROSES EXCEPT DEPRESSIVE	27	3.37	4.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	16	2.00	8.8
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	4	0.50	5.8
885	PSYCHOSES	618	77.06	7.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.37	3.0
887	OTHER MENTAL DISORDER DIAGNOSIS	1	0.12	2.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.12	3.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	42	5.24	4.6
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.12	2.0
All		802	100.0	7.1

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	1.15	3.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	2	2.30	1.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	1.15	1.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	1.15	.00
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	1.15	3.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	1.15	8.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	1.15	37
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	1.15	38
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	1.15	13
388	G.I. OBSTRUCTION WITH MCC	1	1.15	2.0
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	1.15	11
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	1.15	.00
603	CELLULITIS WITHOUT MCC	2	2.30	12
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	1.15	12
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	1	1.15	16
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	1	1.15	6.0
945	REHABILITATION WITH CC/MCC	43	49.43	29
946	REHABILITATION WITHOUT CC/MCC	25	28.74	9.9
949	AFTERCARE WITH CC/MCC	1	1.15	43
All		87	100.0	20

**MDC by Patient County of Residence
for 2009
Yolo County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	795	5.05	4.1
02	EYE, DISEASES & DISORDERS	15	0.10	4.9
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	162	1.03	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,242	7.89	4.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,415	8.99	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,124	7.14	4.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	417	2.65	4.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,219	7.74	3.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	315	2.00	3.2
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	404	2.57	2.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	531	3.37	3.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	106	0.67	1.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	412	2.62	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,696	17.12	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,599	16.51	2.9
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	135	0.86	4.2
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	142	0.90	6.9
18	INFECTIOUS & PARASITIC DISEASES	628	3.99	6.6
19	MENTAL DISEASES & DISORDERS	789	5.01	7.1
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	121	0.77	5.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	225	1.43	3.5
22	BURNS	14	0.09	3.1

(Continued)

*MDC by Patient County of Residence
for 2009
Yolo County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	187	1.19	14
24	MULTIPLE SIGNFICANT TRAUMA	37	0.23	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.10	5.1
All		15,746	100.0	3.9

**MDC by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	791	5.35	4.2
02	EYE, DISEASES & DISORDERS	15	0.10	4.9
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	162	1.10	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,239	8.38	4.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,412	9.55	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,122	7.59	4.3
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	417	2.82	4.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,218	8.24	3.4
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	313	2.12	3.2
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	404	2.73	2.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	530	3.58	3.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	106	0.72	1.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	412	2.79	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2,692	18.21	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	2,599	17.58	2.9
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	135	0.91	4.2
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	142	0.96	6.9
18	INFECTIOUS & PARASITIC DISEASES	627	4.24	6.6
19	MENTAL DISEASES & DISORDERS	35	0.24	3.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	72	0.49	4.7
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	224	1.52	3.5

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	14	0.09	3.1
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	51	0.34	2.8
24	MULTIPLE SIGNFICANT TRAUMA	37	0.25	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	16	0.11	5.1
All		14,785	100.0	3.6

***MDC by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	6	100.0	13
All		6	100.0	13

***MDC by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	66	100.0	15
All		66	100.0	15

**MDC by Patient County of Residence
and Type of Care for 2009
Yolo County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4	0.50	4.0
19	MENTAL DISEASES & DISORDERS	754	94.01	7.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	43	5.36	4.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.12	2.0
All		802	100.0	7.1

***MDC by Patient County of Residence
and Type of Care for 2009
Yolo County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	4	4.60	1.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3	3.45	3.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3	3.45	29
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2	2.30	6.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	1.15	.00
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	2.30	12
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	1.15	12
18	INFECTIOUS & PARASITIC DISEASES	1	1.15	16
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	70	80.46	22
All		87	100.0	20